

MANIPUR Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)		SL No	C) State Health Indicator (SRS 2014)			
1	Population 2011	2,855,794	9	Birth Rate		14.7	
2	Sex Ratio	987	10	Death Rate		4	
3	Number of districts	9	11	IMR		10	
B) Infrastructure Details (RHS 2014)			12	Growth Rate		10.6	
4	Sub Centers (SC)	421	13	TFR (SRS - 2007)		1.6	
5	Primary Health Centers (PHC)	85					
6	Community Health Centers (CHC)	17					
7	SDH	1					
8	DH	7					
D) Maternal Health:		2013-14	2014-15				
14	Expected number of PW	46,939	48,478				
15	Expected number of Delivery	43,184	44,600				
		HMIS(2013-14)	HMIS (2014-15)		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
16	PW register for ANC	87,352	186.1	78,996	163.0	Any ANC	75.8
17	Mothers registered in the first trimester	45,618	52.2	46,680	59.1	ANC Check up in first trimester	55.1
18	Mothers who had at least 3 Ante-Natal care check ups	44,641	51.1	42,010	53.2	3 or more ANC check up	61.3
19	PW who got TT 2 / Booster injection	31,578	36.2	33,317	42.2	At least 1 TT received	73.9
20	PW who consumed 100 IFA tablets	20,648	23.6	21,509	27.2	100 IFA tablets consumed	31.9
21	Home Delivery against expected delivery *	9,310	21.6	8,171	18.3	Full ANC	28.3
22	Institutional Delivery against expected delivery *	27,867	64.5	32,400	72.6	Home Delivery	37.4
23	Home Delivery against reported delivery **	9,310	25.0	8,171	20.1	Institutional Delivery	61.1
24	Institutional Delivery against reported delivery **	27,867	75.0	32,400	79.9	Home Delivery by SBA	12.4
25	Total reported Deliveries	37,177	86.1	40,571	91.0	PNC within 14 days of delivery	78
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5,067	54.4	4,397	53.8		
27	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	16,565	44.6	15,716	38.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
28	Expected number of Live Birth	42,672	44,071				
E) Child Immunization:		HMIS(2013-14)	HMIS (2014-15)		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
29	Total reported live births	37,172	87.1	40,617	92.2	Breastfed within 1 hour of birth	43.4

30	Total Still Birth	244	0.6	208	0.5	BCG	85.5
31	Newborn weighted at birth to live birth	36,142	97.2	39,672	97.7	3 dose of DPT	75.7
32	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1,416	3.8	1,542	3.8	Measles	69
33	Newborns breastfed within 1 hour to total reported live birth.	28,461	76.6	32,014	78.8	Full Immunization	54.1
34	Fully immunized	42,037	98.5	40,455	91.8		
35	Children who have received BCG	52,955	124.1	51,355	116.5		
36	Children who have received DPT1	53,311	124.9	51,006	115.7		
37	Children who have received DPT3	48,648	114.0	45,910	104.2		
38	Children who have received Measles	45,502	106.6	42,727	97.0		
39	Diarrhoea and Dehydration cases reported in children below 5 years	14,631		12,765			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
F) Family Planning		HMIS(2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
40	Number of Vasectomies performed	130		89		Limiting	25.7
41	Number of Tubectomies performed	739		685		Spacing	28.8
42	Number of IUD insertion	4,837		5,236		Women using any method	20.5
43	Number of IUD removals	2,274		2,209		Women using modern method	11.3
G) Service delivery		HMIS(2013-14)		HMIS (2014-15)			
44	IPD cases per 10,000 population ***	229		239			
45	General OPD cases per 10,000 population ***	3,683		3,828			
46	Ayush OPD cases per 10,000 population ***	338		375			
H) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS(2013-14)		HMIS (2014-15)			
47	Neonatal death within 24 hours	4		5			
48	Up to 1 Weeks of Birth	5		29			
49	Between 1 week & 4 weeks of birth	3		3			
50	Neonatal Death	12		37			
51	Between 1 month and 11 months	24		33			
52	Total reported infant deaths	36		70			
II) Maternal Mortality		HMIS(2013-14)		HMIS (2014-15)			
Maternal Deaths (In Numbers)		HMIS(2013-14)		HMIS (2014-15)			
53	Due to Abortion	0		0			
54	Due to Obstructed/prolonged labour	5		3			
55	Due to Severe hypertension/fits	2		1			
56	Due to Bleeding	3		4			
57	Due to High fever	1		1			
58	Due to Other Causes (including causes not known)	8		4			
59	Total reported maternal deaths	19		13			

Bishnupur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	237,399						
2	Sex Ratio	1,000						
B) Infrastructure Details (RHS 2014)		Numbers						
3	Sub Centers (SC)	33						
4	Primary Health Centers (PHC)	7						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2013-14	2014-15					
8	Expected number of PW	3,877	3,991					
9	Expected number of Delivery	3,567	3,672					
		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)		
		Number	PC	Number	PC			
10	PW register for ANC	4,991	128.7	5,227	131.0	Any ANC	92.5	
11	Mothers registered in the first trimester	3,745	75.0	3,679	70.4	ANC Check up in first trimester	68.4	
12	Mothers who had at least 3 Ante-Natal care check ups	2,673	53.6	3,061	58.6	3 or more ANC check up	79.2	
13	PW who got TT 2 / Booster injection	3,461	69.3	3,577	68.4	At least 1 TT received	86.6	
14	PW who consumed 100 IFA tablets	1,020	20.4	1,691	32.4	100 IFA tablets consumed	46.2	
15	Home Delivery against expected delivery *	250	7.0	277	7.5	Full ANC	40.3	
16	Institutional Delivery against expected delivery *	958	26.9	1,119	30.5	Home Delivery	16.0	
17	Home Delivery against reported delivery **	250	20.7	277	19.8	Institutional Delivery	83.7	
18	Institutional Delivery against reported delivery **	958	79.3	1,119	80.2	Home Delivery by SBA	6.8	
19	Total reported Deliveries	1,208		1,396		PNC within 14 days of delivery	82.9	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	177	70.8	240	86.6			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,483	122.8	1,432	102.6			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
22	Expected number of Live Birth	3,524		3,628				
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)		
		Number	PC	Number	PC			
23	Total reported live births	1,207	34.2	1,393	38.4	Breastfed within 1 hour of birth	58.3	
24	Total Still Birth	7	0.2	6	0.2	BCG	92.8	

25	PC of newborn weighted at birth to live birth	1,203	99.7	1,392	99.9	3 dose of DPT	73.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	40	3.3	60	4.3	Measles	79.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,197	99.2	1,392	99.9	Full Immunization	58
28	Children fully immunized	3,875	109.9	3,681	101.5		
29	Children who have received BCG	4,407	125.0	4,572	126.0		
30	Children who have received DPT1	4,482	127.2	4,629	127.6		
31	Children who have received DPT3	4,107	116.5	3,865	106.5		
32	Children who have received Measles	3,967	112.6	4,027	111.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,510		1,972			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	23	10	Limiting	22.9
35	Number of Tubectomies performed	18	43	Spacing	25.3
36	Number of IUD insertion	536	520	Women using any method	30.2
37	Number of IUD removals	287	260	Women using modern method	18.6
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	260	260		
39	General OPD cases per 10,000 population ***	7360	7426		
40	Ayush OPD cases per 10,000 population ***	739	871		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	1	0		
42	Up to 1 Weeks of Birth	0	2		
43	Between 1 week & 4 weeks of birth	1	0		
44	Neonatal Death	2	2		
45	Between 1 month and 11 months	3	1		
46	Total reported infant deaths	5	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	0		
53	Total reported maternal deaths	1	0		

Chandel Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	144,182					
2	Sex Ratio	932					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	26					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	2,384		2,470			
9	Expected number of Delivery	2,193		2,272			
		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,852	119.6	3,468	140.4	Any ANC	62.3
11	Mothers registered in the first trimester	1,326	46.5	1,898	54.7	ANC Check up in first trimester	47.7
12	Mothers who had at least 3 Ante-Natal care check ups	1,006	35.3	1,609	46.4	3 or more ANC check up	43.7
13	PW who got TT 2 / Booster injection	1,474	51.7	1,572	45.3	At least 1 TT received	60.6
14	PW who consumed 100 IFA tablets	1,185	41.5	2,074	59.8	100 IFA tablets consumed	14.3
15	Home Delivery against expected delivery *	948	43.2	847	37.3	Full ANC	11.0
16	Institutional Delivery against expected delivery *	322	14.7	490	21.6	Home Delivery	59.4
17	Home Delivery against reported delivery **	948	74.6	847	63.4	Institutional Delivery	36.2
18	Institutional Delivery against reported delivery **	322	25.4	490	36.6	Home Delivery by SBA	14.9
19	Total reported Deliveries	1,270		1,337		PNC within 14 days of delivery	57.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	502	53.0	488	57.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	492	38.7	734	54.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,167		2,245			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,304	60.2	1,407	62.7	Breastfed within 1 hour of birth	42.9

24	Total Still Birth	5	0.2	8	0.4	BCG	86
25	PC of newborn weighted at birth to live birth	927	71.1	1,204	85.6	3 dose of DPT	79.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	12	1.3	9	0.7	Measles	72.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,032	79.1	1,277	90.8	Full Immunization	52.3
28	Children fully immunized	1,681	77.6	1,696	75.5		
29	Children who have received BCG	1,940	89.5	1,871	83.3		
30	Children who have received DPT1	2,071	95.6	1,827	81.4		
31	Children who have received DPT3	1,804	83.2	1,712	76.3		
32	Children who have received Measles	1,751	80.8	1,708	76.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	816		659			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0		0		Limiting	33.9
35	Number of Tubectomies performed	0		13		Spacing	32.1
36	Number of IUD insertion	282		222		Women using any method	8.3
37	Number of IUD removals	86		64		Women using modern method	5.4
F) Service delivery		HMIS (2013-14)		HMIS (2014-15)			
38	IPD cases per 10,000 population ***	159		270			
39	General OPD cases per 10,000 population ***	1481		2269			
40	Ayush OPD cases per 10,000 population ***	301		343			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15)			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	0		3			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	0		3			
45	Between 1 month and 11 months	0		4			
46	Total reported infant deaths	0		7			
II)	Maternal Mortality	HMIS (2013-14)		HMIS (2014-15)			
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15)			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		1			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	Total reported maternal deaths	0		1			

Churachandpur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	274,143						
2	Sex Ratio	969						
B) Infrastructure Details (RHS 2014)		Numbers						
3	Sub Centers (SC)	65						
4	Primary Health Centers (PHC)	11						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2013-14	2014-15					
8	Expected number of PW	4,509	4,659					
9	Expected number of Delivery	4,149	4,286					
		HMIS (2013-14)	HMIS (2014-15)		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
10	PW register for ANC	8,493	188.3	10,021	215.1	Any ANC	51.3	
11	Mothers registered in the first trimester	5,176	60.9	6,810	68.0	ANC Check up in first trimester	26.5	
12	Mothers who had at least 3 Ante-Natal care check ups	4,637	54.6	4,455	44.5	3 or more ANC check up	31.0	
13	PW who got TT 2 / Booster injection	2,908	34.2	4,028	40.2	At least 1 TT received	51.0	
14	PW who consumed 100 IFA tablets	2,741	32.3	5,389	53.8	100 IFA tablets consumed	12.6	
15	Home Delivery against expected delivery *	799	19.3	845	19.7	Full ANC	7.6	
16	Institutional Delivery against expected delivery *	4,107	99.0	3,760	87.7	Home Delivery	45.6	
17	Home Delivery against reported delivery **	799	16.3	845	18.3	Institutional Delivery	51.0	
18	Institutional Delivery against reported delivery **	4,107	83.7	3,760	81.7	Home Delivery by SBA	14.6	
19	Total reported Deliveries	4,906		4,605		PNC within 14 days of delivery	82.8	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	416	52.1	430	50.9			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,082	22.1	647	14.0			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
22	Expected number of Live Birth	4,099		4,235				
D) Child Immunization :		HMIS (2013-14)	HMIS (2014-15)		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
23	Total reported live births	4,890	119.3	4,594	108.5	Breastfed within 1 hour of birth	44.6	

24	Total Still Birth	15	0.4	11	0.3	BCG	64.6
25	PC of newborn weighted at birth to live birth	4,814	98.4	4,525	98.5	3 dose of DPT	62.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	147	3.1	77	1.7	Measles	39.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,775	97.6	4,519	98.4	Full Immunization	18.8
28	Children fully immunized	4,274	104.3	3,657	86.3		
29	Children who have received BCG	4,947	120.7	4,612	108.9		
30	Children who have received DPT1	5,516	134.6	4,982	117.6		
31	Children who have received DPT3	4,941	120.5	4,571	107.9		
32	Children who have received Measles	4,419	107.8	3,802	89.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	584		794			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	6	8	Limiting	24.4
35	Number of Tubectomies performed	159	141	Spacing	36.2
36	Number of IUD insertion	468	725	Women using any method	22.6
37	Number of IUD removals	210	303	Women using modern method	14.6

F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	453	396		
39	General OPD cases per 10,000 population ***	5226	4846		
40	Ayush OPD cases per 10,000 population ***	168	178		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	0	1		
42	Up to 1 Weeks of Birth	2	19		
43	Between 1 week & 4 weeks of birth	1	2		
44	Neonatal Death	3	22		
45	Between 1 month and 11 months	5	18		
46	Total reported infant deaths	8	40		
II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	1	3		
49	Due to Severe hypertension/fits	1	0		
50	Due to Bleeding	0	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	2	0		
53	Total reported maternal deaths	4	4		

Imphal East Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	456,113						
2	Sex Ratio	1,011						
B) Infrastructure Details (RHS 2014)		Numbers						
3	Sub Centers (SC)	54						
4	Primary Health Centers (PHC)	11						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	0						
C) Maternal Health:		2013-14	2014-15					
8	Expected number of PW	7,438	7,651					
9	Expected number of Delivery	6,843	7,039					
		HMIS (2013-14)	HMIS (2014-15)		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
10	PW register for ANC	11,230	151.0	8,651	113.1	Any ANC	87.9	
11	Mothers registered in the first trimester	5,621	50.1	4,562	52.7	ANC Check up in first trimester	63.0	
12	Mothers who had at least 3 Ante-Natal care check ups	3,639	32.4	2,931	33.9	3 or more ANC check up	75.0	
13	PW who got TT 2 / Booster injection	5,231	46.6	4,119	47.6	At least 1 TT received	86.8	
14	PW who consumed 100 IFA tablets	4,202	37.4	2,464	28.5	100 IFA tablets consumed	41.5	
15	Home Delivery against expected delivery *	373	5.5	218	3.1	Full ANC	37.8	
16	Institutional Delivery against expected delivery *	906	13.2	5,185	73.7	Home Delivery	23.9	
17	Home Delivery against reported delivery **	373	29.2	218	4.0	Institutional Delivery	75.6	
18	Institutional Delivery against reported delivery **	906	70.8	5,185	96.0	Home Delivery by SBA	12.6	
19	Total reported Deliveries	1,279		5,403		PNC within 14 days of delivery	84.8	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	246	66.0	109	50.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,270	99.3	1,447	26.8			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
22	Expected number of Live Birth	6,762		6,956				
D) Child Immunization :		HMIS (2013-14)	HMIS (2014-15)		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
23	Total reported live births	1,264	18.7	5,379	77.3	Breastfed within 1 hour of birth	40.2	

24	Total Still Birth	15	0.2	24	0.3	BCG	90.4
25	PC of newborn weighted at birth to live birth	1,061	83.9	5,178	96.3	3 dose of DPT	69.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	47	4.4	80	1.5	Measles	78.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	872	69.0	4,273	79.4	Full Immunization	55.9
28	Children fully immunized	6,762	100.0	6,298	90.5		
29	Children who have received BCG	8,518	126.0	8,130	116.9		
30	Children who have received DPT1	8,554	126.5	7,921	113.9		
31	Children who have received DPT3	8,088	119.6	7,194	103.4		
32	Children who have received Measles	7,319	108.2	6,796	97.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,469		1,258			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	50	0	Limiting	26.4
35	Number of Tubectomies performed	96	2	Spacing	24.2
36	Number of IUD insertion	865	817	Women using any method	22.4
37	Number of IUD removals	268	288	Women using modern method	12.6

F) Service delivery		HMIS (2013-14)	HMIS (2014-15)	
38	IPD cases per 10,000 population ***	106	160	
39	General OPD cases per 10,000 population ***	2494	2911	
40	Ayush OPD cases per 10,000 population ***	254	317	

G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)	
41	Neonatal death within 24 hours	0	1	
42	Up to 1 Weeks of Birth	1	0	
43	Between 1 week & 4 weeks of birth	0	0	
44	Neonatal Death	1	1	
45	Between 1 month and 11 months	1	3	
46	Total reported infant deaths	2	4	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)	
47	Due to Abortion	0	0	
48	Due to Obstructed/prolonged labour	2	0	
49	Due to Severe hypertension/fits	0	0	
50	Due to Bleeding	0	0	
51	Due to High fever	0	0	
52	Due to Other Causes (including causes not known)	1	1	
53	Total reported maternal deaths	3	1	

Imphal West Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	517,992						
2	Sex Ratio	1,029						
B) Infrastructure Details (RHS 2014)		Numbers						
3	Sub Centers (SC)	51						
4	Primary Health Centers (PHC)	9						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	0						
C) Maternal Health:		2013-14	2014-15					
8	Expected number of PW	8,467	8,720					
9	Expected number of Delivery	7,789	8,022					
		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)		
		Number	PC	Number	PC			
10	PW register for ANC	28,871	341.0	23,937	274.5	Any ANC	91.6	
11	Mothers registered in the first trimester	16,072	55.7	14,903	62.3	ANC Check up in first trimester	75.4	
12	Mothers who had at least 3 Ante-Natal care check ups	22,529	78.0	19,745	82.5	3 or more ANC check up	82.2	
13	PW who got TT 2 / Booster injection	5,827	20.2	8,167	34.1	At least 1 TT received	89.2	
14	PW who consumed 100 IFA tablets	2,385	8.3	2,772	11.6	100 IFA tablets consumed	53.4	
15	Home Delivery against expected delivery *	296	3.8	315	3.9	Full ANC	50.0	
16	Institutional Delivery against expected delivery *	16,957	217.7	16,537	206.1	Home Delivery	13.5	
17	Home Delivery against reported delivery **	296	1.7	315	1.9	Institutional Delivery	85.5	
18	Institutional Delivery against reported delivery **	16,957	98.3	16,537	98.1	Home Delivery by SBA	5.4	
19	Total reported Deliveries	17,253		16,852		PNC within 14 days of delivery	81.1	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	56	18.9	26	8.3			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,886	51.5	8,209	48.7			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
22	Expected number of Live Birth	7,697		7,927				
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)		
		Number	PC	Number	PC			
23	Total reported live births	17,271	224.4	16,903	213.2	Breastfed within 1 hour of birth	38.6	

24	Total Still Birth	145	1.9	107	1.3	BCG	97.7
25	PC of newborn weighted at birth to live birth	17,252	99.9	16,883	99.9	3 dose of DPT	93
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,027	6.0	1,154	6.8	Measles	88.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	10,330	59.8	10,384	61.4	Full Immunization	79.1
28	Children fully immunized	8,588	111.6	9,374	118.2		
29	Children who have received BCG	12,369	160.7	12,324	155.5		
30	Children who have received DPT1	11,388	148.0	11,103	140.1		
31	Children who have received DPT3	10,832	140.7	10,325	130.2		
32	Children who have received Measles	10,241	133.1	9,984	125.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,663		1,919			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	34	59	Limiting	25.3
35	Number of Tubectomies performed	387	425	Spacing	28.9
36	Number of IUD insertion	850	1,026	Women using any method	22.8
37	Number of IUD removals	451	420	Women using modern method	12.5
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	414	430		
39	General OPD cases per 10,000 population ***	4415	4575		
40	Ayush OPD cases per 10,000 population ***	252	328		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	1	3		
43	Between 1 week & 4 weeks of birth	0	1		
44	Neonatal Death	1	4		
45	Between 1 month and 11 months	0	1		
46	Total reported infant deaths	1	5		
II)	Maternal Mortality	HMIS (2013-14)	HMIS (2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	1		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	2		
53	Total reported maternal deaths	0	3		

Senapati Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	479,148					
2	Sex Ratio	939					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	66					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	7,976		8,291			
9	Expected number of Delivery	7,338		7,627			
		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	9,194	115.3	8,964	108.1	Any ANC	63.1
11	Mothers registered in the first trimester	3,537	38.5	4,244	47.3	ANC Check up in first trimester	42.4
12	Mothers who had at least 3 Ante-Natal care check ups	3,469	37.7	3,783	42.2	3 or more ANC check up	47.9
13	PW who got TT 2 / Booster injection	5,528	60.1	5,070	56.6	At least 1 TT received	61.0
14	PW who consumed 100 IFA tablets	3,257	35.4	1,697	18.9	100 IFA tablets consumed	14.1
15	Home Delivery against expected delivery *	3,987	54.3	3,547	46.5	Full ANC	12.8
16	Institutional Delivery against expected delivery *	1,313	17.9	1,522	20.0	Home Delivery	66.6
17	Home Delivery against reported delivery **	3,987	75.2	3,547	70.0	Institutional Delivery	32.6
18	Institutional Delivery against reported delivery **	1,313	24.8	1,522	30.0	Home Delivery by SBA	23.1
19	Total reported Deliveries	5,300		5,069		PNC within 14 days of delivery	78.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,414	60.5	2,016	56.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,335	25.2	1,376	27.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	7,251		7,537			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	5,296	73.0	5,074	67.3	Breastfed within 1 hour of birth	47.7

24	Total Still Birth	20	0.3	10	0.1	BCG	87.7
25	PC of newborn weighted at birth to live birth	5,280	99.7	4,987	98.3	3 dose of DPT	66.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	13	0.2	38	0.8	Measles	64.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,204	98.3	4,922	97.0	Full Immunization	47.7
28	Children fully immunized	6,596	91.0	6,005	79.7		
29	Children who have received BCG	7,282	100.4	6,762	89.7		
30	Children who have received DPT1	7,768	107.1	7,292	96.7		
31	Children who have received DPT3	7,113	98.1	6,934	92.0		
32	Children who have received Measles	6,694	92.3	6,239	82.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,694		2,566			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)			
34	Number of Vasectomies performed	0	6	Limiting	24.3		
35	Number of Tubectomies performed	0	39	Spacing	26		
36	Number of IUD insertion	415	425	Women using any method	24.4		
37	Number of IUD removals	362	203	Women using modern method	9.8		
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)				
38	IPD cases per 10,000 population ***	134	108				
39	General OPD cases per 10,000 population ***	1994	2102				
40	Ayush OPD cases per 10,000 population ***	229	199				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)				
41	Neonatal death within 24 hours	1	0				
42	Up to 1 Weeks of Birth	0	0				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	1	0				
45	Between 1 month and 11 months	5	1				
46	Total reported infant deaths	6	1				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	1	1				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	1	1				
53	Total reported maternal deaths	2	2				

Tamenglong Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	140,651					
2	Sex Ratio	953					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	29					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14	2014-15				
8	Expected number of PW	2,344	2,437				
9	Expected number of Delivery	2,156	2,242				
		HMIS (2013-14)	HMIS (2014-15)		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
10	PW register for ANC	3,221	137.4	2,715	111.4	Any ANC	60.3
11	Mothers registered in the first trimester	1,526	47.4	1,512	55.7	ANC Check up in first trimester	34.3
12	Mothers who had at least 3 Ante-Natal care check ups	1,260	39.1	1,437	52.9	3 or more ANC check up	41.9
13	PW who got TT 2 / Booster injection	1,406	43.7	1,155	42.5	At least 1 TT received	56.8
14	PW who consumed 100 IFA tablets	1,148	35.6	1,133	41.7	100 IFA tablets consumed	17.1
15	Home Delivery against expected delivery *	730	33.9	542	24.2	Full ANC	13.7
16	Institutional Delivery against expected delivery *	540	25.0	624	27.8	Home Delivery	60.8
17	Home Delivery against reported delivery **	730	57.5	542	46.5	Institutional Delivery	38.7
18	Institutional Delivery against reported delivery **	540	42.5	624	53.5	Home Delivery by SBA	11.6
19	Total reported Deliveries	1,270		1,166		PNC within 14 days of delivery	62.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	225	30.8	176	32.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	233	18.3	216	18.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,131		2,216			
D) Child Immunization :		HMIS (2013-14)	HMIS (2014-15)		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
23	Total reported live births	1,261	59.2	1,160	52.3	Breastfed within 1 hour of birth	61.2

24	Total Still Birth	16	0.8	8	0.4	BCG	76.3
25	PC of newborn weighted at birth to live birth	1,112	88.2	1,010	87.1	3 dose of DPT	56.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	13	1.2	16	1.6	Measles	54.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,063	84.3	1,030	88.8	Full Immunization	29.7
28	Children fully immunized	1,537	72.1	1,442	65.1		
29	Children who have received BCG	2,244	105.3	2,170	97.9		
30	Children who have received DPT1	2,393	112.3	2,277	102.8		
31	Children who have received DPT3	1,930	90.6	1,856	83.8		
32	Children who have received Measles	1,767	82.9	1,550	69.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	976		702			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	31.6
35	Number of Tubectomies performed	32	0	Spacing	36.2
36	Number of IUD insertion	594	616	Women using any method	8
37	Number of IUD removals	231	252	Women using modern method	4.5
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	174	199		
39	General OPD cases per 10,000 population ***	2463	2435		
40	Ayush OPD cases per 10,000 population ***	191	267		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	1		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	1		
45	Between 1 month and 11 months	2	1		
46	Total reported infant deaths	2	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	0		

Thoubal Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	422,168						
2	Sex Ratio	1,006						
B) Infrastructure Details (RHS 2014)		Numbers						
3	Sub Centers (SC)	57						
4	Primary Health Centers (PHC)	13						
5	Community Health Centers (CHC)	5						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2013-14	2014-15					
8	Expected number of PW	6,896	7,100					
9	Expected number of Delivery	6,344	6,532					
		HMIS (2013-14)	HMIS (2014-15)		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
10	PW register for ANC	15,076	218.6	12,733	179.3	Any ANC	92.0	
11	Mothers registered in the first trimester	6,834	45.3	7,135	56.0	ANC Check up in first trimester	80.1	
12	Mothers who had at least 3 Ante-Natal care check ups	4,041	26.8	3,930	30.9	3 or more ANC check up	78.2	
13	PW who got TT 2 / Booster injection	4,526	30.0	4,399	34.5	At least 1 TT received	90.8	
14	PW who consumed 100 IFA tablets	3,237	21.5	3,087	24.2	100 IFA tablets consumed	46.2	
15	Home Delivery against expected delivery *	984	15.5	772	11.8	Full ANC	42.2	
16	Institutional Delivery against expected delivery *	1,760	27.7	2,125	32.5	Home Delivery	24.6	
17	Home Delivery against reported delivery **	984	35.9	772	26.6	Institutional Delivery	74.2	
18	Institutional Delivery against reported delivery **	1,760	64.1	2,125	73.4	Home Delivery by SBA	12.0	
19	Total reported Deliveries	2,744		2,897		PNC within 14 days of delivery	75.5	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	626	63.6	533	69.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,245	45.4	1,157	39.9			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
22	Expected number of Live Birth	6,269		6,454				
D) Child Immunization :		HMIS (2013-14)	HMIS (2014-15)		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
23	Total reported live births	2,738	43.7	2,889	44.8	Breastfed within 1 hour of birth	26.3	

24	Total Still Birth	7	0.1	17	0.3	BCG	88.2
25	PC of newborn weighted at birth to live birth	2,666	97.4	2,869	99.3	3 dose of DPT	84
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	55	2.1	53	1.8	Measles	66.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,631	96.1	2,824	97.8	Full Immunization	59.1
28	Children fully immunized	7,052	112.5	6,667	103.3		
29	Children who have received BCG	8,854	141.2	8,724	135.2		
30	Children who have received DPT1	8,653	138.0	8,617	133.5		
31	Children who have received DPT3	7,568	120.7	7,431	115.1		
32	Children who have received Measles	7,531	120.1	6,926	107.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	3,182		2,511			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	11	5	Limiting	24.5
35	Number of Tubectomies performed	13	3	Spacing	25
36	Number of IUD insertion	694	726	Women using any method	18.6
37	Number of IUD removals	310	388	Women using modern method	10.1

F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	166	169		
39	General OPD cases per 10,000 population ***	4592	4727		
40	Ayush OPD cases per 10,000 population ***	547	575		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	1	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	1	0		
45	Between 1 month and 11 months	1	0		
46	Total reported infant deaths	2	0		

II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	1	0		
49	Due to Severe hypertension/fits	1	0		
50	Due to Bleeding	0	0		
51	Due to High fever	1	1		
52	Due to Other Causes (including causes not known)	3	0		
53	Total reported maternal deaths	6	1		

Ukhrul Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	183,998					
2	Sex Ratio	948					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	40					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	3,092		3,230			
9	Expected number of Delivery	2,845		2,971			
		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	3,424	110.7	3,280	101.6	Any ANC	49.0
11	Mothers registered in the first trimester	1,781	52.0	1,937	59.1	ANC Check up in first trimester	25.8
12	Mothers who had at least 3 Ante-Natal care check ups	1,387	40.5	1,059	32.3	3 or more ANC check up	34.2
13	PW who got TT 2 / Booster injection	1,217	35.5	1,230	37.5	At least 1 TT received	46.6
14	PW who consumed 100 IFA tablets	1,473	43.0	1,202	36.6	100 IFA tablets consumed	10.1
15	Home Delivery against expected delivery *	943	33.1	808	27.2	Full ANC	8.5
16	Institutional Delivery against expected delivery *	1,004	35.3	1,038	34.9	Home Delivery	64.2
17	Home Delivery against reported delivery **	943	48.4	808	43.8	Institutional Delivery	32.7
18	Institutional Delivery against reported delivery **	1,004	51.6	1,038	56.2	Home Delivery by SBA	12.4
19	Total reported Deliveries	1,947		1,846		PNC within 14 days of delivery	64.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	405	42.9	379	46.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	539	27.7	498	27.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,811		2,936			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,941	69.0	1,818	61.9	Breastfed within 1 hour of birth	41.5

24	Total Still Birth	14	0.5	17	0.6	BCG	62.1
25	PC of newborn weighted at birth to live birth	1,827	94.1	1,624	89.3	3 dose of DPT	61.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	62	3.4	55	3.4	Measles	42.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,357	69.9	1,393	76.6	Full Immunization	33.8
28	Children fully immunized	1,672	59.5	1,635	55.7		
29	Children who have received BCG	2,394	85.2	2,190	74.6		
30	Children who have received DPT1	2,486	88.4	2,358	80.3		
31	Children who have received DPT3	2,265	80.6	2,022	68.9		
32	Children who have received Measles	1,813	64.5	1,695	57.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	737		384			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)			
34	Number of Vasectomies performed	6	1	Limiting	26.7		
35	Number of Tubectomies performed	34	19	Spacing	33.8		
36	Number of IUD insertion	133	159	Women using any method	15.7		
37	Number of IUD removals	69	31	Women using modern method	7.2		
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)				
38	IPD cases per 10,000 population ***	134	145				
39	General OPD cases per 10,000 population ***	2583	2684				
40	Ayush OPD cases per 10,000 population ***	466	427				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)				
41	Neonatal death within 24 hours	2	3				
42	Up to 1 Weeks of Birth	0	1				
43	Between 1 week & 4 weeks of birth	1	0				
44	Neonatal Death	3	4				
45	Between 1 month and 11 months	7	4				
46	Total reported infant deaths	10	8				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	1	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	2	1				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	3	1				

* Against Expected Delivery for the year 2013-14 & 2014-15.

** Against Reported Delivery for the year 2013-14 & 2014-15.

*** Against Estimated Population for year 2013-14 & 2014-15.