

MEGHALAYA Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)		Sl No	C) State Health Indicator (SRS 2014)			
1	Population 2011	29,66,889	9	Birth Rate		23.9	
2	Sex Ratio	986	10	Death Rate		7.6	
3	Number of districts	7	11	IMR		47	
B) Infrastructure Details (RHS 2014)		Numbers	12	Growth Rate		16.4	
4	Sub Centers (SC)	422	13	TFR (SRS - 2007)		3.1	
5	Primary Health Centers (PHC)	108					
6	Community Health Centers (CHC)	27					
7	SDH	1					
8	DH	11					
D) Maternal Health:		2013-14	2014-15				
14	Expected number of PW	83,089	85,401				
15	Expected number of Delivery	77,802	79,966				
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
16	PW register for ANC	1,32,354	159.3	95,553	111.9	Any ANC	74.1
17	Mothers registered in the first trimester	44,069	33.3	30,782	32.2	ANC Check up in first trimester	38.3
18	Mothers who had at least 3 Ante-Natal care check ups	67,764	51.2	54,265	56.8	3 or more ANC check up	45.6
19	PW who got TT 2 / Booster injection	70,632	53.4	53,961	56.5	Atleast 1 TT received	69.1
20	PW who consumed 100 IFA tablets	42,803	32.3	37,857	39.6	100 IFA tablets consumed	32.4
21	Home Delivery against expected delivery *	40,563	52.1	30,248	37.8	Full ANC	21.4
22	Institutional Delivery against expected delivery *	43,472	55.9	31,775	39.7	Home Delivery	52.2
23	Home Delivery against reported delivery **	40,563	48.3	30,248	48.8	Institutional Delivery	47.3
24	Institutional Delivery against reported delivery **	43,472	51.7	31,775	51.2	Home Delivery by SBA	22.1
25	Total reported Deliveries	84,035	108.0	62,023	77.6	PNC within 14 days of delivery	74
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3,399	8.4	2,713	9.0		
27	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	33,404	39.8	27,269	44.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
28	Expected number of Live Birth	75,536		77,637			
E) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
29	Total reported live births	82,712	109.5	61,450	79.2	Breastfed within 1 hour of birth	60.6
30	Total Still Birth	1,899	2.5	1,338	1.7	BCG	75.1

31	PC of newborn weighted at birth to live birth	69,993	84.6	52,091	84.8	3 dose of DPT	68.1
32	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5,919	7.2	4,364	7.1	Measles	62
33	PC of newborns breastfed within 1 hour to total reported live birth.	67,365	81.4	53,047	86.3	Full Immunization	48.9
34	Children fully immunized	68,351	90.5	51,103	65.8		
35	Children who have received BCG	87,466	115.8	63,183	81.4		
36	Children who have received DPT1	84,999	112.5	62,583	80.6		
37	Children who have received DPT3	76,756	101.6	56,660	73.0		
38	Children who have received Measles	72,138	95.5	53,558	69.0		
39	Diarrhoea and Dehydration cases reported in children below 5 years	92,002		68,787			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
F) Family Planning		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
40	Number of Vasectomies performed	14		19		Limiting	15.8
41	Number of Tubectomies performed	2,493		1,499		Spacing	39.7
42	Number of IUD insertion	4,437		3,694		Women using any method	18.7
43	Number of IUD removals	2,347		1,312		Women using modern method	14.3
G) Service delivery		HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
44	IPD cases per 10,000 population ***	678		635			
45	General OPD cases per 10,000 population ***	10,213		8,072			
46	Ayush OPD cases per 10,000 population ***	800		611			
H) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
47	Neonatal death within 24 hours	384		253			
48	Up to 1 Weeks of Birth	624		365			
49	Between 1 week & 4 weeks of birth	59		46			
50	Neonatal Death	1,067		664			
51	Between 1 month and 11 months	1,081		946			
52	Total reported infant deaths	2,148		1,610			
II)	Maternal Mortality						
	Maternal Deaths (In Number)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
53	Due to Abortion	2		1			
54	Due to Obstructed/prolonged labour	19		13			
55	Due to Severe hypertension/fits	12		9			
56	Due to Bleeding	59		20			
57	Due to High fever	12		6			
58	Due to Other Causes (including causes not known)	137		86			
59	Total reported maternal deaths	241		135			

East Garo Hills Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,17,917					
2	Sex Ratio	968					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	33					
4	Primary Health Centers (PHC)	9					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	8,869		4,723			
9	Expected number of Delivery	8,305		4,422			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	12,002	135.3	5,483	127.7	Any ANC	48.9
11	Mothers registered in the first trimester	4,232	35.3	1,648	30.1	ANC Check up in first trimester	15.5
12	Mothers who had at least 3 Ante-Natal care check ups	5,940	49.5	2,499	45.6	3 or more ANC check up	29.9
13	PW who got TT 2 / Booster injection	7,496	62.5	2,966	54.1	At least 1 TT received	45.0
14	PW who consumed 100 IFA tablets	5,342	44.5	2,472	45.1	100 IFA tablets consumed	18.6
15	Home Delivery against expected delivery *	4,388	52.8	2,117	47.9	Full ANC	12.5
16	Institutional Delivery Against expected delivery *	2,166	26.1	1,194	27.0	Home Delivery	70.4
17	Home Delivery against reported delivery **	4,388	67.0	2,117	63.9	Institutional Delivery	28.7
18	Institutional Delivery against reported delivery **	2,166	33.0	1,194	36.1	Home Delivery by SBA	42.3
19	Total reported Deliveries	6,554		3,311		PNC within 14 days of delivery	77.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	558	12.7	117	5.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,776	42.4	1,105	33.4		
<p>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
22	Expected number of Live Birth	8,063		4,293			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
23	Total reported live births	6,690	83.0	3,320	77.3	Breastfed within 1 hour of birth	90.7
24	Total Still Birth	135	1.7	52	1.2	BCG	45.2

25	PC of newborn weighted at birth to live birth	4,823	72.1	2,309	69.5	3 dose of DPT	47.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	216	4.5	183	7.9	Measles	36.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,365	80.2	2,686	80.9	Full Immunization	30.1
28	Children fully immunized	6,095	75.6	2,489	58.0		
29	Children who have received BCG	7,949	98.6	3,531	82.3		
30	Children who have received DPT1	8,002	99.2	3,581	83.4		
31	Children who have received DPT3	7,150	88.7	3,170	73.8		
32	Children who have received Measles	6,457	80.1	2,637	61.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	5,282		3,753			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rd QTR	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	6.7
35	Number of Tubectomies performed	98	89	Spacing	61.8
36	Number of IUD insertion	124	117	Women using any method	16.9
37	Number of IUD removals	297	83	Women using modern method	12.2
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
38	IPD cases per 10,000 population ***	318	415		
39	General OPD cases per 10,000 population ***	6354	6168		
40	Ayush OPD cases per 10,000 population ***	384	139		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
41	Neonatal death within 24 hours	5	7		
42	Up to 1 Weeks of Birth	33	11		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	38	18		
45	Between 1 month and 11 months	88	61		
46	Total reported infant deaths	126	79		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	4	0		
49	Due to Severe hypertension/fits	1	0		
50	Due to Bleeding	12	1		
51	Due to High fever	2	3		
52	Due to Other Causes (including causes not known)	15	3		
53	Total reported maternal deaths	34	7		

East Jaintia Hills Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	3,95,124						
2	Sex Ratio	1,008						
B) Infrastructure Details (RHS 2014)		Numbers						
3	Sub Centers (SC)	33						
4	Primary Health Centers (PHC)	6						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	0						
C) Maternal Health:		2013-14	2014-15					
8	Expected number of PW	11,142	3,933					
9	Expected number of Delivery	10,433	3,683					
		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
10	PW register for ANC	16,141	144.9	3,385	94.7	Any ANC	83.1	
11	Mothers registered in the first trimester	4,158	25.8	872	25.8	ANC Check up in first trimester	49.6	
12	Mothers who had at least 3 Ante-Natal care check ups	5,019	31.1	1,316	38.9	3 or more ANC check up	53.9	
13	PW who got TT 2 / Booster injection	11,682	72.4	2,556	75.5	At least 1 TT received	75.8	
14	PW who consumed 100 IFA tablets	1,228	7.6	711	21.0	100 IFA tablets consumed	33.2	
15	Home Delivery against expected delivery *	6,930	66.4	1,792	48.7	Full ANC	23.9	
16	Institutional Delivery Against expected delivery *	5,646	54.1	400	10.9	Home Delivery	59.6	
17	Home Delivery against reported delivery **	6,930	55.1	1,792	81.8	Institutional Delivery	40.4	
18	Institutional Delivery against reported delivery **	5,646	44.9	400	18.2	Home Delivery by SBA	12.0	
19	Total reported Deliveries	12,576		2,192		PNC within 14 days of delivery	86.3	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	568	8.2	307	17.1			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,503	35.8	951	43.4			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
22	Expected number of Live Birth	10,129		3,575				
D) Child Immunization :		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)			
23	Total reported live births	12,390	122.3	2,229	62.3	Breastfed within 1 hour of birth	46.3	
24	Total Still Birth	320	3.2	48	1.3	BCG	81.9	

25	PC of newborn weighted at birth to live birth	10,019	80.9	1,775	79.6	3 dose of DPT	73.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	684	6.8	51	2.9	Measles	67.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	11,230	90.6	2,100	94.2	Full Immunization	57.1
28	Children fully immunized	11,723	115.7	2,700	75.5		
29	Children who have received BCG	13,898	137.2	3,059	85.6		
30	Children who have received DPT1	14,434	142.5	3,189	89.2		
31	Children who have received DPT3	12,993	128.3	2,860	80.0		
32	Children who have received Measles	12,344	121.9	2,805	78.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	24,200		6,557			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rd QTR	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	18.1
35	Number of Tubectomies performed	212	0	Spacing	21.9
36	Number of IUD insertion	370	61	Women using any method	21.2
37	Number of IUD removals	180	16	Women using modern method	13.4
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
38	IPD cases per 10,000 population ***	804	293		
39	General OPD cases per 10,000 population ***	8775	5493		
40	Ayush OPD cases per 10,000 population ***	564	361		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
41	Neonatal death within 24 hours	38	2		
42	Up to 1 Weeks of Birth	155	9		
43	Between 1 week & 4 weeks of birth	4	1		
44	Neonatal Death	197	12		
45	Between 1 month and 11 months	111	24		
46	Total reported infant deaths	308	36		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	1	0		
49	Due to Severe hypertension/fits	4	2		
50	Due to Bleeding	13	0		
51	Due to High fever	0	1		
52	Due to Other Causes (including causes not known)	13	1		
53	Total reported maternal deaths	31	4		

East Khasi Hills Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	8,25,922					
2	Sex Ratio	1,008					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	67					
4	Primary Health Centers (PHC)	23					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	3					
C) Maternal Health:		2013-14	2014-15				
8	Expected number of PW	22,989		23,723			
9	Expected number of Delivery	21,526		22,214			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	55,355	240.8	40,066	185.8	Any ANC	88.4
11	Mothers registered in the first trimester	17,933	32.4	12,007	30.0	ANC Check up in first trimester	56.0
12	Mothers who had at least 3 Ante-Natal care check ups	28,860	52.1	24,533	61.2	3 or more ANC check up	58.8
13	PW who got TT 2 / Booster injection	16,365	29.6	12,622	31.5	At least 1 TT received	83.1
14	PW who consumed 100 IFA tablets	24,014	43.4	17,368	43.3	100 IFA tablets consumed	40.3
15	Home Delivery against expected delivery *	6,853	31.8	4,979	22.4	Full ANC	26.0
16	Institutional Delivery Against expected delivery *	21,233	98.6	14,957	67.3	Home Delivery	23.5
17	Home Delivery against reported delivery **	6,853	24.4	4,979	25.0	Institutional Delivery	76.5
18	Institutional Delivery against reported delivery **	21,233	75.6	14,957	75.0	Home Delivery by SBA	9.1
19	Total reported Deliveries	28,086		19,936		PNC within 14 days of delivery	77.4
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	338	4.9	210	4.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,729	31.1	7,166	35.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	20,899		21,567			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
23	Total reported live births	27,308	130.7	19,479	90.3	Breastfed within 1 hour of birth	47.1
24	Total Still Birth	759	3.6	491	2.3	BCG	85.4

25	PC of newborn weighted at birth to live birth	24,093	88.2	17,313	88.9	3 dose of DPT	73.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	3,121	13.0	2,254	13.0	Measles	69.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	18,797	68.8	15,581	80.0	Full Immunization	52.1
28	Children fully immunized	16,048	76.8	11,922	55.3		
29	Children who have received BCG	26,069	124.7	18,496	85.8		
30	Children who have received DPT1	20,370	97.5	15,078	69.9		
31	Children who have received DPT3	17,610	84.3	12,733	59.0		
32	Children who have received Measles	16,595	79.4	12,255	56.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	25,479		16,651			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	11		9		Limiting	11.3
35	Number of Tubectomies performed	1,508		845		Spacing	29.1
36	Number of IUD insertion	1,820		1,603		Women using any method	27.6
37	Number of IUD removals	684		528		Women using modern method	22.8
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
38	IPD cases per 10,000 population ***	1158		1092			
39	General OPD cases per 10,000 population ***	15565		11452			
40	Ayush OPD cases per 10,000 population ***	822		580			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
41	Neonatal death within 24 hours	203		110			
42	Up to 1 Weeks of Birth	285		157			
43	Between 1 week & 4 weeks of birth	33		26			
44	Neonatal Death	521		293			
45	Between 1 month and 11 months	379		284			
46	Total reported infant deaths	900		577			
II)	Maternal Mortality						
	Maternal Deaths (In Number)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	1		3			
49	Due to Severe hypertension/fits	1		2			
50	Due to Bleeding	12		8			
51	Due to High fever	1		0			
52	Due to Other Causes (including causes not known)	36		26			
53	Total reported maternal deaths	51		39			

North Garo Hills Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,17,917					
2	Sex Ratio	968					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	40					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	8,869		4,366			
9	Expected number of Delivery	8,305		4,088			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	12,002	135.3	2,986	75.2	Any ANC	48.9
11	Mothers registered in the first trimester	4,232	35.3	1,320	44.2	ANC Check up in first trimester	15.5
12	Mothers who had at least 3 Ante-Natal care check ups	5,940	49.5	2,080	69.7	3 or more ANC check up	29.9
13	PW who got TT 2 / Booster injection	7,496	62.5	2,463	82.5	At least 1 TT received	45.0
14	PW who consumed 100 IFA tablets	5,342	44.5	1,331	44.6	100 IFA tablets consumed	18.6
15	Home Delivery against expected delivery *	4,388	52.8	986	24.1	Full ANC	12.5
16	Institutional Delivery Against expected delivery *	2,166	26.1	805	19.7	Home Delivery	70.4
17	Home Delivery against reported delivery **	4,388	67.0	986	55.1	Institutional Delivery	28.7
18	Institutional Delivery against reported delivery **	2,166	33.0	805	44.9	Home Delivery by SBA	42.3
19	Total reported Deliveries	6,554		1,791		PNC within 14 days of delivery	77.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	558	12.7	185	18.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,776	42.4	1,097	61.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	8,063		3,969			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
23	Total reported live births	6,690	83.0	1,822	45.9	Breastfed within 1 hour of birth	90.7
24	Total Still Birth	135	1.7	44	1.1	BCG	45.2

25	PC of newborn weighted at birth to live birth	4,823	72.1	1,489	81.7	3 dose of DPT	47.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	216	4.5	70	4.7	Measles	36.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,365	80.2	1,583	86.9	Full Immunization	30.1
28	Children fully immunized	6,095	75.6	2,088	52.6		
29	Children who have received BCG	7,949	98.6	2,430	61.2		
30	Children who have received DPT1	8,002	99.2	2,776	69.9		
31	Children who have received DPT3	7,150	88.7	2,686	67.7		
32	Children who have received Measles	6,457	80.1	2,206	55.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	5,282		1,248			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rd QTR	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	6.7
35	Number of Tubectomies performed	98	0	Spacing	61.8
36	Number of IUD insertion	124	61	Women using any method	16.9
37	Number of IUD removals	297	31	Women using modern method	12.2
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
38	IPD cases per 10,000 population ***	318	278		
39	General OPD cases per 10,000 population ***	6354	4143		
40	Ayush OPD cases per 10,000 population ***	384	211		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
41	Neonatal death within 24 hours	5	6		
42	Up to 1 Weeks of Birth	33	9		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	38	15		
45	Between 1 month and 11 months	88	32		
46	Total reported infant deaths	126	47		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
47	Due to Abortion	0	1		
48	Due to Obstructed/prolonged labour	4	2		
49	Due to Severe hypertension/fits	1	0		
50	Due to Bleeding	12	0		
51	Due to High fever	2	0		
52	Due to Other Causes (including causes not known)	15	0		
53	Total reported maternal deaths	34	3		

Ri Bhoi Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,58,840					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	27					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	7,337		7,572			
9	Expected number of Delivery	6,870		7,090			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	8,409	114.6	6,048	87.9	Any ANC	86.3
11	Mothers registered in the first trimester	2,333	27.7	1,866	30.9	ANC Check up in first trimester	51.5
12	Mothers who had at least 3 Ante-Natal care check ups	5,033	59.9	4,233	70.0	3 or more ANC check up	60.3
13	PW who got TT 2 / Booster injection	5,920	70.4	4,673	77.3	At least 1 TT received	83.4
14	PW who consumed 100 IFA tablets	927	11.0	2,007	33.2	100 IFA tablets consumed	40.8
15	Home Delivery against expected delivery *	4,258	62.0	3,401	48.0	Full ANC	31.7
16	Institutional Delivery Against expected delivery *	1,418	20.6	1,230	17.3	Home Delivery	50.8
17	Home Delivery against reported delivery **	4,258	75.0	3,401	73.4	Institutional Delivery	48.4
18	Institutional Delivery against reported delivery **	1,418	25.0	1,230	26.6	Home Delivery by SBA	31.4
19	Total reported Deliveries	5,676		4,631		PNC within 14 days of delivery	79.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	453	10.6	496	14.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,529	44.6	2,129	46.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	6,670		6,884			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
23	Total reported live births	5,658	84.8	4,603	66.9	Breastfed within 1 hour of birth	56.5
24	Total Still Birth	54	0.8	59	0.9	BCG	91.2

25	PC of newborn weighted at birth to live birth	3,820	67.5	3,130	68.0	3 dose of DPT	77.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	147	3.8	115	3.7	Measles	71.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,540	80.2	4,105	89.2	Full Immunization	54.9
28	Children fully immunized	5,386	80.7	4,216	61.2		
29	Children who have received BCG	6,012	90.1	4,645	67.5		
30	Children who have received DPT1	7,172	107.5	5,672	82.4		
31	Children who have received DPT3	6,221	93.3	4,858	70.6		
32	Children who have received Measles	5,991	89.8	4,808	69.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	8,947		6,275			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0		0		Limiting	19
35	Number of Tubectomies performed	70		12		Spacing	36.2
36	Number of IUD insertion	276		322		Women using any method	19.5
37	Number of IUD removals	394		69		Women using modern method	16.2
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
38	IPD cases per 10,000 population ***	507		483			
39	General OPD cases per 10,000 population ***	10329		8130			
40	Ayush OPD cases per 10,000 population ***	944		774			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
41	Neonatal death within 24 hours	16		13			
42	Up to 1 Weeks of Birth	16		18			
43	Between 1 week & 4 weeks of birth	6		2			
44	Neonatal Death	38		33			
45	Between 1 month and 11 months	55		58			
46	Total reported infant deaths	93		91			
II)	Maternal Mortality						
	Maternal Deaths (In Number)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		2			
49	Due to Severe hypertension/fits	0		1			
50	Due to Bleeding	2		3			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	6		3			
53	Total reported maternal deaths	8		9			

South Garo Hills Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	1,42,334						
2	Sex Ratio	944						
B) Infrastructure Details (RHS 2014)		Numbers						
3	Sub Centers (SC)	21						
4	Primary Health Centers (PHC)	6						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2013-14	2014-15					
8	Expected number of PW	3,998	4,122					
9	Expected number of Delivery	3,743	3,859					
		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
10	PW register for ANC	3,985	99.7	2,639	70.4	Any ANC	40.0	
11	Mothers registered in the first trimester	1,796	45.1	1,134	43.0	ANC Check up in first trimester	2.2	
12	Mothers who had at least 3 Ante-Natal care check ups	2,150	54.0	1,479	56.0	3 or more ANC check up	4.4	
13	PW who got TT 2 / Booster injection	2,904	72.9	2,036	77.2	At least 1 TT received	31.8	
14	PW who consumed 100 IFA tablets	1,455	36.5	1,095	41.5	100 IFA tablets consumed	26.7	
15	Home Delivery against expected delivery *	2,066	55.2	1,419	36.8	Full ANC	4.4	
16	Institutional Delivery Against expected delivery *	648	17.3	495	12.8	Home Delivery	66.7	
17	Home Delivery against reported delivery **	2,066	76.1	1,419	74.1	Institutional Delivery	33.3	
18	Institutional Delivery against reported delivery **	648	23.9	495	25.9	Home Delivery by SBA	6.7	
19	Total reported Deliveries	2,714		1,914		PNC within 14 days of delivery	42.9	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	199	9.6	123	8.7			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,311	48.3	1,023	53.4			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
22	Expected number of Live Birth	3,634		3,747				
D) Child Immunization :		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)			
23	Total reported live births	2,684	73.9	1,893	50.5	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	32	0.9	26	0.7	BCG	70	

25	PC of newborn weighted at birth to live birth	2,276	84.8	1,591	84.0	3 dose of DPT	70
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	77	3.4	81	5.1	Measles	50
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,549	95.0	1,825	96.4	Full Immunization	50
28	Children fully immunized	2,733	75.2	1,916	51.1		
29	Children who have received BCG	3,491	96.1	2,122	56.6		
30	Children who have received DPT1	3,925	108.0	2,650	70.7		
31	Children who have received DPT3	3,519	96.8	2,357	62.9		
32	Children who have received Measles	3,125	86.0	2,283	60.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,649		1,054			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0		0		Limiting	29.2
35	Number of Tubectomies performed	0		0		Spacing	44.6
36	Number of IUD insertion	61		8		Women using any method	11.8
37	Number of IUD removals	31		60		Women using modern method	10.3
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
38	IPD cases per 10,000 population ***	282		241			
39	General OPD cases per 10,000 population ***	6861		4977			
40	Ayush OPD cases per 10,000 population ***	658		531			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
41	Neonatal death within 24 hours	9		3			
42	Up to 1 Weeks of Birth	6		2			
43	Between 1 week & 4 weeks of birth	1		1			
44	Neonatal Death	16		6			
45	Between 1 month and 11 months	70		58			
46	Total reported infant deaths	86		64			
II)	Maternal Mortality						
	Maternal Deaths (In Number)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	1		2			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	1		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	12		3			
53	Total reported maternal deaths	14		5			

South West Garo Hills Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	6,42,923						
2	Sex Ratio	979						
B) Infrastructure Details (RHS 2014)		Numbers						
3	Sub Centers (SC)	19						
4	Primary Health Centers (PHC)	7						
5	Community Health Centers (CHC)	1						
6	SDH	1						
7	DH	0						
C) Maternal Health:		2013-14	2014-15					
8	Expected number of PW	17,978	4,200					
9	Expected number of Delivery	16,833	3,933					
		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
10	PW register for ANC	20,771	115.5	2,740	71.8	Any ANC	61.3	
11	Mothers registered in the first trimester	8,380	40.3	1,488	54.3	ANC Check up in first trimester	18.2	
12	Mothers who had at least 3 Ante-Natal care check ups	12,682	61.1	1,643	60.0	3 or more ANC check up	38.3	
13	PW who got TT 2 / Booster injection	16,031	77.2	2,364	86.3	At least 1 TT received	53.5	
14	PW who consumed 100 IFA tablets	4,116	19.8	1,582	57.7	100 IFA tablets consumed	26.6	
15	Home Delivery against expected delivery *	8,654	51.4	1,231	31.3	Full ANC	15.0	
16	Institutional Delivery Against expected delivery *	8,979	53.3	1,082	27.5	Home Delivery	52.6	
17	Home Delivery against reported delivery **	8,654	49.1	1,231	53.2	Institutional Delivery	47.1	
18	Institutional Delivery against reported delivery **	8,979	50.9	1,082	46.8	Home Delivery by SBA	17.0	
19	Total reported Deliveries	17,633		2,313		PNC within 14 days of delivery	49.3	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	888	10.3	157	12.8			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,652	49.1	882	38.1			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
22	Expected number of Live Birth	16,343		3,818				
D) Child Immunization :		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)			
23	Total reported live births	17,314	105.9	2,279	59.7	Breastfed within 1 hour of birth	86	
24	Total Still Birth	432	2.6	60	1.6	BCG	43.5	

25	PC of newborn weighted at birth to live birth	17,119	98.9	2,273	99.7	3 dose of DPT	50
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,276	7.5	131	5.8	Measles	43.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	17,061	98.5	2,264	99.3	Full Immunization	34.8
28	Children fully immunized	15,961	97.7	2,359	61.8		
29	Children who have received BCG	17,633	107.9	2,324	60.9		
30	Children who have received DPT1	17,717	108.4	2,635	69.0		
31	Children who have received DPT3	17,192	105.2	2,662	69.7		
32	Children who have received Measles	16,653	101.9	2,362	61.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	11,046		2,744			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rd QTR	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	3	0	Limiting	19.1
35	Number of Tubectomies performed	561	35	Spacing	57
36	Number of IUD insertion	1,664	155	Women using any method	9.2
37	Number of IUD removals	729	58	Women using modern method	5.4
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
38	IPD cases per 10,000 population ***	422	246		
39	General OPD cases per 10,000 population ***	7872	5888		
40	Ayush OPD cases per 10,000 population ***	708	84		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
41	Neonatal death within 24 hours	64	3		
42	Up to 1 Weeks of Birth	69	10		
43	Between 1 week & 4 weeks of birth	7	1		
44	Neonatal Death	140	14		
45	Between 1 month and 11 months	244	46		
46	Total reported infant deaths	384	60		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
47	Due to Abortion	2	0		
48	Due to Obstructed/prolonged labour	12	0		
49	Due to Severe hypertension/fits	6	1		
50	Due to Bleeding	15	1		
51	Due to High fever	8	0		
52	Due to Other Causes (including causes not known)	36	2		
53	Total reported maternal deaths	79	4		

South West Khasi Hills Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	3,83,461						
2	Sex Ratio	981						
B) Infrastructure Details (RHS 2014)		Numbers						
3	Sub Centers (SC)	18						
4	Primary Health Centers (PHC)	4						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	0						
C) Maternal Health:		2013-14	2014-15					
8	Expected number of PW	10,790	2,769					
9	Expected number of Delivery	10,103	2,593					
		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
10	PW register for ANC	15,691	145.4	2,300	91.4	Any ANC	68.4	
11	Mothers registered in the first trimester	5,237	33.4	353	15.3	ANC Check up in first trimester	23.7	
12	Mothers who had at least 3 Ante-Natal care check ups	8,080	51.5	1,210	52.6	3 or more ANC check up	21.2	
13	PW who got TT 2 / Booster injection	10,234	65.2	1,691	73.5	At least 1 TT received	64.2	
14	PW who consumed 100 IFA tablets	5,721	36.5	217	9.4	100 IFA tablets consumed	24.3	
15	Home Delivery against expected delivery *	7,414	73.4	1,386	53.5	Full ANC	11.1	
16	Institutional Delivery Against expected delivery *	3,382	33.5	353	13.6	Home Delivery	66.7	
17	Home Delivery against reported delivery **	7,414	68.7	1,386	79.7	Institutional Delivery	32.3	
18	Institutional Delivery against reported delivery **	3,382	31.3	353	20.3	Home Delivery by SBA	19.1	
19	Total reported Deliveries	10,796		1,739		PNC within 14 days of delivery	45.9	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	395	5.3	16	1.2			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,904	45.4	898	51.6			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
22	Expected number of Live Birth	9,809		2,517				
D) Child Immunization :		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)			
23	Total reported live births	10,668	108.8	1,717	68.2	Breastfed within 1 hour of birth	47.5	
24	Total Still Birth	167	1.7	32	1.3	BCG	79.6	

25	PC of newborn weighted at birth to live birth	7,843	73.5	1,300	75.7	3 dose of DPT	70.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	398	5.1	58	4.5	Measles	70.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	7,823	73.3	1,027	59.8	Full Immunization	47.3
28	Children fully immunized	10,405	106.1	1,624	64.5		
29	Children who have received BCG	12,414	126.6	1,955	77.7		
30	Children who have received DPT1	13,379	136.4	2,117	84.1		
31	Children who have received DPT3	12,071	123.1	1,894	75.2		
32	Children who have received Measles	10,973	111.9	1,777	70.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	15,399		963			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0		0		Limiting	17.3
35	Number of Tubectomies performed	44		0		Spacing	29.1
36	Number of IUD insertion	122		5		Women using any method	17.4
37	Number of IUD removals	32		4		Women using modern method	14.6
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
38	IPD cases per 10,000 population ***	654		320			
39	General OPD cases per 10,000 population ***	10707		3708			
40	Ayush OPD cases per 10,000 population ***	1622		473			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
41	Neonatal death within 24 hours	49		7			
42	Up to 1 Weeks of Birth	60		11			
43	Between 1 week & 4 weeks of birth	8		5			
44	Neonatal Death	117		23			
45	Between 1 month and 11 months	134		70			
46	Total reported infant deaths	251		93			
II)	Maternal Mortality						
	Maternal Deaths (In Number)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		1			
49	Due to Severe hypertension/fits	0		1			
50	Due to Bleeding	4		1			
51	Due to High fever	1		0			
52	Due to Other Causes (including causes not known)	19		1			
53	Total reported maternal deaths	24		4			

West Garo Hills Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	6,42,923						
2	Sex Ratio	979						
B) Infrastructure Details (RHS 2014)		Numbers						
3	Sub Centers (SC)	73						
4	Primary Health Centers (PHC)	11						
5	Community Health Centers (CHC)	5						
6	SDH	0						
7	DH	2						
C) Maternal Health:		2013-14	2014-15					
8	Expected number of PW	17,978	14,248					
9	Expected number of Delivery	16,833	13,341					
		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
10	PW register for ANC	20,771	115.5	11,990	9.3	Any ANC	61.3	
11	Mothers registered in the first trimester	8,380	40.3	4,639	38.7	ANC Check up in first trimester	18.2	
12	Mothers who had at least 3 Ante-Natal care check ups	12,682	61.1	7,267	60.6	3 or more ANC check up	38.3	
13	PW who got TT 2 / Booster injection	16,031	77.2	9,551	79.7	At least 1 TT received	53.5	
14	PW who consumed 100 IFA tablets	4,116	19.8	6,807	56.8	100 IFA tablets consumed	26.6	
15	Home Delivery against expected delivery *	8,654	51.4	5,101	38.2	Full ANC	15.0	
16	Institutional Delivery Against expected delivery *	8,979	53.3	5,438	40.8	Home Delivery	52.6	
17	Home Delivery against reported delivery **	8,654	49.1	5,101	48.4	Institutional Delivery	47.1	
18	Institutional Delivery against reported delivery **	8,979	50.9	5,438	51.6	Home Delivery by SBA	17.0	
19	Total reported Deliveries	17,633		10,539		PNC within 14 days of delivery	49.3	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	888	10.3	604	11.8			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,652	49.1	6,173	58.6			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
22	Expected number of Live Birth	16,343		12,953				
D) Child Immunization :		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)			
23	Total reported live births	17,314	105.9	10,362	8.0	Breastfed within 1 hour of birth	86	
24	Total Still Birth	432	2.6	221	0.2	BCG	43.5	

25	PC of newborn weighted at birth to live birth	17,119	98.9	10,222	98.6	3 dose of DPT	50
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,276	7.5	761	7.4	Measles	43.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	17,061	98.5	10,185	98.3	Full Immunization	34.8
28	Children fully immunized	15,961	97.7	9,243	7.1		
29	Children who have received BCG	17,633	107.9	10,395	8.0		
30	Children who have received DPT1	17,717	108.4	10,220	7.9		
31	Children who have received DPT3	17,192	105.2	9,880	7.6		
32	Children who have received Measles	16,653	101.9	9,520	7.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	11,046		5,832			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	3		9		Limiting	19.1
35	Number of Tubectomies performed	561		312		Spacing	57
36	Number of IUD insertion	1,664		971		Women using any method	9.2
37	Number of IUD removals	729		361		Women using modern method	5.4
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
38	IPD cases per 10,000 population ***	422		368			
39	General OPD cases per 10,000 population ***	7872		5521			
40	Ayush OPD cases per 10,000 population ***	708		585			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
41	Neonatal death within 24 hours	64		29			
42	Up to 1 Weeks of Birth	69		28			
43	Between 1 week & 4 weeks of birth	7		2			
44	Neonatal Death	140		59			
45	Between 1 month and 11 months	244		186			
46	Total reported infant deaths	384		245			
II)	Maternal Mortality						
	Maternal Deaths (In Number)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
47	Due to Abortion	2		0			
48	Due to Obstructed/prolonged labour	12		3			
49	Due to Severe hypertension/fits	6		1			
50	Due to Bleeding	15		3			
51	Due to High fever	8		1			
52	Due to Other Causes (including causes not known)	36		26			
53	Total reported maternal deaths	79		34			

West Jaintia Hills Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,95,124					
2	Sex Ratio	1,008					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	43					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	11,142		7,490			
9	Expected number of Delivery	10,433		7,014			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	16,141	144.9	8,385	123.1	Any ANC	83.1
11	Mothers registered in the first trimester	4,158	25.8	2,678	31.9	ANC Check up in first trimester	49.6
12	Mothers who had at least 3 Ante-Natal care check ups	5,019	31.1	2,859	34.1	3 or more ANC check up	53.9
13	PW who got TT 2 / Booster injection	11,682	72.4	6,599	78.7	At least 1 TT received	75.8
14	PW who consumed 100 IFA tablets	1,228	7.6	1,277	15.2	100 IFA tablets consumed	33.2
15	Home Delivery against expected delivery *	6,930	66.4	3,673	52.4	Full ANC	23.9
16	Institutional Delivery Against expected delivery *	5,646	54.1	3,324	47.4	Home Delivery	59.6
17	Home Delivery against reported delivery **	6,930	55.1	3,673	52.5	Institutional Delivery	40.4
18	Institutional Delivery against reported delivery **	5,646	44.9	3,324	47.5	Home Delivery by SBA	12.0
19	Total reported Deliveries	12,576		6,997		PNC within 14 days of delivery	86.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	568	8.2	222	6.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,503	35.8	2,719	38.9		
<p>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
22	Expected number of Live Birth	10,129		6,810			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
23	Total reported live births	12,390	122.3	7,161	105.2	Breastfed within 1 hour of birth	46.3
24	Total Still Birth	320	3.2	197	2.9	BCG	81.9

25	PC of newborn weighted at birth to live birth	10,019	80.9	5,712	79.8	3 dose of DPT	73.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	684	6.8	455	8.0	Measles	67.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	11,230	90.6	6,505	90.8	Full Immunization	57.1
28	Children fully immunized	11,723	115.7	6,255	91.9		
29	Children who have received BCG	13,898	137.2	6,847	100.5		
30	Children who have received DPT1	14,434	142.5	6,741	99.0		
31	Children who have received DPT3	12,993	128.3	6,511	95.6		
32	Children who have received Measles	12,344	121.9	6,403	94.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	24,200		13,494			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0		1		Limiting	18.1
35	Number of Tubectomies performed	212		127		Spacing	21.9
36	Number of IUD insertion	370		252		Women using any method	21.2
37	Number of IUD removals	180		76		Women using modern method	13.4
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
38	IPD cases per 10,000 population ***	804		804			
39	General OPD cases per 10,000 population ***	8775		7807			
40	Ayush OPD cases per 10,000 population ***	564		760			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
41	Neonatal death within 24 hours	38		43			
42	Up to 1 Weeks of Birth	155		79			
43	Between 1 week & 4 weeks of birth	4		2			
44	Neonatal Death	197		124			
45	Between 1 month and 11 months	111		66			
46	Total reported infant deaths	308		190			
II)	Maternal Mortality						
	Maternal Deaths (In Number)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	1		0			
49	Due to Severe hypertension/fits	4		0			
50	Due to Bleeding	13		3			
51	Due to High fever	0		1			
52	Due to Other Causes (including causes not known)	13		7			
53	Total reported maternal deaths	31		11			

West Khasi Hills Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	3,83,461						
2	Sex Ratio	981						
B) Infrastructure Details (RHS 2014)		Numbers						
3	Sub Centers (SC)	48						
4	Primary Health Centers (PHC)	15						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	2						
C) Maternal Health:		2013-14	2014-15					
8	Expected number of PW	10,790	8,411					
9	Expected number of Delivery	10,103	7,876					
		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
10	PW register for ANC	15,691	145.4	9,531	124.7	Any ANC	68.4	
11	Mothers registered in the first trimester	5,237	33.4	2,777	29.1	ANC Check up in first trimester	23.7	
12	Mothers who had at least 3 Ante-Natal care check ups	8,080	51.5	5,146	54.0	3 or more ANC check up	21.2	
13	PW who got TT 2 / Booster injection	10,234	65.2	6,440	67.6	At least 1 TT received	64.2	
14	PW who consumed 100 IFA tablets	5,721	36.5	2,990	31.4	100 IFA tablets consumed	24.3	
15	Home Delivery against expected delivery *	7,414	73.4	4,163	52.9	Full ANC	11.1	
16	Institutional Delivery Against expected delivery *	3,382	33.5	2,497	31.7	Home Delivery	66.7	
17	Home Delivery against reported delivery **	7,414	68.7	4,163	62.5	Institutional Delivery	32.3	
18	Institutional Delivery against reported delivery **	3,382	31.3	2,497	37.5	Home Delivery by SBA	19.1	
19	Total reported Deliveries	10,796		6,660		PNC within 14 days of delivery	45.9	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	395	5.3	276	6.6			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,904	45.4	3,126	46.9			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
22	Expected number of Live Birth	9,809		7,646				
D) Child Immunization :		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)			
23	Total reported live births	10,668	108.8	6,585	86.1	Breastfed within 1 hour of birth	47.5	
24	Total Still Birth	167	1.7	108	1.4	BCG	79.6	

25	PC of newborn weighted at birth to live birth	7,843	73.5	4,977	75.6	3 dose of DPT	70.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	398	5.1	205	4.1	Measles	70.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	7,823	73.3	5,186	78.8	Full Immunization	47.3
28	Children fully immunized	10,405	106.1	6,291	82.3		
29	Children who have received BCG	12,414	126.6	7,379	96.5		
30	Children who have received DPT1	13,379	136.4	7,924	103.6		
31	Children who have received DPT3	12,071	123.1	7,049	92.2		
32	Children who have received Measles	10,973	111.9	6,502	85.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	15,399		10,216			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rd QTR	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	17.3
35	Number of Tubectomies performed	44	79	Spacing	29.1
36	Number of IUD insertion	122	139	Women using any method	17.4
37	Number of IUD removals	32	26	Women using modern method	14.6
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
38	IPD cases per 10,000 population ***	654	560		
39	General OPD cases per 10,000 population ***	10707	9030		
40	Ayush OPD cases per 10,000 population ***	1622	1223		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
41	Neonatal death within 24 hours	49	30		
42	Up to 1 Weeks of Birth	60	31		
43	Between 1 week & 4 weeks of birth	8	6		
44	Neonatal Death	117	67		
45	Between 1 month and 11 months	134	61		
46	Total reported infant deaths	251	128		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	1		
50	Due to Bleeding	4	0		
51	Due to High fever	1	0		
52	Due to Other Causes (including causes not known)	19	14		
53	Total reported maternal deaths	24	15		

* Against Expected Delivery for the year 2013-14 & 2014-15.

** Against Reported Delivery for the year 2013-14 & 2014-15.

*** Against Estimated Population for year 2013-14 & 2014-15.

Note : Presently Meghalaya have 11 districts. East Garo Hills is bifurcated as East Garo Hills and North Garo Hills. Jaintia Hills is bifurcated as East Jaintia Hills and West Jaintia Hills. West Khasi Hills is bifurcated as West Khasi Hills and South West Khasi Hills. West Garo Hills is bifurcated as South West Garo Hills and West Garo Hills.

() East Garo Hills target was considered for both East Garo Hills and North Garo Hills for the year 2013-14. District bifurcation was done during 2013-14, so target for 2014-15 was calculated from actual population of these districts. Same process was done for all district except Ri-Bhoi , East Khasi Hills and South Garo Hills.