

## Mizoram Factsheet

Key Indicators							
Sl No	A) Demographic Indicators (Census 2011)			C) State Health Indicator (SRS 2014)			
1	Population 2011	10,97,206	9	Birth Rate		16.1	
2	Sex Ratio	975	10	Death Rate		4.3	
3	Number of districts	9	11	IMR		35	
<b>B) Infrastructure Details (RHS 2014)</b>			12	Growth Rate		11.8	
4	Sub Centers (SC)	370	13	TFR (SRS - 2007)		2.0	
5	Primary Health Centers (PHC)	57					
6	Community Health Centers (CHC)	9					
7	SDH	2					
8	DH	8					
<b>D) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
14	Expected number of PW	20,598		21,048			
15	Expected number of Delivery	19,282		19,364			
		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15) 3rd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
16	PW register for ANC	24,749	120.2	17,644	83.8	Any ANC	83.3
17	Mothers registered in the first trimester	16,807	67.9	12,719	72.1	ANC Check up in first trimester	54.3
18	Mothers who had at least 3 Ante-Natal care check ups	15,907	64.3	12,705	72.0	3 or more ANC check up	61.6
19	PW who got TT 2 / Booster injection	20,722	83.7	15,666	88.8	Atleast 1 TT received	80
20	PW who consumed 100 IFA tablets	17,270	69.8	12,605	71.4	100 IFA tablets consumed	46.5
21	Home Delivery against expected delivery *	2,241	11.6	1,514	7.8	Full ANC	36.7
22	Institutional Delivery against expected delivery *	18,814	97.6	14,735	76.1	Home Delivery	27.1
23	Reported Home Delivery **	2,241	10.6	1,514	9.3	Institutional Delivery	72.4
24	Reported institutional Delivery **	18,814	89.4	14,735	90.7	Home Delivery by SBA	7.2
25	Total reported Deliveries	21,055	109.2	16,249	83.9	PNC within 14 days of delivery	49.7
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM (%)	753	33.6	419	27.7		
27	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	18,392	87.4	13,761	84.7		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
28	Expected number of Live Birth	19,053		19,135			
<b>F) Child Immunization :</b>		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15) 3rd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
29	Total reported live births	21,188	111.2	16,622	86.9	Breastfed within 1 hour of birth	84.5
30	Total Still Birth	225	1.2	195	1.0	BCG	88.4

31	Newborn weighted at birth to live birth	20,536	96.9	16,006	96.3	3 dose of DPT	82.5
32	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1,033	4.9	801	4.8	Measles	79.7
33	Newborns breastfed within 1 hour to total reported live birth.	20,431	96.4	15,932	95.8	Full Immunization	71.2
34	Fully immunized	19,299	101.3	13,799	72.1		
35	Children who have received BCG	23,093	121.2	17,665	92.3		
36	Children who have received DPT1	20,900	109.7	15,548	81.3		
37	Children who have received DPT3	20,821	109.3	15,040	78.6		
38	Children who have received Measles	19,736	103.6	14,053	73.4		
39	Diarrhoea and Dehydration cases reported in children below 5 years	8,520		6,147			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>Family Planning</b>		<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15) 3rd QTR</b>		<b>DLHS-4 (2012-13)</b>	
40	Number of Vasectomies performed	0		0		Limiting	2.9
41	Number of Tubectomies performed	1,732		1,221		Spacing	18.5
42	Number of IUD insertion	2,818		1,954		Women using any method	59.8
43	Number of IUD removals	1,408		1,001		Women using modern method	59
<b>I) Service delivery</b>		<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15) 3rd QTR</b>			
44	IPD cases per 10,000 population ***	904		684			
45	General OPD cases per 10,000 population ***	10,633		8,015			
46	Ayush OPD cases per 10,000 population ***	266		215			
<b>J) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15) 3rd QTR</b>			
47	Neonatal death within 24 hours	12		12			
48	Up to 1 Weeks of Birth	152		128			
49	Between 1 week & 4 weeks of birth	7		14			
50	Neonatal Death	171		154			
51	Between 1 month and 11 months	567		399			
52	<b>Total reported infant deaths</b>	<b>738</b>		<b>553</b>			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15) 3rd QTR</b>			
53	Due to Abortion	1		0			
54	Due to Obstructed/prolonged labour	2		1			
55	Due to Severe hypertension/fits	3		1			
56	Due to Bleeding	5		5			
57	Due to High fever	1		3			
58	Due to Other Causes (including causes not known)	5		12			
59	<b>Total reported maternal deaths</b>	<b>17</b>		<b>22</b>			

## Aizawl East Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,40,589					
2	Sex Ratio	1,009					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	40					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	4,607		4,633			
9	Expected number of Delivery	4,239		4,262			
		HMIS ( 2013-14)		HMIS ( 2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	5,325	115.6	3,970	85.7	Any ANC	97.7
11	Mothers registered in the first trimester	3,902	73.3	3,048	76.8	ANC Check up in first trimester	66.1
12	Mothers who had at least 3 Ante-Natal care check ups	4,004	75.2	3,106	78.2	3 or more ANC check up	76.1
13	PW who got TT 2 / Booster injection	4,855	91.2	3,800	95.7	Atleast 1 TT received	96.4
14	PW who consumed 100 IFA tablets	3,359	63.1	2,481	62.5	100 IFA tablets consumed	67.2
15	Home Delivery against expected delivery *	82	1.9	39	0.9	Full ANC	53.9
16	Institutional Delivery Against expected delivery *	3,601	85.0	2,740	64.3	Home Delivery	6.6
17	Reported Home Delivery **	82	2.2	39	1.4	Institutional Delivery	93.4
18	Reported institutional Delivery **	3,601	97.8	2,740	98.6	Home Delivery by SBA	2.9
19	Total reported Deliveries	3,683		2,779		PNC within 14 days of delivery	47.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	37	45.1	16	41.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,752	129.0	3,588	129.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
22	Expected number of Live Birth	4,188		4,212			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	3,672	87.7	2,772	65.8	Breastfed within 1 hour of birth	87.7
24	Total Still Birth	42	1.0	39	0.9	BCG	98.6

25	PC of newborn weighted at birth to live birth	3,652	99.5	2,746	99.1	3 dose of DPT	94.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	236	6.5	135	4.9	Measles	90
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,516	95.8	2,613	94.3	Full Immunization	87
28	Children fully immunized	4,966	118.6	3,831	91.0		
29	Children who have received BCG	4,254	101.6	3,576	84.9		
30	Children who have received DPT1	5,350	127.7	4,103	97.4		
31	Children who have received DPT3	5,275	125.9	3,918	93.0		
32	Children who have received Measles	5,209	124.4	3,866	91.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	746		420			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2013-14)	HMIS ( 2014-15) 3rd QTR	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	1.6
35	Number of Tubectomies performed	330	179	Spacing	14.4
36	Number of IUD insertion	456	317	Women using any method	64.6
37	Number of IUD removals	280	169	Women using modern method	63.5
F) Service delivery		HMIS ( 2013-14)	HMIS ( 2014-15) 3rd QTR		
38	IPD cases per 10,000 population ***	1034.08	857.49		
39	General OPD cases per 10,000 population ***	5850.73	4937.58		
40	Ayush OPD cases per 10,000 population ***	126.59	83.71		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2013-14)	HMIS ( 2014-15) 3rd QTR		
41	Neonatal death within 24 hours	5	0		
42	Up to 1 Weeks of Birth	32	24		
43	Between 1 week & 4 weeks of birth	1	1		
44	Neonatal Death	38	25		
45	Between 1 month and 11 months	114	49		
46	<b>Total reported infant deaths</b>	152	74		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2013-14)	HMIS ( 2014-15) 3rd QTR		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	1		
49	Due to Severe hypertension/fits	2	0		
50	Due to Bleeding	0	2		
51	Due to High fever	0	3		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	2	6		

## Aizawl West Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,59,720					
2	Sex Ratio	1,009					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	54					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	0					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	3,059		3,076			
9	Expected number of Delivery	2,814		2,830			
		HMIS ( 2013-14)		HMIS ( 2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	3,862	126.3	2,687	87.4	Any ANC	97.7
11	Mothers registered in the first trimester	2,689	69.6	1,842	68.6	ANC Check up in first trimester	66.1
12	Mothers who had at least 3 Ante-Natal care check ups	2,443	63.3	2,151	80.1	3 or more ANC check up	76.1
13	PW who got TT 2 / Booster injection	3,195	82.7	2,319	86.3	Atleast 1 TT received	96.4
14	PW who consumed 100 IFA tablets	2,490	64.5	1,857	69.1	100 IFA tablets consumed	67.2
15	Home Delivery against expected delivery *	12	0.4	6	0.2	Full ANC	53.9
16	Institutional Delivery Against expected delivery *	5,973	212.3	4,804	169.8	Home Delivery	6.6
17	Reported Home Delivery **	12	0.2	6	0.1	Institutional Delivery	93.4
18	Reported institutional Delivery **	5,973	99.8	4,804	99.9	Home Delivery by SBA	2.9
19	Total reported Deliveries	5,985		4,810		PNC within 14 days of delivery	47.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	83.3	6	100.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,410	73.7	3,720	77.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth	2,781		2,796			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	5,928	213.2	4,760	170.2	Breastfed within 1 hour of birth	87.7

24	Total Still Birth	57	2.0	50	1.8	BCG	98.6
25	PC of newborn weighted at birth to live birth	5,927	100.0	4,757	99.9	3 dose of DPT	94.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	313	5.3	231	4.9	Measles	90
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,925	99.9	4,756	99.9	Full Immunization	87
28	Children fully immunized	2,857	102.8	2,047	73.2		
29	Children who have received BCG	5,829	209.6	4,407	157.6		
30	Children who have received DPT1	2,861	102.9	2,177	77.9		
31	Children who have received DPT3	2,890	103.9	2,161	77.3		
32	Children who have received Measles	2,869	103.2	2,047	73.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	920		658			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 3rd QTR</b>		<b>DLHS-4 (2012-13)</b>		
34	Number of Vasectomies performed	0	0		Limiting	1.6	
35	Number of Tubectomies performed	807	594		Spacing	14.4	
36	Number of IUD insertion	749	465		Women using any method	64.6	
37	Number of IUD removals	302	239		Women using modern method	63.5	
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 3rd QTR</b>				
38	IPD cases per 10,000 population ***	1303.39	1020.15				
39	General OPD cases per 10,000 population ***	30398.60	21403.96				
40	Ayush OPD cases per 10,000 population ***	608.95	317.55				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 3rd QTR</b>				
41	Neonatal death within 24 hours	0	3				
42	Up to 1 Weeks of Birth	64	44				
43	Between 1 week & 4 weeks of birth	0	2				
44	Neonatal Death	64	49				
45	Between 1 month and 11 months	135	89				
46	<b>Total reported infant deaths</b>	199	138				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 3rd QTR</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	1				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	<b>Total reported maternal deaths</b>	0	1				

## Champhai Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,25,745					
2	Sex Ratio	981					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	59					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
8	Expected number of PW	2,372		2,367			
9	Expected number of Delivery	2,182		2,177			
		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 3rd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	3,358	141.6	2,315	97.8	Any ANC	91.3
11	Mothers registered in the first trimester	2,392	71.2	1,822	78.7	ANC Check up in first trimester	54.4
12	Mothers who had at least 3 Ante-Natal care check ups	2,317	69.0	1,799	77.7	3 or more ANC check up	66.0
13	PW who got TT 2 / Booster injection	2,808	83.6	2,110	91.1	Atleast 1 TT received	87.8
14	PW who consumed 100 IFA tablets	2,581	76.9	1,943	83.9	100 IFA tablets consumed	51.3
15	Home Delivery against expected delivery *	150	6.9	118	5.4	Full ANC	39.1
16	Institutional Delivery Against expected delivery *	2,270	104.0	1,671	76.7	Home Delivery	21.7
17	Reported Home Delivery **	150	6.2	118	6.6	Institutional Delivery	78.3
18	Reported institutional Delivery **	2,270	93.8	1,671	93.4	Home Delivery by SBA	8.7
19	Total reported Deliveries	2,420		1,789		PNC within 14 days of delivery	32.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	26	17.3	16	13.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,034	84.0	1,452	81.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth	2,156		2,152			
<b>D) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 3rd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	2,421	112.3	1,795	83.4	Breastfed within 1 hour of birth	91

24	Total Still Birth	15	0.7	20	0.9	BCG	95.1
25	PC of newborn weighted at birth to live birth	2,344	96.8	1,769	98.6	3 dose of DPT	90.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	119	5.1	107	6.0	Measles	89
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,411	99.6	1,752	97.6	Full Immunization	82.9
28	Children fully immunized	2,635	122.2	1,837	85.4		
29	Children who have received BCG	2,683	124.4	1,939	90.1		
30	Children who have received DPT1	2,752	127.6	2,163	100.5		
31	Children who have received DPT3	2,849	132.1	2,075	96.4		
32	Children who have received Measles	2,674	124.0	1,888	87.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,790		1,110			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 3rd QTR</b>		<b>DLHS-4 (2012-13)</b>		
34	Number of Vasectomies performed	0	0		Limiting	2.7	
35	Number of Tubectomies performed	70	64		Spacing	19.7	
36	Number of IUD insertion	347	307		Women using any method	59.4	
37	Number of IUD removals	320	258		Women using modern method	59	
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 3rd QTR</b>				
38	IPD cases per 10,000 population ***	999.92	640.16				
39	General OPD cases per 10,000 population ***	7850.46	5554.83				
40	Ayush OPD cases per 10,000 population ***	51.20	97.58				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 3rd QTR</b>				
41	Neonatal death within 24 hours	0	4				
42	Up to 1 Weeks of Birth	20	13				
43	Between 1 week & 4 weeks of birth	1	5				
44	Neonatal Death	21	22				
45	Between 1 month and 11 months	32	36				
46	<b>Total reported infant deaths</b>	<b>53</b>	<b>58</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 3rd QTR</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	1	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	1	0				
52	Due to Other Causes (including causes not known)	1	6				
53	<b>Total reported maternal deaths</b>	<b>3</b>	<b>6</b>				



## Kolasib Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	83,955					
2	Sex Ratio	956					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	30					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	1,614		1,625			
9	Expected number of Delivery	1,484		1,495			
		HMIS ( 2013-14)		HMIS ( 2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,999	123.9	1,575	96.9	Any ANC	95.1
11	Mothers registered in the first trimester	1,431	71.6	1,155	73.3	ANC Check up in first trimester	65.6
12	Mothers who had at least 3 Ante-Natal care check ups	1,423	71.2	1,201	76.3	3 or more ANC check up	70.8
13	PW who got TT 2 / Booster injection	1,799	90.0	1,531	97.2	Atleast 1 TT received	93.1
14	PW who consumed 100 IFA tablets	1,524	76.2	1,110	70.5	100 IFA tablets consumed	51.4
15	Home Delivery against expected delivery *	98	6.6	91	6.1	Full ANC	42.7
16	Institutional Delivery Against expected delivery *	1,098	74.0	932	62.3	Home Delivery	22.5
17	Reported Home Delivery **	98	8.2	91	8.9	Institutional Delivery	77.5
18	Reported institutional Delivery **	1,098	91.8	932	91.1	Home Delivery by SBA	6.9
19	Total reported Deliveries	1,196		1,023		PNC within 14 days of delivery	52.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	37	37.8	20	22.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,334	111.5	1,012	98.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth	1,467		1,478			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,430	97.5	1,469	99.4	Breastfed within 1 hour of birth	82.2

24	Total Still Birth	28	1.9	31	2.1	BCG	99
25	PC of newborn weighted at birth to live birth	1,349	94.3	1,136	77.3	3 dose of DPT	96.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	78	5.8	101	8.9	Measles	90.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,366	95.5	1,147	78.1	Full Immunization	83.7
28	Children fully immunized	1,546	105.4	1,145	77.5		
29	Children who have received BCG	2,167	147.7	1,439	97.4		
30	Children who have received DPT1	1,676	114.3	1,201	81.3		
31	Children who have received DPT3	1,595	108.7	1,170	79.2		
32	Children who have received Measles	1,562	106.5	1,139	77.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,409		1,205			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 3rd QTR</b>		<b>DLHS-4 (2012-13)</b>		
34	Number of Vasectomies performed	0	0		Limiting	2.2	
35	Number of Tubectomies performed	64	78		Spacing	18.2	
36	Number of IUD insertion	63	95		Women using any method	57.3	
37	Number of IUD removals	52	53		Women using modern method	56.7	
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 3rd QTR</b>				
38	IPD cases per 10,000 population ***	985.47	606.04				
39	General OPD cases per 10,000 population ***	8550.58	6280.47				
40	Ayush OPD cases per 10,000 population ***	428.23	321.33				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 3rd QTR</b>				
41	Neonatal death within 24 hours	2	2				
42	Up to 1 Weeks of Birth	11	5				
43	Between 1 week & 4 weeks of birth	1	2				
44	Neonatal Death	14	9				
45	Between 1 month and 11 months	36	32				
46	<b>Total reported infant deaths</b>	<b>50</b>	<b>41</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 3rd QTR</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	1				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	1				
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>2</b>				

## Lawngtlai Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,17,894					
2	Sex Ratio	945					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	37					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	2,302		2,337			
9	Expected number of Delivery	2,118		2,150			
		HMIS ( 2013-14)		HMIS ( 2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,531	109.9	1,645	70.4	Any ANC	37.9
11	Mothers registered in the first trimester	1,598	63.1	1,131	68.8	ANC Check up in first trimester	21.5
12	Mothers who had at least 3 Ante-Natal care check ups	1,268	50.1	915	55.6	3 or more ANC check up	26.4
13	PW who got TT 2 / Booster injection	1,833	72.4	1,295	78.7	Atleast 1 TT received	35.1
14	PW who consumed 100 IFA tablets	1,940	76.6	1,206	73.3	100 IFA tablets consumed	16.0
15	Home Delivery against expected delivery *	588	27.8	371	17.3	Full ANC	12.3
16	Institutional Delivery Against expected delivery *	1,019	48.1	964	44.8	Home Delivery	70.1
17	Reported Home Delivery **	588	36.6	371	27.8	Institutional Delivery	27.7
18	Reported institutional Delivery **	1,019	63.4	964	72.2	Home Delivery by SBA	3.5
19	Total reported Deliveries	1,607		1,335		PNC within 14 days of delivery	74.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	129	21.9	51	13.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	707	44.0	476	35.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth	2,093		2,125			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,610	76.9	1,344	63.2	Breastfed within 1 hour of birth	56.5

24	Total Still Birth	24	1.1	18	0.8	BCG	40.8
25	PC of newborn weighted at birth to live birth	1,440	89.4	1,260	93.8	3 dose of DPT	44.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	66	4.6	51	4.0	Measles	35.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,498	93.0	1,293	96.2	Full Immunization	26.3
28	Children fully immunized	1,508	72.1	938	44.1		
29	Children who have received BCG	1,715	82.0	1,224	57.6		
30	Children who have received DPT1	1,795	85.8	1,242	58.4		
31	Children who have received DPT3	1,685	80.5	1,199	56.4		
32	Children who have received Measles	1,536	73.4	1,026	48.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	437		340			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 3rd QTR</b>		<b>DLHS-4 (2012-13)</b>		
34	Number of Vasectomies performed	0	0		Limiting	6.3	
35	Number of Tubectomies performed	49	23		Spacing	23.6	
36	Number of IUD insertion	145	120		Women using any method	47.4	
37	Number of IUD removals	80	63		Women using modern method	46.2	
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 3rd QTR</b>				
38	IPD cases per 10,000 population ***	510.13	350.64				
39	General OPD cases per 10,000 population ***	4981.89	3493.86				
40	Ayush OPD cases per 10,000 population ***	66.39	38.81				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 3rd QTR</b>				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	5	4				
43	Between 1 week & 4 weeks of birth	0	1				
44	Neonatal Death	5	5				
45	Between 1 month and 11 months	52	29				
46	<b>Total reported infant deaths</b>	<b>57</b>	<b>34</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 3rd QTR</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	1	0				
50	Due to Bleeding	4	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	1				
53	<b>Total reported maternal deaths</b>	<b>5</b>	<b>1</b>				

## Lunglei Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,61,428					
2	Sex Ratio	944					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	71					
4	Primary Health Centers (PHC)	9					
5	Community Health Centers (CHC)	1					
6	SDH	1					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
8	Expected number of PW	3,021		3,002			
9	Expected number of Delivery	2,779		2,762			
		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 3rd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	2,805	92.9	2,001	66.6	Any ANC	74.2
11	Mothers registered in the first trimester	1,686	60.1	1,313	65.6	ANC Check up in first trimester	41.0
12	Mothers who had at least 3 Ante-Natal care check ups	1,717	61.2	1,296	64.8	3 or more ANC check up	51.6
13	PW who got TT 2 / Booster injection	2,438	86.9	1,835	91.7	Atleast 1 TT received	67.1
14	PW who consumed 100 IFA tablets	2,154	76.8	1,507	75.3	100 IFA tablets consumed	33.2
15	Home Delivery against expected delivery *	458	16.5	268	9.7	Full ANC	24.0
16	Institutional Delivery Against expected delivery *	2,257	81.2	1,614	58.4	Home Delivery	38.5
17	Reported Home Delivery **	458	16.9	268	14.2	Institutional Delivery	61.2
18	Reported institutional Delivery **	2,257	83.1	1,614	85.8	Home Delivery by SBA	11.3
19	Total reported Deliveries	2,715		1,882		PNC within 14 days of delivery	53.4
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	203	44.3	105	39.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,064	112.9	1,755	93.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth	2,746		2,729			
<b>D) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 3rd QTR</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	2,698	98.3	1,873	68.6	Breastfed within 1 hour of birth	90.2

24	Total Still Birth	21	0.8	12	0.4	BCG	85.5
25	PC of newborn weighted at birth to live birth	2,677	99.2	1,866	99.6	3 dose of DPT	75
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	133	5.0	85	4.6	Measles	76.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,442	90.5	1,823	97.3	Full Immunization	59.2
28	Children fully immunized	2,317	84.4	1,612	59.1		
29	Children who have received BCG	2,848	103.7	2,077	76.1		
30	Children who have received DPT1	2,678	97.5	1,742	63.8		
31	Children who have received DPT3	2,753	100.3	1,807	66.2		
32	Children who have received Measles	2,381	86.7	1,637	60.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,167		869			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 3rd QTR</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	1.8
35	Number of Tubectomies performed	288		154		Spacing	17.4
36	Number of IUD insertion	384		234		Women using any method	65.5
37	Number of IUD removals	137		96		Women using modern method	64.9
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 3rd QTR</b>			
38	IPD cases per 10,000 population ***	813.56		616.83			
39	General OPD cases per 10,000 population ***	10250.07		8460.09			
40	Ayush OPD cases per 10,000 population ***	314.41		380.76			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 3rd QTR</b>			
41	Neonatal death within 24 hours	2		0			
42	Up to 1 Weeks of Birth	2		8			
43	Between 1 week & 4 weeks of birth	2		1			
44	Neonatal Death	6		9			
45	Between 1 month and 11 months	62		37			
46	<b>Total reported infant deaths</b>	<b>68</b>		<b>46</b>			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15) 3rd QTR</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	1		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		1			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	3		1			
53	<b>Total reported maternal deaths</b>	<b>4</b>		<b>2</b>			

## Mamit Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	86,364					
2	Sex Ratio	924					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	29					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	1,695		1,725			
9	Expected number of Delivery	1,559		1,587			
		HMIS ( 2013-14)		HMIS ( 2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,755	103.6	1,329	77.1	Any ANC	78.0
11	Mothers registered in the first trimester	1,060	60.4	816	61.4	ANC Check up in first trimester	38.4
12	Mothers who had at least 3 Ante-Natal care check ups	842	48.0	781	58.8	3 or more ANC check up	47.4
13	PW who got TT 2 / Booster injection	1,394	79.4	1,011	76.1	Atleast 1 TT received	75.4
14	PW who consumed 100 IFA tablets	1,215	69.2	995	74.9	100 IFA tablets consumed	37.8
15	Home Delivery against expected delivery *	418	26.8	342	21.6	Full ANC	26.4
16	Institutional Delivery Against expected delivery *	750	48.1	581	36.6	Home Delivery	37.7
17	Reported Home Delivery **	418	35.8	342	37.1	Institutional Delivery	62.0
18	Reported institutional Delivery **	750	64.2	581	62.9	Home Delivery by SBA	10.1
19	Total reported Deliveries	1,168		923		PNC within 14 days of delivery	51.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	117	28.0	88	25.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	900	77.1	680	73.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth	1,540		1,568			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,156	75.0	904	57.7	Breastfed within 1 hour of birth	91.6

24	Total Still Birth	13	0.8	11	0.7	BCG	90.2
25	PC of newborn weighted at birth to live birth	923	79.8	805	89.0	3 dose of DPT	79.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	15	1.6	16	2.0	Measles	70.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,093	94.6	882	97.6	Full Immunization	59.8
28	Children fully immunized	1,237	80.3	917	58.5		
29	Children who have received BCG	1,404	91.1	1,100	70.2		
30	Children who have received DPT1	1,511	98.1	1,134	72.3		
31	Children who have received DPT3	1,430	92.8	1,026	65.4		
32	Children who have received Measles	1,257	81.6	916	58.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,050		738			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 3rd QTR</b>		<b>DLHS-4 (2012-13)</b>		
34	Number of Vasectomies performed	0	0		Limiting	2.3	
35	Number of Tubectomies performed	36	26		Spacing	21.3	
36	Number of IUD insertion	136	120		Women using any method	58.9	
37	Number of IUD removals	57	39		Women using modern method	58.5	
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 3rd QTR</b>				
38	IPD cases per 10,000 population ***	541.92	503.56				
39	General OPD cases per 10,000 population ***	6916.08	6009.23				
40	Ayush OPD cases per 10,000 population ***	13.25	9.88				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 3rd QTR</b>				
41	Neonatal death within 24 hours	0	2				
42	Up to 1 Weeks of Birth	3	5				
43	Between 1 week & 4 weeks of birth	1	1				
44	Neonatal Death	4	8				
45	Between 1 month and 11 months	20	24				
46	<b>Total reported infant deaths</b>	24	32				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 3rd QTR</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	1	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	1				
53	<b>Total reported maternal deaths</b>	1	1				



## Saiha Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	56,574					
2	Sex Ratio	978					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	24					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	1,074		1,076			
9	Expected number of Delivery	988		989			
		HMIS ( 2013-14)		HMIS ( 2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,675	155.9	1,148	106.7	Any ANC	73.9
11	Mothers registered in the first trimester	1,079	64.4	820	71.4	ANC Check up in first trimester	53.6
12	Mothers who had at least 3 Ante-Natal care check ups	920	54.9	726	63.2	3 or more ANC check up	51.0
13	PW who got TT 2 / Booster injection	1,207	72.1	905	78.8	Atleast 1 TT received	66.0
14	PW who consumed 100 IFA tablets	936	55.9	755	65.8	100 IFA tablets consumed	35.4
15	Home Delivery against expected delivery *	367	37.1	261	26.4	Full ANC	28.1
16	Institutional Delivery Against expected delivery *	995	100.7	818	82.7	Home Delivery	42.4
17	Reported Home Delivery **	367	26.9	261	24.2	Institutional Delivery	56.5
18	Reported institutional Delivery **	995	73.1	818	75.8	Home Delivery by SBA	17.2
19	Total reported Deliveries	1,362		1,079		PNC within 14 days of delivery	41.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	148	40.3	111	42.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	526	38.6	643	59.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth	977		978			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,363	139.6	1,078	110.3	Breastfed within 1 hour of birth	92

24	Total Still Birth	15	1.5	8	0.8	BCG	80.6
25	PC of newborn weighted at birth to live birth	1,310	96.1	1,040	96.5	3 dose of DPT	72
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	56	4.3	57	5.5	Measles	73.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,281	94.0	1,041	96.6	Full Immunization	60.2
28	Children fully immunized	1,106	113.3	686	70.2		
29	Children who have received BCG	1,152	118.0	1,072	109.6		
30	Children who have received DPT1	1,151	117.9	900	92.0		
31	Children who have received DPT3	1,174	120.2	837	85.6		
32	Children who have received Measles	1,119	114.6	748	76.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	626		503			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 3rd QTR</b>		<b>DLHS-4 (2012-13)</b>		
34	Number of Vasectomies performed	0	0		Limiting	5.8	
35	Number of Tubectomies performed	50	88		Spacing	22.2	
36	Number of IUD insertion	416	189		Women using any method	54.3	
37	Number of IUD removals	84	38		Women using modern method	53.6	
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 3rd QTR</b>				
38	IPD cases per 10,000 population ***	823.44	631.65				
39	General OPD cases per 10,000 population ***	7191.53	5585.17				
40	Ayush OPD cases per 10,000 population ***	472.24	490.45				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 3rd QTR</b>				
41	Neonatal death within 24 hours	1	0				
42	Up to 1 Weeks of Birth	11	21				
43	Between 1 week & 4 weeks of birth	0	1				
44	Neonatal Death	12	22				
45	Between 1 month and 11 months	95	82				
46	<b>Total reported infant deaths</b>	107	104				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 3rd QTR</b>				
47	Due to Abortion	1	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	1				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	1	2				
53	<b>Total reported maternal deaths</b>	2	3				

## Serchhip Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	64,937					
2	Sex Ratio	976					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	26					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	1,232		1,232			
9	Expected number of Delivery	1,133		1,134			
		HMIS ( 2013-14)		HMIS ( 2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,439	116.8	974	79.0	Any ANC	99.7
11	Mothers registered in the first trimester	970	67.4	772	79.3	ANC Check up in first trimester	69.6
12	Mothers who had at least 3 Ante-Natal care check ups	973	67.6	730	74.9	3 or more ANC check up	74.2
13	PW who got TT 2 / Booster injection	1,193	82.9	860	88.3	Atleast 1 TT received	98.4
14	PW who consumed 100 IFA tablets	1,071	74.4	751	77.1	100 IFA tablets consumed	49.7
15	Home Delivery against expected delivery *	68	6.0	18	1.6	Full ANC	38.7
16	Institutional Delivery Against expected delivery *	851	75.1	611	53.9	Home Delivery	16.3
17	Reported Home Delivery **	68	7.4	18	2.9	Institutional Delivery	83.1
18	Reported institutional Delivery **	851	92.6	611	97.1	Home Delivery by SBA	8.6
19	Total reported Deliveries	919		629		PNC within 14 days of delivery	49.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	46	67.6	6	33.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	665	72.4	435	69.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth	1,120		1,120			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	910	81.3	627	56.0	Breastfed within 1 hour of birth	78.6

24	Total Still Birth	10	0.9	6	0.5	BCG	97.4
25	PC of newborn weighted at birth to live birth	914	100.4	627	100.0	3 dose of DPT	85.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	17	1.9	18	2.9	Measles	89.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	899	98.8	625	99.7	Full Immunization	82.3
28	Children fully immunized	1,127	100.7	786	70.2		
29	Children who have received BCG	1,041	93.0	831	74.2		
30	Children who have received DPT1	1,126	100.6	886	79.1		
31	Children who have received DPT3	1,170	104.5	847	75.6		
32	Children who have received Measles	1,129	100.8	786	70.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	375		304			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 3rd QTR</b>		<b>DLHS-4 (2012-13)</b>		
34	Number of Vasectomies performed	0	0		Limiting	2.5	
35	Number of Tubectomies performed	38	15		Spacing	14.4	
36	Number of IUD insertion	122	107		Women using any method	66	
37	Number of IUD removals	96	46		Women using modern method	65	
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 3rd QTR</b>				
38	IPD cases per 10,000 population ***	651.36	464.11				
39	General OPD cases per 10,000 population ***	7007.45	5429.96				
40	Ayush OPD cases per 10,000 population ***	555.28	505.43				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 3rd QTR</b>				
41	Neonatal death within 24 hours	2	1				
42	Up to 1 Weeks of Birth	4	4				
43	Between 1 week & 4 weeks of birth	1	0				
44	Neonatal Death	7	5				
45	Between 1 month and 11 months	21	21				
46	<b>Total reported infant deaths</b>	<b>28</b>	<b>26</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15) 3rd QTR</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>				

\* Against Expected Delivery for the year 2013-14 & 2014-15.

\*\* Against Reported Delivery for the year 2013-14 & 2014-15.

\*\*\* Against Estimated Population for year 2013-14 & 2014-15.