

NAGALAND Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)		SL No	C) State Health Indicator (SRS 2014)			
1	Population 2011	19,78,502	9	Birth Rate		15.4	
2	Sex Ratio	931	10	Death Rate		3.1	
3	Number of districts	11	11	IMR		18	
B) Infrastructure Details (RHS 2014)			12	Growth Rate		12.3	
4	Sub Centers (SC)	396	13	TFR (SRS - 2007)		2.0	
5	Primary Health Centers (PHC)	126					
6	Community Health Centers (CHC)	21					
7	SDH	0					
8	DH	11					
D) Maternal Health:		2011-12	2011-12				
14	Expected number of PW	37,433	37,433				
15	Expected number of Delivery	34,439	34,439				
		HMIS (2013-14)	HMIS (2014-15) 3rd QTR	DLHS-4 (2012-13)			
		Number	PC	Number	PC		
16	PW register for ANC	47,156	126.0	32,634	87.2	Any ANC	41.8
17	Mothers registered in the first trimester	17,653	37.4	16,104	49.3	ANC Check up in first trimester	23.8
18	Mothers who had at least 3 Ante-Natal care check ups	14,271	30.3	11,037	33.8	3 or more ANC check up	26.5
19	Mothers who got TT2/ Booster injection (%)	16,889	35.8	12,513	38.3	Atleast 1 TT received	39.4
20	PW who consumed 100 IFA tablets	14,948	31.7	10,966	33.6	100 IFA tablets consumed	12
21	Home Delivery against expected delivery *	5,643	16.4	3,867	11.2	Full ANC	9.7
22	Institutional Delivery against expected delivery *	15,555	45.2	12,946	37.6	Home Delivery	66.1
23	Home Delivery against reported delivery **	5,643	26.6	3,867	23.0	Institutional Delivery	30.1
24	Institutional Delivery against reported delivery **	15,555	73.4	12,946	77.0	Home Delivery by SBA	17.5
25	Total reported Deliveries	21,198	61.6	16,813	48.8	PNC within 14 days of delivery	63.9
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4,626	82.0	3,063	79.2		
27	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,910	27.9	5,560	33.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
28	Expected number of Live Birth	34,030	34,030				
E) Child Immunization :		HMIS (2013-14)	HMIS (2014-15) 3rd QTR	DLHS-4 (2012-13)			
		Number	PC	Number	PC		
29	Total reported live births	21,031	61.8	16,595	48.8	Breastfed within 1 hour of birth	44.5

30	Total Still Birth	269	0.8	297	0.9	BCG	61.2
31	Newborn weighted at birth to live birth	19,677	93.6	15,850	95.5	3 dose of DPT	66
32	Newborn having weight less than 2.5 kg to newborn weighted at birth.	708	3.4	688	4.1	Measles	49
33	Newborns breastfed within 1 hour to total reported live birth.	18,907	89.9	14,530	87.6	Full Immunization	35.6
34	Fully immunized	19,876	58.4	14,813	43.5		
35	Children who have received BCG	28,355	83.3	20,491	60.2		
36	Children who have received DPT1	26,552	78.0	18,628	54.7		
37	Children who have received DPT3	22,774	66.9	16,060	47.2		
38	Children who have received Measles	21,077	61.9	15,851	46.6		
39	Diarrhoea and Dehydration cases reported in children below 5 years	5,076		4,005			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
F) Family Planning		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
40	Number of Vasectomies performed	15		6		Limiting	23
41	Number of Tubectomies performed	1,771		1,085		Spacing	18.6
42	Number of IUD insertion	3,803		2,927		Women using any method	33.1
43	Number of IUD removals	1,349		1,182		Women using modern method	23.9
I) Service delivery		HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
44	IPD cases per 10,000 population ***	384		308			
45	General OPD cases per 10,000 population ***	4,547		3,888			
46	Ayush OPD cases per 10,000 population ***	140		108			
J) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
47	Neonatal death within 24 hours	4		2			
48	Up to 1 Weeks of Birth	42		39			
49	Between 1 week & 4 weeks of birth	5		2			
50	Neonatal Death	51		43			
51	Between 1 month and 11 months	38		39			
52	Total reported infant deaths	89		82			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
53	Due to Abortion	1		1			
54	Due to Obstructed/prolonged labour	0		1			
55	Due to Severe hypertension/fits	0		4			
56	Due to Bleeding	3		6			
57	Due to High fever	3		0			
58	Due to Other Causes (including causes not known)	6		11			
59	Total reported maternal deaths	13		23			

Dimapur Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,78,811					
2	Sex Ratio	916					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	47					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	7,167		7,167			
9	Expected number of Delivery	6,594		6,594			
		HMIS (2013-14)		HMIS (2014-15) 3rdQTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	18,800	262.3	17,170	239.6	Any ANC	57.1
11	Mothers registered in the first trimester	8,083	43.0	10,267	59.8	ANC Check up in first trimester	37.8
12	Mothers who had at least 3 Ante-Natal care check ups	7,507	39.9	5,883	34.3	3 or more ANC check up	38
13	PW who got TT 2 / Booster injection	6,779	36.1	5,266	30.7	Atleast 1 TT received	53
14	PW who consumed 100 IFA tablets	4,889	26.0	3,661	21.3	100 IFA tablets consumed	16.9
15	Home Delivery against expected delivery *	1,026	15.6	715	10.8	Full ANC	12.8
16	Institutional Delivery against expected delivery *	6,281	95.3	5,557	84.3	Home Delivery	47.7
17	Home Delivery against reported delivery **	1,026	14.0	715	11.4	Institutional Delivery	52
18	Institutional Delivery against reported delivery **	6,281	86.0	5,557	89.7	Home Delivery by SBA	65.6
19	Total reported Deliveries	7,307		6,272		PNC within 48 hrs of delivery	68.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	679	66.2	636	89.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,377	18.8	1,203	19.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	6,516		6,516			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rdQTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	7,240	111.1	6,152	94.4	Breastfed within 1 hour of birth	45.8

24	Total Still Birth	124	1.9	163	2.5	BCG	71.4
25	PC of newborn weighted at birth to live birth	6,982	96.4	6,102	99.2	3 dose of DPT	68.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	410	5.9	458	7.5	Measles	50.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	6,071	83.9	4,806	78.1	Full Immunization	38.1
28	Children fully immunized	7,073	108.6	5,598	85.9		
29	Children who have received BCG	10,447	160.3	7,771	119.3		
30	Children who have received DPT1	9,022	138.5	6,295	96.6		
31	Children who have received DPT3	7,502	115.1	5,365	82.3		
32	Children who have received Measles	7,137	109.5	5,598	85.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,397		1,340			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rdQTR	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	14	2	Limiting	23
35	Number of Tubectomies performed	570	359	Spacing	12.7
36	Number of IUD insertion	682	534	Women using any method	36.2
37	Number of IUD removals	349	334	Women using modern method	28.3
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rdQTR		
38	IPD cases per 10,000 population ***	770	756		
39	General OPD cases per 10,000 population ***	7961	7973		
40	Ayush OPD cases per 10,000 population ***	116	103		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rdQTR		
41	Neonatal death within 24 hours	0	1		
42	Up to 1 Weeks of Birth	15	28		
43	Between 1 week & 4 weeks of birth	2	1		
44	Neonatal Death	17	30		
45	Between 1 month and 11 months	16	23		
46	Total reported infant deaths	33	53		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rdQTR		
47	Due to Abortion	1	1		
48	Due to Obstructed/prolonged labour	0	1		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	5		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	4	4		
53	Total reported maternal deaths	5	11		

Kiphrie Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	74,004					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	19					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	1,400		1,400			
9	Expected number of Delivery	1,288		1,288			
		HMIS (2013-14)		HMIS (2014-15) 3rdQTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,135	81.1	801	57.2	Any ANC	14.7
11	Mothers registered in the first trimester	367	32.3	257	32.1	ANC Check up in first trimester	2.9
12	Mothers who had at least 3 Ante-Natal care check ups	273	24.1	198	24.7	3 or more ANC check up	5.9
13	PW who got TT 2 / Booster injection	480	42.3	328	40.9	Atleast 1 TT received	11.8
14	PW who consumed 100 IFA tablets	568	50.0	574	71.7	100 IFA tablets consumed	5.9
15	Home Delivery against expected delivery *	327	25.4	239	18.6	Full ANC	2.9
16	Institutional Delivery against expected delivery *	481	37.3	380	29.5	Home Delivery	58.8
17	Home Delivery against reported delivery **	327	40.5	239	38.6	Institutional Delivery	32.4
18	Institutional Delivery against reported delivery **	481	59.5	380	62.2	Home Delivery by SBA	35.3
19	Total reported Deliveries	808		619		PNC within 48 hrs of delivery	63.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	282	86.2	182	76.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	274	33.9	323	52.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,273		1,273			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rdQTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	798	62.7	611	48.0	Breastfed within 1 hour of birth	88.2

24	Total Still Birth	15	1.2	13	1.0	BCG	60
25	PC of newborn weighted at birth to live birth	750	94.0	570	93.3	3 dose of DPT	40
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	25	3.3	8	1.4	Measles	20
27	PC of newborns breastfed within 1 hour to total reported live birth.	771	96.6	589	96.4	Full Immunization	20
28	Children fully immunized	624	49.0	488	38.3		
29	Children who have received BCG	955	75.0	754	59.2		
30	Children who have received DPT1	875	68.7	634	49.8		
31	Children who have received DPT3	790	62.1	630	49.5		
32	Children who have received Measles	788	61.9	567	44.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	817		609			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rdQTR	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	39.4
35	Number of Tubectomies performed	71	61	Spacing	11.6
36	Number of IUD insertion	197	119	Women using any method	35.1
37	Number of IUD removals	18	20	Women using modern method	26.1
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rdQTR		
38	IPD cases per 10,000 population ***	354	276		
39	General OPD cases per 10,000 population ***	3838	3196		
40	Ayush OPD cases per 10,000 population ***	103	71		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rdQTR		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	1	0		
43	Between 1 week & 4 weeks of birth	1	0		
44	Neonatal Death	2	0		
45	Between 1 month and 11 months	1	2		
46	Total reported infant deaths	3	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rdQTR		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	1		
50	Due to Bleeding	0	1		
51	Due to High fever	1	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	1	2		

Kohima Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,67,988					
2	Sex Ratio	927					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	40					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	5,070		5,070			
9	Expected number of Delivery	4,665		4,665			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	8,766	172.9	2,929	57.8	Any ANC	72.4
11	Mothers registered in the first trimester	1,552	17.7	1,067	36.4	ANC Check up in first trimester	45.2
12	Mothers who had at least 3 Ante-Natal care check ups	1,748	19.9	1,548	52.9	3 or more ANC check up	42.4
13	PW who got TT 2 / Booster injection	1,783	20.3	1,462	49.9	Atleast 1 TT received	67.7
14	PW who consumed 100 IFA tablets	626	7.1	458	15.6	100 IFA tablets consumed	17.7
15	Home Delivery against expected delivery *	281	6.0	189	4.1	Full ANC	14.5
16	Institutional Delivery against expected delivery *	2,556	54.8	2,023	43.4	Home Delivery	50
17	Home Delivery against reported delivery **	281	9.9	189	8.5	Institutional Delivery	44.4
18	Institutional Delivery against reported delivery **	2,556	90.1	2,023	78.3	Home Delivery by SBA	15.3
19	Total reported Deliveries	2,837		2,212		PNC within 48 hrs of delivery	53.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	218	77.6	153	81.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	879	31.0	892	40.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	4,609		4,609			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rdQTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	2,834	61.5	2,184	47.4	Breastfed within 1 hour of birth	46

24	Total Still Birth	11	0.2	31	0.7	BCG	63.9
25	PC of newborn weighted at birth to live birth	2,454	86.6	1,904	87.2	3 dose of DPT	69.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	50	2.0	34	1.8	Measles	58.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,552	90.0	1,800	82.4	Full Immunization	38.9
28	Children fully immunized	3,070	66.6	2,224	48.2		
29	Children who have received BCG	3,794	82.3	2,805	60.9		
30	Children who have received DPT1	3,465	75.2	2,456	53.3		
31	Children who have received DPT3	3,202	69.5	2,245	48.7		
32	Children who have received Measles	3,137	68.1	2,243	48.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	664		379			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0		0		Limiting	20.5
35	Number of Tubectomies performed	370		200		Spacing	15.7
36	Number of IUD insertion	691		582		Women using any method	44.4
37	Number of IUD removals	150		184		Women using modern method	25.2
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
38	IPD cases per 10,000 population ***	403		392			
39	General OPD cases per 10,000 population ***	5734		4841			
40	Ayush OPD cases per 10,000 population ***	162		130			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
41	Neonatal death within 24 hours	1		1			
42	Up to 1 Weeks of Birth	2		0			
43	Between 1 week & 4 weeks of birth	1		1			
44	Neonatal Death	4		2			
45	Between 1 month and 11 months	9		6			
46	Total reported infant deaths	13		8			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		1			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		4			
53	Total reported maternal deaths	0		5			

Longleng Factsheet

Key Indicators							
SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	50,484					
2	Sex Ratio	903					
	B) Infrastructure Details (RHS 2014)	Numbers					
3	Sub Centers (SC)	8					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2011-12	2011-12				
8	Expected number of PW	955		955			
9	Expected number of Delivery	879		879			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,081	113.2	525	55.0	Any ANC	18.8
11	Mothers registered in the first trimester	505	46.7	369	70.3	ANC Check up in first trimester	7.2
12	Mothers who had at least 3 Ante-Natal care check ups	352	32.6	162	30.9	3 or more ANC check up	11.4
13	PW who got TT 2 / Booster injection	544	50.3	233	44.4	Atleast 1 TT received	17.4
14	PW who consumed 100 IFA tablets	619	57.3	284	54.1	100 IFA tablets consumed	7.2
15	Home Delivery against expected delivery *	325	37.0	186	21.2	Full ANC	7.2
16	Institutional Delivery against expected delivery *	311	35.4	271	30.8	Home Delivery	82.6
17	Home Delivery against reported delivery **	325	51.1	186	40.7	Institutional Delivery	17.4
18	Institutional Delivery against reported delivery **	311	48.9	271	82.7	Home Delivery by SBA	12.9
19	Total reported Deliveries	636		457		PNC within 48 hrs of delivery	83.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	324	99.7	178	95.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	253	39.8	214	46.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	868		868			
	D) Child Immunization :	HMIS (2013-14)		HMIS (2014-15) 3rdQTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	636	73.2	457	52.6	Breastfed within 1 hour of birth	80

24	Total Still Birth	0	0.0	1	0.1	BCG	55.6
25	PC of newborn weighted at birth to live birth	622	97.8	428	93.7	3 dose of DPT	66.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	10	1.6	10	2.3	Measles	33.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	625	98.3	453	99.1	Full Immunization	22.2
28	Children fully immunized	744	85.7	486	56.0		
29	Children who have received BCG	746	85.9	499	57.5		
30	Children who have received DPT1	849	97.8	573	66.0		
31	Children who have received DPT3	774	89.1	515	59.3		
32	Children who have received Measles	755	86.9	532	61.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	180		126			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rd QTR	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	24.2
35	Number of Tubectomies performed	12	37	Spacing	10.6
36	Number of IUD insertion	95	124	Women using any method	31.3
37	Number of IUD removals	48	43	Women using modern method	22.3
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
38	IPD cases per 10,000 population ***	141	139		
39	General OPD cases per 10,000 population ***	5853	4843		
40	Ayush OPD cases per 10,000 population ***	106	142		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	0	0		
46	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	0		

Mokokchung Factsheet

Key Indicators							
SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,94,622					
2	Sex Ratio	927					
	B) Infrastructure Details (RHS 2014)	Numbers					
3	Sub Centers (SC)	51					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2011-12	2011-12				
8	Expected number of PW	3,682		3,682			
9	Expected number of Delivery	3,388		3,388			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,886	51.2	1,140	31.0	Any ANC	74.6
11	Mothers registered in the first trimester	777	41.2	370	32.5	ANC Check up in first trimester	27.6
12	Mothers who had at least 3 Ante-Natal care check ups	762	40.4	459	40.3	3 or more ANC check up	46.6
13	PW who got TT 2 / Booster injection	682	36.2	496	43.5	Atleast 1 TT received	72.4
14	PW who consumed 100 IFA tablets	392	20.8	272	23.9	100 IFA tablets consumed	26.1
15	Home Delivery against expected delivery *	326	9.6	247	7.3	Full ANC	21.6
16	Institutional Delivery against expected delivery *	965	28.5	708	20.9	Home Delivery	56.4
17	Home Delivery against reported delivery **	326	25.3	247	25.9	Institutional Delivery	42.9
18	Institutional Delivery against reported delivery **	965	74.7	708	72.4	Home Delivery by SBA	35.8
19	Total reported Deliveries	1,291		955		PNC within 48 hrs of delivery	59.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	256	78.5	178	72.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	349	27.0	352	36.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,347		3,347			
	D) Child Immunization :	HMIS (2013-14)		HMIS (2014-15) 3rdQTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,267	37.8	942	28.1	Breastfed within 1 hour of birth	34.7

24	Total Still Birth	24	0.7	14	0.4	BCG	89.1
25	PC of newborn weighted at birth to live birth	1,219	96.2	915	97.1	3 dose of DPT	80.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	40	3.3	26	2.8	Measles	78.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,101	86.9	930	98.7	Full Immunization	60.9
28	Children fully immunized	1,295	38.7	904	27.0		
29	Children who have received BCG	1,508	45.0	1,088	32.5		
30	Children who have received DPT1	1,457	43.5	1,043	31.2		
31	Children who have received DPT3	1,326	39.6	935	27.9		
32	Children who have received Measles	1,306	39.0	943	28.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	135		60			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	1		2		Limiting	22
35	Number of Tubectomies performed	223		83		Spacing	11.3
36	Number of IUD insertion	301		138		Women using any method	51.7
37	Number of IUD removals	67		69		Women using modern method	34.3
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
38	IPD cases per 10,000 population ***	872		330			
39	General OPD cases per 10,000 population ***	5017		3554			
40	Ayush OPD cases per 10,000 population ***	176		160			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
41	Neonatal death within 24 hours	1		0			
42	Up to 1 Weeks of Birth	18		5			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	19		5			
45	Between 1 month and 11 months	0		2			
46	Total reported infant deaths	19		7			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		2			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	Total reported maternal deaths	0		2			

Mon Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,50,260					
2	Sex Ratio	898					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	50					
4	Primary Health Centers (PHC)	15					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	4,735		4,735			
9	Expected number of Delivery	4,356		4,356			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	4,871	102.9	2,889	61.0	Any ANC	25.6
11	Mothers registered in the first trimester	1,526	31.3	973	33.7	ANC Check up in first trimester	10.5
12	Mothers who had at least 3 Ante-Natal care check ups	605	12.4	484	16.8	3 or more ANC check up	9.7
13	PW who got TT 2 / Booster injection	1,936	39.7	1,347	46.6	Atleast 1 TT received	25.6
14	PW who consumed 100 IFA tablets	1,765	36.2	1,168	40.4	100 IFA tablets consumed	4.8
15	Home Delivery against expected delivery *	998	22.9	604	13.9	Full ANC	3.2
16	Institutional Delivery against expected delivery *	953	21.9	907	20.8	Home Delivery	84
17	Home Delivery against reported delivery **	998	51.2	604	40.0	Institutional Delivery	16
18	Institutional Delivery against reported delivery **	953	48.8	907	76.9	Home Delivery by SBA	24
19	Total reported Deliveries	1,951		1,511		PNC within 48 hrs of delivery	75
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	810	81.2	480	79.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	486	24.9	505	33.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	4,304		4,304			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rdQTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,924	44.7	1,487	34.5	Breastfed within 1 hour of birth	22.1

24	Total Still Birth	29	0.7	25	0.6	BCG	42.9
25	PC of newborn weighted at birth to live birth	1,878	97.6	1,443	97.0	3 dose of DPT	65
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	92	4.9	73	5.1	Measles	33.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,907	99.1	1,475	99.2	Full Immunization	20
28	Children fully immunized	1,713	39.8	1,205	28.0		
29	Children who have received BCG	2,813	65.4	1,816	42.2		
30	Children who have received DPT1	2,826	65.7	1,766	41.0		
31	Children who have received DPT3	2,184	50.7	1,414	32.8		
32	Children who have received Measles	1,771	41.1	1,325	30.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	383		407			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rd QTR	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	19.3
35	Number of Tubectomies performed	93	47	Spacing	33.8
36	Number of IUD insertion	458	602	Women using any method	30.9
37	Number of IUD removals	264	233	Women using modern method	28
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
38	IPD cases per 10,000 population ***	134	98		
39	General OPD cases per 10,000 population ***	2295	1719		
40	Ayush OPD cases per 10,000 population ***	74	56		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
41	Neonatal death within 24 hours	1	0		
42	Up to 1 Weeks of Birth	3	1		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	4	1		
45	Between 1 month and 11 months	2	2		
46	Total reported infant deaths	6	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	2	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	2		
53	Total reported maternal deaths	2	2		

Phek Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,63,418					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	43					
4	Primary Health Centers (PHC)	23					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	1,802		1,802			
9	Expected number of Delivery	2,845		2,845			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,879	104.3	1,577	87.5	Any ANC	51.9
11	Mothers registered in the first trimester	875	46.6	608	38.6	ANC Check up in first trimester	37
12	Mothers who had at least 3 Ante-Natal care check ups	742	39.5	361	22.9	3 or more ANC check up	40.7
13	PW who got TT 2 / Booster injection	1,045	55.6	575	36.5	Atleast 1 TT received	51.9
14	PW who consumed 100 IFA tablets	1,692	90.0	1,071	67.9	100 IFA tablets consumed	18.5
15	Home Delivery against expected delivery *	745	26.2	200	7.0	Full ANC	18.5
16	Institutional Delivery against expected delivery *	699	24.6	598	21.0	Home Delivery	66.7
17	Home Delivery against reported delivery **	745	51.6	200	25.1	Institutional Delivery	33.3
18	Institutional Delivery against reported delivery **	699	48.4	598	95.8	Home Delivery by SBA	29.6
19	Total reported Deliveries	1,444		798		PNC within 48 hrs of delivery	44.4
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	738	99.1	138	69.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	682	47.2	308	38.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,811		2,811			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rdQTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,427	50.8	790	28.1	Breastfed within 1 hour of birth	40

24	Total Still Birth	17	0.6	12	0.4	BCG	42.9
25	PC of newborn weighted at birth to live birth	1,396	97.8	770	97.5	3 dose of DPT	42.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2	0.1	13	1.7	Measles	14.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,400	98.1	768	97.2	Full Immunization	0
28	Children fully immunized	1,383	49.2	526	18.7		
29	Children who have received BCG	1,701	60.5	822	29.2		
30	Children who have received DPT1	1,798	64.0	880	31.3		
31	Children who have received DPT3	1,710	60.8	699	24.9		
32	Children who have received Measles	1,534	54.6	627	22.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	159		167			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0		2		Limiting	19.3
35	Number of Tubectomies performed	80		40		Spacing	25.9
36	Number of IUD insertion	411		135		Women using any method	21.4
37	Number of IUD removals	133		71		Women using modern method	11.1
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
38	IPD cases per 10,000 population ***	166		63			
39	General OPD cases per 10,000 population ***	3385		1393			
40	Ayush OPD cases per 10,000 population ***	115		106			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	0		4			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	0		4			
45	Between 1 month and 11 months	0		2			
46	Total reported infant deaths	0		6			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		1			
53	Total reported maternal deaths	0		1			

Pheren Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	95,219					
2	Sex Ratio	917					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	16					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	3,092		3,092			
9	Expected number of Delivery	1,657		1,657			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,134	69.0	1,469	47.5	Any ANC	34.7
11	Mothers registered in the first trimester	999	46.8	737	50.2	ANC Check up in first trimester	15.3
12	Mothers who had at least 3 Ante-Natal care check ups	512	24.0	571	38.9	3 or more ANC check up	16.3
13	PW who got TT 2 / Booster injection	787	36.9	731	49.8	Atleast 1 TT received	33.7
14	PW who consumed 100 IFA tablets	1,341	62.8	1,267	86.2	100 IFA tablets consumed	5.1
15	Home Delivery against expected delivery *	242	14.6	601	36.3	Full ANC	3
16	Institutional Delivery against expected delivery *	732	44.2	494	29.8	Home Delivery	78.8
17	Home Delivery against reported delivery **	242	24.8	601	54.9	Institutional Delivery	21.2
18	Institutional Delivery against reported delivery **	732	75.2	494	55.2	Home Delivery by SBA	12.2
19	Total reported Deliveries	974		1,095		PNC within 48 hrs of delivery	19
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	174	71.9	575	95.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	377	38.7	665	60.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,638		1,638			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rdQTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	965	58.9	1,092	66.7	Breastfed within 1 hour of birth	45.2

24	Total Still Birth	11	0.7	6	0.4	BCG	63.2
25	PC of newborn weighted at birth to live birth	918	95.1	1,012	92.7	3 dose of DPT	84.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	22	2.4	26	2.6	Measles	57.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	947	98.1	1,039	95.1	Full Immunization	52.6
28	Children fully immunized	722	44.1	911	55.6		
29	Children who have received BCG	1,282	78.3	1,361	83.1		
30	Children who have received DPT1	1,270	77.5	1,315	80.3		
31	Children who have received DPT3	997	60.9	1,136	69.4		
32	Children who have received Measles	915	55.9	1,110	67.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	313		251			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rd QTR	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	8.7
35	Number of Tubectomies performed	54	66	Spacing	41.5
36	Number of IUD insertion	192	245	Women using any method	12.5
37	Number of IUD removals	68	82	Women using modern method	8.7
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
38	IPD cases per 10,000 population ***	136	212		
39	General OPD cases per 10,000 population ***	3322	4832		
40	Ayush OPD cases per 10,000 population ***	333	211		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
41	Neonatal death within 24 hours	1	0		
42	Up to 1 Weeks of Birth	3	1		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	4	1		
45	Between 1 month and 11 months	1	0		
46	Total reported infant deaths	5	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	1	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	1	0		

Tuensang Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,96,596					
2	Sex Ratio	930					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	38					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	3,720		3,720			
9	Expected number of Delivery	3,422		3,422			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,786	74.9	1,653	44.4	Any ANC	19.6
11	Mothers registered in the first trimester	1,390	49.9	475	28.7	ANC Check up in first trimester	9.1
12	Mothers who had at least 3 Ante-Natal care check ups	668	24.0	589	35.6	3 or more ANC check up	10.5
13	PW who got TT 2 / Booster injection	1,240	44.5	949	57.4	Atleast 1 TT received	15.8
14	PW who consumed 100 IFA tablets	1,354	48.6	911	55.1	100 IFA tablets consumed	4.9
15	Home Delivery against expected delivery *	679	19.8	467	13.6	Full ANC	4.2
16	Institutional Delivery against expected delivery *	1,108	32.4	901	26.3	Home Delivery	75.2
17	Home Delivery against reported delivery **	679	38.0	467	34.1	Institutional Delivery	10.5
18	Institutional Delivery against reported delivery **	1,108	62.0	901	98.6	Home Delivery by SBA	3.9
19	Total reported Deliveries	1,787		1,368		PNC within 48 hrs of delivery	50
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	484	71.3	146	31.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	327	18.3	297	21.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,381		3,381			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rdQTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,778	52.6	1,360	40.2	Breastfed within 1 hour of birth	53.2

24	Total Still Birth	20	0.6	24	0.7	BCG	50.6
25	PC of newborn weighted at birth to live birth	1,440	81.0	1,253	92.1	3 dose of DPT	68.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	20	1.4	13	1.0	Measles	44.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,493	84.0	1,252	92.1	Full Immunization	34.2
28	Children fully immunized	1,355	40.1	932	27.6		
29	Children who have received BCG	2,290	67.7	1,640	48.5		
30	Children who have received DPT1	2,148	63.5	1,611	47.6		
31	Children who have received DPT3	1,658	49.0	1,291	38.2		
32	Children who have received Measles	1,532	45.3	1,154	34.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	458		343			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0		0		Limiting	30.6
35	Number of Tubectomies performed	142		116		Spacing	21.1
36	Number of IUD insertion	212		136		Women using any method	37.6
37	Number of IUD removals	60		51		Women using modern method	29.6
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
38	IPD cases per 10,000 population ***	213		170			
39	General OPD cases per 10,000 population ***	2269		1601			
40	Ayush OPD cases per 10,000 population ***	126		98			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	0		0			
43	Between 1 week & 4 weeks of birth	1		0			
44	Neonatal Death	1		0			
45	Between 1 month and 11 months	7		2			
46	Total reported infant deaths	8		2			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	1		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	2		0			
53	Total reported maternal deaths	3		0			

Wokha Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,66,343					
2	Sex Ratio	969					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	37					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	3,147			3,147		
9	Expected number of Delivery	2,895			2,895		
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,238	71.1	1,478	47.0	Any ANC	30.1
11	Mothers registered in the first trimester	969	43.3	577	39.0	ANC Check up in first trimester	25.4
12	Mothers who had at least 3 Ante-Natal care check ups	776	34.7	515	34.8	3 or more ANC check up	25.6
13	PW who got TT 2 / Booster injection	978	43.7	667	45.1	Atleast 1 TT received	30.1
14	PW who consumed 100 IFA tablets	1,339	59.8	985	66.6	100 IFA tablets consumed	6
15	Home Delivery against expected delivery *	238	8.2	149	5.1	Full ANC	6
16	Institutional Delivery against expected delivery *	725	25.0	561	19.4	Home Delivery	81.8
17	Home Delivery against reported delivery **	238	24.7	149	21.0	Institutional Delivery	18.2
18	Institutional Delivery against reported delivery **	725	75.3	561	84.9	Home Delivery by SBA	35.3
19	Total reported Deliveries	963			710	PNC within 48 hrs of delivery 64	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	236	99.2	144	96.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	356	37.0	292	41.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,861			2,861		
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rdQTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	965	33.7	710	24.8	Breastfed within 1 hour of birth	33.7

24	Total Still Birth	2	0.1	0	0.0	BCG	41.7
25	PC of newborn weighted at birth to live birth	862	89.3	660	93.0	3 dose of DPT	37.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	20	2.3	17	2.6	Measles	21.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	938	97.2	697	98.2	Full Immunization	13.5
28	Children fully immunized	1,240	43.3	980	34.3		
29	Children who have received BCG	1,514	52.9	1,089	38.1		
30	Children who have received DPT1	1,646	57.5	1,174	41.0		
31	Children who have received DPT3	1,576	55.1	1,121	39.2		
32	Children who have received Measles	1,282	44.8	1,024	35.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	112		25			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0		0		Limiting	22
35	Number of Tubectomies performed	104		64		Spacing	14
36	Number of IUD insertion	176		74		Women using any method	33.6
37	Number of IUD removals	41		27		Women using modern method	25.2
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
38	IPD cases per 10,000 population ***	146		141			
39	General OPD cases per 10,000 population ***	2860		2161			
40	Ayush OPD cases per 10,000 population ***	159		71			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	0		0			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	0		0			
45	Between 1 month and 11 months	1		0			
46	Total reported infant deaths	1		0			
II)	Maternal Mortality	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	Total reported maternal deaths	0		0			

Zunheboto Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,40,757					
2	Sex Ratio	981					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	47					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	2,663		2,663			
9	Expected number of Delivery	2,450		2,450			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,580	59.3	1,003	37.7	Any ANC	38.6
11	Mothers registered in the first trimester	610	38.6	404	40.3	ANC Check up in first trimester	18.6
12	Mothers who had at least 3 Ante-Natal care check ups	326	20.6	267	26.6	3 or more ANC check up	31.8
13	PW who got TT 2 / Booster injection	635	40.2	459	45.8	Atleast 1 TT received	36.4
14	PW who consumed 100 IFA tablets	363	23.0	315	31.4	100 IFA tablets consumed	15.9
15	Home Delivery against expected delivery *	456	18.6	270	11.0	Full ANC	13.6
16	Institutional Delivery against expected delivery *	744	30.4	546	22.3	Home Delivery	75
17	Home Delivery against reported delivery **	456	38.0	270	33.1	Institutional Delivery	20.7
18	Institutional Delivery against reported delivery **	744	62.0	546	92.8	Home Delivery by SBA	27.3
19	Total reported Deliveries	1,200		816		PNC within 48 hrs of delivery	70
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	425	93.2	253	93.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	550	45.8	509	62.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,421		2,421			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rdQTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,197	49.4	810	33.5	Breastfed within 1 hour of birth	44.4

24	Total Still Birth	16	0.7	8	0.3	BCG	62.5
25	PC of newborn weighted at birth to live birth	1,156	96.6	793	97.9	3 dose of DPT	50
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	17	1.5	10	1.3	Measles	75
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,102	92.1	721	89.0	Full Immunization	25
28	Children fully immunized	657	27.1	559	23.1		
29	Children who have received BCG	1,305	53.9	846	34.9		
30	Children who have received DPT1	1,196	49.4	881	36.4		
31	Children who have received DPT3	1,055	43.6	709	29.3		
32	Children who have received Measles	920	38.0	728	30.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	458		298			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0		0		Limiting	19.5
35	Number of Tubectomies performed	52		12		Spacing	15.2
36	Number of IUD insertion	388		238		Women using any method	26.7
37	Number of IUD removals	151		68		Women using modern method	19
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
38	IPD cases per 10,000 population ***	122		99			
39	General OPD cases per 10,000 population ***	3712		2919			
40	Ayush OPD cases per 10,000 population ***	150		98			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	0		0			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	0		0			
45	Between 1 month and 11 months	1		0			
46	Total reported infant deaths	1		0			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	1		0			
52	Due to Other Causes (including causes not known)	0		0			
53	Total reported maternal deaths	1		0			

Note : Negative decadal growth rate was reported in Nagaland from 2001 to 2011 census. For this reason, the factsheet considers 2011 census data and corresponding targets.

* Against Expected Delivery for the year 2011-12.

** Against Reported Delivery for the year 2013-14 & 2014-15.

*** Against Population for year 2011-12.