

Sikkim Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)		SL No	C) State Health Indicator (SRS 2014)			
1	Population 2011	6,10,577	9	Birth Rate		17.1	
2	Sex Ratio	889	10	Death Rate		5.2	
3	Number of districts	4	11	IMR		22	
B) Infrastructure Details (RHS 2014)		Numbers	12	Growth Rate		11.8	
4	Sub Centers (SC)	147	13	TFR (SRS - 2007)		2.0	
5	Primary Health Centers (PHC)	24					
6	Community Health Centers (CHC)	2					
7	SDH	0					
8	DH	4					
D) Maternal Health:		2013-14	2014-15				
14	Expected number of PW	12,115	11,986				
15	Expected number of Delivery	11,146	11,027				
		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
16	PW register for ANC	9,424	77.8	6,815	56.9	Any ANC	91.8
17	Mothers registered in the first trimester	6,784	72.0	5,311	77.9	ANC Check up in first trimester	68.5
18	Mothers who had at least 3 Ante-Natal care check ups	7,803	82.8	6,222	91.3	3 or more ANC check up	84.8
19	PW who got TT 2 / Booster injection	7,643	88.6	5,386	91.2	Atleast 1 TT received	91.3
20	PW who consumed 100 IFA tablets	7,614	80.8	5,806	85.2	100 IFA tablets consumed	74.8
21	Home Delivery against expected delivery *	548	4.9	121	1.1	Full ANC	70.3
22	Institutional Delivery against expected delivery *	7,416	66.5	5,916	53.7	Home Delivery	16
23	Home Delivery against reported delivery **	548	7	121	2.0	Institutional Delivery	82.7
24	Institutional Delivery against reported delivery **	7,416	93	5,916	98.0	Home Delivery by SBA	2.2
25	Total reported Deliveries	7,964	71	6,037	55	PNC within 14 days of delivery	84.9
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	245	45	42	35		
27	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	6,732	85	5,042	84		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
28	Expected number of Live Birth	11,013		10,896			
E) Child Immunization :		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
29	Total reported live births	7,912	71.8	6,001	55.1	Breastfed within 1 hour of birth	61.4

30	Total Still Birth	111	1.0	103	0.9	BCG	99.2
31	PC of newborn weighted at birth to live birth	7,796	98.5	5,630	93.8	3 dose of DPT	95.9
32	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	630	8.0	396	6.6	Measles	94.9
33	PC of newborns breastfed within 1 hour to total reported live birth.	7,748	97.9	5,200	86.7	Full Immunization	85.2
34	Children fully immunized	8,308	75.4	6,152	56.5		
35	Children who have received BCG	8,060	73.2	6,124	56.2		
36	Children who have received DPT1	7,960	72.3	5,496	50.4		
37	Children who have received DPT3	8,133	73.8	5,453	50.0		
38	Children who have received Measles	8,416	76.4	6,238	57.2		
39	Diarrhoea and Dehydration cases reported in children below 5 years	8,401		5,986			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
F) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)		
40	Number of Vasectomies performed	49	28		Limiting	13.1	
41	Number of Tubectomies performed	167	73		Spacing	7.1	
42	Number of IUD insertion	1,441	1,244		Women using any method	64.1	
43	Number of IUD removals	568	407		Women using modern method	53.8	
G) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
44	IPD cases per 10,000 population ***	638.77	481.36				
45	General OPD cases per 10,000 population ***	14948	11324				
46	Ayush OPD cases per 10,000 population ***	404.67	251.71				
H) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
47	Neonatal death within 24 hours	4	2				
48	Up to 1 Weeks of Birth	31	59				
49	Between 1 week & 4 weeks of birth	4	5				
50	Neonatal Death	39	66				
51	Between 1 month and 11 months	21	63				
52	Total reported infant deaths	60	129				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
53	Due to Abortion	0	0				
54	Due to Obstructed/prolonged labour	0	0				
55	Due to Severe hypertension/fits	4	1				
56	Due to Bleeding	3	1				
57	Due to High fever	0	0				
58	Due to Other Causes (including causes not known)	4	7				
59	Total reported maternal deaths	11	9				

East Sikkim Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,83,583					
2	Sex Ratio	872					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	48					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	5,654		5,607			
9	Expected number of Delivery	5,202		5,159			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	4,381	77.5	3,197	57.0	Any ANC	94.0
11	Mothers registered in the first trimester	3,095	70.6	2,326	72.8	ANC Check up in first trimester	74.8
12	Mothers who had at least 3 Ante-Natal care check ups	3,640	83.1	2,959	92.6	3 or more ANC check up	81.1
13	PW who got TT 2 / Booster injection	3,770	86.1	2,681	83.9	Atleast 1 TT received	93.5
14	PW who consumed 100 IFA tablets	3,469	79.2	2,644	82.7	100 IFA tablets consumed	74.1
15	Home Delivery against expected delivery *	167	3.2	55	1.1	Full ANC	65.2
16	Institutional Delivery against expected delivery *	4,505	86.6	3,658	70.9	Home Delivery	6.9
17	Home Delivery against reported delivery **	167	3.6	55	1.5	Institutional Delivery	92.6
18	Institutional Delivery against reported delivery **	4,505	96.4	3,658	98.5	Home Delivery by SBA	1.0
19	Total reported Deliveries	4,672		3,713		PNC within 14 days of delivery	75.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	75	44.9	23	41.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,245	69.5	2,584	69.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth #	5,140		5,097			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	4,665	90.8	3,702	72.6	Breastfed within 1 hour of birth	57.5

24	Total Still Birth	51	1.0	51	1.0	BCG	100
25	PC of newborn weighted at birth to live birth	4,595	98.5	3,355	90.6	3 dose of DPT	97.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	482	10.5	287	8.6	Measles	97.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,500	96.5	2,960	80.0	Full Immunization	83.3
28	Children fully immunized	3,945	76.8	2,927	57.4		
29	Children who have received BCG	4,649	90.4	3,704	72.7		
30	Children who have received DPT1	3,631	70.6	2,412	47.3		
31	Children who have received DPT3	3,685	71.7	2,371	46.5		
32	Children who have received Measles	3,994	77.7	2,949	57.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	3,532		2,362			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	12		4		Limiting	22.1
35	Number of Tubectomies performed	92		36		Spacing	10.8
36	Number of IUD insertion	644		529		Women using any method	49.4
37	Number of IUD removals	134		110		Women using modern method	46.3
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
38	IPD cases per 10,000 population ***	705.80		484.91			
39	General OPD cases per 10,000 population ***	17597.47		12088.01			
40	Ayush OPD cases per 10,000 population ***	195.25		245.48			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
41	Neonatal death within 24 hours	3		2			
42	Up to 1 Weeks of Birth	16		41			
43	Between 1 week & 4 weeks of birth	2		0			
44	Neonatal Death	21		43			
45	Between 1 month and 11 months	9		26			
46	Total reported infant deaths	30		69			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	3		1			
50	Due to Bleeding	1		1			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	3		5			
53	Total reported maternal deaths	7		7			

North Sikkim Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	43,709					
2	Sex Ratio	769					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	19					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	856		841			
9	Expected number of Delivery	787		774			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	665	77.7	501	59.6	Any ANC	91.0
11	Mothers registered in the first trimester	515	77.4	425	84.8	ANC Check up in first trimester	70.3
12	Mothers who had at least 3 Ante-Natal care check ups	594	89.3	454	90.6	3 or more ANC check up	86.2
13	PW who got TT 2 / Booster injection	609	91.6	490	97.8	Atleast 1 TT received	91.0
14	PW who consumed 100 IFA tablets	519	78.0	350	69.9	100 IFA tablets consumed	79.0
15	Home Delivery against expected delivery *	24	3.0	5	0.6	Full ANC	75.5
16	Institutional Delivery against expected delivery *	306	38.9	175	22.6	Home Delivery	17.0
17	Home Delivery against reported delivery **	24	7.3	5	2.8	Institutional Delivery	82.0
18	Institutional Delivery against reported delivery **	306	92.7	175	97.2	Home Delivery by SBA	3.5
19	Total reported Deliveries	330		180		PNC within 14 days of delivery	86.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	14	58.3	1	20.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	360	109.1	226	125.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth	778		765			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	320	41.1	179	23.4	Breastfed within 1 hour of birth	64.2

24	Total Still Birth	5	0.6	3	0.4	BCG	98.2
25	PC of newborn weighted at birth to live birth	303	94.7	178	99.4	3 dose of DPT	96.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	14	4.6	12	6.7	Measles	94.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	320	100.0	176	98.3	Full Immunization	86
28	Children fully immunized	543	69.8	377	49.3		
29	Children who have received BCG	339	43.6	182	23.8		
30	Children who have received DPT1	549	70.6	388	50.7		
31	Children who have received DPT3	571	73.4	395	51.7		
32	Children who have received Measles	552	70.9	407	53.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	806		518			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)		
34	Number of Vasectomies performed	0	0		Limiting	4.3	
35	Number of Tubectomies performed	0	0		Spacing	6.1	
36	Number of IUD insertion	67	69		Women using any method	73.5	
37	Number of IUD removals	29	75		Women using modern method	65.2	
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
38	IPD cases per 10,000 population ***	386.15	309.29				
39	General OPD cases per 10,000 population ***	11588.23	9301.63				
40	Ayush OPD cases per 10,000 population ***	54.74	1.12				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	1	1				
43	Between 1 week & 4 weeks of birth	1	2				
44	Neonatal Death	2	3				
45	Between 1 month and 11 months	2	8				
46	Total reported infant deaths	4	11				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	1	0				
50	Due to Bleeding	1	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	1	0				
53	Total reported maternal deaths	3	0				

South Sikkim Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,46,850					
2	Sex Ratio	914					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	39					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	2,909		2,876			
9	Expected number of Delivery	2,676		2,646			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,195	75.5	1,572	54.7	Any ANC	94.3
11	Mothers registered in the first trimester	1,625	74.0	1,264	80.4	ANC Check up in first trimester	70.0
12	Mothers who had at least 3 Ante-Natal care check ups	1,752	79.8	1,431	91.0	3 or more ANC check up	91.5
13	PW who got TT 2 / Booster injection	1,982	90.3	1,536	97.7	Atleast 1 TT received	93.5
14	PW who consumed 100 IFA tablets	1,716	78.2	1,331	84.7	100 IFA tablets consumed	72.4
15	Home Delivery against expected delivery *	162	6.1	42	1.6	Full ANC	67.9
16	Institutional Delivery against expected delivery *	1,572	58.7	1,218	46.0	Home Delivery	17.9
17	Home Delivery against reported delivery **	162	9.3	42	3.3	Institutional Delivery	81.3
18	Institutional Delivery against reported delivery **	1,572	90.7	1,218	96.7	Home Delivery by SBA	2.0
19	Total reported Deliveries	1,734		1,260		PNC within 14 days of delivery	90.5
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	77	47.5	10	23.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,474	85.0	1,090	86.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth	2,645		2,615			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,705	64.5	1,240	47.4	Breastfed within 1 hour of birth	65.4

24	Total Still Birth	29	1.1	31	1.2	BCG	98.1
25	PC of newborn weighted at birth to live birth	1,705	100.0	1,228	99.0	3 dose of DPT	94.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	63	3.7	52	4.2	Measles	90.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,731	101.5	1,194	96.3	Full Immunization	83.3
28	Children fully immunized	1,952	73.8	1,442	55.2		
29	Children who have received BCG	1,731	65.5	1,308	50.0		
30	Children who have received DPT1	1,925	72.8	1,394	53.3		
31	Children who have received DPT3	1,977	74.8	1,368	52.3		
32	Children who have received Measles	1,967	74.4	1,469	56.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,010		1,539			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)		
34	Number of Vasectomies performed	37	24		Limiting	13	
35	Number of Tubectomies performed	75	37		Spacing	5.8	
36	Number of IUD insertion	202	141		Women using any method	67.4	
37	Number of IUD removals	93	47		Women using modern method	53	
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
38	IPD cases per 10,000 population ***	735.95	600.24				
39	General OPD cases per 10,000 population ***	13921.88	12409.15				
40	Ayush OPD cases per 10,000 population ***	687.04	359.13				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	9	9				
43	Between 1 week & 4 weeks of birth	0	2				
44	Neonatal Death	9	11				
45	Between 1 month and 11 months	5	9				
46	Total reported infant deaths	14	20				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	1	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	1				
53	Total reported maternal deaths	1	1				

West Sikkim Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,36,435					
2	Sex Ratio	941					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	41					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	2,698		2,664			
9	Expected number of Delivery	2,482		2,451			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,183	80.9	1,545	58.0	Any ANC	87.4
11	Mothers registered in the first trimester	1,549	71.0	1,296	83.9	ANC Check up in first trimester	56.1
12	Mothers who had at least 3 Ante-Natal care check ups	1,817	83.2	1,378	89.2	3 or more ANC check up	82.7
13	PW who got TT 2 / Booster injection	1,984	90.9	1,509	97.7	Atleast 1 TT received	87.0
14	PW who consumed 100 IFA tablets	1,910	87.5	1,481	95.9	100 IFA tablets consumed	71.8
15	Home Delivery against expected delivery *	195	7.9	19	0.8	Full ANC	69.7
16	Institutional Delivery against expected delivery *	1,033	41.6	865	35.3	Home Delivery	24.1
17	Home Delivery against reported delivery **	195	15.9	19	2.1	Institutional Delivery	73.7
18	Institutional Delivery against reported delivery **	1,033	84.1	865	97.9	Home Delivery by SBA	2.2
19	Total reported Deliveries	1,228		884		PNC within 14 days of delivery	83.4
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	79	40.5	8	42.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,653	134.6	1,142	129.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth	2,452		2,422			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,222	49.8	880	36.3	Breastfed within 1 hour of birth	59.2

24	Total Still Birth	26	1.1	18	0.7	BCG	100
25	PC of newborn weighted at birth to live birth	1,193	97.6	869	98.8	3 dose of DPT	97.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	71	6.0	45	5.2	Measles	97.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,197	98.0	870	98.9	Full Immunization	88.4
28	Children fully immunized	1,868	76.2	1,406	58.1		
29	Children who have received BCG	1,341	54.7	930	38.4		
30	Children who have received DPT1	1,855	75.6	1,302	53.8		
31	Children who have received DPT3	1,900	77.5	1,319	54.5		
32	Children who have received Measles	1,903	77.6	1,413	58.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,053		1,567			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0		0		Limiting	8.5
35	Number of Tubectomies performed	0		0		Spacing	4.5
36	Number of IUD insertion	528		505		Women using any method	70.8
37	Number of IUD removals	312		175		Women using modern method	55.6
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
38	IPD cases per 10,000 population ***	473.23		399.39			
39	General OPD cases per 10,000 population ***	11556.27		9172.70			
40	Ayush OPD cases per 10,000 population ***	649.85		227.74			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
41	Neonatal death within 24 hours	1		0			
42	Up to 1 Weeks of Birth	5		8			
43	Between 1 week & 4 weeks of birth	1		1			
44	Neonatal Death	7		9			
45	Between 1 month and 11 months	5		20			
46	Total reported infant deaths	12		29			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		1			
53	Total reported maternal deaths	0		1			

* Against Expected Delivery for the year 2013-14 & 2014-15.

** Against Reported Delivery for the year 2013-14 & 2014-15.

*** Against Estimated Population for year 2013-14 & 2014-15.