

ARUNACHAL Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)		SL No	C) State Health Indicator (SRS 2013)			
1	Population 2011	13,82,611	9	Birth Rate		19.4	
2	Sex Ratio	920	10	Death Rate		5.8	
3	Number of districts	16	11	IMR		33	
B) Infrastructure Details (RHS 2014)			12	Growth Rate		13.6	
4	Sub Centers (SC)	286	13	TFR (SRS - 2007)		2.7	
5	Primary Health Centers (PHC)	117					
6	Community Health Centers (CHC)	52					
7	SDH	0					
8	DH	14					
D) Maternal Health:		2013-14	2014-15				
14	Expected number of PW	31,720	31,885				
15	Expected number of Delivery	29,413	29,566				
		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
16	PW register for ANC	34,401	108.5	27,353	85.8	Any ANC	61.6
17	Mothers registered in the first trimester	12,198	35.5	10,202	37.3	ANC Check up in first trimester	34.8
18	Mothers who had at least 3 Ante-Natal care check ups	10,573	30.7	9,664	35.3	3 or more ANC check up	43.8
19	PW who got TT 2 / Booster injection	13,134	38.2	10,920	39.9	Atleast 1 TT received	59.1
20	PW who consumed 100 IFA tablets	13,976	40.6	15,311	56.0	100 IFA tablets consumed	17.4
21	Home Delivery against expected delivery *	701	2.4	654	2.2	Full ANC	13.5
22	Institutional Delivery against expected delivery *	14,123	48	11,386	39	Home Delivery	48.5
23	Home Delivery against reported delivery **	701	5	654	5.4	Institutional Delivery	49.5
24	Institutional Delivery against reported delivery **	14,123	95	11,386	94.6	Home Delivery by SBA	3.1
25	Total reported Deliveries	14,824	50	12,040	41	PNC within 14 days of delivery	48.8
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	497	71	347	53		
27	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,815	19	3,043	25		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
28	Expected number of Live Birth	28,837	28,987				
E) Child Immunization :		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
29	Total reported live births	15,114	52.4	12,055	41.6	Breastfed within 1 hour of birth	55.7

30	Total Still Birth	229	0.8	194	0.7	BCG	75.5
31	Newborn weighted at birth to live birth	14,588	96.5	11,517	95.5	3 dose of DPT	71.1
32	Newborn having weighted less than 2.5 kg to newborn weighted at birth.	927	6.1	710	5.9	Measles	60.4
33	Newborns breastfed within 1 hour to total reported live birth.	13,873	91.8	10,528	87.3	Full Immunization	49.2
34	Fully immunized	17,739	61.5	12,243	42.2		
35	Children who have received BCG	22,357	77.5	16,438	56.7		
36	Children who have received DPT1	21,747	75.4	14,998	51.7		
37	Children who have received DPT3	18,784	65.1	12,681	43.7		
38	Children who have received Measles	18,160	63.0	12,986	44.8		
39	Diarrhoea and Dehydration cases reported in children below 5 years	19,563		14,174			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
F) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)		
40	Number of Vasectomies performed	2	2		Limiting	11.7	
41	Number of Tubectomies performed	1,201	767		Spacing	20.4	
42	Number of IUD insertion	2,952	2,583		Women using any method	48.4	
43	Number of IUD removals	1,129	1,173		Women using modern method	43.9	
G) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
44	IPD cases per 10,000 population ***	411	350				
45	General OPD cases per 10,000 population ***	8,872	7361				
46	Ayush OPD cases per 10,000 population ***	507	359				
H) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
47	Neonatal death within 24 hours	7	14				
48	Up to 1 Weeks of Birth	14	6				
49	Between 1 week & 4 weeks of birth	1	0				
50	Neonatal Death	22	20				
51	Between 1 month and 11 months	17	11				
52	Total reported infant deaths	39	31				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
53	Due to Abortion	0	1				
54	Due to Obstructed/prolonged labour	0	2				
55	Due to Severe hypertension/fits	2	0				
56	Due to Bleeding	2	1				
57	Due to High fever	0	5				
58	Due to Other Causes (including causes not known)	8	1				
59	Total reported maternal deaths	12	10				

Anjaw Factsheet

Key Indicators							
A) Demographic Indicators (Census 2011)							
1	Population 2011	21,089					
2	Sex Ratio	805					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	474		471			
9	Expected number of Delivery	439		436			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	392	82.7	294	62.5	Any ANC	52.1
11	Mothers registered in the first trimester	152	38.8	87	29.6	ANC Check up in first trimester	22.1
12	Mothers who had at least 3 Ante-Natal care check ups	140	35.7	112	38.1	3 or more ANC check up	32.6
13	PW who got TT 2 / Booster injection	178	45.4	159	54.1	Atleast 1 TT received	47.9
14	PW who consumed 100 IFA tablets	165	42.1	140	47.6	100 IFA tablets consumed	10.3
15	Home Delivery against expected delivery *	21	4.8	22	5.0	Full ANC	6.5
16	Institutional Delivery against expected delivery *	103	23.4	93	21.3	Home Delivery	62.0
17	Home Delivery against reported delivery **	21	16.9	22	19.1	Institutional Delivery	35.0
18	Institutional Delivery against reported delivery **	103	83.1	93	80.9	Home Delivery by SBA	4.9
19	Total reported Deliveries	124		115		PNC within 14 days of delivery	65.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	14	66.7	12	54.5		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	53	42.7	48	41.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	431		428			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
23	Total reported live births	129	29.9	111	25.9	Breastfeed within 1 hour of birth	53.8

24	Total Still Birth	0	0.0	4	0.9	BCG	65.5
25	Newborn weighted at birth to live birth	112	86.8	99	89.2	3 dose of DPT	58.2
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	14	12.5	12	12.1	Measles	34.5
27	Newborns breastfed within 1 hour to total reported live birth.	117	90.7	104	93.7	Full Immunization	29.1
28	Fully immunized	117	27.2	88	20.6		
29	Children who have received BCG	171	39.7	90	21.0		
30	Children who have received DPT1	205	47.6	165	38.6		
31	Children who have received DPT3	162	37.6	109	25.5		
32	Children who have received Measles	141	32.7	100	23.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	739		509			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0		0		Limiting	10.6
35	Number of Tubectomies performed	0		0		Spacing	27.1
36	Number of IUD insertion	28		13		Women using any method	44.4
37	Number of IUD removals	11		9		Women using modern method	39.1
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
38	IPD cases per 10,000 population ***	171		140			
39	General OPD cases per 10,000 population ***	14351		9535			
40	Ayush OPD cases per 10,000 population ***	1810		640			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	0		0			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	0		0			
45	Between 1 month and 11 months	0		0			
46	Total reported infant deaths	0		0			
II) Maternal Mortality		HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
Maternal Deaths (In Numbers)		HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	Total reported maternal deaths	0		0			

Changlang Factsheet

Key Indicators							
A) Demographic Indicators (Census 2011)							
1	Population 2011	1,47,951					
2	Sex Ratio	914					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	3,345		3,337			
9	Expected number of Delivery	3,102		3,094			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	4,144	123.9	2,677	80.2	Any ANC	63.2
11	Mothers registered in the first trimester	884	21.3	655	24.5	ANC Check up in first trimester	34.3
12	Mothers who had at least 3 Ante-Natal care check ups	1,327	32.0	1,237	46.2	3 or more ANC check up	38.5
13	PW who got TT 2 / Booster injection	1,997	48.2	1,642	61.3	Atleast 1 TT received	60.5
14	PW who consumed 100 IFA tablets	1,368	33.0	1,034	38.6	100 IFA tablets consumed	7.1
15	Home Delivery against expected delivery *	51	1.6	33	1.1	Full ANC	4.6
16	Institutional Delivery against expected delivery *	1,132	36.5	875	28.3	Home Delivery	46.7
17	Home Delivery against reported delivery **	51	4.3	33	3.6	Institutional Delivery	52.2
18	Institutional Delivery against reported delivery **	1,132	95.7	875	96.4	Home Delivery by SBA	0.0
19	Total reported Deliveries	1,183		908		PNC within 14 days of delivery	45.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	38	74.5	24	72.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	344	29.1	287	31.6		
<p>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
22	Expected number of Live Birth	3,041		3,033			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
23	Total reported live births	1,177	38.7	894	29.5	Breastfeed within 1 hour of birth	59.4

24	Total Still Birth	13	0.4	11	0.4	BCG	65.8
25	Newborn weighted at birth to live birth	1,175	99.8	875	97.9	3 dose of DPT	72.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	88	7.5	81	9.3	Measles	47.9
27	Newborns breastfed within 1 hour to total reported live birth.	1,167	99.2	875	97.9	Full Immunization	36.1
28	Fully immunized	1,786	58.7	1,095	36.1		
29	Children who have received BCG	2,418	79.5	1,523	50.2		
30	Children who have received DPT1	2,685	88.3	1,626	53.6		
31	Children who have received DPT3	2,114	69.5	1,275	42.0		
32	Children who have received Measles	1,918	63.1	1,160	38.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	817		572			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0		0		Limiting	13.2
35	Number of Tubectomies performed	10		0		Spacing	24
36	Number of IUD insertion	112		80		Women using any method	44.7
37	Number of IUD removals	134		59		Women using modern method	38.5
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
38	IPD cases per 10,000 population ***	301		246			
39	General OPD cases per 10,000 population ***	8312		6392			
40	Ayush OPD cases per 10,000 population ***	1192		562			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	0		0			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	0		0			
45	Between 1 month and 11 months	0		0			
46	Total reported infant deaths	0		0			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	Total reported maternal deaths	0		0			

Dibang Valley Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	7,948					
2	Sex Ratio	808					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	178		176			
9	Expected number of Delivery	165		163			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	153	86.2	100	56.9	Any ANC	45.6
11	Mothers registered in the first trimester	81	52.9	52	52.0	ANC Check up in first trimester	25.0
12	Mothers who had at least 3 Ante-Natal care check ups	109	71.2	56	56.0	3 or more ANC check up	31.7
13	PW who got TT 2 / Booster injection	92	60.1	55	55.0	Atleast 1 TT received	45.6
14	PW who consumed 100 IFA tablets	397	259.5	77	77.0	100 IFA tablets consumed	12.8
15	Home Delivery against expected delivery *	11	6.7	8	4.9	Full ANC	9.5
16	Institutional Delivery against expected delivery *	72	43.7	45	27.6	Home Delivery	47.2
17	Home Delivery against reported delivery **	11	13.3	8	15.1	Institutional Delivery	52.5
18	Institutional Delivery against reported delivery **	72	86.7	45	84.9	Home Delivery by SBA	3.4
19	Total reported Deliveries	83		53		PNC within 14 days of delivery	55.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	9	81.8	8	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	72	86.7	53	100.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	161		160			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
23	Total reported live births	93	57.6	46	28.8	Breastfeed within 1 hour of birth	50.4

24	Total Still Birth	2	1.2	0	0.0	BCG	90.2
25	Newborn weighted at birth to live birth	84	90.3	53	115.2	3 dose of DPT	90.2
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	6	7.1	0	0.0	Measles	61
27	Newborns breastfed within 1 hour to total reported live birth.	84	90.3	53	115.2	Full Immunization	58.5
28	Fully immunized	119	73.7	42	26.3		
29	Children who have received BCG	104	64.4	53	33.2		
30	Children who have received DPT1	114	70.6	66	41.3		
31	Children who have received DPT3	108	66.9	53	33.2		
32	Children who have received Measles	114	70.6	40	25.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	459		209			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rd QTR			DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	10.2		
35	Number of Tubectomies performed	0	0	Spacing	24.5		
36	Number of IUD insertion	1	8	Women using any method	45.4		
37	Number of IUD removals	2	3	Women using modern method	44.3		
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
38	IPD cases per 10,000 population ***	340	166				
39	General OPD cases per 10,000 population ***	15061	7850				
40	Ayush OPD cases per 10,000 population ***	800	341				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	0	0				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	0	0				
45	Between 1 month and 11 months	0	0				
46	Total reported infant deaths	0	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	0	0				

East Kameng Factsheet

Key Indicators							
A) Demographic Indicators (Census 2011)							
1	Population 2011	78,413					
2	Sex Ratio	1,012					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14	2014-15				
8	Expected number of PW	1,844		1,873			
9	Expected number of Delivery	1,709		1,737			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,234	66.9	1,105	59.0	Any ANC	48.0
11	Mothers registered in the first trimester	492	39.9	534	48.3	ANC Check up in first trimester	28.9
12	Mothers who had at least 3 Ante-Natal care check ups	428	34.7	500	45.2	3 or more ANC check up	29.6
13	PW who got TT 2 / Booster injection	365	29.6	384	34.8	Atleast 1 TT received	44.4
14	PW who consumed 100 IFA tablets	674	54.6	933	84.4	100 IFA tablets consumed	12.1
15	Home Delivery against expected delivery *	53	3.1	74	4.3	Full ANC	7.5
16	Institutional Delivery against expected delivery *	415	24.3	419	24.1	Home Delivery	59.5
17	Home Delivery against reported delivery **	53	11.3	74	15.0	Institutional Delivery	34.1
18	Institutional Delivery against reported delivery **	415	88.7	419	85.0	Home Delivery by SBA	2.2
19	Total reported Deliveries	468		493		PNC within 14 days of delivery	52.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	27	50.9	44	59.5		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	99	21.2	61	12.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,676		1,703			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
23	Total reported live births	524	31.3	494	29.0	Breastfeed within 1 hour of birth	45.9

24	Total Still Birth	1	0.1	9	0.5	BCG	55.9
25	Newborn weighted at birth to live birth	458	87.4	462	93.5	3 dose of DPT	46.3
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	78	17.0	46	10.0	Measles	40.3
27	Newborns breastfed within 1 hour to total reported live birth.	477	91.0	359	72.7	Full Immunization	18.2
28	Fully immunized	658	39.3	427	25.1		
29	Children who have received BCG	795	47.4	422	24.8		
30	Children who have received DPT1	1,026	61.2	672	39.5		
31	Children who have received DPT3	742	44.3	456	26.8		
32	Children who have received Measles	658	39.3	426	25.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,952		1,136			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rd QTR	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	10.4
35	Number of Tubectomies performed	0	0	Spacing	24
36	Number of IUD insertion	51	50	Women using any method	44.5
37	Number of IUD removals	6	18	Women using modern method	38.7
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
38	IPD cases per 10,000 population ***	404	311		
39	General OPD cases per 10,000 population ***	4768	3692		
40	Ayush OPD cases per 10,000 population ***	103	69		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
41	Neonatal death within 24 hours	0	1		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	1		
45	Between 1 month and 11 months	2	2		
46	Total reported infant deaths	2	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	3		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	3		

East Siang Factsheet

Key Indicators							
A) Demographic Indicators (Census 2011)							
1	Population 2011	99,019					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	2,219		2,203			
9	Expected number of Delivery	2,057		2,043			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,372	106.9	1,567	71.1	Any ANC	63.1
11	Mothers registered in the first trimester	999	42.1	723	46.1	ANC Check up in first trimester	37.1
12	Mothers who had at least 3 Ante-Natal care check ups	1,005	42.4	705	45.0	3 or more ANC check up	50.2
13	PW who got TT 2 / Booster injection	1,155	48.7	823	52.5	Atleast 1 TT received	57.9
14	PW who consumed 100 IFA tablets	1,304	55.0	789	50.4	100 IFA tablets consumed	19.3
15	Home Delivery against expected delivery *	77	3.7	40	2.0	Full ANC	13.8
16	Institutional Delivery against expected delivery *	1,573	76.5	1,192	58.4	Home Delivery	48.9
17	Home Delivery against reported delivery **	77	4.7	40	3.2	Institutional Delivery	50.2
18	Institutional Delivery against reported delivery **	1,573	95.3	1,192	96.8	Home Delivery by SBA	2.1
19	Total reported Deliveries	1,650		1,232		PNC within 14 days of delivery	50.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	67	87.0	34	85.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	318	19.3	257	20.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,017		2,003			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
23	Total reported live births	1,661	82.3	1,224	61.1	Breastfeed within 1 hour of birth	53.3

24	Total Still Birth	35	1.7	23	1.1	BCG	69.8
25	Newborn weighted at birth to live birth	1,523	91.7	1,133	92.6	3 dose of DPT	73.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	192	12.6	100	8.8	Measles	60.4
27	Newborns breastfed within 1 hour to total reported live birth.	1,203	72.4	587	48.0	Full Immunization	41.5
28	Fully immunized	1,632	80.9	1,039	51.9		
29	Children who have received BCG	2,001	99.2	1,350	67.4		
30	Children who have received DPT1	1,840	91.2	1,227	61.3		
31	Children who have received DPT3	1,506	74.7	1,071	53.5		
32	Children who have received Measles	1,347	66.8	1,019	50.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,058		637			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rd QTR	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	2	2	Limiting	12.7
35	Number of Tubectomies performed	209	201	Spacing	18.3
36	Number of IUD insertion	251	201	Women using any method	55.3
37	Number of IUD removals	62	62	Women using modern method	50
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
38	IPD cases per 10,000 population ***	944	883		
39	General OPD cases per 10,000 population ***	13781	12140		
40	Ayush OPD cases per 10,000 population ***	249	214		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	0	0		
46	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	0		

Kurung Kumey Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	89,717					
2	Sex Ratio	1,029					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	2,475		2,695			
9	Expected number of Delivery	2,295		2,499			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	783	31.6	744	27.6	Any ANC	46.9
11	Mothers registered in the first trimester	482	61.6	371	49.9	ANC Check up in first trimester	21.3
12	Mothers who had at least 3 Ante-Natal care check ups	433	55.3	384	51.6	3 or more ANC check up	23.9
13	PW who got TT 2 / Booster injection	290	37.0	210	28.2	Atleast 1 TT received	44.4
14	PW who consumed 100 IFA tablets	743	94.9	694	93.3	100 IFA tablets consumed	13.8
15	Home Delivery against expected delivery *	150	6.5	126	5.0	Full ANC	8.4
16	Institutional Delivery against expected delivery *	312	13.6	274	11.0	Home Delivery	66.4
17	Home Delivery against reported delivery **	150	32.5	126	31.5	Institutional Delivery	31.7
18	Institutional Delivery against reported delivery **	312	67.5	274	68.5	Home Delivery by SBA	4.2
19	Total reported Deliveries	462		400		PNC within 14 days of delivery	39.5
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	87	58.0	43	34.1		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	187	40.5	219	54.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,250		2,450			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
23	Total reported live births	435	19.3	401	16.4	Breastfeed within 1 hour of birth	67.7

24	Total Still Birth	2	0.1	0	0.0	BCG	77.6
25	Newborn weighted at birth to live birth	435	100.0	400	99.8	3 dose of DPT	76.1
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	5	1.1	2	0.5	Measles	59.7
27	Newborns breastfed within 1 hour to total reported live birth.	435	100.0	400	99.8	Full Immunization	52.2
28	Fully immunized	606	26.9	460	18.8		
29	Children who have received BCG	626	27.8	597	24.4		
30	Children who have received DPT1	627	27.9	601	24.5		
31	Children who have received DPT3	589	26.2	466	19.0		
32	Children who have received Measles	598	26.6	456	18.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,270		1,221			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rd QTR	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	11.4
35	Number of Tubectomies performed	0	0	Spacing	29
36	Number of IUD insertion	126	108	Women using any method	34.1
37	Number of IUD removals	29	20	Women using modern method	29.7
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
38	IPD cases per 10,000 population ***	136	118		
39	General OPD cases per 10,000 population ***	2951	2218		
40	Ayush OPD cases per 10,000 population ***	118	126		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	0	0		
46	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	0		

Lohit Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	1,45,538					
2	Sex Ratio	901					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	3,279		3,266			
9	Expected number of Delivery	3,041		3,028			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	4,122	125.7	3,588	109.9	Any ANC	62.8
11	Mothers registered in the first trimester	1,289	31.3	932	26.0	ANC Check up in first trimester	32.5
12	Mothers who had at least 3 Ante-Natal care check ups	1,385	33.6	1,458	40.6	3 or more ANC check up	45.8
13	PW who got TT 2 / Booster injection	2,400	58.2	1,681	46.9	Atleast 1 TT received	60.6
14	PW who consumed 100 IFA tablets	737	17.9	908	25.3	100 IFA tablets consumed	15.8
15	Home Delivery against expected delivery *	20	0.7	12	0.4	Full ANC	12.0
16	Institutional Delivery against expected delivery *	1,340	44.1	1,039	34.3	Home Delivery	49.5
17	Home Delivery against reported delivery **	20	1.5	12	1.1	Institutional Delivery	44.9
18	Institutional Delivery against reported delivery **	1,340	98.5	1,039	98.9	Home Delivery by SBA	6.4
19	Total reported Deliveries	1,360		1,051		PNC within 14 days of delivery	28.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	16	80.0	8	66.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	42	3.1	34	3.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,981		2,969			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
23	Total reported live births	1,360	45.6	1,045	35.2	Breastfeed within 1 hour of birth	49.3

24	Total Still Birth	18	0.6	10	0.3	BCG	67.4
25	Newborn weighted at birth to live birth	1,351	99.3	1,043	99.8	3 dose of DPT	69.8
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	125	9.3	62	5.9	Measles	58.1
27	Newborns breastfed within 1 hour to total reported live birth.	1,329	97.7	1,024	98.0	Full Immunization	43
28	Fully immunized	2,267	76.0	1,334	44.9		
29	Children who have received BCG	3,009	100.9	2,076	69.9		
30	Children who have received DPT1	3,220	108.0	1,933	65.1		
31	Children who have received DPT3	2,746	92.1	1,607	54.1		
32	Children who have received Measles	2,305	77.3	1,341	45.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,516		987			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0		0		Limiting	18.5
35	Number of Tubectomies performed	0		1		Spacing	18.2
36	Number of IUD insertion	257		168		Women using any method	43.7
37	Number of IUD removals	69		63		Women using modern method	42
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
38	IPD cases per 10,000 population ***	207		169			
39	General OPD cases per 10,000 population ***	8755		7269			
40	Ayush OPD cases per 10,000 population ***	632		488			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	0		0			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	0		0			
45	Between 1 month and 11 months	1		2			
46	Total reported infant deaths	1		2			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		1			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	Total reported maternal deaths	0		1			

Lower Dibang Valley Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	53,986					
2	Sex Ratio	919					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	1,194		1,179			
9	Expected number of Delivery	1,108		1,093			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,197	100.2	889	75.4	Any ANC	72.4
11	Mothers registered in the first trimester	351	29.3	216	24.3	ANC Check up in first trimester	35.4
12	Mothers who had at least 3 Ante-Natal care check ups	695	58.1	275	30.9	3 or more ANC check up	53.9
13	PW who got TT 2 / Booster injection	669	55.9	475	53.4	Atleast 1 TT received	70.0
14	PW who consumed 100 IFA tablets	338	28.2	340	38.2	100 IFA tablets consumed	13.2
15	Home Delivery against expected delivery *	48	4.3	60	5.5	Full ANC	6.2
16	Institutional Delivery against expected delivery *	722	65.2	410	37.5	Home Delivery	38.5
17	Home Delivery against reported delivery **	48	6.2	60	12.8	Institutional Delivery	60.3
18	Institutional Delivery against reported delivery **	722	93.8	410	87.2	Home Delivery by SBA	2.6
19	Total reported Deliveries	770		470		PNC within 14 days of delivery	41.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	46	95.8	60	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	272	35.3	347	73.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,086		1,071			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
23	Total reported live births	776	71.5	473	44.1	Breastfeed within 1 hour of birth	70.3

24	Total Still Birth	13	1.2	13	1.2	BCG	84.2
25	Newborn weighted at birth to live birth	767	98.8	470	99.4	3 dose of DPT	73.7
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	53	6.9	44	9.4	Measles	73.7
27	Newborns breastfed within 1 hour to total reported live birth.	767	98.8	460	97.3	Full Immunization	64.9
28	Fully immunized	628	57.8	743	69.3		
29	Children who have received BCG	893	82.2	642	59.9		
30	Children who have received DPT1	834	76.8	621	58.0		
31	Children who have received DPT3	730	67.2	472	44.1		
32	Children who have received Measles	681	62.7	495	46.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	794		620			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rd QTR	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	11.3
35	Number of Tubectomies performed	45	18	Spacing	20.1
36	Number of IUD insertion	54	28	Women using any method	51.7
37	Number of IUD removals	9	9	Women using modern method	40.1
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
38	IPD cases per 10,000 population ***	417	320		
39	General OPD cases per 10,000 population ***	9958	7745		
40	Ayush OPD cases per 10,000 population ***	466	111		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
41	Neonatal death within 24 hours	0	1		
42	Up to 1 Weeks of Birth	2	0		
43	Between 1 week & 4 weeks of birth	1	0		
44	Neonatal Death	3	1		
45	Between 1 month and 11 months	3	1		
46	Total reported infant deaths	6	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	1		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	1	0		
51	Due to High fever	0	1		
52	Due to Other Causes (including causes not known)	2	0		
53	Total reported maternal deaths	3	2		

Lower Subansiri Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	82,839					
2	Sex Ratio	975					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	1,989		2,043			
9	Expected number of Delivery	1,844		1,895			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,113	56.0	1,542	75.5	Any ANC	79.3
11	Mothers registered in the first trimester	254	22.8	313	20.3	ANC Check up in first trimester	48.3
12	Mothers who had at least 3 Ante-Natal care check ups	165	14.8	243	15.8	3 or more ANC check up	60.1
13	PW who got TT 2 / Booster injection	216	19.4	385	25.0	Atleast 1 TT received	78.6
14	PW who consumed 100 IFA tablets	191	17.2	45	2.9	100 IFA tablets consumed	25.1
15	Home Delivery against expected delivery *	3	0.2	2	0.1	Full ANC	22.3
16	Institutional Delivery against expected delivery *	493	26.7	402	21.2	Home Delivery	33.2
17	Home Delivery against reported delivery **	3	0.6	2	0.5	Institutional Delivery	65.9
18	Institutional Delivery against reported delivery **	493	99.4	402	99.5	Home Delivery by SBA	4.3
19	Total reported Deliveries	496		404		PNC within 14 days of delivery	46.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	100.0	2	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	138	27.8	115	28.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,808		1,858			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
23	Total reported live births	480	26.6	428	23.0	Breastfeed within 1 hour of birth	69.2

24	Total Still Birth	16	0.9	22	1.2	BCG	89
25	Newborn weighted at birth to live birth	488	101.7	297	69.4	3 dose of DPT	83.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	32	6.6	75	25.3	Measles	76.7
27	Newborns breastfed within 1 hour to total reported live birth.	468	97.5	350	81.8	Full Immunization	68.5
28	Fully immunized	469	25.9	403	21.7		
29	Children who have received BCG	635	35.1	583	31.4		
30	Children who have received DPT1	733	40.5	583	31.4		
31	Children who have received DPT3	638	35.3	570	30.7		
32	Children who have received Measles	573	31.7	527	28.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	914		830			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rd QTR	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	7.4
35	Number of Tubectomies performed	7	12	Spacing	11.5
36	Number of IUD insertion	157	136	Women using any method	57.4
37	Number of IUD removals	72	84	Women using modern method	50.6
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
38	IPD cases per 10,000 population ***	494	406		
39	General OPD cases per 10,000 population ***	5420	4345		
40	Ayush OPD cases per 10,000 population ***	224	132		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
41	Neonatal death within 24 hours	1	0		
42	Up to 1 Weeks of Birth	1	2		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	2	2		
45	Between 1 month and 11 months	0	0		
46	Total reported infant deaths	2	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	1	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	1		
53	Total reported maternal deaths	2	1		

Papum Pare Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	1,76,385					
2	Sex Ratio	950					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	4,196		4,295			
9	Expected number of Delivery	3,891		3,982			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	9,961	237.4	7,051	164.2	Any ANC	78.0
11	Mothers registered in the first trimester	4,113	41.3	3,157	44.8	ANC Check up in first trimester	47.8
12	Mothers who had at least 3 Ante-Natal care check ups	1,403	14.1	1,728	24.5	3 or more ANC check up	55.2
13	PW who got TT 2 / Booster injection	1,492	15.0	1,512	21.4	Atleast 1 TT received	76.0
14	PW who consumed 100 IFA tablets	1,160	11.6	2,645	37.5	100 IFA tablets consumed	29.4
15	Home Delivery against expected delivery *	26	0.7	22	0.6	Full ANC	22.2
16	Institutional Delivery against expected delivery *	3,689	94.8	3,443	86.5	Home Delivery	22.7
17	Home Delivery against reported delivery **	26	0.7	22	0.6	Institutional Delivery	74.1
18	Institutional Delivery against reported delivery **	3,689	99.3	3,443	99.4	Home Delivery by SBA	0.9
19	Total reported Deliveries	3,715		3,465		PNC within 14 days of delivery	52.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	25	96.2	15	68.2		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	168	4.5	114	3.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,815		3,904			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
23	Total reported live births	3,992	104.6	3,434	88.0	Breastfeed within 1 hour of birth	44.9

24	Total Still Birth	56	1.5	43	1.1	BCG	93
25	Newborn weighted at birth to live birth	3,843	96.3	3,382	98.5	3 dose of DPT	72.7
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	167	4.3	169	5.0	Measles	74.7
27	Newborns breastfed within 1 hour to total reported live birth.	3,731	93.5	3,094	90.1	Full Immunization	65.5
28	Fully immunized	4,138	108.5	2,156	55.2		
29	Children who have received BCG	5,171	135.6	4,236	108.5		
30	Children who have received DPT1	3,527	92.5	2,343	60.0		
31	Children who have received DPT3	2,796	73.3	1,833	46.9		
32	Children who have received Measles	3,798	99.6	2,593	66.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	4,023		2,458			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)		
34	Number of Vasectomies performed	0	0		Limiting	10.8	
35	Number of Tubectomies performed	693	374		Spacing	21.3	
36	Number of IUD insertion	692	698		Women using any method	49.3	
37	Number of IUD removals	156	153		Women using modern method	43.3	
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
38	IPD cases per 10,000 population ***	908	841				
39	General OPD cases per 10,000 population ***	15447	15094				
40	Ayush OPD cases per 10,000 population ***	268	301				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
41	Neonatal death within 24 hours	5	11				
42	Up to 1 Weeks of Birth	10	2				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	15	13				
45	Between 1 month and 11 months	6	2				
46	Total reported infant deaths	21	15				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
47	Due to Abortion	0	1				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	1				
52	Due to Other Causes (including causes not known)	5	0				
53	Total reported maternal deaths	5	2				

Tawang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	49,950					
2	Sex Ratio	701					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	1,151		1,160			
9	Expected number of Delivery	1,067		1,075			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	792	68.8	679	58.5	Any ANC	61.5
11	Mothers registered in the first trimester	406	51.3	349	51.4	ANC Check up in first trimester	36.7
12	Mothers who had at least 3 Ante-Natal care check ups	239	30.2	142	20.9	3 or more ANC check up	42.7
13	PW who got TT 2 / Booster injection	388	49.0	292	43.0	Atleast 1 TT received	58.8
14	PW who consumed 100 IFA tablets	266	33.6	337	49.6	100 IFA tablets consumed	17.4
15	Home Delivery against expected delivery *	20	1.9	45	4.2	Full ANC	13.5
16	Institutional Delivery against expected delivery *	284	26.6	213	19.8	Home Delivery	62.3
17	Home Delivery against reported delivery **	20	6.6	45	17.4	Institutional Delivery	37.0
18	Institutional Delivery against reported delivery **	284	93.4	213	82.6	Home Delivery by SBA	4.2
19	Total reported Deliveries	304		258		PNC within 14 days of delivery	53.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	20	100.0	3	6.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	68	22.4	80	31.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,046		1,054			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
23	Total reported live births	291	27.8	293	27.8	Breastfeed within 1 hour of birth	62

24	Total Still Birth	17	1.6	4	0.4	BCG	83.3
25	Newborn weighted at birth to live birth	272	93.5	242	82.6	3 dose of DPT	76.4
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	11	4.0	18	7.4	Measles	63.9
27	Newborns breastfed within 1 hour to total reported live birth.	226	77.7	240	81.9	Full Immunization	56.9
28	Fully immunized	720	68.8	487	46.2		
29	Children who have received BCG	687	65.7	512	48.6		
30	Children who have received DPT1	796	76.1	522	49.5		
31	Children who have received DPT3	816	78.0	482	45.7		
32	Children who have received Measles	742	70.9	563	53.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	586		718			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)		
34	Number of Vasectomies performed	0	0		Limiting	14.1	
35	Number of Tubectomies performed	23	1		Spacing	17.6	
36	Number of IUD insertion	131	106		Women using any method	47.1	
37	Number of IUD removals	26	80		Women using modern method	43.9	
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
38	IPD cases per 10,000 population ***	174	141				
39	General OPD cases per 10,000 population ***	9382	8273				
40	Ayush OPD cases per 10,000 population ***	239	121				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	0	2				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	0	2				
45	Between 1 month and 11 months	1	0				
46	Total reported infant deaths	1	2				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	1	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	1	0				

Tirap Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	1,11,997					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	2,496		2,474			
9	Expected number of Delivery	2,314		2,294			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,677	67.2	1,546	62.5	Any ANC	43.4
11	Mothers registered in the first trimester	697	41.6	590	38.2	ANC Check up in first trimester	22.5
12	Mothers who had at least 3 Ante-Natal care check ups	744	44.4	643	41.6	3 or more ANC check up	26.3
13	PW who got TT 2 / Booster injection	1,223	72.9	1,151	74.5	Atleast 1 TT received	43.1
14	PW who consumed 100 IFA tablets	399	23.8	861	55.7	100 IFA tablets consumed	17.9
15	Home Delivery against expected delivery *	158	6.8	144	6.3	Full ANC	13.3
16	Institutional Delivery against expected delivery *	602	26.0	516	22.5	Home Delivery	68.8
17	Home Delivery against reported delivery **	158	20.8	144	21.8	Institutional Delivery	29.9
18	Institutional Delivery against reported delivery **	602	79.2	516	78.2	Home Delivery by SBA	6.4
19	Total reported Deliveries	760		660		PNC within 14 days of delivery	42.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	91	57.6	39	27.1		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	256	33.7	261	39.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,269		2,249			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
23	Total reported live births	751	33.1	654	29.1	Breastfeed within 1 hour of birth	47.7

24	Total Still Birth	9	0.4	5	0.2	BCG	60.2
25	Newborn weighted at birth to live birth	694	92.4	609	93.1	3 dose of DPT	67
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	20	2.9	7	1.1	Measles	43.6
27	Newborns breastfed within 1 hour to total reported live birth.	698	92.9	609	93.1	Full Immunization	33.3
28	Fully immunized	1,614	71.1	1,192	53.0		
29	Children who have received BCG	1,619	71.4	1,250	55.6		
30	Children who have received DPT1	1,894	83.5	1,592	70.8		
31	Children who have received DPT3	1,943	85.6	1,507	67.0		
32	Children who have received Measles	1,831	80.7	1,410	62.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,140		1,651			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rd QTR	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	11.6
35	Number of Tubectomies performed	0	0	Spacing	22.6
36	Number of IUD insertion	73	45	Women using any method	45.3
37	Number of IUD removals	48	42	Women using modern method	42.8
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
38	IPD cases per 10,000 population ***	222	183		
39	General OPD cases per 10,000 population ***	6959	5142		
40	Ayush OPD cases per 10,000 population ***	1588	1240		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	1	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	1	0		
45	Between 1 month and 11 months	1	0		
46	Total reported infant deaths	2	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	0		

Upper Siang Factsheet

Key Indicators							
A) Demographic Indicators (Census 2011)							
1	Population 2011	35,289					
2	Sex Ratio	891					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14	2014-15				
8	Expected number of PW	778	767				
9	Expected number of Delivery	722	711				
		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
10	PW register for ANC	680	87.4	557	72.6	Any ANC	28.4
11	Mothers registered in the first trimester	253	37.2	260	46.7	ANC Check up in first trimester	14.0
12	Mothers who had at least 3 Ante-Natal care check ups	346	50.9	294	52.8	3 or more ANC check up	16.6
13	PW who got TT 2 / Booster injection	379	55.7	299	53.7	Atleast 1 TT received	25.4
14	PW who consumed 100 IFA tablets	511	75.1	350	62.8	100 IFA tablets consumed	8.7
15	Home Delivery against expected delivery *	24	3.3	33	4.6	Full ANC	5.7
16	Institutional Delivery against expected delivery *	308	42.7	191	26.9	Home Delivery	66.4
17	Home Delivery against reported delivery **	24	7.2	33	14.7	Institutional Delivery	30.1
18	Institutional Delivery against reported delivery **	308	92.8	191	85.3	Home Delivery by SBA	4.4
19	Total reported Deliveries	332		224		PNC within 14 days of delivery	47.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	22	91.7	31	93.9		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	144	43.4	122	54.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	707		697			
D) Child Immunization :		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)		
23	Total reported live births	333	47.1	279	40.0	Breastfeed within 1 hour of birth	70.4

24	Total Still Birth	12	1.7	5	0.7	BCG	60
25	Newborn weighted at birth to live birth	304	91.3	234	83.9	3 dose of DPT	50.9
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	11	3.6	3	1.3	Measles	40
27	Newborns breastfed within 1 hour to total reported live birth.	195	58.6	220	78.9	Full Immunization	29.1
28	Fully immunized	444	62.8	310	44.5		
29	Children who have received BCG	491	69.4	294	42.2		
30	Children who have received DPT1	521	73.6	332	47.6		
31	Children who have received DPT3	516	72.9	321	46.0		
32	Children who have received Measles	534	75.5	357	51.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	981		784			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)		
34	Number of Vasectomies performed	0	0		Limiting	14.7	
35	Number of Tubectomies performed	30	20		Spacing	28.9	
36	Number of IUD insertion	103	75		Women using any method	41.7	
37	Number of IUD removals	50	78		Women using modern method	39.8	
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
38	IPD cases per 10,000 population ***	415	348				
39	General OPD cases per 10,000 population ***	11766	9460				
40	Ayush OPD cases per 10,000 population ***	146	616				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
41	Neonatal death within 24 hours	0	1				
42	Up to 1 Weeks of Birth	0	0				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	0	1				
45	Between 1 month and 11 months	0	0				
46	Total reported infant deaths	0	1				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	0	0				

Upper Subansiri Factsheet

Key Indicators							
A) Demographic Indicators (Census 2011)							
1	Population 2011	83,205					
2	Sex Ratio	982					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	2,005		2,063			
9	Expected number of Delivery	1,859		1,913			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,616	80.6	1,277	61.9	Any ANC	56.2
11	Mothers registered in the first trimester	398	24.6	317	24.8	ANC Check up in first trimester	33.6
12	Mothers who had at least 3 Ante-Natal care check ups	325	20.1	297	23.3	3 or more ANC check up	39.0
13	PW who got TT 2 / Booster injection	477	29.5	441	34.5	Atleast 1 TT received	54.8
14	PW who consumed 100 IFA tablets	1,061	65.7	1,037	81.2	100 IFA tablets consumed	8.1
15	Home Delivery against expected delivery *	37	2.0	12	0.6	Full ANC	6.2
16	Institutional Delivery against expected delivery *	870	46.8	695	36.3	Home Delivery	56.2
17	Home Delivery against reported delivery **	37	4.1	12	1.7	Institutional Delivery	43.3
18	Institutional Delivery against reported delivery **	870	95.9	695	98.3	Home Delivery by SBA	0.6
19	Total reported Deliveries	907		707		PNC within 14 days of delivery	37.4
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	30	81.1	5	41.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	213	23.5	601	85.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,823		1,876			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
23	Total reported live births	930	51.0	697	37.2	Breastfeed within 1 hour of birth	54.4

24	Total Still Birth	10	0.5	20	1.1	BCG	77.9
25	Newborn weighted at birth to live birth	909	97.7	660	94.7	3 dose of DPT	81.2
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	22	2.4	4	0.6	Measles	63.2
27	Newborns breastfed within 1 hour to total reported live birth.	838	90.1	660	94.7	Full Immunization	58
28	Fully immunized	632	34.7	768	40.9		
29	Children who have received BCG	1,081	59.3	721	38.4		
30	Children who have received DPT1	1,057	58.0	750	40.0		
31	Children who have received DPT3	1,027	56.3	691	36.8		
32	Children who have received Measles	858	47.1	755	40.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	511		571			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)		
34	Number of Vasectomies performed	0	0		Limiting	8.4	
35	Number of Tubectomies performed	0	94		Spacing	23	
36	Number of IUD insertion	204	196		Women using any method	47.3	
37	Number of IUD removals	124	145		Women using modern method	42.6	
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
38	IPD cases per 10,000 population ***	257	166				
39	General OPD cases per 10,000 population ***	4337	3713				
40	Ayush OPD cases per 10,000 population ***	164	214				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	0	0				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	0	0				
45	Between 1 month and 11 months	0	0				
46	Total reported infant deaths	0	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	0	0				

West Kameng Factsheet

Key Indicators							
A) Demographic Indicators (Census 2011)							
1	Population 2011	87,013					
2	Sex Ratio	755					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	1,890		1,882			
9	Expected number of Delivery	1,752		1,745			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,385	126.2	2,357	125.2	Any ANC	70.1
11	Mothers registered in the first trimester	928	38.9	1,252	53.1	ANC Check up in first trimester	45.7
12	Mothers who had at least 3 Ante-Natal care check ups	898	37.7	887	37.6	3 or more ANC check up	57.4
13	PW who got TT 2 / Booster injection	868	36.4	678	28.8	Atleast 1 TT received	68.0
14	PW who consumed 100 IFA tablets	3,820	160.2	4,081	173.1	100 IFA tablets consumed	16.2
15	Home Delivery against expected delivery *	1	0.1	15	0.9	Full ANC	14.7
16	Institutional Delivery against expected delivery *	800	45.7	658	37.7	Home Delivery	50.4
17	Home Delivery against reported delivery **	1	0.1	15	2.2	Institutional Delivery	49.3
18	Institutional Delivery against reported delivery **	800	99.9	658	97.8	Home Delivery by SBA	2.4
19	Total reported Deliveries	801		673		PNC within 14 days of delivery	64.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	100.0	13	86.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	391	48.8	396	58.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,718		1,711			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
23	Total reported live births	782	45.5	653	38.2	Breastfeed within 1 hour of birth	56.7

24	Total Still Birth	15	0.9	14	0.8	BCG	86.7
25	Newborn weighted at birth to live birth	780	99.7	643	98.5	3 dose of DPT	85.3
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	38	4.9	41	6.4	Measles	75
27	Newborns breastfed within 1 hour to total reported live birth.	770	98.5	651	99.7	Full Immunization	61.8
28	Fully immunized	746	43.4	739	43.2		
29	Children who have received BCG	1,136	66.1	1,009	59.0		
30	Children who have received DPT1	1,118	65.1	901	52.7		
31	Children who have received DPT3	960	55.9	780	45.6		
32	Children who have received Measles	780	45.4	788	46.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,181		950			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rd QTR	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	11.5
35	Number of Tubectomies performed	39	0	Spacing	15.8
36	Number of IUD insertion	435	412	Women using any method	55.4
37	Number of IUD removals	149	120	Women using modern method	49
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
38	IPD cases per 10,000 population ***	340	260		
39	General OPD cases per 10,000 population ***	8114	5873		
40	Ayush OPD cases per 10,000 population ***	148	160		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
41	Neonatal death within 24 hours	1	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	1	0		
45	Between 1 month and 11 months	3	4		
46	Total reported infant deaths	4	4		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	1		
49	Due to Severe hypertension/fits	1	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	1	1		

West Siang Factsheet

Key Indicators							
A) Demographic Indicators (Census 2011)							
1	Population 2011	1,12,272					
2	Sex Ratio	916					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	2,485		2,454			
9	Expected number of Delivery	2,304		2,276			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,780	71.6	1,380	56.2	Any ANC	71.5
11	Mothers registered in the first trimester	419	23.5	394	28.6	ANC Check up in first trimester	31.9
12	Mothers who had at least 3 Ante-Natal care check ups	931	52.3	703	50.9	3 or more ANC check up	58.6
13	PW who got TT 2 / Booster injection	945	53.1	733	53.1	Atleast 1 TT received	65.6
14	PW who consumed 100 IFA tablets	842	47.3	1,040	75.4	100 IFA tablets consumed	30.6
15	Home Delivery against expected delivery *	1	0.0	6	0.3	Full ANC	27.0
16	Institutional Delivery against expected delivery *	1,408	61.1	921	40.5	Home Delivery	40.7
17	Home Delivery against reported delivery **	1	0.1	6	0.6	Institutional Delivery	58.6
18	Institutional Delivery against reported delivery **	1,408	99.9	921	99.4	Home Delivery by SBA	0.7
19	Total reported Deliveries	1,409		927		PNC within 14 days of delivery	31.5
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	100.0	6	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	50	3.5	48	5.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,259		2,231			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
23	Total reported live births	1,400	62.0	929	41.6	Breastfeed within 1 hour of birth	59.7

24	Total Still Birth	10	0.4	11	0.5	BCG	68.9
25	Newborn weighted at birth to live birth	1,393	99.5	915	98.5	3 dose of DPT	58.9
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	65	4.7	46	5.0	Measles	66.2
27	Newborns breastfed within 1 hour to total reported live birth.	1,368	97.7	842	90.6	Full Immunization	50
28	Fully immunized	1,163	51.5	960	43.0		
29	Children who have received BCG	1,520	67.3	1,080	48.4		
30	Children who have received DPT1	1,550	68.6	1,064	47.7		
31	Children who have received DPT3	1,391	61.6	988	44.3		
32	Children who have received Measles	1,282	56.8	956	42.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	622		321			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0		0		Limiting	11.1
35	Number of Tubectomies performed	145		46		Spacing	13.6
36	Number of IUD insertion	277		259		Women using any method	61.3
37	Number of IUD removals	182		228		Women using modern method	55.2
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
38	IPD cases per 10,000 population ***	202		133			
39	General OPD cases per 10,000 population ***	8019		5308			
40	Ayush OPD cases per 10,000 population ***	369		232			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	0		0			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	0		0			
45	Between 1 month and 11 months	0		0			
46	Total reported infant deaths	0		0			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	Total reported maternal deaths	0		0			

* Against Expected Delivery for the year 2013-14 & 2014-15.

** Against Reported Delivery for the year 2013-14 & 2014-15.

*** Against Estimated Population for year 2013-14 & 2014-15.