

## ARUNACHAL Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)		SL No	C) State Health Indicator (SRS 2013)			
1	Population 2011	1,382,611	9	Birth Rate		19.4	
2	Sex Ratio	920	10	Death Rate		5.8	
3	Number of districts	16	11	IMR		33	
<b>B) Infrastructure Details (RHS 2014)</b>			12	Growth Rate		13.6	
4	Sub Centers (SC)	286	13	TFR (SRS - 2007)		2.7	
5	Primary Health Centers (PHC)	117					
6	Community Health Centers (CHC)	52					
7	SDH	0					
8	DH	14					
<b>D) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
14	Expected number of PW	31,720		31,885			
15	Expected number of Delivery	29,413		29,566			
		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
16	PW register for ANC	34,401	108.5	34,773	109.1	Any ANC	61.6
17	Mothers registered in the first trimester	12,198	35.5	12,582	36.2	ANC Check up in first trimester	34.8
18	Mothers who had at least 3 Ante-Natal care check ups	10,573	30.7	12,372	35.6	3 or more ANC check up	43.8
19	PW who got TT 2 / Booster injection	13,134	38.2	13,983	40.2	At least 1 TT received	59.1
20	PW who consumed 100 IFA tablets	13,976	40.6	20,647	59.4	100 IFA tablets consumed	17.4
21	Home Delivery against expected delivery *	701	2.4	879	3.0	Full ANC	13.5
22	Institutional Delivery against expected delivery *	14,123	48	15,154	51	Home Delivery	48.5
23	Home Delivery against reported delivery **	701	5	879	5.5	Institutional Delivery	49.5
24	Institutional Delivery against reported delivery **	14,123	95	15,154	94.5	Home Delivery by SBA	3.1
25	Total reported Deliveries	14,824	50	16,033	54	PNC within 14 days of delivery	48.8
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	497	71	498	57		
27	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,815	19	4,007	25		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
28	Expected number of Live Birth	28,837		28,987			
<b>E) Child Immunization :</b>		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
29	Total reported live births	15,114	52.4	16,038	55.3	Breastfed within 1 hour of birth	55.7

30	Total Still Birth	229	0.8	363	1.3	BCG	75.5
31	Newborn weighted at birth to live birth	14,588	96.5	15,363	95.8	3 dose of DPT	71.1
32	Newborn having weighted less than 2.5 kg to newborn weighted at birth.	927	6.1	901	5.6	Measles	60.4
33	Newborns breastfed within 1 hour to total reported live birth.	13,873	91.8	13,919	86.8	Full Immunization	49.2
34	Fully immunized	17,739	61.5	15,704	54.2		
35	Children who have received BCG	22,357	77.5	21,769	75.1		
36	Children who have received DPT1	21,747	75.4	20,245	69.8		
37	Children who have received DPT3	18,784	65.1	17,047	58.8		
38	Children who have received Measles	18,160	63.0	16,641	57.4		
39	Diarrhoea and Dehydration cases reported in children below 5 years	19,563		18,296			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

F) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
40	Number of Vasectomies performed	2	2	Limiting	11.7
41	Number of Tubectomies performed	1,201	937	Spacing	20.4
42	Number of IUD insertion	2,952	3,246	Women using any method	48.4
43	Number of IUD removals	1,129	1,508	Women using modern method	43.9
G) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
44	IPD cases per 10,000 population ***	411	443		
45	General OPD cases per 10,000 population ***	8,872	9352		
46	Ayush OPD cases per 10,000 population ***	507	453		
H) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
47	Neonatal death within 24 hours	7	17		
48	Up to 1 Weeks of Birth	14	7		
49	Between 1 week & 4 weeks of birth	1	0		
50	Neonatal Death	22	24		
51	Between 1 month and 11 months	17	12		
52	<b>Total reported infant deaths</b>	<b>39</b>	<b>36</b>		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2013-14)	HMIS (2014-15)		
53	Due to Abortion	0	1		
54	Due to Obstructed/prolonged labour	0	2		
55	Due to Severe hypertension/fits	2	1		
56	Due to Bleeding	2	1		
57	Due to High fever	0	5		
58	Due to Other Causes (including causes not known)	8	2		
59	<b>Total reported maternal deaths</b>	<b>12</b>	<b>12</b>		

## Anjaw Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	21,089					
2	Sex Ratio	805					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	474			471		
9	Expected number of Delivery	439			436		
		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	392	82.7	367	78.0	Any ANC	52.1
11	Mothers registered in the first trimester	152	38.8	122	33.2	ANC Check up in first trimester	22.1
12	Mothers who had at least 3 Ante-Natal care check ups	140	35.7	143	39.0	3 or more ANC check up	32.6
13	PW who got TT 2 / Booster injection	178	45.4	206	56.1	At least 1 TT received	47.9
14	PW who consumed 100 IFA tablets	165	42.1	169	46.0	100 IFA tablets consumed	10.3
15	Home Delivery against expected delivery *	21	4.8	28	6.4	Full ANC	6.5
16	Institutional Delivery against expected delivery *	103	23.4	120	27.5	Home Delivery	62.0
17	Home Delivery against reported delivery **	21	16.9	28	18.9	Institutional Delivery	35.0
18	Institutional Delivery against reported delivery **	103	83.1	120	81.1	Home Delivery by SBA	4.9
19	Total reported Deliveries	124		148		PNC within 14 days of delivery	65.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	14	66.7	18	64.3		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	53	42.7	64	43.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	431		428			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
23	Total reported live births	129	29.9	144	33.7	Breastfeed within 1 hour of birth	53.8
24	Total Still Birth	0	0.0	4	0.9	BCG	65.5

25	Newborn weighted at birth to live birth	112	86.8	130	90.3	3 dose of DPT	58.2
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	14	12.5	14	10.8	Measles	34.5
27	Newborns breastfed within 1 hour to total reported live birth.	117	90.7	135	93.8	Full Immunization	29.1
28	Fully immunized	117	27.2	108	25.2		
29	Children who have received BCG	171	39.7	114	26.6		
30	Children who have received DPT1	205	47.6	210	49.1		
31	Children who have received DPT3	162	37.6	147	34.4		
32	Children who have received Measles	141	32.7	120	28.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	739		655			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2013-14)</b>	<b>HMIS (2014-15)</b>	<b>DLHS-4 (2012-13)</b>			
34	Number of Vasectomies performed	0	0	Limiting	10.6		
35	Number of Tubectomies performed	0	0	Spacing	27.1		
36	Number of IUD insertion	28	16	Women using any method	44.4		
37	Number of IUD removals	11	10	Women using modern method	39.1		
<b>F) Service delivery</b>		<b>HMIS (2013-14)</b>	<b>HMIS (2014-15)</b>				
38	IPD cases per 10,000 population ***	171	161				
39	General OPD cases per 10,000 population ***	14351	11998				
40	Ayush OPD cases per 10,000 population ***	1810	804				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>	<b>HMIS (2014-15)</b>				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	0	0				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	0	0				
45	Between 1 month and 11 months	0	0				
46	<b>Total reported infant deaths</b>	0	0				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>	<b>HMIS (2014-15)</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	<b>Total reported maternal deaths</b>	0	0				

## Changlang Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	147,951					
2	Sex Ratio	914					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14	2014-15				
8	Expected number of PW	3,345	3,337				
9	Expected number of Delivery	3,102	3,094				
		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	4,144	123.9	3,478	104.2	Any ANC	63.2
11	Mothers registered in the first trimester	884	21.3	908	26.1	ANC Check up in first trimester	34.3
12	Mothers who had at least 3 Ante-Natal care check ups	1,327	32.0	1,554	44.7	3 or more ANC check up	38.5
13	PW who got TT 2 / Booster injection	1,997	48.2	2,082	59.9	At least 1 TT received	60.5
14	PW who consumed 100 IFA tablets	1,368	33.0	1,340	38.5	100 IFA tablets consumed	7.1
15	Home Delivery against expected delivery *	51	1.6	60	1.9	Full ANC	4.6
16	Institutional Delivery against expected delivery *	1,132	36.5	1,167	37.7	Home Delivery	46.7
17	Home Delivery against reported delivery **	51	4.3	60	4.9	Institutional Delivery	52.2
18	Institutional Delivery against reported delivery **	1,132	95.7	1,167	95.1	Home Delivery by SBA	0.0
19	Total reported Deliveries	1,183		1,227		PNC within 14 days of delivery	45.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	38	74.5	42	70.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	344	29.1	383	31.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,041		3,033			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
23	Total reported live births	1,177	38.7	1,205	39.7	Breastfeed within 1 hour of birth	59.4
24	Total Still Birth	13	0.4	16	0.5	BCG	65.8

25	Newborn weighted at birth to live birth	1,175	99.8	1,183	98.2	3 dose of DPT	72.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	88	7.5	113	9.6	Measles	47.9
27	Newborns breastfed within 1 hour to total reported live birth.	1,167	99.2	1,186	98.4	Full Immunization	36.1
28	Fully immunized	1,786	58.7	1,438	47.4		
29	Children who have received BCG	2,418	79.5	2,153	71.0		
30	Children who have received DPT1	2,685	88.3	2,270	74.8		
31	Children who have received DPT3	2,114	69.5	1,717	56.6		
32	Children who have received Measles	1,918	63.1	1,525	50.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	817		699			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	13.2
35	Number of Tubectomies performed	10	0	Spacing	24
36	Number of IUD insertion	112	97	Women using any method	44.7
37	Number of IUD removals	134	76	Women using modern method	38.5
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	301	296		
39	General OPD cases per 10,000 population ***	8312	7969		
40	Ayush OPD cases per 10,000 population ***	1192	765		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	0	0		
46	<b>Total reported infant deaths</b>	0	0		
II)	Maternal Mortality	HMIS (2013-14)	HMIS (2014-15)		
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	0	0		

## Dibang Valley Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	7,948					
2	Sex Ratio	808					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	178		176			
9	Expected number of Delivery	165		163			
		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	153	86.2	138	78.6	Any ANC	45.6
11	Mothers registered in the first trimester	81	52.9	80	58.0	ANC Check up in first trimester	25.0
12	Mothers who had at least 3 Ante-Natal care check ups	109	71.2	92	66.7	3 or more ANC check up	31.7
13	PW who got TT 2 / Booster injection	92	60.1	82	59.4	At least 1 TT received	45.6
14	PW who consumed 100 IFA tablets	397	259.5	101	73.2	100 IFA tablets consumed	12.8
15	Home Delivery against expected delivery *	11	6.7	13	8.0	Full ANC	9.5
16	Institutional Delivery against expected delivery *	72	43.7	80	49.1	Home Delivery	47.2
17	Home Delivery against reported delivery **	11	13.3	13	14.0	Institutional Delivery	52.5
18	Institutional Delivery against reported delivery **	72	86.7	80	86.0	Home Delivery by SBA	3.4
19	Total reported Deliveries	83		93		PNC within 14 days of delivery	55.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	9	81.8	13	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	72	86.7	93	100.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	161		160			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
23	Total reported live births	93	57.6	85	53.2	Breastfeed within 1 hour of birth	50.4
24	Total Still Birth	2	1.2	1	0.6	BCG	90.2

25	Newborn weighted at birth to live birth	84	90.3	92	108.2	3 dose of DPT	90.2
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	6	7.1	1	1.1	Measles	61
27	Newborns breastfed within 1 hour to total reported live birth.	84	90.3	92	108.2	Full Immunization	58.5
28	Fully immunized	119	73.7	66	41.3		
29	Children who have received BCG	104	64.4	92	57.6		
30	Children who have received DPT1	114	70.6	98	61.4		
31	Children who have received DPT3	108	66.9	96	60.1		
32	Children who have received Measles	114	70.6	70	43.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	459		390			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	10.2
35	Number of Tubectomies performed	0		0		Spacing	24.5
36	Number of IUD insertion	1		8		Women using any method	45.4
37	Number of IUD removals	2		3		Women using modern method	44.3
<b>F) Service delivery</b>		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>			
38	IPD cases per 10,000 population ***	340		239			
39	General OPD cases per 10,000 population ***	15061		11172			
40	Ayush OPD cases per 10,000 population ***	800		433			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	0		0			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	0		0			
45	Between 1 month and 11 months	0		0			
46	<b>Total reported infant deaths</b>	0		0			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	<b>Total reported maternal deaths</b>	0		0			



## East Kameng Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	78,413					
2	Sex Ratio	1,012					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	1,844	1,873				
9	Expected number of Delivery	1,709	1,737				
		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,234	66.9	1,492	79.6	Any ANC	48.0
11	Mothers registered in the first trimester	492	39.9	683	45.8	ANC Check up in first trimester	28.9
12	Mothers who had at least 3 Ante-Natal care check ups	428	34.7	636	42.6	3 or more ANC check up	29.6
13	PW who got TT 2 / Booster injection	365	29.6	506	33.9	At least 1 TT received	44.4
14	PW who consumed 100 IFA tablets	674	54.6	1,305	87.5	100 IFA tablets consumed	12.1
15	Home Delivery against expected delivery *	53	3.1	89	5.1	Full ANC	7.5
16	Institutional Delivery against expected delivery *	415	24.3	566	32.6	Home Delivery	59.5
17	Home Delivery against reported delivery **	53	11.3	89	13.6	Institutional Delivery	34.1
18	Institutional Delivery against reported delivery **	415	88.7	566	86.4	Home Delivery by SBA	2.2
19	Total reported Deliveries	468		655		PNC within 14 days of delivery	52.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	27	50.9	53	59.6		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	99	21.2	66	10.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,676		1,703			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
23	Total reported live births	524	31.3	657	38.6	Breastfeed within 1 hour of birth	45.9
24	Total Still Birth	1	0.1	9	0.5	BCG	55.9

25	Newborn weighted at birth to live birth	458	87.4	611	93.0	3 dose of DPT	46.3
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	78	17.0	59	9.7	Measles	40.3
27	Newborns breastfed within 1 hour to total reported live birth.	477	91.0	442	67.3	Full Immunization	18.2
28	Fully immunized	658	39.3	510	29.9		
29	Children who have received BCG	795	47.4	610	35.8		
30	Children who have received DPT1	1,026	61.2	926	54.4		
31	Children who have received DPT3	742	44.3	646	37.9		
32	Children who have received Measles	658	39.3	513	30.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,952		1,541			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

<b>E) Family Planning</b>		<b>HMIS (2013-14)</b>	<b>HMIS ( 2014-15)</b>	<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	0	0	Limiting	10.4
35	Number of Tubectomies performed	0	0	Spacing	24
36	Number of IUD insertion	51	75	Women using any method	44.5
37	Number of IUD removals	6	21	Women using modern method	38.7
<b>F) Service delivery</b>		<b>HMIS (2013-14)</b>	<b>HMIS ( 2014-15)</b>		
38	IPD cases per 10,000 population ***	404	399		
39	General OPD cases per 10,000 population ***	4768	4654		
40	Ayush OPD cases per 10,000 population ***	103	82		
<b>G) Mortality Details</b>					
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>	<b>HMIS ( 2014-15)</b>		
41	Neonatal death within 24 hours	0	1		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	1		
45	Between 1 month and 11 months	2	2		
46	<b>Total reported infant deaths</b>	2	3		
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS (2013-14)</b>	<b>HMIS ( 2014-15)</b>		
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>	<b>HMIS ( 2014-15)</b>		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	3		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	0	3		

## East Siang Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	99,019					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	2,219	2,203				
9	Expected number of Delivery	2,057	2,043				
		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,372	106.9	2,113	95.9	Any ANC	63.1
11	Mothers registered in the first trimester	999	42.1	958	45.3	ANC Check up in first trimester	37.1
12	Mothers who had at least 3 Ante-Natal care check ups	1,005	42.4	935	44.2	3 or more ANC check up	50.2
13	PW who got TT 2 / Booster injection	1,155	48.7	1,102	52.2	At least 1 TT received	57.9
14	PW who consumed 100 IFA tablets	1,304	55.0	1,073	50.8	100 IFA tablets consumed	19.3
15	Home Delivery against expected delivery *	77	3.7	87	4.3	Full ANC	13.8
16	Institutional Delivery against expected delivery *	1,573	76.5	1,596	78.1	Home Delivery	48.9
17	Home Delivery against reported delivery **	77	4.7	87	5.2	Institutional Delivery	50.2
18	Institutional Delivery against reported delivery **	1,573	95.3	1,596	94.8	Home Delivery by SBA	2.1
19	Total reported Deliveries	1,650		1,683		PNC within 14 days of delivery	50.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	67	87.0	74	85.1		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	318	19.3	350	20.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,017		2,003			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
23	Total reported live births	1,661	82.3	1,646	82.2	Breastfeed within 1 hour of birth	53.3
24	Total Still Birth	35	1.7	125	6.2	BCG	69.8

25	Newborn weighted at birth to live birth	1,523	91.7	1,540	93.6	3 dose of DPT	73.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	192	12.6	127	8.2	Measles	60.4
27	Newborns breastfed within 1 hour to total reported live birth.	1,203	72.4	977	59.4	Full Immunization	41.5
28	Fully immunized	1,632	80.9	1,393	69.6		
29	Children who have received BCG	2,001	99.2	1,848	92.3		
30	Children who have received DPT1	1,840	91.2	1,691	84.4		
31	Children who have received DPT3	1,506	74.7	1,507	75.3		
32	Children who have received Measles	1,347	66.8	1,358	67.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,058		858			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	2	2	Limiting	12.7
35	Number of Tubectomies performed	209	265	Spacing	18.3
36	Number of IUD insertion	251	264	Women using any method	55.3
37	Number of IUD removals	62	106	Women using modern method	50
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	944	1085		
39	General OPD cases per 10,000 population ***	13781	15214		
40	Ayush OPD cases per 10,000 population ***	249	284		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	0	0		
46	<b>Total reported infant deaths</b>	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	0	0		

## Kurung Kumey Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	89,717					
2	Sex Ratio	1,029					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2013-14	2014-15				
8	Expected number of PW	2,475	2,695				
9	Expected number of Delivery	2,295	2,499				
		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	783	31.6	1,003	37.2	Any ANC	46.9
11	Mothers registered in the first trimester	482	61.6	491	49.0	ANC Check up in first trimester	21.3
12	Mothers who had at least 3 Ante-Natal care check ups	433	55.3	513	51.1	3 or more ANC check up	23.9
13	PW who got TT 2 / Booster injection	290	37.0	302	30.1	At least 1 TT received	44.4
14	PW who consumed 100 IFA tablets	743	94.9	936	93.3	100 IFA tablets consumed	13.8
15	Home Delivery against expected delivery *	150	6.5	169	6.8	Full ANC	8.4
16	Institutional Delivery against expected delivery *	312	13.6	389	15.6	Home Delivery	66.4
17	Home Delivery against reported delivery **	150	32.5	169	30.3	Institutional Delivery	31.7
18	Institutional Delivery against reported delivery **	312	67.5	389	69.7	Home Delivery by SBA	4.2
19	Total reported Deliveries	462		558		PNC within 14 days of delivery	39.5
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	87	58.0	74	43.8		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	187	40.5	303	54.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,250		2,450			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
23	Total reported live births	435	19.3	558	22.8	Breastfeed within 1 hour of birth	67.7
24	Total Still Birth	2	0.1	1	0.0	BCG	77.6

25	Newborn weighted at birth to live birth	435	100.0	557	99.8	3 dose of DPT	76.1
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	5	1.1	2	0.4	Measles	59.7
27	Newborns breastfed within 1 hour to total reported live birth.	435	100.0	557	99.8	Full Immunization	52.2
28	Fully immunized	606	26.9	623	25.4		
29	Children who have received BCG	626	27.8	811	33.1		
30	Children who have received DPT1	627	27.9	812	33.1		
31	Children who have received DPT3	589	26.2	637	26.0		
32	Children who have received Measles	598	26.6	618	25.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,270		1,486			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	11.4
35	Number of Tubectomies performed	0	0	Spacing	29
36	Number of IUD insertion	126	118	Women using any method	34.1
37	Number of IUD removals	29	63	Women using modern method	29.7
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	136	145		
39	General OPD cases per 10,000 population ***	2951	2836		
40	Ayush OPD cases per 10,000 population ***	118	192		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	0	0		
46	<b>Total reported infant deaths</b>	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	0	0		

## Lohit Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	145,538					
2	Sex Ratio	901					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14	2014-15				
8	Expected number of PW	3,279	3,266				
9	Expected number of Delivery	3,041	3,028				
		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	4,122	125.7	4,365	133.7	Any ANC	62.8
11	Mothers registered in the first trimester	1,289	31.3	1,209	27.7	ANC Check up in first trimester	32.5
12	Mothers who had at least 3 Ante-Natal care check ups	1,385	33.6	1,776	40.7	3 or more ANC check up	45.8
13	PW who got TT 2 / Booster injection	2,400	58.2	2,125	48.7	At least 1 TT received	60.6
14	PW who consumed 100 IFA tablets	737	17.9	1,113	25.5	100 IFA tablets consumed	15.8
15	Home Delivery against expected delivery *	20	0.7	14	0.5	Full ANC	12.0
16	Institutional Delivery against expected delivery *	1,340	44.1	1,402	46.3	Home Delivery	49.5
17	Home Delivery against reported delivery **	20	1.5	14	1.0	Institutional Delivery	44.9
18	Institutional Delivery against reported delivery **	1,340	98.5	1,402	99.0	Home Delivery by SBA	6.4
19	Total reported Deliveries	1,360		1,416		PNC within 14 days of delivery	28.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	16	80.0	8	57.1		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	42	3.1	71	5.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,981		2,969			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
23	Total reported live births	1,360	45.6	1,407	47.4	Breastfeed within 1 hour of birth	49.3
24	Total Still Birth	18	0.6	16	0.5	BCG	67.4

25	Newborn weighted at birth to live birth	1,351	99.3	1,406	99.9	3 dose of DPT	69.8
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	125	9.3	84	6.0	Measles	58.1
27	Newborns breastfed within 1 hour to total reported live birth.	1,329	97.7	1,386	98.5	Full Immunization	43
28	Fully immunized	2,267	76.0	1,658	55.8		
29	Children who have received BCG	3,009	100.9	2,777	93.5		
30	Children who have received DPT1	3,220	108.0	2,666	89.8		
31	Children who have received DPT3	2,746	92.1	2,093	70.5		
32	Children who have received Measles	2,305	77.3	1,681	56.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,516		1,240			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	18.5
35	Number of Tubectomies performed	0	4	Spacing	18.2
36	Number of IUD insertion	257	211	Women using any method	43.7
37	Number of IUD removals	69	81	Women using modern method	42
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	207	215		
39	General OPD cases per 10,000 population ***	8755	9073		
40	Ayush OPD cases per 10,000 population ***	632	594		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	1	2		
46	<b>Total reported infant deaths</b>	1	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	0	1		



## Lower Dibang Valley Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	53,986					
2	Sex Ratio	919					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14	2014-15				
8	Expected number of PW	1,194	1,179				
9	Expected number of Delivery	1,108	1,093				
		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,197	100.2	1,126	95.5	Any ANC	72.4
11	Mothers registered in the first trimester	351	29.3	277	24.6	ANC Check up in first trimester	35.4
12	Mothers who had at least 3 Ante-Natal care check ups	695	58.1	408	36.2	3 or more ANC check up	53.9
13	PW who got TT 2 / Booster injection	669	55.9	645	57.3	At least 1 TT received	70.0
14	PW who consumed 100 IFA tablets	338	28.2	395	35.1	100 IFA tablets consumed	13.2
15	Home Delivery against expected delivery *	48	4.3	69	6.3	Full ANC	6.2
16	Institutional Delivery against expected delivery *	722	65.2	552	50.5	Home Delivery	38.5
17	Home Delivery against reported delivery **	48	6.2	69	11.1	Institutional Delivery	60.3
18	Institutional Delivery against reported delivery **	722	93.8	552	88.9	Home Delivery by SBA	2.6
19	Total reported Deliveries	770		621		PNC within 14 days of delivery	41.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	46	95.8	69	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	272	35.3	475	76.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,086		1,071			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
23	Total reported live births	776	71.5	625	58.3	Breastfeed within 1 hour of birth	70.3
24	Total Still Birth	13	1.2	21	2.0	BCG	84.2

25	Newborn weighted at birth to live birth	767	98.8	621	99.4	3 dose of DPT	73.7
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	53	6.9	54	8.7	Measles	73.7
27	Newborns breastfed within 1 hour to total reported live birth.	767	98.8	607	97.1	Full Immunization	64.9
28	Fully immunized	628	57.8	860	80.3		
29	Children who have received BCG	893	82.2	859	80.2		
30	Children who have received DPT1	834	76.8	841	78.5		
31	Children who have received DPT3	730	67.2	637	59.5		
32	Children who have received Measles	681	62.7	615	57.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	794		729			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	11.3
35	Number of Tubectomies performed	45	24	Spacing	20.1
36	Number of IUD insertion	54	42	Women using any method	51.7
37	Number of IUD removals	9	13	Women using modern method	40.1
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	417	401		
39	General OPD cases per 10,000 population ***	9958	9709		
40	Ayush OPD cases per 10,000 population ***	466	136		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	0	2		
42	Up to 1 Weeks of Birth	2	0		
43	Between 1 week & 4 weeks of birth	1	0		
44	Neonatal Death	3	2		
45	Between 1 month and 11 months	3	1		
46	<b>Total reported infant deaths</b>	6	3		
II)	Maternal Mortality	HMIS (2013-14)	HMIS (2014-15)		
	<b>Maternal Deaths (In Numbers)</b>				
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	1		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	1	0		
51	Due to High fever	0	1		
52	Due to Other Causes (including causes not known)	2	0		
53	<b>Total reported maternal deaths</b>	3	2		

## Lower Subansiri Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	82,839					
2	Sex Ratio	975					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14	2014-15				
8	Expected number of PW	1,989	2,043				
9	Expected number of Delivery	1,844	1,895				
		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,113	56.0	1,949	95.4	Any ANC	79.3
11	Mothers registered in the first trimester	254	22.8	399	20.5	ANC Check up in first trimester	48.3
12	Mothers who had at least 3 Ante-Natal care check ups	165	14.8	308	15.8	3 or more ANC check up	60.1
13	PW who got TT 2 / Booster injection	216	19.4	508	26.1	At least 1 TT received	78.6
14	PW who consumed 100 IFA tablets	191	17.2	103	5.3	100 IFA tablets consumed	25.1
15	Home Delivery against expected delivery *	3	0.2	3	0.2	Full ANC	22.3
16	Institutional Delivery against expected delivery *	493	26.7	499	26.3	Home Delivery	33.2
17	Home Delivery against reported delivery **	3	0.6	3	0.6	Institutional Delivery	65.9
18	Institutional Delivery against reported delivery **	493	99.4	499	99.4	Home Delivery by SBA	4.3
19	Total reported Deliveries	496		502		PNC within 14 days of delivery	46.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	100.0	3	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	138	27.8	137	27.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,808		1,858			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
23	Total reported live births	480	26.6	528	28.4	Breastfeed within 1 hour of birth	69.2
24	Total Still Birth	16	0.9	24	1.3	BCG	89

25	Newborn weighted at birth to live birth	488	101.7	392	74.2	3 dose of DPT	83.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	32	6.6	80	20.4	Measles	76.7
27	Newborns breastfed within 1 hour to total reported live birth.	468	97.5	435	82.4	Full Immunization	68.5
28	Fully immunized	469	25.9	526	28.3		
29	Children who have received BCG	635	35.1	758	40.8		
30	Children who have received DPT1	733	40.5	779	41.9		
31	Children who have received DPT3	638	35.3	743	40.0		
32	Children who have received Measles	573	31.7	681	36.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	914		1,083			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	7.4
35	Number of Tubectomies performed	7	12	Spacing	11.5
36	Number of IUD insertion	157	165	Women using any method	57.4
37	Number of IUD removals	72	119	Women using modern method	50.6
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	494	474		
39	General OPD cases per 10,000 population ***	5420	5421		
40	Ayush OPD cases per 10,000 population ***	224	157		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	1	0		
42	Up to 1 Weeks of Birth	1	2		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	2	2		
45	Between 1 month and 11 months	0	0		
46	<b>Total reported infant deaths</b>	2	2		
II)	Maternal Mortality	HMIS (2013-14)	HMIS (2014-15)		
Maternal Deaths (In Numbers)		HMIS (2013-14)	HMIS (2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	1	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	1		
53	<b>Total reported maternal deaths</b>	2	1		

## Papum Pare Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	176,385					
2	Sex Ratio	950					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	4,196	4,295				
9	Expected number of Delivery	3,891	3,982				
		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	9,961	237.4	8,543	198.9	Any ANC	78.0
11	Mothers registered in the first trimester	4,113	41.3	3,492	40.9	ANC Check up in first trimester	47.8
12	Mothers who had at least 3 Ante-Natal care check ups	1,403	14.1	2,015	23.6	3 or more ANC check up	55.2
13	PW who got TT 2 / Booster injection	1,492	15.0	1,742	20.4	At least 1 TT received	76.0
14	PW who consumed 100 IFA tablets	1,160	11.6	3,667	42.9	100 IFA tablets consumed	29.4
15	Home Delivery against expected delivery *	26	0.7	27	0.7	Full ANC	22.2
16	Institutional Delivery against expected delivery *	3,689	94.8	4,636	116.4	Home Delivery	22.7
17	Home Delivery against reported delivery **	26	0.7	27	0.6	Institutional Delivery	74.1
18	Institutional Delivery against reported delivery **	3,689	99.3	4,636	99.4	Home Delivery by SBA	0.9
19	Total reported Deliveries	3,715		4,663		PNC within 14 days of delivery	52.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	25	96.2	20	74.1		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	168	4.5	129	2.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,815		3,904			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
23	Total reported live births	3,992	104.6	4,624	118.4	Breastfeed within 1 hour of birth	44.9
24	Total Still Birth	56	1.5	59	1.5	BCG	93

25	Newborn weighted at birth to live birth	3,843	96.3	4,578	99.0	3 dose of DPT	72.7
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	167	4.3	204	4.5	Measles	74.7
27	Newborns breastfed within 1 hour to total reported live birth.	3,731	93.5	3,892	84.2	Full Immunization	65.5
28	Fully immunized	4,138	108.5	2,848	72.9		
29	Children who have received BCG	5,171	135.6	5,386	138.0		
30	Children who have received DPT1	3,527	92.5	3,065	78.5		
31	Children who have received DPT3	2,796	73.3	2,484	63.6		
32	Children who have received Measles	3,798	99.6	3,329	85.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	4,023		3,374			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	10.8
35	Number of Tubectomies performed	693	397	Spacing	21.3
36	Number of IUD insertion	692	850	Women using any method	49.3
37	Number of IUD removals	156	186	Women using modern method	43.3
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	908	1112		
39	General OPD cases per 10,000 population ***	15447	19573		
40	Ayush OPD cases per 10,000 population ***	268	348		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	5	13		
42	Up to 1 Weeks of Birth	10	2		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	15	15		
45	Between 1 month and 11 months	6	3		
46	<b>Total reported infant deaths</b>	21	18		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
47	Due to Abortion	0	1		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	1		
50	Due to Bleeding	0	0		
51	Due to High fever	0	1		
52	Due to Other Causes (including causes not known)	5	1		
53	<b>Total reported maternal deaths</b>	5	4		

## Tawang Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	49,950					
2	Sex Ratio	701					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	1,151		1,160			
9	Expected number of Delivery	1,067		1,075			
		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	792	68.8	901	77.7	Any ANC	61.5
11	Mothers registered in the first trimester	406	51.3	473	52.5	ANC Check up in first trimester	36.7
12	Mothers who had at least 3 Ante-Natal care check ups	239	30.2	213	23.6	3 or more ANC check up	42.7
13	PW who got TT 2 / Booster injection	388	49.0	399	44.3	At least 1 TT received	58.8
14	PW who consumed 100 IFA tablets	266	33.6	517	57.4	100 IFA tablets consumed	17.4
15	Home Delivery against expected delivery *	20	1.9	56	5.2	Full ANC	13.5
16	Institutional Delivery against expected delivery *	284	26.6	267	24.8	Home Delivery	62.3
17	Home Delivery against reported delivery **	20	6.6	56	17.3	Institutional Delivery	37.0
18	Institutional Delivery against reported delivery **	284	93.4	267	82.7	Home Delivery by SBA	4.2
19	Total reported Deliveries	304		323		PNC within 14 days of delivery	53.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	20	100.0	3	5.4		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	68	22.4	107	33.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,046		1,054			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
23	Total reported live births	291	27.8	358	34.0	Breastfeed within 1 hour of birth	62
24	Total Still Birth	17	1.6	7	0.7	BCG	83.3

25	Newborn weighted at birth to live birth	272	93.5	296	82.7	3 dose of DPT	76.4
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	11	4.0	23	7.8	Measles	63.9
27	Newborns breastfed within 1 hour to total reported live birth.	226	77.7	294	82.1	Full Immunization	56.9
28	Fully immunized	720	68.8	636	60.3		
29	Children who have received BCG	687	65.7	677	64.2		
30	Children who have received DPT1	796	76.1	704	66.8		
31	Children who have received DPT3	816	78.0	635	60.2		
32	Children who have received Measles	742	70.9	733	69.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	586		926			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS ( 2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	14.1
35	Number of Tubectomies performed	23	2	Spacing	17.6
36	Number of IUD insertion	131	142	Women using any method	47.1
37	Number of IUD removals	26	86	Women using modern method	43.9
F) Service delivery		HMIS (2013-14)	HMIS ( 2014-15)		
38	IPD cases per 10,000 population ***	174	240		
39	General OPD cases per 10,000 population ***	9382	11156		
40	Ayush OPD cases per 10,000 population ***	239	168		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS ( 2014-15)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	2		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	2		
45	Between 1 month and 11 months	1	0		
46	<b>Total reported infant deaths</b>	1	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS ( 2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	1	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	1	0		



## Tirap Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	111,997					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	2,496		2,474			
9	Expected number of Delivery	2,314		2,294			
		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,677	67.2	1,901	76.8	Any ANC	43.4
11	Mothers registered in the first trimester	697	41.6	712	37.5	ANC Check up in first trimester	22.5
12	Mothers who had at least 3 Ante-Natal care check ups	744	44.4	817	43.0	3 or more ANC check up	26.3
13	PW who got TT 2 / Booster injection	1,223	72.9	1,422	74.8	At least 1 TT received	43.1
14	PW who consumed 100 IFA tablets	399	23.8	1,243	65.4	100 IFA tablets consumed	17.9
15	Home Delivery against expected delivery *	158	6.8	170	7.4	Full ANC	13.3
16	Institutional Delivery against expected delivery *	602	26.0	675	29.4	Home Delivery	68.8
17	Home Delivery against reported delivery **	158	20.8	170	20.1	Institutional Delivery	29.9
18	Institutional Delivery against reported delivery **	602	79.2	675	79.9	Home Delivery by SBA	6.4
19	Total reported Deliveries	760		845		PNC within 14 days of delivery	42.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	91	57.6	47	27.6		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	256	33.7	311	36.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,269		2,249			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
23	Total reported live births	751	33.1	839	37.3	Breastfeed within 1 hour of birth	47.7
24	Total Still Birth	9	0.4	11	0.5	BCG	60.2

25	Newborn weighted at birth to live birth	694	92.4	777	92.6	3 dose of DPT	67
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	20	2.9	8	1.0	Measles	43.6
27	Newborns breastfed within 1 hour to total reported live birth.	698	92.9	785	93.6	Full Immunization	33.3
28	Fully immunized	1,614	71.1	1,446	64.3		
29	Children who have received BCG	1,619	71.4	1,597	71.0		
30	Children who have received DPT1	1,894	83.5	1,993	88.6		
31	Children who have received DPT3	1,943	85.6	1,929	85.8		
32	Children who have received Measles	1,831	80.7	1,665	74.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,140		2,006			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	11.6
35	Number of Tubectomies performed	0	0	Spacing	22.6
36	Number of IUD insertion	73	70	Women using any method	45.3
37	Number of IUD removals	48	53	Women using modern method	42.8
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	222	216		
39	General OPD cases per 10,000 population ***	6959	6374		
40	Ayush OPD cases per 10,000 population ***	1588	1485		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	1	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	1	0		
45	Between 1 month and 11 months	1	0		
46	<b>Total reported infant deaths</b>	2	0		
II)	Maternal Mortality	HMIS (2013-14)	HMIS (2014-15)		
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	0	0		

## Upper Siang Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	35,289					
2	Sex Ratio	891					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	778		767			
9	Expected number of Delivery	722		711			
		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	680	87.4	775	101.1	Any ANC	28.4
11	Mothers registered in the first trimester	253	37.2	343	44.3	ANC Check up in first trimester	14.0
12	Mothers who had at least 3 Ante-Natal care check ups	346	50.9	378	48.8	3 or more ANC check up	16.6
13	PW who got TT 2 / Booster injection	379	55.7	395	51.0	At least 1 TT received	25.4
14	PW who consumed 100 IFA tablets	511	75.1	435	56.1	100 IFA tablets consumed	8.7
15	Home Delivery against expected delivery *	24	3.3	44	6.2	Full ANC	5.7
16	Institutional Delivery against expected delivery *	308	42.7	247	34.7	Home Delivery	66.4
17	Home Delivery against reported delivery **	24	7.2	44	15.1	Institutional Delivery	30.1
18	Institutional Delivery against reported delivery **	308	92.8	247	84.9	Home Delivery by SBA	4.4
19	Total reported Deliveries	332		291		PNC within 14 days of delivery	47.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	22	91.7	38	86.4		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	144	43.4	154	52.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	707		697			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
23	Total reported live births	333	47.1	387	55.5	Breastfeed within 1 hour of birth	70.4
24	Total Still Birth	12	1.7	8	1.1	BCG	60

25	Newborn weighted at birth to live birth	304	91.3	294	76.0	3 dose of DPT	50.9
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	11	3.6	7	2.4	Measles	40
27	Newborns breastfed within 1 hour to total reported live birth.	195	58.6	319	82.4	Full Immunization	29.1
28	Fully immunized	444	62.8	433	62.1		
29	Children who have received BCG	491	69.4	407	58.4		
30	Children who have received DPT1	521	73.6	451	64.7		
31	Children who have received DPT3	516	72.9	421	60.4		
32	Children who have received Measles	534	75.5	494	70.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	981		945			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	14.7
35	Number of Tubectomies performed	30	56	Spacing	28.9
36	Number of IUD insertion	103	108	Women using any method	41.7
37	Number of IUD removals	50	83	Women using modern method	39.8
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	415	429		
39	General OPD cases per 10,000 population ***	11766	11780		
40	Ayush OPD cases per 10,000 population ***	146	759		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	0	1		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	1		
45	Between 1 month and 11 months	0	0		
46	<b>Total reported infant deaths</b>	0	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	0	0		

## Upper Subansiri Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	83,205					
2	Sex Ratio	982					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	2,005		2,063			
9	Expected number of Delivery	1,859		1,913			
		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,616	80.6	1,591	77.1	Any ANC	56.2
11	Mothers registered in the first trimester	398	24.6	392	24.6	ANC Check up in first trimester	33.6
12	Mothers who had at least 3 Ante-Natal care check ups	325	20.1	388	24.4	3 or more ANC check up	39.0
13	PW who got TT 2 / Booster injection	477	29.5	532	33.4	At least 1 TT received	54.8
14	PW who consumed 100 IFA tablets	1,061	65.7	1,177	74.0	100 IFA tablets consumed	8.1
15	Home Delivery against expected delivery *	37	2.0	19	1.0	Full ANC	6.2
16	Institutional Delivery against expected delivery *	870	46.8	861	45.0	Home Delivery	56.2
17	Home Delivery against reported delivery **	37	4.1	19	2.2	Institutional Delivery	43.3
18	Institutional Delivery against reported delivery **	870	95.9	861	97.8	Home Delivery by SBA	0.6
19	Total reported Deliveries	907		880		PNC within 14 days of delivery	37.4
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	30	81.1	12	63.2		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	213	23.5	738	83.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,823		1,876			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
23	Total reported live births	930	51.0	867	46.2	Breastfeed within 1 hour of birth	54.4
24	Total Still Birth	10	0.5	25	1.3	BCG	77.9

25	Newborn weighted at birth to live birth	909	97.7	818	94.3	3 dose of DPT	81.2
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	22	2.4	15	1.8	Measles	63.2
27	Newborns breastfed within 1 hour to total reported live birth.	838	90.1	819	94.5	Full Immunization	58
28	Fully immunized	632	34.7	923	49.2		
29	Children who have received BCG	1,081	59.3	926	49.4		
30	Children who have received DPT1	1,057	58.0	979	52.2		
31	Children who have received DPT3	1,027	56.3	890	47.4		
32	Children who have received Measles	858	47.1	925	49.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	511		726			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	8.4
35	Number of Tubectomies performed	0	96	Spacing	23
36	Number of IUD insertion	204	240	Women using any method	47.3
37	Number of IUD removals	124	184	Women using modern method	42.6
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	257	186		
39	General OPD cases per 10,000 population ***	4337	4625		
40	Ayush OPD cases per 10,000 population ***	164	254		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	0	0		
46	<b>Total reported infant deaths</b>	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	0	0		

## West Kameng Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	87,013					
2	Sex Ratio	755					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	1,890		1,882			
9	Expected number of Delivery	1,752		1,745			
		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,385	126.2	3,250	172.7	Any ANC	70.1
11	Mothers registered in the first trimester	928	38.9	1,575	48.5	ANC Check up in first trimester	45.7
12	Mothers who had at least 3 Ante-Natal care check ups	898	37.7	1,302	40.1	3 or more ANC check up	57.4
13	PW who got TT 2 / Booster injection	868	36.4	971	29.9	At least 1 TT received	68.0
14	PW who consumed 100 IFA tablets	3,820	160.2	5,732	176.4	100 IFA tablets consumed	16.2
15	Home Delivery against expected delivery *	1	0.1	20	1.1	Full ANC	14.7
16	Institutional Delivery against expected delivery *	800	45.7	895	51.3	Home Delivery	50.4
17	Home Delivery against reported delivery **	1	0.1	20	2.2	Institutional Delivery	49.3
18	Institutional Delivery against reported delivery **	800	99.9	895	97.8	Home Delivery by SBA	2.4
19	Total reported Deliveries	801		915		PNC within 14 days of delivery	64.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	100.0	15	75.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	391	48.8	565	61.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,718		1,711			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
23	Total reported live births	782	45.5	895	52.3	Breastfeed within 1 hour of birth	56.7
24	Total Still Birth	15	0.9	22	1.3	BCG	86.7

25	Newborn weighted at birth to live birth	780	99.7	880	98.3	3 dose of DPT	85.3
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	38	4.9	52	5.9	Measles	75
27	Newborns breastfed within 1 hour to total reported live birth.	770	98.5	888	99.2	Full Immunization	61.8
28	Fully immunized	746	43.4	977	57.1		
29	Children who have received BCG	1,136	66.1	1,319	77.1		
30	Children who have received DPT1	1,118	65.1	1,275	74.5		
31	Children who have received DPT3	960	55.9	1,092	63.8		
32	Children who have received Measles	780	45.4	1,040	60.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,181		1,171			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	11.5
35	Number of Tubectomies performed	39	3	Spacing	15.8
36	Number of IUD insertion	435	523	Women using any method	55.4
37	Number of IUD removals	149	157	Women using modern method	49
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	340	328		
39	General OPD cases per 10,000 population ***	8114	7419		
40	Ayush OPD cases per 10,000 population ***	148	183		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	1	0		
42	Up to 1 Weeks of Birth	0	1		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	1	1		
45	Between 1 month and 11 months	3	4		
46	<b>Total reported infant deaths</b>	4	5		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	1		
49	Due to Severe hypertension/fits	1	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	1	1		



## West Siang Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	112,272					
2	Sex Ratio	916					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14	2014-15				
8	Expected number of PW	2,485	2,454				
9	Expected number of Delivery	2,304	2,276				
		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,780	71.6	1,781	72.6	Any ANC	71.5
11	Mothers registered in the first trimester	419	23.5	468	26.3	ANC Check up in first trimester	31.9
12	Mothers who had at least 3 Ante-Natal care check ups	931	52.3	894	50.2	3 or more ANC check up	58.6
13	PW who got TT 2 / Booster injection	945	53.1	964	54.1	At least 1 TT received	65.6
14	PW who consumed 100 IFA tablets	842	47.3	1,341	75.3	100 IFA tablets consumed	30.6
15	Home Delivery against expected delivery *	1	0.0	11	0.5	Full ANC	27.0
16	Institutional Delivery against expected delivery *	1,408	61.1	1,202	52.8	Home Delivery	40.7
17	Home Delivery against reported delivery **	1	0.1	11	0.9	Institutional Delivery	58.6
18	Institutional Delivery against reported delivery **	1,408	99.9	1,202	99.1	Home Delivery by SBA	0.7
19	Total reported Deliveries	1,409		1,213		PNC within 14 days of delivery	31.5
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	100.0	9	81.8		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	50	3.5	61	5.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,259		2,231			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
23	Total reported live births	1,400	62.0	1,213	54.4	Breastfeed within 1 hour of birth	59.7
24	Total Still Birth	10	0.4	14	0.6	BCG	68.9

25	Newborn weighted at birth to live birth	1,393	99.5	1,188	97.9	3 dose of DPT	58.9
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	65	4.7	58	4.9	Measles	66.2
27	Newborns breastfed within 1 hour to total reported live birth.	1,368	97.7	1,105	91.1	Full Immunization	50
28	Fully immunized	1,163	51.5	1,259	56.4		
29	Children who have received BCG	1,520	67.3	1,435	64.3		
30	Children who have received DPT1	1,550	68.6	1,485	66.6		
31	Children who have received DPT3	1,391	61.6	1,373	61.5		
32	Children who have received Measles	1,282	56.8	1,274	57.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	622		467			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	11.1
35	Number of Tubectomies performed	145	78	Spacing	13.6
36	Number of IUD insertion	277	317	Women using any method	61.3
37	Number of IUD removals	182	267	Women using modern method	55.2
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	202	173		
39	General OPD cases per 10,000 population ***	8019	6792		
40	Ayush OPD cases per 10,000 population ***	369	364		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	0	0		
46	<b>Total reported infant deaths</b>	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	0	0		

\* Against Expected Delivery for the year 2013-14 & 2014-15.

\*\* Against Reported Delivery for the year 2013-14 & 2014-15.

\*\*\* Against Estimated Population for year 2013-14 & 2014-15.