

## ASSAM Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)		SL No	C) State Health Indicator (SRS 2014)			
1	Population 2011	31,205,576	9	Birth Rate		22.4	
2	Sex Ratio	954	10	Death Rate		7.8	
3	Number of districts	27	11	IMR		54	
<b>B) Infrastructure Details (RHS 2014)</b>			12	Growth Rate		14.5	
4	Sub Centers (SC)	4,621	13	TFR (SRS - 2007)		2.4	
5	Primary Health Centers (PHC)	1,014	14	MMR(SRS 2010-12)		328	
6	Community Health Centers (CHC)	151					
7	SDH	13					
8	DH	25					
<b>D) Maternal Health:</b>		<b>2013-14</b>	<b>2014-15</b>				
15	Expected number of PW	808,419	812,232				
16	Expected number of Delivery	754,024	756,853				
		<b>HMIS (2013-14)</b>	<b>HMIS ( 2014-15)</b>		<b>AHS (2012-13)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		<b>PC</b>
17	PW register for ANC	786,037	97.2	748,081	92.1	Any ANC	94.8
18	Mothers registered in the first trimester	562,930	71.6	577,347	77.2	ANC Check up in first trimester	54.8
19	Mothers who had at least 3 Ante-Natal care check ups	622,190	79.2	628,773	84.1	3 or more ANC check up	66.2
20	PW who got TT 2 / Booster injection	671,031	85.4	662,416	88.5	At least 1 TT received	94.5
21	PW who consumed 100 IFA tablets	580,162	73.8	678,829	90.7	100 IFA tablets consumed	23.1
22	Home Delivery against expected delivery *	98,300	13.0	95,767	12.7	Full ANC	18.4
23	Institutional Delivery against expected delivery *	503,857	66.8	528,358	69.8	Home Delivery	33.6
24	Home Delivery against reported delivery **	98,300	16.3	95,767	15.3	Institutional Delivery	65.9
25	Institutional Delivery against reported delivery **	503,857	83.7	528,358	84.7	Home Delivery by SBA	29.2
26	Total reported Deliveries	602,157	79.9	624,125	82.5	PNC within 1 week of delivery	69.4
27	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	13,268	13.5	20,305	21.2		
28	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	389,346	64.7	444,409	71.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years.							
29	Expected number of Live Birth	734,926	738,394				
<b>E) Child Immunization :</b>		<b>HMIS (2013-14)</b>	<b>HMIS ( 2014-15)</b>		<b>AHS (2012-13)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		<b>PC</b>
30	Total reported live births	595,076	81.0	610,345	82.7	Breastfeed within 1 hour of birth	75.6

31	Total Still Birth	14,269	1.9	14,080	1.9	BCG	94.1
32	Newborn weighted at birth to live birth	574,236	96.5	597,685	97.9	3 dose of DPT	77.6
33	Newborn having weight less than 2.5 kg to newborn weighted at birth.	114,950	19.3	109,733	18.4	Measles	80.9
34	Newborns breast feed within 1 hour to total reported live birth.	558,550	93.9	584,182	95.7	Full Immunization	64.4
35	Fully immunized	599,259	81.5	581,146	78.7		
36	Children who have received BCG	629,570	85.7	641,584	86.9		
37	Children who have received DPT1	644,199	87.7	567,248	76.8		
38	Children who have received DPT3	623,916	84.9	603,698	81.8		
39	Children who have received Measles	608,193	82.8	589,250	79.8		
40	Diarrhoea and Dehydration reported in children below 5 years of age	137,899		125,825			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).</p>							
<b>F) Family Planning</b>		<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>AHS (2012-13)</b>	
41	Number of Vasectomies performed	4,066		4,279		Limiting	6.5
42	Number of Tubectomies performed	48,585		39,802		Spacing	6.6
43	Number of IUD insertion	84,541		97,714		Women using any method	67.2
44	Number of IUDremovals	11,125		11,995		Women using modern method	38.1
<b>G) Service delivery</b>		<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
45	IPD cases per 10,000 population ***	360		356			
46	General OPD cases per 10,000 population ***	9,165		8,515			
47	Ayush OPD cases per 10,000 population ***	199		165			
<b>H) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
48	Neonatal death within 24 hours	278		174			
49	Up to 1 Weeks of Birth	2,939		2,734			
50	Between 1 week & 4 weeks of birth	102		59			
51	Neonatal Death	3,319		2,967			
52	Between 1 month and 11 months	1,532		1,719			
53	<b>Total reported infant deaths</b>	4,851		4,686			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
54	Due to Abortion	24		15			
55	Due to Obstructed/prolonged labour	28		26			
56	Due to Severe hypertesion/fits	103		91			
57	Due to Bleeding	129		98			
58	Due to High fever	22		22			
59	Due to Other Causes (including causes not known)	495		487			
60	<b>Total reported maternal deaths</b>	801		739			

## Baksa Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	950,075					
2	Sex Ratio	967					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	157					
4	Primary Health Centers (PHC)	41					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2013-14</b>	<b>2014-15</b>				
8	Expected number of PW	24,363	24,311				
9	Expected number of Delivery	22,702	22,654				
		<b>HMIS (2013-14)</b>	<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	18,694	76.7	18,201	74.9	Any ANC	NA
11	Mothers registered in the first trimester	15,583	83.4	14,994	82.4	ANC Check up in first trimester	NA
12	Mothers who had at least 3 Ante-Natal care check ups	15,442	82.6	15,436	84.8	3 or more ANC check up	NA
13	PW who got TT 2 / Booster injection	15,996	85.6	15,570	85.5	At least 1 TT received	NA
14	PW who consumed 100 IFA tablets	16,176	86.5	16,434	90.3	100 IFA tablets consumed	NA
15	Home Delivery against expected delivery *	1,074	4.7	1,091	4.8	Full ANC	NA
16	Institutional Delivery against expected delivery *	10,486	46.2	10,155	44.8	Home Delivery	NA
17	Home Delivery against reported delivery **	1,074	9.3	1,091	9.7	Institutional Delivery	NA
18	Institutional Delivery against reported delivery **	10,486	90.7	10,155	90.3	Home Delivery by SBA	NA
19	Total reported Deliveries	11,560		11,246		PNC within 48 hrs of delivery	NA
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	26	2.4	26	2.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,855	93.9	10,449	92.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years.							
22	Expected number of Live Birth	22,148		22,101			
<b>D) Child Immunization :</b>		<b>HMIS (2013-14)</b>	<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>		
23	Total reported live births	11,425	51.6	11,058	50.0	Breastfed within 1 hour of birth	NA

24	Total Still Birth	239	1.1	211	1.0	BCG	NA
25	PC of newborn weighted at birth to live birth	11,374	99.6	11,009	99.6	3 dose of DPT	NA
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,944	17.1	1,419	12.9	Measles	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	11,190	97.9	10,973	99.2	Full Immunization	NA
28	Children fully immunized	15,271	68.9	14,119	63.9		
29	Children who have received BCG	12,846	58.0	13,953	63.1		
30	Children who have received DPT1	16,380	74.0	14,888	67.4		
31	Children who have received DPT3	15,823	71.4	14,988	67.8		
32	Children who have received Measles	15,254	68.9	14,084	63.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,638		2,262			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).</b>							
<b>E) Family Planning</b>		<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>AHS (2012-13)</b>	
34	Number of Vasectomies performed	0		25		Limiting	NA
35	Number of Tubectomies performed	405		270		Spacing	NA
36	Number of IUD insertion	1,778		1,288		Women using any method	NA
37	Number of IUD removals	297		390		Women using modern method	NA
<b>F) Service delivery</b>		<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
38	IPD cases per 10,000 population ***	126		129			
39	General OPD cases per 10,000 population ***	7,486		6,545			
40	Ayush OPD cases per 10,000 population ***	93		262.2			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
41	Neonatal death within 24 hours	10		4			
42	Up to 1 Weeks of Birth	84		52			
43	Between 1 week & 4 weeks of birth	5		3			
44	Neonatal Death	99		59			
45	Between 1 month and 11 months	74		71			
46	<b>Total reported infant deaths</b>	173		130			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension / fits	1		0			
50	Due to Bleeding	2		2			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	9		2			
53	<b>Total reported maternal deaths</b>	12		4			

## Barpeta Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,693,622					
2	Sex Ratio	951					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	264					
4	Primary Health Centers (PHC)	51					
5	Community Health Centers (CHC)	6					
6	SDH	1					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
8	Expected number of PW	44,313		44,666			
9	Expected number of Delivery	41,292		41,621			
		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	42,658	96.3	41,310	92.5	Any ANC	94.0
11	Mothers registered in the first trimester	31,709	74.3	32,407	78.4	ANC Check up in first trimester	35.7
12	Mothers who had at least 3 Ante-Natal care check ups	35,373	82.9	36,669	88.8	3 or more ANC check up	55.6
13	PW who got TT 2 / Booster injection	37,136	87.1	36,683	88.8	At least 1 TT received	94.0
14	PW who consumed 100 IFA tablets	30,568	71.7	34,634	83.8	100 IFA tablets consumed	18.9
15	Home Delivery against expected delivery *	12,414	30.1	11,365	27.3	Full ANC	14.0
16	Institutional Delivery against expected delivery *	23,541	57.0	25,658	61.6	Home Delivery	47.4
17	Home Delivery against reported delivery **	12,414	34.5	11,365	30.7	Institutional Delivery	52.3
18	Institutional Delivery against reported delivery **	23,541	65.5	25,658	69.3	Home Delivery by SBA	19.8
19	Total reported Deliveries	35,955		37,023		PNC within 48 hrs of delivery	56.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,429	19.6	3,142	27.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	20,988	58.4	26,016	70.3		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years.</b>							
22	Expected number of Live Birth	40,285		40,606			
<b>D) Child Immunization :</b>		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>	
23	Total reported live births	35,354	87.8	36,194	89.1	Breastfed within 1 hour of birth	78.9
24	Total Still Birth	853	2.1	1,077	2.7	BCG	93.5

25	PC of newborn weighted at birth to live birth	33,970	96.1	35,985	99.4	3 dose of DPT	78.5
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	8,109	23.9	8,585	23.9	Measles	76.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	33,550	94.9	35,629	98.4	Full Immunization	62.1
28	Children fully immunized	34,295	85.1	34,218	84.3		
29	Children who have received BCG	34,225	85.0	36,926	90.9		
30	Children who have received DPT1	37,614	93.4	34,065	83.9		
31	Children who have received DPT3	36,499	90.6	36,522	89.9		
32	Children who have received Measles	34,594	85.9	34,555	85.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,890		2,979			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).</b>							
<b>E) Family Planning</b>		<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>AHS (2012-13)</b>	
34	Number of Vasectomies performed	24		66		Limiting	5.2
35	Number of Tubectomies performed	1,773		1,144		Spacing	7.2
36	Number of IUD insertion	3,675		3,825		Women using any method	74.1
37	Number of IUD removals	147		101		Women using modern method	39
<b>F) Service delivery</b>		<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
38	IPD cases per 10,000 population ***	192		196			
39	General OPD cases per 10,000 population ***	8,079		6,801			
40	Ayush OPD cases per 10,000 population ***	31		0.0			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
41	Neonatal death within 24 hours	20		6			
42	Up to 1 Weeks of Birth	200		151			
43	Between 1 week & 4 weeks of birth	15		4			
44	Neonatal Death	235		161			
45	Between 1 month and 11 months	68		78			
46	<b>Total reported infant deaths</b>	<b>303</b>		<b>239</b>			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
47	Due to Abortion	2		1			
48	Due to Obstructed/prolonged labour	1		1			
49	Due to Severe hypertension / fits	11		5			
50	Due to Bleeding	7		8			
51	Due to High fever	0		2			
52	Due to Other Causes (including causes not known)	42		25			
53	<b>Total reported maternal deaths</b>	<b>63</b>		<b>42</b>			

## Bongaigaon Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	738,804						
2	Sex Ratio	961						
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	84						
4	Primary Health Centers (PHC)	30						
5	Community Health Centers (CHC)	3						
6	SDH	0						
7	DH	1						
<b>C) Maternal Health:</b>		<b>2013-14</b>	<b>2014-15</b>					
8	Expected number of PW	19,262	19,381					
9	Expected number of Delivery	17,949	18,059					
		<b>HMIS (2013-14)</b>	<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	17,592	91.3	16,065	82.9	Any ANC	92.6	
11	Mothers registered in the first trimester	11,772	66.9	11,963	74.5	ANC Check up in first trimester	43.7	
12	Mothers who had at least 3 Ante-Natal care check ups	12,878	73.2	13,193	82.1	3 or more ANC check up	59.5	
13	PW who got TT 2 / Booster injection	14,851	84.4	14,666	91.3	At least 1 TT received	92.5	
14	PW who consumed 100 IFA tablets	14,503	82.4	14,984	93.3	100 IFA tablets consumed	21.1	
15	Home Delivery against expected delivery *	3,561	19.8	3,613	20.0	Full ANC	16.3	
16	Institutional Delivery against expected delivery *	13,019	72.5	11,949	66.2	Home Delivery	45.1	
17	Home Delivery against reported delivery **	3,561	21.5	3,613	23.2	Institutional Delivery	54.8	
18	Institutional Delivery against reported delivery **	13,019	78.5	11,949	76.8	Home Delivery by SBA	34.8	
19	Total reported Deliveries	16,580		15,562		PNC within 48 hrs of delivery	55.3	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	173	4.9	95	2.6			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,747	70.9	13,462	86.5			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years.</b>								
22	Expected number of Live Birth	17,511		17,619				
<b>D) Child Immunization :</b>		<b>HMIS (2013-14)</b>	<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>			
23	Total reported live births	16,279	93.0	15,270	86.7	Breastfed within 1 hour of birth	72.8	
24	Total Still Birth	384	2.2	351	2.0	BCG	94.3	

25	PC of newborn weighted at birth to live birth	15,955	98.0	15,174	99.4	3 dose of DPT	66.6
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,481	15.5	1,768	11.7	Measles	79.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	15,983	98.2	15,213	99.6	Full Immunization	52.4
28	Children fully immunized	14,550	83.1	13,508	76.7		
29	Children who have received BCG	16,541	94.5	15,683	89.0		
30	Children who have received DPT1	16,198	92.5	14,081	79.9		
31	Children who have received DPT3	14,907	85.1	14,162	80.4		
32	Children who have received Measles	14,629	83.5	13,637	77.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	794		496			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).</b>							
<b>E) Family Planning</b>		<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>AHS (2012-13)</b>	
34	Number of Vasectomies performed	12		5		Limiting	5.2
35	Number of Tubectomies performed	427		272		Spacing	6.6
36	Number of IUD insertion	2,922		1,873		Women using any method	70.5
37	Number of IUD removals	131		137		Women using modern method	35.7
<b>F) Service delivery</b>		<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
38	IPD cases per 10,000 population ***	160		154			
39	General OPD cases per 10,000 population ***	9,373		8,179			
40	Ayush OPD cases per 10,000 population ***	29		14.2			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
41	Neonatal death within 24 hours	18		3			
42	Up to 1 Weeks of Birth	231		222			
43	Between 1 week & 4 weeks of birth	9		5			
44	Neonatal Death	258		230			
45	Between 1 month and 11 months	78		82			
46	<b>Total reported infant deaths</b>	336		312			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
47	Due to Abortion	0		1			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension / fits	2		1			
50	Due to Bleeding	6		5			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	13		18			
53	<b>Total reported maternal deaths</b>	21		25			



## Cachar Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	<b>1,736,617</b>					
2	Sex Ratio	<b>958</b>					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	<b>270</b>					
4	Primary Health Centers (PHC)	<b>33</b>					
5	Community Health Centers (CHC)	<b>5</b>					
6	SDH	<b>0</b>					
7	DH	<b>1</b>					
<b>C) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
8	Expected number of PW	45,329		45,635			
9	Expected number of Delivery	42,238		42,523			
		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	42,191	93.1	41,316	90.5	Any ANC	95.6
11	Mothers registered in the first trimester	32,591	77.2	33,426	80.9	ANC Check up in first trimester	57.8
12	Mothers who had at least 3 Ante-Natal care check ups	32,583	77.2	33,446	81.0	3 or more ANC check up	66.5
13	PW who got TT 2 / Booster injection	38,586	91.5	37,561	90.9	At least 1 TT received	95.3
14	PW who consumed 100 IFA tablets	33,688	79.8	45,424	109.9	100 IFA tablets consumed	21.5
15	Home Delivery against expected delivery *	6,088	14.4	5,160	12.1	Full ANC	17.8
16	Institutional Delivery against expected delivery *	34,274	81.1	35,920	84.5	Home Delivery	34.9
17	Home Delivery against reported delivery **	6,088	15.1	5,160	12.6	Institutional Delivery	64.8
18	Institutional Delivery against reported delivery **	34,274	84.9	35,920	87.4	Home Delivery by SBA	35.7
19	Total reported Deliveries	40,362		41,080		PNC within 48 hrs of delivery	69.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,225	20.1	2,082	40.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	28,670	71.0	28,592	69.6		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years.</b>							
22	Expected number of Live Birth	41,208		41,486			
<b>D) Child Immunization :</b>		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>	
23	Total reported live births	39,340	95.5	40,218	96.9	Breastfed within 1 hour of birth	63.3
24	Total Still Birth	1,250	3.0	1,385	3.3	BCG	94.2

25	PC of newborn weighted at birth to live birth	39,234	99.7	40,185	99.9	3 dose of DPT	77.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	9,534	24.3	8,729	21.7	Measles	80.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	37,950	96.5	36,452	90.6	Full Immunization	64.5
28	Children fully immunized	36,818	89.3	34,885	84.1		
29	Children who have received BCG	38,422	93.2	41,487	100.0		
30	Children who have received DPT1	38,915	94.4	34,188	82.4		
31	Children who have received DPT3	38,072	92.4	36,167	87.2		
32	Children who have received Measles	37,208	90.3	35,461	85.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	4,968		3,683			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).</b>							
<b>E) Family Planning</b>		<b>HMIS (2013-14)</b>	<b>HMIS ( 2014-15)</b>	<b>AHS (2012-13)</b>			
34	Number of Vasectomies performed	38	142	Limiting	8.8		
35	Number of Tubectomies performed	3,447	2,987	Spacing	9.4		
36	Number of IUD insertion	2,730	2,037	Women using any method	57		
37	Number of IUD removals	505	265	Women using modern method	31.9		
<b>F) Service delivery</b>		<b>HMIS (2013-14)</b>	<b>HMIS ( 2014-15)</b>				
38	IPD cases per 10,000 population ***	432	420				
39	General OPD cases per 10,000 population ***	6,835	6,993				
40	Ayush OPD cases per 10,000 population ***	66	5.8				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>	<b>HMIS ( 2014-15)</b>				
41	Neonatal death within 24 hours	40	19				
42	Up to 1 Weeks of Birth	214	238				
43	Between 1 week & 4 weeks of birth	3	2				
44	Neonatal Death	257	259				
45	Between 1 month and 11 months	127	144				
46	<b>Total reported infant deaths</b>	<b>384</b>	<b>403</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>	<b>HMIS ( 2014-15)</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	3	3				
49	Due to Severe hypertension / fits	6	8				
50	Due to Bleeding	7	3				
51	Due to High fever	2	2				
52	Due to Other Causes (including causes not known)	29	33				
53	<b>Total reported maternal deaths</b>	<b>47</b>	<b>49</b>				

## Chirang Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	482,162						
2	Sex Ratio	969						
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	86						
4	Primary Health Centers (PHC)	25						
5	Community Health Centers (CHC)	3						
6	SDH	0						
7	DH	1						
<b>C) Maternal Health:</b>		<b>2013-14</b>	<b>2014-15</b>					
8	Expected number of PW	12,366	12,341					
9	Expected number of Delivery	11,523	11,500					
		<b>HMIS (2013-14)</b>	<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	12,941	104.6	11,381	92.2	Any ANC	NA	
11	Mothers registered in the first trimester	6,363	49.2	8,168	71.8	ANC Check up in first trimester	NA	
12	Mothers who had at least 3 Ante-Natal care check ups	9,270	71.6	9,046	79.5	3 or more ANC check up	NA	
13	PW who got TT 2 / Booster injection	9,944	76.8	9,836	86.4	At least 1 TT received	NA	
14	PW who consumed 100 IFA tablets	9,972	77.1	10,297	90.5	100 IFA tablets consumed	NA	
15	Home Delivery against expected delivery *	1,881	16.3	2,112	18.4	Full ANC	NA	
16	Institutional Delivery against expected delivery *	5,793	50.3	5,679	49.4	Home Delivery	NA	
17	Home Delivery against reported delivery **	1,881	24.5	2,112	27.1	Institutional Delivery	NA	
18	Institutional Delivery against reported delivery **	5,793	75.5	5,679	72.9	Home Delivery by SBA	NA	
19	Total reported Deliveries	7,674		7,791		PNC within 48 hrs of delivery	NA	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	14	0.7	89	4.2			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,050	26.7	4,152	53.3			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years.</b>								
22	Expected number of Live Birth	11,242		11,219				
<b>D) Child Immunization :</b>		<b>HMIS (2013-14)</b>	<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>			
23	Total reported live births	7,855	69.9	7,792	69.5	Breastfed within 1 hour of birth	NA	
24	Total Still Birth	113	1.0	80	0.7	BCG	NA	

25	PC of newborn weighted at birth to live birth	6,787	86.4	7,519	96.5	3 dose of DPT	NA
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,366	20.1	3,331	44.3	Measles	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	6,109	77.8	7,512	96.4	Full Immunization	NA
28	Children fully immunized	8,811	78.4	8,481	75.6		
29	Children who have received BCG	9,772	86.9	8,859	79.0		
30	Children who have received DPT1	9,724	86.5	8,324	74.2		
31	Children who have received DPT3	9,201	81.8	8,405	74.9		
32	Children who have received Measles	8,909	79.2	8,523	76.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,593		2,780			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).</b>							
<b>E) Family Planning</b>		<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>AHS (2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	NA
35	Number of Tubectomies performed	102		131		Spacing	NA
36	Number of IUD insertion	1,510		1,555		Women using any method	NA
37	Number of IUD removals	475		378		Women using modern method	NA
<b>F) Service delivery</b>		<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
38	IPD cases per 10,000 population ***	26		27			
39	General OPD cases per 10,000 population ***	7,336		7,640			
40	Ayush OPD cases per 10,000 population ***	238		208.2			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
41	Neonatal death within 24 hours	4		1			
42	Up to 1 Weeks of Birth	21		16			
43	Between 1 week & 4 weeks of birth	1		0			
44	Neonatal Death	26		17			
45	Between 1 month and 11 months	39		50			
46	<b>Total reported infant deaths</b>	<b>65</b>		<b>67</b>			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension / fits	2		0			
50	Due to Bleeding	2		1			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	8		10			
53	<b>Total reported maternal deaths</b>	<b>12</b>		<b>11</b>			

## Darrang Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	<b>928,500</b>					
2	Sex Ratio	<b>923</b>					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	<b>163</b>					
4	Primary Health Centers (PHC)	<b>30</b>					
5	Community Health Centers (CHC)	<b>6</b>					
6	SDH	<b>0</b>					
7	DH	<b>1</b>					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	24,204		24,352			
9	Expected number of Delivery	22,554		22,691			
		HMIS (2013-14)		HMIS (2014-15)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	26,363	108.9	22,397	92.0	Any ANC	91.3
11	Mothers registered in the first trimester	17,750	67.3	14,769	65.9	ANC Check up in first trimester	39.9
12	Mothers who had at least 3 Ante-Natal care check ups	19,239	73.0	20,705	92.4	3 or more ANC check up	51.9
13	PW who got TT 2 / Booster injection	20,571	78.0	19,821	88.5	At least 1 TT received	91.3
14	PW who consumed 100 IFA tablets	16,135	61.2	17,304	77.3	100 IFA tablets consumed	29.4
15	Home Delivery against expected delivery *	3,892	17.3	3,151	13.9	Full ANC	17.1
16	Institutional Delivery against expected delivery *	15,273	67.7	15,812	69.7	Home Delivery	36.6
17	Home Delivery against reported delivery **	3,892	20.3	3,151	16.6	Institutional Delivery	63.0
18	Institutional Delivery against reported delivery **	15,273	79.7	15,812	83.4	Home Delivery by SBA	24.0
19	Total reported Deliveries	19,165		18,963		PNC within 48 hrs of delivery	66.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	40	1.0	311	9.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,350	59.2	13,083	69.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years.							
22	Expected number of Live Birth	22,004		22,138			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		AHS (2012-13)	
23	Total reported live births	18,953	86.1	18,719	84.6	Breastfed within 1 hour of birth	73.6
24	Total Still Birth	391	1.8	405	1.8	BCG	93.2

25	PC of newborn weighted at birth to live birth	18,262	96.4	17,883	95.5	3 dose of DPT	70.8
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	4,001	21.9	3,063	17.1	Measles	71.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	18,233	96.2	17,805	95.1	Full Immunization	56.4
28	Children fully immunized	19,084	86.7	18,930	85.5		
29	Children who have received BCG	20,700	94.1	20,169	91.1		
30	Children who have received DPT1	20,283	92.2	16,921	76.4		
31	Children who have received DPT3	19,689	89.5	18,615	84.1		
32	Children who have received Measles	19,418	88.2	19,146	86.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	9,927		7,948			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).</b>							
<b>E) Family Planning</b>		<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>AHS (2012-13)</b>	
34	Number of Vasectomies performed	60		49		Limiting	6.2
35	Number of Tubectomies performed	1,567		1,763		Spacing	8.2
36	Number of IUD insertion	3,088		4,817		Women using any method	68
37	Number of IUD removals	247		479		Women using modern method	37.3
<b>F) Service delivery</b>		<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
38	IPD cases per 10,000 population ***	360		392			
39	General OPD cases per 10,000 population ***	9,270		7,280			
40	Ayush OPD cases per 10,000 population ***	260		208.0			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
41	Neonatal death within 24 hours	11		6			
42	Up to 1 Weeks of Birth	88		52			
43	Between 1 week & 4 weeks of birth	2		1			
44	Neonatal Death	101		59			
45	Between 1 month and 11 months	45		39			
46	<b>Total reported infant deaths</b>	146		98			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
47	Due to Abortion	5		0			
48	Due to Obstructed/prolonged labour	1		0			
49	Due to Severe hypertension / fits	1		2			
50	Due to Bleeding	6		2			
51	Due to High fever	1		0			
52	Due to Other Causes (including causes not known)	18		2			
53	<b>Total reported maternal deaths</b>	32		6			

## Dhemaji Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	686,133						
2	Sex Ratio	949						
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	98						
4	Primary Health Centers (PHC)	22						
5	Community Health Centers (CHC)	4						
6	SDH	0						
7	DH	1						
<b>C) Maternal Health:</b>		<b>2013-14</b>	<b>2014-15</b>					
8	Expected number of PW	17,914	18,037					
9	Expected number of Delivery	16,693	16,807					
		<b>HMIS (2013-14)</b>	<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	16,052	89.6	15,568	86.3	Any ANC	94.9	
11	Mothers registered in the first trimester	12,703	79.1	12,658	81.3	ANC Check up in first trimester	60.8	
12	Mothers who had at least 3 Ante-Natal care check ups	15,323	95.5	13,961	89.7	3 or more ANC check up	66.9	
13	PW who got TT 2 / Booster injection	14,267	88.9	13,950	89.6	At least 1 TT received	94.7	
14	PW who consumed 100 IFA tablets	13,892	86.5	13,472	86.5	100 IFA tablets consumed	14.4	
15	Home Delivery against expected delivery *	349	2.1	128	0.8	Full ANC	11.0	
16	Institutional Delivery against expected delivery *	15,461	92.6	15,799	94.0	Home Delivery	27.1	
17	Home Delivery against reported delivery **	349	2.2	128	0.8	Institutional Delivery	72.3	
18	Institutional Delivery against reported delivery **	15,461	97.8	15,799	99.2	Home Delivery by SBA	24.9	
19	Total reported Deliveries	15,810		15,927		PNC within 48 hrs of delivery	70.7	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	41	11.7	15	11.7			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,890	56.2	8,855	55.6			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years.								
22	Expected number of Live Birth	16,285		16,397				
<b>D) Child Immunization :</b>		<b>HMIS (2013-14)</b>	<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>			
23	Total reported live births	15,540	95.4	15,693	95.7	Breastfed within 1 hour of birth	82.9	
24	Total Still Birth	350	2.1	333	2.0	BCG	91.5	

25	PC of newborn weighted at birth to live birth	15,013	96.6	15,609	99.5	3 dose of DPT	78
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,012	13.4	2,017	12.9	Measles	77.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	12,445	80.1	14,866	94.7	Full Immunization	66.6
28	Children fully immunized	14,053	86.3	13,486	82.2		
29	Children who have received BCG	15,551	95.5	14,796	90.2		
30	Children who have received DPT1	14,091	86.5	11,993	73.1		
31	Children who have received DPT3	13,939	85.6	13,466	82.1		
32	Children who have received Measles	14,054	86.3	13,520	82.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	4,416		4,406			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).</b>							
<b>E) Family Planning</b>		<b>HMIS (2013-14)</b>	<b>HMIS ( 2014-15)</b>			<b>AHS (2012-13)</b>	
34	Number of Vasectomies performed	9	0	Limiting	6.1		
35	Number of Tubectomies performed	2,301	1,865	Spacing	6.1		
36	Number of IUD insertion	3,328	4,929	Women using any method	75.2		
37	Number of IUD removals	326	706	Women using modern method	34.7		
<b>F) Service delivery</b>		<b>HMIS (2013-14)</b>	<b>HMIS ( 2014-15)</b>				
38	IPD cases per 10,000 population ***	214	200				
39	General OPD cases per 10,000 population ***	8,834	8,106				
40	Ayush OPD cases per 10,000 population ***	335	408.3				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>	<b>HMIS ( 2014-15)</b>				
41	Neonatal death within 24 hours	6	11				
42	Up to 1 Weeks of Birth	156	141				
43	Between 1 week & 4 weeks of birth	0	1				
44	Neonatal Death	162	153				
45	Between 1 month and 11 months	51	93				
46	<b>Total reported infant deaths</b>	<b>213</b>	<b>246</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>	<b>HMIS ( 2014-15)</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension / fits	6	1				
50	Due to Bleeding	1	2				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	16	28				
53	<b>Total reported maternal deaths</b>	<b>23</b>	<b>31</b>				



## Dhubri Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	1,949,258						
2	Sex Ratio	952						
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	246						
4	Primary Health Centers (PHC)	44						
5	Community Health Centers (CHC)	8						
6	SDH	1						
7	DH	1						
<b>C) Maternal Health:</b>		<b>2013-14</b>	<b>2014-15</b>					
8	Expected number of PW	51,302	51,862					
9	Expected number of Delivery	47,804	48,326					
		<b>HMIS (2013-14)</b>	<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	60,720	118.4	60,314	116.3	Any ANC	88.7	
11	Mothers registered in the first trimester	35,799	59.0	40,275	66.8	ANC Check up in first trimester	33.4	
12	Mothers who had at least 3 Ante-Natal care check ups	50,200	82.7	51,491	85.4	3 or more ANC check up	39.7	
13	PW who got TT 2 / Booster injection	54,278	89.4	53,285	88.3	At least 1 TT received	88.6	
14	PW who consumed 100 IFA tablets	45,975	75.7	56,600	93.8	100 IFA tablets consumed	14.3	
15	Home Delivery against expected delivery *	21,476	44.9	22,834	47.2	Full ANC	7.6	
16	Institutional Delivery against expected delivery *	24,160	50.5	26,104	54.0	Home Delivery	57.3	
17	Home Delivery against reported delivery **	21,476	47.1	22,834	46.7	Institutional Delivery	42.4	
18	Institutional Delivery against reported delivery **	24,160	52.9	26,104	53.3	Home Delivery by SBA	23.0	
19	Total reported Deliveries	45,636		48,938		PNC within 48 hrs of delivery	52.1	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4,289	20.0	5,207	22.8			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	23,980	52.5	33,630	68.7			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years.</b>								
22	Expected number of Live Birth	46,638		47,148				
<b>D) Child Immunization :</b>		<b>HMIS (2013-14)</b>	<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>			
23	Total reported live births	44,940	96.4	47,946	101.7	Breastfed within 1 hour of birth	65.5	
24	Total Still Birth	1,073	2.3	1,123	2.4	BCG	89.9	

25	PC of newborn weighted at birth to live birth	44,426	98.9	47,854	99.8	3 dose of DPT	69.4
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	10,197	23.0	8,793	18.4	Measles	62.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	43,938	97.8	47,172	98.4	Full Immunization	48.7
28	Children fully immunized	44,192	94.8	42,712	90.6		
29	Children who have received BCG	47,110	101.0	52,142	110.6		
30	Children who have received DPT1	49,067	105.2	43,617	92.5		
31	Children who have received DPT3	46,546	99.8	44,586	94.6		
32	Children who have received Measles	45,059	96.6	43,401	92.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	9,700		6,916			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).</b>							
<b>E) Family Planning</b>		<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>AHS (2012-13)</b>	
34	Number of Vasectomies performed	7		4		Limiting	7
35	Number of Tubectomies performed	678		705		Spacing	11.8
36	Number of IUD insertion	4,700		7,440		Women using any method	49.6
37	Number of IUD removals	990		632		Women using modern method	34
<b>F) Service delivery</b>		<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
38	IPD cases per 10,000 population ***	282		282			
39	General OPD cases per 10,000 population ***	8,585		7,525			
40	Ayush OPD cases per 10,000 population ***	46		40.0			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
41	Neonatal death within 24 hours	20		11			
42	Up to 1 Weeks of Birth	403		296			
43	Between 1 week & 4 weeks of birth	3		6			
44	Neonatal Death	426		313			
45	Between 1 month and 11 months	144		110			
46	<b>Total reported infant deaths</b>	570		423			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
47	Due to Abortion	3		7			
48	Due to Obstructed/prolonged labour	2		0			
49	Due to Severe hypertension / fits	12		13			
50	Due to Bleeding	12		14			
51	Due to High fever	3		0			
52	Due to Other Causes (including causes not known)	47		44			
53	<b>Total reported maternal deaths</b>	79		78			

## Dibrugarh Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,326,335					
2	Sex Ratio	952					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	231					
4	Primary Health Centers (PHC)	30					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	0					
<b>C) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
8	Expected number of PW	34,070		34,027			
9	Expected number of Delivery	31,747		31,707			
		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	29,587	86.8	27,026	79.4	Any ANC	97.3
11	Mothers registered in the first trimester	22,374	75.6	21,478	79.5	ANC Check up in first trimester	68.0
12	Mothers who had at least 3 Ante-Natal care check ups	23,983	81.1	22,766	84.2	3 or more ANC check up	84.8
13	PW who got TT 2 / Booster injection	22,568	76.3	22,093	81.7	At least 1 TT received	97.2
14	PW who consumed 100 IFA tablets	24,406	82.5	23,795	88.0	100 IFA tablets consumed	32.8
15	Home Delivery against expected delivery *	259	0.8	168	0.5	Full ANC	29.3
16	Institutional Delivery against expected delivery *	23,112	72.8	26,475	83.5	Home Delivery	18.6
17	Home Delivery against reported delivery **	259	1.1	168	0.6	Institutional Delivery	81.2
18	Institutional Delivery against reported delivery **	23,112	98.9	26,475	99.4	Home Delivery by SBA	36.4
19	Total reported Deliveries	23,371		26,643		PNC within 48 hrs of delivery	84.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	56	21.6	39	23.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	14,631	62.6	17,129	64.3		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years.</b>							
22	Expected number of Live Birth	30,973		30,933			
<b>D) Child Immunization :</b>		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>	
23	Total reported live births	23,708	76.5	23,468	75.9	Breastfed within 1 hour of birth	81.4
24	Total Still Birth	535	1.7	608	2.0	BCG	97.5

25	PC of newborn weighted at birth to live birth	21,396	90.2	23,271	99.2	3 dose of DPT	88
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,872	27.4	5,455	23.4	Measles	93.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	19,773	83.4	23,147	98.6	Full Immunization	82.3
28	Children fully immunized	22,076	71.3	21,599	69.8		
29	Children who have received BCG	22,680	73.2	25,356	82.0		
30	Children who have received DPT1	22,655	73.1	20,327	65.7		
31	Children who have received DPT3	21,482	69.4	21,254	68.7		
32	Children who have received Measles	22,147	71.5	21,654	70.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	6,781		4,836			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).</b>							
<b>E) Family Planning</b>		<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>AHS (2012-13)</b>	
34	Number of Vasectomies performed	558		252		Limiting	9.2
35	Number of Tubectomies performed	4,454		4,291		Spacing	6
36	Number of IUD insertion	2,326		3,826		Women using any method	65.1
37	Number of IUD removals	378		436		Women using modern method	43.9
<b>F) Service delivery</b>		<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
38	IPD cases per 10,000 population ***	624		633			
39	General OPD cases per 10,000 population ***	13,106		13,937			
40	Ayush OPD cases per 10,000 population ***	242		173.7			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
41	Neonatal death within 24 hours	1		2			
42	Up to 1 Weeks of Birth	47		65			
43	Between 1 week & 4 weeks of birth	1		0			
44	Neonatal Death	49		67			
45	Between 1 month and 11 months	34		46			
46	<b>Total reported infant deaths</b>	83		113			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	1		0			
49	Due to Severe hypertension / fits	0		2			
50	Due to Bleeding	3		1			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	5		12			
53	<b>Total reported maternal deaths</b>	9		15			

## Goalpara Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,008,183					
2	Sex Ratio	962					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	151					
4	Primary Health Centers (PHC)	41					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2013-14</b>	<b>2014-15</b>				
8	Expected number of PW	26,448	26,694				
9	Expected number of Delivery	24,645	24,874				
		<b>HMIS (2013-14)</b>	<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	30,501	115.3	29,243	109.5	Any ANC	94.8
11	Mothers registered in the first trimester	18,249	59.8	20,455	69.9	ANC Check up in first trimester	40.8
12	Mothers who had at least 3 Ante-Natal care check ups	25,273	82.9	25,067	85.7	3 or more ANC check up	65.4
13	PW who got TT 2 / Booster injection	25,803	84.6	25,302	86.5	At least 1 TT received	94.8
14	PW who consumed 100 IFA tablets	19,580	64.2	25,880	88.5	100 IFA tablets consumed	18.0
15	Home Delivery against expected delivery *	3,324	13.5	3,015	12.1	Full ANC	14.6
16	Institutional Delivery against expected delivery *	20,001	81.2	20,920	84.1	Home Delivery	44.2
17	Home Delivery against reported delivery **	3,324	14.3	3,015	12.6	Institutional Delivery	55.6
18	Institutional Delivery against reported delivery **	20,001	85.7	20,920	87.4	Home Delivery by SBA	36.0
19	Total reported Deliveries	23,325		23,935		PNC within 48 hrs of delivery	55.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	437	13.1	1,076	35.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	14,987	64.3	15,449	64.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years.							
22	Expected number of Live Birth	24,044		24,267			
<b>D) Child Immunization :</b>		<b>HMIS (2013-14)</b>	<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>		
23	Total reported live births	23,025	95.8	23,703	97.7	Breastfed within 1 hour of birth	79.8
24	Total Still Birth	503	2.1	401	1.7	BCG	91.8

25	PC of newborn weighted at birth to live birth	22,724	98.7	23,539	99.3	3 dose of DPT	58.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,248	14.3	3,405	14.5	Measles	72.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	22,353	97.1	23,229	98.0	Full Immunization	46.6
28	Children fully immunized	20,937	87.1	21,431	88.3		
29	Children who have received BCG	24,236	100.8	23,719	97.7		
30	Children who have received DPT1	24,361	101.3	21,038	86.7		
31	Children who have received DPT3	22,441	93.3	22,681	93.5		
32	Children who have received Measles	21,253	88.4	21,609	89.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,115		4,123			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).</p>							
<b>E) Family Planning</b>		<b>HMIS (2013-14)</b>	<b>HMIS ( 2014-15)</b>	<b>AHS (2012-13)</b>			
34	Number of Vasectomies performed	44	1	Limiting	6.1		
35	Number of Tubectomies performed	469	666	Spacing	6.6		
36	Number of IUD insertion	4,125	3,291	Women using any method	72.4		
37	Number of IUD removals	526	495	Women using modern method	45		
<b>F) Service delivery</b>		<b>HMIS (2013-14)</b>	<b>HMIS ( 2014-15)</b>				
38	IPD cases per 10,000 population ***	250	292				
39	General OPD cases per 10,000 population ***	8,888	7,844				
40	Ayush OPD cases per 10,000 population ***	1,185	1147.4				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>	<b>HMIS ( 2014-15)</b>				
41	Neonatal death within 24 hours	4	9				
42	Up to 1 Weeks of Birth	115	114				
43	Between 1 week & 4 weeks of birth	14	0				
44	Neonatal Death	133	123				
45	Between 1 month and 11 months	39	98				
46	<b>Total reported infant deaths</b>	<b>172</b>	<b>221</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>	<b>HMIS ( 2014-15)</b>				
47	Due to Abortion	0	2				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension / fits	2	2				
50	Due to Bleeding	3	12				
51	Due to High fever	0	2				
52	Due to Other Causes (including causes not known)	16	21				
53	<b>Total reported maternal deaths</b>	<b>21</b>	<b>39</b>				

## Golaghat Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,066,888					
2	Sex Ratio	961					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	144					
4	Primary Health Centers (PHC)	40					
5	Community Health Centers (CHC)	4					
6	SDH	1					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2013-14</b>	<b>2014-15</b>				
8	Expected number of PW	27,397	27,358				
9	Expected number of Delivery	25,529	25,492				
		<b>HMIS (2013-14)</b>	<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	19,890	72.6	20,942	76.5	Any ANC	96.1
11	Mothers registered in the first trimester	15,798	79.4	17,348	82.8	ANC Check up in first trimester	65.9
12	Mothers who had at least 3 Ante-Natal care check ups	16,402	82.5	18,291	87.3	3 or more ANC check up	75.0
13	PW who got TT 2 / Booster injection	17,507	88.0	18,828	89.9	At least 1 TT received	95.8
14	PW who consumed 100 IFA tablets	15,938	80.1	19,471	93.0	100 IFA tablets consumed	21.8
15	Home Delivery against expected delivery *	827	3.2	671	2.6	Full ANC	18.4
16	Institutional Delivery against expected delivery *	13,901	54.5	16,830	66.0	Home Delivery	26.6
17	Home Delivery against reported delivery **	827	5.6	671	3.8	Institutional Delivery	73.0
18	Institutional Delivery against reported delivery **	13,901	94.4	16,830	96.2	Home Delivery by SBA	43.9
19	Total reported Deliveries	14,728		17,501		PNC within 48 hrs of delivery	81.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	46	5.6	176	26.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,921	74.2	10,923	62.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years.							
22	Expected number of Live Birth	24,906		24,871			
<b>D) Child Immunization :</b>		<b>HMIS (2013-14)</b>	<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>		
23	Total reported live births	14,561	58.5	17,176	69.1	Breastfed within 1 hour of birth	79
24	Total Still Birth	358	1.4	446	1.8	BCG	96.6

25	PC of newborn weighted at birth to live birth	11,507	79.0	11,496	66.9	3 dose of DPT	85.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,173	18.9	2,321	20.2	Measles	89.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	12,625	86.7	15,609	90.9	Full Immunization	69.4
28	Children fully immunized	16,036	64.4	16,443	66.1		
29	Children who have received BCG	16,511	66.3	19,270	77.5		
30	Children who have received DPT1	17,397	69.8	16,296	65.5		
31	Children who have received DPT3	17,013	68.3	16,572	66.6		
32	Children who have received Measles	16,336	65.6	16,711	67.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,616		3,196			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	AHS (2012-13)	
34	Number of Vasectomies performed	1,080	579	Limiting	12.6
35	Number of Tubectomies performed	1,675	1,165	Spacing	5.1
36	Number of IUD insertion	2,692	3,589	Women using any method	66
37	Number of IUD removals	455	398	Women using modern method	40.3
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	414	412		
39	General OPD cases per 10,000 population ***	9,381	9,149		
40	Ayush OPD cases per 10,000 population ***	89	107.2		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	24	9		
42	Up to 1 Weeks of Birth	106	144		
43	Between 1 week & 4 weeks of birth	1	2		
44	Neonatal Death	131	155		
45	Between 1 month and 11 months	39	57		
46	<b>Total reported infant deaths</b>	<b>170</b>	<b>212</b>		
II)	Maternal Mortality	HMIS (2013-14)	HMIS (2014-15)		
<b>Maternal Deaths (In Numbers)</b>					
47	Due to Abortion	2	0		
48	Due to Obstructed/prolonged labour	3	1		
49	Due to Severe hypertension / fits	3	8		
50	Due to Bleeding	3	2		
51	Due to High fever	2	2		
52	Due to Other Causes (including causes not known)	26	37		
53	<b>Total reported maternal deaths</b>	<b>39</b>	<b>50</b>		



## Hailakandi Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	659,296					
2	Sex Ratio	946					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	105					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	17,252	17,390				
9	Expected number of Delivery	16,076	16,204				
		HMIS (2013-14)		HMIS (2014-15)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	19,361	112.2	19,602	112.7	Any ANC	93.8
11	Mothers registered in the first trimester	11,744	60.7	13,732	70.1	ANC Check up in first trimester	53.5
12	Mothers who had at least 3 Ante-Natal care check ups	15,373	79.4	16,237	82.8	3 or more ANC check up	64.0
13	PW who got TT 2 / Booster injection	17,135	88.5	17,483	89.2	At least 1 TT received	93.6
14	PW who consumed 100 IFA tablets	16,204	83.7	17,298	88.2	100 IFA tablets consumed	14.8
15	Home Delivery against expected delivery *	5,096	31.7	4,898	30.2	Full ANC	12.2
16	Institutional Delivery against expected delivery *	9,251	57.5	10,027	61.9	Home Delivery	57.8
17	Home Delivery against reported delivery **	5,096	35.5	4,898	32.8	Institutional Delivery	42.1
18	Institutional Delivery against reported delivery **	9,251	64.5	10,027	67.2	Home Delivery by SBA	24.4
19	Total reported Deliveries	14,347		14,925		PNC within 48 hrs of delivery	47.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	429	8.4	834	17.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,129	56.7	9,307	62.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years.							
22	Expected number of Live Birth	15,683		15,809			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		AHS (2012-13)	
23	Total reported live births	14,010	89.3	14,578	92.2	Breastfed within 1 hour of birth	62.4
24	Total Still Birth	528	3.4	516	3.3	BCG	89.3

25	PC of newborn weighted at birth to live birth	13,795	98.5	14,529	99.7	3 dose of DPT	75.3
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,824	13.2	1,788	12.3	Measles	78.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	13,710	97.9	14,230	97.6	Full Immunization	67.1
28	Children fully immunized	15,168	96.7	15,546	98.3		
29	Children who have received BCG	16,085	102.6	17,091	108.1		
30	Children who have received DPT1	16,183	103.2	15,078	95.4		
31	Children who have received DPT3	15,984	101.9	16,068	101.6		
32	Children who have received Measles	15,301	97.6	15,794	99.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	5,746		5,556			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).</b>							
<b>E) Family Planning</b>		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>	
34	Number of Vasectomies performed	35		20		Limiting	9.8
35	Number of Tubectomies performed	732		648		Spacing	7.4
36	Number of IUD insertion	3,529		4,862		Women using any method	58.9
37	Number of IUD removals	215		281		Women using modern method	29.9
<b>F) Service delivery</b>		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>			
38	IPD cases per 10,000 population ***	412		444			
39	General OPD cases per 10,000 population ***	7,346		6,076			
40	Ayush OPD cases per 10,000 population ***	46		33.1			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>			
41	Neonatal death within 24 hours	13		5			
42	Up to 1 Weeks of Birth	134		173			
43	Between 1 week & 4 weeks of birth	20		6			
44	Neonatal Death	167		184			
45	Between 1 month and 11 months	127		89			
46	<b>Total reported infant deaths</b>	294		273			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>			
47	Due to Abortion	0		2			
48	Due to Obstructed/prolonged labour	1		0			
49	Due to Severe hypertension / fits	5		2			
50	Due to Bleeding	5		0			
51	Due to High fever	2		0			
52	Due to Other Causes (including causes not known)	17		20			
53	<b>Total reported maternal deaths</b>	30		24			

## Jorhat Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,092,256					
2	Sex Ratio	956					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	144					
4	Primary Health Centers (PHC)	44					
5	Community Health Centers (CHC)	5					
6	SDH	2					
7	DH	0					
<b>C) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
8	Expected number of PW	27,901		27,787			
9	Expected number of Delivery	25,998		25,893			
		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	21,815	78.2	21,847	78.6	Any ANC	97.6
11	Mothers registered in the first trimester	18,507	84.8	19,570	89.6	ANC Check up in first trimester	72.6
12	Mothers who had at least 3 Ante-Natal care check ups	16,439	75.4	16,945	77.6	3 or more ANC check up	82.3
13	PW who got TT 2 / Booster injection	18,098	83.0	18,619	85.2	At least 1 TT received	97.3
14	PW who consumed 100 IFA tablets	15,432	70.7	15,986	73.2	100 IFA tablets consumed	27.1
15	Home Delivery against expected delivery *	350	1.3	191	0.7	Full ANC	24.3
16	Institutional Delivery against expected delivery *	16,714	64.3	16,952	65.5	Home Delivery	18.4
17	Home Delivery against reported delivery **	350	2.1	191	1.1	Institutional Delivery	80.8
18	Institutional Delivery against reported delivery **	16,714	97.9	16,952	98.9	Home Delivery by SBA	39.8
19	Total reported Deliveries	17,064		17,143		PNC within 48 hrs of delivery	82.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	68	19.4	163	85.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,733	80.5	13,523	78.9		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years.</b>							
22	Expected number of Live Birth	25,364		25,261			
<b>D) Child Immunization :</b>		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>	
23	Total reported live births	16,933	66.8	16,782	66.4	Breastfed within 1 hour of birth	80
24	Total Still Birth	285	1.1	304	1.2	BCG	96.8

25	PC of newborn weighted at birth to live birth	16,884	99.7	16,762	99.9	3 dose of DPT	83.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	4,252	25.2	6,463	38.6	Measles	90.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	16,609	98.1	16,464	98.1	Full Immunization	70.9
28	Children fully immunized	19,269	76.0	18,697	74.0		
29	Children who have received BCG	18,096	71.3	17,835	70.6		
30	Children who have received DPT1	19,556	77.1	16,571	65.6		
31	Children who have received DPT3	19,256	75.9	18,513	73.3		
32	Children who have received Measles	19,437	76.6	18,621	73.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,974		4,129			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	AHS (2012-13)	
34	Number of Vasectomies performed	235	171	Limiting	11.7
35	Number of Tubectomies performed	4,159	3,060	Spacing	4.1
36	Number of IUD insertion	2,093	2,797	Women using any method	66.2
37	Number of IUD removals	715	393	Women using modern method	34.5
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	521	508		
39	General OPD cases per 10,000 population ***	9,367	9,375		
40	Ayush OPD cases per 10,000 population ***	153	61.5		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	1	0		
42	Up to 1 Weeks of Birth	24	12		
43	Between 1 week & 4 weeks of birth	1	0		
44	Neonatal Death	26	12		
45	Between 1 month and 11 months	9	4		
46	<b>Total reported infant deaths</b>	<b>35</b>	<b>16</b>		
II)	Maternal Mortality	HMIS (2013-14)	HMIS (2014-15)		
47	Due to Abortion	1	0		
48	Due to Obstructed/prolonged labour	1	7		
49	Due to Severe hypertension / fits	11	4		
50	Due to Bleeding	8	8		
51	Due to High fever	3	5		
52	Due to Other Causes (including causes not known)	29	11		
53	<b>Total reported maternal deaths</b>	<b>53</b>	<b>35</b>		

## Kamrup M Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,253,938					
2	Sex Ratio	922					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	51					
4	Primary Health Centers (PHC)	25					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	32,652		32,833			
9	Expected number of Delivery	30,426		30,594			
		HMIS (2013-14)		HMIS (2014-15)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	50,901	155.9	41,224	125.6	Any ANC	98.5
11	Mothers registered in the first trimester	36,287	71.3	32,490	78.8	ANC Check up in first trimester	62.5
12	Mothers who had at least 3 Ante-Natal care check ups	36,922	72.5	34,159	82.9	3 or more ANC check up	81.7
13	PW who got TT 2 / Booster injection	37,321	73.3	35,492	86.1	At least 1 TT received	98.4
14	PW who consumed 100 IFA tablets	17,114	33.6	35,419	85.9	100 IFA tablets consumed	33.5
15	Home Delivery against expected delivery *	741	2.4	607	2.0	Full ANC	29.9
16	Institutional Delivery against expected delivery *	30,690	100.9	31,014	101.4	Home Delivery	15.1
17	Home Delivery against reported delivery **	741	2.4	607	1.9	Institutional Delivery	84.7
18	Institutional Delivery against reported delivery **	30,690	97.6	31,014	98.1	Home Delivery by SBA	26.6
19	Total reported Deliveries	31,431		31,621		PNC within 48 hrs of delivery	84.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	23	3.1	41	6.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	17,451	55.5	18,931	59.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years.							
22	Expected number of Live Birth	29,684		29,848			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		AHS (2012-13)	
23	Total reported live births	30,417	102.5	30,806	103.2	Breastfed within 1 hour of birth	82.4
24	Total Still Birth	957	3.2	890	3.0	BCG	97.8

25	PC of newborn weighted at birth to live birth	30,014	98.7	31,080	100.9	3 dose of DPT	77.5
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,467	8.2	3,579	11.5	Measles	88.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	28,670	94.3	30,333	98.5	Full Immunization	64.6
28	Children fully immunized	21,629	72.9	22,425	75.1		
29	Children who have received BCG	30,135	101.5	30,180	101.1		
30	Children who have received DPT1	25,075	84.5	22,406	75.1		
31	Children who have received DPT3	24,597	82.9	23,883	80.0		
32	Children who have received Measles	22,288	75.1	23,582	79.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,915		3,831			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	AHS (2012-13)	
34	Number of Vasectomies performed	216	342	Limiting	2.1
35	Number of Tubectomies performed	3,251	3,739	Spacing	3.7
36	Number of IUD insertion	9,662	12,171	Women using any method	79
37	Number of IUD removals	407	502	Women using modern method	40.8

F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	859	842		
39	General OPD cases per 10,000 population ***	11,990	11,060		
40	Ayush OPD cases per 10,000 population ***	24	121.6		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	2	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	2	0		
45	Between 1 month and 11 months	4	0		
46	<b>Total reported infant deaths</b>	6	0		
II)	Maternal Mortality	HMIS (2013-14)	HMIS (2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension / fits	1	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	0		
53	<b>Total reported maternal deaths</b>	2	0		

## Kamrup R Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,517,542					
2	Sex Ratio	946					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	280					
4	Primary Health Centers (PHC)	71					
5	Community Health Centers (CHC)	11					
6	SDH	1					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2013-14</b>	<b>2014-15</b>				
8	Expected number of PW	39,262	39,353				
9	Expected number of Delivery	36,585	36,669				
		<b>HMIS (2013-14)</b>	<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	36,067	91.9	35,591	90.4	Any ANC	98.5
11	Mothers registered in the first trimester	28,971	80.3	31,361	88.1	ANC Check up in first trimester	62.5
12	Mothers who had at least 3 Ante-Natal care check ups	31,650	87.8	31,393	88.2	3 or more ANC check up	81.7
13	PW who got TT 2 / Booster injection	30,645	85.0	30,884	86.8	At least 1 TT received	98.4
14	PW who consumed 100 IFA tablets	31,235	86.6	33,780	94.9	100 IFA tablets consumed	33.5
15	Home Delivery against expected delivery *	1,582	4.3	1,388	3.8	Full ANC	29.9
16	Institutional Delivery against expected delivery *	20,678	56.5	21,966	59.9	Home Delivery	15.1
17	Home Delivery against reported delivery **	1,582	7.1	1,388	5.9	Institutional Delivery	84.7
18	Institutional Delivery against reported delivery **	20,678	92.9	21,966	94.1	Home Delivery by SBA	26.6
19	Total reported Deliveries	22,260		23,354		PNC within 48 hrs of delivery	84.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	45	2.8	708	51.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	17,579	79.0	20,259	86.7		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years.</b>							
22	Expected number of Live Birth	35,685		35,775			
<b>D) Child Immunization :</b>		<b>HMIS (2013-14)</b>	<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>		
23	Total reported live births	23,201	65.0	23,285	65.1	Breastfed within 1 hour of birth	82.4
24	Total Still Birth	277	0.8	259	0.7	BCG	97.8

25	PC of newborn weighted at birth to live birth	20,829	89.8	22,897	98.3	3 dose of DPT	77.5
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,993	19.2	2,796	12.2	Measles	88.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	21,825	94.1	22,935	98.5	Full Immunization	64.6
28	Children fully immunized	29,810	83.5	30,076	84.1		
29	Children who have received BCG	29,830	83.6	28,979	81.0		
30	Children who have received DPT1	31,186	87.4	26,898	75.2		
31	Children who have received DPT3	30,922	86.7	30,729	85.9		
32	Children who have received Measles	30,090	84.3	30,280	84.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,695		2,015			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).

E) Family Planning		HMIS (2013-14)	HMIS ( 2014-15)	AHS (2012-13)	
34	Number of Vasectomies performed	81	380	Limiting	2.1
35	Number of Tubectomies performed	2,413	2,447	Spacing	3.7
36	Number of IUD insertion	4,378	6,134	Women using any method	79
37	Number of IUD removals	922	601	Women using modern method	40.8
F) Service delivery		HMIS (2013-14)	HMIS ( 2014-15)		
38	IPD cases per 10,000 population ***	109	165		
39	General OPD cases per 10,000 population ***	9,811	8,613		
40	Ayush OPD cases per 10,000 population ***	308	304.2		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS ( 2014-15)		
41	Neonatal death within 24 hours	14	8		
42	Up to 1 Weeks of Birth	73	49		
43	Between 1 week & 4 weeks of birth	2	0		
44	Neonatal Death	89	57		
45	Between 1 month and 11 months	42	22		
46	<b>Total reported infant deaths</b>	131	79		
II)	Maternal Mortality	HMIS (2013-14)	HMIS ( 2014-15)		
<b>Maternal Deaths (In Numbers)</b>					
47	Due to Abortion	2	1		
48	Due to Obstructed/prolonged labour	0	1		
49	Due to Severe hypertension / fits	2	0		
50	Due to Bleeding	4	3		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	8	5		
53	<b>Total reported maternal deaths</b>	16	10		



## Karbi Anglong Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	956,313					
2	Sex Ratio	956					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	145					
4	Primary Health Centers (PHC)	46					
5	Community Health Centers (CHC)	5					
6	SDH	1					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
8	Expected number of PW	24,889		25,021			
9	Expected number of Delivery	23,192		23,315			
		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	23,908	96.1	23,555	94.1	Any ANC	88.1
11	Mothers registered in the first trimester	15,010	62.8	15,455	65.6	ANC Check up in first trimester	49.3
12	Mothers who had at least 3 Ante-Natal care check ups	15,542	65.0	16,196	68.8	3 or more ANC check up	53.6
13	PW who got TT 2 / Booster injection	21,193	88.6	20,994	89.1	At least 1 TT received	87.7
14	PW who consumed 100 IFA tablets	16,064	67.2	17,692	75.1	100 IFA tablets consumed	10.5
15	Home Delivery against expected delivery *	2,638	11.4	2,485	10.7	Full ANC	7.2
16	Institutional Delivery against expected delivery *	15,847	68.3	16,310	70.0	Home Delivery	40.3
17	Home Delivery against reported delivery **	2,638	14.3	2,485	13.2	Institutional Delivery	59.5
18	Institutional Delivery against reported delivery **	15,847	85.7	16,310	86.8	Home Delivery by SBA	33.2
19	Total reported Deliveries	18,485		18,795		PNC within 48 hrs of delivery	63.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	301	11.4	366	14.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,164	44.2	9,369	49.8		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years.</b>							
22	Expected number of Live Birth	22,627		22,746			
<b>D) Child Immunization :</b>		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>	
23	Total reported live births	18,297	80.9	18,481	81.2	Breastfed within 1 hour of birth	74.3
24	Total Still Birth	422	1.9	432	1.9	BCG	91

25	PC of newborn weighted at birth to live birth	17,604	96.2	18,186	98.4	3 dose of DPT	79.4
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,953	11.1	1,884	10.4	Measles	85.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	17,423	95.2	17,742	96.0	Full Immunization	71.8
28	Children fully immunized	18,589	82.2	18,106	79.6		
29	Children who have received BCG	20,110	88.9	19,127	84.1		
30	Children who have received DPT1	20,617	91.1	17,437	76.7		
31	Children who have received DPT3	19,511	86.2	18,957	83.3		
32	Children who have received Measles	18,780	83.0	18,143	79.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,866		3,866			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).

E) Family Planning		HMIS (2013-14)	HMIS ( 2014-15)	AHS (2012-13)	
34	Number of Vasectomies performed	5	0	Limiting	6
35	Number of Tubectomies performed	442	34	Spacing	6.9
36	Number of IUD insertion	3,407	3,667	Women using any method	68.4
37	Number of IUD removals	546	1,002	Women using modern method	42.9

F) Service delivery		HMIS (2013-14)	HMIS ( 2014-15)		
38	IPD cases per 10,000 population ***	273	276		
39	General OPD cases per 10,000 population ***	6,306	5,455		
40	Ayush OPD cases per 10,000 population ***	85	45.0		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS ( 2014-15)		
41	Neonatal death within 24 hours	1	5		
42	Up to 1 Weeks of Birth	35	23		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	36	28		
45	Between 1 month and 11 months	42	40		
46	<b>Total reported infant deaths</b>	<b>78</b>	<b>68</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS ( 2014-15)		
47	Due to Abortion	1	0		
48	Due to Obstructed/prolonged labour	2	0		
49	Due to Severe hypertension / fits	4	0		
50	Due to Bleeding	7	5		
51	Due to High fever	4	5		
52	Due to Other Causes (including causes not known)	18	13		
53	<b>Total reported maternal deaths</b>	<b>36</b>	<b>23</b>		

## Karimganj Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,228,686					
2	Sex Ratio	961					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	218					
4	Primary Health Centers (PHC)	29					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2013-14</b>	<b>2014-15</b>				
8	Expected number of PW	32,107	32,342				
9	Expected number of Delivery	29,918	30,136				
		<b>HMIS (2013-14)</b>	<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	37,019	115.3	35,851	110.9	Any ANC	92.2
11	Mothers registered in the first trimester	27,541	74.4	28,405	79.2	ANC Check up in first trimester	58.7
12	Mothers who had at least 3 Ante-Natal care check ups	27,035	73.0	28,465	79.4	3 or more ANC check up	61.6
13	PW who got TT 2 / Booster injection	31,396	84.8	31,603	88.2	At least 1 TT received	90.9
14	PW who consumed 100 IFA tablets	28,931	78.2	33,313	92.9	100 IFA tablets consumed	13.6
15	Home Delivery against expected delivery *	10,692	35.7	11,035	36.6	Full ANC	11.4
16	Institutional Delivery against expected delivery *	16,229	54.2	17,355	57.6	Home Delivery	61.6
17	Home Delivery against reported delivery **	10,692	39.7	11,035	38.9	Institutional Delivery	38.2
18	Institutional Delivery against reported delivery **	16,229	60.3	17,355	61.1	Home Delivery by SBA	24.5
19	Total reported Deliveries	26,921		28,390		PNC within 48 hrs of delivery	46.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	775	7.2	1,198	10.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,444	46.2	15,398	54.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years.							
22	Expected number of Live Birth	29,188		29,401			
<b>D) Child Immunization :</b>		<b>HMIS (2013-14)</b>	<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>		
23	Total reported live births	26,362	90.3	27,832	94.7	Breastfed within 1 hour of birth	64.5
24	Total Still Birth	811	2.8	813	2.8	BCG	88.5

25	PC of newborn weighted at birth to live birth	25,671	97.4	27,789	99.8	3 dose of DPT	73.2
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,465	21.3	2,822	10.2	Measles	73.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	24,614	93.4	26,438	95.0	Full Immunization	65.4
28	Children fully immunized	24,424	83.7	23,633	80.4		
29	Children who have received BCG	24,972	85.6	27,289	92.8		
30	Children who have received DPT1	28,438	97.4	24,728	84.1		
31	Children who have received DPT3	27,069	92.7	26,350	89.6		
32	Children who have received Measles	25,100	86.0	25,065	85.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	9,938		10,875			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	AHS (2012-13)	
34	Number of Vasectomies performed	3	7	Limiting	15
35	Number of Tubectomies performed	1,225	1,218	Spacing	13
36	Number of IUD insertion	2,747	2,072	Women using any method	49.4
37	Number of IUD removals	462	484	Women using modern method	21.7
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	308	250		
39	General OPD cases per 10,000 population ***	6,144	5,264		
40	Ayush OPD cases per 10,000 population ***	127	145.5		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	3	6		
42	Up to 1 Weeks of Birth	158	139		
43	Between 1 week & 4 weeks of birth	3	1		
44	Neonatal Death	164	146		
45	Between 1 month and 11 months	81	89		
46	<b>Total reported infant deaths</b>	245	235		
II)	Maternal Mortality	HMIS (2013-14)	HMIS (2014-15)		
<b>Maternal Deaths (In Numbers)</b>					
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	3	3		
49	Due to Severe hypertension / fits	3	3		
50	Due to Bleeding	8	5		
51	Due to High fever	0	2		
52	Due to Other Causes (including causes not known)	29	14		
53	<b>Total reported maternal deaths</b>	43	27		

## Kokrajhar Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	<b>887,142</b>					
2	Sex Ratio	<b>958</b>					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	<b>161</b>					
4	Primary Health Centers (PHC)	<b>45</b>					
5	Community Health Centers (CHC)	<b>4</b>					
6	SDH	<b>1</b>					
7	DH	<b>1</b>					
<b>C) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
8	Expected number of PW	22,481		22,300			
9	Expected number of Delivery	20,948		20,780			
		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	22,552	100.3	21,189	95.0	Any ANC	93.8
11	Mothers registered in the first trimester	12,575	55.8	13,183	62.2	ANC Check up in first trimester	43.6
12	Mothers who had at least 3 Ante-Natal care check ups	17,267	76.6	16,774	79.2	3 or more ANC check up	55.6
13	PW who got TT 2 / Booster injection	18,919	83.9	18,175	85.8	At least 1 TT received	93.6
14	PW who consumed 100 IFA tablets	16,067	71.2	18,632	87.9	100 IFA tablets consumed	16.6
15	Home Delivery against expected delivery *	2,160	10.3	1,832	8.8	Full ANC	8.7
16	Institutional Delivery against expected delivery *	14,370	68.6	15,840	76.2	Home Delivery	41.2
17	Home Delivery against reported delivery **	2,160	13.1	1,832	10.4	Institutional Delivery	58.8
18	Institutional Delivery against reported delivery **	14,370	86.9	15,840	89.6	Home Delivery by SBA	40.0
19	Total reported Deliveries	16,530		17,672		PNC within 48 hrs of delivery	61.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	523	24.2	779	42.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	6,673	40.4	9,083	51.4		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years.</b>							
22	Expected number of Live Birth	20,437		20,273			
<b>D) Child Immunization :</b>		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>	
23	Total reported live births	16,481	80.6	17,715	87.4	Breastfed within 1 hour of birth	84.5
24	Total Still Birth	265	1.3	281	1.4	BCG	96.2

25	PC of newborn weighted at birth to live birth	16,053	97.4	17,537	99.0	3 dose of DPT	72.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,673	22.9	4,196	23.9	Measles	85.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	14,880	90.3	14,449	81.6	Full Immunization	59.2
28	Children fully immunized	15,561	76.1	15,075	74.4		
29	Children who have received BCG	16,578	81.1	16,652	82.1		
30	Children who have received DPT1	17,535	85.8	16,285	80.3		
31	Children who have received DPT3	16,803	82.2	16,684	82.3		
32	Children who have received Measles	15,717	76.9	15,210	75.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,555		4,642			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).

E) Family Planning		HMIS (2013-14)	HMIS ( 2014-15)	AHS (2012-13)	
34	Number of Vasectomies performed	8	1	Limiting	1.1
35	Number of Tubectomies performed	192	199	Spacing	6.6
36	Number of IUD insertion	2,324	2,205	Women using any method	73.8
37	Number of IUD removals	589	516	Women using modern method	43.5
F) Service delivery		HMIS (2013-14)	HMIS ( 2014-15)		
38	IPD cases per 10,000 population ***	229	239		
39	General OPD cases per 10,000 population ***	6,687	5,861		
40	Ayush OPD cases per 10,000 population ***	55	49.9		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS ( 2014-15)		
41	Neonatal death within 24 hours	5	1		
42	Up to 1 Weeks of Birth	21	18		
43	Between 1 week & 4 weeks of birth	2	0		
44	Neonatal Death	28	19		
45	Between 1 month and 11 months	30	14		
46	<b>Total reported infant deaths</b>	<b>58</b>	<b>33</b>		
II)	Maternal Mortality	HMIS (2013-14)	HMIS ( 2014-15)		
<b>Maternal Deaths (In Numbers)</b>					
47	Due to Abortion	1	0		
48	Due to Obstructed/prolonged labour	1	2		
49	Due to Severe hypertension / fits	1	3		
50	Due to Bleeding	6	2		
51	Due to High fever	1	0		
52	Due to Other Causes (including causes not known)	16	20		
53	<b>Total reported maternal deaths</b>	<b>26</b>	<b>27</b>		

## Lakhimpur Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,042,137					
2	Sex Ratio	965					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	156					
4	Primary Health Centers (PHC)	30					
5	Community Health Centers (CHC)	8					
6	SDH	1					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
8	Expected number of PW	27,036		27,136			
9	Expected number of Delivery	25,193		25,285			
		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	22,754	84.2	20,972	77.3	Any ANC	98.2
11	Mothers registered in the first trimester	19,263	84.7	17,440	83.2	ANC Check up in first trimester	58.7
12	Mothers who had at least 3 Ante-Natal care check ups	19,010	83.5	18,001	85.8	3 or more ANC check up	69.9
13	PW who got TT 2 / Booster injection	20,787	91.4	19,266	91.9	At least 1 TT received	98.2
14	PW who consumed 100 IFA tablets	16,749	73.6	16,636	79.3	100 IFA tablets consumed	27.2
15	Home Delivery against expected delivery *	353	1.4	274	1.1	Full ANC	21.2
16	Institutional Delivery against expected delivery *	19,710	78.2	18,638	73.7	Home Delivery	14.0
17	Home Delivery against reported delivery **	353	1.8	274	1.4	Institutional Delivery	85.7
18	Institutional Delivery against reported delivery **	19,710	98.2	18,638	98.6	Home Delivery by SBA	17.5
19	Total reported Deliveries	20,063		18,912		PNC within 48 hrs of delivery	87.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	70	19.8	35	12.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	31,782	158.4	37,477	198.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years.							
22	Expected number of Live Birth	24,578		24,669			
<b>D) Child Immunization :</b>		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>	
23	Total reported live births	19,660	80.0	18,489	74.9	Breastfed within 1 hour of birth	82.2
24	Total Still Birth	421	1.7	432	1.8	BCG	98.1

25	PC of newborn weighted at birth to live birth	19,416	98.8	18,340	99.2	3 dose of DPT	78.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	4,861	25.0	4,953	27.0	Measles	87.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	19,420	98.8	18,128	98.0	Full Immunization	64.2
28	Children fully immunized	19,294	78.5	18,074	73.3		
29	Children who have received BCG	19,280	78.4	20,790	84.3		
30	Children who have received DPT1	20,366	82.9	17,955	72.8		
31	Children who have received DPT3	20,063	81.6	18,504	75.0		
32	Children who have received Measles	19,562	79.6	18,324	74.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	7,250		6,041			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	AHS (2012-13)	
34	Number of Vasectomies performed	187	45	Limiting	5.1
35	Number of Tubectomies performed	2,938	1,600	Spacing	4.8
36	Number of IUD insertion	1,959	1,315	Women using any method	76
37	Number of IUD removals	238	361	Women using modern method	40
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	1152	843		
39	General OPD cases per 10,000 population ***	9,046	7,715		
40	Ayush OPD cases per 10,000 population ***	19	23.0		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	34	28		
42	Up to 1 Weeks of Birth	193	232		
43	Between 1 week & 4 weeks of birth	2	1		
44	Neonatal Death	229	261		
45	Between 1 month and 11 months	48	65		
46	<b>Total reported infant deaths</b>	<b>277</b>	<b>326</b>		
II)	Maternal Mortality	HMIS (2013-14)	HMIS (2014-15)		
47	Due to Abortion	1	0		
48	Due to Obstructed/prolonged labour	2	1		
49	Due to Severe hypertension / fits	4	4		
50	Due to Bleeding	7	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	31	23		
53	<b>Total reported maternal deaths</b>	<b>45</b>	<b>29</b>		



## Marigaon Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	957,423					
2	Sex Ratio	974					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	123					
4	Primary Health Centers (PHC)	36					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2013-14</b>	<b>2014-15</b>				
8	Expected number of PW	25,149	25,398				
9	Expected number of Delivery	23,434	23,666				
		<b>HMIS (2013-14)</b>	<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	25,947	103.2	26,065	102.6	Any ANC	97.2
11	Mothers registered in the first trimester	17,408	67.1	19,481	74.7	ANC Check up in first trimester	52.2
12	Mothers who had at least 3 Ante-Natal care check ups	21,596	83.2	22,107	84.8	3 or more ANC check up	71.3
13	PW who got TT 2 / Booster injection	23,485	90.5	25,077	96.2	At least 1 TT received	97.1
14	PW who consumed 100 IFA tablets	18,526	71.4	23,255	89.2	100 IFA tablets consumed	32.9
15	Home Delivery against expected delivery *	2,507	10.7	2,693	11.4	Full ANC	25.4
16	Institutional Delivery against expected delivery *	17,297	73.8	17,078	72.2	Home Delivery	31.1
17	Home Delivery against reported delivery **	2,507	12.7	2,693	13.6	Institutional Delivery	68.3
18	Institutional Delivery against reported delivery **	17,297	87.3	17,078	86.4	Home Delivery by SBA	19.6
19	Total reported Deliveries	19,804		19,771		PNC within 48 hrs of delivery	60.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	366	14.6	640	23.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,881	60.0	9,798	49.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years.							
22	Expected number of Live Birth	22,862		23,089			
<b>D) Child Immunization :</b>		<b>HMIS (2013-14)</b>	<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>		
23	Total reported live births	19,389	84.8	19,587	84.8	Breastfed within 1 hour of birth	78.9
24	Total Still Birth	454	2.0	239	1.0	BCG	93.8

25	PC of newborn weighted at birth to live birth	19,474	100.4	19,656	100.4	3 dose of DPT	84.6
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	4,756	24.4	3,693	18.8	Measles	82.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	18,956	97.8	18,925	96.6	Full Immunization	66.2
28	Children fully immunized	21,989	96.2	21,429	92.8		
29	Children who have received BCG	21,644	94.7	22,071	95.6		
30	Children who have received DPT1	22,575	98.7	19,678	85.2		
31	Children who have received DPT3	22,204	97.1	21,365	92.5		
32	Children who have received Measles	22,118	96.7	21,529	93.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,137		3,022			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	AHS (2012-13)	
34	Number of Vasectomies performed	245	99	Limiting	5
35	Number of Tubectomies performed	2,009	875	Spacing	7.6
36	Number of IUD insertion	2,825	2,758	Women using any method	70
37	Number of IUD removals	241	232	Women using modern method	39.1
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	486	339		
39	General OPD cases per 10,000 population ***	9,462	8,843		
40	Ayush OPD cases per 10,000 population ***	55	0.2		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	6	1		
42	Up to 1 Weeks of Birth	143	143		
43	Between 1 week & 4 weeks of birth	3	20		
44	Neonatal Death	152	164		
45	Between 1 month and 11 months	65	198		
46	<b>Total reported infant deaths</b>	<b>217</b>	<b>362</b>		
II)	Maternal Mortality	HMIS (2013-14)	HMIS (2014-15)		
	<b>Maternal Deaths (In Numbers)</b>				
47	Due to Abortion	1	0		
48	Due to Obstructed/prolonged labour	1	1		
49	Due to Severe hypertension / fits	4	15		
50	Due to Bleeding	13	2		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	24	28		
53	<b>Total reported maternal deaths</b>	<b>43</b>	<b>46</b>		

## Nagaon Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	<b>2,823,768</b>					
2	Sex Ratio	<b>962</b>					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	<b>354</b>					
4	Primary Health Centers (PHC)	<b>80</b>					
5	Community Health Centers (CHC)	<b>15</b>					
6	SDH	<b>0</b>					
7	DH	<b>1</b>					
<b>C) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
8	Expected number of PW	73,983		74,623			
9	Expected number of Delivery	68,939		69,535			
		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	80,305	108.5	73,792	98.9	Any ANC	92.6
11	Mothers registered in the first trimester	60,049	74.8	59,193	80.2	ANC Check up in first trimester	57.8
12	Mothers who had at least 3 Ante-Natal care check ups	67,809	84.4	65,259	88.4	3 or more ANC check up	57.0
13	PW who got TT 2 / Booster injection	69,412	86.4	66,633	90.3	At least 1 TT received	92.2
14	PW who consumed 100 IFA tablets	63,588	79.2	73,543	99.7	100 IFA tablets consumed	23.8
15	Home Delivery against expected delivery *	5,010	7.3	5,663	8.1	Full ANC	18.4
16	Institutional Delivery against expected delivery *	50,362	73.1	59,654	85.8	Home Delivery	41.9
17	Home Delivery against reported delivery **	5,010	9.0	5,663	8.7	Institutional Delivery	57.9
18	Institutional Delivery against reported delivery **	50,362	91.0	59,654	91.3	Home Delivery by SBA	35.1
19	Total reported Deliveries	55,372		65,317		PNC within 48 hrs of delivery	62.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	456	9.1	857	15.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	40,216	72.6	49,096	75.2		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years.</b>							
22	Expected number of Live Birth	67,258		67,839			
<b>D) Child Immunization :</b>		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>	
23	Total reported live births	53,806	80.0	63,872	94.2	Breastfed within 1 hour of birth	70.6
24	Total Still Birth	1,530	2.3	1,685	2.5	BCG	89.2

25	PC of newborn weighted at birth to live birth	52,266	97.1	63,904	100.1	3 dose of DPT	69.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	8,729	16.7	9,020	14.1	Measles	68.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	50,432	93.7	61,905	96.9	Full Immunization	52.5
28	Children fully immunized	59,728	88.8	56,284	83.0		
29	Children who have received BCG	62,678	93.2	60,638	89.4		
30	Children who have received DPT1	61,532	91.5	53,655	79.1		
31	Children who have received DPT3	60,520	90.0	58,003	85.5		
32	Children who have received Measles	60,448	89.9	57,032	84.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	8,880		8,952			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	AHS (2012-13)	
34	Number of Vasectomies performed	137	262	Limiting	11.3
35	Number of Tubectomies performed	2,246	1,702	Spacing	7
36	Number of IUD insertion	4,379	4,815	Women using any method	65.9
37	Number of IUD removals	627	577	Women using modern method	32.3
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	205	234		
39	General OPD cases per 10,000 population ***	7,766	7,211		
40	Ayush OPD cases per 10,000 population ***	52	19.0		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	0	1		
42	Up to 1 Weeks of Birth	10	92		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	10	93		
45	Between 1 month and 11 months	20	24		
46	<b>Total reported infant deaths</b>	<b>30</b>	<b>117</b>		
II)	Maternal Mortality	HMIS (2013-14)	HMIS (2014-15)		
47	Due to Abortion	0	1		
48	Due to Obstructed/prolonged labour	2	0		
49	Due to Severe hypertension / fits	5	11		
50	Due to Bleeding	4	5		
51	Due to High fever	0	1		
52	Due to Other Causes (including causes not known)	7	11		
53	<b>Total reported maternal deaths</b>	<b>18</b>	<b>29</b>		

## Nalbari Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	771,639					
2	Sex Ratio	945					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	121					
4	Primary Health Centers (PHC)	47					
5	Community Health Centers (CHC)	9					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	19,810		19,779			
9	Expected number of Delivery	18,459		18,430			
		HMIS (2013-14)		HMIS (2014-15)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	15,570	78.6	15,253	77.1	Any ANC	98.4
11	Mothers registered in the first trimester	11,821	75.9	13,231	86.7	ANC Check up in first trimester	60.6
12	Mothers who had at least 3 Ante-Natal care check ups	12,154	78.1	13,223	86.7	3 or more ANC check up	81.2
13	PW who got TT 2 / Booster injection	13,169	84.6	13,586	89.1	At least 1 TT received	98.3
14	PW who consumed 100 IFA tablets	11,277	72.4	14,349	94.1	100 IFA tablets consumed	26.7
15	Home Delivery against expected delivery *	1,892	10.2	1,524	8.3	Full ANC	24.9
16	Institutional Delivery against expected delivery *	12,453	67.5	12,768	69.3	Home Delivery	12.0
17	Home Delivery against reported delivery **	1,892	13.2	1,524	10.7	Institutional Delivery	87.4
18	Institutional Delivery against reported delivery **	12,453	86.8	12,768	89.3	Home Delivery by SBA	34.9
19	Total reported Deliveries	14,345		14,292		PNC within 48 hrs of delivery	88.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	229	12.1	967	63.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,384	58.4	10,759	75.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years.							
22	Expected number of Live Birth	18,009		17,981			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		AHS (2012-13)	
23	Total reported live births	14,264	79.2	14,179	78.9	Breastfed within 1 hour of birth	74.7
24	Total Still Birth	178	1.0	206	1.1	BCG	98

25	PC of newborn weighted at birth to live birth	14,176	99.4	14,174	100.0	3 dose of DPT	87.8
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,056	21.6	1,976	13.9	Measles	88
27	PC of newborns breastfed within 1 hour to total reported live birth.	13,210	92.6	13,828	97.5	Full Immunization	68
28	Children fully immunized	14,120	78.4	13,932	77.5		
29	Children who have received BCG	14,977	83.2	15,156	84.3		
30	Children who have received DPT1	15,461	85.9	14,369	79.9		
31	Children who have received DPT3	14,539	80.7	14,793	82.3		
32	Children who have received Measles	14,144	78.5	14,022	78.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	7,525		5,291			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	AHS (2012-13)	
34	Number of Vasectomies performed	57	226	Limiting	5.6
35	Number of Tubectomies performed	872	1,324	Spacing	4.9
36	Number of IUD insertion	1,525	1,832	Women using any method	71.5
37	Number of IUD removals	392	332	Women using modern method	44
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	352	348		
39	General OPD cases per 10,000 population ***	11,451	10,246		
40	Ayush OPD cases per 10,000 population ***	2,519	1716.8		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	8	9		
42	Up to 1 Weeks of Birth	80	60		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	88	69		
45	Between 1 month and 11 months	16	22		
46	<b>Total reported infant deaths</b>	<b>104</b>	<b>91</b>		
II)	Maternal Mortality	HMIS (2013-14)	HMIS (2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension / fits	1	0		
50	Due to Bleeding	1	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	5	3		
53	<b>Total reported maternal deaths</b>	<b>7</b>	<b>3</b>		

## North Cachar Hills (Dima Hasao ) Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	214,102					
2	Sex Ratio	931					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	65					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2013-14</b>	<b>2014-15</b>				
8	Expected number of PW	5,516	5,517				
9	Expected number of Delivery	5,140	5,141				
		<b>HMIS (2013-14)</b>	<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	5,438	98.6	5,247	95.1	Any ANC	90.8
11	Mothers registered in the first trimester	2,405	44.2	2,709	51.6	ANC Check up in first trimester	54.5
12	Mothers who had at least 3 Ante-Natal care check ups	3,383	62.2	3,585	68.3	3 or more ANC check up	54.4
13	PW who got TT 2 / Booster injection	4,489	82.5	4,356	83.0	At least 1 TT received	89.4
14	PW who consumed 100 IFA tablets	3,061	56.3	3,288	62.7	100 IFA tablets consumed	24.1
15	Home Delivery against expected delivery *	1,688	32.8	1,747	34.0	Full ANC	15.7
16	Institutional Delivery against expected delivery *	2,477	48.2	2,500	48.6	Home Delivery	30.7
17	Home Delivery against reported delivery **	1,688	40.5	1,747	41.1	Institutional Delivery	69.3
18	Institutional Delivery against reported delivery **	2,477	59.5	2,500	58.9	Home Delivery by SBA	32.5
19	Total reported Deliveries	4,165		4,247		PNC within 48 hrs of delivery	71.5
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	238	14.1	256	14.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,743	41.8	2,203	51.9		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years.</b>							
22	Expected number of Live Birth	5,015		5,015			
<b>D) Child Immunization :</b>		<b>HMIS (2013-14)</b>	<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>		
23	Total reported live births	4,165	83.1	4,224	84.2	Breastfed within 1 hour of birth	80.4

24	Total Still Birth	94	1.9	105	2.1	BCG	91.6
25	PC of newborn weighted at birth to live birth	3,727	89.5	3,717	88.0	3 dose of DPT	64.8
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	275	7.4	279	7.5	Measles	75.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,105	98.6	4,087	96.8	Full Immunization	56.2
28	Children fully immunized	3,813	76.0	3,622	72.2		
29	Children who have received BCG	4,687	93.5	4,511	89.9		
30	Children who have received DPT1	4,525	90.2	3,785	75.5		
31	Children who have received DPT3	4,335	86.4	4,032	80.4		
32	Children who have received Measles	3,844	76.7	3,631	72.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	4,051		3,496			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).</p>							
<b>E) Family Planning</b>		<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>AHS (2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	10.3
35	Number of Tubectomies performed	63		58		Spacing	9
36	Number of IUD insertion	425		664		Women using any method	56.5
37	Number of IUD removals	38		117		Women using modern method	43.5
<b>F) Service delivery</b>		<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
38	IPD cases per 10,000 population ***	492		509			
39	General OPD cases per 10,000 population ***	10,858		10,414			
40	Ayush OPD cases per 10,000 population ***	403		467.7			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
41	Neonatal death within 24 hours	3		8			
42	Up to 1 Weeks of Birth	50		35			
43	Between 1 week & 4 weeks of birth	4		1			
44	Neonatal Death	57		44			
45	Between 1 month and 11 months	40		49			
46	<b>Total reported infant deaths</b>	<b>97</b>		<b>93</b>			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		1			
49	Due to Severe hypertension / fits	2		1			
50	Due to Bleeding	2		0			
51	Due to High fever	2		0			
52	Due to Other Causes (including causes not known)	6		7			
53	<b>Total reported maternal deaths</b>	<b>12</b>		<b>9</b>			



## Sibsagar Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,151,050					
2	Sex Ratio	951					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	219					
4	Primary Health Centers (PHC)	45					
5	Community Health Centers (CHC)	4					
6	SDH	2					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
8	Expected number of PW	29,412		29,297			
9	Expected number of Delivery	27,407		27,299			
		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	22,385	76.1	22,207	75.8	Any ANC	98.2
11	Mothers registered in the first trimester	17,911	80.0	18,446	83.1	ANC Check up in first trimester	73.3
12	Mothers who had at least 3 Ante-Natal care check ups	18,243	81.5	18,811	84.7	3 or more ANC check up	83.3
13	PW who got TT 2 / Booster injection	18,394	82.2	18,707	84.2	At least 1 TT received	98.1
14	PW who consumed 100 IFA tablets	14,797	66.1	19,048	85.8	100 IFA tablets consumed	21.8
15	Home Delivery against expected delivery *	489	1.8	374	1.4	Full ANC	19.5
16	Institutional Delivery against expected delivery *	15,824	57.7	15,914	58.3	Home Delivery	12.8
17	Home Delivery against reported delivery **	489	3.0	374	2.3	Institutional Delivery	87.0
18	Institutional Delivery against reported delivery **	15,824	97.0	15,914	97.7	Home Delivery by SBA	38.5
19	Total reported Deliveries	16,313		16,288		PNC within 48 hrs of delivery	90.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	95	19.4	165	44.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,980	85.7	14,572	89.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years.</b>							
22	Expected number of Live Birth	26,738		26,633			
<b>D) Child Immunization :</b>		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>	
23	Total reported live births	16,111	60.3	16,157	60.7	Breastfed within 1 hour of birth	83.1
24	Total Still Birth	366	1.4	287	1.1	BCG	98

25	PC of newborn weighted at birth to live birth	15,995	99.3	16,041	99.3	3 dose of DPT	92
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,573	22.3	3,506	21.9	Measles	93.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	15,466	96.0	14,846	91.9	Full Immunization	83.5
28	Children fully immunized	18,148	67.9	16,734	62.8		
29	Children who have received BCG	17,955	67.2	17,648	66.3		
30	Children who have received DPT1	18,632	69.7	15,882	59.6		
31	Children who have received DPT3	18,575	69.5	17,710	66.5		
32	Children who have received Measles	18,495	69.2	17,067	64.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	4,506		5,174			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).</b>							
<b>E) Family Planning</b>		<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>AHS (2012-13)</b>	
34	Number of Vasectomies performed	470		789		Limiting	10.3
35	Number of Tubectomies performed	2,739		1,206		Spacing	4.3
36	Number of IUD insertion	3,534		4,267		Women using any method	64.7
37	Number of IUD removals	536		651		Women using modern method	36.1
<b>F) Service delivery</b>		<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
38	IPD cases per 10,000 population ***	479		577			
39	General OPD cases per 10,000 population ***	12,214		13,048			
40	Ayush OPD cases per 10,000 population ***	151		78.2			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
41	Neonatal death within 24 hours	3		2			
42	Up to 1 Weeks of Birth	69		38			
43	Between 1 week & 4 weeks of birth	3		0			
44	Neonatal Death	75		40			
45	Between 1 month and 11 months	32		20			
46	<b>Total reported infant deaths</b>	107		60			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>		<b>HMIS ( 2014-15)</b>			
47	Due to Abortion	2		0			
48	Due to Obstructed/prolonged labour	0		1			
49	Due to Severe hypertension / fits	1		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	18		33			
53	<b>Total reported maternal deaths</b>	21		34			

## Sonitpur Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,924,110					
2	Sex Ratio	946					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	275					
4	Primary Health Centers (PHC)	58					
5	Community Health Centers (CHC)	7					
6	SDH	2					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	49,781		49,896			
9	Expected number of Delivery	46,387		46,494			
		HMIS (2013-14)		HMIS (2014-15)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	41,023	82.4	38,760	77.7	Any ANC	94.8
11	Mothers registered in the first trimester	30,529	74.4	30,910	79.7	ANC Check up in first trimester	48.9
12	Mothers who had at least 3 Ante-Natal care check ups	32,088	78.2	32,006	82.6	3 or more ANC check up	65.6
13	PW who got TT 2 / Booster injection	37,533	91.5	36,029	93.0	At least 1 TT received	94.7
14	PW who consumed 100 IFA tablets	35,202	85.8	39,626	102.2	100 IFA tablets consumed	25.1
15	Home Delivery against expected delivery *	5,052	10.9	5,056	10.9	Full ANC	19.2
16	Institutional Delivery against expected delivery *	30,113	64.9	27,922	60.1	Home Delivery	32.5
17	Home Delivery against reported delivery **	5,052	14.4	5,056	15.3	Institutional Delivery	63.6
18	Institutional Delivery against reported delivery **	30,113	85.6	27,922	84.7	Home Delivery by SBA	26.3
19	Total reported Deliveries	35,165		32,978		PNC within 48 hrs of delivery	71.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	651	12.9	733	14.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	18,941	53.9	21,547	65.3		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years.</b>							
22	Expected number of Live Birth	45,255		45,360			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		AHS (2012-13)	
23	Total reported live births	35,649	78.8	31,664	69.8	Breastfed within 1 hour of birth	76.2
24	Total Still Birth	942	2.1	672	1.5	BCG	95.8

25	PC of newborn weighted at birth to live birth	33,182	93.1	28,556	90.2	3 dose of DPT	83.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	7,573	22.8	6,582	23.0	Measles	85
27	PC of newborns breastfed within 1 hour to total reported live birth.	32,041	89.9	28,213	89.1	Full Immunization	70.5
28	Children fully immunized	34,634	76.5	32,912	72.6		
29	Children who have received BCG	39,993	88.4	37,732	83.2		
30	Children who have received DPT1	37,305	82.4	32,186	71.0		
31	Children who have received DPT3	36,489	80.6	33,642	74.2		
32	Children who have received Measles	36,331	80.3	33,260	73.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	4,326		3,854			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).</p>							
<b>E) Family Planning</b>		<b>HMIS (2013-14)</b>	<b>HMIS ( 2014-15)</b>	<b>AHS (2012-13)</b>			
34	Number of Vasectomies performed	192	317	Limiting	6		
35	Number of Tubectomies performed	3,902	2,716	Spacing	7.4		
36	Number of IUD insertion	2,831	2,148	Women using any method	68.8		
37	Number of IUD removals	376	787	Women using modern method	42.1		
<b>F) Service delivery</b>		<b>HMIS (2013-14)</b>	<b>HMIS ( 2014-15)</b>				
38	IPD cases per 10,000 population ***	340	361				
39	General OPD cases per 10,000 population ***	11,325	10,830				
40	Ayush OPD cases per 10,000 population ***	34	40.2				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>	<b>HMIS ( 2014-15)</b>				
41	Neonatal death within 24 hours	6	5				
42	Up to 1 Weeks of Birth	137	113				
43	Between 1 week & 4 weeks of birth	4	1				
44	Neonatal Death	147	119				
45	Between 1 month and 11 months	76	69				
46	<b>Total reported infant deaths</b>	223	188				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>	<b>HMIS ( 2014-15)</b>				
47	Due to Abortion	2	0				
48	Due to Obstructed/prolonged labour	1	3				
49	Due to Severe hypertension / fits	7	1				
50	Due to Bleeding	5	5				
51	Due to High fever	0	1				
52	Due to Other Causes (including causes not known)	24	23				
53	<b>Total reported maternal deaths</b>	39	33				

## Tinsukia Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,327,929					
2	Sex Ratio	948					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	164					
4	Primary Health Centers (PHC)	23					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	34,278		34,318			
9	Expected number of Delivery	31,941		31,978			
		HMIS (2013-14)		HMIS (2014-15)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	27,770	81.0	26,948	78.5	Any ANC	97.2
11	Mothers registered in the first trimester	19,119	68.8	20,097	74.6	ANC Check up in first trimester	71.9
12	Mothers who had at least 3 Ante-Natal care check ups	19,811	71.3	22,089	82.0	3 or more ANC check up	72.9
13	PW who got TT 2 / Booster injection	23,535	84.7	23,423	86.9	At least 1 TT received	97.0
14	PW who consumed 100 IFA tablets	22,915	82.5	24,632	91.4	100 IFA tablets consumed	21.7
15	Home Delivery against expected delivery *	1,889	5.9	1,647	5.2	Full ANC	18.4
16	Institutional Delivery against expected delivery *	22,483	70.4	22,749	71.1	Home Delivery	23.8
17	Home Delivery against reported delivery **	1,889	7.8	1,647	6.8	Institutional Delivery	75.9
18	Institutional Delivery against reported delivery **	22,483	92.2	22,749	93.2	Home Delivery by SBA	26.2
19	Total reported Deliveries	24,372		24,396		PNC within 48 hrs of delivery	80.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	146	7.7	221	13.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	14,917	61.2	15,427	63.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years.							
22	Expected number of Live Birth	31,162		31,198			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		AHS (2012-13)	
23	Total reported live births	24,147	77.5	24,177	77.5	Breastfed within 1 hour of birth	80.1
24	Total Still Birth	484	1.6	354	1.1	BCG	98.4

25	PC of newborn weighted at birth to live birth	23,741	98.3	23,944	99.0	3 dose of DPT	88.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,293	22.3	5,076	21.2	Measles	91.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	22,971	95.1	23,316	96.4	Full Immunization	79
28	Children fully immunized	22,911	73.5	20,992	67.3		
29	Children who have received BCG	21,409	68.7	21,608	69.3		
30	Children who have received DPT1	24,280	77.9	21,333	68.4		
31	Children who have received DPT3	23,334	74.9	23,188	74.3		
32	Children who have received Measles	23,464	75.3	21,471	68.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	9,570		8,763			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).</p>							
<b>E) Family Planning</b>		<b>HMIS (2013-14)</b>	<b>HMIS ( 2014-15)</b>	<b>AHS (2012-13)</b>			
34	Number of Vasectomies performed	341	427	Limiting	8		
35	Number of Tubectomies performed	3,748	3,687	Spacing	4.9		
36	Number of IUD insertion	4,231	5,161	Women using any method	67		
37	Number of IUD removals	137	362	Women using modern method	47		
<b>F) Service delivery</b>		<b>HMIS (2013-14)</b>	<b>HMIS ( 2014-15)</b>				
38	IPD cases per 10,000 population ***	364	369				
39	General OPD cases per 10,000 population ***	11,035	10,726				
40	Ayush OPD cases per 10,000 population ***	22	15.1				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>	<b>HMIS ( 2014-15)</b>				
41	Neonatal death within 24 hours	4	10				
42	Up to 1 Weeks of Birth	66	72				
43	Between 1 week & 4 weeks of birth	2	0				
44	Neonatal Death	72	82				
45	Between 1 month and 11 months	69	57				
46	<b>Total reported infant deaths</b>	141	139				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2013-14)</b>	<b>HMIS ( 2014-15)</b>				
47	Due to Abortion	1	0				
48	Due to Obstructed/prolonged labour	1	1				
49	Due to Severe hypertension / fits	2	2				
50	Due to Bleeding	1	4				
51	Due to High fever	1	0				
52	Due to Other Causes (including causes not known)	17	37				
53	<b>Total reported maternal deaths</b>	23	44				

## Udalguri Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	831,668					
2	Sex Ratio	966					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	146					
4	Primary Health Centers (PHC)	24					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
8	Expected number of PW	21,267		21,192			
9	Expected number of Delivery	19,817		19,747			
		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	16,033	75.4	16,215	76.5	Any ANC	NA
11	Mothers registered in the first trimester	13,099	81.7	13,703	84.5	ANC Check up in first trimester	NA
12	Mothers who had at least 3 Ante-Natal care check ups	11,902	74.2	13,452	83.0	3 or more ANC check up	NA
13	PW who got TT 2 / Booster injection	14,013	87.4	14,494	89.4	At least 1 TT received	NA
14	PW who consumed 100 IFA tablets	12,167	75.9	14,037	86.6	100 IFA tablets consumed	NA
15	Home Delivery against expected delivery *	1,016	5.1	1,045	5.3	Full ANC	NA
16	Institutional Delivery against expected delivery *	10,338	52.2	10,370	52.5	Home Delivery	NA
17	Home Delivery against reported delivery **	1,016	8.9	1,045	9.2	Institutional Delivery	NA
18	Institutional Delivery against reported delivery **	10,338	91.1	10,370	90.8	Home Delivery by SBA	NA
19	Total reported Deliveries	11,354		11,415		PNC within 48 hrs of delivery	NA
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	77	7.6	84	8.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,260	37.5	5,920	51.9		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years.</b>							
22	Expected number of Live Birth	19,334		19,266			
<b>D) Child Immunization :</b>		<b>HMIS (2013-14)</b>		<b>HMIS (2014-15)</b>		<b>AHS (2012-13)</b>	
23	Total reported live births	11,204	57.9	11,280	58.5	Breastfed within 1 hour of birth	NA
24	Total Still Birth	206	1.1	185	1.0	BCG	NA

25	PC of newborn weighted at birth to live birth	10,761	96.0	11,049	98.0	3 dose of DPT	NA
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,270	21.1	2,234	20.2	Measles	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	10,069	89.9	10,736	95.2	Full Immunization	NA
28	Children fully immunized	14,049	72.7	13,797	71.6		
29	Children who have received BCG	12,547	64.9	11,917	61.9		
30	Children who have received DPT1	14,248	73.7	13,264	68.8		
31	Children who have received DPT3	14,103	72.9	13,859	71.9		
32	Children who have received Measles	14,213	73.5	13,918	72.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,527		2,693			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).

E) Family Planning		HMIS (2013-14)	HMIS ( 2014-15)	AHS (2012-13)	
34	Number of Vasectomies performed	22	70	Limiting	NA
35	Number of Tubectomies performed	356	30	Spacing	NA
36	Number of IUD insertion	1,818	2,376	Women using any method	NA
37	Number of IUD removals	207	380	Women using modern method	NA
F) Service delivery		HMIS (2013-14)	HMIS ( 2014-15)		
38	IPD cases per 10,000 population ***	145	193		
39	General OPD cases per 10,000 population ***	10,373	9,678		
40	Ayush OPD cases per 10,000 population ***	187	90.7		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS ( 2014-15)		
41	Neonatal death within 24 hours	19	4		
42	Up to 1 Weeks of Birth	79	44		
43	Between 1 week & 4 weeks of birth	2	5		
44	Neonatal Death	100	53		
45	Between 1 month and 11 months	93	89		
46	<b>Total reported infant deaths</b>	193	142		
II)	Maternal Mortality	HMIS (2013-14)	HMIS ( 2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	2	0		
49	Due to Severe hypertension / fits	4	3		
50	Due to Bleeding	6	6		
51	Due to High fever	1	0		
52	Due to Other Causes (including causes not known)	16	7		
53	<b>Total reported maternal deaths</b>	29	16		



\* Against Expected Delivery for the year 2013-14 & 2014-15.

\*\* Against Reported Delivery for the year 2013-14 & 2014-15.

\*\*\* Against Estimated Population for year 2013-14 & 2014-15.