

ASSAM Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | SL No | C) State Health Indicator (SRS 2014) | | | |
|--|--|-----------------------|------------------------|--------------------------------------|----------------------|-----------------------------------|-----------|
| 1 | Population 2011 | 31,205,576 | 9 | Birth Rate | | 22.4 | |
| 2 | Sex Ratio | 954 | 10 | Death Rate | | 7.8 | |
| 3 | Number of districts | 27 | 11 | IMR | | 54 | |
| B) Infrastructure Details (RHS 2014) | | | 12 | Growth Rate | | 14.5 | |
| 4 | Sub Centers (SC) | 4,621 | 13 | TFR (SRS - 2007) | | 2.4 | |
| 5 | Primary Health Centers (PHC) | 1,014 | 14 | MMR(SRS 2010-12) | | 328 | |
| 6 | Community Health Centers (CHC) | 151 | | | | | |
| 7 | SDH | 13 | | | | | |
| 8 | DH | 25 | | | | | |
| D) Maternal Health: | | 2013-14 | 2014-15 | | | | |
| 15 | Expected number of PW | 808,419 | 812,232 | | | | |
| 16 | Expected number of Delivery | 754,024 | 756,853 | | | | |
| | | HMIS (2013-14) | HMIS (2014-15) | | AHS (2012-13) | | |
| | | Number | PC | Number | PC | | PC |
| 17 | PW register for ANC | 786,037 | 97.2 | 748,081 | 92.1 | Any ANC | 94.8 |
| 18 | Mothers registered in the first trimester | 562,930 | 71.6 | 577,347 | 77.2 | ANC Check up in first trimester | 54.8 |
| 19 | Mothers who had at least 3 Ante-Natal care check ups | 622,190 | 79.2 | 628,773 | 84.1 | 3 or more ANC check up | 66.2 |
| 20 | PW who got TT 2 / Booster injection | 671,031 | 85.4 | 662,416 | 88.5 | At least 1 TT received | 94.5 |
| 21 | PW who consumed 100 IFA tablets | 580,162 | 73.8 | 678,829 | 90.7 | 100 IFA tablets consumed | 23.1 |
| 22 | Home Delivery against expected delivery * | 98,300 | 13.0 | 95,767 | 12.7 | Full ANC | 18.4 |
| 23 | Institutional Delivery against expected delivery * | 503,857 | 66.8 | 528,358 | 69.8 | Home Delivery | 33.6 |
| 24 | Home Delivery against reported delivery ** | 98,300 | 16.3 | 95,767 | 15.3 | Institutional Delivery | 65.9 |
| 25 | Institutional Delivery against reported delivery ** | 503,857 | 83.7 | 528,358 | 84.7 | Home Delivery by SBA | 29.2 |
| 26 | Total reported Deliveries | 602,157 | 79.9 | 624,125 | 82.5 | PNC within 1 week of delivery | 69.4 |
| 27 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 13,268 | 13.5 | 20,305 | 21.2 | | |
| 28 | Woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 389,346 | 64.7 | 444,409 | 71.2 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years. | | | | | | | |
| 29 | Expected number of Live Birth | 734,926 | 738,394 | | | | |
| E) Child Immunization : | | HMIS (2013-14) | HMIS (2014-15) | | AHS (2012-13) | | |
| | | Number | PC | Number | PC | | PC |
| 30 | Total reported live births | 595,076 | 81.0 | 610,345 | 82.7 | Breastfeed within 1 hour of birth | 75.6 |

| | | | | | | | |
|---|--|-----------------------|------|------------------------|------|---------------------------|------|
| 31 | Total Still Birth | 14,269 | 1.9 | 14,080 | 1.9 | BCG | 94.1 |
| 32 | Newborn weighted at birth to live birth | 574,236 | 96.5 | 597,685 | 97.9 | 3 dose of DPT | 77.6 |
| 33 | Newborn having weight less than 2.5 kg to newborn weighted at birth. | 114,950 | 19.3 | 109,733 | 18.4 | Measles | 80.9 |
| 34 | Newborns breast feed within 1 hour to total reported live birth. | 558,550 | 93.9 | 584,182 | 95.7 | Full Immunization | 64.4 |
| 35 | Fully immunized | 599,259 | 81.5 | 581,146 | 78.7 | | |
| 36 | Children who have received BCG | 629,570 | 85.7 | 641,584 | 86.9 | | |
| 37 | Children who have received DPT1 | 644,199 | 87.7 | 567,248 | 76.8 | | |
| 38 | Children who have received DPT3 | 623,916 | 84.9 | 603,698 | 81.8 | | |
| 39 | Children who have received Measles | 608,193 | 82.8 | 589,250 | 79.8 | | |
| 40 | Diarrhoea and Dehydration reported in children below 5 years of age | 137,899 | | 125,825 | | | |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).</p> | | | | | | | |
| F) Family Planning | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 41 | Number of Vasectomies performed | 4,066 | | 4,279 | | Limiting | 6.5 |
| 42 | Number of Tubectomies performed | 48,585 | | 39,802 | | Spacing | 6.6 |
| 43 | Number of IUD insertion | 84,541 | | 97,714 | | Women using any method | 67.2 |
| 44 | Number of IUDremovals | 11,125 | | 11,995 | | Women using modern method | 38.1 |
| G) Service delivery | | HMIS (2013-14) | | HMIS (2014-15) | | | |
| 45 | IPD cases per 10,000 population *** | 360 | | 356 | | | |
| 46 | General OPD cases per 10,000 population *** | 9,165 | | 8,515 | | | |
| 47 | Ayush OPD cases per 10,000 population *** | 199 | | 165 | | | |
| H) Mortality Details | | | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2013-14) | | HMIS (2014-15) | | | |
| 48 | Neonatal death within 24 hours | 278 | | 174 | | | |
| 49 | Up to 1 Weeks of Birth | 2,939 | | 2,734 | | | |
| 50 | Between 1 week & 4 weeks of birth | 102 | | 59 | | | |
| 51 | Neonatal Death | 3,319 | | 2,967 | | | |
| 52 | Between 1 month and 11 months | 1,532 | | 1,719 | | | |
| 53 | Total reported infant deaths | 4,851 | | 4,686 | | | |
| II) | Maternal Mortality | HMIS (2013-14) | | HMIS (2014-15) | | | |
| | Maternal Deaths (In Numbers) | HMIS (2013-14) | | HMIS (2014-15) | | | |
| 54 | Due to Abortion | 24 | | 15 | | | |
| 55 | Due to Obstructed/prolonged labour | 28 | | 26 | | | |
| 56 | Due to Severe hypertesion/fits | 103 | | 91 | | | |
| 57 | Due to Bleeding | 129 | | 98 | | | |
| 58 | Due to High fever | 22 | | 22 | | | |
| 59 | Due to Other Causes (including causes not known) | 495 | | 487 | | | |
| 60 | Total reported maternal deaths | 801 | | 739 | | | |

Baksa Factsheet

Key Indicators

| Sl No | A) Demographic Indicators (Census 2011) | | | | | | |
|--|--|-----------------------|-----------------------|---------------|----------------------|----------------------------------|----|
| 1 | Population 2011 | 950,075 | | | | | |
| 2 | Sex Ratio | 967 | | | | | |
| B) Infrastructure Details (RHS 2014) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 157 | | | | | |
| 4 | Primary Health Centers (PHC) | 41 | | | | | |
| 5 | Community Health Centers (CHC) | 5 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 1 | | | | | |
| C) Maternal Health: | | 2013-14 | 2014-15 | | | | |
| 8 | Expected number of PW | 24,363 | 24,311 | | | | |
| 9 | Expected number of Delivery | 22,702 | 22,654 | | | | |
| | | HMIS (2013-14) | HMIS (2014-15) | | AHS (2012-13) | | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 18,694 | 76.7 | 18,201 | 74.9 | Any ANC | NA |
| 11 | Mothers registered in the first trimester | 15,583 | 83.4 | 14,994 | 82.4 | ANC Check up in first trimester | NA |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 15,442 | 82.6 | 15,436 | 84.8 | 3 or more ANC check up | NA |
| 13 | PW who got TT 2 / Booster injection | 15,996 | 85.6 | 15,570 | 85.5 | At least 1 TT received | NA |
| 14 | PW who consumed 100 IFA tablets | 16,176 | 86.5 | 16,434 | 90.3 | 100 IFA tablets consumed | NA |
| 15 | Home Delivery against expected delivery * | 1,074 | 4.7 | 1,091 | 4.8 | Full ANC | NA |
| 16 | Institutional Delivery against expected delivery * | 10,486 | 46.2 | 10,155 | 44.8 | Home Delivery | NA |
| 17 | Home Delivery against reported delivery ** | 1,074 | 9.3 | 1,091 | 9.7 | Institutional Delivery | NA |
| 18 | Institutional Delivery against reported delivery ** | 10,486 | 90.7 | 10,155 | 90.3 | Home Delivery by SBA | NA |
| 19 | Total reported Deliveries | 11,560 | | 11,246 | | PNC within 48 hrs of delivery | NA |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 26 | 2.4 | 26 | 2.4 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 10,855 | 93.9 | 10,449 | 92.9 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years. | | | | | | | |
| 22 | Expected number of Live Birth | 22,148 | | 22,101 | | | |
| D) Child Immunization : | | HMIS (2013-14) | HMIS (2014-15) | | AHS (2012-13) | | |
| 23 | Total reported live births | 11,425 | 51.6 | 11,058 | 50.0 | Breastfed within 1 hour of birth | NA |

| | | | | | | | |
|---|--|-----------------------|------|------------------------|------|---------------------------|----|
| 24 | Total Still Birth | 239 | 1.1 | 211 | 1.0 | BCG | NA |
| 25 | PC of newborn weighted at birth to live birth | 11,374 | 99.6 | 11,009 | 99.6 | 3 dose of DPT | NA |
| 26 | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 1,944 | 17.1 | 1,419 | 12.9 | Measles | NA |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 11,190 | 97.9 | 10,973 | 99.2 | Full Immunization | NA |
| 28 | Children fully immunized | 15,271 | 68.9 | 14,119 | 63.9 | | |
| 29 | Children who have received BCG | 12,846 | 58.0 | 13,953 | 63.1 | | |
| 30 | Children who have received DPT1 | 16,380 | 74.0 | 14,888 | 67.4 | | |
| 31 | Children who have received DPT3 | 15,823 | 71.4 | 14,988 | 67.8 | | |
| 32 | Children who have received Measles | 15,254 | 68.9 | 14,084 | 63.7 | | |
| 33 | Diarrhoea and Dehydration reported in children below 5 years of age | 2,638 | | 2,262 | | | |
| Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011). | | | | | | | |
| E) Family Planning | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 34 | Number of Vasectomies performed | 0 | | 25 | | Limiting | NA |
| 35 | Number of Tubectomies performed | 405 | | 270 | | Spacing | NA |
| 36 | Number of IUD insertion | 1,778 | | 1,288 | | Women using any method | NA |
| 37 | Number of IUD removals | 297 | | 390 | | Women using modern method | NA |
| F) Service delivery | | HMIS (2013-14) | | HMIS (2014-15) | | | |
| 38 | IPD cases per 10,000 population *** | 126 | | 129 | | | |
| 39 | General OPD cases per 10,000 population *** | 7,486 | | 6,545 | | | |
| 40 | Ayush OPD cases per 10,000 population *** | 93 | | 262.2 | | | |
| G) Mortality Details | | | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2013-14) | | HMIS (2014-15) | | | |
| 41 | Neonatal death within 24 hours | 10 | | 4 | | | |
| 42 | Up to 1 Weeks of Birth | 84 | | 52 | | | |
| 43 | Between 1 week & 4 weeks of birth | 5 | | 3 | | | |
| 44 | Neonatal Death | 99 | | 59 | | | |
| 45 | Between 1 month and 11 months | 74 | | 71 | | | |
| 46 | Total reported infant deaths | 173 | | 130 | | | |
| II) | Maternal Mortality | HMIS (2013-14) | | HMIS (2014-15) | | | |
| | Maternal Deaths (In Numbers) | HMIS (2013-14) | | HMIS (2014-15) | | | |
| 47 | Due to Abortion | 0 | | 0 | | | |
| 48 | Due to Obstructed/prolonged labour | 0 | | 0 | | | |
| 49 | Due to Severe hypertension / fits | 1 | | 0 | | | |
| 50 | Due to Bleeding | 2 | | 2 | | | |
| 51 | Due to High fever | 0 | | 0 | | | |
| 52 | Due to Other Causes (including causes not known) | 9 | | 2 | | | |
| 53 | Total reported maternal deaths | 12 | | 4 | | | |

Barpeta Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|--|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| 1 | Population 2011 | 1,693,622 | | | | | |
| 2 | Sex Ratio | 951 | | | | | |
| B) Infrastructure Details (RHS 2014) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 264 | | | | | |
| 4 | Primary Health Centers (PHC) | 51 | | | | | |
| 5 | Community Health Centers (CHC) | 6 | | | | | |
| 6 | SDH | 1 | | | | | |
| 7 | DH | 1 | | | | | |
| C) Maternal Health: | | 2013-14 | | 2014-15 | | | |
| 8 | Expected number of PW | 44,313 | | 44,666 | | | |
| 9 | Expected number of Delivery | 41,292 | | 41,621 | | | |
| | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 42,658 | 96.3 | 41,310 | 92.5 | Any ANC | 94.0 |
| 11 | Mothers registered in the first trimester | 31,709 | 74.3 | 32,407 | 78.4 | ANC Check up in first trimester | 35.7 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 35,373 | 82.9 | 36,669 | 88.8 | 3 or more ANC check up | 55.6 |
| 13 | PW who got TT 2 / Booster injection | 37,136 | 87.1 | 36,683 | 88.8 | At least 1 TT received | 94.0 |
| 14 | PW who consumed 100 IFA tablets | 30,568 | 71.7 | 34,634 | 83.8 | 100 IFA tablets consumed | 18.9 |
| 15 | Home Delivery against expected delivery * | 12,414 | 30.1 | 11,365 | 27.3 | Full ANC | 14.0 |
| 16 | Institutional Delivery against expected delivery * | 23,541 | 57.0 | 25,658 | 61.6 | Home Delivery | 47.4 |
| 17 | Home Delivery against reported delivery ** | 12,414 | 34.5 | 11,365 | 30.7 | Institutional Delivery | 52.3 |
| 18 | Institutional Delivery against reported delivery ** | 23,541 | 65.5 | 25,658 | 69.3 | Home Delivery by SBA | 19.8 |
| 19 | Total reported Deliveries | 35,955 | | 37,023 | | PNC within 48 hrs of delivery | 56.2 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 2,429 | 19.6 | 3,142 | 27.6 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 20,988 | 58.4 | 26,016 | 70.3 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years. | | | | | | | |
| 22 | Expected number of Live Birth | 40,285 | | 40,606 | | | |
| D) Child Immunization : | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 23 | Total reported live births | 35,354 | 87.8 | 36,194 | 89.1 | Breastfed within 1 hour of birth | 78.9 |
| 24 | Total Still Birth | 853 | 2.1 | 1,077 | 2.7 | BCG | 93.5 |

| | | | | | | | |
|---|--|-----------------------|------------------------|---------------------------|------|-------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 33,970 | 96.1 | 35,985 | 99.4 | 3 dose of DPT | 78.5 |
| 26 | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 8,109 | 23.9 | 8,585 | 23.9 | Measles | 76.3 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 33,550 | 94.9 | 35,629 | 98.4 | Full Immunization | 62.1 |
| 28 | Children fully immunized | 34,295 | 85.1 | 34,218 | 84.3 | | |
| 29 | Children who have received BCG | 34,225 | 85.0 | 36,926 | 90.9 | | |
| 30 | Children who have received DPT1 | 37,614 | 93.4 | 34,065 | 83.9 | | |
| 31 | Children who have received DPT3 | 36,499 | 90.6 | 36,522 | 89.9 | | |
| 32 | Children who have received Measles | 34,594 | 85.9 | 34,555 | 85.1 | | |
| 33 | Diarrhoea and Dehydration reported in children below 5 years of age | 3,890 | | 2,979 | | | |
| Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011). | | | | | | | |
| E) Family Planning | | HMIS (2013-14) | HMIS (2014-15) | AHS (2012-13) | | | |
| 34 | Number of Vasectomies performed | 24 | 66 | Limiting | 5.2 | | |
| 35 | Number of Tubectomies performed | 1,773 | 1,144 | Spacing | 7.2 | | |
| 36 | Number of IUD insertion | 3,675 | 3,825 | Women using any method | 74.1 | | |
| 37 | Number of IUD removals | 147 | 101 | Women using modern method | 39 | | |
| F) Service delivery | | HMIS (2013-14) | HMIS (2014-15) | | | | |
| 38 | IPD cases per 10,000 population *** | 192 | 196 | | | | |
| 39 | General OPD cases per 10,000 population *** | 8,079 | 6,801 | | | | |
| 40 | Ayush OPD cases per 10,000 population *** | 31 | 0.0 | | | | |
| G) Mortality Details | | | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2013-14) | HMIS (2014-15) | | | | |
| 41 | Neonatal death within 24 hours | 20 | 6 | | | | |
| 42 | Up to 1 Weeks of Birth | 200 | 151 | | | | |
| 43 | Between 1 week & 4 weeks of birth | 15 | 4 | | | | |
| 44 | Neonatal Death | 235 | 161 | | | | |
| 45 | Between 1 month and 11 months | 68 | 78 | | | | |
| 46 | Total reported infant deaths | 303 | 239 | | | | |
| II) | Maternal Mortality | | | | | | |
| | Maternal Deaths (In Numbers) | HMIS (2013-14) | HMIS (2014-15) | | | | |
| 47 | Due to Abortion | 2 | 1 | | | | |
| 48 | Due to Obstructed/prolonged labour | 1 | 1 | | | | |
| 49 | Due to Severe hypertension / fits | 11 | 5 | | | | |
| 50 | Due to Bleeding | 7 | 8 | | | | |
| 51 | Due to High fever | 0 | 2 | | | | |
| 52 | Due to Other Causes (including causes not known) | 42 | 25 | | | | |
| 53 | Total reported maternal deaths | 63 | 42 | | | | |

Bongaigaon Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | | |
|---|--|-----------------------|-----------------------|---------------|----------------------|----------------------------------|------|--|
| 1 | Population 2011 | 738,804 | | | | | | |
| 2 | Sex Ratio | 961 | | | | | | |
| B) Infrastructure Details (RHS 2014) | | Numbers | | | | | | |
| 3 | Sub Centers (SC) | 84 | | | | | | |
| 4 | Primary Health Centers (PHC) | 30 | | | | | | |
| 5 | Community Health Centers (CHC) | 3 | | | | | | |
| 6 | SDH | 0 | | | | | | |
| 7 | DH | 1 | | | | | | |
| C) Maternal Health: | | 2013-14 | 2014-15 | | | | | |
| 8 | Expected number of PW | 19,262 | 19,381 | | | | | |
| 9 | Expected number of Delivery | 17,949 | 18,059 | | | | | |
| | | HMIS (2013-14) | HMIS (2014-15) | | AHS (2012-13) | | | |
| | | Number | PC | Number | PC | | | |
| 10 | PW register for ANC | 17,592 | 91.3 | 16,065 | 82.9 | Any ANC | 92.6 | |
| 11 | Mothers registered in the first trimester | 11,772 | 66.9 | 11,963 | 74.5 | ANC Check up in first trimester | 43.7 | |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 12,878 | 73.2 | 13,193 | 82.1 | 3 or more ANC check up | 59.5 | |
| 13 | PW who got TT 2 / Booster injection | 14,851 | 84.4 | 14,666 | 91.3 | At least 1 TT received | 92.5 | |
| 14 | PW who consumed 100 IFA tablets | 14,503 | 82.4 | 14,984 | 93.3 | 100 IFA tablets consumed | 21.1 | |
| 15 | Home Delivery against expected delivery * | 3,561 | 19.8 | 3,613 | 20.0 | Full ANC | 16.3 | |
| 16 | Institutional Delivery against expected delivery * | 13,019 | 72.5 | 11,949 | 66.2 | Home Delivery | 45.1 | |
| 17 | Home Delivery against reported delivery ** | 3,561 | 21.5 | 3,613 | 23.2 | Institutional Delivery | 54.8 | |
| 18 | Institutional Delivery against reported delivery ** | 13,019 | 78.5 | 11,949 | 76.8 | Home Delivery by SBA | 34.8 | |
| 19 | Total reported Deliveries | 16,580 | | 15,562 | | PNC within 48 hrs of delivery | 55.3 | |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 173 | 4.9 | 95 | 2.6 | | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 11,747 | 70.9 | 13,462 | 86.5 | | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years. | | | | | | | | |
| 22 | Expected number of Live Birth | 17,511 | | 17,619 | | | | |
| D) Child Immunization : | | HMIS (2013-14) | HMIS (2014-15) | | AHS (2012-13) | | | |
| 23 | Total reported live births | 16,279 | 93.0 | 15,270 | 86.7 | Breastfed within 1 hour of birth | 72.8 | |
| 24 | Total Still Birth | 384 | 2.2 | 351 | 2.0 | BCG | 94.3 | |

| | | | | | | | |
|---|--|-----------------------|------|------------------------|------|---------------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 15,955 | 98.0 | 15,174 | 99.4 | 3 dose of DPT | 66.6 |
| 26 | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 2,481 | 15.5 | 1,768 | 11.7 | Measles | 79.4 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 15,983 | 98.2 | 15,213 | 99.6 | Full Immunization | 52.4 |
| 28 | Children fully immunized | 14,550 | 83.1 | 13,508 | 76.7 | | |
| 29 | Children who have received BCG | 16,541 | 94.5 | 15,683 | 89.0 | | |
| 30 | Children who have received DPT1 | 16,198 | 92.5 | 14,081 | 79.9 | | |
| 31 | Children who have received DPT3 | 14,907 | 85.1 | 14,162 | 80.4 | | |
| 32 | Children who have received Measles | 14,629 | 83.5 | 13,637 | 77.4 | | |
| 33 | Diarrhoea and Dehydration reported in children below 5 years of age | 794 | | 496 | | | |
| Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011). | | | | | | | |
| E) Family Planning | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 34 | Number of Vasectomies performed | 12 | | 5 | | Limiting | 5.2 |
| 35 | Number of Tubectomies performed | 427 | | 272 | | Spacing | 6.6 |
| 36 | Number of IUD insertion | 2,922 | | 1,873 | | Women using any method | 70.5 |
| 37 | Number of IUD removals | 131 | | 137 | | Women using modern method | 35.7 |
| F) Service delivery | | HMIS (2013-14) | | HMIS (2014-15) | | | |
| 38 | IPD cases per 10,000 population *** | 160 | | 154 | | | |
| 39 | General OPD cases per 10,000 population *** | 9,373 | | 8,179 | | | |
| 40 | Ayush OPD cases per 10,000 population *** | 29 | | 14.2 | | | |
| G) Mortality Details | | | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2013-14) | | HMIS (2014-15) | | | |
| 41 | Neonatal death within 24 hours | 18 | | 3 | | | |
| 42 | Up to 1 Weeks of Birth | 231 | | 222 | | | |
| 43 | Between 1 week & 4 weeks of birth | 9 | | 5 | | | |
| 44 | Neonatal Death | 258 | | 230 | | | |
| 45 | Between 1 month and 11 months | 78 | | 82 | | | |
| 46 | Total reported infant deaths | 336 | | 312 | | | |
| II) | Maternal Mortality | HMIS (2013-14) | | HMIS (2014-15) | | | |
| | Maternal Deaths (In Numbers) | HMIS (2013-14) | | HMIS (2014-15) | | | |
| 47 | Due to Abortion | 0 | | 1 | | | |
| 48 | Due to Obstructed/prolonged labour | 0 | | 0 | | | |
| 49 | Due to Severe hypertension / fits | 2 | | 1 | | | |
| 50 | Due to Bleeding | 6 | | 5 | | | |
| 51 | Due to High fever | 0 | | 0 | | | |
| 52 | Due to Other Causes (including causes not known) | 13 | | 18 | | | |
| 53 | Total reported maternal deaths | 21 | | 25 | | | |

Cachar Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|---|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| 1 | Population 2011 | 1,736,617 | | | | | |
| 2 | Sex Ratio | 958 | | | | | |
| B) Infrastructure Details (RHS 2014) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 270 | | | | | |
| 4 | Primary Health Centers (PHC) | 33 | | | | | |
| 5 | Community Health Centers (CHC) | 5 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 1 | | | | | |
| C) Maternal Health: | | 2013-14 | | 2014-15 | | | |
| 8 | Expected number of PW | 45,329 | | 45,635 | | | |
| 9 | Expected number of Delivery | 42,238 | | 42,523 | | | |
| | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 42,191 | 93.1 | 41,316 | 90.5 | Any ANC | 95.6 |
| 11 | Mothers registered in the first trimester | 32,591 | 77.2 | 33,426 | 80.9 | ANC Check up in first trimester | 57.8 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 32,583 | 77.2 | 33,446 | 81.0 | 3 or more ANC check up | 66.5 |
| 13 | PW who got TT 2 / Booster injection | 38,586 | 91.5 | 37,561 | 90.9 | At least 1 TT received | 95.3 |
| 14 | PW who consumed 100 IFA tablets | 33,688 | 79.8 | 45,424 | 109.9 | 100 IFA tablets consumed | 21.5 |
| 15 | Home Delivery against expected delivery * | 6,088 | 14.4 | 5,160 | 12.1 | Full ANC | 17.8 |
| 16 | Institutional Delivery against expected delivery * | 34,274 | 81.1 | 35,920 | 84.5 | Home Delivery | 34.9 |
| 17 | Home Delivery against reported delivery ** | 6,088 | 15.1 | 5,160 | 12.6 | Institutional Delivery | 64.8 |
| 18 | Institutional Delivery against reported delivery ** | 34,274 | 84.9 | 35,920 | 87.4 | Home Delivery by SBA | 35.7 |
| 19 | Total reported Deliveries | 40,362 | | 41,080 | | PNC within 48 hrs of delivery | 69.7 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 1,225 | 20.1 | 2,082 | 40.3 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 28,670 | 71.0 | 28,592 | 69.6 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years. | | | | | | | |
| 22 | Expected number of Live Birth | 41,208 | | 41,486 | | | |
| D) Child Immunization : | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 23 | Total reported live births | 39,340 | 95.5 | 40,218 | 96.9 | Breastfed within 1 hour of birth | 63.3 |
| 24 | Total Still Birth | 1,250 | 3.0 | 1,385 | 3.3 | BCG | 94.2 |

| | | | | | | | |
|---|--|-----------------------|------------------------|---------------------------|-------|-------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 39,234 | 99.7 | 40,185 | 99.9 | 3 dose of DPT | 77.1 |
| 26 | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 9,534 | 24.3 | 8,729 | 21.7 | Measles | 80.3 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 37,950 | 96.5 | 36,452 | 90.6 | Full Immunization | 64.5 |
| 28 | Children fully immunized | 36,818 | 89.3 | 34,885 | 84.1 | | |
| 29 | Children who have received BCG | 38,422 | 93.2 | 41,487 | 100.0 | | |
| 30 | Children who have received DPT1 | 38,915 | 94.4 | 34,188 | 82.4 | | |
| 31 | Children who have received DPT3 | 38,072 | 92.4 | 36,167 | 87.2 | | |
| 32 | Children who have received Measles | 37,208 | 90.3 | 35,461 | 85.5 | | |
| 33 | Diarrhoea and Dehydration reported in children below 5 years of age | 4,968 | | 3,683 | | | |
| Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011). | | | | | | | |
| E) Family Planning | | HMIS (2013-14) | HMIS (2014-15) | AHS (2012-13) | | | |
| 34 | Number of Vasectomies performed | 38 | 142 | Limiting | 8.8 | | |
| 35 | Number of Tubectomies performed | 3,447 | 2,987 | Spacing | 9.4 | | |
| 36 | Number of IUD insertion | 2,730 | 2,037 | Women using any method | 57 | | |
| 37 | Number of IUD removals | 505 | 265 | Women using modern method | 31.9 | | |
| F) Service delivery | | HMIS (2013-14) | HMIS (2014-15) | | | | |
| 38 | IPD cases per 10,000 population *** | 432 | 420 | | | | |
| 39 | General OPD cases per 10,000 population *** | 6,835 | 6,993 | | | | |
| 40 | Ayush OPD cases per 10,000 population *** | 66 | 5.8 | | | | |
| G) Mortality Details | | | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2013-14) | HMIS (2014-15) | | | | |
| 41 | Neonatal death within 24 hours | 40 | 19 | | | | |
| 42 | Up to 1 Weeks of Birth | 214 | 238 | | | | |
| 43 | Between 1 week & 4 weeks of birth | 3 | 2 | | | | |
| 44 | Neonatal Death | 257 | 259 | | | | |
| 45 | Between 1 month and 11 months | 127 | 144 | | | | |
| 46 | Total reported infant deaths | 384 | 403 | | | | |
| II) | Maternal Mortality | | | | | | |
| | Maternal Deaths (In Numbers) | HMIS (2013-14) | HMIS (2014-15) | | | | |
| 47 | Due to Abortion | 0 | 0 | | | | |
| 48 | Due to Obstructed/prolonged labour | 3 | 3 | | | | |
| 49 | Due to Severe hypertension / fits | 6 | 8 | | | | |
| 50 | Due to Bleeding | 7 | 3 | | | | |
| 51 | Due to High fever | 2 | 2 | | | | |
| 52 | Due to Other Causes (including causes not known) | 29 | 33 | | | | |
| 53 | Total reported maternal deaths | 47 | 49 | | | | |

Chirang Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|---|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|----|
| 1 | Population 2011 | 482,162 | | | | | |
| 2 | Sex Ratio | 969 | | | | | |
| B) Infrastructure Details (RHS 2014) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 86 | | | | | |
| 4 | Primary Health Centers (PHC) | 25 | | | | | |
| 5 | Community Health Centers (CHC) | 3 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 1 | | | | | |
| C) Maternal Health: | | 2013-14 | | 2014-15 | | | |
| 8 | Expected number of PW | 12,366 | | 12,341 | | | |
| 9 | Expected number of Delivery | 11,523 | | 11,500 | | | |
| | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 12,941 | 104.6 | 11,381 | 92.2 | Any ANC | NA |
| 11 | Mothers registered in the first trimester | 6,363 | 49.2 | 8,168 | 71.8 | ANC Check up in first trimester | NA |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 9,270 | 71.6 | 9,046 | 79.5 | 3 or more ANC check up | NA |
| 13 | PW who got TT 2 / Booster injection | 9,944 | 76.8 | 9,836 | 86.4 | At least 1 TT received | NA |
| 14 | PW who consumed 100 IFA tablets | 9,972 | 77.1 | 10,297 | 90.5 | 100 IFA tablets consumed | NA |
| 15 | Home Delivery against expected delivery * | 1,881 | 16.3 | 2,112 | 18.4 | Full ANC | NA |
| 16 | Institutional Delivery against expected delivery * | 5,793 | 50.3 | 5,679 | 49.4 | Home Delivery | NA |
| 17 | Home Delivery against reported delivery ** | 1,881 | 24.5 | 2,112 | 27.1 | Institutional Delivery | NA |
| 18 | Institutional Delivery against reported delivery ** | 5,793 | 75.5 | 5,679 | 72.9 | Home Delivery by SBA | NA |
| 19 | Total reported Deliveries | 7,674 | | 7,791 | | PNC within 48 hrs of delivery | NA |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 14 | 0.7 | 89 | 4.2 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 2,050 | 26.7 | 4,152 | 53.3 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years. | | | | | | | |
| 22 | Expected number of Live Birth | 11,242 | | 11,219 | | | |
| D) Child Immunization : | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 23 | Total reported live births | 7,855 | 69.9 | 7,792 | 69.5 | Breastfed within 1 hour of birth | NA |
| 24 | Total Still Birth | 113 | 1.0 | 80 | 0.7 | BCG | NA |

| | | | | | | | |
|---|--|-----------------------|------|------------------------|------|---------------------------|----|
| 25 | PC of newborn weighted at birth to live birth | 6,787 | 86.4 | 7,519 | 96.5 | 3 dose of DPT | NA |
| 26 | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 1,366 | 20.1 | 3,331 | 44.3 | Measles | NA |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 6,109 | 77.8 | 7,512 | 96.4 | Full Immunization | NA |
| 28 | Children fully immunized | 8,811 | 78.4 | 8,481 | 75.6 | | |
| 29 | Children who have received BCG | 9,772 | 86.9 | 8,859 | 79.0 | | |
| 30 | Children who have received DPT1 | 9,724 | 86.5 | 8,324 | 74.2 | | |
| 31 | Children who have received DPT3 | 9,201 | 81.8 | 8,405 | 74.9 | | |
| 32 | Children who have received Measles | 8,909 | 79.2 | 8,523 | 76.0 | | |
| 33 | Diarrhoea and Dehydration reported in children below 5 years of age | 3,593 | | 2,780 | | | |
| Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011). | | | | | | | |
| E) Family Planning | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 34 | Number of Vasectomies performed | 0 | | 0 | | Limiting | NA |
| 35 | Number of Tubectomies performed | 102 | | 131 | | Spacing | NA |
| 36 | Number of IUD insertion | 1,510 | | 1,555 | | Women using any method | NA |
| 37 | Number of IUD removals | 475 | | 378 | | Women using modern method | NA |
| F) Service delivery | | HMIS (2013-14) | | HMIS (2014-15) | | | |
| 38 | IPD cases per 10,000 population *** | 26 | | 27 | | | |
| 39 | General OPD cases per 10,000 population *** | 7,336 | | 7,640 | | | |
| 40 | Ayush OPD cases per 10,000 population *** | 238 | | 208.2 | | | |
| G) Mortality Details | | | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2013-14) | | HMIS (2014-15) | | | |
| 41 | Neonatal death within 24 hours | 4 | | 1 | | | |
| 42 | Up to 1 Weeks of Birth | 21 | | 16 | | | |
| 43 | Between 1 week & 4 weeks of birth | 1 | | 0 | | | |
| 44 | Neonatal Death | 26 | | 17 | | | |
| 45 | Between 1 month and 11 months | 39 | | 50 | | | |
| 46 | Total reported infant deaths | 65 | | 67 | | | |
| II) | Maternal Mortality | HMIS (2013-14) | | HMIS (2014-15) | | | |
| | Maternal Deaths (In Numbers) | HMIS (2013-14) | | HMIS (2014-15) | | | |
| 47 | Due to Abortion | 0 | | 0 | | | |
| 48 | Due to Obstructed/prolonged labour | 0 | | 0 | | | |
| 49 | Due to Severe hypertension / fits | 2 | | 0 | | | |
| 50 | Due to Bleeding | 2 | | 1 | | | |
| 51 | Due to High fever | 0 | | 0 | | | |
| 52 | Due to Other Causes (including causes not known) | 8 | | 10 | | | |
| 53 | Total reported maternal deaths | 12 | | 11 | | | |

Darrang Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|--|--|----------------|-------|----------------|------|----------------------------------|------|
| 1 | Population 2011 | 928,500 | | | | | |
| 2 | Sex Ratio | 923 | | | | | |
| B) Infrastructure Details (RHS 2014) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 163 | | | | | |
| 4 | Primary Health Centers (PHC) | 30 | | | | | |
| 5 | Community Health Centers (CHC) | 6 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 1 | | | | | |
| C) Maternal Health: | | 2013-14 | | 2014-15 | | | |
| 8 | Expected number of PW | 24,204 | | 24,352 | | | |
| 9 | Expected number of Delivery | 22,554 | | 22,691 | | | |
| | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 26,363 | 108.9 | 22,397 | 92.0 | Any ANC | 91.3 |
| 11 | Mothers registered in the first trimester | 17,750 | 67.3 | 14,769 | 65.9 | ANC Check up in first trimester | 39.9 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 19,239 | 73.0 | 20,705 | 92.4 | 3 or more ANC check up | 51.9 |
| 13 | PW who got TT 2 / Booster injection | 20,571 | 78.0 | 19,821 | 88.5 | At least 1 TT received | 91.3 |
| 14 | PW who consumed 100 IFA tablets | 16,135 | 61.2 | 17,304 | 77.3 | 100 IFA tablets consumed | 29.4 |
| 15 | Home Delivery against expected delivery * | 3,892 | 17.3 | 3,151 | 13.9 | Full ANC | 17.1 |
| 16 | Institutional Delivery against expected delivery * | 15,273 | 67.7 | 15,812 | 69.7 | Home Delivery | 36.6 |
| 17 | Home Delivery against reported delivery ** | 3,892 | 20.3 | 3,151 | 16.6 | Institutional Delivery | 63.0 |
| 18 | Institutional Delivery against reported delivery ** | 15,273 | 79.7 | 15,812 | 83.4 | Home Delivery by SBA | 24.0 |
| 19 | Total reported Deliveries | 19,165 | | 18,963 | | PNC within 48 hrs of delivery | 66.9 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 40 | 1.0 | 311 | 9.9 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 11,350 | 59.2 | 13,083 | 69.0 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years. | | | | | | | |
| 22 | Expected number of Live Birth | 22,004 | | 22,138 | | | |
| D) Child Immunization : | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 23 | Total reported live births | 18,953 | 86.1 | 18,719 | 84.6 | Breastfed within 1 hour of birth | 73.6 |
| 24 | Total Still Birth | 391 | 1.8 | 405 | 1.8 | BCG | 93.2 |

| | | | | | | | |
|---|--|-----------------------|------|------------------------|------|---------------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 18,262 | 96.4 | 17,883 | 95.5 | 3 dose of DPT | 70.8 |
| 26 | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 4,001 | 21.9 | 3,063 | 17.1 | Measles | 71.6 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 18,233 | 96.2 | 17,805 | 95.1 | Full Immunization | 56.4 |
| 28 | Children fully immunized | 19,084 | 86.7 | 18,930 | 85.5 | | |
| 29 | Children who have received BCG | 20,700 | 94.1 | 20,169 | 91.1 | | |
| 30 | Children who have received DPT1 | 20,283 | 92.2 | 16,921 | 76.4 | | |
| 31 | Children who have received DPT3 | 19,689 | 89.5 | 18,615 | 84.1 | | |
| 32 | Children who have received Measles | 19,418 | 88.2 | 19,146 | 86.5 | | |
| 33 | Diarrhoea and Dehydration reported in children below 5 years of age | 9,927 | | 7,948 | | | |
| Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011). | | | | | | | |
| E) Family Planning | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 34 | Number of Vasectomies performed | 60 | | 49 | | Limiting | 6.2 |
| 35 | Number of Tubectomies performed | 1,567 | | 1,763 | | Spacing | 8.2 |
| 36 | Number of IUD insertion | 3,088 | | 4,817 | | Women using any method | 68 |
| 37 | Number of IUD removals | 247 | | 479 | | Women using modern method | 37.3 |
| F) Service delivery | | HMIS (2013-14) | | HMIS (2014-15) | | | |
| 38 | IPD cases per 10,000 population *** | 360 | | 392 | | | |
| 39 | General OPD cases per 10,000 population *** | 9,270 | | 7,280 | | | |
| 40 | Ayush OPD cases per 10,000 population *** | 260 | | 208.0 | | | |
| G) Mortality Details | | | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2013-14) | | HMIS (2014-15) | | | |
| 41 | Neonatal death within 24 hours | 11 | | 6 | | | |
| 42 | Up to 1 Weeks of Birth | 88 | | 52 | | | |
| 43 | Between 1 week & 4 weeks of birth | 2 | | 1 | | | |
| 44 | Neonatal Death | 101 | | 59 | | | |
| 45 | Between 1 month and 11 months | 45 | | 39 | | | |
| 46 | Total reported infant deaths | 146 | | 98 | | | |
| II) | Maternal Mortality | HMIS (2013-14) | | HMIS (2014-15) | | | |
| | Maternal Deaths (In Numbers) | HMIS (2013-14) | | HMIS (2014-15) | | | |
| 47 | Due to Abortion | 5 | | 0 | | | |
| 48 | Due to Obstructed/prolonged labour | 1 | | 0 | | | |
| 49 | Due to Severe hypertension / fits | 1 | | 2 | | | |
| 50 | Due to Bleeding | 6 | | 2 | | | |
| 51 | Due to High fever | 1 | | 0 | | | |
| 52 | Due to Other Causes (including causes not known) | 18 | | 2 | | | |
| 53 | Total reported maternal deaths | 32 | | 6 | | | |

Dhemaji Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | | |
|---|--|-----------------------|-----------------------|---------------|----------------------|----------------------------------|------|--|
| 1 | Population 2011 | 686,133 | | | | | | |
| 2 | Sex Ratio | 949 | | | | | | |
| B) Infrastructure Details (RHS 2014) | | Numbers | | | | | | |
| 3 | Sub Centers (SC) | 98 | | | | | | |
| 4 | Primary Health Centers (PHC) | 22 | | | | | | |
| 5 | Community Health Centers (CHC) | 4 | | | | | | |
| 6 | SDH | 0 | | | | | | |
| 7 | DH | 1 | | | | | | |
| C) Maternal Health: | | 2013-14 | 2014-15 | | | | | |
| 8 | Expected number of PW | 17,914 | 18,037 | | | | | |
| 9 | Expected number of Delivery | 16,693 | 16,807 | | | | | |
| | | HMIS (2013-14) | HMIS (2014-15) | | AHS (2012-13) | | | |
| | | Number | PC | Number | PC | | | |
| 10 | PW register for ANC | 16,052 | 89.6 | 15,568 | 86.3 | Any ANC | 94.9 | |
| 11 | Mothers registered in the first trimester | 12,703 | 79.1 | 12,658 | 81.3 | ANC Check up in first trimester | 60.8 | |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 15,323 | 95.5 | 13,961 | 89.7 | 3 or more ANC check up | 66.9 | |
| 13 | PW who got TT 2 / Booster injection | 14,267 | 88.9 | 13,950 | 89.6 | At least 1 TT received | 94.7 | |
| 14 | PW who consumed 100 IFA tablets | 13,892 | 86.5 | 13,472 | 86.5 | 100 IFA tablets consumed | 14.4 | |
| 15 | Home Delivery against expected delivery * | 349 | 2.1 | 128 | 0.8 | Full ANC | 11.0 | |
| 16 | Institutional Delivery against expected delivery * | 15,461 | 92.6 | 15,799 | 94.0 | Home Delivery | 27.1 | |
| 17 | Home Delivery against reported delivery ** | 349 | 2.2 | 128 | 0.8 | Institutional Delivery | 72.3 | |
| 18 | Institutional Delivery against reported delivery ** | 15,461 | 97.8 | 15,799 | 99.2 | Home Delivery by SBA | 24.9 | |
| 19 | Total reported Deliveries | 15,810 | | 15,927 | | PNC within 48 hrs of delivery | 70.7 | |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 41 | 11.7 | 15 | 11.7 | | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 8,890 | 56.2 | 8,855 | 55.6 | | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years. | | | | | | | | |
| 22 | Expected number of Live Birth | 16,285 | | 16,397 | | | | |
| D) Child Immunization : | | HMIS (2013-14) | HMIS (2014-15) | | AHS (2012-13) | | | |
| 23 | Total reported live births | 15,540 | 95.4 | 15,693 | 95.7 | Breastfed within 1 hour of birth | 82.9 | |
| 24 | Total Still Birth | 350 | 2.1 | 333 | 2.0 | BCG | 91.5 | |

| | | | | | | | |
|---|--|-----------------------|------------------------|---------------------------|------|----------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 15,013 | 96.6 | 15,609 | 99.5 | 3 dose of DPT | 78 |
| 26 | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 2,012 | 13.4 | 2,017 | 12.9 | Measles | 77.5 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 12,445 | 80.1 | 14,866 | 94.7 | Full Immunization | 66.6 |
| 28 | Children fully immunized | 14,053 | 86.3 | 13,486 | 82.2 | | |
| 29 | Children who have received BCG | 15,551 | 95.5 | 14,796 | 90.2 | | |
| 30 | Children who have received DPT1 | 14,091 | 86.5 | 11,993 | 73.1 | | |
| 31 | Children who have received DPT3 | 13,939 | 85.6 | 13,466 | 82.1 | | |
| 32 | Children who have received Measles | 14,054 | 86.3 | 13,520 | 82.5 | | |
| 33 | Diarrhoea and Dehydration reported in children below 5 years of age | 4,416 | | 4,406 | | | |
| Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011). | | | | | | | |
| E) Family Planning | | HMIS (2013-14) | HMIS (2014-15) | | | AHS (2012-13) | |
| 34 | Number of Vasectomies performed | 9 | 0 | Limiting | | 6.1 | |
| 35 | Number of Tubectomies performed | 2,301 | 1,865 | Spacing | | 6.1 | |
| 36 | Number of IUD insertion | 3,328 | 4,929 | Women using any method | | 75.2 | |
| 37 | Number of IUD removals | 326 | 706 | Women using modern method | | 34.7 | |
| F) Service delivery | | HMIS (2013-14) | HMIS (2014-15) | | | | |
| 38 | IPD cases per 10,000 population *** | 214 | 200 | | | | |
| 39 | General OPD cases per 10,000 population *** | 8,834 | 8,106 | | | | |
| 40 | Ayush OPD cases per 10,000 population *** | 335 | 408.3 | | | | |
| G) Mortality Details | | | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2013-14) | HMIS (2014-15) | | | | |
| 41 | Neonatal death within 24 hours | 6 | 11 | | | | |
| 42 | Up to 1 Weeks of Birth | 156 | 141 | | | | |
| 43 | Between 1 week & 4 weeks of birth | 0 | 1 | | | | |
| 44 | Neonatal Death | 162 | 153 | | | | |
| 45 | Between 1 month and 11 months | 51 | 93 | | | | |
| 46 | Total reported infant deaths | 213 | 246 | | | | |
| II) | Maternal Mortality | | | | | | |
| | Maternal Deaths (In Numbers) | HMIS (2013-14) | HMIS (2014-15) | | | | |
| 47 | Due to Abortion | 0 | 0 | | | | |
| 48 | Due to Obstructed/prolonged labour | 0 | 0 | | | | |
| 49 | Due to Severe hypertension / fits | 6 | 1 | | | | |
| 50 | Due to Bleeding | 1 | 2 | | | | |
| 51 | Due to High fever | 0 | 0 | | | | |
| 52 | Due to Other Causes (including causes not known) | 16 | 28 | | | | |
| 53 | Total reported maternal deaths | 23 | 31 | | | | |

Dhubri Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|--|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| 1 | Population 2011 | 1,949,258 | | | | | |
| 2 | Sex Ratio | 952 | | | | | |
| B) Infrastructure Details (RHS 2014) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 246 | | | | | |
| 4 | Primary Health Centers (PHC) | 44 | | | | | |
| 5 | Community Health Centers (CHC) | 8 | | | | | |
| 6 | SDH | 1 | | | | | |
| 7 | DH | 1 | | | | | |
| C) Maternal Health: | | 2013-14 | | 2014-15 | | | |
| 8 | Expected number of PW | 51,302 | | 51,862 | | | |
| 9 | Expected number of Delivery | 47,804 | | 48,326 | | | |
| | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 60,720 | 118.4 | 60,314 | 116.3 | Any ANC | 88.7 |
| 11 | Mothers registered in the first trimester | 35,799 | 59.0 | 40,275 | 66.8 | ANC Check up in first trimester | 33.4 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 50,200 | 82.7 | 51,491 | 85.4 | 3 or more ANC check up | 39.7 |
| 13 | PW who got TT 2 / Booster injection | 54,278 | 89.4 | 53,285 | 88.3 | At least 1 TT received | 88.6 |
| 14 | PW who consumed 100 IFA tablets | 45,975 | 75.7 | 56,600 | 93.8 | 100 IFA tablets consumed | 14.3 |
| 15 | Home Delivery against expected delivery * | 21,476 | 44.9 | 22,834 | 47.2 | Full ANC | 7.6 |
| 16 | Institutional Delivery against expected delivery * | 24,160 | 50.5 | 26,104 | 54.0 | Home Delivery | 57.3 |
| 17 | Home Delivery against reported delivery ** | 21,476 | 47.1 | 22,834 | 46.7 | Institutional Delivery | 42.4 |
| 18 | Institutional Delivery against reported delivery ** | 24,160 | 52.9 | 26,104 | 53.3 | Home Delivery by SBA | 23.0 |
| 19 | Total reported Deliveries | 45,636 | | 48,938 | | PNC within 48 hrs of delivery | 52.1 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 4,289 | 20.0 | 5,207 | 22.8 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 23,980 | 52.5 | 33,630 | 68.7 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years. | | | | | | | |
| 22 | Expected number of Live Birth | 46,638 | | 47,148 | | | |
| D) Child Immunization : | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 23 | Total reported live births | 44,940 | 96.4 | 47,946 | 101.7 | Breastfed within 1 hour of birth | 65.5 |
| 24 | Total Still Birth | 1,073 | 2.3 | 1,123 | 2.4 | BCG | 89.9 |

| | | | | | | | |
|---|--|-----------------------|-------|------------------------|-------|---------------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 44,426 | 98.9 | 47,854 | 99.8 | 3 dose of DPT | 69.4 |
| 26 | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 10,197 | 23.0 | 8,793 | 18.4 | Measles | 62.3 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 43,938 | 97.8 | 47,172 | 98.4 | Full Immunization | 48.7 |
| 28 | Children fully immunized | 44,192 | 94.8 | 42,712 | 90.6 | | |
| 29 | Children who have received BCG | 47,110 | 101.0 | 52,142 | 110.6 | | |
| 30 | Children who have received DPT1 | 49,067 | 105.2 | 43,617 | 92.5 | | |
| 31 | Children who have received DPT3 | 46,546 | 99.8 | 44,586 | 94.6 | | |
| 32 | Children who have received Measles | 45,059 | 96.6 | 43,401 | 92.1 | | |
| 33 | Diarrhoea and Dehydration reported in children below 5 years of age | 9,700 | | 6,916 | | | |
| Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011). | | | | | | | |
| E) Family Planning | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 34 | Number of Vasectomies performed | 7 | | 4 | | Limiting | 7 |
| 35 | Number of Tubectomies performed | 678 | | 705 | | Spacing | 11.8 |
| 36 | Number of IUD insertion | 4,700 | | 7,440 | | Women using any method | 49.6 |
| 37 | Number of IUD removals | 990 | | 632 | | Women using modern method | 34 |
| F) Service delivery | | HMIS (2013-14) | | HMIS (2014-15) | | | |
| 38 | IPD cases per 10,000 population *** | 282 | | 282 | | | |
| 39 | General OPD cases per 10,000 population *** | 8,585 | | 7,525 | | | |
| 40 | Ayush OPD cases per 10,000 population *** | 46 | | 40.0 | | | |
| G) Mortality Details | | | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2013-14) | | HMIS (2014-15) | | | |
| 41 | Neonatal death within 24 hours | 20 | | 11 | | | |
| 42 | Up to 1 Weeks of Birth | 403 | | 296 | | | |
| 43 | Between 1 week & 4 weeks of birth | 3 | | 6 | | | |
| 44 | Neonatal Death | 426 | | 313 | | | |
| 45 | Between 1 month and 11 months | 144 | | 110 | | | |
| 46 | Total reported infant deaths | 570 | | 423 | | | |
| II) | Maternal Mortality | HMIS (2013-14) | | HMIS (2014-15) | | | |
| | Maternal Deaths (In Numbers) | HMIS (2013-14) | | HMIS (2014-15) | | | |
| 47 | Due to Abortion | 3 | | 7 | | | |
| 48 | Due to Obstructed/prolonged labour | 2 | | 0 | | | |
| 49 | Due to Severe hypertension / fits | 12 | | 13 | | | |
| 50 | Due to Bleeding | 12 | | 14 | | | |
| 51 | Due to High fever | 3 | | 0 | | | |
| 52 | Due to Other Causes (including causes not known) | 47 | | 44 | | | |
| 53 | Total reported maternal deaths | 79 | | 78 | | | |

Dibrugarh Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|---|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| 1 | Population 2011 | 1,326,335 | | | | | |
| 2 | Sex Ratio | 952 | | | | | |
| B) Infrastructure Details (RHS 2014) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 231 | | | | | |
| 4 | Primary Health Centers (PHC) | 30 | | | | | |
| 5 | Community Health Centers (CHC) | 7 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 0 | | | | | |
| C) Maternal Health: | | 2013-14 | | 2014-15 | | | |
| 8 | Expected number of PW | 34,070 | | 34,027 | | | |
| 9 | Expected number of Delivery | 31,747 | | 31,707 | | | |
| | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 29,587 | 86.8 | 27,026 | 79.4 | Any ANC | 97.3 |
| 11 | Mothers registered in the first trimester | 22,374 | 75.6 | 21,478 | 79.5 | ANC Check up in first trimester | 68.0 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 23,983 | 81.1 | 22,766 | 84.2 | 3 or more ANC check up | 84.8 |
| 13 | PW who got TT 2 / Booster injection | 22,568 | 76.3 | 22,093 | 81.7 | At least 1 TT received | 97.2 |
| 14 | PW who consumed 100 IFA tablets | 24,406 | 82.5 | 23,795 | 88.0 | 100 IFA tablets consumed | 32.8 |
| 15 | Home Delivery against expected delivery * | 259 | 0.8 | 168 | 0.5 | Full ANC | 29.3 |
| 16 | Institutional Delivery against expected delivery * | 23,112 | 72.8 | 26,475 | 83.5 | Home Delivery | 18.6 |
| 17 | Home Delivery against reported delivery ** | 259 | 1.1 | 168 | 0.6 | Institutional Delivery | 81.2 |
| 18 | Institutional Delivery against reported delivery ** | 23,112 | 98.9 | 26,475 | 99.4 | Home Delivery by SBA | 36.4 |
| 19 | Total reported Deliveries | 23,371 | | 26,643 | | PNC within 48 hrs of delivery | 84.1 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 56 | 21.6 | 39 | 23.2 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 14,631 | 62.6 | 17,129 | 64.3 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years. | | | | | | | |
| 22 | Expected number of Live Birth | 30,973 | | 30,933 | | | |
| D) Child Immunization : | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 23 | Total reported live births | 23,708 | 76.5 | 23,468 | 75.9 | Breastfed within 1 hour of birth | 81.4 |
| 24 | Total Still Birth | 535 | 1.7 | 608 | 2.0 | BCG | 97.5 |

| | | | | | | | |
|---|--|-----------------------|------|------------------------|------|---------------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 21,396 | 90.2 | 23,271 | 99.2 | 3 dose of DPT | 88 |
| 26 | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 5,872 | 27.4 | 5,455 | 23.4 | Measles | 93.1 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 19,773 | 83.4 | 23,147 | 98.6 | Full Immunization | 82.3 |
| 28 | Children fully immunized | 22,076 | 71.3 | 21,599 | 69.8 | | |
| 29 | Children who have received BCG | 22,680 | 73.2 | 25,356 | 82.0 | | |
| 30 | Children who have received DPT1 | 22,655 | 73.1 | 20,327 | 65.7 | | |
| 31 | Children who have received DPT3 | 21,482 | 69.4 | 21,254 | 68.7 | | |
| 32 | Children who have received Measles | 22,147 | 71.5 | 21,654 | 70.0 | | |
| 33 | Diarrhoea and Dehydration reported in children below 5 years of age | 6,781 | | 4,836 | | | |
| Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011). | | | | | | | |
| E) Family Planning | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 34 | Number of Vasectomies performed | 558 | | 252 | | Limiting | 9.2 |
| 35 | Number of Tubectomies performed | 4,454 | | 4,291 | | Spacing | 6 |
| 36 | Number of IUD insertion | 2,326 | | 3,826 | | Women using any method | 65.1 |
| 37 | Number of IUD removals | 378 | | 436 | | Women using modern method | 43.9 |
| F) Service delivery | | HMIS (2013-14) | | HMIS (2014-15) | | | |
| 38 | IPD cases per 10,000 population *** | 624 | | 633 | | | |
| 39 | General OPD cases per 10,000 population *** | 13,106 | | 13,937 | | | |
| 40 | Ayush OPD cases per 10,000 population *** | 242 | | 173.7 | | | |
| G) Mortality Details | | | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2013-14) | | HMIS (2014-15) | | | |
| 41 | Neonatal death within 24 hours | 1 | | 2 | | | |
| 42 | Up to 1 Weeks of Birth | 47 | | 65 | | | |
| 43 | Between 1 week & 4 weeks of birth | 1 | | 0 | | | |
| 44 | Neonatal Death | 49 | | 67 | | | |
| 45 | Between 1 month and 11 months | 34 | | 46 | | | |
| 46 | Total reported infant deaths | 83 | | 113 | | | |
| II) | Maternal Mortality | HMIS (2013-14) | | HMIS (2014-15) | | | |
| | Maternal Deaths (In Numbers) | HMIS (2013-14) | | HMIS (2014-15) | | | |
| 47 | Due to Abortion | 0 | | 0 | | | |
| 48 | Due to Obstructed/prolonged labour | 1 | | 0 | | | |
| 49 | Due to Severe hypertension / fits | 0 | | 2 | | | |
| 50 | Due to Bleeding | 3 | | 1 | | | |
| 51 | Due to High fever | 0 | | 0 | | | |
| 52 | Due to Other Causes (including causes not known) | 5 | | 12 | | | |
| 53 | Total reported maternal deaths | 9 | | 15 | | | |

Goalpara Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|--|--|-----------------------|-----------------------|---------------|----------------------|----------------------------------|------|
| 1 | Population 2011 | 1,008,183 | | | | | |
| 2 | Sex Ratio | 962 | | | | | |
| B) Infrastructure Details (RHS 2014) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 151 | | | | | |
| 4 | Primary Health Centers (PHC) | 41 | | | | | |
| 5 | Community Health Centers (CHC) | 5 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 1 | | | | | |
| C) Maternal Health: | | 2013-14 | 2014-15 | | | | |
| 8 | Expected number of PW | 26,448 | 26,694 | | | | |
| 9 | Expected number of Delivery | 24,645 | 24,874 | | | | |
| | | HMIS (2013-14) | HMIS (2014-15) | | AHS (2012-13) | | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 30,501 | 115.3 | 29,243 | 109.5 | Any ANC | 94.8 |
| 11 | Mothers registered in the first trimester | 18,249 | 59.8 | 20,455 | 69.9 | ANC Check up in first trimester | 40.8 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 25,273 | 82.9 | 25,067 | 85.7 | 3 or more ANC check up | 65.4 |
| 13 | PW who got TT 2 / Booster injection | 25,803 | 84.6 | 25,302 | 86.5 | At least 1 TT received | 94.8 |
| 14 | PW who consumed 100 IFA tablets | 19,580 | 64.2 | 25,880 | 88.5 | 100 IFA tablets consumed | 18.0 |
| 15 | Home Delivery against expected delivery * | 3,324 | 13.5 | 3,015 | 12.1 | Full ANC | 14.6 |
| 16 | Institutional Delivery against expected delivery * | 20,001 | 81.2 | 20,920 | 84.1 | Home Delivery | 44.2 |
| 17 | Home Delivery against reported delivery ** | 3,324 | 14.3 | 3,015 | 12.6 | Institutional Delivery | 55.6 |
| 18 | Institutional Delivery against reported delivery ** | 20,001 | 85.7 | 20,920 | 87.4 | Home Delivery by SBA | 36.0 |
| 19 | Total reported Deliveries | 23,325 | | 23,935 | | PNC within 48 hrs of delivery | 55.9 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 437 | 13.1 | 1,076 | 35.7 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 14,987 | 64.3 | 15,449 | 64.5 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years. | | | | | | | |
| 22 | Expected number of Live Birth | 24,044 | | 24,267 | | | |
| D) Child Immunization : | | HMIS (2013-14) | HMIS (2014-15) | | AHS (2012-13) | | |
| 23 | Total reported live births | 23,025 | 95.8 | 23,703 | 97.7 | Breastfed within 1 hour of birth | 79.8 |
| 24 | Total Still Birth | 503 | 2.1 | 401 | 1.7 | BCG | 91.8 |

| | | | | | | | |
|---|--|-----------------------|------------------------|---------------------------|------|-------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 22,724 | 98.7 | 23,539 | 99.3 | 3 dose of DPT | 58.1 |
| 26 | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 3,248 | 14.3 | 3,405 | 14.5 | Measles | 72.2 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 22,353 | 97.1 | 23,229 | 98.0 | Full Immunization | 46.6 |
| 28 | Children fully immunized | 20,937 | 87.1 | 21,431 | 88.3 | | |
| 29 | Children who have received BCG | 24,236 | 100.8 | 23,719 | 97.7 | | |
| 30 | Children who have received DPT1 | 24,361 | 101.3 | 21,038 | 86.7 | | |
| 31 | Children who have received DPT3 | 22,441 | 93.3 | 22,681 | 93.5 | | |
| 32 | Children who have received Measles | 21,253 | 88.4 | 21,609 | 89.0 | | |
| 33 | Diarrhoea and Dehydration reported in children below 5 years of age | 3,115 | | 4,123 | | | |
| Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011). | | | | | | | |
| E) Family Planning | | HMIS (2013-14) | HMIS (2014-15) | AHS (2012-13) | | | |
| 34 | Number of Vasectomies performed | 44 | 1 | Limiting | 6.1 | | |
| 35 | Number of Tubectomies performed | 469 | 666 | Spacing | 6.6 | | |
| 36 | Number of IUD insertion | 4,125 | 3,291 | Women using any method | 72.4 | | |
| 37 | Number of IUD removals | 526 | 495 | Women using modern method | 45 | | |
| F) Service delivery | | HMIS (2013-14) | HMIS (2014-15) | | | | |
| 38 | IPD cases per 10,000 population *** | 250 | 292 | | | | |
| 39 | General OPD cases per 10,000 population *** | 8,888 | 7,844 | | | | |
| 40 | Ayush OPD cases per 10,000 population *** | 1,185 | 1147.4 | | | | |
| G) Mortality Details | | | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2013-14) | HMIS (2014-15) | | | | |
| 41 | Neonatal death within 24 hours | 4 | 9 | | | | |
| 42 | Up to 1 Weeks of Birth | 115 | 114 | | | | |
| 43 | Between 1 week & 4 weeks of birth | 14 | 0 | | | | |
| 44 | Neonatal Death | 133 | 123 | | | | |
| 45 | Between 1 month and 11 months | 39 | 98 | | | | |
| 46 | Total reported infant deaths | 172 | 221 | | | | |
| II) | Maternal Mortality | | | | | | |
| | Maternal Deaths (In Numbers) | HMIS (2013-14) | HMIS (2014-15) | | | | |
| 47 | Due to Abortion | 0 | 2 | | | | |
| 48 | Due to Obstructed/prolonged labour | 0 | 0 | | | | |
| 49 | Due to Severe hypertension / fits | 2 | 2 | | | | |
| 50 | Due to Bleeding | 3 | 12 | | | | |
| 51 | Due to High fever | 0 | 2 | | | | |
| 52 | Due to Other Causes (including causes not known) | 16 | 21 | | | | |
| 53 | Total reported maternal deaths | 21 | 39 | | | | |

Golaghat Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|---|--|----------------|------|----------------|------|----------------------------------|------|
| 1 | Population 2011 | 1,066,888 | | | | | |
| 2 | Sex Ratio | 961 | | | | | |
| B) Infrastructure Details (RHS 2014) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 144 | | | | | |
| 4 | Primary Health Centers (PHC) | 40 | | | | | |
| 5 | Community Health Centers (CHC) | 4 | | | | | |
| 6 | SDH | 1 | | | | | |
| 7 | DH | 1 | | | | | |
| C) Maternal Health: | | 2013-14 | | 2014-15 | | | |
| 8 | Expected number of PW | 27,397 | | 27,358 | | | |
| 9 | Expected number of Delivery | 25,529 | | 25,492 | | | |
| | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 19,890 | 72.6 | 20,942 | 76.5 | Any ANC | 96.1 |
| 11 | Mothers registered in the first trimester | 15,798 | 79.4 | 17,348 | 82.8 | ANC Check up in first trimester | 65.9 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 16,402 | 82.5 | 18,291 | 87.3 | 3 or more ANC check up | 75.0 |
| 13 | PW who got TT 2 / Booster injection | 17,507 | 88.0 | 18,828 | 89.9 | At least 1 TT received | 95.8 |
| 14 | PW who consumed 100 IFA tablets | 15,938 | 80.1 | 19,471 | 93.0 | 100 IFA tablets consumed | 21.8 |
| 15 | Home Delivery against expected delivery * | 827 | 3.2 | 671 | 2.6 | Full ANC | 18.4 |
| 16 | Institutional Delivery against expected delivery * | 13,901 | 54.5 | 16,830 | 66.0 | Home Delivery | 26.6 |
| 17 | Home Delivery against reported delivery ** | 827 | 5.6 | 671 | 3.8 | Institutional Delivery | 73.0 |
| 18 | Institutional Delivery against reported delivery ** | 13,901 | 94.4 | 16,830 | 96.2 | Home Delivery by SBA | 43.9 |
| 19 | Total reported Deliveries | 14,728 | | 17,501 | | PNC within 48 hrs of delivery | 81.9 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 46 | 5.6 | 176 | 26.2 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 10,921 | 74.2 | 10,923 | 62.4 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years. | | | | | | | |
| 22 | Expected number of Live Birth | 24,906 | | 24,871 | | | |
| D) Child Immunization : | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 23 | Total reported live births | 14,561 | 58.5 | 17,176 | 69.1 | Breastfed within 1 hour of birth | 79 |
| 24 | Total Still Birth | 358 | 1.4 | 446 | 1.8 | BCG | 96.6 |

| | | | | | | | |
|----|--|--------|------|--------|------|-------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 11,507 | 79.0 | 11,496 | 66.9 | 3 dose of DPT | 85.1 |
| 26 | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 2,173 | 18.9 | 2,321 | 20.2 | Measles | 89.3 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 12,625 | 86.7 | 15,609 | 90.9 | Full Immunization | 69.4 |
| 28 | Children fully immunized | 16,036 | 64.4 | 16,443 | 66.1 | | |
| 29 | Children who have received BCG | 16,511 | 66.3 | 19,270 | 77.5 | | |
| 30 | Children who have received DPT1 | 17,397 | 69.8 | 16,296 | 65.5 | | |
| 31 | Children who have received DPT3 | 17,013 | 68.3 | 16,572 | 66.6 | | |
| 32 | Children who have received Measles | 16,336 | 65.6 | 16,711 | 67.2 | | |
| 33 | Diarrhoea and Dehydration reported in children below 5 years of age | 3,616 | | 3,196 | | | |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).

| E) Family Planning | | HMIS (2013-14) | HMIS (2014-15) | AHS (2012-13) | |
|-------------------------------------|--|----------------|----------------|---------------------------|------|
| 34 | Number of Vasectomies performed | 1,080 | 579 | Limiting | 12.6 |
| 35 | Number of Tubectomies performed | 1,675 | 1,165 | Spacing | 5.1 |
| 36 | Number of IUD insertion | 2,692 | 3,589 | Women using any method | 66 |
| 37 | Number of IUD removals | 455 | 398 | Women using modern method | 40.3 |
| F) Service delivery | | HMIS (2013-14) | HMIS (2014-15) | | |
| 38 | IPD cases per 10,000 population *** | 414 | 412 | | |
| 39 | General OPD cases per 10,000 population *** | 9,381 | 9,149 | | |
| 40 | Ayush OPD cases per 10,000 population *** | 89 | 107.2 | | |
| G) Mortality Details | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2013-14) | HMIS (2014-15) | | |
| 41 | Neonatal death within 24 hours | 24 | 9 | | |
| 42 | Up to 1 Weeks of Birth | 106 | 144 | | |
| 43 | Between 1 week & 4 weeks of birth | 1 | 2 | | |
| 44 | Neonatal Death | 131 | 155 | | |
| 45 | Between 1 month and 11 months | 39 | 57 | | |
| 46 | Total reported infant deaths | 170 | 212 | | |
| II) | Maternal Mortality | HMIS (2013-14) | HMIS (2014-15) | | |
| Maternal Deaths (In Numbers) | | | | | |
| 47 | Due to Abortion | 2 | 0 | | |
| 48 | Due to Obstructed/prolonged labour | 3 | 1 | | |
| 49 | Due to Severe hypertension / fits | 3 | 8 | | |
| 50 | Due to Bleeding | 3 | 2 | | |
| 51 | Due to High fever | 2 | 2 | | |
| 52 | Due to Other Causes (including causes not known) | 26 | 37 | | |
| 53 | Total reported maternal deaths | 39 | 50 | | |

Hailakandi Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|--|--|----------------|--------|----------------|-------|----------------------------------|------|
| 1 | Population 2011 | 659,296 | | | | | |
| 2 | Sex Ratio | 946 | | | | | |
| B) Infrastructure Details (RHS 2014) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 105 | | | | | |
| 4 | Primary Health Centers (PHC) | 13 | | | | | |
| 5 | Community Health Centers (CHC) | 3 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 1 | | | | | |
| C) Maternal Health: | | 2013-14 | | 2014-15 | | | |
| 8 | Expected number of PW | 17,252 | 17,390 | | | | |
| 9 | Expected number of Delivery | 16,076 | 16,204 | | | | |
| | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 19,361 | 112.2 | 19,602 | 112.7 | Any ANC | 93.8 |
| 11 | Mothers registered in the first trimester | 11,744 | 60.7 | 13,732 | 70.1 | ANC Check up in first trimester | 53.5 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 15,373 | 79.4 | 16,237 | 82.8 | 3 or more ANC check up | 64.0 |
| 13 | PW who got TT 2 / Booster injection | 17,135 | 88.5 | 17,483 | 89.2 | At least 1 TT received | 93.6 |
| 14 | PW who consumed 100 IFA tablets | 16,204 | 83.7 | 17,298 | 88.2 | 100 IFA tablets consumed | 14.8 |
| 15 | Home Delivery against expected delivery * | 5,096 | 31.7 | 4,898 | 30.2 | Full ANC | 12.2 |
| 16 | Institutional Delivery against expected delivery * | 9,251 | 57.5 | 10,027 | 61.9 | Home Delivery | 57.8 |
| 17 | Home Delivery against reported delivery ** | 5,096 | 35.5 | 4,898 | 32.8 | Institutional Delivery | 42.1 |
| 18 | Institutional Delivery against reported delivery ** | 9,251 | 64.5 | 10,027 | 67.2 | Home Delivery by SBA | 24.4 |
| 19 | Total reported Deliveries | 14,347 | | 14,925 | | PNC within 48 hrs of delivery | 47.9 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 429 | 8.4 | 834 | 17.0 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 8,129 | 56.7 | 9,307 | 62.4 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years. | | | | | | | |
| 22 | Expected number of Live Birth | 15,683 | | 15,809 | | | |
| D) Child Immunization : | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 23 | Total reported live births | 14,010 | 89.3 | 14,578 | 92.2 | Breastfed within 1 hour of birth | 62.4 |
| 24 | Total Still Birth | 528 | 3.4 | 516 | 3.3 | BCG | 89.3 |

| | | | | | | | |
|---|--|-----------------------|-------|-----------------------|-------|---------------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 13,795 | 98.5 | 14,529 | 99.7 | 3 dose of DPT | 75.3 |
| 26 | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 1,824 | 13.2 | 1,788 | 12.3 | Measles | 78.6 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 13,710 | 97.9 | 14,230 | 97.6 | Full Immunization | 67.1 |
| 28 | Children fully immunized | 15,168 | 96.7 | 15,546 | 98.3 | | |
| 29 | Children who have received BCG | 16,085 | 102.6 | 17,091 | 108.1 | | |
| 30 | Children who have received DPT1 | 16,183 | 103.2 | 15,078 | 95.4 | | |
| 31 | Children who have received DPT3 | 15,984 | 101.9 | 16,068 | 101.6 | | |
| 32 | Children who have received Measles | 15,301 | 97.6 | 15,794 | 99.9 | | |
| 33 | Diarrhoea and Dehydration reported in children below 5 years of age | 5,746 | | 5,556 | | | |
| Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011). | | | | | | | |
| E) Family Planning | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 34 | Number of Vasectomies performed | 35 | | 20 | | Limiting | 9.8 |
| 35 | Number of Tubectomies performed | 732 | | 648 | | Spacing | 7.4 |
| 36 | Number of IUD insertion | 3,529 | | 4,862 | | Women using any method | 58.9 |
| 37 | Number of IUD removals | 215 | | 281 | | Women using modern method | 29.9 |
| F) Service delivery | | HMIS (2013-14) | | HMIS (2014-15) | | | |
| 38 | IPD cases per 10,000 population *** | 412 | | 444 | | | |
| 39 | General OPD cases per 10,000 population *** | 7,346 | | 6,076 | | | |
| 40 | Ayush OPD cases per 10,000 population *** | 46 | | 33.1 | | | |
| G) Mortality Details | | | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2013-14) | | HMIS (2014-15) | | | |
| 41 | Neonatal death within 24 hours | 13 | | 5 | | | |
| 42 | Up to 1 Weeks of Birth | 134 | | 173 | | | |
| 43 | Between 1 week & 4 weeks of birth | 20 | | 6 | | | |
| 44 | Neonatal Death | 167 | | 184 | | | |
| 45 | Between 1 month and 11 months | 127 | | 89 | | | |
| 46 | Total reported infant deaths | 294 | | 273 | | | |
| II) | Maternal Mortality | HMIS (2013-14) | | HMIS (2014-15) | | | |
| | Maternal Deaths (In Numbers) | HMIS (2013-14) | | HMIS (2014-15) | | | |
| 47 | Due to Abortion | 0 | | 2 | | | |
| 48 | Due to Obstructed/prolonged labour | 1 | | 0 | | | |
| 49 | Due to Severe hypertension / fits | 5 | | 2 | | | |
| 50 | Due to Bleeding | 5 | | 0 | | | |
| 51 | Due to High fever | 2 | | 0 | | | |
| 52 | Due to Other Causes (including causes not known) | 17 | | 20 | | | |
| 53 | Total reported maternal deaths | 30 | | 24 | | | |

Jorhat Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|--|--|------------------|------|----------------|------|----------------------------------|------|
| 1 | Population 2011 | 1,092,256 | | | | | |
| 2 | Sex Ratio | 956 | | | | | |
| B) Infrastructure Details (RHS 2014) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 144 | | | | | |
| 4 | Primary Health Centers (PHC) | 44 | | | | | |
| 5 | Community Health Centers (CHC) | 5 | | | | | |
| 6 | SDH | 2 | | | | | |
| 7 | DH | 0 | | | | | |
| C) Maternal Health: | | 2013-14 | | 2014-15 | | | |
| 8 | Expected number of PW | 27,901 | | 27,787 | | | |
| 9 | Expected number of Delivery | 25,998 | | 25,893 | | | |
| | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 21,815 | 78.2 | 21,847 | 78.6 | Any ANC | 97.6 |
| 11 | Mothers registered in the first trimester | 18,507 | 84.8 | 19,570 | 89.6 | ANC Check up in first trimester | 72.6 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 16,439 | 75.4 | 16,945 | 77.6 | 3 or more ANC check up | 82.3 |
| 13 | PW who got TT 2 / Booster injection | 18,098 | 83.0 | 18,619 | 85.2 | At least 1 TT received | 97.3 |
| 14 | PW who consumed 100 IFA tablets | 15,432 | 70.7 | 15,986 | 73.2 | 100 IFA tablets consumed | 27.1 |
| 15 | Home Delivery against expected delivery * | 350 | 1.3 | 191 | 0.7 | Full ANC | 24.3 |
| 16 | Institutional Delivery against expected delivery * | 16,714 | 64.3 | 16,952 | 65.5 | Home Delivery | 18.4 |
| 17 | Home Delivery against reported delivery ** | 350 | 2.1 | 191 | 1.1 | Institutional Delivery | 80.8 |
| 18 | Institutional Delivery against reported delivery ** | 16,714 | 97.9 | 16,952 | 98.9 | Home Delivery by SBA | 39.8 |
| 19 | Total reported Deliveries | 17,064 | | 17,143 | | PNC within 48 hrs of delivery | 82.6 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 68 | 19.4 | 163 | 85.3 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 13,733 | 80.5 | 13,523 | 78.9 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years. | | | | | | | |
| 22 | Expected number of Live Birth | 25,364 | | 25,261 | | | |
| D) Child Immunization : | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 23 | Total reported live births | 16,933 | 66.8 | 16,782 | 66.4 | Breastfed within 1 hour of birth | 80 |
| 24 | Total Still Birth | 285 | 1.1 | 304 | 1.2 | BCG | 96.8 |

| | | | | | | | |
|----|--|--------|------|--------|------|-------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 16,884 | 99.7 | 16,762 | 99.9 | 3 dose of DPT | 83.7 |
| 26 | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 4,252 | 25.2 | 6,463 | 38.6 | Measles | 90.3 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 16,609 | 98.1 | 16,464 | 98.1 | Full Immunization | 70.9 |
| 28 | Children fully immunized | 19,269 | 76.0 | 18,697 | 74.0 | | |
| 29 | Children who have received BCG | 18,096 | 71.3 | 17,835 | 70.6 | | |
| 30 | Children who have received DPT1 | 19,556 | 77.1 | 16,571 | 65.6 | | |
| 31 | Children who have received DPT3 | 19,256 | 75.9 | 18,513 | 73.3 | | |
| 32 | Children who have received Measles | 19,437 | 76.6 | 18,621 | 73.7 | | |
| 33 | Diarrhoea and Dehydration reported in children below 5 years of age | 3,974 | | 4,129 | | | |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).

| E) Family Planning | | HMIS (2013-14) | HMIS (2014-15) | AHS (2012-13) | |
|-------------------------------------|--|----------------|----------------|---------------------------|------|
| 34 | Number of Vasectomies performed | 235 | 171 | Limiting | 11.7 |
| 35 | Number of Tubectomies performed | 4,159 | 3,060 | Spacing | 4.1 |
| 36 | Number of IUD insertion | 2,093 | 2,797 | Women using any method | 66.2 |
| 37 | Number of IUD removals | 715 | 393 | Women using modern method | 34.5 |
| F) Service delivery | | HMIS (2013-14) | HMIS (2014-15) | | |
| 38 | IPD cases per 10,000 population *** | 521 | 508 | | |
| 39 | General OPD cases per 10,000 population *** | 9,367 | 9,375 | | |
| 40 | Ayush OPD cases per 10,000 population *** | 153 | 61.5 | | |
| G) Mortality Details | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2013-14) | HMIS (2014-15) | | |
| 41 | Neonatal death within 24 hours | 1 | 0 | | |
| 42 | Up to 1 Weeks of Birth | 24 | 12 | | |
| 43 | Between 1 week & 4 weeks of birth | 1 | 0 | | |
| 44 | Neonatal Death | 26 | 12 | | |
| 45 | Between 1 month and 11 months | 9 | 4 | | |
| 46 | Total reported infant deaths | 35 | 16 | | |
| II) | Maternal Mortality | HMIS (2013-14) | HMIS (2014-15) | | |
| Maternal Deaths (In Numbers) | | | | | |
| 47 | Due to Abortion | 1 | 0 | | |
| 48 | Due to Obstructed/prolonged labour | 1 | 7 | | |
| 49 | Due to Severe hypertension / fits | 11 | 4 | | |
| 50 | Due to Bleeding | 8 | 8 | | |
| 51 | Due to High fever | 3 | 5 | | |
| 52 | Due to Other Causes (including causes not known) | 29 | 11 | | |
| 53 | Total reported maternal deaths | 53 | 35 | | |

Kamrup M Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|--|--|----------------|-------|----------------|-------|----------------------------------|------|
| 1 | Population 2011 | 1,253,938 | | | | | |
| 2 | Sex Ratio | 922 | | | | | |
| B) Infrastructure Details (RHS 2014) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 51 | | | | | |
| 4 | Primary Health Centers (PHC) | 25 | | | | | |
| 5 | Community Health Centers (CHC) | 3 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 1 | | | | | |
| C) Maternal Health: | | 2013-14 | | 2014-15 | | | |
| 8 | Expected number of PW | 32,652 | | 32,833 | | | |
| 9 | Expected number of Delivery | 30,426 | | 30,594 | | | |
| | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 50,901 | 155.9 | 41,224 | 125.6 | Any ANC | 98.5 |
| 11 | Mothers registered in the first trimester | 36,287 | 71.3 | 32,490 | 78.8 | ANC Check up in first trimester | 62.5 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 36,922 | 72.5 | 34,159 | 82.9 | 3 or more ANC check up | 81.7 |
| 13 | PW who got TT 2 / Booster injection | 37,321 | 73.3 | 35,492 | 86.1 | At least 1 TT received | 98.4 |
| 14 | PW who consumed 100 IFA tablets | 17,114 | 33.6 | 35,419 | 85.9 | 100 IFA tablets consumed | 33.5 |
| 15 | Home Delivery against expected delivery * | 741 | 2.4 | 607 | 2.0 | Full ANC | 29.9 |
| 16 | Institutional Delivery against expected delivery * | 30,690 | 100.9 | 31,014 | 101.4 | Home Delivery | 15.1 |
| 17 | Home Delivery against reported delivery ** | 741 | 2.4 | 607 | 1.9 | Institutional Delivery | 84.7 |
| 18 | Institutional Delivery against reported delivery ** | 30,690 | 97.6 | 31,014 | 98.1 | Home Delivery by SBA | 26.6 |
| 19 | Total reported Deliveries | 31,431 | | 31,621 | | PNC within 48 hrs of delivery | 84.2 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 23 | 3.1 | 41 | 6.8 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 17,451 | 55.5 | 18,931 | 59.9 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years. | | | | | | | |
| 22 | Expected number of Live Birth | 29,684 | | 29,848 | | | |
| D) Child Immunization : | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 23 | Total reported live births | 30,417 | 102.5 | 30,806 | 103.2 | Breastfed within 1 hour of birth | 82.4 |
| 24 | Total Still Birth | 957 | 3.2 | 890 | 3.0 | BCG | 97.8 |

| | | | | | | | |
|----|--|--------|-------|--------|-------|-------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 30,014 | 98.7 | 31,080 | 100.9 | 3 dose of DPT | 77.5 |
| 26 | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 2,467 | 8.2 | 3,579 | 11.5 | Measles | 88.4 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 28,670 | 94.3 | 30,333 | 98.5 | Full Immunization | 64.6 |
| 28 | Children fully immunized | 21,629 | 72.9 | 22,425 | 75.1 | | |
| 29 | Children who have received BCG | 30,135 | 101.5 | 30,180 | 101.1 | | |
| 30 | Children who have received DPT1 | 25,075 | 84.5 | 22,406 | 75.1 | | |
| 31 | Children who have received DPT3 | 24,597 | 82.9 | 23,883 | 80.0 | | |
| 32 | Children who have received Measles | 22,288 | 75.1 | 23,582 | 79.0 | | |
| 33 | Diarrhoea and Dehydration reported in children below 5 years of age | 3,915 | | 3,831 | | | |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).

| E) Family Planning | | HMIS (2013-14) | HMIS (2014-15) | AHS (2012-13) | |
|--------------------|---------------------------------|----------------|----------------|---------------------------|------|
| 34 | Number of Vasectomies performed | 216 | 342 | Limiting | 2.1 |
| 35 | Number of Tubectomies performed | 3,251 | 3,739 | Spacing | 3.7 |
| 36 | Number of IUD insertion | 9,662 | 12,171 | Women using any method | 79 |
| 37 | Number of IUD removals | 407 | 502 | Women using modern method | 40.8 |

| F) Service delivery | | HMIS (2013-14) | HMIS (2014-15) | | |
|---------------------|---|----------------|----------------|--|--|
| 38 | IPD cases per 10,000 population *** | 859 | 842 | | |
| 39 | General OPD cases per 10,000 population *** | 11,990 | 11,060 | | |
| 40 | Ayush OPD cases per 10,000 population *** | 24 | 121.6 | | |

| G) Mortality Details | | | | | |
|----------------------|--|----------------|----------------|--|--|
| I) | Infant Deaths (In Numbers) | HMIS (2013-14) | HMIS (2014-15) | | |
| 41 | Neonatal death within 24 hours | 0 | 0 | | |
| 42 | Up to 1 Weeks of Birth | 2 | 0 | | |
| 43 | Between 1 week & 4 weeks of birth | 0 | 0 | | |
| 44 | Neonatal Death | 2 | 0 | | |
| 45 | Between 1 month and 11 months | 4 | 0 | | |
| 46 | Total reported infant deaths | 6 | 0 | | |
| II) | Maternal Mortality | HMIS (2013-14) | HMIS (2014-15) | | |
| 47 | Due to Abortion | 0 | 0 | | |
| 48 | Due to Obstructed/prolonged labour | 0 | 0 | | |
| 49 | Due to Severe hypertension / fits | 1 | 0 | | |
| 50 | Due to Bleeding | 0 | 0 | | |
| 51 | Due to High fever | 0 | 0 | | |
| 52 | Due to Other Causes (including causes not known) | 1 | 0 | | |
| 53 | Total reported maternal deaths | 2 | 0 | | |

Kamrup R Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|--|--|----------------|--------|----------------|------|----------------------------------|------|
| 1 | Population 2011 | 1,517,542 | | | | | |
| 2 | Sex Ratio | 946 | | | | | |
| B) Infrastructure Details (RHS 2014) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 280 | | | | | |
| 4 | Primary Health Centers (PHC) | 71 | | | | | |
| 5 | Community Health Centers (CHC) | 11 | | | | | |
| 6 | SDH | 1 | | | | | |
| 7 | DH | 1 | | | | | |
| C) Maternal Health: | | 2013-14 | | 2014-15 | | | |
| 8 | Expected number of PW | 39,262 | 39,353 | | | | |
| 9 | Expected number of Delivery | 36,585 | 36,669 | | | | |
| | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 36,067 | 91.9 | 35,591 | 90.4 | Any ANC | 98.5 |
| 11 | Mothers registered in the first trimester | 28,971 | 80.3 | 31,361 | 88.1 | ANC Check up in first trimester | 62.5 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 31,650 | 87.8 | 31,393 | 88.2 | 3 or more ANC check up | 81.7 |
| 13 | PW who got TT 2 / Booster injection | 30,645 | 85.0 | 30,884 | 86.8 | At least 1 TT received | 98.4 |
| 14 | PW who consumed 100 IFA tablets | 31,235 | 86.6 | 33,780 | 94.9 | 100 IFA tablets consumed | 33.5 |
| 15 | Home Delivery against expected delivery * | 1,582 | 4.3 | 1,388 | 3.8 | Full ANC | 29.9 |
| 16 | Institutional Delivery against expected delivery * | 20,678 | 56.5 | 21,966 | 59.9 | Home Delivery | 15.1 |
| 17 | Home Delivery against reported delivery ** | 1,582 | 7.1 | 1,388 | 5.9 | Institutional Delivery | 84.7 |
| 18 | Institutional Delivery against reported delivery ** | 20,678 | 92.9 | 21,966 | 94.1 | Home Delivery by SBA | 26.6 |
| 19 | Total reported Deliveries | 22,260 | | 23,354 | | PNC within 48 hrs of delivery | 84.2 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 45 | 2.8 | 708 | 51.0 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 17,579 | 79.0 | 20,259 | 86.7 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years. | | | | | | | |
| 22 | Expected number of Live Birth | 35,685 | | 35,775 | | | |
| D) Child Immunization : | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 23 | Total reported live births | 23,201 | 65.0 | 23,285 | 65.1 | Breastfed within 1 hour of birth | 82.4 |
| 24 | Total Still Birth | 277 | 0.8 | 259 | 0.7 | BCG | 97.8 |

| | | | | | | | |
|----|--|--------|------|--------|------|-------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 20,829 | 89.8 | 22,897 | 98.3 | 3 dose of DPT | 77.5 |
| 26 | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 3,993 | 19.2 | 2,796 | 12.2 | Measles | 88.4 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 21,825 | 94.1 | 22,935 | 98.5 | Full Immunization | 64.6 |
| 28 | Children fully immunized | 29,810 | 83.5 | 30,076 | 84.1 | | |
| 29 | Children who have received BCG | 29,830 | 83.6 | 28,979 | 81.0 | | |
| 30 | Children who have received DPT1 | 31,186 | 87.4 | 26,898 | 75.2 | | |
| 31 | Children who have received DPT3 | 30,922 | 86.7 | 30,729 | 85.9 | | |
| 32 | Children who have received Measles | 30,090 | 84.3 | 30,280 | 84.6 | | |
| 33 | Diarrhoea and Dehydration reported in children below 5 years of age | 2,695 | | 2,015 | | | |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).

| E) Family Planning | | HMIS (2013-14) | HMIS (2014-15) | AHS (2012-13) | |
|-------------------------------------|--|----------------|----------------|---------------------------|------|
| 34 | Number of Vasectomies performed | 81 | 380 | Limiting | 2.1 |
| 35 | Number of Tubectomies performed | 2,413 | 2,447 | Spacing | 3.7 |
| 36 | Number of IUD insertion | 4,378 | 6,134 | Women using any method | 79 |
| 37 | Number of IUD removals | 922 | 601 | Women using modern method | 40.8 |
| F) Service delivery | | HMIS (2013-14) | HMIS (2014-15) | | |
| 38 | IPD cases per 10,000 population *** | 109 | 165 | | |
| 39 | General OPD cases per 10,000 population *** | 9,811 | 8,613 | | |
| 40 | Ayush OPD cases per 10,000 population *** | 308 | 304.2 | | |
| G) Mortality Details | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2013-14) | HMIS (2014-15) | | |
| 41 | Neonatal death within 24 hours | 14 | 8 | | |
| 42 | Up to 1 Weeks of Birth | 73 | 49 | | |
| 43 | Between 1 week & 4 weeks of birth | 2 | 0 | | |
| 44 | Neonatal Death | 89 | 57 | | |
| 45 | Between 1 month and 11 months | 42 | 22 | | |
| 46 | Total reported infant deaths | 131 | 79 | | |
| II) | Maternal Mortality | HMIS (2013-14) | HMIS (2014-15) | | |
| Maternal Deaths (In Numbers) | | | | | |
| 47 | Due to Abortion | 2 | 1 | | |
| 48 | Due to Obstructed/prolonged labour | 0 | 1 | | |
| 49 | Due to Severe hypertension / fits | 2 | 0 | | |
| 50 | Due to Bleeding | 4 | 3 | | |
| 51 | Due to High fever | 0 | 0 | | |
| 52 | Due to Other Causes (including causes not known) | 8 | 5 | | |
| 53 | Total reported maternal deaths | 16 | 10 | | |

Karbi Anglong Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|---|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| 1 | Population 2011 | 956,313 | | | | | |
| 2 | Sex Ratio | 956 | | | | | |
| B) Infrastructure Details (RHS 2014) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 145 | | | | | |
| 4 | Primary Health Centers (PHC) | 46 | | | | | |
| 5 | Community Health Centers (CHC) | 5 | | | | | |
| 6 | SDH | 1 | | | | | |
| 7 | DH | 1 | | | | | |
| C) Maternal Health: | | 2013-14 | | 2014-15 | | | |
| 8 | Expected number of PW | 24,889 | | 25,021 | | | |
| 9 | Expected number of Delivery | 23,192 | | 23,315 | | | |
| | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 23,908 | 96.1 | 23,555 | 94.1 | Any ANC | 88.1 |
| 11 | Mothers registered in the first trimester | 15,010 | 62.8 | 15,455 | 65.6 | ANC Check up in first trimester | 49.3 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 15,542 | 65.0 | 16,196 | 68.8 | 3 or more ANC check up | 53.6 |
| 13 | PW who got TT 2 / Booster injection | 21,193 | 88.6 | 20,994 | 89.1 | At least 1 TT received | 87.7 |
| 14 | PW who consumed 100 IFA tablets | 16,064 | 67.2 | 17,692 | 75.1 | 100 IFA tablets consumed | 10.5 |
| 15 | Home Delivery against expected delivery * | 2,638 | 11.4 | 2,485 | 10.7 | Full ANC | 7.2 |
| 16 | Institutional Delivery against expected delivery * | 15,847 | 68.3 | 16,310 | 70.0 | Home Delivery | 40.3 |
| 17 | Home Delivery against reported delivery ** | 2,638 | 14.3 | 2,485 | 13.2 | Institutional Delivery | 59.5 |
| 18 | Institutional Delivery against reported delivery ** | 15,847 | 85.7 | 16,310 | 86.8 | Home Delivery by SBA | 33.2 |
| 19 | Total reported Deliveries | 18,485 | | 18,795 | | PNC within 48 hrs of delivery | 63.3 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 301 | 11.4 | 366 | 14.7 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 8,164 | 44.2 | 9,369 | 49.8 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years. | | | | | | | |
| 22 | Expected number of Live Birth | 22,627 | | 22,746 | | | |
| D) Child Immunization : | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 23 | Total reported live births | 18,297 | 80.9 | 18,481 | 81.2 | Breastfed within 1 hour of birth | 74.3 |
| 24 | Total Still Birth | 422 | 1.9 | 432 | 1.9 | BCG | 91 |

| | | | | | | | |
|----|--|--------|------|--------|------|-------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 17,604 | 96.2 | 18,186 | 98.4 | 3 dose of DPT | 79.4 |
| 26 | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 1,953 | 11.1 | 1,884 | 10.4 | Measles | 85.2 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 17,423 | 95.2 | 17,742 | 96.0 | Full Immunization | 71.8 |
| 28 | Children fully immunized | 18,589 | 82.2 | 18,106 | 79.6 | | |
| 29 | Children who have received BCG | 20,110 | 88.9 | 19,127 | 84.1 | | |
| 30 | Children who have received DPT1 | 20,617 | 91.1 | 17,437 | 76.7 | | |
| 31 | Children who have received DPT3 | 19,511 | 86.2 | 18,957 | 83.3 | | |
| 32 | Children who have received Measles | 18,780 | 83.0 | 18,143 | 79.8 | | |
| 33 | Diarrhoea and Dehydration reported in children below 5 years of age | 3,866 | | 3,866 | | | |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).

| E) Family Planning | | HMIS (2013-14) | HMIS (2014-15) | AHS (2012-13) | |
|--------------------|---------------------------------|----------------|----------------|---------------------------|------|
| 34 | Number of Vasectomies performed | 5 | 0 | Limiting | 6 |
| 35 | Number of Tubectomies performed | 442 | 34 | Spacing | 6.9 |
| 36 | Number of IUD insertion | 3,407 | 3,667 | Women using any method | 68.4 |
| 37 | Number of IUD removals | 546 | 1,002 | Women using modern method | 42.9 |

| F) Service delivery | | HMIS (2013-14) | HMIS (2014-15) | | |
|---------------------|---|----------------|----------------|--|--|
| 38 | IPD cases per 10,000 population *** | 273 | 276 | | |
| 39 | General OPD cases per 10,000 population *** | 6,306 | 5,455 | | |
| 40 | Ayush OPD cases per 10,000 population *** | 85 | 45.0 | | |

| G) Mortality Details | | | | | |
|----------------------|--|----------------|----------------|--|--|
| I) | Infant Deaths (In Numbers) | HMIS (2013-14) | HMIS (2014-15) | | |
| 41 | Neonatal death within 24 hours | 1 | 5 | | |
| 42 | Up to 1 Weeks of Birth | 35 | 23 | | |
| 43 | Between 1 week & 4 weeks of birth | 0 | 0 | | |
| 44 | Neonatal Death | 36 | 28 | | |
| 45 | Between 1 month and 11 months | 42 | 40 | | |
| 46 | Total reported infant deaths | 78 | 68 | | |
| II) | Maternal Mortality | | | | |
| | Maternal Deaths (In Numbers) | HMIS (2013-14) | HMIS (2014-15) | | |
| 47 | Due to Abortion | 1 | 0 | | |
| 48 | Due to Obstructed/prolonged labour | 2 | 0 | | |
| 49 | Due to Severe hypertension / fits | 4 | 0 | | |
| 50 | Due to Bleeding | 7 | 5 | | |
| 51 | Due to High fever | 4 | 5 | | |
| 52 | Due to Other Causes (including causes not known) | 18 | 13 | | |
| 53 | Total reported maternal deaths | 36 | 23 | | |

Karimganj Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|--|--|----------------|--------|----------------|-------|----------------------------------|------|
| 1 | Population 2011 | 1,228,686 | | | | | |
| 2 | Sex Ratio | 961 | | | | | |
| B) Infrastructure Details (RHS 2014) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 218 | | | | | |
| 4 | Primary Health Centers (PHC) | 29 | | | | | |
| 5 | Community Health Centers (CHC) | 5 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 1 | | | | | |
| C) Maternal Health: | | 2013-14 | | 2014-15 | | | |
| 8 | Expected number of PW | 32,107 | 32,342 | | | | |
| 9 | Expected number of Delivery | 29,918 | 30,136 | | | | |
| | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 37,019 | 115.3 | 35,851 | 110.9 | Any ANC | 92.2 |
| 11 | Mothers registered in the first trimester | 27,541 | 74.4 | 28,405 | 79.2 | ANC Check up in first trimester | 58.7 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 27,035 | 73.0 | 28,465 | 79.4 | 3 or more ANC check up | 61.6 |
| 13 | PW who got TT 2 / Booster injection | 31,396 | 84.8 | 31,603 | 88.2 | At least 1 TT received | 90.9 |
| 14 | PW who consumed 100 IFA tablets | 28,931 | 78.2 | 33,313 | 92.9 | 100 IFA tablets consumed | 13.6 |
| 15 | Home Delivery against expected delivery * | 10,692 | 35.7 | 11,035 | 36.6 | Full ANC | 11.4 |
| 16 | Institutional Delivery against expected delivery * | 16,229 | 54.2 | 17,355 | 57.6 | Home Delivery | 61.6 |
| 17 | Home Delivery against reported delivery ** | 10,692 | 39.7 | 11,035 | 38.9 | Institutional Delivery | 38.2 |
| 18 | Institutional Delivery against reported delivery ** | 16,229 | 60.3 | 17,355 | 61.1 | Home Delivery by SBA | 24.5 |
| 19 | Total reported Deliveries | 26,921 | | 28,390 | | PNC within 48 hrs of delivery | 46.1 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 775 | 7.2 | 1,198 | 10.9 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 12,444 | 46.2 | 15,398 | 54.2 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years. | | | | | | | |
| 22 | Expected number of Live Birth | 29,188 | | 29,401 | | | |
| D) Child Immunization : | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 23 | Total reported live births | 26,362 | 90.3 | 27,832 | 94.7 | Breastfed within 1 hour of birth | 64.5 |
| 24 | Total Still Birth | 811 | 2.8 | 813 | 2.8 | BCG | 88.5 |

| | | | | | | | |
|----|--|--------|------|--------|------|-------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 25,671 | 97.4 | 27,789 | 99.8 | 3 dose of DPT | 73.2 |
| 26 | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 5,465 | 21.3 | 2,822 | 10.2 | Measles | 73.8 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 24,614 | 93.4 | 26,438 | 95.0 | Full Immunization | 65.4 |
| 28 | Children fully immunized | 24,424 | 83.7 | 23,633 | 80.4 | | |
| 29 | Children who have received BCG | 24,972 | 85.6 | 27,289 | 92.8 | | |
| 30 | Children who have received DPT1 | 28,438 | 97.4 | 24,728 | 84.1 | | |
| 31 | Children who have received DPT3 | 27,069 | 92.7 | 26,350 | 89.6 | | |
| 32 | Children who have received Measles | 25,100 | 86.0 | 25,065 | 85.3 | | |
| 33 | Diarrhoea and Dehydration reported in children below 5 years of age | 9,938 | | 10,875 | | | |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).

| E) Family Planning | | HMIS (2013-14) | HMIS (2014-15) | AHS (2012-13) | |
|-------------------------------------|--|----------------|----------------|---------------------------|------|
| 34 | Number of Vasectomies performed | 3 | 7 | Limiting | 15 |
| 35 | Number of Tubectomies performed | 1,225 | 1,218 | Spacing | 13 |
| 36 | Number of IUD insertion | 2,747 | 2,072 | Women using any method | 49.4 |
| 37 | Number of IUD removals | 462 | 484 | Women using modern method | 21.7 |
| F) Service delivery | | HMIS (2013-14) | HMIS (2014-15) | | |
| 38 | IPD cases per 10,000 population *** | 308 | 250 | | |
| 39 | General OPD cases per 10,000 population *** | 6,144 | 5,264 | | |
| 40 | Ayush OPD cases per 10,000 population *** | 127 | 145.5 | | |
| G) Mortality Details | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2013-14) | HMIS (2014-15) | | |
| 41 | Neonatal death within 24 hours | 3 | 6 | | |
| 42 | Up to 1 Weeks of Birth | 158 | 139 | | |
| 43 | Between 1 week & 4 weeks of birth | 3 | 1 | | |
| 44 | Neonatal Death | 164 | 146 | | |
| 45 | Between 1 month and 11 months | 81 | 89 | | |
| 46 | Total reported infant deaths | 245 | 235 | | |
| II) | Maternal Mortality | HMIS (2013-14) | HMIS (2014-15) | | |
| Maternal Deaths (In Numbers) | | | | | |
| 47 | Due to Abortion | 0 | 0 | | |
| 48 | Due to Obstructed/prolonged labour | 3 | 3 | | |
| 49 | Due to Severe hypertension / fits | 3 | 3 | | |
| 50 | Due to Bleeding | 8 | 5 | | |
| 51 | Due to High fever | 0 | 2 | | |
| 52 | Due to Other Causes (including causes not known) | 29 | 14 | | |
| 53 | Total reported maternal deaths | 43 | 27 | | |

Kokrajhar Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|---|--|----------------|--------|----------------|------|----------------------------------|------|
| 1 | Population 2011 | 887,142 | | | | | |
| 2 | Sex Ratio | 958 | | | | | |
| B) Infrastructure Details (RHS 2014) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 161 | | | | | |
| 4 | Primary Health Centers (PHC) | 45 | | | | | |
| 5 | Community Health Centers (CHC) | 4 | | | | | |
| 6 | SDH | 1 | | | | | |
| 7 | DH | 1 | | | | | |
| C) Maternal Health: | | 2013-14 | | 2014-15 | | | |
| 8 | Expected number of PW | 22,481 | 22,300 | | | | |
| 9 | Expected number of Delivery | 20,948 | 20,780 | | | | |
| | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 22,552 | 100.3 | 21,189 | 95.0 | Any ANC | 93.8 |
| 11 | Mothers registered in the first trimester | 12,575 | 55.8 | 13,183 | 62.2 | ANC Check up in first trimester | 43.6 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 17,267 | 76.6 | 16,774 | 79.2 | 3 or more ANC check up | 55.6 |
| 13 | PW who got TT 2 / Booster injection | 18,919 | 83.9 | 18,175 | 85.8 | At least 1 TT received | 93.6 |
| 14 | PW who consumed 100 IFA tablets | 16,067 | 71.2 | 18,632 | 87.9 | 100 IFA tablets consumed | 16.6 |
| 15 | Home Delivery against expected delivery * | 2,160 | 10.3 | 1,832 | 8.8 | Full ANC | 8.7 |
| 16 | Institutional Delivery against expected delivery * | 14,370 | 68.6 | 15,840 | 76.2 | Home Delivery | 41.2 |
| 17 | Home Delivery against reported delivery ** | 2,160 | 13.1 | 1,832 | 10.4 | Institutional Delivery | 58.8 |
| 18 | Institutional Delivery against reported delivery ** | 14,370 | 86.9 | 15,840 | 89.6 | Home Delivery by SBA | 40.0 |
| 19 | Total reported Deliveries | 16,530 | | 17,672 | | PNC within 48 hrs of delivery | 61.9 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 523 | 24.2 | 779 | 42.5 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 6,673 | 40.4 | 9,083 | 51.4 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years. | | | | | | | |
| 22 | Expected number of Live Birth | 20,437 | | 20,273 | | | |
| D) Child Immunization : | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 23 | Total reported live births | 16,481 | 80.6 | 17,715 | 87.4 | Breastfed within 1 hour of birth | 84.5 |
| 24 | Total Still Birth | 265 | 1.3 | 281 | 1.4 | BCG | 96.2 |

| | | | | | | | |
|----|--|--------|------|--------|------|-------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 16,053 | 97.4 | 17,537 | 99.0 | 3 dose of DPT | 72.9 |
| 26 | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 3,673 | 22.9 | 4,196 | 23.9 | Measles | 85.3 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 14,880 | 90.3 | 14,449 | 81.6 | Full Immunization | 59.2 |
| 28 | Children fully immunized | 15,561 | 76.1 | 15,075 | 74.4 | | |
| 29 | Children who have received BCG | 16,578 | 81.1 | 16,652 | 82.1 | | |
| 30 | Children who have received DPT1 | 17,535 | 85.8 | 16,285 | 80.3 | | |
| 31 | Children who have received DPT3 | 16,803 | 82.2 | 16,684 | 82.3 | | |
| 32 | Children who have received Measles | 15,717 | 76.9 | 15,210 | 75.0 | | |
| 33 | Diarrhoea and Dehydration reported in children below 5 years of age | 2,555 | | 4,642 | | | |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).

| E) Family Planning | | HMIS (2013-14) | HMIS (2014-15) | AHS (2012-13) | |
|-------------------------------------|--|----------------|----------------|---------------------------|------|
| 34 | Number of Vasectomies performed | 8 | 1 | Limiting | 1.1 |
| 35 | Number of Tubectomies performed | 192 | 199 | Spacing | 6.6 |
| 36 | Number of IUD insertion | 2,324 | 2,205 | Women using any method | 73.8 |
| 37 | Number of IUD removals | 589 | 516 | Women using modern method | 43.5 |
| F) Service delivery | | HMIS (2013-14) | HMIS (2014-15) | | |
| 38 | IPD cases per 10,000 population *** | 229 | 239 | | |
| 39 | General OPD cases per 10,000 population *** | 6,687 | 5,861 | | |
| 40 | Ayush OPD cases per 10,000 population *** | 55 | 49.9 | | |
| G) Mortality Details | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2013-14) | HMIS (2014-15) | | |
| 41 | Neonatal death within 24 hours | 5 | 1 | | |
| 42 | Up to 1 Weeks of Birth | 21 | 18 | | |
| 43 | Between 1 week & 4 weeks of birth | 2 | 0 | | |
| 44 | Neonatal Death | 28 | 19 | | |
| 45 | Between 1 month and 11 months | 30 | 14 | | |
| 46 | Total reported infant deaths | 58 | 33 | | |
| II) | Maternal Mortality | HMIS (2013-14) | HMIS (2014-15) | | |
| Maternal Deaths (In Numbers) | | | | | |
| 47 | Due to Abortion | 1 | 0 | | |
| 48 | Due to Obstructed/prolonged labour | 1 | 2 | | |
| 49 | Due to Severe hypertension / fits | 1 | 3 | | |
| 50 | Due to Bleeding | 6 | 2 | | |
| 51 | Due to High fever | 1 | 0 | | |
| 52 | Due to Other Causes (including causes not known) | 16 | 20 | | |
| 53 | Total reported maternal deaths | 26 | 27 | | |

Lakhimpur Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|---|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| 1 | Population 2011 | 1,042,137 | | | | | |
| 2 | Sex Ratio | 965 | | | | | |
| B) Infrastructure Details (RHS 2014) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 156 | | | | | |
| 4 | Primary Health Centers (PHC) | 30 | | | | | |
| 5 | Community Health Centers (CHC) | 8 | | | | | |
| 6 | SDH | 1 | | | | | |
| 7 | DH | 1 | | | | | |
| C) Maternal Health: | | 2013-14 | | 2014-15 | | | |
| 8 | Expected number of PW | 27,036 | | 27,136 | | | |
| 9 | Expected number of Delivery | 25,193 | | 25,285 | | | |
| | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 22,754 | 84.2 | 20,972 | 77.3 | Any ANC | 98.2 |
| 11 | Mothers registered in the first trimester | 19,263 | 84.7 | 17,440 | 83.2 | ANC Check up in first trimester | 58.7 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 19,010 | 83.5 | 18,001 | 85.8 | 3 or more ANC check up | 69.9 |
| 13 | PW who got TT 2 / Booster injection | 20,787 | 91.4 | 19,266 | 91.9 | At least 1 TT received | 98.2 |
| 14 | PW who consumed 100 IFA tablets | 16,749 | 73.6 | 16,636 | 79.3 | 100 IFA tablets consumed | 27.2 |
| 15 | Home Delivery against expected delivery * | 353 | 1.4 | 274 | 1.1 | Full ANC | 21.2 |
| 16 | Institutional Delivery against expected delivery * | 19,710 | 78.2 | 18,638 | 73.7 | Home Delivery | 14.0 |
| 17 | Home Delivery against reported delivery ** | 353 | 1.8 | 274 | 1.4 | Institutional Delivery | 85.7 |
| 18 | Institutional Delivery against reported delivery ** | 19,710 | 98.2 | 18,638 | 98.6 | Home Delivery by SBA | 17.5 |
| 19 | Total reported Deliveries | 20,063 | | 18,912 | | PNC within 48 hrs of delivery | 87.1 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 70 | 19.8 | 35 | 12.8 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 31,782 | 158.4 | 37,477 | 198.2 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years. | | | | | | | |
| 22 | Expected number of Live Birth | 24,578 | | 24,669 | | | |
| D) Child Immunization : | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 23 | Total reported live births | 19,660 | 80.0 | 18,489 | 74.9 | Breastfed within 1 hour of birth | 82.2 |
| 24 | Total Still Birth | 421 | 1.7 | 432 | 1.8 | BCG | 98.1 |

| | | | | | | | |
|----|--|--------|------|--------|------|-------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 19,416 | 98.8 | 18,340 | 99.2 | 3 dose of DPT | 78.1 |
| 26 | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 4,861 | 25.0 | 4,953 | 27.0 | Measles | 87.6 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 19,420 | 98.8 | 18,128 | 98.0 | Full Immunization | 64.2 |
| 28 | Children fully immunized | 19,294 | 78.5 | 18,074 | 73.3 | | |
| 29 | Children who have received BCG | 19,280 | 78.4 | 20,790 | 84.3 | | |
| 30 | Children who have received DPT1 | 20,366 | 82.9 | 17,955 | 72.8 | | |
| 31 | Children who have received DPT3 | 20,063 | 81.6 | 18,504 | 75.0 | | |
| 32 | Children who have received Measles | 19,562 | 79.6 | 18,324 | 74.3 | | |
| 33 | Diarrhoea and Dehydration reported in children below 5 years of age | 7,250 | | 6,041 | | | |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).

| E) Family Planning | | HMIS (2013-14) | HMIS (2014-15) | AHS (2012-13) | |
|----------------------|--|----------------|-----------------|---------------------------|-----|
| 34 | Number of Vasectomies performed | 187 | 45 | Limiting | 5.1 |
| 35 | Number of Tubectomies performed | 2,938 | 1,600 | Spacing | 4.8 |
| 36 | Number of IUD insertion | 1,959 | 1,315 | Women using any method | 76 |
| 37 | Number of IUD removals | 238 | 361 | Women using modern method | 40 |
| F) Service delivery | | HMIS (2013-14) | HMIS (2014-15) | | |
| 38 | IPD cases per 10,000 population *** | 1152 | 843 | | |
| 39 | General OPD cases per 10,000 population *** | 9,046 | 7,715 | | |
| 40 | Ayush OPD cases per 10,000 population *** | 19 | 23.0 | | |
| G) Mortality Details | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2013-14) | HMIS (2014-15) | | |
| 41 | Neonatal death within 24 hours | 34 | 28 | | |
| 42 | Up to 1 Weeks of Birth | 193 | 232 | | |
| 43 | Between 1 week & 4 weeks of birth | 2 | 1 | | |
| 44 | Neonatal Death | 229 | 261 | | |
| 45 | Between 1 month and 11 months | 48 | 65 | | |
| 46 | Total reported infant deaths | 277 | 326 | | |
| II) | Maternal Mortality | HMIS (2013-14) | HMIS (2014-15) | | |
| 47 | Due to Abortion | 1 | 0 | | |
| 48 | Due to Obstructed/prolonged labour | 2 | 1 | | |
| 49 | Due to Severe hypertension / fits | 4 | 4 | | |
| 50 | Due to Bleeding | 7 | 1 | | |
| 51 | Due to High fever | 0 | 0 | | |
| 52 | Due to Other Causes (including causes not known) | 31 | 23 | | |
| 53 | Total reported maternal deaths | 45 | 29 | | |

Marigaon Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|--|--|----------------|--------|----------------|-------|----------------------------------|------|
| 1 | Population 2011 | 957,423 | | | | | |
| 2 | Sex Ratio | 974 | | | | | |
| B) Infrastructure Details (RHS 2014) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 123 | | | | | |
| 4 | Primary Health Centers (PHC) | 36 | | | | | |
| 5 | Community Health Centers (CHC) | 5 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 1 | | | | | |
| C) Maternal Health: | | 2013-14 | | 2014-15 | | | |
| 8 | Expected number of PW | 25,149 | 25,398 | | | | |
| 9 | Expected number of Delivery | 23,434 | 23,666 | | | | |
| | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 25,947 | 103.2 | 26,065 | 102.6 | Any ANC | 97.2 |
| 11 | Mothers registered in the first trimester | 17,408 | 67.1 | 19,481 | 74.7 | ANC Check up in first trimester | 52.2 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 21,596 | 83.2 | 22,107 | 84.8 | 3 or more ANC check up | 71.3 |
| 13 | PW who got TT 2 / Booster injection | 23,485 | 90.5 | 25,077 | 96.2 | At least 1 TT received | 97.1 |
| 14 | PW who consumed 100 IFA tablets | 18,526 | 71.4 | 23,255 | 89.2 | 100 IFA tablets consumed | 32.9 |
| 15 | Home Delivery against expected delivery * | 2,507 | 10.7 | 2,693 | 11.4 | Full ANC | 25.4 |
| 16 | Institutional Delivery against expected delivery * | 17,297 | 73.8 | 17,078 | 72.2 | Home Delivery | 31.1 |
| 17 | Home Delivery against reported delivery ** | 2,507 | 12.7 | 2,693 | 13.6 | Institutional Delivery | 68.3 |
| 18 | Institutional Delivery against reported delivery ** | 17,297 | 87.3 | 17,078 | 86.4 | Home Delivery by SBA | 19.6 |
| 19 | Total reported Deliveries | 19,804 | | 19,771 | | PNC within 48 hrs of delivery | 60.7 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 366 | 14.6 | 640 | 23.8 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 11,881 | 60.0 | 9,798 | 49.6 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years. | | | | | | | |
| 22 | Expected number of Live Birth | 22,862 | | 23,089 | | | |
| D) Child Immunization : | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 23 | Total reported live births | 19,389 | 84.8 | 19,587 | 84.8 | Breastfed within 1 hour of birth | 78.9 |
| 24 | Total Still Birth | 454 | 2.0 | 239 | 1.0 | BCG | 93.8 |

| | | | | | | | |
|----|--|--------|-------|--------|-------|-------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 19,474 | 100.4 | 19,656 | 100.4 | 3 dose of DPT | 84.6 |
| 26 | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 4,756 | 24.4 | 3,693 | 18.8 | Measles | 82.8 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 18,956 | 97.8 | 18,925 | 96.6 | Full Immunization | 66.2 |
| 28 | Children fully immunized | 21,989 | 96.2 | 21,429 | 92.8 | | |
| 29 | Children who have received BCG | 21,644 | 94.7 | 22,071 | 95.6 | | |
| 30 | Children who have received DPT1 | 22,575 | 98.7 | 19,678 | 85.2 | | |
| 31 | Children who have received DPT3 | 22,204 | 97.1 | 21,365 | 92.5 | | |
| 32 | Children who have received Measles | 22,118 | 96.7 | 21,529 | 93.2 | | |
| 33 | Diarrhoea and Dehydration reported in children below 5 years of age | 3,137 | | 3,022 | | | |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).

| E) Family Planning | | HMIS (2013-14) | HMIS (2014-15) | AHS (2012-13) | |
|----------------------|--|----------------|----------------|---------------------------|------|
| 34 | Number of Vasectomies performed | 245 | 99 | Limiting | 5 |
| 35 | Number of Tubectomies performed | 2,009 | 875 | Spacing | 7.6 |
| 36 | Number of IUD insertion | 2,825 | 2,758 | Women using any method | 70 |
| 37 | Number of IUD removals | 241 | 232 | Women using modern method | 39.1 |
| F) Service delivery | | HMIS (2013-14) | HMIS (2014-15) | | |
| 38 | IPD cases per 10,000 population *** | 486 | 339 | | |
| 39 | General OPD cases per 10,000 population *** | 9,462 | 8,843 | | |
| 40 | Ayush OPD cases per 10,000 population *** | 55 | 0.2 | | |
| G) Mortality Details | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2013-14) | HMIS (2014-15) | | |
| 41 | Neonatal death within 24 hours | 6 | 1 | | |
| 42 | Up to 1 Weeks of Birth | 143 | 143 | | |
| 43 | Between 1 week & 4 weeks of birth | 3 | 20 | | |
| 44 | Neonatal Death | 152 | 164 | | |
| 45 | Between 1 month and 11 months | 65 | 198 | | |
| 46 | Total reported infant deaths | 217 | 362 | | |
| II) | Maternal Mortality | HMIS (2013-14) | HMIS (2014-15) | | |
| | Maternal Deaths (In Numbers) | | | | |
| 47 | Due to Abortion | 1 | 0 | | |
| 48 | Due to Obstructed/prolonged labour | 1 | 1 | | |
| 49 | Due to Severe hypertension / fits | 4 | 15 | | |
| 50 | Due to Bleeding | 13 | 2 | | |
| 51 | Due to High fever | 0 | 0 | | |
| 52 | Due to Other Causes (including causes not known) | 24 | 28 | | |
| 53 | Total reported maternal deaths | 43 | 46 | | |

Nagaon Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|---|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| 1 | Population 2011 | 2,823,768 | | | | | |
| 2 | Sex Ratio | 962 | | | | | |
| B) Infrastructure Details (RHS 2014) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 354 | | | | | |
| 4 | Primary Health Centers (PHC) | 80 | | | | | |
| 5 | Community Health Centers (CHC) | 15 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 1 | | | | | |
| C) Maternal Health: | | 2013-14 | | 2014-15 | | | |
| 8 | Expected number of PW | 73,983 | | 74,623 | | | |
| 9 | Expected number of Delivery | 68,939 | | 69,535 | | | |
| | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 80,305 | 108.5 | 73,792 | 98.9 | Any ANC | 92.6 |
| 11 | Mothers registered in the first trimester | 60,049 | 74.8 | 59,193 | 80.2 | ANC Check up in first trimester | 57.8 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 67,809 | 84.4 | 65,259 | 88.4 | 3 or more ANC check up | 57.0 |
| 13 | PW who got TT 2 / Booster injection | 69,412 | 86.4 | 66,633 | 90.3 | At least 1 TT received | 92.2 |
| 14 | PW who consumed 100 IFA tablets | 63,588 | 79.2 | 73,543 | 99.7 | 100 IFA tablets consumed | 23.8 |
| 15 | Home Delivery against expected delivery * | 5,010 | 7.3 | 5,663 | 8.1 | Full ANC | 18.4 |
| 16 | Institutional Delivery against expected delivery * | 50,362 | 73.1 | 59,654 | 85.8 | Home Delivery | 41.9 |
| 17 | Home Delivery against reported delivery ** | 5,010 | 9.0 | 5,663 | 8.7 | Institutional Delivery | 57.9 |
| 18 | Institutional Delivery against reported delivery ** | 50,362 | 91.0 | 59,654 | 91.3 | Home Delivery by SBA | 35.1 |
| 19 | Total reported Deliveries | 55,372 | | 65,317 | | PNC within 48 hrs of delivery | 62.6 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 456 | 9.1 | 857 | 15.1 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 40,216 | 72.6 | 49,096 | 75.2 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years. | | | | | | | |
| 22 | Expected number of Live Birth | 67,258 | | 67,839 | | | |
| D) Child Immunization : | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 23 | Total reported live births | 53,806 | 80.0 | 63,872 | 94.2 | Breastfed within 1 hour of birth | 70.6 |
| 24 | Total Still Birth | 1,530 | 2.3 | 1,685 | 2.5 | BCG | 89.2 |

| | | | | | | | |
|----|--|--------|------|--------|-------|-------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 52,266 | 97.1 | 63,904 | 100.1 | 3 dose of DPT | 69.1 |
| 26 | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 8,729 | 16.7 | 9,020 | 14.1 | Measles | 68.5 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 50,432 | 93.7 | 61,905 | 96.9 | Full Immunization | 52.5 |
| 28 | Children fully immunized | 59,728 | 88.8 | 56,284 | 83.0 | | |
| 29 | Children who have received BCG | 62,678 | 93.2 | 60,638 | 89.4 | | |
| 30 | Children who have received DPT1 | 61,532 | 91.5 | 53,655 | 79.1 | | |
| 31 | Children who have received DPT3 | 60,520 | 90.0 | 58,003 | 85.5 | | |
| 32 | Children who have received Measles | 60,448 | 89.9 | 57,032 | 84.1 | | |
| 33 | Diarrhoea and Dehydration reported in children below 5 years of age | 8,880 | | 8,952 | | | |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).

| E) Family Planning | | HMIS (2013-14) | HMIS (2014-15) | AHS (2012-13) | |
|-------------------------------------|--|----------------|----------------|---------------------------|------|
| 34 | Number of Vasectomies performed | 137 | 262 | Limiting | 11.3 |
| 35 | Number of Tubectomies performed | 2,246 | 1,702 | Spacing | 7 |
| 36 | Number of IUD insertion | 4,379 | 4,815 | Women using any method | 65.9 |
| 37 | Number of IUD removals | 627 | 577 | Women using modern method | 32.3 |
| F) Service delivery | | HMIS (2013-14) | HMIS (2014-15) | | |
| 38 | IPD cases per 10,000 population *** | 205 | 234 | | |
| 39 | General OPD cases per 10,000 population *** | 7,766 | 7,211 | | |
| 40 | Ayush OPD cases per 10,000 population *** | 52 | 19.0 | | |
| G) Mortality Details | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2013-14) | HMIS (2014-15) | | |
| 41 | Neonatal death within 24 hours | 0 | 1 | | |
| 42 | Up to 1 Weeks of Birth | 10 | 92 | | |
| 43 | Between 1 week & 4 weeks of birth | 0 | 0 | | |
| 44 | Neonatal Death | 10 | 93 | | |
| 45 | Between 1 month and 11 months | 20 | 24 | | |
| 46 | Total reported infant deaths | 30 | 117 | | |
| II) | Maternal Mortality | HMIS (2013-14) | HMIS (2014-15) | | |
| Maternal Deaths (In Numbers) | | | | | |
| 47 | Due to Abortion | 0 | 1 | | |
| 48 | Due to Obstructed/prolonged labour | 2 | 0 | | |
| 49 | Due to Severe hypertension / fits | 5 | 11 | | |
| 50 | Due to Bleeding | 4 | 5 | | |
| 51 | Due to High fever | 0 | 1 | | |
| 52 | Due to Other Causes (including causes not known) | 7 | 11 | | |
| 53 | Total reported maternal deaths | 18 | 29 | | |

Nalbari Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|--|--|----------------|------|----------------|------|----------------------------------|------|
| 1 | Population 2011 | 771,639 | | | | | |
| 2 | Sex Ratio | 945 | | | | | |
| B) Infrastructure Details (RHS 2014) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 121 | | | | | |
| 4 | Primary Health Centers (PHC) | 47 | | | | | |
| 5 | Community Health Centers (CHC) | 9 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 1 | | | | | |
| C) Maternal Health: | | 2013-14 | | 2014-15 | | | |
| 8 | Expected number of PW | 19,810 | | 19,779 | | | |
| 9 | Expected number of Delivery | 18,459 | | 18,430 | | | |
| | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 15,570 | 78.6 | 15,253 | 77.1 | Any ANC | 98.4 |
| 11 | Mothers registered in the first trimester | 11,821 | 75.9 | 13,231 | 86.7 | ANC Check up in first trimester | 60.6 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 12,154 | 78.1 | 13,223 | 86.7 | 3 or more ANC check up | 81.2 |
| 13 | PW who got TT 2 / Booster injection | 13,169 | 84.6 | 13,586 | 89.1 | At least 1 TT received | 98.3 |
| 14 | PW who consumed 100 IFA tablets | 11,277 | 72.4 | 14,349 | 94.1 | 100 IFA tablets consumed | 26.7 |
| 15 | Home Delivery against expected delivery * | 1,892 | 10.2 | 1,524 | 8.3 | Full ANC | 24.9 |
| 16 | Institutional Delivery against expected delivery * | 12,453 | 67.5 | 12,768 | 69.3 | Home Delivery | 12.0 |
| 17 | Home Delivery against reported delivery ** | 1,892 | 13.2 | 1,524 | 10.7 | Institutional Delivery | 87.4 |
| 18 | Institutional Delivery against reported delivery ** | 12,453 | 86.8 | 12,768 | 89.3 | Home Delivery by SBA | 34.9 |
| 19 | Total reported Deliveries | 14,345 | | 14,292 | | PNC within 48 hrs of delivery | 88.2 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 229 | 12.1 | 967 | 63.5 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 8,384 | 58.4 | 10,759 | 75.3 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years. | | | | | | | |
| 22 | Expected number of Live Birth | 18,009 | | 17,981 | | | |
| D) Child Immunization : | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 23 | Total reported live births | 14,264 | 79.2 | 14,179 | 78.9 | Breastfed within 1 hour of birth | 74.7 |
| 24 | Total Still Birth | 178 | 1.0 | 206 | 1.1 | BCG | 98 |

| | | | | | | | |
|----|--|--------|------|--------|-------|-------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 14,176 | 99.4 | 14,174 | 100.0 | 3 dose of DPT | 87.8 |
| 26 | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 3,056 | 21.6 | 1,976 | 13.9 | Measles | 88 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 13,210 | 92.6 | 13,828 | 97.5 | Full Immunization | 68 |
| 28 | Children fully immunized | 14,120 | 78.4 | 13,932 | 77.5 | | |
| 29 | Children who have received BCG | 14,977 | 83.2 | 15,156 | 84.3 | | |
| 30 | Children who have received DPT1 | 15,461 | 85.9 | 14,369 | 79.9 | | |
| 31 | Children who have received DPT3 | 14,539 | 80.7 | 14,793 | 82.3 | | |
| 32 | Children who have received Measles | 14,144 | 78.5 | 14,022 | 78.0 | | |
| 33 | Diarrhoea and Dehydration reported in children below 5 years of age | 7,525 | | 5,291 | | | |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).

| E) Family Planning | | HMIS (2013-14) | HMIS (2014-15) | AHS (2012-13) | |
|----------------------|--|----------------|----------------|---------------------------|------|
| 34 | Number of Vasectomies performed | 57 | 226 | Limiting | 5.6 |
| 35 | Number of Tubectomies performed | 872 | 1,324 | Spacing | 4.9 |
| 36 | Number of IUD insertion | 1,525 | 1,832 | Women using any method | 71.5 |
| 37 | Number of IUD removals | 392 | 332 | Women using modern method | 44 |
| F) Service delivery | | HMIS (2013-14) | HMIS (2014-15) | | |
| 38 | IPD cases per 10,000 population *** | 352 | 348 | | |
| 39 | General OPD cases per 10,000 population *** | 11,451 | 10,246 | | |
| 40 | Ayush OPD cases per 10,000 population *** | 2,519 | 1716.8 | | |
| G) Mortality Details | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2013-14) | HMIS (2014-15) | | |
| 41 | Neonatal death within 24 hours | 8 | 9 | | |
| 42 | Up to 1 Weeks of Birth | 80 | 60 | | |
| 43 | Between 1 week & 4 weeks of birth | 0 | 0 | | |
| 44 | Neonatal Death | 88 | 69 | | |
| 45 | Between 1 month and 11 months | 16 | 22 | | |
| 46 | Total reported infant deaths | 104 | 91 | | |
| II) | Maternal Mortality | HMIS (2013-14) | HMIS (2014-15) | | |
| 47 | Due to Abortion | 0 | 0 | | |
| 48 | Due to Obstructed/prolonged labour | 0 | 0 | | |
| 49 | Due to Severe hypertension / fits | 1 | 0 | | |
| 50 | Due to Bleeding | 1 | 0 | | |
| 51 | Due to High fever | 0 | 0 | | |
| 52 | Due to Other Causes (including causes not known) | 5 | 3 | | |
| 53 | Total reported maternal deaths | 7 | 3 | | |

North Cachar Hills (Dima Hasao) Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|---|--|-----------------------|-----------------------|---------------|----------------------|----------------------------------|------|
| 1 | Population 2011 | 214,102 | | | | | |
| 2 | Sex Ratio | 931 | | | | | |
| B) Infrastructure Details (RHS 2014) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 65 | | | | | |
| 4 | Primary Health Centers (PHC) | 11 | | | | | |
| 5 | Community Health Centers (CHC) | 2 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 1 | | | | | |
| C) Maternal Health: | | 2013-14 | 2014-15 | | | | |
| 8 | Expected number of PW | 5,516 | 5,517 | | | | |
| 9 | Expected number of Delivery | 5,140 | 5,141 | | | | |
| | | HMIS (2013-14) | HMIS (2014-15) | | AHS (2012-13) | | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 5,438 | 98.6 | 5,247 | 95.1 | Any ANC | 90.8 |
| 11 | Mothers registered in the first trimester | 2,405 | 44.2 | 2,709 | 51.6 | ANC Check up in first trimester | 54.5 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 3,383 | 62.2 | 3,585 | 68.3 | 3 or more ANC check up | 54.4 |
| 13 | PW who got TT 2 / Booster injection | 4,489 | 82.5 | 4,356 | 83.0 | At least 1 TT received | 89.4 |
| 14 | PW who consumed 100 IFA tablets | 3,061 | 56.3 | 3,288 | 62.7 | 100 IFA tablets consumed | 24.1 |
| 15 | Home Delivery against expected delivery * | 1,688 | 32.8 | 1,747 | 34.0 | Full ANC | 15.7 |
| 16 | Institutional Delivery against expected delivery * | 2,477 | 48.2 | 2,500 | 48.6 | Home Delivery | 30.7 |
| 17 | Home Delivery against reported delivery ** | 1,688 | 40.5 | 1,747 | 41.1 | Institutional Delivery | 69.3 |
| 18 | Institutional Delivery against reported delivery ** | 2,477 | 59.5 | 2,500 | 58.9 | Home Delivery by SBA | 32.5 |
| 19 | Total reported Deliveries | 4,165 | | 4,247 | | PNC within 48 hrs of delivery | 71.5 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 238 | 14.1 | 256 | 14.7 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 1,743 | 41.8 | 2,203 | 51.9 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years. | | | | | | | |
| 22 | Expected number of Live Birth | 5,015 | | 5,015 | | | |
| D) Child Immunization : | | HMIS (2013-14) | HMIS (2014-15) | | AHS (2012-13) | | |
| 23 | Total reported live births | 4,165 | 83.1 | 4,224 | 84.2 | Breastfed within 1 hour of birth | 80.4 |

| | | | | | | | |
|---|--|-----------------------|------|------------------------|------|---------------------------|------|
| 24 | Total Still Birth | 94 | 1.9 | 105 | 2.1 | BCG | 91.6 |
| 25 | PC of newborn weighted at birth to live birth | 3,727 | 89.5 | 3,717 | 88.0 | 3 dose of DPT | 64.8 |
| 26 | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 275 | 7.4 | 279 | 7.5 | Measles | 75.5 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 4,105 | 98.6 | 4,087 | 96.8 | Full Immunization | 56.2 |
| 28 | Children fully immunized | 3,813 | 76.0 | 3,622 | 72.2 | | |
| 29 | Children who have received BCG | 4,687 | 93.5 | 4,511 | 89.9 | | |
| 30 | Children who have received DPT1 | 4,525 | 90.2 | 3,785 | 75.5 | | |
| 31 | Children who have received DPT3 | 4,335 | 86.4 | 4,032 | 80.4 | | |
| 32 | Children who have received Measles | 3,844 | 76.7 | 3,631 | 72.4 | | |
| 33 | Diarrhoea and Dehydration reported in children below 5 years of age | 4,051 | | 3,496 | | | |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).</p> | | | | | | | |
| E) Family Planning | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 34 | Number of Vasectomies performed | 0 | | 0 | | Limiting | 10.3 |
| 35 | Number of Tubectomies performed | 63 | | 58 | | Spacing | 9 |
| 36 | Number of IUD insertion | 425 | | 664 | | Women using any method | 56.5 |
| 37 | Number of IUD removals | 38 | | 117 | | Women using modern method | 43.5 |
| F) Service delivery | | HMIS (2013-14) | | HMIS (2014-15) | | | |
| 38 | IPD cases per 10,000 population *** | 492 | | 509 | | | |
| 39 | General OPD cases per 10,000 population *** | 10,858 | | 10,414 | | | |
| 40 | Ayush OPD cases per 10,000 population *** | 403 | | 467.7 | | | |
| G) Mortality Details | | | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2013-14) | | HMIS (2014-15) | | | |
| 41 | Neonatal death within 24 hours | 3 | | 8 | | | |
| 42 | Up to 1 Weeks of Birth | 50 | | 35 | | | |
| 43 | Between 1 week & 4 weeks of birth | 4 | | 1 | | | |
| 44 | Neonatal Death | 57 | | 44 | | | |
| 45 | Between 1 month and 11 months | 40 | | 49 | | | |
| 46 | Total reported infant deaths | 97 | | 93 | | | |
| II) | Maternal Mortality | HMIS (2013-14) | | HMIS (2014-15) | | | |
| | Maternal Deaths (In Numbers) | HMIS (2013-14) | | HMIS (2014-15) | | | |
| 47 | Due to Abortion | 0 | | 0 | | | |
| 48 | Due to Obstructed/prolonged labour | 0 | | 1 | | | |
| 49 | Due to Severe hypertension / fits | 2 | | 1 | | | |
| 50 | Due to Bleeding | 2 | | 0 | | | |
| 51 | Due to High fever | 2 | | 0 | | | |
| 52 | Due to Other Causes (including causes not known) | 6 | | 7 | | | |
| 53 | Total reported maternal deaths | 12 | | 9 | | | |

Sibsagar Factsheet

Key Indicators

| Sl No | A) Demographic Indicators (Census 2011) | | | | | | | |
|---|--|-----------------------|-----------------------|---------------|----------------------|----------------------------------|------|--|
| 1 | Population 2011 | 1,151,050 | | | | | | |
| 2 | Sex Ratio | 951 | | | | | | |
| B) Infrastructure Details (RHS 2014) | | Numbers | | | | | | |
| 3 | Sub Centers (SC) | 219 | | | | | | |
| 4 | Primary Health Centers (PHC) | 45 | | | | | | |
| 5 | Community Health Centers (CHC) | 4 | | | | | | |
| 6 | SDH | 2 | | | | | | |
| 7 | DH | 1 | | | | | | |
| C) Maternal Health: | | 2013-14 | 2014-15 | | | | | |
| 8 | Expected number of PW | 29,412 | 29,297 | | | | | |
| 9 | Expected number of Delivery | 27,407 | 27,299 | | | | | |
| | | HMIS (2013-14) | HMIS (2014-15) | | AHS (2012-13) | | | |
| | | Number | PC | Number | PC | | | |
| 10 | PW register for ANC | 22,385 | 76.1 | 22,207 | 75.8 | Any ANC | 98.2 | |
| 11 | Mothers registered in the first trimester | 17,911 | 80.0 | 18,446 | 83.1 | ANC Check up in first trimester | 73.3 | |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 18,243 | 81.5 | 18,811 | 84.7 | 3 or more ANC check up | 83.3 | |
| 13 | PW who got TT 2 / Booster injection | 18,394 | 82.2 | 18,707 | 84.2 | At least 1 TT received | 98.1 | |
| 14 | PW who consumed 100 IFA tablets | 14,797 | 66.1 | 19,048 | 85.8 | 100 IFA tablets consumed | 21.8 | |
| 15 | Home Delivery against expected delivery * | 489 | 1.8 | 374 | 1.4 | Full ANC | 19.5 | |
| 16 | Institutional Delivery against expected delivery * | 15,824 | 57.7 | 15,914 | 58.3 | Home Delivery | 12.8 | |
| 17 | Home Delivery against reported delivery ** | 489 | 3.0 | 374 | 2.3 | Institutional Delivery | 87.0 | |
| 18 | Institutional Delivery against reported delivery ** | 15,824 | 97.0 | 15,914 | 97.7 | Home Delivery by SBA | 38.5 | |
| 19 | Total reported Deliveries | 16,313 | | 16,288 | | PNC within 48 hrs of delivery | 90.1 | |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 95 | 19.4 | 165 | 44.1 | | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 13,980 | 85.7 | 14,572 | 89.5 | | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years. | | | | | | | | |
| 22 | Expected number of Live Birth | 26,738 | | 26,633 | | | | |
| D) Child Immunization : | | HMIS (2013-14) | HMIS (2014-15) | | AHS (2012-13) | | | |
| 23 | Total reported live births | 16,111 | 60.3 | 16,157 | 60.7 | Breastfed within 1 hour of birth | 83.1 | |
| 24 | Total Still Birth | 366 | 1.4 | 287 | 1.1 | BCG | 98 | |

| | | | | | | | |
|---|--|-----------------------|------|------------------------|------|---------------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 15,995 | 99.3 | 16,041 | 99.3 | 3 dose of DPT | 92 |
| 26 | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 3,573 | 22.3 | 3,506 | 21.9 | Measles | 93.4 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 15,466 | 96.0 | 14,846 | 91.9 | Full Immunization | 83.5 |
| 28 | Children fully immunized | 18,148 | 67.9 | 16,734 | 62.8 | | |
| 29 | Children who have received BCG | 17,955 | 67.2 | 17,648 | 66.3 | | |
| 30 | Children who have received DPT1 | 18,632 | 69.7 | 15,882 | 59.6 | | |
| 31 | Children who have received DPT3 | 18,575 | 69.5 | 17,710 | 66.5 | | |
| 32 | Children who have received Measles | 18,495 | 69.2 | 17,067 | 64.1 | | |
| 33 | Diarrhoea and Dehydration reported in children below 5 years of age | 4,506 | | 5,174 | | | |
| Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011). | | | | | | | |
| E) Family Planning | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 34 | Number of Vasectomies performed | 470 | | 789 | | Limiting | 10.3 |
| 35 | Number of Tubectomies performed | 2,739 | | 1,206 | | Spacing | 4.3 |
| 36 | Number of IUD insertion | 3,534 | | 4,267 | | Women using any method | 64.7 |
| 37 | Number of IUD removals | 536 | | 651 | | Women using modern method | 36.1 |
| F) Service delivery | | HMIS (2013-14) | | HMIS (2014-15) | | | |
| 38 | IPD cases per 10,000 population *** | 479 | | 577 | | | |
| 39 | General OPD cases per 10,000 population *** | 12,214 | | 13,048 | | | |
| 40 | Ayush OPD cases per 10,000 population *** | 151 | | 78.2 | | | |
| G) Mortality Details | | | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2013-14) | | HMIS (2014-15) | | | |
| 41 | Neonatal death within 24 hours | 3 | | 2 | | | |
| 42 | Up to 1 Weeks of Birth | 69 | | 38 | | | |
| 43 | Between 1 week & 4 weeks of birth | 3 | | 0 | | | |
| 44 | Neonatal Death | 75 | | 40 | | | |
| 45 | Between 1 month and 11 months | 32 | | 20 | | | |
| 46 | Total reported infant deaths | 107 | | 60 | | | |
| II) | Maternal Mortality | | | | | | |
| | Maternal Deaths (In Numbers) | HMIS (2013-14) | | HMIS (2014-15) | | | |
| 47 | Due to Abortion | 2 | | 0 | | | |
| 48 | Due to Obstructed/prolonged labour | 0 | | 1 | | | |
| 49 | Due to Severe hypertension / fits | 1 | | 0 | | | |
| 50 | Due to Bleeding | 0 | | 0 | | | |
| 51 | Due to High fever | 0 | | 0 | | | |
| 52 | Due to Other Causes (including causes not known) | 18 | | 33 | | | |
| 53 | Total reported maternal deaths | 21 | | 34 | | | |

Sonitpur Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|---|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| 1 | Population 2011 | 1,924,110 | | | | | |
| 2 | Sex Ratio | 946 | | | | | |
| B) Infrastructure Details (RHS 2014) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 275 | | | | | |
| 4 | Primary Health Centers (PHC) | 58 | | | | | |
| 5 | Community Health Centers (CHC) | 7 | | | | | |
| 6 | SDH | 2 | | | | | |
| 7 | DH | 1 | | | | | |
| C) Maternal Health: | | 2013-14 | | 2014-15 | | | |
| 8 | Expected number of PW | 49,781 | | 49,896 | | | |
| 9 | Expected number of Delivery | 46,387 | | 46,494 | | | |
| | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 41,023 | 82.4 | 38,760 | 77.7 | Any ANC | 94.8 |
| 11 | Mothers registered in the first trimester | 30,529 | 74.4 | 30,910 | 79.7 | ANC Check up in first trimester | 48.9 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 32,088 | 78.2 | 32,006 | 82.6 | 3 or more ANC check up | 65.6 |
| 13 | PW who got TT 2 / Booster injection | 37,533 | 91.5 | 36,029 | 93.0 | At least 1 TT received | 94.7 |
| 14 | PW who consumed 100 IFA tablets | 35,202 | 85.8 | 39,626 | 102.2 | 100 IFA tablets consumed | 25.1 |
| 15 | Home Delivery against expected delivery * | 5,052 | 10.9 | 5,056 | 10.9 | Full ANC | 19.2 |
| 16 | Institutional Delivery against expected delivery * | 30,113 | 64.9 | 27,922 | 60.1 | Home Delivery | 32.5 |
| 17 | Home Delivery against reported delivery ** | 5,052 | 14.4 | 5,056 | 15.3 | Institutional Delivery | 63.6 |
| 18 | Institutional Delivery against reported delivery ** | 30,113 | 85.6 | 27,922 | 84.7 | Home Delivery by SBA | 26.3 |
| 19 | Total reported Deliveries | 35,165 | | 32,978 | | PNC within 48 hrs of delivery | 71.2 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 651 | 12.9 | 733 | 14.5 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 18,941 | 53.9 | 21,547 | 65.3 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years. | | | | | | | |
| 22 | Expected number of Live Birth | 45,255 | | 45,360 | | | |
| D) Child Immunization : | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 23 | Total reported live births | 35,649 | 78.8 | 31,664 | 69.8 | Breastfed within 1 hour of birth | 76.2 |
| 24 | Total Still Birth | 942 | 2.1 | 672 | 1.5 | BCG | 95.8 |

| | | | | | | | |
|---|--|-----------------------|------------------------|---------------------------|------|-------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 33,182 | 93.1 | 28,556 | 90.2 | 3 dose of DPT | 83.1 |
| 26 | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 7,573 | 22.8 | 6,582 | 23.0 | Measles | 85 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 32,041 | 89.9 | 28,213 | 89.1 | Full Immunization | 70.5 |
| 28 | Children fully immunized | 34,634 | 76.5 | 32,912 | 72.6 | | |
| 29 | Children who have received BCG | 39,993 | 88.4 | 37,732 | 83.2 | | |
| 30 | Children who have received DPT1 | 37,305 | 82.4 | 32,186 | 71.0 | | |
| 31 | Children who have received DPT3 | 36,489 | 80.6 | 33,642 | 74.2 | | |
| 32 | Children who have received Measles | 36,331 | 80.3 | 33,260 | 73.3 | | |
| 33 | Diarrhoea and Dehydration reported in children below 5 years of age | 4,326 | | 3,854 | | | |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).</p> | | | | | | | |
| E) Family Planning | | HMIS (2013-14) | HMIS (2014-15) | AHS (2012-13) | | | |
| 34 | Number of Vasectomies performed | 192 | 317 | Limiting | 6 | | |
| 35 | Number of Tubectomies performed | 3,902 | 2,716 | Spacing | 7.4 | | |
| 36 | Number of IUD insertion | 2,831 | 2,148 | Women using any method | 68.8 | | |
| 37 | Number of IUD removals | 376 | 787 | Women using modern method | 42.1 | | |
| F) Service delivery | | HMIS (2013-14) | HMIS (2014-15) | | | | |
| 38 | IPD cases per 10,000 population *** | 340 | 361 | | | | |
| 39 | General OPD cases per 10,000 population *** | 11,325 | 10,830 | | | | |
| 40 | Ayush OPD cases per 10,000 population *** | 34 | 40.2 | | | | |
| G) Mortality Details | | | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2013-14) | HMIS (2014-15) | | | | |
| 41 | Neonatal death within 24 hours | 6 | 5 | | | | |
| 42 | Up to 1 Weeks of Birth | 137 | 113 | | | | |
| 43 | Between 1 week & 4 weeks of birth | 4 | 1 | | | | |
| 44 | Neonatal Death | 147 | 119 | | | | |
| 45 | Between 1 month and 11 months | 76 | 69 | | | | |
| 46 | Total reported infant deaths | 223 | 188 | | | | |
| II) | Maternal Mortality | | | | | | |
| | Maternal Deaths (In Numbers) | HMIS (2013-14) | HMIS (2014-15) | | | | |
| 47 | Due to Abortion | 2 | 0 | | | | |
| 48 | Due to Obstructed/prolonged labour | 1 | 3 | | | | |
| 49 | Due to Severe hypertension / fits | 7 | 1 | | | | |
| 50 | Due to Bleeding | 5 | 5 | | | | |
| 51 | Due to High fever | 0 | 1 | | | | |
| 52 | Due to Other Causes (including causes not known) | 24 | 23 | | | | |
| 53 | Total reported maternal deaths | 39 | 33 | | | | |

Tinsukia Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|---|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| 1 | Population 2011 | 1,327,929 | | | | | |
| 2 | Sex Ratio | 948 | | | | | |
| B) Infrastructure Details (RHS 2014) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 164 | | | | | |
| 4 | Primary Health Centers (PHC) | 23 | | | | | |
| 5 | Community Health Centers (CHC) | 6 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 1 | | | | | |
| C) Maternal Health: | | 2013-14 | | 2014-15 | | | |
| 8 | Expected number of PW | 34,278 | | 34,318 | | | |
| 9 | Expected number of Delivery | 31,941 | | 31,978 | | | |
| | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 27,770 | 81.0 | 26,948 | 78.5 | Any ANC | 97.2 |
| 11 | Mothers registered in the first trimester | 19,119 | 68.8 | 20,097 | 74.6 | ANC Check up in first trimester | 71.9 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 19,811 | 71.3 | 22,089 | 82.0 | 3 or more ANC check up | 72.9 |
| 13 | PW who got TT 2 / Booster injection | 23,535 | 84.7 | 23,423 | 86.9 | At least 1 TT received | 97.0 |
| 14 | PW who consumed 100 IFA tablets | 22,915 | 82.5 | 24,632 | 91.4 | 100 IFA tablets consumed | 21.7 |
| 15 | Home Delivery against expected delivery * | 1,889 | 5.9 | 1,647 | 5.2 | Full ANC | 18.4 |
| 16 | Institutional Delivery against expected delivery * | 22,483 | 70.4 | 22,749 | 71.1 | Home Delivery | 23.8 |
| 17 | Home Delivery against reported delivery ** | 1,889 | 7.8 | 1,647 | 6.8 | Institutional Delivery | 75.9 |
| 18 | Institutional Delivery against reported delivery ** | 22,483 | 92.2 | 22,749 | 93.2 | Home Delivery by SBA | 26.2 |
| 19 | Total reported Deliveries | 24,372 | | 24,396 | | PNC within 48 hrs of delivery | 80.2 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 146 | 7.7 | 221 | 13.4 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 14,917 | 61.2 | 15,427 | 63.2 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years. | | | | | | | |
| 22 | Expected number of Live Birth | 31,162 | | 31,198 | | | |
| D) Child Immunization : | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 23 | Total reported live births | 24,147 | 77.5 | 24,177 | 77.5 | Breastfed within 1 hour of birth | 80.1 |
| 24 | Total Still Birth | 484 | 1.6 | 354 | 1.1 | BCG | 98.4 |

| | | | | | | | |
|---|--|-----------------------|------------------------|---------------------------|------|-------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 23,741 | 98.3 | 23,944 | 99.0 | 3 dose of DPT | 88.9 |
| 26 | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 5,293 | 22.3 | 5,076 | 21.2 | Measles | 91.1 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 22,971 | 95.1 | 23,316 | 96.4 | Full Immunization | 79 |
| 28 | Children fully immunized | 22,911 | 73.5 | 20,992 | 67.3 | | |
| 29 | Children who have received BCG | 21,409 | 68.7 | 21,608 | 69.3 | | |
| 30 | Children who have received DPT1 | 24,280 | 77.9 | 21,333 | 68.4 | | |
| 31 | Children who have received DPT3 | 23,334 | 74.9 | 23,188 | 74.3 | | |
| 32 | Children who have received Measles | 23,464 | 75.3 | 21,471 | 68.8 | | |
| 33 | Diarrhoea and Dehydration reported in children below 5 years of age | 9,570 | | 8,763 | | | |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).</p> | | | | | | | |
| E) Family Planning | | HMIS (2013-14) | HMIS (2014-15) | AHS (2012-13) | | | |
| 34 | Number of Vasectomies performed | 341 | 427 | Limiting | 8 | | |
| 35 | Number of Tubectomies performed | 3,748 | 3,687 | Spacing | 4.9 | | |
| 36 | Number of IUD insertion | 4,231 | 5,161 | Women using any method | 67 | | |
| 37 | Number of IUD removals | 137 | 362 | Women using modern method | 47 | | |
| F) Service delivery | | HMIS (2013-14) | HMIS (2014-15) | | | | |
| 38 | IPD cases per 10,000 population *** | 364 | 369 | | | | |
| 39 | General OPD cases per 10,000 population *** | 11,035 | 10,726 | | | | |
| 40 | Ayush OPD cases per 10,000 population *** | 22 | 15.1 | | | | |
| G) Mortality Details | | | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2013-14) | HMIS (2014-15) | | | | |
| 41 | Neonatal death within 24 hours | 4 | 10 | | | | |
| 42 | Up to 1 Weeks of Birth | 66 | 72 | | | | |
| 43 | Between 1 week & 4 weeks of birth | 2 | 0 | | | | |
| 44 | Neonatal Death | 72 | 82 | | | | |
| 45 | Between 1 month and 11 months | 69 | 57 | | | | |
| 46 | Total reported infant deaths | 141 | 139 | | | | |
| II) | Maternal Mortality | | | | | | |
| | Maternal Deaths (In Numbers) | HMIS (2013-14) | HMIS (2014-15) | | | | |
| 47 | Due to Abortion | 1 | 0 | | | | |
| 48 | Due to Obstructed/prolonged labour | 1 | 1 | | | | |
| 49 | Due to Severe hypertension / fits | 2 | 2 | | | | |
| 50 | Due to Bleeding | 1 | 4 | | | | |
| 51 | Due to High fever | 1 | 0 | | | | |
| 52 | Due to Other Causes (including causes not known) | 17 | 37 | | | | |
| 53 | Total reported maternal deaths | 23 | 44 | | | | |

Udalguri Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|---|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|----|
| 1 | Population 2011 | 831,668 | | | | | |
| 2 | Sex Ratio | 966 | | | | | |
| B) Infrastructure Details (RHS 2014) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 146 | | | | | |
| 4 | Primary Health Centers (PHC) | 24 | | | | | |
| 5 | Community Health Centers (CHC) | 3 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 1 | | | | | |
| C) Maternal Health: | | 2013-14 | | 2014-15 | | | |
| 8 | Expected number of PW | 21,267 | | 21,192 | | | |
| 9 | Expected number of Delivery | 19,817 | | 19,747 | | | |
| | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 16,033 | 75.4 | 16,215 | 76.5 | Any ANC | NA |
| 11 | Mothers registered in the first trimester | 13,099 | 81.7 | 13,703 | 84.5 | ANC Check up in first trimester | NA |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 11,902 | 74.2 | 13,452 | 83.0 | 3 or more ANC check up | NA |
| 13 | PW who got TT 2 / Booster injection | 14,013 | 87.4 | 14,494 | 89.4 | At least 1 TT received | NA |
| 14 | PW who consumed 100 IFA tablets | 12,167 | 75.9 | 14,037 | 86.6 | 100 IFA tablets consumed | NA |
| 15 | Home Delivery against expected delivery * | 1,016 | 5.1 | 1,045 | 5.3 | Full ANC | NA |
| 16 | Institutional Delivery against expected delivery * | 10,338 | 52.2 | 10,370 | 52.5 | Home Delivery | NA |
| 17 | Home Delivery against reported delivery ** | 1,016 | 8.9 | 1,045 | 9.2 | Institutional Delivery | NA |
| 18 | Institutional Delivery against reported delivery ** | 10,338 | 91.1 | 10,370 | 90.8 | Home Delivery by SBA | NA |
| 19 | Total reported Deliveries | 11,354 | | 11,415 | | PNC within 48 hrs of delivery | NA |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 77 | 7.6 | 84 | 8.0 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 4,260 | 37.5 | 5,920 | 51.9 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in AHS (2012-13) percentage is from all ever Married Women aged 15-49 years. | | | | | | | |
| 22 | Expected number of Live Birth | 19,334 | | 19,266 | | | |
| D) Child Immunization : | | HMIS (2013-14) | | HMIS (2014-15) | | AHS (2012-13) | |
| 23 | Total reported live births | 11,204 | 57.9 | 11,280 | 58.5 | Breastfed within 1 hour of birth | NA |
| 24 | Total Still Birth | 206 | 1.1 | 185 | 1.0 | BCG | NA |

| | | | | | | | |
|----|--|--------|------|--------|------|-------------------|----|
| 25 | PC of newborn weighted at birth to live birth | 10,761 | 96.0 | 11,049 | 98.0 | 3 dose of DPT | NA |
| 26 | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 2,270 | 21.1 | 2,234 | 20.2 | Measles | NA |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 10,069 | 89.9 | 10,736 | 95.2 | Full Immunization | NA |
| 28 | Children fully immunized | 14,049 | 72.7 | 13,797 | 71.6 | | |
| 29 | Children who have received BCG | 12,547 | 64.9 | 11,917 | 61.9 | | |
| 30 | Children who have received DPT1 | 14,248 | 73.7 | 13,264 | 68.8 | | |
| 31 | Children who have received DPT3 | 14,103 | 72.9 | 13,859 | 71.9 | | |
| 32 | Children who have received Measles | 14,213 | 73.5 | 13,918 | 72.2 | | |
| 33 | Diarrhoea and Dehydration reported in children below 5 years of age | 2,527 | | 2,693 | | | |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in AHS (2012-13), the percentage of children 12-23 months olds who received specific vaccination to mothers who had last but one living child born in the reference period (i.e. 01.01.2011 to 31.12.2011).

| E) Family Planning | | HMIS (2013-14) | HMIS (2014-15) | AHS (2012-13) | |
|----------------------|--|----------------|-----------------|---------------------------|----|
| 34 | Number of Vasectomies performed | 22 | 70 | Limiting | NA |
| 35 | Number of Tubectomies performed | 356 | 30 | Spacing | NA |
| 36 | Number of IUD insertion | 1,818 | 2,376 | Women using any method | NA |
| 37 | Number of IUD removals | 207 | 380 | Women using modern method | NA |
| F) Service delivery | | HMIS (2013-14) | HMIS (2014-15) | | |
| 38 | IPD cases per 10,000 population *** | 145 | 193 | | |
| 39 | General OPD cases per 10,000 population *** | 10,373 | 9,678 | | |
| 40 | Ayush OPD cases per 10,000 population *** | 187 | 90.7 | | |
| G) Mortality Details | | | | | |
| I) | Infant Deaths (In Numbers) | HMIS (2013-14) | HMIS (2014-15) | | |
| 41 | Neonatal death within 24 hours | 19 | 4 | | |
| 42 | Up to 1 Weeks of Birth | 79 | 44 | | |
| 43 | Between 1 week & 4 weeks of birth | 2 | 5 | | |
| 44 | Neonatal Death | 100 | 53 | | |
| 45 | Between 1 month and 11 months | 93 | 89 | | |
| 46 | Total reported infant deaths | 193 | 142 | | |
| II) | Maternal Mortality | HMIS (2013-14) | HMIS (2014-15) | | |
| 47 | Due to Abortion | 0 | 0 | | |
| 48 | Due to Obstructed/prolonged labour | 2 | 0 | | |
| 49 | Due to Severe hypertension / fits | 4 | 3 | | |
| 50 | Due to Bleeding | 6 | 6 | | |
| 51 | Due to High fever | 1 | 0 | | |
| 52 | Due to Other Causes (including causes not known) | 16 | 7 | | |
| 53 | Total reported maternal deaths | 29 | 16 | | |

* Against Expected Delivery for the year 2013-14 & 2014-15.

** Against Reported Delivery for the year 2013-14 & 2014-15.

*** Against Estimated Population for year 2013-14 & 2014-15.