

MANIPUR Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)		SL No	C) State Health Indicator (SRS 2014)			
1	Population 2011	28,55,794	9	Birth Rate		14.7	
2	Sex Ratio	987	10	Death Rate		4	
3	Number of districts	9	11	IMR		10	
B) Infrastructure Details (RHS 2014)			12	Growth Rate		10.6	
4	Sub Centers (SC)	421	13	TFR (SRS - 2007)		1.6	
5	Primary Health Centers (PHC)	85					
6	Community Health Centers (CHC)	17					
7	SDH	1					
8	DH	7					
D) Maternal Health:		2013-14	2014-15				
14	Expected number of PW	46,939	48,478				
15	Expected number of Delivery	43,184	44,600				
		HMIS(2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
16	PW register for ANC	87,352	186.1	60,323	124.4	Any ANC	75.8
17	Mothers registered in the first trimester	45,618	52.2	34,859	57.8	ANC Check up in first trimester	55.1
18	Mothers who had at least 3 Ante-Natal care check ups	44,641	51.1	32,171	53.3	3 or more ANC check up	61.3
19	PW who got TT 2 / Booster injection	31,578	36.2	24,918	41.3	Atleast 1 TT received	73.9
20	PW who consumed 100 IFA tablets	20,648	23.6	16,217	26.9	100 IFA tablets consumed	31.9
21	Home Delivery against expected delivery *	9,310	21.6	6,204	13.9	Full ANC	28.3
22	Institutional Delivery against expected delivery *	27,867	64.5	24,768	55.5	Home Delivery	37.4
23	Home Delivery against reported delivery **	9,310	25.0	6,204	20.0	Institutional Delivery	61.1
24	Institutional Delivery against reported delivery **	27,867	75.0	24,768	80.0	Home Delivery by SBA	12.4
25	Total reported Deliveries	37,177	86.1	30,972	69.4	PNC within 14 days of delivery	78
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5,067	54.4	3,338	53.8		
27	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	16,565	44.6	12,138	39.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
28	Expected number of Live Birth	42,672	44,071				
E) Child Immunization:		HMIS(2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
29	Total reported live births	37,172	87.1	30,999	70.3	Breastfed within 1 hour of birth	43.4

30	Total Still Birth	244	0.6	172	0.4	BCG	85.5
31	Newborn weighted at birth to live birth	36,142	97.2	30,180	97.4	3 dose of DPT	75.7
32	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1,416	3.8	1,132	3.7	Measles	69
33	Newborns breastfed within 1 hour to total reported live birth.	28,461	76.6	24,320	78.5	Full Immunization	54.1
34	Fully immunized	42,037	98.5	30,928	70.2		
35	Children who have received BCG	52,955	124.1	37,840	85.9		
36	Children who have received DPT1	53,311	124.9	37,629	85.4		
37	Children who have received DPT3	48,648	114.0	34,145	77.5		
38	Children who have received Measles	45,502	106.6	32,520	73.8		
39	Diarrhoea and Dehydration cases reported in children below 5 years	14,631		10,121			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
F) Family Planning		HMIS(2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
40	Number of Vasectomies performed	130		76		Limiting	25.7
41	Number of Tubectomies performed	739		528		Spacing	28.8
42	Number of IUD insertion	4,837		3,992		Women using any method	20.5
43	Number of IUD removals	2,274		1,637		Women using modern method	11.3
G) Service delivery		HMIS(2013-14)		HMIS (2014-15) 3rd QTR			
44	IPD cases per 10,000 population ***	229		182			
45	General OPD cases per 10,000 population ***	3,683		2,873			
46	Ayush OPD cases per 10,000 population ***	338		288			
H) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS(2013-14)		HMIS (2014-15) 3rd QTR			
47	Neonatal death within 24 hours	4		5			
48	Up to 1 Weeks of Birth	5		25			
49	Between 1 week & 4 weeks of birth	3		3			
50	Neonatal Death	12		33			
51	Between 1 month and 11 months	24		25			
52	Total reported infant deaths	36		58			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS(2013-14)		HMIS (2014-15) 3rd QTR			
53	Due to Abortion	0		0			
54	Due to Obstructed/prolonged labour	5		3			
55	Due to Severe hypertension/fits	2		1			
56	Due to Bleeding	3		3			
57	Due to High fever	1		1			
58	Due to Other Causes (including causes not known)	8		4			
59	Total reported maternal deaths	19		12			

Bishnupur Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,37,399					
2	Sex Ratio	1,000					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	33					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	3,877		3,991			
9	Expected number of Delivery	3,567		3,672			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	4,991	128.7	3,930	98.5	Any ANC	92.5
11	Mothers registered in the first trimester	3,745	75.0	2,754	70.1	ANC Check up in first trimester	68.4
12	Mothers who had at least 3 Ante-Natal care check ups	2,673	53.6	2,366	60.2	3 or more ANC check up	79.2
13	PW who got TT 2 / Booster injection	3,461	69.3	2,725	69.3	Atleast 1 TT received	86.6
14	PW who consumed 100 IFA tablets	1,020	20.4	1,267	32.2	100 IFA tablets consumed	46.2
15	Home Delivery against expected delivery *	250	7.0	209	5.7	Full ANC	40.3
16	Institutional Delivery against expected delivery *	958	26.9	857	23.3	Home Delivery	16.0
17	Home Delivery against reported delivery **	250	20.7	209	19.6	Institutional Delivery	83.7
18	Institutional Delivery against reported delivery **	958	79.3	857	80.4	Home Delivery by SBA	6.8
19	Total reported Deliveries	1,208		1,066		PNC within 14 days of delivery	82.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	177	70.8	175	83.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,483	122.8	1,360	127.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,524		3,628			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,207	34.2	1,065	29.4	Breastfed within 1 hour of birth	58.3
24	Total Still Birth	7	0.2	4	0.1	BCG	92.8

25	PC of newborn weighted at birth to live birth	1,203	99.7	1,064	99.9	3 dose of DPT	73.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	40	3.3	52	4.9	Measles	79.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,197	99.2	1,064	99.9	Full Immunization	58
28	Children fully immunized	3,875	109.9	2,778	76.6		
29	Children who have received BCG	4,407	125.0	3,374	93.0		
30	Children who have received DPT1	4,482	127.2	3,349	92.3		
31	Children who have received DPT3	4,107	116.5	2,792	77.0		
32	Children who have received Measles	3,967	112.6	2,982	82.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,510		1,347			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	23		10		Limiting	22.9
35	Number of Tubectomies performed	18		43		Spacing	25.3
36	Number of IUD insertion	536		414		Women using any method	30.2
37	Number of IUD removals	287		198		Women using modern method	18.6
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
38	IPD cases per 10,000 population ***	260		204			
39	General OPD cases per 10,000 population ***	7360		5690			
40	Ayush OPD cases per 10,000 population ***	739		666			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
41	Neonatal death within 24 hours	1		0			
42	Up to 1 Weeks of Birth	0		2			
43	Between 1 week & 4 weeks of birth	1		0			
44	Neonatal Death	2		2			
45	Between 1 month and 11 months	3		1			
46	Total reported infant deaths	5		3			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	1		0			
53	Total reported maternal deaths	1		0			

Chandel Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,44,182					
2	Sex Ratio	932					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	26					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	2,384		2,470			
9	Expected number of Delivery	2,193		2,272			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,852	119.6	3,047	123.4	Any ANC	62.3
11	Mothers registered in the first trimester	1,326	46.5	1,485	48.7	ANC Check up in first trimester	47.7
12	Mothers who had at least 3 Ante-Natal care check ups	1,006	35.3	1,314	43.1	3 or more ANC check up	43.7
13	PW who got TT 2 / Booster injection	1,474	51.7	1,189	39.0	Atleast 1 TT received	60.6
14	PW who consumed 100 IFA tablets	1,185	41.5	1,925	63.2	100 IFA tablets consumed	14.3
15	Home Delivery against expected delivery *	948	43.2	602	26.5	Full ANC	11.0
16	Institutional Delivery against expected delivery *	322	14.7	357	15.7	Home Delivery	59.4
17	Home Delivery against reported delivery **	948	74.6	602	62.8	Institutional Delivery	36.2
18	Institutional Delivery against reported delivery **	322	25.4	357	37.2	Home Delivery by SBA	14.9
19	Total reported Deliveries	1,270		959		PNC within 14 days of delivery	57.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	502	53.0	361	60.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	492	38.7	463	48.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,167		2,245			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,304	60.2	1,018	45.3	Breastfed within 1 hour of birth	42.9
24	Total Still Birth	5	0.2	4	0.2	BCG	86

25	PC of newborn weighted at birth to live birth	927	71.1	816	80.2	3 dose of DPT	79.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	12	1.3	8	1.0	Measles	72.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,032	79.1	890	87.4	Full Immunization	52.3
28	Children fully immunized	1,681	77.6	1,260	56.1		
29	Children who have received BCG	1,940	89.5	1,406	62.6		
30	Children who have received DPT1	2,071	95.6	1,399	62.3		
31	Children who have received DPT3	1,804	83.2	1,230	54.8		
32	Children who have received Measles	1,751	80.8	1,277	56.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	816		505			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)		
34	Number of Vasectomies performed	0	0		Limiting	33.9	
35	Number of Tubectomies performed	0	13		Spacing	32.1	
36	Number of IUD insertion	282	174		Women using any method	8.3	
37	Number of IUD removals	86	49		Women using modern method	5.4	
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
38	IPD cases per 10,000 population ***	159	203				
39	General OPD cases per 10,000 population ***	1481	1657				
40	Ayush OPD cases per 10,000 population ***	301	247				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	0	3				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	0	3				
45	Between 1 month and 11 months	0	3				
46	Total reported infant deaths	0	6				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	1				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	0	1				

Churachandpur Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,74,143					
2	Sex Ratio	969					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	65					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	4,509		4,659			
9	Expected number of Delivery	4,149		4,286			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	8,493	188.3	8,081	173.5	Any ANC	51.3
11	Mothers registered in the first trimester	5,176	60.9	5,384	66.6	ANC Check up in first trimester	26.5
12	Mothers who had at least 3 Ante-Natal care check ups	4,637	54.6	3,188	39.5	3 or more ANC check up	31.0
13	PW who got TT 2 / Booster injection	2,908	34.2	2,687	33.3	Atleast 1 TT received	51.0
14	PW who consumed 100 IFA tablets	2,741	32.3	3,971	49.1	100 IFA tablets consumed	12.6
15	Home Delivery against expected delivery *	799	19.3	665	15.5	Full ANC	7.6
16	Institutional Delivery against expected delivery *	4,107	99.0	2,843	66.3	Home Delivery	45.6
17	Home Delivery against reported delivery **	799	16.3	665	19.0	Institutional Delivery	51.0
18	Institutional Delivery against reported delivery **	4,107	83.7	2,843	81.0	Home Delivery by SBA	14.6
19	Total reported Deliveries	4,906		3,508		PNC within 14 days of delivery	82.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	416	52.1	330	49.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,082	22.1	532	15.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	4,099		4,235			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	4,890	119.3	3,497	82.6	Breastfed within 1 hour of birth	44.6
24	Total Still Birth	15	0.4	11	0.3	BCG	64.6

25	PC of newborn weighted at birth to live birth	4,814	98.4	3,445	98.5	3 dose of DPT	62.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	147	3.1	69	2.0	Measles	39.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,775	97.6	3,434	98.2	Full Immunization	18.8
28	Children fully immunized	4,274	104.3	2,872	67.8		
29	Children who have received BCG	4,947	120.7	3,404	80.4		
30	Children who have received DPT1	5,516	134.6	3,732	88.1		
31	Children who have received DPT3	4,941	120.5	3,392	80.1		
32	Children who have received Measles	4,419	107.8	2,841	67.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	584		659			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)		
34	Number of Vasectomies performed	6	5		Limiting	24.4	
35	Number of Tubectomies performed	159	79		Spacing	36.2	
36	Number of IUD insertion	468	549		Women using any method	22.6	
37	Number of IUD removals	210	159		Women using modern method	14.6	
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
38	IPD cases per 10,000 population ***	453	301				
39	General OPD cases per 10,000 population ***	5226	3583				
40	Ayush OPD cases per 10,000 population ***	168	147				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
41	Neonatal death within 24 hours	0	1				
42	Up to 1 Weeks of Birth	2	16				
43	Between 1 week & 4 weeks of birth	1	2				
44	Neonatal Death	3	19				
45	Between 1 month and 11 months	5	15				
46	Total reported infant deaths	8	34				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	1	3				
49	Due to Severe hypertension/fits	1	0				
50	Due to Bleeding	0	1				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	2	0				
53	Total reported maternal deaths	4	4				

Imphal East Factsheet

Key Indicators							
SL No	A)Demographic Indicators (Census 2011)						
1	Population 2011	4,56,113					
2	Sex Ratio	1,011					
	B)Infrastructure Details (RHS 2014)	Numbers					
3	Sub Centers (SC)	54					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
	C) Maternal Health:	2013-14		2014-15			
8	Expected number of PW	7,438		7,651			
9	Expected number of Delivery	6,843		7,039			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	11,230	151.0	6,726	87.9	Any ANC	87.9
11	Mothers registered in the first trimester	5,621	50.1	3,516	52.3	ANC Check up in first trimester	63.0
12	Mothers who had at least 3 Ante-Natal care check ups	3,639	32.4	2,241	33.3	3 or more ANC check up	75.0
13	PW who got TT 2 / Booster injection	5,231	46.6	3,093	46.0	Atleast 1 TT received	86.8
14	PW who consumed 100 IFA tablets	4,202	37.4	1,868	27.8	100 IFA tablets consumed	41.5
15	Home Delivery against expected delivery *	373	5.5	173	2.5	Full ANC	37.8
16	Institutional Delivery against expected delivery *	906	13.2	4,366	62.0	Home Delivery	23.9
17	Home Delivery against reported delivery **	373	29.2	173	3.8	Institutional Delivery	75.6
18	Institutional Delivery against reported delivery **	906	70.8	4,366	96.2	Home Delivery by SBA	12.6
19	Total reported Deliveries	1,279		4,539		PNC within 14 days of delivery	84.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	246	66.0	98	56.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,270	99.3	1,204	26.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	6,762		6,956			
	D) Child Immunization :	HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,264	18.7	4,520	65.0	Breastfed within 1 hour of birth	40.2

24	Total Still Birth	15	0.2	18	0.3	BCG	90.4
25	PC of newborn weighted at birth to live birth	1,061	83.9	4,336	95.9	3 dose of DPT	69.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	47	4.4	28	0.6	Measles	78.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	872	69.0	3,581	79.2	Full Immunization	55.9
28	Children fully immunized	6,762	100.0	4,796	68.9		
29	Children who have received BCG	8,518	126.0	5,817	83.6		
30	Children who have received DPT1	8,554	126.5	5,573	80.1		
31	Children who have received DPT3	8,088	119.6	5,203	74.8		
32	Children who have received Measles	7,319	108.2	5,144	74.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,469		1,038			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rd QTR	DLHS-4 (2012-13)			
34	Number of Vasectomies performed	50	0	Limiting	26.4		
35	Number of Tubectomies performed	96	0	Spacing	24.2		
36	Number of IUD insertion	865	579	Women using any method	22.4		
37	Number of IUD removals	268	220	Women using modern method	12.6		
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
38	IPD cases per 10,000 population ***	106	96				
39	General OPD cases per 10,000 population ***	2494	1883				
40	Ayush OPD cases per 10,000 population ***	254	239				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
41	Neonatal death within 24 hours	0	1				
42	Up to 1 Weeks of Birth	1	0				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	1	1				
45	Between 1 month and 11 months	1	1				
46	Total reported infant deaths	2	2				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	2	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	1	1				
53	Total reported maternal deaths	3	1				

Imphal West Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	5,17,992					
2	Sex Ratio	1,029					
	B) Infrastructure Details (RHS 2014)	Numbers					
3	Sub Centers (SC)	51					
4	Primary Health Centers (PHC)	9					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
	C) Maternal Health:	2013-14		2014-15			
8	Expected number of PW	8,467		8,720			
9	Expected number of Delivery	7,789		8,022			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	28,871	341.0	17,706	203.0	Any ANC	91.6
11	Mothers registered in the first trimester	16,072	55.7	10,889	61.5	ANC Check up in first trimester	75.4
12	Mothers who had at least 3 Ante-Natal care check ups	22,529	78.0	15,302	86.4	3 or more ANC check up	82.2
13	PW who got TT 2 / Booster injection	5,827	20.2	6,183	34.9	Atleast 1 TT received	89.2
14	PW who consumed 100 IFA tablets	2,385	8.3	2,010	11.4	100 IFA tablets consumed	53.4
15	Home Delivery against expected delivery *	296	3.8	235	2.9	Full ANC	50.0
16	Institutional Delivery against expected delivery *	16,957	217.7	12,471	155.5	Home Delivery	13.5
17	Home Delivery against reported delivery **	296	1.7	235	1.8	Institutional Delivery	85.5
18	Institutional Delivery against reported delivery **	16,957	98.3	12,471	98.2	Home Delivery by SBA	5.4
19	Total reported Deliveries	17,253		12,706		PNC within 14 days of delivery	81.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	56	18.9	18	7.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,886	51.5	6,189	48.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	7,697		7,927			
	D) Child Immunization :	HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	17,271	224.4	12,738	160.7	Breastfed within 1 hour of birth	38.6

24	Total Still Birth	145	1.9	93	1.2	BCG	97.7
25	PC of newborn weighted at birth to live birth	17,252	99.9	12,722	99.9	3 dose of DPT	93
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,027	6.0	856	6.7	Measles	88.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	10,330	59.8	7,791	61.2	Full Immunization	79.1
28	Children fully immunized	8,588	111.6	7,184	90.6		
29	Children who have received BCG	12,369	160.7	9,010	113.7		
30	Children who have received DPT1	11,388	148.0	8,165	103.0		
31	Children who have received DPT3	10,832	140.7	7,921	99.9		
32	Children who have received Measles	10,241	133.1	7,685	96.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,663		1,467			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	34		49		Limiting	25.3
35	Number of Tubectomies performed	387		353		Spacing	28.9
36	Number of IUD insertion	850		805		Women using any method	22.8
37	Number of IUD removals	451		305		Women using modern method	12.5
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
38	IPD cases per 10,000 population ***	414		333			
39	General OPD cases per 10,000 population ***	4415		3567			
40	Ayush OPD cases per 10,000 population ***	252		245			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	1		2			
43	Between 1 week & 4 weeks of birth	0		1			
44	Neonatal Death	1		3			
45	Between 1 month and 11 months	0		0			
46	Total reported infant deaths	1		3			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		1			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		2			
53	Total reported maternal deaths	0		3			

Senapati Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,79,148					
2	Sex Ratio	939					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	66					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	7,976		8,291			
9	Expected number of Delivery	7,338		7,627			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	9,194	115.3	6,625	79.9	Any ANC	63.1
11	Mothers registered in the first trimester	3,537	38.5	3,014	45.5	ANC Check up in first trimester	42.4
12	Mothers who had at least 3 Ante-Natal care check ups	3,469	37.7	2,803	42.3	3 or more ANC check up	47.9
13	PW who got TT 2 / Booster injection	5,528	60.1	3,858	58.2	Atleast 1 TT received	61.0
14	PW who consumed 100 IFA tablets	3,257	35.4	1,013	15.3	100 IFA tablets consumed	14.1
15	Home Delivery against expected delivery *	3,987	54.3	2,709	35.5	Full ANC	12.8
16	Institutional Delivery against expected delivery *	1,313	17.9	1,083	14.2	Home Delivery	66.6
17	Home Delivery against reported delivery **	3,987	75.2	2,709	71.4	Institutional Delivery	32.6
18	Institutional Delivery against reported delivery **	1,313	24.8	1,083	28.6	Home Delivery by SBA	23.1
19	Total reported Deliveries	5,300		3,792		PNC within 14 days of delivery	78.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,414	60.5	1,540	56.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,335	25.2	983	25.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	7,251		7,537			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	5,296	73.0	3,780	50.2	Breastfed within 1 hour of birth	47.7
24	Total Still Birth	20	0.3	8	0.1	BCG	87.7

25	PC of newborn weighted at birth to live birth	5,280	99.7	3,725	98.5	3 dose of DPT	66.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	13	0.2	37	1.0	Measles	64.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,204	98.3	3,678	97.3	Full Immunization	47.7
28	Children fully immunized	6,596	91.0	4,574	60.7		
29	Children who have received BCG	7,282	100.4	5,037	66.8		
30	Children who have received DPT1	7,768	107.1	5,663	75.1		
31	Children who have received DPT3	7,113	98.1	5,273	70.0		
32	Children who have received Measles	6,694	92.3	4,787	63.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,694		2,156			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)		
34	Number of Vasectomies performed	0	6		Limiting	24.3	
35	Number of Tubectomies performed	0	25		Spacing	26	
36	Number of IUD insertion	415	325		Women using any method	24.4	
37	Number of IUD removals	362	151		Women using modern method	9.8	
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
38	IPD cases per 10,000 population ***	134	84				
39	General OPD cases per 10,000 population ***	1994	1579				
40	Ayush OPD cases per 10,000 population ***	229	158				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
41	Neonatal death within 24 hours	1	0				
42	Up to 1 Weeks of Birth	0	0				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	1	0				
45	Between 1 month and 11 months	5	0				
46	Total reported infant deaths	6	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	1	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	1	1				
53	Total reported maternal deaths	2	1				

Tamenglong Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,40,651					
2	Sex Ratio	953					
	B) Infrastructure Details (RHS 2014)	Numbers					
3	Sub Centers (SC)	29					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2013-14	2014-15				
8	Expected number of PW	2,344		2,437			
9	Expected number of Delivery	2,156		2,242			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	3,221	137.4	2,019	82.8	Any ANC	60.3
11	Mothers registered in the first trimester	1,526	47.4	1,118	55.4	ANC Check up in first trimester	34.3
12	Mothers who had at least 3 Ante-Natal care check ups	1,260	39.1	1,171	58.0	3 or more ANC check up	41.9
13	PW who got TT 2 / Booster injection	1,406	43.7	848	42.0	Atleast 1 TT received	56.8
14	PW who consumed 100 IFA tablets	1,148	35.6	870	43.1	100 IFA tablets consumed	17.1
15	Home Delivery against expected delivery *	730	33.9	400	17.8	Full ANC	13.7
16	Institutional Delivery against expected delivery *	540	25.0	436	19.4	Home Delivery	60.8
17	Home Delivery against reported delivery **	730	57.5	400	47.8	Institutional Delivery	38.7
18	Institutional Delivery against reported delivery **	540	42.5	436	52.2	Home Delivery by SBA	11.6
19	Total reported Deliveries	1,270		836		PNC within 14 days of delivery	62.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	225	30.8	115	28.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	233	18.3	180	21.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,131		2,216			
	D) Child Immunization :	HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,261	59.2	829	37.4	Breastfed within 1 hour of birth	61.2

24	Total Still Birth	16	0.8	8	0.4	BCG	76.3
25	PC of newborn weighted at birth to live birth	1,112	88.2	717	86.5	3 dose of DPT	56.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	13	1.2	11	1.5	Measles	54.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,063	84.3	747	90.1	Full Immunization	29.7
28	Children fully immunized	1,537	72.1	1,090	49.2		
29	Children who have received BCG	2,244	105.3	1,624	73.3		
30	Children who have received DPT1	2,393	112.3	1,707	77.0		
31	Children who have received DPT3	1,930	90.6	1,409	63.6		
32	Children who have received Measles	1,767	82.9	1,170	52.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	976		524			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)		
34	Number of Vasectomies performed	0	0		Limiting	31.6	
35	Number of Tubectomies performed	32	0		Spacing	36.2	
36	Number of IUD insertion	594	441		Women using any method	8	
37	Number of IUD removals	231	202		Women using modern method	4.5	
F) Service delivery		HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
38	IPD cases per 10,000 population ***	174	152				
39	General OPD cases per 10,000 population ***	2463	1866				
40	Ayush OPD cases per 10,000 population ***	191	222				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	0	1				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	0	1				
45	Between 1 month and 11 months	2	1				
46	Total reported infant deaths	2	2				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15) 3rd QTR				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	0	0				

Thoubal Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	4,22,168					
2	Sex Ratio	1,006					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	57					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	6,896		7,100			
9	Expected number of Delivery	6,344		6,532			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	15,076	218.6	9,762	137.5	Any ANC	92.0
11	Mothers registered in the first trimester	6,834	45.3	5,273	54.0	ANC Check up in first trimester	80.1
12	Mothers who had at least 3 Ante-Natal care check ups	4,041	26.8	3,008	30.8	3 or more ANC check up	78.2
13	PW who got TT 2 / Booster injection	4,526	30.0	3,349	34.3	Atleast 1 TT received	90.8
14	PW who consumed 100 IFA tablets	3,237	21.5	2,257	23.1	100 IFA tablets consumed	46.2
15	Home Delivery against expected delivery *	984	15.5	574	8.8	Full ANC	42.2
16	Institutional Delivery against expected delivery *	1,760	27.7	1,583	24.2	Home Delivery	24.6
17	Home Delivery against reported delivery **	984	35.9	574	26.6	Institutional Delivery	74.2
18	Institutional Delivery against reported delivery **	1,760	64.1	1,583	73.4	Home Delivery by SBA	12.0
19	Total reported Deliveries	2,744		2,157		PNC within 14 days of delivery	75.5
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	626	63.6	395	68.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,245	45.4	844	39.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	6,269		6,454			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	2,738	43.7	2,153	33.4	Breastfed within 1 hour of birth	26.3
24	Total Still Birth	7	0.1	12	0.2	BCG	88.2

25	PC of newborn weighted at birth to live birth	2,666	97.4	2,131	99.0	3 dose of DPT	84
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	55	2.1	38	1.8	Measles	66.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,631	96.1	2,094	97.3	Full Immunization	59.1
28	Children fully immunized	7,052	112.5	5,113	79.2		
29	Children who have received BCG	8,854	141.2	6,477	100.4		
30	Children who have received DPT1	8,653	138.0	6,290	97.5		
31	Children who have received DPT3	7,568	120.7	5,437	84.2		
32	Children who have received Measles	7,531	120.1	5,333	82.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	3,182		2,111			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	11		5		Limiting	24.5
35	Number of Tubectomies performed	13		3		Spacing	25
36	Number of IUD insertion	694		593		Women using any method	18.6
37	Number of IUD removals	310		327		Women using modern method	10.1
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
38	IPD cases per 10,000 population ***	166		142			
39	General OPD cases per 10,000 population ***	4592		3661			
40	Ayush OPD cases per 10,000 population ***	547		466			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	1		0			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	1		0			
45	Between 1 month and 11 months	1		0			
46	Total reported infant deaths	2		0			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	1		0			
49	Due to Severe hypertension/fits	1		0			
50	Due to Bleeding	0		0			
51	Due to High fever	1		1			
52	Due to Other Causes (including causes not known)	3		0			
53	Total reported maternal deaths	6		1			

Ukhrul Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,83,998					
2	Sex Ratio	948					
	B) Infrastructure Details (RHS 2014)	Numbers					
3	Sub Centers (SC)	40					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
	C) Maternal Health:	2013-14	2014-15				
8	Expected number of PW	3,092		3,230			
9	Expected number of Delivery	2,845		2,971			
		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	3,424	110.7	2,427	75.1	Any ANC	49.0
11	Mothers registered in the first trimester	1,781	52.0	1,426	58.8	ANC Check up in first trimester	25.8
12	Mothers who had at least 3 Ante-Natal care check ups	1,387	40.5	778	32.1	3 or more ANC check up	34.2
13	PW who got TT 2 / Booster injection	1,217	35.5	986	40.6	Atleast 1 TT received	46.6
14	PW who consumed 100 IFA tablets	1,473	43.0	1,036	42.7	100 IFA tablets consumed	10.1
15	Home Delivery against expected delivery *	943	33.1	637	21.4	Full ANC	8.5
16	Institutional Delivery against expected delivery *	1,004	35.3	772	26.0	Home Delivery	64.2
17	Home Delivery against reported delivery **	943	48.4	637	45.2	Institutional Delivery	32.7
18	Institutional Delivery against reported delivery **	1,004	51.6	772	54.8	Home Delivery by SBA	12.4
19	Total reported Deliveries	1,947		1,409		PNC within 14 days of delivery	64.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	405	42.9	306	48.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	539	27.7	383	27.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,811		2,936			
	D) Child Immunization :	HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,941	69.0	1,399	47.6	Breastfed within 1 hour of birth	41.5

24	Total Still Birth	14	0.5	14	0.5	BCG	62.1
25	PC of newborn weighted at birth to live birth	1,827	94.1	1,224	87.5	3 dose of DPT	61.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	62	3.4	33	2.7	Measles	42.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,357	69.9	1,041	74.4	Full Immunization	33.8
28	Children fully immunized	1,672	59.5	1,261	42.9		
29	Children who have received BCG	2,394	85.2	1,691	57.6		
30	Children who have received DPT1	2,486	88.4	1,751	59.6		
31	Children who have received DPT3	2,265	80.6	1,488	50.7		
32	Children who have received Measles	1,813	64.5	1,301	44.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	737		314			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15) 3rd QTR		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	6		1		Limiting	26.7
35	Number of Tubectomies performed	34		12		Spacing	33.8
36	Number of IUD insertion	133		112		Women using any method	15.7
37	Number of IUD removals	69		26		Women using modern method	7.2
F) Service delivery		HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
38	IPD cases per 10,000 population ***	134		117			
39	General OPD cases per 10,000 population ***	2583		2058			
40	Ayush OPD cases per 10,000 population ***	466		274			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
41	Neonatal death within 24 hours	2		3			
42	Up to 1 Weeks of Birth	0		1			
43	Between 1 week & 4 weeks of birth	1		0			
44	Neonatal Death	3		4			
45	Between 1 month and 11 months	7		4			
46	Total reported infant deaths	10		8			
II) Maternal Mortality		HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
Maternal Deaths (In Numbers)		HMIS (2013-14)		HMIS (2014-15) 3rd QTR			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	1		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	2		1			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	Total reported maternal deaths	3		1			

* Against Expected Delivery for the year 2013-14 & 2014-15.

** Against Reported Delivery for the year 2013-14 & 2014-15.

*** Against Estimated Population for year 2013-14 & 2014-15.