

## MEGHALAYA Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)		SL No	C) State Health Indicator (SRS 2014)			
1	Population 2011	2,966,889	9	Birth Rate		23.9	
2	Sex Ratio	986	10	Death Rate		7.6	
3	Number of districts	7	11	IMR		47	
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>	12	Growth Rate		16.4	
4	Sub Centers (SC)	422	13	TFR (SRS - 2007)		3.1	
5	Primary Health Centers (PHC)	108					
6	Community Health Centers (CHC)	27					
7	SDH	1					
8	DH	11					
<b>D) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
14	Expected number of PW	83,089		85,401			
15	Expected number of Delivery	77,802		79,966			
		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
16	PW register for ANC	132,354	159.3	129,672	151.8	Any ANC	74.1
17	Mothers registered in the first trimester	44,069	33.3	41,849	32.3	ANC Check up in first trimester	38.3
18	Mothers who had at least 3 Ante-Natal care check ups	67,764	51.2	71,458	55.1	3 or more ANC check up	45.6
19	PW who got TT 2 / Booster injection	70,632	53.4	71,685	55.3	At least 1 TT received	69.1
20	PW who consumed 100 IFA tablets	42,803	32.3	53,771	41.5	100 IFA tablets consumed	32.4
21	Home Delivery against expected delivery *	40,563	52.1	41,925	52.4	Full ANC	21.4
22	Institutional Delivery against expected delivery *	43,472	55.9	44,035	55.1	Home Delivery	52.2
23	Home Delivery against reported delivery **	40,563	48.3	41,925	48.8	Institutional Delivery	47.3
24	Institutional Delivery against reported delivery **	43,472	51.7	44,035	51.2	Home Delivery by SBA	22.1
25	Total reported Deliveries	84,035	108.0	85,960	107.5	PNC within 14 days of delivery	74
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3,399	8.4	3,640	8.7		
27	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	33,404	39.8	37,567	43.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
28	Expected number of Live Birth	75,536		77,637			
<b>E) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>DLHS-4 (2012-13)</b>	
29	Total reported live births	82,712	109.5	84,902	109.4	Breastfed within 1 hour of birth	60.6

30	Total Still Birth	1,899	2.5	1,932	2.5	BCG	75.1
31	PC of newborn weighted at birth to live birth	69,993	84.6	71,941	84.7	3 dose of DPT	68.1
32	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5,919	7.2	5,888	6.9	Measles	62
33	PC of newborns breastfed within 1 hour to total reported live birth.	67,365	81.4	72,676	85.6	Full Immunization	48.9
34	Children fully immunized	68,351	90.5	68,411	88.1		
35	Children who have received BCG	87,466	115.8	86,363	111.2		
36	Children who have received DPT1	84,999	112.5	84,936	109.4		
37	Children who have received DPT3	76,756	101.6	75,652	97.4		
38	Children who have received Measles	72,138	95.5	71,711	92.4		
39	Diarrhoea and Dehydration cases reported in children below 5 years	92,002		87,413			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

F) Family Planning		HMIS ( 2013-14)	HMIS ( 2014-15)	DLHS-4 (2012-13)	
40	Number of Vasectomies performed	14	22	Limiting	15.8
41	Number of Tubectomies performed	2,493	2,112	Spacing	39.7
42	Number of IUD insertion	4,437	4,714	Women using any method	18.7
43	Number of IUD removals	2,347	1,785	Women using modern method	14.3
G) Service delivery		HMIS ( 2013-14)	HMIS ( 2014-15)		
44	IPD cases per 10,000 population ***	678	811		
45	General OPD cases per 10,000 population ***	10,213	10,884		
46	Ayush OPD cases per 10,000 population ***	800	771		
H) Mortality Details					
I)	Infant Deaths (In Number)	HMIS ( 2013-14)	HMIS ( 2014-15)		
47	Neonatal death within 24 hours	384	328		
48	Up to 1 Weeks of Birth	624	506		
49	Between 1 week & 4 weeks of birth	59	60		
50	Neonatal Death	1,067	894		
51	Between 1 month and 11 months	1,081	1,414		
52	<b>Total reported infant deaths</b>	<b>2,148</b>	<b>2,308</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS ( 2013-14)	HMIS ( 2014-15)		
53	Due to Abortion	2	2		
54	Due to Obstructed/prolonged labour	19	22		
55	Due to Severe hypertension/fits	12	11		
56	Due to Bleeding	59	34		
57	Due to High fever	12	6		
58	Due to Other Causes (including causes not known)	137	110		
59	<b>Total reported maternal deaths</b>	<b>241</b>	<b>185</b>		

## East Garo Hills Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	<b>317,917</b>					
2	Sex Ratio	<b>968</b>					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	<b>33</b>					
4	Primary Health Centers (PHC)	<b>9</b>					
5	Community Health Centers (CHC)	<b>2</b>					
6	SDH	<b>0</b>					
7	DH	<b>1</b>					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW #	8,869		4,723			
9	Expected number of Delivery #	8,305		4,422			
		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 ( 2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	12,002	135.3	7,504	174.8	Any ANC	48.9
11	Mothers registered in the first trimester	4,232	35.3	2,298	30.6	ANC Check up in first trimester	15.5
12	Mothers who had at least 3 Ante-Natal care check ups	5,940	49.5	3,415	45.5	3 or more ANC check up	29.9
13	PW who got TT 2 / Booster injection	7,496	62.5	4,129	55.0	At least 1 TT received	45.0
14	PW who consumed 100 IFA tablets	5,342	44.5	3,667	48.9	100 IFA tablets consumed	18.6
15	Home Delivery against expected delivery *	4,388	52.8	2,946	66.6	Full ANC	12.5
16	Institutional Delivery Against expected delivery *	2,166	26.1	1,587	35.9	Home Delivery	70.4
17	Home Delivery against reported delivery **	4,388	67.0	2,946	65.0	Institutional Delivery	28.7
18	Institutional Delivery against reported delivery **	2,166	33.0	1,587	35.0	Home Delivery by SBA	42.3
19	Total reported Deliveries	6,554		4,533		PNC within 14 days of delivery	77.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	558	12.7	153	5.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,776	42.4	1,591	35.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth #	8,063		4,293			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 ( 2012-13)	
23	Total reported live births	6,690	83.0	4,528	105.5	Breastfed within 1 hour of birth	90.7
24	Total Still Birth	135	1.7	90	2.1	BCG	45.2

25	PC of newborn weighted at birth to live birth	4,823	72.1	3,066	67.7	3 dose of DPT	47.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	216	4.5	247	8.1	Measles	36.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,365	80.2	3,623	80.0	Full Immunization	30.1
28	Children fully immunized	6,095	75.6	3,517	81.9		
29	Children who have received BCG	7,949	98.6	4,758	110.8		
30	Children who have received DPT1	8,002	99.2	4,833	112.6		
31	Children who have received DPT3	7,150	88.7	4,314	100.5		
32	Children who have received Measles	6,457	80.1	3,731	86.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	5,282		4,956			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>DLHS-4 ( 2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	6.7
35	Number of Tubectomies performed	98		105		Spacing	61.8
36	Number of IUD insertion	124		144		Women using any method	16.9
37	Number of IUD removals	297		95		Women using modern method	12.2
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
38	IPD cases per 10,000 population ***	318		617			
39	General OPD cases per 10,000 population ***	6354		7918			
40	Ayush OPD cases per 10,000 population ***	384		160			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
41	Neonatal death within 24 hours	5		8			
42	Up to 1 Weeks of Birth	33		13			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	38		21			
45	Between 1 month and 11 months	88		82			
46	<b>Total reported infant deaths</b>	126		103			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
	<b>Maternal Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	4		1			
49	Due to Severe hypertension/fits	1		0			
50	Due to Bleeding	12		2			
51	Due to High fever	2		3			
52	Due to Other Causes (including causes not known)	15		3			
53	<b>Total reported maternal deaths</b>	34		9			

## East Jaintia Hills Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	<b>395,124</b>					
2	Sex Ratio	<b>1,008</b>					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	<b>33</b>					
4	Primary Health Centers (PHC)	<b>6</b>					
5	Community Health Centers (CHC)	<b>2</b>					
6	SDH	<b>0</b>					
7	DH	<b>0</b>					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW #	11,142		3,933			
9	Expected number of Delivery #	10,433		3,683			
		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 ( 2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	16,141	144.9	4,359	121.9	Any ANC	83.1
11	Mothers registered in the first trimester	4,158	25.8	1,106	25.4	ANC Check up in first trimester	49.6
12	Mothers who had at least 3 Ante-Natal care check ups	5,019	31.1	1,732	39.7	3 or more ANC check up	53.9
13	PW who got TT 2 / Booster injection	11,682	72.4	3,232	74.1	At least 1 TT received	75.8
14	PW who consumed 100 IFA tablets	1,228	7.6	1,016	23.3	100 IFA tablets consumed	33.2
15	Home Delivery against expected delivery *	6,930	66.4	2,442	66.3	Full ANC	23.9
16	Institutional Delivery Against expected delivery *	5,646	54.1	656	17.8	Home Delivery	59.6
17	Home Delivery against reported delivery **	6,930	55.1	2,442	78.8	Institutional Delivery	40.4
18	Institutional Delivery against reported delivery **	5,646	44.9	656	21.2	Home Delivery by SBA	12.0
19	Total reported Deliveries	12,576		3,098		PNC within 14 days of delivery	86.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	568	8.2	419	17.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,503	35.8	1,296	41.8		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth #	10,129		3,575			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 ( 2012-13)	
23	Total reported live births	12,390	122.3	3,060	85.6	Breastfed within 1 hour of birth	46.3
24	Total Still Birth	320	3.2	86	2.4	BCG	81.9

25	PC of newborn weighted at birth to live birth	10,019	80.9	2,492	81.4	3 dose of DPT	73.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	684	6.8	63	2.5	Measles	67.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	11,230	90.6	2,892	94.5	Full Immunization	57.1
28	Children fully immunized	11,723	115.7	3,559	99.6		
29	Children who have received BCG	13,898	137.2	4,280	119.7		
30	Children who have received DPT1	14,434	142.5	4,413	123.4		
31	Children who have received DPT3	12,993	128.3	3,855	107.8		
32	Children who have received Measles	12,344	121.9	3,672	102.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	24,200		8,544			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>DLHS-4 ( 2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	18.1
35	Number of Tubectomies performed	212		0		Spacing	21.9
36	Number of IUD insertion	370		73		Women using any method	21.2
37	Number of IUD removals	180		25		Women using modern method	13.4
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
38	IPD cases per 10,000 population ***	804		375			
39	General OPD cases per 10,000 population ***	8775		6974			
40	Ayush OPD cases per 10,000 population ***	564		416			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
41	Neonatal death within 24 hours	38		3			
42	Up to 1 Weeks of Birth	155		14			
43	Between 1 week & 4 weeks of birth	4		2			
44	Neonatal Death	197		19			
45	Between 1 month and 11 months	111		30			
46	<b>Total reported infant deaths</b>	<b>308</b>		<b>49</b>			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
	<b>Maternal Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	1		1			
49	Due to Severe hypertension/fits	4		2			
50	Due to Bleeding	13		1			
51	Due to High fever	0		1			
52	Due to Other Causes (including causes not known)	13		1			
53	<b>Total reported maternal deaths</b>	<b>31</b>		<b>6</b>			

## East Khasi Hills Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	825,922					
2	Sex Ratio	1,008					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	67					
4	Primary Health Centers (PHC)	23					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	3					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	22,989		23,723			
9	Expected number of Delivery	21,526		22,214			
		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 ( 2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	55,355	240.8	55,390	256.8	Any ANC	88.4
11	Mothers registered in the first trimester	17,933	32.4	17,019	30.7	ANC Check up in first trimester	56.0
12	Mothers who had at least 3 Ante-Natal care check ups	28,860	52.1	31,992	57.8	3 or more ANC check up	58.8
13	PW who got TT 2 / Booster injection	16,365	29.6	16,852	30.4	At least 1 TT received	83.1
14	PW who consumed 100 IFA tablets	24,014	43.4	22,934	41.4	100 IFA tablets consumed	40.3
15	Home Delivery against expected delivery *	6,853	31.8	6,821	30.7	Full ANC	26.0
16	Institutional Delivery Against expected delivery *	21,233	98.6	21,036	94.7	Home Delivery	23.5
17	Home Delivery against reported delivery **	6,853	24.4	6,821	24.5	Institutional Delivery	76.5
18	Institutional Delivery against reported delivery **	21,233	75.6	21,036	75.5	Home Delivery by SBA	9.1
19	Total reported Deliveries	28,086		27,857		PNC within 14 days of delivery	77.4
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	338	4.9	275	4.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,729	31.1	10,015	36.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	20,899		21,567			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 ( 2012-13)	
23	Total reported live births	27,308	130.7	27,197	126.1	Breastfed within 1 hour of birth	47.1
24	Total Still Birth	759	3.6	708	3.3	BCG	85.4



25	PC of newborn weighted at birth to live birth	24,093	88.2	23,987	88.2	3 dose of DPT	73.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	3,121	13.0	3,114	13.0	Measles	69.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	18,797	68.8	21,268	78.2	Full Immunization	52.1
28	Children fully immunized	16,048	76.8	15,539	72.0		
29	Children who have received BCG	26,069	124.7	25,653	118.9		
30	Children who have received DPT1	20,370	97.5	20,178	93.6		
31	Children who have received DPT3	17,610	84.3	17,021	78.9		
32	Children who have received Measles	16,595	79.4	15,998	74.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	25,479		20,558			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>DLHS-4 ( 2012-13)</b>	
34	Number of Vasectomies performed	11		12		Limiting	11.3
35	Number of Tubectomies performed	1,508		1,244		Spacing	29.1
36	Number of IUD insertion	1,820		2,026		Women using any method	27.6
37	Number of IUD removals	684		766		Women using modern method	22.8
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
38	IPD cases per 10,000 population ***	1158		1395			
39	General OPD cases per 10,000 population ***	15565		16702			
40	Ayush OPD cases per 10,000 population ***	822		744			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
41	Neonatal death within 24 hours	203		134			
42	Up to 1 Weeks of Birth	285		211			
43	Between 1 week & 4 weeks of birth	33		33			
44	Neonatal Death	521		378			
45	Between 1 month and 11 months	379		448			
46	<b>Total reported infant deaths</b>	900		826			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
	<b>Maternal Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	1		6			
49	Due to Severe hypertension/fits	1		2			
50	Due to Bleeding	12		12			
51	Due to High fever	1		0			
52	Due to Other Causes (including causes not known)	36		34			
53	<b>Total reported maternal deaths</b>	51		54			



## North Garo Hills Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	317,917					
2	Sex Ratio	968					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	40					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW #	8,869	4,366				
9	Expected number of Delivery #	8,305	4,088				
		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 ( 2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	12,002	135.3	4,016	101.2	Any ANC	48.9
11	Mothers registered in the first trimester	4,232	35.3	1,735	43.2	ANC Check up in first trimester	15.5
12	Mothers who had at least 3 Ante-Natal care check ups	5,940	49.5	2,717	67.7	3 or more ANC check up	29.9
13	PW who got TT 2 / Booster injection	7,496	62.5	3,252	81.0	At least 1 TT received	45.0
14	PW who consumed 100 IFA tablets	5,342	44.5	1,937	48.2	100 IFA tablets consumed	18.6
15	Home Delivery against expected delivery *	4,388	52.8	1,358	33.2	Full ANC	12.5
16	Institutional Delivery Against expected delivery *	2,166	26.1	1,154	28.2	Home Delivery	70.4
17	Home Delivery against reported delivery **	4,388	67.0	1,358	54.1	Institutional Delivery	28.7
18	Institutional Delivery against reported delivery **	2,166	33.0	1,154	45.9	Home Delivery by SBA	42.3
19	Total reported Deliveries	6,554		2,512		PNC within 14 days of delivery	77.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	558	12.7	237	17.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,776	42.4	1,594	63.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth #	8,063		3,969			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 ( 2012-13)	
23	Total reported live births	6,690	83.0	2,540	64.0	Breastfed within 1 hour of birth	90.7
24	Total Still Birth	135	1.7	57	1.4	BCG	45.2

25	PC of newborn weighted at birth to live birth	4,823	72.1	2,123	83.6	3 dose of DPT	47.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	216	4.5	117	5.5	Measles	36.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,365	80.2	2,222	87.5	Full Immunization	30.1
28	Children fully immunized	6,095	75.6	2,904	73.2		
29	Children who have received BCG	7,949	98.6	3,288	82.8		
30	Children who have received DPT1	8,002	99.2	3,674	92.6		
31	Children who have received DPT3	7,150	88.7	3,548	89.4		
32	Children who have received Measles	6,457	80.1	3,082	77.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	5,282		1,768			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>DLHS-4 ( 2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	6.7
35	Number of Tubectomies performed	98		0		Spacing	61.8
36	Number of IUD insertion	124		71		Women using any method	16.9
37	Number of IUD removals	297		40		Women using modern method	12.2
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
38	IPD cases per 10,000 population ***	318		345			
39	General OPD cases per 10,000 population ***	6354		5323			
40	Ayush OPD cases per 10,000 population ***	384		253			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
41	Neonatal death within 24 hours	5		8			
42	Up to 1 Weeks of Birth	33		14			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	38		22			
45	Between 1 month and 11 months	88		51			
46	<b>Total reported infant deaths</b>	126		73			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
	<b>Maternal Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
47	Due to Abortion	0		1			
48	Due to Obstructed/prolonged labour	4		3			
49	Due to Severe hypertension/fits	1		0			
50	Due to Bleeding	12		0			
51	Due to High fever	2		0			
52	Due to Other Causes (including causes not known)	15		1			
53	<b>Total reported maternal deaths</b>	34		5			

## Ri Bhoi Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	258,840					
2	Sex Ratio	951					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	27					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2013-14</b>	<b>2014-15</b>				
8	Expected number of PW	7,337	7,572				
9	Expected number of Delivery	6,870	7,090				
		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15)</b>				<b>DLHS-4 ( 2012-13)</b>
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	8,409	114.6	8,211	119.3	Any ANC	86.3
11	Mothers registered in the first trimester	2,333	27.7	2,540	30.9	ANC Check up in first trimester	51.5
12	Mothers who had at least 3 Ante-Natal care check ups	5,033	59.9	5,526	67.3	3 or more ANC check up	60.3
13	PW who got TT 2 / Booster injection	5,920	70.4	6,248	76.1	At least 1 TT received	83.4
14	PW who consumed 100 IFA tablets	927	11.0	3,107	37.8	100 IFA tablets consumed	40.8
15	Home Delivery against expected delivery *	4,258	62.0	4,566	64.4	Full ANC	31.7
16	Institutional Delivery Against expected delivery *	1,418	20.6	1,656	23.4	Home Delivery	50.8
17	Home Delivery against reported delivery **	4,258	75.0	4,566	73.4	Institutional Delivery	48.4
18	Institutional Delivery against reported delivery **	1,418	25.0	1,656	26.6	Home Delivery by SBA	31.4
19	Total reported Deliveries	5,676		6,222		PNC within 14 days of delivery	79.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	453	10.6	599	13.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,529	44.6	2,815	45.2		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	6,670		6,884			
<b>D) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15)</b>		<b>DLHS-4 ( 2012-13)</b>		
23	Total reported live births	5,658	84.8	6,182	89.8	Breastfed within 1 hour of birth	56.5
24	Total Still Birth	54	0.8	91	1.3	BCG	91.2

25	PC of newborn weighted at birth to live birth	3,820	67.5	4,189	67.8	3 dose of DPT	77.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	147	3.8	143	3.4	Measles	71.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,540	80.2	5,466	88.4	Full Immunization	54.9
28	Children fully immunized	5,386	80.7	5,503	79.9		
29	Children who have received BCG	6,012	90.1	6,184	89.8		
30	Children who have received DPT1	7,172	107.5	7,584	110.2		
31	Children who have received DPT3	6,221	93.3	6,449	93.7		
32	Children who have received Measles	5,991	89.8	6,326	91.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	8,947		7,800			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	19
35	Number of Tubectomies performed	70		12		Spacing	36.2
36	Number of IUD insertion	276		431		Women using any method	19.5
37	Number of IUD removals	394		89		Women using modern method	16.2
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
38	IPD cases per 10,000 population ***	507		588			
39	General OPD cases per 10,000 population ***	10329		10132			
40	Ayush OPD cases per 10,000 population ***	944		994			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
41	Neonatal death within 24 hours	16		18			
42	Up to 1 Weeks of Birth	16		31			
43	Between 1 week & 4 weeks of birth	6		3			
44	Neonatal Death	38		52			
45	Between 1 month and 11 months	55		78			
46	<b>Total reported infant deaths</b>	93		130			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
	<b>Maternal Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		2			
49	Due to Severe hypertension/fits	0		1			
50	Due to Bleeding	2		4			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	6		3			
53	<b>Total reported maternal deaths</b>	8		10			

## South Garo Hills Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	142,334					
2	Sex Ratio	944					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	21					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW	3,998	4,122				
9	Expected number of Delivery	3,743	3,859				
		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 ( 2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	3,985	99.7	3,550	94.7	Any ANC	40.0
11	Mothers registered in the first trimester	1,796	45.1	1,515	42.7	ANC Check up in first trimester	2.2
12	Mothers who had at least 3 Ante-Natal care check ups	2,150	54.0	1,910	53.8	3 or more ANC check up	4.4
13	PW who got TT 2 / Booster injection	2,904	72.9	2,591	73.0	At least 1 TT received	31.8
14	PW who consumed 100 IFA tablets	1,455	36.5	1,615	45.5	100 IFA tablets consumed	26.7
15	Home Delivery against expected delivery *	2,066	55.2	2,059	53.4	Full ANC	4.4
16	Institutional Delivery Against expected delivery *	648	17.3	677	17.5	Home Delivery	66.7
17	Home Delivery against reported delivery **	2,066	76.1	2,059	75.3	Institutional Delivery	33.3
18	Institutional Delivery against reported delivery **	648	23.9	677	24.7	Home Delivery by SBA	6.7
19	Total reported Deliveries	2,714		2,736		PNC within 14 days of delivery	42.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	199	9.6	165	8.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,311	48.3	1,508	55.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,634		3,747			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 ( 2012-13)	
23	Total reported live births	2,684	73.9	2,708	72.3	Breastfed within 1 hour of birth	NA
24	Total Still Birth	32	0.9	34	0.9	BCG	70

25	PC of newborn weighted at birth to live birth	2,276	84.8	2,282	84.3	3 dose of DPT	70
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	77	3.4	105	4.6	Measles	50
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,549	95.0	2,622	96.8	Full Immunization	50
28	Children fully immunized	2,733	75.2	2,419	64.6		
29	Children who have received BCG	3,491	96.1	2,918	77.9		
30	Children who have received DPT1	3,925	108.0	3,649	97.4		
31	Children who have received DPT3	3,519	96.8	3,088	82.4		
32	Children who have received Measles	3,125	86.0	2,864	76.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,649		1,364			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>DLHS-4 ( 2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	29.2
35	Number of Tubectomies performed	0		0		Spacing	44.6
36	Number of IUD insertion	61		10		Women using any method	11.8
37	Number of IUD removals	31		63		Women using modern method	10.3
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
38	IPD cases per 10,000 population ***	282		296			
39	General OPD cases per 10,000 population ***	6861		6311			
40	Ayush OPD cases per 10,000 population ***	658		668			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
41	Neonatal death within 24 hours	9		3			
42	Up to 1 Weeks of Birth	6		6			
43	Between 1 week & 4 weeks of birth	1		2			
44	Neonatal Death	16		11			
45	Between 1 month and 11 months	70		99			
46	<b>Total reported infant deaths</b>	<b>86</b>		<b>110</b>			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
	<b>Maternal Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	1		2			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	1		2			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	12		5			
53	<b>Total reported maternal deaths</b>	<b>14</b>		<b>9</b>			

## South West Garo Hills Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	642,923						
2	Sex Ratio	979						
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	19						
4	Primary Health Centers (PHC)	7						
5	Community Health Centers (CHC)	1						
6	SDH	1						
7	DH	0						
<b>C) Maternal Health:</b>		<b>2013-14</b>	<b>2014-15</b>					
8	Expected number of PW #	17,978	4,200					
9	Expected number of Delivery #	16,833	3,933					
		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15)</b>		<b>DLHS-4 ( 2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	20,771	115.5	3,673	96.2	Any ANC	61.3	
11	Mothers registered in the first trimester	8,380	40.3	1,914	52.1	ANC Check up in first trimester	18.2	
12	Mothers who had at least 3 Ante-Natal care check ups	12,682	61.1	2,175	59.2	3 or more ANC check up	38.3	
13	PW who got TT 2 / Booster injection	16,031	77.2	3,077	83.8	At least 1 TT received	53.5	
14	PW who consumed 100 IFA tablets	4,116	19.8	2,317	63.1	100 IFA tablets consumed	26.6	
15	Home Delivery against expected delivery *	8,654	51.4	1,729	44.0	Full ANC	15.0	
16	Institutional Delivery Against expected delivery *	8,979	53.3	1,472	37.4	Home Delivery	52.6	
17	Home Delivery against reported delivery **	8,654	49.1	1,729	54.0	Institutional Delivery	47.1	
18	Institutional Delivery against reported delivery **	8,979	50.9	1,472	46.0	Home Delivery by SBA	17.0	
19	Total reported Deliveries	17,633		3,201		PNC within 14 days of delivery	49.3	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	888	10.3	197	11.4			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,652	49.1	1,236	38.6			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>								
22	Expected number of Live Birth #	16,343		3,818				
<b>D) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15)</b>		<b>DLHS-4 ( 2012-13)</b>			
23	Total reported live births	17,314	105.9	3,157	82.7	Breastfed within 1 hour of birth	86	
24	Total Still Birth	432	2.6	76	2.0	BCG	43.5	



25	PC of newborn weighted at birth to live birth	17,119	98.9	3,151	99.8	3 dose of DPT	50
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,276	7.5	165	5.2	Measles	43.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	17,061	98.5	3,135	99.3	Full Immunization	34.8
28	Children fully immunized	15,961	97.7	3,188	83.5		
29	Children who have received BCG	17,633	107.9	3,158	82.7		
30	Children who have received DPT1	17,717	108.4	3,598	94.2		
31	Children who have received DPT3	17,192	105.2	3,552	93.0		
32	Children who have received Measles	16,653	101.9	3,204	83.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	11,046		3,374			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>DLHS-4 ( 2012-13)</b>	
34	Number of Vasectomies performed	3		0		Limiting	19.1
35	Number of Tubectomies performed	561		43		Spacing	57
36	Number of IUD insertion	1,664		198		Women using any method	9.2
37	Number of IUD removals	729		71		Women using modern method	5.4
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
38	IPD cases per 10,000 population ***	422		306			
39	General OPD cases per 10,000 population ***	7872		7390			
40	Ayush OPD cases per 10,000 population ***	708		126			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
41	Neonatal death within 24 hours	64		3			
42	Up to 1 Weeks of Birth	69		15			
43	Between 1 week & 4 weeks of birth	7		1			
44	Neonatal Death	140		19			
45	Between 1 month and 11 months	244		60			
46	<b>Total reported infant deaths</b>	384		79			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
	<b>Maternal Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
47	Due to Abortion	2		0			
48	Due to Obstructed/prolonged labour	12		0			
49	Due to Severe hypertension/fits	6		2			
50	Due to Bleeding	15		1			
51	Due to High fever	8		0			
52	Due to Other Causes (including causes not known)	36		2			
53	<b>Total reported maternal deaths</b>	79		5			

## South West Khasi Hills Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	383,461					
2	Sex Ratio	981					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	18					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW #	10,790		2,769			
9	Expected number of Delivery #	10,103		2,593			
		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 ( 2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	15,691	145.4	2,882	114.5	Any ANC	68.4
11	Mothers registered in the first trimester	5,237	33.4	453	15.7	ANC Check up in first trimester	23.7
12	Mothers who had at least 3 Ante-Natal care check ups	8,080	51.5	1,521	52.8	3 or more ANC check up	21.2
13	PW who got TT 2 / Booster injection	10,234	65.2	2,172	75.4	At least 1 TT received	64.2
14	PW who consumed 100 IFA tablets	5,721	36.5	296	10.3	100 IFA tablets consumed	24.3
15	Home Delivery against expected delivery *	7,414	73.4	1,966	75.8	Full ANC	11.1
16	Institutional Delivery Against expected delivery *	3,382	33.5	500	19.3	Home Delivery	66.7
17	Home Delivery against reported delivery **	7,414	68.7	1,966	79.7	Institutional Delivery	32.3
18	Institutional Delivery against reported delivery **	3,382	31.3	500	20.3	Home Delivery by SBA	19.1
19	Total reported Deliveries	10,796		2,466		PNC within 14 days of delivery	45.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	395	5.3	23	1.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,904	45.4	1,239	50.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth #	9,809		2,517			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 ( 2012-13)	
23	Total reported live births	10,668	108.8	2,428	96.5	Breastfed within 1 hour of birth	47.5
24	Total Still Birth	167	1.7	53	2.1	BCG	79.6

25	PC of newborn weighted at birth to live birth	7,843	73.5	1,841	75.8	3 dose of DPT	70.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	398	5.1	75	4.1	Measles	70.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	7,823	73.3	1,416	58.3	Full Immunization	47.3
28	Children fully immunized	10,405	106.1	2,145	85.2		
29	Children who have received BCG	12,414	126.6	2,701	107.3		
30	Children who have received DPT1	13,379	136.4	2,965	117.8		
31	Children who have received DPT3	12,071	123.1	2,537	100.8		
32	Children who have received Measles	10,973	111.9	2,374	94.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	15,399		1,281			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>DLHS-4 ( 2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	17.3
35	Number of Tubectomies performed	44		0		Spacing	29.1
36	Number of IUD insertion	122		5		Women using any method	17.4
37	Number of IUD removals	32		13		Women using modern method	14.6
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
38	IPD cases per 10,000 population ***	654		420			
39	General OPD cases per 10,000 population ***	10707		4935			
40	Ayush OPD cases per 10,000 population ***	1622		656			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
41	Neonatal death within 24 hours	49		17			
42	Up to 1 Weeks of Birth	60		14			
43	Between 1 week & 4 weeks of birth	8		5			
44	Neonatal Death	117		36			
45	Between 1 month and 11 months	134		107			
46	<b>Total reported infant deaths</b>	251		143			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
	<b>Maternal Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		1			
49	Due to Severe hypertension/fits	0		1			
50	Due to Bleeding	4		1			
51	Due to High fever	1		0			
52	Due to Other Causes (including causes not known)	19		1			
53	<b>Total reported maternal deaths</b>	24		4			

## West Garo Hills Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	<b>642,923</b>					
2	Sex Ratio	<b>979</b>					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	<b>73</b>					
4	Primary Health Centers (PHC)	<b>11</b>					
5	Community Health Centers (CHC)	<b>5</b>					
6	SDH	<b>0</b>					
7	DH	<b>2</b>					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW #	17,978		14,248			
9	Expected number of Delivery #	16,833		13,341			
		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 ( 2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	20,771	115.5	15,988	123.4	Any ANC	61.3
11	Mothers registered in the first trimester	8,380	40.3	6,046	37.8	ANC Check up in first trimester	18.2
12	Mothers who had at least 3 Ante-Natal care check ups	12,682	61.1	9,730	60.9	3 or more ANC check up	38.3
13	PW who got TT 2 / Booster injection	16,031	77.2	12,703	79.5	At least 1 TT received	53.5
14	PW who consumed 100 IFA tablets	4,116	19.8	9,558	59.8	100 IFA tablets consumed	26.6
15	Home Delivery against expected delivery *	8,654	51.4	7,103	53.2	Full ANC	15.0
16	Institutional Delivery Against expected delivery *	8,979	53.3	7,384	55.3	Home Delivery	52.6
17	Home Delivery against reported delivery **	8,654	49.1	7,103	49.0	Institutional Delivery	47.1
18	Institutional Delivery against reported delivery **	8,979	50.9	7,384	51.0	Home Delivery by SBA	17.0
19	Total reported Deliveries	17,633		14,487		PNC within 14 days of delivery	49.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	888	10.3	869	12.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,652	49.1	8,463	58.4		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth #	16,343		12,953			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 ( 2012-13)	
23	Total reported live births	17,314	105.9	14,246	110.0	Breastfed within 1 hour of birth	86
24	Total Still Birth	432	2.6	322	2.5	BCG	43.5

25	PC of newborn weighted at birth to live birth	17,119	98.9	14,091	98.9	3 dose of DPT	50
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,276	7.5	987	7.0	Measles	43.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	17,061	98.5	14,038	98.5	Full Immunization	34.8
28	Children fully immunized	15,961	97.7	12,644	97.6		
29	Children who have received BCG	17,633	107.9	13,995	108.0		
30	Children who have received DPT1	17,717	108.4	13,842	106.9		
31	Children who have received DPT3	17,192	105.2	13,141	101.5		
32	Children who have received Measles	16,653	101.9	12,977	100.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	11,046		7,568			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2013-14)	HMIS ( 2014-15)	DLHS-4 ( 2012-13)	
34	Number of Vasectomies performed	3	9	Limiting	19.1
35	Number of Tubectomies performed	561	419	Spacing	57
36	Number of IUD insertion	1,664	1,250	Women using any method	9.2
37	Number of IUD removals	729	488	Women using modern method	5.4
F) Service delivery		HMIS ( 2013-14)	HMIS ( 2014-15)		
38	IPD cases per 10,000 population ***	422	476		
39	General OPD cases per 10,000 population ***	7872	7058		
40	Ayush OPD cases per 10,000 population ***	708	737		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS ( 2013-14)	HMIS ( 2014-15)		
41	Neonatal death within 24 hours	64	40		
42	Up to 1 Weeks of Birth	69	43		
43	Between 1 week & 4 weeks of birth	7	2		
44	Neonatal Death	140	85		
45	Between 1 month and 11 months	244	274		
46	<b>Total reported infant deaths</b>	<b>384</b>	<b>359</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS ( 2013-14)	HMIS ( 2014-15)		
47	Due to Abortion	2	1		
48	Due to Obstructed/prolonged labour	12	4		
49	Due to Severe hypertension/fits	6	2		
50	Due to Bleeding	15	6		
51	Due to High fever	8	1		
52	Due to Other Causes (including causes not known)	36	35		
53	<b>Total reported maternal deaths</b>	<b>79</b>	<b>49</b>		

## West Jaintia Hills Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	<b>395,124</b>					
2	Sex Ratio	<b>1,008</b>					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	<b>43</b>					
4	Primary Health Centers (PHC)	<b>12</b>					
5	Community Health Centers (CHC)	<b>3</b>					
6	SDH	<b>0</b>					
7	DH	<b>1</b>					
C) Maternal Health:		2013-14		2014-15			
8	Expected number of PW #	11,142		7,490			
9	Expected number of Delivery #	10,433		7,014			
		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 ( 2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	16,141	144.9	11,241	165.1	Any ANC	83.1
11	Mothers registered in the first trimester	4,158	25.8	3,496	31.1	ANC Check up in first trimester	49.6
12	Mothers who had at least 3 Ante-Natal care check ups	5,019	31.1	3,762	33.5	3 or more ANC check up	53.9
13	PW who got TT 2 / Booster injection	11,682	72.4	8,781	78.1	At least 1 TT received	75.8
14	PW who consumed 100 IFA tablets	1,228	7.6	1,657	14.7	100 IFA tablets consumed	33.2
15	Home Delivery against expected delivery *	6,930	66.4	5,201	74.2	Full ANC	23.9
16	Institutional Delivery Against expected delivery *	5,646	54.1	4,582	65.3	Home Delivery	59.6
17	Home Delivery against reported delivery **	6,930	55.1	5,201	53.2	Institutional Delivery	40.4
18	Institutional Delivery against reported delivery **	5,646	44.9	4,582	46.8	Home Delivery by SBA	12.0
19	Total reported Deliveries	12,576		9,783		PNC within 14 days of delivery	86.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	568	8.2	301	5.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,503	35.8	3,673	37.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth #	10,129		6,810			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 ( 2012-13)	
23	Total reported live births	12,390	122.3	9,890	145.2	Breastfed within 1 hour of birth	46.3
24	Total Still Birth	320	3.2	281	4.1	BCG	81.9

25	PC of newborn weighted at birth to live birth	10,019	80.9	7,930	80.2	3 dose of DPT	73.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	684	6.8	617	7.8	Measles	67.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	11,230	90.6	8,948	90.5	Full Immunization	57.1
28	Children fully immunized	11,723	115.7	8,330	122.3		
29	Children who have received BCG	13,898	137.2	9,543	140.1		
30	Children who have received DPT1	14,434	142.5	9,400	138.0		
31	Children who have received DPT3	12,993	128.3	8,552	125.6		
32	Children who have received Measles	12,344	121.9	8,462	124.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	24,200		16,912			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>DLHS-4 ( 2012-13)</b>	
34	Number of Vasectomies performed	0		1		Limiting	18.1
35	Number of Tubectomies performed	212		189		Spacing	21.9
36	Number of IUD insertion	370		342		Women using any method	21.2
37	Number of IUD removals	180		103		Women using modern method	13.4
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
38	IPD cases per 10,000 population ***	804		1028			
39	General OPD cases per 10,000 population ***	8775		10098			
40	Ayush OPD cases per 10,000 population ***	564		916			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
41	Neonatal death within 24 hours	38		55			
42	Up to 1 Weeks of Birth	155		106			
43	Between 1 week & 4 weeks of birth	4		5			
44	Neonatal Death	197		166			
45	Between 1 month and 11 months	111		92			
46	<b>Total reported infant deaths</b>	308		258			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
	<b>Maternal Deaths (In Number)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	1		0			
49	Due to Severe hypertension/fits	4		0			
50	Due to Bleeding	13		3			
51	Due to High fever	0		1			
52	Due to Other Causes (including causes not known)	13		9			
53	<b>Total reported maternal deaths</b>	31		13			



## West Khasi Hills Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	383,461						
2	Sex Ratio	981						
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	48						
4	Primary Health Centers (PHC)	15						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	2						
<b>C) Maternal Health:</b>		<b>2013-14</b>	<b>2014-15</b>					
8	Expected number of PW #	10,790	8,411					
9	Expected number of Delivery #	10,103	7,876					
		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15)</b>		<b>DLHS-4 ( 2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	15,691	145.4	12,858	168.2	Any ANC	68.4	
11	Mothers registered in the first trimester	5,237	33.4	3,727	29.0	ANC Check up in first trimester	23.7	
12	Mothers who had at least 3 Ante-Natal care check ups	8,080	51.5	6,978	54.3	3 or more ANC check up	21.2	
13	PW who got TT 2 / Booster injection	10,234	65.2	8,648	67.3	At least 1 TT received	64.2	
14	PW who consumed 100 IFA tablets	5,721	36.5	5,667	44.1	100 IFA tablets consumed	24.3	
15	Home Delivery against expected delivery *	7,414	73.4	5,734	72.8	Full ANC	11.1	
16	Institutional Delivery Against expected delivery *	3,382	33.5	3,331	42.3	Home Delivery	66.7	
17	Home Delivery against reported delivery **	7,414	68.7	5,734	63.3	Institutional Delivery	32.3	
18	Institutional Delivery against reported delivery **	3,382	31.3	3,331	36.7	Home Delivery by SBA	19.1	
19	Total reported Deliveries	10,796		9,065		PNC within 14 days of delivery	45.9	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	395	5.3	402	7.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,904	45.4	4,137	45.6			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>								
22	Expected number of Live Birth #	9,809		7,646				
<b>D) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15)</b>		<b>DLHS-4 ( 2012-13)</b>			
23	Total reported live births	10,668	108.8	8,966	117.3	Breastfed within 1 hour of birth	47.5	
24	Total Still Birth	167	1.7	134	1.8	BCG	79.6	

25	PC of newborn weighted at birth to live birth	7,843	73.5	6,789	75.7	3 dose of DPT	70.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	398	5.1	255	3.8	Measles	70.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	7,823	73.3	7,046	78.6	Full Immunization	47.3
28	Children fully immunized	10,405	106.1	8,663	113.3		
29	Children who have received BCG	12,414	126.6	9,885	129.3		
30	Children who have received DPT1	13,379	136.4	10,800	141.3		
31	Children who have received DPT3	12,071	123.1	9,595	125.5		
32	Children who have received Measles	10,973	111.9	9,021	118.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	15,399		13,288			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2013-14)	HMIS ( 2014-15)	DLHS-4 ( 2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	17.3
35	Number of Tubectomies performed	44	100	Spacing	29.1
36	Number of IUD insertion	122	164	Women using any method	17.4
37	Number of IUD removals	32	32	Women using modern method	14.6

F) Service delivery		HMIS ( 2013-14)	HMIS ( 2014-15)		
38	IPD cases per 10,000 population ***	654	694		
39	General OPD cases per 10,000 population ***	10707	11465		
40	Ayush OPD cases per 10,000 population ***	1622	1540		

G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS ( 2013-14)	HMIS ( 2014-15)		
41	Neonatal death within 24 hours	49	39		
42	Up to 1 Weeks of Birth	60	39		
43	Between 1 week & 4 weeks of birth	8	7		
44	Neonatal Death	117	85		
45	Between 1 month and 11 months	134	93		
46	<b>Total reported infant deaths</b>	251	178		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS ( 2013-14)	HMIS ( 2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	2		
49	Due to Severe hypertension/fits	0	1		
50	Due to Bleeding	4	2		
51	Due to High fever	1	0		
52	Due to Other Causes (including causes not known)	19	16		
53	<b>Total reported maternal deaths</b>	24	21		

\* Against Expected Delivery for the year 2013-14 & 2014-15.

\*\* Against Reported Delivery for the year 2013-14 & 2014-15.

\*\*\* Against Estimated Population for year 2013-14 & 2014-15.

**Note** : Presently Meghalaya have 11 districts. East Garo Hills is bifurcated as East Garo Hills and North Garo Hills. Jaintia Hills is bifurcated as East Jaintia Hills and West Jaintia Hills. West Khasi Hills is bifurcated as West Khasi Hills and South West Khasi Hills. West Garo Hills is bifurcated as South West Garo Hills and West Garo Hills.

**#** East Garo Hills target was considered for both East Garo Hills and North Garo Hills for the year 2013-14. District bifurcation was done during 2013-14, so target for 2014-15 was calculated from actual population of these districts. Same process was done for all district except Ri-Bhoi , East Khasi Hills and South Garo Hills.