

## Mizoram Factsheet

### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)  |                       |           | C) State Health Indicator (SRS 2014) |           |                                  |      |
|--|--|-----------------------|-----------|--------------------------------------|-----------|----------------------------------|------|
| 1  | Population 2011  | 1,097,206             | 9         | Birth Rate                           |           | 16.1                             |      |
| 2  | Sex Ratio  | 975                   | 10        | Death Rate                           |           | 4.3                              |      |
| 3  | Number of districts  | 9                     | 11        | IMR                                  |           | 35                               |      |
| <b>B) Infrastructure Details (RHS 2014)</b>  |  |                       | 12        | Growth Rate                          |           | 11.8                             |      |
| 4  | Sub Centers (SC)   | 370                   | 13        | TFR (SRS - 2007)                     |           | 2.0                              |      |
| 5  | Primary Health Centers (PHC)   | 57                    |           |                                      |           |                                  |      |
| 6  | Community Health Centers (CHC)   | 9                     |           |                                      |           |                                  |      |
| 7  | SDH  | 2                     |           |                                      |           |                                  |      |
| 8  | DH   | 8                     |           |                                      |           |                                  |      |
| <b>D) Maternal Health:</b>   |  | <b>2013-14</b>        |           | <b>2014-15</b>                       |           |                                  |      |
| 14   | Expected number of PW  | 20,598                |           | 21,048                               |           |                                  |      |
| 15   | Expected number of Delivery  | 19,282                |           | 19,364                               |           |                                  |      |
|  |  | <b>HMIS (2013-14)</b> |           | <b>HMIS (2014-15)</b>                |           | <b>DLHS-4 (2012-13)</b>          |      |
|  |  | <b>Number</b>         | <b>PC</b> | <b>Number</b>                        | <b>PC</b> |                                  |      |
| 16   | PW register for ANC  | 24,749                | 120.2     | 23,475                               | 111.5     | Any ANC                          | 83.3 |
| 17   | Mothers registered in the first trimester  | 16,807                | 67.9      | 16,970                               | 72.3      | ANC Check up in first trimester  | 54.3 |
| 18   | Mothers who had at least 3 Ante-Natal care check ups   | 15,907                | 64.3      | 16,968                               | 72.3      | 3 or more ANC check up           | 61.6 |
| 19   | PW who got TT 2 / Booster injection  | 20,722                | 83.7      | 20,391                               | 86.9      | At least 1 TT received           | 80   |
| 20   | PW who consumed 100 IFA tablets  | 17,270                | 69.8      | 15,456                               | 65.8      | 100 IFA tablets consumed         | 46.5 |
| 21   | Home Delivery against expected delivery *  | 2,241                 | 11.6      | 2,123                                | 11.0      | Full ANC                         | 36.7 |
| 22   | Institutional Delivery against expected delivery *   | 18,814                | 97.6      | 19,660                               | 101.5     | Home Delivery                    | 27.1 |
| 23   | Reported Home Delivery **  | 2,241                 | 10.6      | 2,123                                | 9.7       | Institutional Delivery           | 72.4 |
| 24   | Reported institutional Delivery **   | 18,814                | 89.4      | 19,660                               | 90.3      | Home Delivery by SBA             | 7.2  |
| 25   | Total reported Deliveries  | 21,055                | 109.2     | 21,783                               | 112.5     | PNC within 14 days of delivery   | 49.7 |
| 26   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                             | 753                   | 33.6      | 588                                  | 27.7      |                                  |      |
| 27   | Woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 18,392                | 87.4      | 18,373                               | 84.3      |                                  |      |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date). |  |                       |           |                                      |           |                                  |      |
| 28   | Expected number of Live Birth  | 19,053                |           | 19,135                               |           |                                  |      |
| <b>F) Child Immunization :</b>   |  | <b>HMIS (2013-14)</b> |           | <b>HMIS (2014-15)</b>                |           | <b>DLHS-4 (2012-13)</b>          |      |
|  |  | <b>Number</b>         | <b>PC</b> | <b>Number</b>                        | <b>PC</b> |                                  |      |
| 29   | Total reported live births   | 21,188                | 111.2     | 22,113                               | 115.6     | Breastfed within 1 hour of birth | 84.5 |

|   |  |                       |                        |                           |       |                   |      |
|---|--|-----------------------|------------------------|---------------------------|-------|-------------------|------|
| 30  | Total Still Birth  | 225                   | 1.2                    | 244                       | 1.3   | BCG               | 88.4 |
| 31  | Newborn weighted at birth to live birth                              | 20,536                | 96.9                   | 21,389                    | 96.7  | 3 dose of DPT     | 82.5 |
| 32  | Newborn having weight less than 2.5 kg to newborn weighted at birth. | 1,033                 | 4.9                    | 1,033                     | 4.7   | Measles           | 79.7 |
| 33  | Newborns breastfed within 1 hour to total reported live birth.       | 20,431                | 96.4                   | 21,206                    | 95.9  | Full Immunization | 71.2 |
| 34  | Fully immunized  | 19,299                | 101.3                  | 18,537                    | 96.9  |                   |      |
| 35  | Children who have received BCG                                       | 23,093                | 121.2                  | 23,348                    | 122.0 |                   |      |
| 36  | Children who have received DPT1                                      | 20,900                | 109.7                  | 21,050                    | 110.0 |                   |      |
| 37  | Children who have received DPT3                                      | 20,821                | 109.3                  | 20,191                    | 105.5 |                   |      |
| 38  | Children who have received Measles                                   | 19,736                | 103.6                  | 18,868                    | 98.6  |                   |      |
| 39  | Diarrhoea and Dehydration cases reported in children below 5 years   | 8,520                 |                        | 8,513                     |       |                   |      |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p> |  |                       |                        |                           |       |                   |      |
| <b>Family Planning</b>  |  | <b>HMIS (2013-14)</b> | <b>HMIS ( 2014-15)</b> | <b>DLHS-4 (2012-13)</b>   |       |                   |      |
| 40  | Number of Vasectomies performed                                      | 0                     | 0                      | Limiting                  | 2.9   |                   |      |
| 41  | Number of Tubectomies performed                                      | 1,732                 | 1,543                  | Spacing                   | 18.5  |                   |      |
| 42  | Number of IUD insertion  | 2,818                 | 2,531                  | Women using any method    | 59.8  |                   |      |
| 43  | Number of IUD removals   | 1,408                 | 1,307                  | Women using modern method | 59    |                   |      |
| <b>I) Service delivery</b>  |  | <b>HMIS (2013-14)</b> | <b>HMIS ( 2014-15)</b> |                           |       |                   |      |
| 44  | IPD cases per 10,000 population ***                                  | 904                   | 885                    |                           |       |                   |      |
| 45  | General OPD cases per 10,000 population ***                          | 10,633                | 10,218                 |                           |       |                   |      |
| 46  | Ayush OPD cases per 10,000 population ***                            | 266                   | 279                    |                           |       |                   |      |
| <b>J) Mortality Details</b>   |  |                       |                        |                           |       |                   |      |
| <b>I)</b>   | <b>Infant Deaths (In Numbers)</b>                                    | <b>HMIS (2013-14)</b> | <b>HMIS ( 2014-15)</b> |                           |       |                   |      |
| 47  | Neonatal death within 24 hours                                       | 12                    | 13                     |                           |       |                   |      |
| 48  | Up to 1 Weeks of Birth   | 152                   | 164                    |                           |       |                   |      |
| 49  | Between 1 week & 4 weeks of birth                                    | 7                     | 17                     |                           |       |                   |      |
| 50  | Neonatal Death   | 171                   | 194                    |                           |       |                   |      |
| 51  | Between 1 month and 11 months  | 567                   | 628                    |                           |       |                   |      |
| 52  | <b>Total reported infant deaths</b>                                  | 738                   | 822                    |                           |       |                   |      |
| <b>II) Maternal Mortality</b>   |  |                       |                        |                           |       |                   |      |
|   | <b>Maternal Deaths (In Numbers)</b>                                  | <b>HMIS (2013-14)</b> | <b>HMIS ( 2014-15)</b> |                           |       |                   |      |
| 53  | Due to Abortion  | 1                     | 0                      |                           |       |                   |      |
| 54  | Due to Obstructed/prolonged labour                                   | 2                     | 1                      |                           |       |                   |      |
| 55  | Due to Severe hypertension/fits                                      | 3                     | 1                      |                           |       |                   |      |
| 56  | Due to Bleeding  | 5                     | 6                      |                           |       |                   |      |
| 57  | Due to High fever  | 1                     | 4                      |                           |       |                   |      |
| 58  | Due to Other Causes (including causes not known)                     | 5                     | 13                     |                           |       |                   |      |
| 59  | <b>Total reported maternal deaths</b>                                | 17                    | 25                     |                           |       |                   |      |

## Aizawl East Factsheet

### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)  |                        |                        |               |                         |                                  |      |  |
|--|--|------------------------|------------------------|---------------|-------------------------|----------------------------------|------|--|
| 1  | Population 2011  | 240,589                |                        |               |                         |                                  |      |  |
| 2  | Sex Ratio  | 1,009                  |                        |               |                         |                                  |      |  |
| <b>B) Infrastructure Details (RHS 2014)</b>  |  | <b>Numbers</b>         |                        |               |                         |                                  |      |  |
| 3  | Sub Centers (SC)   | 40                     |                        |               |                         |                                  |      |  |
| 4  | Primary Health Centers (PHC)   | 5                      |                        |               |                         |                                  |      |  |
| 5  | Community Health Centers (CHC)   | 2                      |                        |               |                         |                                  |      |  |
| 6  | SDH  | 0                      |                        |               |                         |                                  |      |  |
| 7  | DH   | 0                      |                        |               |                         |                                  |      |  |
| <b>C) Maternal Health:</b>   |  | <b>2013-14</b>         | <b>2014-15</b>         |               |                         |                                  |      |  |
| 8  | Expected number of PW  | 4,607                  | 4,633                  |               |                         |                                  |      |  |
| 9  | Expected number of Delivery  | 4,239                  | 4,262                  |               |                         |                                  |      |  |
|  |  | <b>HMIS ( 2013-14)</b> | <b>HMIS ( 2014-15)</b> |               | <b>DLHS-4 (2012-13)</b> |                                  |      |  |
|  |  | <b>Number</b>          | <b>PC</b>              | <b>Number</b> | <b>PC</b>               |                                  |      |  |
| 10   | PW register for ANC  | 5,325                  | 115.6                  | 5,202         | 112.3                   | Any ANC                          | 97.7 |  |
| 11   | Mothers registered in the first trimester  | 3,902                  | 73.3                   | 4,025         | 77.4                    | ANC Check up in first trimester  | 66.1 |  |
| 12   | Mothers who had at least 3 Ante-Natal care check ups   | 4,004                  | 75.2                   | 4,214         | 81.0                    | 3 or more ANC check up           | 76.1 |  |
| 13   | PW who got TT 2 / Booster injection  | 4,855                  | 91.2                   | 4,762         | 91.5                    | At least 1 TT received           | 96.4 |  |
| 14   | PW who consumed 100 IFA tablets  | 3,359                  | 63.1                   | 2,934         | 56.4                    | 100 IFA tablets consumed         | 67.2 |  |
| 15   | Home Delivery against expected delivery *  | 82                     | 1.9                    | 55            | 1.3                     | Full ANC                         | 53.9 |  |
| 16   | Institutional Delivery Against expected delivery *   | 3,601                  | 85.0                   | 3,722         | 87.3                    | Home Delivery                    | 6.6  |  |
| 17   | Reported Home Delivery **  | 82                     | 2.2                    | 55            | 1.5                     | Institutional Delivery           | 93.4 |  |
| 18   | Reported institutional Delivery **   | 3,601                  | 97.8                   | 3,722         | 98.5                    | Home Delivery by SBA             | 2.9  |  |
| 19   | Total reported Deliveries  | 3,683                  |                        | 3,777         |                         | PNC within 14 days of delivery   | 47.7 |  |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 37                     | 45.1                   | 19            | 34.5                    |                                  |      |  |
| 21   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 4,752                  | 129.0                  | 4,901         | 129.8                   |                                  |      |  |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)). |  |                        |                        |               |                         |                                  |      |  |
| 22   | Expected number of Live Birth  | 4,188                  |                        | 4,212         |                         |                                  |      |  |
| <b>D) Child Immunization :</b>   |  | <b>HMIS ( 2013-14)</b> | <b>HMIS ( 2014-15)</b> |               | <b>DLHS-4 (2012-13)</b> |                                  |      |  |
|  |  | <b>Number</b>          | <b>PC</b>              | <b>Number</b> | <b>PC</b>               |                                  |      |  |
| 23   | Total reported live births   | 3,672                  | 87.7                   | 3,762         | 89.3                    | Breastfed within 1 hour of birth | 87.7 |  |

|    |  |       |       |       |       |                   |      |
|----|--|-------|-------|-------|-------|-------------------|------|
| 24 | Total Still Birth  | 42    | 1.0   | 51    | 1.2   | BCG               | 98.6 |
| 25 | PC of newborn weighted at birth to live birth                              | 3,652 | 99.5  | 3,722 | 98.9  | 3 dose of DPT     | 94.2 |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 236   | 6.5   | 156   | 4.2   | Measles           | 90   |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth.       | 3,516 | 95.8  | 3,542 | 94.2  | Full Immunization | 87   |
| 28 | Children fully immunized   | 4,966 | 118.6 | 5,076 | 120.5 |                   |      |
| 29 | Children who have received BCG   | 4,254 | 101.6 | 4,732 | 112.4 |                   |      |
| 30 | Children who have received DPT1  | 5,350 | 127.7 | 5,563 | 132.1 |                   |      |
| 31 | Children who have received DPT3  | 5,275 | 125.9 | 5,286 | 125.5 |                   |      |
| 32 | Children who have received Measles   | 5,209 | 124.4 | 5,059 | 120.1 |                   |      |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years         | 746   |       | 558   |       |                   |      |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

| E) Family Planning |                                 | HMIS ( 2013-14) | HMIS ( 2014-15) | DLHS-4 (2012-13)          |      |
|--------------------|---------------------------------|-----------------|-----------------|---------------------------|------|
| 34                 | Number of Vasectomies performed | 0               | 0               | Limiting                  | 1.6  |
| 35                 | Number of Tubectomies performed | 330             | 206             | Spacing                   | 14.4 |
| 36                 | Number of IUD insertion         | 456             | 394             | Women using any method    | 64.6 |
| 37                 | Number of IUD removals          | 280             | 213             | Women using modern method | 63.5 |

| F) Service delivery |   | HMIS ( 2013-14) | HMIS ( 2014-15) |  |  |
|---------------------|---|-----------------|-----------------|--|--|
| 38                  | IPD cases per 10,000 population ***         | 1034.08         | 1102.74         |  |  |
| 39                  | General OPD cases per 10,000 population *** | 5850.73         | 6323.43         |  |  |
| 40                  | Ayush OPD cases per 10,000 population ***   | 126.59          | 97.41           |  |  |

### G) Mortality Details

| I) | Infant Deaths (In Numbers)          | HMIS ( 2013-14) | HMIS ( 2014-15) |  |  |
|----|-------------------------------------|-----------------|-----------------|--|--|
| 41 | Neonatal death within 24 hours      | 5               | 0               |  |  |
| 42 | Up to 1 Weeks of Birth              | 32              | 31              |  |  |
| 43 | Between 1 week & 4 weeks of birth   | 1               | 1               |  |  |
| 44 | Neonatal Death                      | 38              | 32              |  |  |
| 45 | Between 1 month and 11 months       | 114             | 84              |  |  |
| 46 | <b>Total reported infant deaths</b> | <b>152</b>      | <b>116</b>      |  |  |

| II)                          | Maternal Mortality                               | HMIS ( 2013-14) | HMIS ( 2014-15) |  |  |
|------------------------------|--|-----------------|-----------------|--|--|
| Maternal Deaths (In Numbers) |  | HMIS ( 2013-14) | HMIS ( 2014-15) |  |  |
| 47                           | Due to Abortion                                  | 0               | 0               |  |  |
| 48                           | Due to Obstructed/prolonged labour               | 0               | 1               |  |  |
| 49                           | Due to Severe hypertension/fits                  | 2               | 0               |  |  |
| 50                           | Due to Bleeding                                  | 0               | 2               |  |  |
| 51                           | Due to High fever                                | 0               | 4               |  |  |
| 52                           | Due to Other Causes (including causes not known) | 0               | 0               |  |  |
| 53                           | <b>Total reported maternal deaths</b>            | <b>2</b>        | <b>7</b>        |  |  |

## Aizawl West Factsheet

### Key Indicators

| SL No   | A) Demographic Indicators (Census 2011)  |                        |                        |               |                         |                                  |      |  |
|---|--|------------------------|------------------------|---------------|-------------------------|----------------------------------|------|--|
| 1   | Population 2011  | 159,720                |                        |               |                         |                                  |      |  |
| 2   | Sex Ratio  | 1,009                  |                        |               |                         |                                  |      |  |
| <b>B) Infrastructure Details (RHS 2014)</b>   |  | <b>Numbers</b>         |                        |               |                         |                                  |      |  |
| 3   | Sub Centers (SC)   | 54                     |                        |               |                         |                                  |      |  |
| 4   | Primary Health Centers (PHC)   | 5                      |                        |               |                         |                                  |      |  |
| 5   | Community Health Centers (CHC)   | 0                      |                        |               |                         |                                  |      |  |
| 6   | SDH  | 1                      |                        |               |                         |                                  |      |  |
| 7   | DH   | 1                      |                        |               |                         |                                  |      |  |
| <b>C) Maternal Health:</b>  |  | <b>2013-14</b>         | <b>2014-15</b>         |               |                         |                                  |      |  |
| 8   | Expected number of PW  | 3,059                  | 3,076                  |               |                         |                                  |      |  |
| 9   | Expected number of Delivery  | 2,814                  | 2,830                  |               |                         |                                  |      |  |
|   |  | <b>HMIS ( 2013-14)</b> | <b>HMIS ( 2014-15)</b> |               | <b>DLHS-4 (2012-13)</b> |                                  |      |  |
|   |  | <b>Number</b>          | <b>PC</b>              | <b>Number</b> | <b>PC</b>               |                                  |      |  |
| 10  | PW register for ANC  | 3,862                  | 126.3                  | 3,517         | 114.4                   | Any ANC                          | 97.7 |  |
| 11  | Mothers registered in the first trimester  | 2,689                  | 69.6                   | 2,399         | 68.2                    | ANC Check up in first trimester  | 66.1 |  |
| 12  | Mothers who had at least 3 Ante-Natal care check ups   | 2,443                  | 63.3                   | 2,789         | 79.3                    | 3 or more ANC check up           | 76.1 |  |
| 13  | PW who got TT 2 / Booster injection  | 3,195                  | 82.7                   | 3,013         | 85.7                    | At least 1 TT received           | 96.4 |  |
| 14  | PW who consumed 100 IFA tablets  | 2,490                  | 64.5                   | 2,168         | 61.6                    | 100 IFA tablets consumed         | 67.2 |  |
| 15  | Home Delivery against expected delivery *  | 12                     | 0.4                    | 9             | 0.3                     | Full ANC                         | 53.9 |  |
| 16  | Institutional Delivery Against expected delivery *   | 5,973                  | 212.3                  | 6,362         | 224.8                   | Home Delivery                    | 6.6  |  |
| 17  | Reported Home Delivery **  | 12                     | 0.2                    | 9             | 0.1                     | Institutional Delivery           | 93.4 |  |
| 18  | Reported institutional Delivery **   | 5,973                  | 99.8                   | 6,362         | 99.9                    | Home Delivery by SBA             | 2.9  |  |
| 19  | Total reported Deliveries  | 5,985                  |                        | 6,371         |                         | PNC within 14 days of delivery   | 47.7 |  |
| 20  | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 10                     | 83.3                   | 9             | 100.0                   |                                  |      |  |
| 21  | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 4,410                  | 73.7                   | 5,042         | 79.1                    |                                  |      |  |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b> |  |                        |                        |               |                         |                                  |      |  |
| 22  | Expected number of Live Birth  | 2,781                  |                        | 2,796         |                         |                                  |      |  |
| <b>D) Child Immunization :</b>  |  | <b>HMIS ( 2013-14)</b> | <b>HMIS ( 2014-15)</b> |               | <b>DLHS-4 (2012-13)</b> |                                  |      |  |
|   |  | <b>Number</b>          | <b>PC</b>              | <b>Number</b> | <b>PC</b>               |                                  |      |  |
| 23  | Total reported live births   | 5,928                  | 213.2                  | 6,305         | 225.5                   | Breastfed within 1 hour of birth | 87.7 |  |

|    |  |       |       |       |       |                   |      |
|----|--|-------|-------|-------|-------|-------------------|------|
| 24 | Total Still Birth  | 57    | 2.0   | 66    | 2.4   | BCG               | 98.6 |
| 25 | PC of newborn weighted at birth to live birth                              | 5,927 | 100.0 | 6,302 | 100.0 | 3 dose of DPT     | 94.2 |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 313   | 5.3   | 315   | 5.0   | Measles           | 90   |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth.       | 5,925 | 99.9  | 6,300 | 99.9  | Full Immunization | 87   |
| 28 | Children fully immunized   | 2,857 | 102.8 | 2,700 | 96.6  |                   |      |
| 29 | Children who have received BCG   | 5,829 | 209.6 | 5,522 | 197.5 |                   |      |
| 30 | Children who have received DPT1  | 2,861 | 102.9 | 2,933 | 104.9 |                   |      |
| 31 | Children who have received DPT3  | 2,890 | 103.9 | 2,906 | 103.9 |                   |      |
| 32 | Children who have received Measles   | 2,869 | 103.2 | 2,700 | 96.6  |                   |      |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years         | 920   |       | 848   |       |                   |      |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

| E) Family Planning   |  | HMIS ( 2013-14) | HMIS ( 2014-15) | DLHS-4 (2012-13)          |      |
|----------------------|--|-----------------|-----------------|---------------------------|------|
| 34                   | Number of Vasectomies performed                  | 0               | 0               | Limiting                  | 1.6  |
| 35                   | Number of Tubectomies performed                  | 807             | 765             | Spacing                   | 14.4 |
| 36                   | Number of IUD insertion                          | 749             | 602             | Women using any method    | 64.6 |
| 37                   | Number of IUD removals                           | 302             | 302             | Women using modern method | 63.5 |
| F) Service delivery  |  | HMIS ( 2013-14) | HMIS ( 2014-15) |                           |      |
| 38                   | IPD cases per 10,000 population ***              | 1303.39         | 1330.88         |                           |      |
| 39                   | General OPD cases per 10,000 population ***      | 30398.60        | 27330.28        |                           |      |
| 40                   | Ayush OPD cases per 10,000 population ***        | 608.95          | 426.86          |                           |      |
| G) Mortality Details |  |                 |                 |                           |      |
| I)                   | Infant Deaths (In Numbers)                       | HMIS ( 2013-14) | HMIS ( 2014-15) |                           |      |
| 41                   | Neonatal death within 24 hours                   | 0               | 3               |                           |      |
| 42                   | Up to 1 Weeks of Birth                           | 64              | 52              |                           |      |
| 43                   | Between 1 week & 4 weeks of birth                | 0               | 3               |                           |      |
| 44                   | Neonatal Death                                   | 64              | 58              |                           |      |
| 45                   | Between 1 month and 11 months                    | 135             | 130             |                           |      |
| 46                   | <b>Total reported infant deaths</b>              | 199             | 188             |                           |      |
| II)                  | Maternal Mortality                               |                 |                 |                           |      |
|                      | Maternal Deaths (In Numbers)                     | HMIS ( 2013-14) | HMIS ( 2014-15) |                           |      |
| 47                   | Due to Abortion                                  | 0               | 0               |                           |      |
| 48                   | Due to Obstructed/prolonged labour               | 0               | 0               |                           |      |
| 49                   | Due to Severe hypertension/fits                  | 0               | 0               |                           |      |
| 50                   | Due to Bleeding                                  | 0               | 1               |                           |      |
| 51                   | Due to High fever                                | 0               | 0               |                           |      |
| 52                   | Due to Other Causes (including causes not known) | 0               | 0               |                           |      |
| 53                   | <b>Total reported maternal deaths</b>            | 0               | 1               |                           |      |

## Champhai Factsheet

### Key Indicators

| SL No   | A) Demographic Indicators (Census 2011)  |                        |                        |               |                         |                                  |      |  |
|---|--|------------------------|------------------------|---------------|-------------------------|----------------------------------|------|--|
| 1   | Population 2011  | 125,745                |                        |               |                         |                                  |      |  |
| 2   | Sex Ratio  | 981                    |                        |               |                         |                                  |      |  |
| <b>B) Infrastructure Details (RHS 2014)</b>   |  | <b>Numbers</b>         |                        |               |                         |                                  |      |  |
| 3   | Sub Centers (SC)   | 59                     |                        |               |                         |                                  |      |  |
| 4   | Primary Health Centers (PHC)   | 11                     |                        |               |                         |                                  |      |  |
| 5   | Community Health Centers (CHC)   | 2                      |                        |               |                         |                                  |      |  |
| 6   | SDH  | 0                      |                        |               |                         |                                  |      |  |
| 7   | DH   | 1                      |                        |               |                         |                                  |      |  |
| <b>C) Maternal Health:</b>  |  | <b>2013-14</b>         | <b>2014-15</b>         |               |                         |                                  |      |  |
| 8   | Expected number of PW  | 2,372                  | 2,367                  |               |                         |                                  |      |  |
| 9   | Expected number of Delivery  | 2,182                  | 2,177                  |               |                         |                                  |      |  |
|   |  | <b>HMIS ( 2013-14)</b> | <b>HMIS ( 2014-15)</b> |               | <b>DLHS-4 (2012-13)</b> |                                  |      |  |
|   |  | <b>Number</b>          | <b>PC</b>              | <b>Number</b> | <b>PC</b>               |                                  |      |  |
| 10  | PW register for ANC  | 3,358                  | 141.6                  | 3,025         | 127.8                   | Any ANC                          | 91.3 |  |
| 11  | Mothers registered in the first trimester  | 2,392                  | 71.2                   | 2,353         | 77.8                    | ANC Check up in first trimester  | 54.4 |  |
| 12  | Mothers who had at least 3 Ante-Natal care check ups   | 2,317                  | 69.0                   | 2,388         | 78.9                    | 3 or more ANC check up           | 66.0 |  |
| 13  | PW who got TT 2 / Booster injection  | 2,808                  | 83.6                   | 2,741         | 90.6                    | At least 1 TT received           | 87.8 |  |
| 14  | PW who consumed 100 IFA tablets  | 2,581                  | 76.9                   | 2,545         | 84.1                    | 100 IFA tablets consumed         | 51.3 |  |
| 15  | Home Delivery against expected delivery *  | 150                    | 6.9                    | 151           | 6.9                     | Full ANC                         | 39.1 |  |
| 16  | Institutional Delivery Against expected delivery *   | 2,270                  | 104.0                  | 2,135         | 98.1                    | Home Delivery                    | 21.7 |  |
| 17  | Reported Home Delivery **  | 150                    | 6.2                    | 151           | 6.6                     | Institutional Delivery           | 78.3 |  |
| 18  | Reported institutional Delivery **   | 2,270                  | 93.8                   | 2,135         | 93.4                    | Home Delivery by SBA             | 8.7  |  |
| 19  | Total reported Deliveries  | 2,420                  |                        | 2,286         |                         | PNC within 14 days of delivery   | 32.0 |  |
| 20  | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 26                     | 17.3                   | 25            | 16.6                    |                                  |      |  |
| 21  | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 2,034                  | 84.0                   | 1,838         | 80.4                    |                                  |      |  |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b> |  |                        |                        |               |                         |                                  |      |  |
| 22  | Expected number of Live Birth  | 2,156                  |                        | 2,152         |                         |                                  |      |  |
| <b>D) Child Immunization :</b>  |  | <b>HMIS ( 2013-14)</b> | <b>HMIS ( 2014-15)</b> |               | <b>DLHS-4 (2012-13)</b> |                                  |      |  |
|   |  | <b>Number</b>          | <b>PC</b>              | <b>Number</b> | <b>PC</b>               |                                  |      |  |
| 23  | Total reported live births   | 2,421                  | 112.3                  | 2,284         | 106.2                   | Breastfed within 1 hour of birth | 91   |  |

|    |  |       |       |       |       |                   |      |
|----|--|-------|-------|-------|-------|-------------------|------|
| 24 | Total Still Birth  | 15    | 0.7   | 28    | 1.3   | BCG               | 95.1 |
| 25 | PC of newborn weighted at birth to live birth                              | 2,344 | 96.8  | 2,255 | 98.7  | 3 dose of DPT     | 90.1 |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 119   | 5.1   | 135   | 6.0   | Measles           | 89   |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth.       | 2,411 | 99.6  | 2,234 | 97.8  | Full Immunization | 82.9 |
| 28 | Children fully immunized   | 2,635 | 122.2 | 2,471 | 114.8 |                   |      |
| 29 | Children who have received BCG   | 2,683 | 124.4 | 2,487 | 115.6 |                   |      |
| 30 | Children who have received DPT1  | 2,752 | 127.6 | 2,765 | 128.5 |                   |      |
| 31 | Children who have received DPT3  | 2,849 | 132.1 | 2,764 | 128.5 |                   |      |
| 32 | Children who have received Measles   | 2,674 | 124.0 | 2,536 | 117.9 |                   |      |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years         | 1,790 |       | 1,537 |       |                   |      |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

| <b>E) Family Planning</b>   |  | <b>HMIS ( 2013-14)</b> | <b>HMIS ( 2014-15)</b> | <b>DLHS-4 (2012-13)</b>   |      |
|-----------------------------|--|------------------------|------------------------|---------------------------|------|
| 34                          | Number of Vasectomies performed                  | 0                      | 0                      | Limiting                  | 2.7  |
| 35                          | Number of Tubectomies performed                  | 70                     | 94                     | Spacing                   | 19.7 |
| 36                          | Number of IUD insertion                          | 347                    | 420                    | Women using any method    | 59.4 |
| 37                          | Number of IUD removals                           | 320                    | 350                    | Women using modern method | 59   |
| <b>F) Service delivery</b>  |  | <b>HMIS ( 2013-14)</b> | <b>HMIS ( 2014-15)</b> |                           |      |
| 38                          | IPD cases per 10,000 population ***              | 999.92                 | 804.71                 |                           |      |
| 39                          | General OPD cases per 10,000 population ***      | 7850.46                | 7010.91                |                           |      |
| 40                          | Ayush OPD cases per 10,000 population ***        | 51.20                  | 115.00                 |                           |      |
| <b>G) Mortality Details</b> |  |                        |                        |                           |      |
| <b>I)</b>                   | <b>Infant Deaths (In Numbers)</b>                | <b>HMIS ( 2013-14)</b> | <b>HMIS ( 2014-15)</b> |                           |      |
| 41                          | Neonatal death within 24 hours                   | 0                      | 4                      |                           |      |
| 42                          | Up to 1 Weeks of Birth                           | 20                     | 18                     |                           |      |
| 43                          | Between 1 week & 4 weeks of birth                | 1                      | 5                      |                           |      |
| 44                          | Neonatal Death                                   | 21                     | 27                     |                           |      |
| 45                          | Between 1 month and 11 months                    | 32                     | 50                     |                           |      |
| 46                          | <b>Total reported infant deaths</b>              | <b>53</b>              | <b>77</b>              |                           |      |
| <b>II)</b>                  | <b>Maternal Mortality</b>                        |                        |                        |                           |      |
|                             | <b>Maternal Deaths (In Numbers)</b>              | <b>HMIS ( 2013-14)</b> | <b>HMIS ( 2014-15)</b> |                           |      |
| 47                          | Due to Abortion                                  | 0                      | 0                      |                           |      |
| 48                          | Due to Obstructed/prolonged labour               | 1                      | 0                      |                           |      |
| 49                          | Due to Severe hypertension/fits                  | 0                      | 0                      |                           |      |
| 50                          | Due to Bleeding                                  | 0                      | 0                      |                           |      |
| 51                          | Due to High fever                                | 1                      | 0                      |                           |      |
| 52                          | Due to Other Causes (including causes not known) | 1                      | 6                      |                           |      |
| 53                          | <b>Total reported maternal deaths</b>            | <b>3</b>               | <b>6</b>               |                           |      |



## Kolasib Factsheet

### Key Indicators

| SL No   | A) Demographic Indicators (Census 2011)  |                        |                        |               |                         |                                  |      |  |
|---|--|------------------------|------------------------|---------------|-------------------------|----------------------------------|------|--|
| 1   | Population 2011  | 83,955                 |                        |               |                         |                                  |      |  |
| 2   | Sex Ratio  | 956                    |                        |               |                         |                                  |      |  |
| <b>B) Infrastructure Details (RHS 2014)</b>   |  | <b>Numbers</b>         |                        |               |                         |                                  |      |  |
| 3   | Sub Centers (SC)   | 30                     |                        |               |                         |                                  |      |  |
| 4   | Primary Health Centers (PHC)   | 5                      |                        |               |                         |                                  |      |  |
| 5   | Community Health Centers (CHC)   | 1                      |                        |               |                         |                                  |      |  |
| 6   | SDH  | 0                      |                        |               |                         |                                  |      |  |
| 7   | DH   | 1                      |                        |               |                         |                                  |      |  |
| <b>C) Maternal Health:</b>  |  | <b>2013-14</b>         | <b>2014-15</b>         |               |                         |                                  |      |  |
| 8   | Expected number of PW  | 1,614                  | 1,625                  |               |                         |                                  |      |  |
| 9   | Expected number of Delivery  | 1,484                  | 1,495                  |               |                         |                                  |      |  |
|   |  | <b>HMIS ( 2013-14)</b> | <b>HMIS ( 2014-15)</b> |               | <b>DLHS-4 (2012-13)</b> |                                  |      |  |
|   |  | <b>Number</b>          | <b>PC</b>              | <b>Number</b> | <b>PC</b>               |                                  |      |  |
| 10  | PW register for ANC  | 1,999                  | 123.9                  | 2,015         | 124.0                   | Any ANC                          | 95.1 |  |
| 11  | Mothers registered in the first trimester  | 1,431                  | 71.6                   | 1,493         | 74.1                    | ANC Check up in first trimester  | 65.6 |  |
| 12  | Mothers who had at least 3 Ante-Natal care check ups   | 1,423                  | 71.2                   | 1,573         | 78.1                    | 3 or more ANC check up           | 70.8 |  |
| 13  | PW who got TT 2 / Booster injection  | 1,799                  | 90.0                   | 1,942         | 96.4                    | At least 1 TT received           | 93.1 |  |
| 14  | PW who consumed 100 IFA tablets  | 1,524                  | 76.2                   | 1,441         | 71.5                    | 100 IFA tablets consumed         | 51.4 |  |
| 15  | Home Delivery against expected delivery *  | 98                     | 6.6                    | 131           | 8.8                     | Full ANC                         | 42.7 |  |
| 16  | Institutional Delivery Against expected delivery *   | 1,098                  | 74.0                   | 1,281         | 85.7                    | Home Delivery                    | 22.5 |  |
| 17  | Reported Home Delivery **  | 98                     | 8.2                    | 131           | 9.3                     | Institutional Delivery           | 77.5 |  |
| 18  | Reported institutional Delivery **   | 1,098                  | 91.8                   | 1,281         | 90.7                    | Home Delivery by SBA             | 6.9  |  |
| 19  | Total reported Deliveries  | 1,196                  |                        | 1,412         |                         | PNC within 14 days of delivery   | 52.8 |  |
| 20  | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 37                     | 37.8                   | 32            | 24.4                    |                                  |      |  |
| 21  | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 1,334                  | 111.5                  | 1,398         | 99.0                    |                                  |      |  |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b> |  |                        |                        |               |                         |                                  |      |  |
| 22  | Expected number of Live Birth  | 1,467                  |                        | 1,478         |                         |                                  |      |  |
| <b>D) Child Immunization :</b>  |  | <b>HMIS ( 2013-14)</b> | <b>HMIS ( 2014-15)</b> |               | <b>DLHS-4 (2012-13)</b> |                                  |      |  |
|   |  | <b>Number</b>          | <b>PC</b>              | <b>Number</b> | <b>PC</b>               |                                  |      |  |
| 23  | Total reported live births   | 1,430                  | 97.5                   | 1,856         | 125.6                   | Breastfed within 1 hour of birth | 82.2 |  |

|    |  |       |       |       |       |                   |      |
|----|--|-------|-------|-------|-------|-------------------|------|
| 24 | Total Still Birth  | 28    | 1.9   | 32    | 2.2   | BCG               | 99   |
| 25 | PC of newborn weighted at birth to live birth                              | 1,349 | 94.3  | 1,524 | 82.1  | 3 dose of DPT     | 96.2 |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 78    | 5.8   | 115   | 7.5   | Measles           | 90.5 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth.       | 1,366 | 95.5  | 1,535 | 82.7  | Full Immunization | 83.7 |
| 28 | Children fully immunized   | 1,546 | 105.4 | 1,468 | 99.3  |                   |      |
| 29 | Children who have received BCG   | 2,167 | 147.7 | 1,952 | 132.1 |                   |      |
| 30 | Children who have received DPT1  | 1,676 | 114.3 | 1,612 | 109.1 |                   |      |
| 31 | Children who have received DPT3  | 1,595 | 108.7 | 1,541 | 104.3 |                   |      |
| 32 | Children who have received Measles   | 1,562 | 106.5 | 1,468 | 99.3  |                   |      |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years         | 1,409 |       | 1,805 |       |                   |      |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

| E) Family Planning   |  | HMIS ( 2013-14) | HMIS ( 2014-15) | DLHS-4 (2012-13)          |      |
|----------------------|--|-----------------|-----------------|---------------------------|------|
| 34                   | Number of Vasectomies performed                  | 0               | 0               | Limiting                  | 2.2  |
| 35                   | Number of Tubectomies performed                  | 64              | 94              | Spacing                   | 18.2 |
| 36                   | Number of IUD insertion                          | 63              | 130             | Women using any method    | 57.3 |
| 37                   | Number of IUD removals                           | 52              | 64              | Women using modern method | 56.7 |
| F) Service delivery  |  | HMIS ( 2013-14) | HMIS ( 2014-15) |                           |      |
| 38                   | IPD cases per 10,000 population ***              | 985.47          | 787.94          |                           |      |
| 39                   | General OPD cases per 10,000 population ***      | 8550.58         | 8022.70         |                           |      |
| 40                   | Ayush OPD cases per 10,000 population ***        | 428.23          | 441.90          |                           |      |
| G) Mortality Details |  |                 |                 |                           |      |
| I)                   | Infant Deaths (In Numbers)                       | HMIS ( 2013-14) | HMIS ( 2014-15) |                           |      |
| 41                   | Neonatal death within 24 hours                   | 2               | 2               |                           |      |
| 42                   | Up to 1 Weeks of Birth                           | 11              | 8               |                           |      |
| 43                   | Between 1 week & 4 weeks of birth                | 1               | 2               |                           |      |
| 44                   | Neonatal Death                                   | 14              | 12              |                           |      |
| 45                   | Between 1 month and 11 months                    | 36              | 54              |                           |      |
| 46                   | <b>Total reported infant deaths</b>              | <b>50</b>       | <b>66</b>       |                           |      |
| II)                  | Maternal Mortality                               |                 |                 |                           |      |
|                      | Maternal Deaths (In Numbers)                     | HMIS ( 2013-14) | HMIS ( 2014-15) |                           |      |
| 47                   | Due to Abortion                                  | 0               | 0               |                           |      |
| 48                   | Due to Obstructed/prolonged labour               | 0               | 0               |                           |      |
| 49                   | Due to Severe hypertension/fits                  | 0               | 0               |                           |      |
| 50                   | Due to Bleeding                                  | 0               | 1               |                           |      |
| 51                   | Due to High fever                                | 0               | 0               |                           |      |
| 52                   | Due to Other Causes (including causes not known) | 0               | 1               |                           |      |
| 53                   | <b>Total reported maternal deaths</b>            | <b>0</b>        | <b>2</b>        |                           |      |

## Lawngtlai Factsheet

### Key Indicators

| SL No   | A) Demographic Indicators (Census 2011)  |                        |                        |               |                         |                                  |      |  |
|---|--|------------------------|------------------------|---------------|-------------------------|----------------------------------|------|--|
| 1   | Population 2011  | 117,894                |                        |               |                         |                                  |      |  |
| 2   | Sex Ratio  | 945                    |                        |               |                         |                                  |      |  |
| <b>B) Infrastructure Details (RHS 2014)</b>   |  | <b>Numbers</b>         |                        |               |                         |                                  |      |  |
| 3   | Sub Centers (SC)   | 37                     |                        |               |                         |                                  |      |  |
| 4   | Primary Health Centers (PHC)   | 6                      |                        |               |                         |                                  |      |  |
| 5   | Community Health Centers (CHC)   | 1                      |                        |               |                         |                                  |      |  |
| 6   | SDH  | 0                      |                        |               |                         |                                  |      |  |
| 7   | DH   | 1                      |                        |               |                         |                                  |      |  |
| <b>C) Maternal Health:</b>  |  | <b>2013-14</b>         | <b>2014-15</b>         |               |                         |                                  |      |  |
| 8   | Expected number of PW  | 2,302                  | 2,337                  |               |                         |                                  |      |  |
| 9   | Expected number of Delivery  | 2,118                  | 2,150                  |               |                         |                                  |      |  |
|   |  | <b>HMIS ( 2013-14)</b> | <b>HMIS ( 2014-15)</b> |               | <b>DLHS-4 (2012-13)</b> |                                  |      |  |
|   |  | <b>Number</b>          | <b>PC</b>              | <b>Number</b> | <b>PC</b>               |                                  |      |  |
| 10  | PW register for ANC  | 2,531                  | 109.9                  | 2,411         | 103.1                   | Any ANC                          | 37.9 |  |
| 11  | Mothers registered in the first trimester  | 1,598                  | 63.1                   | 1,691         | 70.1                    | ANC Check up in first trimester  | 21.5 |  |
| 12  | Mothers who had at least 3 Ante-Natal care check ups   | 1,268                  | 50.1                   | 1,367         | 56.7                    | 3 or more ANC check up           | 26.4 |  |
| 13  | PW who got TT 2 / Booster injection  | 1,833                  | 72.4                   | 1,890         | 78.4                    | At least 1 TT received           | 35.1 |  |
| 14  | PW who consumed 100 IFA tablets  | 1,940                  | 76.6                   | 1,406         | 58.3                    | 100 IFA tablets consumed         | 16.0 |  |
| 15  | Home Delivery against expected delivery *  | 588                    | 27.8                   | 542           | 25.2                    | Full ANC                         | 12.3 |  |
| 16  | Institutional Delivery Against expected delivery *   | 1,019                  | 48.1                   | 1,338         | 62.2                    | Home Delivery                    | 70.1 |  |
| 17  | Reported Home Delivery **  | 588                    | 36.6                   | 542           | 28.8                    | Institutional Delivery           | 27.7 |  |
| 18  | Reported institutional Delivery **   | 1,019                  | 63.4                   | 1,338         | 71.2                    | Home Delivery by SBA             | 3.5  |  |
| 19  | Total reported Deliveries  | 1,607                  |                        | 1,880         |                         | PNC within 14 days of delivery   | 74.1 |  |
| 20  | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 129                    | 21.9                   | 69            | 12.7                    |                                  |      |  |
| 21  | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 707                    | 44.0                   | 544           | 28.9                    |                                  |      |  |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b> |  |                        |                        |               |                         |                                  |      |  |
| 22  | Expected number of Live Birth  | 2,093                  |                        | 2,125         |                         |                                  |      |  |
| <b>D) Child Immunization :</b>  |  | <b>HMIS ( 2013-14)</b> | <b>HMIS ( 2014-15)</b> |               | <b>DLHS-4 (2012-13)</b> |                                  |      |  |
|   |  | <b>Number</b>          | <b>PC</b>              | <b>Number</b> | <b>PC</b>               |                                  |      |  |
| 23  | Total reported live births   | 1,610                  | 76.9                   | 1,880         | 88.5                    | Breastfed within 1 hour of birth | 56.5 |  |

|    |  |       |      |       |      |                   |      |
|----|--|-------|------|-------|------|-------------------|------|
| 24 | Total Still Birth  | 24    | 1.1  | 23    | 1.1  | BCG               | 40.8 |
| 25 | PC of newborn weighted at birth to live birth                              | 1,440 | 89.4 | 1,775 | 94.4 | 3 dose of DPT     | 44.7 |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 66    | 4.6  | 69    | 3.9  | Measles           | 35.5 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth.       | 1,498 | 93.0 | 1,811 | 96.3 | Full Immunization | 26.3 |
| 28 | Children fully immunized   | 1,508 | 72.1 | 1,442 | 67.9 |                   |      |
| 29 | Children who have received BCG   | 1,715 | 82.0 | 1,918 | 90.3 |                   |      |
| 30 | Children who have received DPT1  | 1,795 | 85.8 | 1,924 | 90.5 |                   |      |
| 31 | Children who have received DPT3  | 1,685 | 80.5 | 1,729 | 81.4 |                   |      |
| 32 | Children who have received Measles   | 1,536 | 73.4 | 1,564 | 73.6 |                   |      |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years         | 437   |      | 488   |      |                   |      |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

| E) Family Planning   |  | HMIS ( 2013-14) | HMIS ( 2014-15) | DLHS-4 (2012-13)          |      |
|----------------------|--|-----------------|-----------------|---------------------------|------|
| 34                   | Number of Vasectomies performed                  | 0               | 0               | Limiting                  | 6.3  |
| 35                   | Number of Tubectomies performed                  | 49              | 27              | Spacing                   | 23.6 |
| 36                   | Number of IUD insertion                          | 145             | 155             | Women using any method    | 47.4 |
| 37                   | Number of IUD removals                           | 80              | 79              | Women using modern method | 46.2 |
| F) Service delivery  |  | HMIS ( 2013-14) | HMIS ( 2014-15) |                           |      |
| 38                   | IPD cases per 10,000 population ***              | 510.13          | 473.83          |                           |      |
| 39                   | General OPD cases per 10,000 population ***      | 4981.89         | 4699.27         |                           |      |
| 40                   | Ayush OPD cases per 10,000 population ***        | 66.39           | 41.96           |                           |      |
| G) Mortality Details |  |                 |                 |                           |      |
| I)                   | Infant Deaths (In Numbers)                       | HMIS ( 2013-14) | HMIS ( 2014-15) |                           |      |
| 41                   | Neonatal death within 24 hours                   | 0               | 0               |                           |      |
| 42                   | Up to 1 Weeks of Birth                           | 5               | 5               |                           |      |
| 43                   | Between 1 week & 4 weeks of birth                | 0               | 2               |                           |      |
| 44                   | Neonatal Death                                   | 5               | 7               |                           |      |
| 45                   | Between 1 month and 11 months                    | 52              | 54              |                           |      |
| 46                   | <b>Total reported infant deaths</b>              | 57              | 61              |                           |      |
| II)                  | Maternal Mortality                               |                 |                 |                           |      |
|                      | Maternal Deaths (In Numbers)                     | HMIS ( 2013-14) | HMIS ( 2014-15) |                           |      |
| 47                   | Due to Abortion                                  | 0               | 0               |                           |      |
| 48                   | Due to Obstructed/prolonged labour               | 0               | 0               |                           |      |
| 49                   | Due to Severe hypertension/fits                  | 1               | 0               |                           |      |
| 50                   | Due to Bleeding                                  | 4               | 0               |                           |      |
| 51                   | Due to High fever                                | 0               | 0               |                           |      |
| 52                   | Due to Other Causes (including causes not known) | 0               | 1               |                           |      |
| 53                   | <b>Total reported maternal deaths</b>            | 5               | 1               |                           |      |

## Lunglei Factsheet

### Key Indicators

| SL No   | A) Demographic Indicators (Census 2011)  |                        |                        |               |                         |                                  |      |  |
|---|--|------------------------|------------------------|---------------|-------------------------|----------------------------------|------|--|
| 1   | Population 2011  | 161,428                |                        |               |                         |                                  |      |  |
| 2   | Sex Ratio  | 944                    |                        |               |                         |                                  |      |  |
| <b>B) Infrastructure Details (RHS 2014)</b>   |  | <b>Numbers</b>         |                        |               |                         |                                  |      |  |
| 3   | Sub Centers (SC)   | 71                     |                        |               |                         |                                  |      |  |
| 4   | Primary Health Centers (PHC)   | 9                      |                        |               |                         |                                  |      |  |
| 5   | Community Health Centers (CHC)   | 1                      |                        |               |                         |                                  |      |  |
| 6   | SDH  | 1                      |                        |               |                         |                                  |      |  |
| 7   | DH   | 1                      |                        |               |                         |                                  |      |  |
| <b>C) Maternal Health:</b>  |  | <b>2013-14</b>         | <b>2014-15</b>         |               |                         |                                  |      |  |
| 8   | Expected number of PW  | 3,021                  | 3,002                  |               |                         |                                  |      |  |
| 9   | Expected number of Delivery  | 2,779                  | 2,762                  |               |                         |                                  |      |  |
|   |  | <b>HMIS ( 2013-14)</b> | <b>HMIS ( 2014-15)</b> |               | <b>DLHS-4 (2012-13)</b> |                                  |      |  |
|   |  | <b>Number</b>          | <b>PC</b>              | <b>Number</b> | <b>PC</b>               |                                  |      |  |
| 10  | PW register for ANC  | 2,805                  | 92.9                   | 2,636         | 87.8                    | Any ANC                          | 74.2 |  |
| 11  | Mothers registered in the first trimester  | 1,686                  | 60.1                   | 1,735         | 65.8                    | ANC Check up in first trimester  | 41.0 |  |
| 12  | Mothers who had at least 3 Ante-Natal care check ups   | 1,717                  | 61.2                   | 1,652         | 62.7                    | 3 or more ANC check up           | 51.6 |  |
| 13  | PW who got TT 2 / Booster injection  | 2,438                  | 86.9                   | 2,318         | 87.9                    | At least 1 TT received           | 67.1 |  |
| 14  | PW who consumed 100 IFA tablets  | 2,154                  | 76.8                   | 1,775         | 67.3                    | 100 IFA tablets consumed         | 33.2 |  |
| 15  | Home Delivery against expected delivery *  | 458                    | 16.5                   | 374           | 13.5                    | Full ANC                         | 24.0 |  |
| 16  | Institutional Delivery Against expected delivery *   | 2,257                  | 81.2                   | 2,175         | 78.7                    | Home Delivery                    | 38.5 |  |
| 17  | Reported Home Delivery **  | 458                    | 16.9                   | 374           | 14.7                    | Institutional Delivery           | 61.2 |  |
| 18  | Reported institutional Delivery **   | 2,257                  | 83.1                   | 2,175         | 85.3                    | Home Delivery by SBA             | 11.3 |  |
| 19  | Total reported Deliveries  | 2,715                  |                        | 2,549         |                         | PNC within 14 days of delivery   | 53.4 |  |
| 20  | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 203                    | 44.3                   | 153           | 40.9                    |                                  |      |  |
| 21  | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 3,064                  | 112.9                  | 2,399         | 94.1                    |                                  |      |  |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b> |  |                        |                        |               |                         |                                  |      |  |
| 22  | Expected number of Live Birth  | 2,746                  |                        | 2,729         |                         |                                  |      |  |
| <b>D) Child Immunization :</b>  |  | <b>HMIS ( 2013-14)</b> | <b>HMIS ( 2014-15)</b> |               | <b>DLHS-4 (2012-13)</b> |                                  |      |  |
|   |  | <b>Number</b>          | <b>PC</b>              | <b>Number</b> | <b>PC</b>               |                                  |      |  |
| 23  | Total reported live births   | 2,698                  | 98.3                   | 2,539         | 93.0                    | Breastfed within 1 hour of birth | 90.2 |  |

|    |  |       |       |       |       |                   |      |
|----|--|-------|-------|-------|-------|-------------------|------|
| 24 | Total Still Birth  | 21    | 0.8   | 14    | 0.5   | BCG               | 85.5 |
| 25 | PC of newborn weighted at birth to live birth                              | 2,677 | 99.2  | 2,527 | 99.5  | 3 dose of DPT     | 75   |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 133   | 5.0   | 112   | 4.4   | Measles           | 76.3 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth.       | 2,442 | 90.5  | 2,417 | 95.2  | Full Immunization | 59.2 |
| 28 | Children fully immunized   | 2,317 | 84.4  | 2,118 | 77.6  |                   |      |
| 29 | Children who have received BCG   | 2,848 | 103.7 | 2,791 | 102.3 |                   |      |
| 30 | Children who have received DPT1  | 2,678 | 97.5  | 2,307 | 84.5  |                   |      |
| 31 | Children who have received DPT3  | 2,753 | 100.3 | 2,328 | 85.3  |                   |      |
| 32 | Children who have received Measles   | 2,381 | 86.7  | 2,181 | 79.9  |                   |      |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years         | 1,167 |       | 1,182 |       |                   |      |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

| E) Family Planning |                                 | HMIS ( 2013-14) | HMIS ( 2014-15) | DLHS-4 (2012-13)          |      |
|--------------------|---------------------------------|-----------------|-----------------|---------------------------|------|
| 34                 | Number of Vasectomies performed | 0               | 0               | Limiting                  | 1.8  |
| 35                 | Number of Tubectomies performed | 288             | 214             | Spacing                   | 17.4 |
| 36                 | Number of IUD insertion         | 384             | 308             | Women using any method    | 65.5 |
| 37                 | Number of IUD removals          | 137             | 115             | Women using modern method | 64.9 |

| F) Service delivery |   | HMIS ( 2013-14) | HMIS ( 2014-15) |  |  |
|---------------------|---|-----------------|-----------------|--|--|
| 38                  | IPD cases per 10,000 population ***         | 813.56          | 792.70          |  |  |
| 39                  | General OPD cases per 10,000 population *** | 10250.07        | 10715.11        |  |  |
| 40                  | Ayush OPD cases per 10,000 population ***   | 314.41          | 509.46          |  |  |

### G) Mortality Details

| I) | Infant Deaths (In Numbers)          | HMIS ( 2013-14) | HMIS ( 2014-15) |  |  |
|----|-------------------------------------|-----------------|-----------------|--|--|
| 41 | Neonatal death within 24 hours      | 2               | 0               |  |  |
| 42 | Up to 1 Weeks of Birth              | 2               | 15              |  |  |
| 43 | Between 1 week & 4 weeks of birth   | 2               | 1               |  |  |
| 44 | Neonatal Death                      | 6               | 16              |  |  |
| 45 | Between 1 month and 11 months       | 62              | 63              |  |  |
| 46 | <b>Total reported infant deaths</b> | 68              | 79              |  |  |

| II) | Maternal Mortality                               | HMIS ( 2013-14) | HMIS ( 2014-15) |  |  |
|-----|--|-----------------|-----------------|--|--|
|     | Maternal Deaths (In Numbers)                     | HMIS ( 2013-14) | HMIS ( 2014-15) |  |  |
| 47  | Due to Abortion                                  | 0               | 0               |  |  |
| 48  | Due to Obstructed/prolonged labour               | 1               | 0               |  |  |
| 49  | Due to Severe hypertension/fits                  | 0               | 0               |  |  |
| 50  | Due to Bleeding                                  | 0               | 1               |  |  |
| 51  | Due to High fever                                | 0               | 0               |  |  |
| 52  | Due to Other Causes (including causes not known) | 3               | 1               |  |  |
| 53  | <b>Total reported maternal deaths</b>            | 4               | 2               |  |  |

## Mamit Factsheet

### Key Indicators

| SL No   | A) Demographic Indicators (Census 2011)  |                        |                        |               |                         |                                  |      |
|---|--|------------------------|------------------------|---------------|-------------------------|----------------------------------|------|
| 1   | Population 2011  | 86,364                 |                        |               |                         |                                  |      |
| 2   | Sex Ratio  | 924                    |                        |               |                         |                                  |      |
| <b>B) Infrastructure Details (RHS 2014)</b>   |  | <b>Numbers</b>         |                        |               |                         |                                  |      |
| 3   | Sub Centers (SC)   | 29                     |                        |               |                         |                                  |      |
| 4   | Primary Health Centers (PHC)   | 7                      |                        |               |                         |                                  |      |
| 5   | Community Health Centers (CHC)   | 1                      |                        |               |                         |                                  |      |
| 6   | SDH  | 0                      |                        |               |                         |                                  |      |
| 7   | DH   | 1                      |                        |               |                         |                                  |      |
| <b>C) Maternal Health:</b>  |  | <b>2013-14</b>         | <b>2014-15</b>         |               |                         |                                  |      |
| 8   | Expected number of PW  | 1,695                  | 1,725                  |               |                         |                                  |      |
| 9   | Expected number of Delivery  | 1,559                  | 1,587                  |               |                         |                                  |      |
|   |  | <b>HMIS ( 2013-14)</b> | <b>HMIS ( 2014-15)</b> |               | <b>DLHS-4 (2012-13)</b> |                                  |      |
|   |  | <b>Number</b>          | <b>PC</b>              | <b>Number</b> | <b>PC</b>               |                                  |      |
| 10  | PW register for ANC  | 1,755                  | 103.6                  | 1,763         | 102.2                   | Any ANC                          | 78.0 |
| 11  | Mothers registered in the first trimester  | 1,060                  | 60.4                   | 1,118         | 63.4                    | ANC Check up in first trimester  | 38.4 |
| 12  | Mothers who had at least 3 Ante-Natal care check ups   | 842                    | 48.0                   | 1,020         | 57.9                    | 3 or more ANC check up           | 47.4 |
| 13  | PW who got TT 2 / Booster injection  | 1,394                  | 79.4                   | 1,311         | 74.4                    | At least 1 TT received           | 75.4 |
| 14  | PW who consumed 100 IFA tablets  | 1,215                  | 69.2                   | 1,288         | 73.1                    | 100 IFA tablets consumed         | 37.8 |
| 15  | Home Delivery against expected delivery *  | 418                    | 26.8                   | 488           | 30.8                    | Full ANC                         | 26.4 |
| 16  | Institutional Delivery Against expected delivery *   | 750                    | 48.1                   | 794           | 50.0                    | Home Delivery                    | 37.7 |
| 17  | Reported Home Delivery **  | 418                    | 35.8                   | 488           | 38.1                    | Institutional Delivery           | 62.0 |
| 18  | Reported institutional Delivery **   | 750                    | 64.2                   | 794           | 61.9                    | Home Delivery by SBA             | 10.1 |
| 19  | Total reported Deliveries  | 1,168                  |                        | 1,282         |                         | PNC within 14 days of delivery   | 51.6 |
| 20  | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 117                    | 28.0                   | 118           | 24.2                    |                                  |      |
| 21  | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 900                    | 77.1                   | 914           | 71.3                    |                                  |      |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b> |  |                        |                        |               |                         |                                  |      |
| 22  | Expected number of Live Birth  | 1,540                  |                        | 1,568         |                         |                                  |      |
| <b>D) Child Immunization :</b>  |  | <b>HMIS ( 2013-14)</b> | <b>HMIS ( 2014-15)</b> |               | <b>DLHS-4 (2012-13)</b> |                                  |      |
|   |  | <b>Number</b>          | <b>PC</b>              | <b>Number</b> | <b>PC</b>               |                                  |      |
| 23  | Total reported live births   | 1,156                  | 75.0                   | 1,262         | 80.5                    | Breastfed within 1 hour of birth | 91.6 |

|    |  |       |      |       |       |                   |      |
|----|--|-------|------|-------|-------|-------------------|------|
| 24 | Total Still Birth  | 13    | 0.8  | 12    | 0.8   | BCG               | 90.2 |
| 25 | PC of newborn weighted at birth to live birth                              | 923   | 79.8 | 1,112 | 88.1  | 3 dose of DPT     | 79.5 |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 15    | 1.6  | 37    | 3.3   | Measles           | 70.7 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth.       | 1,093 | 94.6 | 1,206 | 95.6  | Full Immunization | 59.8 |
| 28 | Children fully immunized   | 1,237 | 80.3 | 1,232 | 78.6  |                   |      |
| 29 | Children who have received BCG   | 1,404 | 91.1 | 1,507 | 96.1  |                   |      |
| 30 | Children who have received DPT1  | 1,511 | 98.1 | 1,590 | 101.4 |                   |      |
| 31 | Children who have received DPT3  | 1,430 | 92.8 | 1,388 | 88.5  |                   |      |
| 32 | Children who have received Measles   | 1,257 | 81.6 | 1,238 | 79.0  |                   |      |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years         | 1,050 |      | 999   |       |                   |      |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

| E) Family Planning   |  | HMIS ( 2013-14) | HMIS ( 2014-15) | DLHS-4 (2012-13)          |      |
|----------------------|--|-----------------|-----------------|---------------------------|------|
| 34                   | Number of Vasectomies performed                  | 0               | 0               | Limiting                  | 2.3  |
| 35                   | Number of Tubectomies performed                  | 36              | 33              | Spacing                   | 21.3 |
| 36                   | Number of IUD insertion                          | 136             | 138             | Women using any method    | 58.9 |
| 37                   | Number of IUD removals                           | 57              | 45              | Women using modern method | 58.5 |
| F) Service delivery  |  | HMIS ( 2013-14) | HMIS ( 2014-15) |                           |      |
| 38                   | IPD cases per 10,000 population ***              | 541.92          | 630.18          |                           |      |
| 39                   | General OPD cases per 10,000 population ***      | 6916.08         | 7438.62         |                           |      |
| 40                   | Ayush OPD cases per 10,000 population ***        | 13.25           | 17.26           |                           |      |
| G) Mortality Details |  |                 |                 |                           |      |
| I)                   | Infant Deaths (In Numbers)                       | HMIS ( 2013-14) | HMIS ( 2014-15) |                           |      |
| 41                   | Neonatal death within 24 hours                   | 0               | 2               |                           |      |
| 42                   | Up to 1 Weeks of Birth                           | 3               | 5               |                           |      |
| 43                   | Between 1 week & 4 weeks of birth                | 1               | 1               |                           |      |
| 44                   | Neonatal Death                                   | 4               | 8               |                           |      |
| 45                   | Between 1 month and 11 months                    | 20              | 31              |                           |      |
| 46                   | <b>Total reported infant deaths</b>              | 24              | 39              |                           |      |
| II)                  | Maternal Mortality                               |                 |                 |                           |      |
|                      | Maternal Deaths (In Numbers)                     | HMIS ( 2013-14) | HMIS ( 2014-15) |                           |      |
| 47                   | Due to Abortion                                  | 0               | 0               |                           |      |
| 48                   | Due to Obstructed/prolonged labour               | 0               | 0               |                           |      |
| 49                   | Due to Severe hypertension/fits                  | 0               | 0               |                           |      |
| 50                   | Due to Bleeding                                  | 1               | 0               |                           |      |
| 51                   | Due to High fever                                | 0               | 0               |                           |      |
| 52                   | Due to Other Causes (including causes not known) | 0               | 1               |                           |      |
| 53                   | <b>Total reported maternal deaths</b>            | 1               | 1               |                           |      |



## Saiha Factsheet

### Key Indicators

| SL No   | A) Demographic Indicators (Census 2011)  |                        |                        |               |                         |                                  |      |  |
|---|--|------------------------|------------------------|---------------|-------------------------|----------------------------------|------|--|
| 1   | Population 2011  | 56,574                 |                        |               |                         |                                  |      |  |
| 2   | Sex Ratio  | 978                    |                        |               |                         |                                  |      |  |
| <b>B) Infrastructure Details (RHS 2014)</b>   |  | <b>Numbers</b>         |                        |               |                         |                                  |      |  |
| 3   | Sub Centers (SC)   | 24                     |                        |               |                         |                                  |      |  |
| 4   | Primary Health Centers (PHC)   | 4                      |                        |               |                         |                                  |      |  |
| 5   | Community Health Centers (CHC)   | 0                      |                        |               |                         |                                  |      |  |
| 6   | SDH  | 0                      |                        |               |                         |                                  |      |  |
| 7   | DH   | 1                      |                        |               |                         |                                  |      |  |
| <b>C) Maternal Health:</b>  |  | <b>2013-14</b>         | <b>2014-15</b>         |               |                         |                                  |      |  |
| 8   | Expected number of PW  | 1,074                  | 1,076                  |               |                         |                                  |      |  |
| 9   | Expected number of Delivery  | 988                    | 989                    |               |                         |                                  |      |  |
|   |  | <b>HMIS ( 2013-14)</b> | <b>HMIS ( 2014-15)</b> |               | <b>DLHS-4 (2012-13)</b> |                                  |      |  |
|   |  | <b>Number</b>          | <b>PC</b>              | <b>Number</b> | <b>PC</b>               |                                  |      |  |
| 10  | PW register for ANC  | 1,675                  | 155.9                  | 1,619         | 150.5                   | Any ANC                          | 73.9 |  |
| 11  | Mothers registered in the first trimester  | 1,079                  | 64.4                   | 1,143         | 70.6                    | ANC Check up in first trimester  | 53.6 |  |
| 12  | Mothers who had at least 3 Ante-Natal care check ups   | 920                    | 54.9                   | 1,001         | 61.8                    | 3 or more ANC check up           | 51.0 |  |
| 13  | PW who got TT 2 / Booster injection  | 1,207                  | 72.1                   | 1,307         | 80.7                    | At least 1 TT received           | 66.0 |  |
| 14  | PW who consumed 100 IFA tablets  | 936                    | 55.9                   | 1,036         | 64.0                    | 100 IFA tablets consumed         | 35.4 |  |
| 15  | Home Delivery against expected delivery *  | 367                    | 37.1                   | 352           | 35.6                    | Full ANC                         | 28.1 |  |
| 16  | Institutional Delivery Against expected delivery *   | 995                    | 100.7                  | 1,047         | 105.8                   | Home Delivery                    | 42.4 |  |
| 17  | Reported Home Delivery **  | 367                    | 26.9                   | 352           | 25.2                    | Institutional Delivery           | 56.5 |  |
| 18  | Reported institutional Delivery **   | 995                    | 73.1                   | 1,047         | 74.8                    | Home Delivery by SBA             | 17.2 |  |
| 19  | Total reported Deliveries  | 1,362                  |                        | 1,399         |                         | PNC within 14 days of delivery   | 41.3 |  |
| 20  | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 148                    | 40.3                   | 155           | 44.0                    |                                  |      |  |
| 21  | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 526                    | 38.6                   | 852           | 60.9                    |                                  |      |  |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b> |  |                        |                        |               |                         |                                  |      |  |
| 22  | Expected number of Live Birth  | 977                    |                        | 978           |                         |                                  |      |  |
| <b>D) Child Immunization :</b>  |  | <b>HMIS ( 2013-14)</b> | <b>HMIS ( 2014-15)</b> |               | <b>DLHS-4 (2012-13)</b> |                                  |      |  |
|   |  | <b>Number</b>          | <b>PC</b>              | <b>Number</b> | <b>PC</b>               |                                  |      |  |
| 23  | Total reported live births   | 1,363                  | 139.6                  | 1,400         | 143.2                   | Breastfed within 1 hour of birth | 92   |  |

|    |  |       |       |       |       |                   |      |
|----|--|-------|-------|-------|-------|-------------------|------|
| 24 | Total Still Birth  | 15    | 1.5   | 9     | 0.9   | BCG               | 80.6 |
| 25 | PC of newborn weighted at birth to live birth                              | 1,310 | 96.1  | 1,347 | 96.2  | 3 dose of DPT     | 72   |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 56    | 4.3   | 74    | 5.5   | Measles           | 73.1 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth.       | 1,281 | 94.0  | 1,338 | 95.6  | Full Immunization | 60.2 |
| 28 | Children fully immunized   | 1,106 | 113.3 | 977   | 99.9  |                   |      |
| 29 | Children who have received BCG   | 1,152 | 118.0 | 1,361 | 139.2 |                   |      |
| 30 | Children who have received DPT1  | 1,151 | 117.9 | 1,229 | 125.7 |                   |      |
| 31 | Children who have received DPT3  | 1,174 | 120.2 | 1,130 | 115.6 |                   |      |
| 32 | Children who have received Measles   | 1,119 | 114.6 | 1,069 | 109.3 |                   |      |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years         | 626   |       | 690   |       |                   |      |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

| E) Family Planning |                                 | HMIS ( 2013-14) | HMIS ( 2014-15) | DLHS-4 (2012-13)          |      |
|--------------------|---------------------------------|-----------------|-----------------|---------------------------|------|
| 34                 | Number of Vasectomies performed | 0               | 0               | Limiting                  | 5.8  |
| 35                 | Number of Tubectomies performed | 50              | 93              | Spacing                   | 22.2 |
| 36                 | Number of IUD insertion         | 416             | 255             | Women using any method    | 54.3 |
| 37                 | Number of IUD removals          | 84              | 55              | Women using modern method | 53.6 |

| F) Service delivery |   | HMIS ( 2013-14) | HMIS ( 2014-15) |  |  |
|---------------------|---|-----------------|-----------------|--|--|
| 38                  | IPD cases per 10,000 population ***         | 823.44          | 851.37          |  |  |
| 39                  | General OPD cases per 10,000 population *** | 7191.53         | 7185.06         |  |  |
| 40                  | Ayush OPD cases per 10,000 population ***   | 472.24          | 643.65          |  |  |

### G) Mortality Details

| I) | Infant Deaths (In Numbers)          | HMIS ( 2013-14) | HMIS ( 2014-15) |  |  |
|----|-------------------------------------|-----------------|-----------------|--|--|
| 41 | Neonatal death within 24 hours      | 1               | 1               |  |  |
| 42 | Up to 1 Weeks of Birth              | 11              | 24              |  |  |
| 43 | Between 1 week & 4 weeks of birth   | 0               | 2               |  |  |
| 44 | Neonatal Death                      | 12              | 27              |  |  |
| 45 | Between 1 month and 11 months       | 95              | 131             |  |  |
| 46 | <b>Total reported infant deaths</b> | 107             | 158             |  |  |

| II) | Maternal Mortality                               | HMIS ( 2013-14) | HMIS ( 2014-15) |  |  |
|-----|--|-----------------|-----------------|--|--|
|     | Maternal Deaths (In Numbers)                     | HMIS ( 2013-14) | HMIS ( 2014-15) |  |  |
| 47  | Due to Abortion                                  | 1               | 0               |  |  |
| 48  | Due to Obstructed/prolonged labour               | 0               | 0               |  |  |
| 49  | Due to Severe hypertension/fits                  | 0               | 1               |  |  |
| 50  | Due to Bleeding                                  | 0               | 1               |  |  |
| 51  | Due to High fever                                | 0               | 0               |  |  |
| 52  | Due to Other Causes (including causes not known) | 1               | 3               |  |  |
| 53  | <b>Total reported maternal deaths</b>            | 2               | 5               |  |  |

## Serchhip Factsheet

### Key Indicators

| SL No   | A) Demographic Indicators (Census 2011)  |                        |                        |               |                         |                                  |      |  |
|---|--|------------------------|------------------------|---------------|-------------------------|----------------------------------|------|--|
| 1   | Population 2011  | 64,937                 |                        |               |                         |                                  |      |  |
| 2   | Sex Ratio  | 976                    |                        |               |                         |                                  |      |  |
| <b>B) Infrastructure Details (RHS 2014)</b>   |  | <b>Numbers</b>         |                        |               |                         |                                  |      |  |
| 3   | Sub Centers (SC)   | 26                     |                        |               |                         |                                  |      |  |
| 4   | Primary Health Centers (PHC)   | 5                      |                        |               |                         |                                  |      |  |
| 5   | Community Health Centers (CHC)   | 1                      |                        |               |                         |                                  |      |  |
| 6   | SDH  | 0                      |                        |               |                         |                                  |      |  |
| 7   | DH   | 1                      |                        |               |                         |                                  |      |  |
| <b>C) Maternal Health:</b>  |  | <b>2013-14</b>         | <b>2014-15</b>         |               |                         |                                  |      |  |
| 8   | Expected number of PW  | 1,232                  | 1,232                  |               |                         |                                  |      |  |
| 9   | Expected number of Delivery  | 1,133                  | 1,134                  |               |                         |                                  |      |  |
|   |  | <b>HMIS ( 2013-14)</b> | <b>HMIS ( 2014-15)</b> |               | <b>DLHS-4 (2012-13)</b> |                                  |      |  |
|   |  | <b>Number</b>          | <b>PC</b>              | <b>Number</b> | <b>PC</b>               |                                  |      |  |
| 10  | PW register for ANC  | 1,439                  | 116.8                  | 1,287         | 104.4                   | Any ANC                          | 99.7 |  |
| 11  | Mothers registered in the first trimester  | 970                    | 67.4                   | 1,013         | 78.7                    | ANC Check up in first trimester  | 69.6 |  |
| 12  | Mothers who had at least 3 Ante-Natal care check ups   | 973                    | 67.6                   | 964           | 74.9                    | 3 or more ANC check up           | 74.2 |  |
| 13  | PW who got TT 2 / Booster injection  | 1,193                  | 82.9                   | 1,107         | 86.0                    | At least 1 TT received           | 98.4 |  |
| 14  | PW who consumed 100 IFA tablets  | 1,071                  | 74.4                   | 863           | 67.1                    | 100 IFA tablets consumed         | 49.7 |  |
| 15  | Home Delivery against expected delivery *  | 68                     | 6.0                    | 21            | 1.9                     | Full ANC                         | 38.7 |  |
| 16  | Institutional Delivery Against expected delivery *   | 851                    | 75.1                   | 806           | 71.1                    | Home Delivery                    | 16.3 |  |
| 17  | Reported Home Delivery **  | 68                     | 7.4                    | 21            | 2.5                     | Institutional Delivery           | 83.1 |  |
| 18  | Reported institutional Delivery **   | 851                    | 92.6                   | 806           | 97.5                    | Home Delivery by SBA             | 8.6  |  |
| 19  | Total reported Deliveries  | 919                    |                        | 827           |                         | PNC within 14 days of delivery   | 49.8 |  |
| 20  | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 46                     | 67.6                   | 8             | 38.1                    |                                  |      |  |
| 21  | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 665                    | 72.4                   | 485           | 58.6                    |                                  |      |  |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b> |  |                        |                        |               |                         |                                  |      |  |
| 22  | Expected number of Live Birth  | 1,120                  |                        | 1,120         |                         |                                  |      |  |
| <b>D) Child Immunization :</b>  |  | <b>HMIS ( 2013-14)</b> | <b>HMIS ( 2014-15)</b> |               | <b>DLHS-4 (2012-13)</b> |                                  |      |  |
|   |  | <b>Number</b>          | <b>PC</b>              | <b>Number</b> | <b>PC</b>               |                                  |      |  |
| 23  | Total reported live births   | 910                    | 81.3                   | 825           | 73.6                    | Breastfed within 1 hour of birth | 78.6 |  |

|    |  |       |       |       |       |                   |      |
|----|--|-------|-------|-------|-------|-------------------|------|
| 24 | Total Still Birth  | 10    | 0.9   | 9     | 0.8   | BCG               | 97.4 |
| 25 | PC of newborn weighted at birth to live birth                              | 914   | 100.4 | 825   | 100.0 | 3 dose of DPT     | 85.9 |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 17    | 1.9   | 20    | 2.4   | Measles           | 89.9 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth.       | 899   | 98.8  | 823   | 99.8  | Full Immunization | 82.3 |
| 28 | Children fully immunized   | 1,127 | 100.7 | 1,053 | 94.0  |                   |      |
| 29 | Children who have received BCG   | 1,041 | 93.0  | 1,078 | 96.2  |                   |      |
| 30 | Children who have received DPT1  | 1,126 | 100.6 | 1,127 | 100.6 |                   |      |
| 31 | Children who have received DPT3  | 1,170 | 104.5 | 1,119 | 99.9  |                   |      |
| 32 | Children who have received Measles   | 1,129 | 100.8 | 1,053 | 94.0  |                   |      |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years         | 375   |       | 406   |       |                   |      |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

| E) Family Planning   |  | HMIS ( 2013-14) | HMIS ( 2014-15) | DLHS-4 (2012-13)          |      |
|----------------------|--|-----------------|-----------------|---------------------------|------|
| 34                   | Number of Vasectomies performed                  | 0               | 0               | Limiting                  | 2.5  |
| 35                   | Number of Tubectomies performed                  | 38              | 17              | Spacing                   | 14.4 |
| 36                   | Number of IUD insertion                          | 122             | 129             | Women using any method    | 66   |
| 37                   | Number of IUD removals                           | 96              | 84              | Women using modern method | 65   |
| F) Service delivery  |  | HMIS ( 2013-14) | HMIS ( 2014-15) |                           |      |
| 38                   | IPD cases per 10,000 population ***              | 651.36          | 605.96          |                           |      |
| 39                   | General OPD cases per 10,000 population ***      | 7007.45         | 6787.67         |                           |      |
| 40                   | Ayush OPD cases per 10,000 population ***        | 555.28          | 624.44          |                           |      |
| G) Mortality Details |  |                 |                 |                           |      |
| I)                   | Infant Deaths (In Numbers)                       | HMIS ( 2013-14) | HMIS ( 2014-15) |                           |      |
| 41                   | Neonatal death within 24 hours                   | 2               | 1               |                           |      |
| 42                   | Up to 1 Weeks of Birth                           | 4               | 6               |                           |      |
| 43                   | Between 1 week & 4 weeks of birth                | 1               | 0               |                           |      |
| 44                   | Neonatal Death                                   | 7               | 7               |                           |      |
| 45                   | Between 1 month and 11 months                    | 21              | 31              |                           |      |
| 46                   | <b>Total reported infant deaths</b>              | <b>28</b>       | <b>38</b>       |                           |      |
| II)                  | Maternal Mortality                               |                 |                 |                           |      |
|                      | Maternal Deaths (In Numbers)                     | HMIS ( 2013-14) | HMIS ( 2014-15) |                           |      |
| 47                   | Due to Abortion                                  | 0               | 0               |                           |      |
| 48                   | Due to Obstructed/prolonged labour               | 0               | 0               |                           |      |
| 49                   | Due to Severe hypertension/fits                  | 0               | 0               |                           |      |
| 50                   | Due to Bleeding                                  | 0               | 0               |                           |      |
| 51                   | Due to High fever                                | 0               | 0               |                           |      |
| 52                   | Due to Other Causes (including causes not known) | 0               | 0               |                           |      |
| 53                   | <b>Total reported maternal deaths</b>            | <b>0</b>        | <b>0</b>        |                           |      |

\* Against Expected Delivery for the year 2013-14 & 2014-15.

\*\* Against Reported Delivery for the year 2013-14 & 2014-15.

\*\*\* Against Estimated Population for year 2013-14 & 2014-15.