

Mizoram Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)			C) State Health Indicator (SRS 2014)			
1	Population 2011	1,097,206	9	Birth Rate		16.1	
2	Sex Ratio	975	10	Death Rate		4.3	
3	Number of districts	9	11	IMR		35	
B) Infrastructure Details (RHS 2014)			12	Growth Rate		11.8	
4	Sub Centers (SC)	370	13	TFR (SRS - 2007)		2.0	
5	Primary Health Centers (PHC)	57					
6	Community Health Centers (CHC)	9					
7	SDH	2					
8	DH	8					
D) Maternal Health:		2013-14		2014-15			
14	Expected number of PW	20,598		21,048			
15	Expected number of Delivery	19,282		19,364			
		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
16	PW register for ANC	24,749	120.2	23,475	111.5	Any ANC	83.3
17	Mothers registered in the first trimester	16,807	67.9	16,970	72.3	ANC Check up in first trimester	54.3
18	Mothers who had at least 3 Ante-Natal care check ups	15,907	64.3	16,968	72.3	3 or more ANC check up	61.6
19	PW who got TT 2 / Booster injection	20,722	83.7	20,391	86.9	At least 1 TT received	80
20	PW who consumed 100 IFA tablets	17,270	69.8	15,456	65.8	100 IFA tablets consumed	46.5
21	Home Delivery against expected delivery *	2,241	11.6	2,123	11.0	Full ANC	36.7
22	Institutional Delivery against expected delivery *	18,814	97.6	19,660	101.5	Home Delivery	27.1
23	Reported Home Delivery **	2,241	10.6	2,123	9.7	Institutional Delivery	72.4
24	Reported institutional Delivery **	18,814	89.4	19,660	90.3	Home Delivery by SBA	7.2
25	Total reported Deliveries	21,055	109.2	21,783	112.5	PNC within 14 days of delivery	49.7
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	753	33.6	588	27.7		
27	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	18,392	87.4	18,373	84.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
28	Expected number of Live Birth	19,053		19,135			
F) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
29	Total reported live births	21,188	111.2	22,113	115.6	Breastfed within 1 hour of birth	84.5

30	Total Still Birth	225	1.2	244	1.3	BCG	88.4
31	Newborn weighted at birth to live birth	20,536	96.9	21,389	96.7	3 dose of DPT	82.5
32	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1,033	4.9	1,033	4.7	Measles	79.7
33	Newborns breastfed within 1 hour to total reported live birth.	20,431	96.4	21,206	95.9	Full Immunization	71.2
34	Fully immunized	19,299	101.3	18,537	96.9		
35	Children who have received BCG	23,093	121.2	23,348	122.0		
36	Children who have received DPT1	20,900	109.7	21,050	110.0		
37	Children who have received DPT3	20,821	109.3	20,191	105.5		
38	Children who have received Measles	19,736	103.6	18,868	98.6		
39	Diarrhoea and Dehydration cases reported in children below 5 years	8,520		8,513			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)			
40	Number of Vasectomies performed	0	0	Limiting	2.9		
41	Number of Tubectomies performed	1,732	1,543	Spacing	18.5		
42	Number of IUD insertion	2,818	2,531	Women using any method	59.8		
43	Number of IUD removals	1,408	1,307	Women using modern method	59		
I) Service delivery		HMIS (2013-14)	HMIS (2014-15)				
44	IPD cases per 10,000 population ***	904	885				
45	General OPD cases per 10,000 population ***	10,633	10,218				
46	Ayush OPD cases per 10,000 population ***	266	279				
J) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)				
47	Neonatal death within 24 hours	12	13				
48	Up to 1 Weeks of Birth	152	164				
49	Between 1 week & 4 weeks of birth	7	17				
50	Neonatal Death	171	194				
51	Between 1 month and 11 months	567	628				
52	Total reported infant deaths	738	822				
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)				
53	Due to Abortion	1	0				
54	Due to Obstructed/prolonged labour	2	1				
55	Due to Severe hypertension/fits	3	1				
56	Due to Bleeding	5	6				
57	Due to High fever	1	4				
58	Due to Other Causes (including causes not known)	5	13				
59	Total reported maternal deaths	17	25				

Aizawl East Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	240,589						
2	Sex Ratio	1,009						
B) Infrastructure Details (RHS 2014)		Numbers						
3	Sub Centers (SC)	40						
4	Primary Health Centers (PHC)	5						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	0						
C) Maternal Health:		2013-14	2014-15					
8	Expected number of PW	4,607	4,633					
9	Expected number of Delivery	4,239	4,262					
		HMIS (2013-14)	HMIS (2014-15)		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
10	PW register for ANC	5,325	115.6	5,202	112.3	Any ANC	97.7	
11	Mothers registered in the first trimester	3,902	73.3	4,025	77.4	ANC Check up in first trimester	66.1	
12	Mothers who had at least 3 Ante-Natal care check ups	4,004	75.2	4,214	81.0	3 or more ANC check up	76.1	
13	PW who got TT 2 / Booster injection	4,855	91.2	4,762	91.5	At least 1 TT received	96.4	
14	PW who consumed 100 IFA tablets	3,359	63.1	2,934	56.4	100 IFA tablets consumed	67.2	
15	Home Delivery against expected delivery *	82	1.9	55	1.3	Full ANC	53.9	
16	Institutional Delivery Against expected delivery *	3,601	85.0	3,722	87.3	Home Delivery	6.6	
17	Reported Home Delivery **	82	2.2	55	1.5	Institutional Delivery	93.4	
18	Reported institutional Delivery **	3,601	97.8	3,722	98.5	Home Delivery by SBA	2.9	
19	Total reported Deliveries	3,683		3,777		PNC within 14 days of delivery	47.7	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	37	45.1	19	34.5			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,752	129.0	4,901	129.8			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).								
22	Expected number of Live Birth	4,188		4,212				
D) Child Immunization :		HMIS (2013-14)	HMIS (2014-15)		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
23	Total reported live births	3,672	87.7	3,762	89.3	Breastfed within 1 hour of birth	87.7	

24	Total Still Birth	42	1.0	51	1.2	BCG	98.6
25	PC of newborn weighted at birth to live birth	3,652	99.5	3,722	98.9	3 dose of DPT	94.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	236	6.5	156	4.2	Measles	90
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,516	95.8	3,542	94.2	Full Immunization	87
28	Children fully immunized	4,966	118.6	5,076	120.5		
29	Children who have received BCG	4,254	101.6	4,732	112.4		
30	Children who have received DPT1	5,350	127.7	5,563	132.1		
31	Children who have received DPT3	5,275	125.9	5,286	125.5		
32	Children who have received Measles	5,209	124.4	5,059	120.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	746		558			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	1.6
35	Number of Tubectomies performed	330	206	Spacing	14.4
36	Number of IUD insertion	456	394	Women using any method	64.6
37	Number of IUD removals	280	213	Women using modern method	63.5

F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	1034.08	1102.74		
39	General OPD cases per 10,000 population ***	5850.73	6323.43		
40	Ayush OPD cases per 10,000 population ***	126.59	97.41		

G) Mortality Details

I) Infant Deaths (In Numbers)		HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	5	0		
42	Up to 1 Weeks of Birth	32	31		
43	Between 1 week & 4 weeks of birth	1	1		
44	Neonatal Death	38	32		
45	Between 1 month and 11 months	114	84		
46	Total reported infant deaths	152	116		

II) Maternal Mortality		HMIS (2013-14)	HMIS (2014-15)		
Maternal Deaths (In Numbers)		HMIS (2013-14)	HMIS (2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	1		
49	Due to Severe hypertension/fits	2	0		
50	Due to Bleeding	0	2		
51	Due to High fever	0	4		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	2	7		

Aizawl West Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	159,720						
2	Sex Ratio	1,009						
B) Infrastructure Details (RHS 2014)		Numbers						
3	Sub Centers (SC)	54						
4	Primary Health Centers (PHC)	5						
5	Community Health Centers (CHC)	0						
6	SDH	1						
7	DH	1						
C) Maternal Health:		2013-14		2014-15				
8	Expected number of PW	3,059	3,076					
9	Expected number of Delivery	2,814	2,830					
		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)		
		Number	PC	Number	PC			
10	PW register for ANC	3,862	126.3	3,517	114.4	Any ANC	97.7	
11	Mothers registered in the first trimester	2,689	69.6	2,399	68.2	ANC Check up in first trimester	66.1	
12	Mothers who had at least 3 Ante-Natal care check ups	2,443	63.3	2,789	79.3	3 or more ANC check up	76.1	
13	PW who got TT 2 / Booster injection	3,195	82.7	3,013	85.7	At least 1 TT received	96.4	
14	PW who consumed 100 IFA tablets	2,490	64.5	2,168	61.6	100 IFA tablets consumed	67.2	
15	Home Delivery against expected delivery *	12	0.4	9	0.3	Full ANC	53.9	
16	Institutional Delivery Against expected delivery *	5,973	212.3	6,362	224.8	Home Delivery	6.6	
17	Reported Home Delivery **	12	0.2	9	0.1	Institutional Delivery	93.4	
18	Reported institutional Delivery **	5,973	99.8	6,362	99.9	Home Delivery by SBA	2.9	
19	Total reported Deliveries	5,985		6,371		PNC within 14 days of delivery	47.7	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	83.3	9	100.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,410	73.7	5,042	79.1			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).								
22	Expected number of Live Birth	2,781		2,796				
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)		
		Number	PC	Number	PC			
23	Total reported live births	5,928	213.2	6,305	225.5	Breastfed within 1 hour of birth	87.7	

24	Total Still Birth	57	2.0	66	2.4	BCG	98.6
25	PC of newborn weighted at birth to live birth	5,927	100.0	6,302	100.0	3 dose of DPT	94.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	313	5.3	315	5.0	Measles	90
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,925	99.9	6,300	99.9	Full Immunization	87
28	Children fully immunized	2,857	102.8	2,700	96.6		
29	Children who have received BCG	5,829	209.6	5,522	197.5		
30	Children who have received DPT1	2,861	102.9	2,933	104.9		
31	Children who have received DPT3	2,890	103.9	2,906	103.9		
32	Children who have received Measles	2,869	103.2	2,700	96.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	920		848			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	1.6
35	Number of Tubectomies performed	807	765	Spacing	14.4
36	Number of IUD insertion	749	602	Women using any method	64.6
37	Number of IUD removals	302	302	Women using modern method	63.5
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	1303.39	1330.88		
39	General OPD cases per 10,000 population ***	30398.60	27330.28		
40	Ayush OPD cases per 10,000 population ***	608.95	426.86		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	0	3		
42	Up to 1 Weeks of Birth	64	52		
43	Between 1 week & 4 weeks of birth	0	3		
44	Neonatal Death	64	58		
45	Between 1 month and 11 months	135	130		
46	Total reported infant deaths	199	188		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	1		

Champhai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	125,745						
2	Sex Ratio	981						
B) Infrastructure Details (RHS 2014)		Numbers						
3	Sub Centers (SC)	59						
4	Primary Health Centers (PHC)	11						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2013-14	2014-15					
8	Expected number of PW	2,372	2,367					
9	Expected number of Delivery	2,182	2,177					
		HMIS (2013-14)	HMIS (2014-15)		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
10	PW register for ANC	3,358	141.6	3,025	127.8	Any ANC	91.3	
11	Mothers registered in the first trimester	2,392	71.2	2,353	77.8	ANC Check up in first trimester	54.4	
12	Mothers who had at least 3 Ante-Natal care check ups	2,317	69.0	2,388	78.9	3 or more ANC check up	66.0	
13	PW who got TT 2 / Booster injection	2,808	83.6	2,741	90.6	At least 1 TT received	87.8	
14	PW who consumed 100 IFA tablets	2,581	76.9	2,545	84.1	100 IFA tablets consumed	51.3	
15	Home Delivery against expected delivery *	150	6.9	151	6.9	Full ANC	39.1	
16	Institutional Delivery Against expected delivery *	2,270	104.0	2,135	98.1	Home Delivery	21.7	
17	Reported Home Delivery **	150	6.2	151	6.6	Institutional Delivery	78.3	
18	Reported institutional Delivery **	2,270	93.8	2,135	93.4	Home Delivery by SBA	8.7	
19	Total reported Deliveries	2,420		2,286		PNC within 14 days of delivery	32.0	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	26	17.3	25	16.6			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,034	84.0	1,838	80.4			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).								
22	Expected number of Live Birth	2,156		2,152				
D) Child Immunization :		HMIS (2013-14)	HMIS (2014-15)		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
23	Total reported live births	2,421	112.3	2,284	106.2	Breastfed within 1 hour of birth	91	

24	Total Still Birth	15	0.7	28	1.3	BCG	95.1
25	PC of newborn weighted at birth to live birth	2,344	96.8	2,255	98.7	3 dose of DPT	90.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	119	5.1	135	6.0	Measles	89
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,411	99.6	2,234	97.8	Full Immunization	82.9
28	Children fully immunized	2,635	122.2	2,471	114.8		
29	Children who have received BCG	2,683	124.4	2,487	115.6		
30	Children who have received DPT1	2,752	127.6	2,765	128.5		
31	Children who have received DPT3	2,849	132.1	2,764	128.5		
32	Children who have received Measles	2,674	124.0	2,536	117.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,790		1,537			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	2.7
35	Number of Tubectomies performed	70	94	Spacing	19.7
36	Number of IUD insertion	347	420	Women using any method	59.4
37	Number of IUD removals	320	350	Women using modern method	59

F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	999.92	804.71		
39	General OPD cases per 10,000 population ***	7850.46	7010.91		
40	Ayush OPD cases per 10,000 population ***	51.20	115.00		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	0	4		
42	Up to 1 Weeks of Birth	20	18		
43	Between 1 week & 4 weeks of birth	1	5		
44	Neonatal Death	21	27		
45	Between 1 month and 11 months	32	50		
46	Total reported infant deaths	53	77		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	1	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	1	0		
52	Due to Other Causes (including causes not known)	1	6		
53	Total reported maternal deaths	3	6		

Kolasib Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	83,955						
2	Sex Ratio	956						
B) Infrastructure Details (RHS 2014)		Numbers						
3	Sub Centers (SC)	30						
4	Primary Health Centers (PHC)	5						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2013-14	2014-15					
8	Expected number of PW	1,614	1,625					
9	Expected number of Delivery	1,484	1,495					
		HMIS (2013-14)	HMIS (2014-15)		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
10	PW register for ANC	1,999	123.9	2,015	124.0	Any ANC	95.1	
11	Mothers registered in the first trimester	1,431	71.6	1,493	74.1	ANC Check up in first trimester	65.6	
12	Mothers who had at least 3 Ante-Natal care check ups	1,423	71.2	1,573	78.1	3 or more ANC check up	70.8	
13	PW who got TT 2 / Booster injection	1,799	90.0	1,942	96.4	At least 1 TT received	93.1	
14	PW who consumed 100 IFA tablets	1,524	76.2	1,441	71.5	100 IFA tablets consumed	51.4	
15	Home Delivery against expected delivery *	98	6.6	131	8.8	Full ANC	42.7	
16	Institutional Delivery Against expected delivery *	1,098	74.0	1,281	85.7	Home Delivery	22.5	
17	Reported Home Delivery **	98	8.2	131	9.3	Institutional Delivery	77.5	
18	Reported institutional Delivery **	1,098	91.8	1,281	90.7	Home Delivery by SBA	6.9	
19	Total reported Deliveries	1,196		1,412		PNC within 14 days of delivery	52.8	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	37	37.8	32	24.4			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,334	111.5	1,398	99.0			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).								
22	Expected number of Live Birth	1,467		1,478				
D) Child Immunization :		HMIS (2013-14)	HMIS (2014-15)		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
23	Total reported live births	1,430	97.5	1,856	125.6	Breastfed within 1 hour of birth	82.2	

24	Total Still Birth	28	1.9	32	2.2	BCG	99
25	PC of newborn weighted at birth to live birth	1,349	94.3	1,524	82.1	3 dose of DPT	96.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	78	5.8	115	7.5	Measles	90.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,366	95.5	1,535	82.7	Full Immunization	83.7
28	Children fully immunized	1,546	105.4	1,468	99.3		
29	Children who have received BCG	2,167	147.7	1,952	132.1		
30	Children who have received DPT1	1,676	114.3	1,612	109.1		
31	Children who have received DPT3	1,595	108.7	1,541	104.3		
32	Children who have received Measles	1,562	106.5	1,468	99.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,409		1,805			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	2.2
35	Number of Tubectomies performed	64	94	Spacing	18.2
36	Number of IUD insertion	63	130	Women using any method	57.3
37	Number of IUD removals	52	64	Women using modern method	56.7
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	985.47	787.94		
39	General OPD cases per 10,000 population ***	8550.58	8022.70		
40	Ayush OPD cases per 10,000 population ***	428.23	441.90		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	2	2		
42	Up to 1 Weeks of Birth	11	8		
43	Between 1 week & 4 weeks of birth	1	2		
44	Neonatal Death	14	12		
45	Between 1 month and 11 months	36	54		
46	Total reported infant deaths	50	66		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	1		
53	Total reported maternal deaths	0	2		

Lawngtlai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	117,894						
2	Sex Ratio	945						
B) Infrastructure Details (RHS 2014)		Numbers						
3	Sub Centers (SC)	37						
4	Primary Health Centers (PHC)	6						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2013-14	2014-15					
8	Expected number of PW	2,302	2,337					
9	Expected number of Delivery	2,118	2,150					
		HMIS (2013-14)	HMIS (2014-15)		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
10	PW register for ANC	2,531	109.9	2,411	103.1	Any ANC	37.9	
11	Mothers registered in the first trimester	1,598	63.1	1,691	70.1	ANC Check up in first trimester	21.5	
12	Mothers who had at least 3 Ante-Natal care check ups	1,268	50.1	1,367	56.7	3 or more ANC check up	26.4	
13	PW who got TT 2 / Booster injection	1,833	72.4	1,890	78.4	At least 1 TT received	35.1	
14	PW who consumed 100 IFA tablets	1,940	76.6	1,406	58.3	100 IFA tablets consumed	16.0	
15	Home Delivery against expected delivery *	588	27.8	542	25.2	Full ANC	12.3	
16	Institutional Delivery Against expected delivery *	1,019	48.1	1,338	62.2	Home Delivery	70.1	
17	Reported Home Delivery **	588	36.6	542	28.8	Institutional Delivery	27.7	
18	Reported institutional Delivery **	1,019	63.4	1,338	71.2	Home Delivery by SBA	3.5	
19	Total reported Deliveries	1,607		1,880		PNC within 14 days of delivery	74.1	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	129	21.9	69	12.7			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	707	44.0	544	28.9			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).								
22	Expected number of Live Birth	2,093		2,125				
D) Child Immunization :		HMIS (2013-14)	HMIS (2014-15)		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
23	Total reported live births	1,610	76.9	1,880	88.5	Breastfed within 1 hour of birth	56.5	

24	Total Still Birth	24	1.1	23	1.1	BCG	40.8
25	PC of newborn weighted at birth to live birth	1,440	89.4	1,775	94.4	3 dose of DPT	44.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	66	4.6	69	3.9	Measles	35.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,498	93.0	1,811	96.3	Full Immunization	26.3
28	Children fully immunized	1,508	72.1	1,442	67.9		
29	Children who have received BCG	1,715	82.0	1,918	90.3		
30	Children who have received DPT1	1,795	85.8	1,924	90.5		
31	Children who have received DPT3	1,685	80.5	1,729	81.4		
32	Children who have received Measles	1,536	73.4	1,564	73.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	437		488			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	6.3
35	Number of Tubectomies performed	49	27	Spacing	23.6
36	Number of IUD insertion	145	155	Women using any method	47.4
37	Number of IUD removals	80	79	Women using modern method	46.2
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	510.13	473.83		
39	General OPD cases per 10,000 population ***	4981.89	4699.27		
40	Ayush OPD cases per 10,000 population ***	66.39	41.96		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	5	5		
43	Between 1 week & 4 weeks of birth	0	2		
44	Neonatal Death	5	7		
45	Between 1 month and 11 months	52	54		
46	Total reported infant deaths	57	61		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	1	0		
50	Due to Bleeding	4	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	1		
53	Total reported maternal deaths	5	1		

Lunglei Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	161,428						
2	Sex Ratio	944						
B) Infrastructure Details (RHS 2014)		Numbers						
3	Sub Centers (SC)	71						
4	Primary Health Centers (PHC)	9						
5	Community Health Centers (CHC)	1						
6	SDH	1						
7	DH	1						
C) Maternal Health:		2013-14	2014-15					
8	Expected number of PW	3,021	3,002					
9	Expected number of Delivery	2,779	2,762					
		HMIS (2013-14)	HMIS (2014-15)		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
10	PW register for ANC	2,805	92.9	2,636	87.8	Any ANC	74.2	
11	Mothers registered in the first trimester	1,686	60.1	1,735	65.8	ANC Check up in first trimester	41.0	
12	Mothers who had at least 3 Ante-Natal care check ups	1,717	61.2	1,652	62.7	3 or more ANC check up	51.6	
13	PW who got TT 2 / Booster injection	2,438	86.9	2,318	87.9	At least 1 TT received	67.1	
14	PW who consumed 100 IFA tablets	2,154	76.8	1,775	67.3	100 IFA tablets consumed	33.2	
15	Home Delivery against expected delivery *	458	16.5	374	13.5	Full ANC	24.0	
16	Institutional Delivery Against expected delivery *	2,257	81.2	2,175	78.7	Home Delivery	38.5	
17	Reported Home Delivery **	458	16.9	374	14.7	Institutional Delivery	61.2	
18	Reported institutional Delivery **	2,257	83.1	2,175	85.3	Home Delivery by SBA	11.3	
19	Total reported Deliveries	2,715		2,549		PNC within 14 days of delivery	53.4	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	203	44.3	153	40.9			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,064	112.9	2,399	94.1			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).								
22	Expected number of Live Birth	2,746		2,729				
D) Child Immunization :		HMIS (2013-14)	HMIS (2014-15)		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
23	Total reported live births	2,698	98.3	2,539	93.0	Breastfed within 1 hour of birth	90.2	

24	Total Still Birth	21	0.8	14	0.5	BCG	85.5
25	PC of newborn weighted at birth to live birth	2,677	99.2	2,527	99.5	3 dose of DPT	75
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	133	5.0	112	4.4	Measles	76.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,442	90.5	2,417	95.2	Full Immunization	59.2
28	Children fully immunized	2,317	84.4	2,118	77.6		
29	Children who have received BCG	2,848	103.7	2,791	102.3		
30	Children who have received DPT1	2,678	97.5	2,307	84.5		
31	Children who have received DPT3	2,753	100.3	2,328	85.3		
32	Children who have received Measles	2,381	86.7	2,181	79.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,167		1,182			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	1.8
35	Number of Tubectomies performed	288	214	Spacing	17.4
36	Number of IUD insertion	384	308	Women using any method	65.5
37	Number of IUD removals	137	115	Women using modern method	64.9

F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	813.56	792.70		
39	General OPD cases per 10,000 population ***	10250.07	10715.11		
40	Ayush OPD cases per 10,000 population ***	314.41	509.46		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	2	0		
42	Up to 1 Weeks of Birth	2	15		
43	Between 1 week & 4 weeks of birth	2	1		
44	Neonatal Death	6	16		
45	Between 1 month and 11 months	62	63		
46	Total reported infant deaths	68	79		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	1	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	3	1		
53	Total reported maternal deaths	4	2		

Mamit Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	86,364					
2	Sex Ratio	924					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	29					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2013-14	2014-15				
8	Expected number of PW	1,695	1,725				
9	Expected number of Delivery	1,559	1,587				
		HMIS (2013-14)	HMIS (2014-15)		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
10	PW register for ANC	1,755	103.6	1,763	102.2	Any ANC	78.0
11	Mothers registered in the first trimester	1,060	60.4	1,118	63.4	ANC Check up in first trimester	38.4
12	Mothers who had at least 3 Ante-Natal care check ups	842	48.0	1,020	57.9	3 or more ANC check up	47.4
13	PW who got TT 2 / Booster injection	1,394	79.4	1,311	74.4	At least 1 TT received	75.4
14	PW who consumed 100 IFA tablets	1,215	69.2	1,288	73.1	100 IFA tablets consumed	37.8
15	Home Delivery against expected delivery *	418	26.8	488	30.8	Full ANC	26.4
16	Institutional Delivery Against expected delivery *	750	48.1	794	50.0	Home Delivery	37.7
17	Reported Home Delivery **	418	35.8	488	38.1	Institutional Delivery	62.0
18	Reported institutional Delivery **	750	64.2	794	61.9	Home Delivery by SBA	10.1
19	Total reported Deliveries	1,168		1,282		PNC within 14 days of delivery	51.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	117	28.0	118	24.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	900	77.1	914	71.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth	1,540		1,568			
D) Child Immunization :		HMIS (2013-14)	HMIS (2014-15)		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
23	Total reported live births	1,156	75.0	1,262	80.5	Breastfed within 1 hour of birth	91.6

24	Total Still Birth	13	0.8	12	0.8	BCG	90.2
25	PC of newborn weighted at birth to live birth	923	79.8	1,112	88.1	3 dose of DPT	79.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	15	1.6	37	3.3	Measles	70.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,093	94.6	1,206	95.6	Full Immunization	59.8
28	Children fully immunized	1,237	80.3	1,232	78.6		
29	Children who have received BCG	1,404	91.1	1,507	96.1		
30	Children who have received DPT1	1,511	98.1	1,590	101.4		
31	Children who have received DPT3	1,430	92.8	1,388	88.5		
32	Children who have received Measles	1,257	81.6	1,238	79.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,050		999			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	2.3
35	Number of Tubectomies performed	36	33	Spacing	21.3
36	Number of IUD insertion	136	138	Women using any method	58.9
37	Number of IUD removals	57	45	Women using modern method	58.5
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	541.92	630.18		
39	General OPD cases per 10,000 population ***	6916.08	7438.62		
40	Ayush OPD cases per 10,000 population ***	13.25	17.26		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	0	2		
42	Up to 1 Weeks of Birth	3	5		
43	Between 1 week & 4 weeks of birth	1	1		
44	Neonatal Death	4	8		
45	Between 1 month and 11 months	20	31		
46	Total reported infant deaths	24	39		
II)	Maternal Mortality	HMIS (2013-14)	HMIS (2014-15)		
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	1	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	1		
53	Total reported maternal deaths	1	1		

Saiha Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	56,574						
2	Sex Ratio	978						
B) Infrastructure Details (RHS 2014)		Numbers						
3	Sub Centers (SC)	24						
4	Primary Health Centers (PHC)	4						
5	Community Health Centers (CHC)	0						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2013-14	2014-15					
8	Expected number of PW	1,074	1,076					
9	Expected number of Delivery	988	989					
		HMIS (2013-14)	HMIS (2014-15)		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
10	PW register for ANC	1,675	155.9	1,619	150.5	Any ANC	73.9	
11	Mothers registered in the first trimester	1,079	64.4	1,143	70.6	ANC Check up in first trimester	53.6	
12	Mothers who had at least 3 Ante-Natal care check ups	920	54.9	1,001	61.8	3 or more ANC check up	51.0	
13	PW who got TT 2 / Booster injection	1,207	72.1	1,307	80.7	At least 1 TT received	66.0	
14	PW who consumed 100 IFA tablets	936	55.9	1,036	64.0	100 IFA tablets consumed	35.4	
15	Home Delivery against expected delivery *	367	37.1	352	35.6	Full ANC	28.1	
16	Institutional Delivery Against expected delivery *	995	100.7	1,047	105.8	Home Delivery	42.4	
17	Reported Home Delivery **	367	26.9	352	25.2	Institutional Delivery	56.5	
18	Reported institutional Delivery **	995	73.1	1,047	74.8	Home Delivery by SBA	17.2	
19	Total reported Deliveries	1,362		1,399		PNC within 14 days of delivery	41.3	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	148	40.3	155	44.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	526	38.6	852	60.9			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).								
22	Expected number of Live Birth	977		978				
D) Child Immunization :		HMIS (2013-14)	HMIS (2014-15)		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
23	Total reported live births	1,363	139.6	1,400	143.2	Breastfed within 1 hour of birth	92	

24	Total Still Birth	15	1.5	9	0.9	BCG	80.6
25	PC of newborn weighted at birth to live birth	1,310	96.1	1,347	96.2	3 dose of DPT	72
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	56	4.3	74	5.5	Measles	73.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,281	94.0	1,338	95.6	Full Immunization	60.2
28	Children fully immunized	1,106	113.3	977	99.9		
29	Children who have received BCG	1,152	118.0	1,361	139.2		
30	Children who have received DPT1	1,151	117.9	1,229	125.7		
31	Children who have received DPT3	1,174	120.2	1,130	115.6		
32	Children who have received Measles	1,119	114.6	1,069	109.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	626		690			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	5.8
35	Number of Tubectomies performed	50	93	Spacing	22.2
36	Number of IUD insertion	416	255	Women using any method	54.3
37	Number of IUD removals	84	55	Women using modern method	53.6
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	823.44	851.37		
39	General OPD cases per 10,000 population ***	7191.53	7185.06		
40	Ayush OPD cases per 10,000 population ***	472.24	643.65		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	1	1		
42	Up to 1 Weeks of Birth	11	24		
43	Between 1 week & 4 weeks of birth	0	2		
44	Neonatal Death	12	27		
45	Between 1 month and 11 months	95	131		
46	Total reported infant deaths	107	158		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
47	Due to Abortion	1	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	1		
50	Due to Bleeding	0	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	3		
53	Total reported maternal deaths	2	5		

Serchhip Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	64,937						
2	Sex Ratio	976						
B) Infrastructure Details (RHS 2014)		Numbers						
3	Sub Centers (SC)	26						
4	Primary Health Centers (PHC)	5						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2013-14	2014-15					
8	Expected number of PW	1,232	1,232					
9	Expected number of Delivery	1,133	1,134					
		HMIS (2013-14)	HMIS (2014-15)		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
10	PW register for ANC	1,439	116.8	1,287	104.4	Any ANC	99.7	
11	Mothers registered in the first trimester	970	67.4	1,013	78.7	ANC Check up in first trimester	69.6	
12	Mothers who had at least 3 Ante-Natal care check ups	973	67.6	964	74.9	3 or more ANC check up	74.2	
13	PW who got TT 2 / Booster injection	1,193	82.9	1,107	86.0	At least 1 TT received	98.4	
14	PW who consumed 100 IFA tablets	1,071	74.4	863	67.1	100 IFA tablets consumed	49.7	
15	Home Delivery against expected delivery *	68	6.0	21	1.9	Full ANC	38.7	
16	Institutional Delivery Against expected delivery *	851	75.1	806	71.1	Home Delivery	16.3	
17	Reported Home Delivery **	68	7.4	21	2.5	Institutional Delivery	83.1	
18	Reported institutional Delivery **	851	92.6	806	97.5	Home Delivery by SBA	8.6	
19	Total reported Deliveries	919		827		PNC within 14 days of delivery	49.8	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	46	67.6	8	38.1			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	665	72.4	485	58.6			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).								
22	Expected number of Live Birth	1,120		1,120				
D) Child Immunization :		HMIS (2013-14)	HMIS (2014-15)		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
23	Total reported live births	910	81.3	825	73.6	Breastfed within 1 hour of birth	78.6	

24	Total Still Birth	10	0.9	9	0.8	BCG	97.4
25	PC of newborn weighted at birth to live birth	914	100.4	825	100.0	3 dose of DPT	85.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	17	1.9	20	2.4	Measles	89.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	899	98.8	823	99.8	Full Immunization	82.3
28	Children fully immunized	1,127	100.7	1,053	94.0		
29	Children who have received BCG	1,041	93.0	1,078	96.2		
30	Children who have received DPT1	1,126	100.6	1,127	100.6		
31	Children who have received DPT3	1,170	104.5	1,119	99.9		
32	Children who have received Measles	1,129	100.8	1,053	94.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	375		406			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	2.5
35	Number of Tubectomies performed	38	17	Spacing	14.4
36	Number of IUD insertion	122	129	Women using any method	66
37	Number of IUD removals	96	84	Women using modern method	65
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
38	IPD cases per 10,000 population ***	651.36	605.96		
39	General OPD cases per 10,000 population ***	7007.45	6787.67		
40	Ayush OPD cases per 10,000 population ***	555.28	624.44		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
41	Neonatal death within 24 hours	2	1		
42	Up to 1 Weeks of Birth	4	6		
43	Between 1 week & 4 weeks of birth	1	0		
44	Neonatal Death	7	7		
45	Between 1 month and 11 months	21	31		
46	Total reported infant deaths	28	38		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	0		

* Against Expected Delivery for the year 2013-14 & 2014-15.

** Against Reported Delivery for the year 2013-14 & 2014-15.

*** Against Estimated Population for year 2013-14 & 2014-15.