

## NAGALAND Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)		SL No	C) State Health Indicator (SRS 2014)			
1	Population 2011	1,978,502	9	Birth Rate		15.4	
2	Sex Ratio	931	10	Death Rate		3.1	
3	Number of districts	11	11	IMR		18	
<b>B) Infrastructure Details (RHS 2014)</b>			12	Growth Rate		12.3	
4	Sub Centers (SC)	396	13	TFR (SRS - 2007)		2.0	
5	Primary Health Centers (PHC)	126					
6	Community Health Centers (CHC)	21					
7	SDH	0					
8	DH	11					
<b>D) Maternal Health:</b>		<b>2011-12</b>	<b>2011-12</b>				
14	Expected number of PW	37,433	37,433				
15	Expected number of Delivery	34,439	34,439				
		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15)</b>	<b>DLHS-4 ( 2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
16	PW register for ANC	47,156	126.0	44,556	119.0	Any ANC	41.8
17	Mothers registered in the first trimester	17,653	37.4	20,859	46.8	ANC Check up in first trimester	23.8
18	Mothers who had at least 3 Ante-Natal care check ups	14,271	30.3	14,948	33.5	3 or more ANC check up	26.5
19	Mothers who got TT2/ Booster injection (%)	16,889	35.8	16,223	36.4	Atleast 1 TT received	39.4
20	PW who consumed 100 IFA tablets	14,948	31.7	15,075	33.8	100 IFA tablets consumed	12
21	Home Delivery against expected delivery *	5,643	16.4	5,107	14.8	Full ANC	9.7
22	Institutional Delivery against expected delivery *	15,555	45.2	17,220	50.0	Home Delivery	66.1
23	Home Delivery against reported delivery **	5,643	26.6	5,107	22.9	Institutional Delivery	30.1
24	Institutional Delivery against reported delivery **	15,555	73.4	17,220	77.1	Home Delivery by SBA	17.5
25	Total reported Deliveries	21,198	61.6	22,327	64.8	PNC within 14 days of delivery	63.9
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4,626	82.0	4,056	79.4		
27	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,910	27.9	7,574	33.9		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
28	Expected number of Live Birth	34,030	34,030				
<b>E) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15)</b>	<b>DLHS-4 ( 2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
29	Total reported live births	21,031	61.8	22,046	64.8	Breastfed within 1 hour of birth	44.5

30	Total Still Birth	269	0.8	380	1.1	BCG	61.2
31	Newborn weighted at birth to live birth	19,677	93.6	21,178	96.1	3 dose of DPT	66
32	Newborn having weight less than 2.5 kg to newborn weighted at birth.	708	3.4	869	3.9	Measles	49
33	Newborns breastfed within 1 hour to total reported live birth.	18,907	89.9	19,404	88.0	Full Immunization	35.6
34	Fully immunized	19,876	58.4	19,236	56.5		
35	Children who have received BCG	28,355	83.3	27,348	80.4		
36	Children who have received DPT1	26,552	78.0	25,437	74.7		
37	Children who have received DPT3	22,774	66.9	21,743	63.9		
38	Children who have received Measles	21,077	61.9	20,649	60.7		
39	Diarrhoea and Dehydration cases reported in children below 5 years	5,076		5,061			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

F) Family Planning		HMIS ( 2013-14)	HMIS ( 2014-15)	DLHS-4 (2012-13)	
40	Number of Vasectomies performed	15	9	Limiting	23
41	Number of Tubectomies performed	1,771	1,437	Spacing	18.6
42	Number of IUD insertion	3,803	3,865	Women using any method	33.1
43	Number of IUD removals	1,349	1,637	Women using modern method	23.9
I) Service delivery		HMIS ( 2013-14)	HMIS ( 2014-15)		
44	IPD cases per 10,000 population ***	384	391		
45	General OPD cases per 10,000 population ***	4,547	5,073		
46	Ayush OPD cases per 10,000 population ***	140	143		
J) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2013-14)	HMIS ( 2014-15)		
47	Neonatal death within 24 hours	4	3		
48	Up to 1 Weeks of Birth	42	52		
49	Between 1 week & 4 weeks of birth	5	4		
50	Neonatal Death	51	59		
51	Between 1 month and 11 months	38	48		
52	<b>Total reported infant deaths</b>	89	107		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2013-14)	HMIS ( 2014-15)		
53	Due to Abortion	1	1		
54	Due to Obstructed/prolonged labour	0	1		
55	Due to Severe hypertension/fits	0	5		
56	Due to Bleeding	3	6		
57	Due to High fever	3	0		
58	Due to Other Causes (including causes not known)	6	14		
59	<b>Total reported maternal deaths</b>	13	27		

## Dimapur Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)							
1	Population 2011	<b>378,811</b>						
2	Sex Ratio	<b>916</b>						
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	<b>47</b>						
4	Primary Health Centers (PHC)	<b>8</b>						
5	Community Health Centers (CHC)	<b>2</b>						
6	SDH	<b>0</b>						
7	DH	<b>1</b>						
<b>C) Maternal Health:</b>		<b>2011-12</b>	<b>2011-12</b>					
8	Expected number of PW	7,167	7,167					
9	Expected number of Delivery	6,594	6,594					
		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15)</b>		<b>DLHS-4 (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	18,800	262.3	22,854	318.9	Any ANC	57.1	
11	Mothers registered in the first trimester	8,083	43.0	13,010	56.9	ANC Check up in first trimester	37.8	
12	Mothers who had at least 3 Ante-Natal care check ups	7,507	39.9	7,901	34.6	3 or more ANC check up	38	
13	PW who got TT 2 / Booster injection	6,779	36.1	6,861	30.0	Atleast 1 TT received	53	
14	PW who consumed 100 IFA tablets	4,889	26.0	5,436	23.8	100 IFA tablets consumed	16.9	
15	Home Delivery against expected delivery *	1,026	15.6	932	14.1	Full ANC	12.8	
16	Institutional Delivery against expected delivery *	6,281	95.3	7,357	111.6	Home Delivery	47.7	
17	Home Delivery against reported delivery **	1,026	14.0	932	11.2	Institutional Delivery	52	
18	Institutional Delivery against reported delivery **	6,281	86.0	7,357	89.7	Home Delivery by SBA	65.6	
19	Total reported Deliveries	7,307		8,289		PNC within 48 hrs of delivery	68.1	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	679	66.2	823	88.3			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,377	18.8	1,561	18.8			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>								
22	Expected number of Live Birth	6,516		6,516				
<b>D) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15)</b>		<b>DLHS-4 (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	7,240	111.1	8,152	125.1	Breastfed within 1 hour of birth	45.8	
24	Total Still Birth	124	1.9	202	3.1	BCG	71.4	

25	PC of newborn weighted at birth to live birth	6,982	96.4	8,075	99.1	3 dose of DPT	68.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	410	5.9	596	7.4	Measles	50.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	6,071	83.9	6,374	78.2	Full Immunization	38.1
28	Children fully immunized	7,073	108.6	7,203	110.6		
29	Children who have received BCG	10,447	160.3	10,160	155.9		
30	Children who have received DPT1	9,022	138.5	8,711	133.7		
31	Children who have received DPT3	7,502	115.1	7,311	112.2		
32	Children who have received Measles	7,137	109.5	7,203	110.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,397		1,840			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2013-14)	HMIS ( 2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	14	5	Limiting	23
35	Number of Tubectomies performed	570	494	Spacing	12.7
36	Number of IUD insertion	682	742	Women using any method	36.2
37	Number of IUD removals	349	489	Women using modern method	28.3
F) Service delivery		HMIS ( 2013-14)	HMIS ( 2014-15)		
38	IPD cases per 10,000 population ***	770	968		
39	General OPD cases per 10,000 population ***	7961	10529		
40	Ayush OPD cases per 10,000 population ***	116	144		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2013-14)	HMIS ( 2014-15)		
41	Neonatal death within 24 hours	0	1		
42	Up to 1 Weeks of Birth	15	37		
43	Between 1 week & 4 weeks of birth	2	1		
44	Neonatal Death	17	39		
45	Between 1 month and 11 months	16	29		
46	<b>Total reported infant deaths</b>	33	68		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2013-14)	HMIS ( 2014-15)		
47	Due to Abortion	1	1		
48	Due to Obstructed/prolonged labour	0	1		
49	Due to Severe hypertension/fits	0	1		
50	Due to Bleeding	0	5		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	4	6		
53	<b>Total reported maternal deaths</b>	5	14		

## Kiphrie Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	74,004					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	19					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12	2011-12				
8	Expected number of PW	1,400	1,400				
9	Expected number of Delivery	1,288	1,288				
		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,135	81.1	1,065	76.1	Any ANC	14.7
11	Mothers registered in the first trimester	367	32.3	305	28.6	ANC Check up in first trimester	2.9
12	Mothers who had at least 3 Ante-Natal care check ups	273	24.1	232	21.8	3 or more ANC check up	5.9
13	PW who got TT 2 / Booster injection	480	42.3	412	38.7	Atleast 1 TT received	11.8
14	PW who consumed 100 IFA tablets	568	50.0	685	64.3	100 IFA tablets consumed	5.9
15	Home Delivery against expected delivery *	327	25.4	308	23.9	Full ANC	2.9
16	Institutional Delivery against expected delivery *	481	37.3	501	38.9	Home Delivery	58.8
17	Home Delivery against reported delivery **	327	40.5	308	38.1	Institutional Delivery	32.4
18	Institutional Delivery against reported delivery **	481	59.5	501	62.2	Home Delivery by SBA	35.3
19	Total reported Deliveries	808		809		PNC within 48 hrs of delivery	63.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	282	86.2	232	75.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	274	33.9	428	52.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,273		1,273			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	798	62.7	799	62.8	Breastfed within 1 hour of birth	88.2
24	Total Still Birth	15	1.2	16	1.3	BCG	60

25	PC of newborn weighted at birth to live birth	750	94.0	744	93.1	3 dose of DPT	40
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	25	3.3	9	1.2	Measles	20
27	PC of newborns breastfed within 1 hour to total reported live birth.	771	96.6	772	96.6	Full Immunization	20
28	Children fully immunized	624	49.0	657	51.6		
29	Children who have received BCG	955	75.0	976	76.7		
30	Children who have received DPT1	875	68.7	868	68.2		
31	Children who have received DPT3	790	62.1	792	62.2		
32	Children who have received Measles	788	61.9	752	59.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	817		730			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2013-14)	HMIS ( 2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	39.4
35	Number of Tubectomies performed	71	73	Spacing	11.6
36	Number of IUD insertion	197	163	Women using any method	35.1
37	Number of IUD removals	18	28	Women using modern method	26.1
F) Service delivery		HMIS ( 2013-14)	HMIS ( 2014-15)		
38	IPD cases per 10,000 population ***	354	329		
39	General OPD cases per 10,000 population ***	3838	4123		
40	Ayush OPD cases per 10,000 population ***	103	95		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2013-14)	HMIS ( 2014-15)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	1	0		
43	Between 1 week & 4 weeks of birth	1	0		
44	Neonatal Death	2	0		
45	Between 1 month and 11 months	1	2		
46	<b>Total reported infant deaths</b>	<b>3</b>	<b>2</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2013-14)	HMIS ( 2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	1		
50	Due to Bleeding	0	1		
51	Due to High fever	1	0		
52	Due to Other Causes (including causes not known)	0	1		
53	<b>Total reported maternal deaths</b>	<b>1</b>	<b>3</b>		

## Kohima Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	267,988					
2	Sex Ratio	927					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	40					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	5,070	5,070				
9	Expected number of Delivery	4,665	4,665				
		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	8,766	172.9	4,895	96.5	Any ANC	72.4
11	Mothers registered in the first trimester	1,552	17.7	1,411	28.8	ANC Check up in first trimester	45.2
12	Mothers who had at least 3 Ante-Natal care check ups	1,748	19.9	2,395	48.9	3 or more ANC check up	42.4
13	PW who got TT 2 / Booster injection	1,783	20.3	1,880	38.4	Atleast 1 TT received	67.7
14	PW who consumed 100 IFA tablets	626	7.1	613	12.5	100 IFA tablets consumed	17.7
15	Home Delivery against expected delivery *	281	6.0	230	4.9	Full ANC	14.5
16	Institutional Delivery against expected delivery *	2,556	54.8	2,678	57.4	Home Delivery	50
17	Home Delivery against reported delivery **	281	9.9	230	7.9	Institutional Delivery	44.4
18	Institutional Delivery against reported delivery **	2,556	90.1	2,678	78.3	Home Delivery by SBA	15.3
19	Total reported Deliveries	2,837		2,908		PNC within 48 hrs of delivery	53.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	218	77.6	189	82.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	879	31.0	1,173	40.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	4,609		4,609			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	2,834	61.5	2,870	62.3	Breastfed within 1 hour of birth	46
24	Total Still Birth	11	0.2	42	0.9	BCG	63.9

25	PC of newborn weighted at birth to live birth	2,454	86.6	2,564	89.3	3 dose of DPT	69.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	50	2.0	46	1.8	Measles	58.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,552	90.0	2,437	84.9	Full Immunization	38.9
28	Children fully immunized	3,070	66.6	2,819	61.2		
29	Children who have received BCG	3,794	82.3	3,679	79.8		
30	Children who have received DPT1	3,465	75.2	3,278	71.1		
31	Children who have received DPT3	3,202	69.5	3,007	65.2		
32	Children who have received Measles	3,137	68.1	2,876	62.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	664		432			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	20.5
35	Number of Tubectomies performed	370		256		Spacing	15.7
36	Number of IUD insertion	691		780		Women using any method	44.4
37	Number of IUD removals	150		249		Women using modern method	25.2
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
38	IPD cases per 10,000 population ***	403		505			
39	General OPD cases per 10,000 population ***	5734		6285			
40	Ayush OPD cases per 10,000 population ***	162		154			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
41	Neonatal death within 24 hours	1		1			
42	Up to 1 Weeks of Birth	2		0			
43	Between 1 week & 4 weeks of birth	1		2			
44	Neonatal Death	4		3			
45	Between 1 month and 11 months	9		9			
46	<b>Total reported infant deaths</b>	13		12			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		1			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		4			
53	<b>Total reported maternal deaths</b>	0		5			



## Longleng Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	50,484					
2	Sex Ratio	903					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	8					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	955		955			
9	Expected number of Delivery	879		879			
		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,081	113.2	725	75.9	Any ANC	18.8
11	Mothers registered in the first trimester	505	46.7	465	64.1	ANC Check up in first trimester	7.2
12	Mothers who had at least 3 Ante-Natal care check ups	352	32.6	198	27.3	3 or more ANC check up	11.4
13	PW who got TT 2 / Booster injection	544	50.3	312	43.0	Atleast 1 TT received	17.4
14	PW who consumed 100 IFA tablets	619	57.3	335	46.2	100 IFA tablets consumed	7.2
15	Home Delivery against expected delivery *	325	37.0	235	26.7	Full ANC	7.2
16	Institutional Delivery against expected delivery *	311	35.4	356	40.5	Home Delivery	82.6
17	Home Delivery against reported delivery **	325	51.1	235	39.8	Institutional Delivery	17.4
18	Institutional Delivery against reported delivery **	311	48.9	356	82.7	Home Delivery by SBA	12.9
19	Total reported Deliveries	636		591		PNC within 48 hrs of delivery	83.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	324	99.7	227	96.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	253	39.8	310	52.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	868		868			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	636	73.2	590	67.9	Breastfed within 1 hour of birth	80
24	Total Still Birth	0	0.0	2	0.2	BCG	55.6

25	PC of newborn weighted at birth to live birth	622	97.8	561	95.1	3 dose of DPT	66.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	10	1.6	13	2.3	Measles	33.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	625	98.3	579	98.1	Full Immunization	22.2
28	Children fully immunized	744	85.7	645	74.3		
29	Children who have received BCG	746	85.9	668	76.9		
30	Children who have received DPT1	849	97.8	769	88.6		
31	Children who have received DPT3	774	89.1	664	76.5		
32	Children who have received Measles	755	86.9	692	79.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	180		147			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2013-14)	HMIS ( 2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	24.2
35	Number of Tubectomies performed	12	37	Spacing	10.6
36	Number of IUD insertion	95	164	Women using any method	31.3
37	Number of IUD removals	48	61	Women using modern method	22.3
F) Service delivery		HMIS ( 2013-14)	HMIS ( 2014-15)		
38	IPD cases per 10,000 population ***	141	170		
39	General OPD cases per 10,000 population ***	5853	6507		
40	Ayush OPD cases per 10,000 population ***	106	215		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2013-14)	HMIS ( 2014-15)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	0	0		
46	<b>Total reported infant deaths</b>	0	0		
II)	Maternal Mortality	HMIS ( 2013-14)	HMIS ( 2014-15)		
<b>Maternal Deaths (In Numbers)</b>					
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	0	0		

## Mokokchung Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	194,622					
2	Sex Ratio	927					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	51					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2011-12</b>		<b>2011-12</b>			
8	Expected number of PW	3,682		3,682			
9	Expected number of Delivery	3,388		3,388			
		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,886	51.2	1,570	42.6	Any ANC	74.6
11	Mothers registered in the first trimester	777	41.2	523	33.3	ANC Check up in first trimester	27.6
12	Mothers who had at least 3 Ante-Natal care check ups	762	40.4	561	35.7	3 or more ANC check up	46.6
13	PW who got TT 2 / Booster injection	682	36.2	635	40.4	Atleast 1 TT received	72.4
14	PW who consumed 100 IFA tablets	392	20.8	329	21.0	100 IFA tablets consumed	26.1
15	Home Delivery against expected delivery *	326	9.6	332	9.8	Full ANC	21.6
16	Institutional Delivery against expected delivery *	965	28.5	941	27.8	Home Delivery	56.4
17	Home Delivery against reported delivery **	326	25.3	332	26.1	Institutional Delivery	42.9
18	Institutional Delivery against reported delivery **	965	74.7	941	72.4	Home Delivery by SBA	35.8
19	Total reported Deliveries	1,291		1,273		PNC within 48 hrs of delivery	59.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	256	78.5	237	71.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	349	27.0	461	36.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,347		3,347			
<b>D) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,267	37.8	1,257	37.6	Breastfed within 1 hour of birth	34.7
24	Total Still Birth	24	0.7	17	0.5	BCG	89.1

25	PC of newborn weighted at birth to live birth	1,219	96.2	1,224	97.4	3 dose of DPT	80.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	40	3.3	36	2.9	Measles	78.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,101	86.9	1,244	99.0	Full Immunization	60.9
28	Children fully immunized	1,295	38.7	1,201	35.9		
29	Children who have received BCG	1,508	45.0	1,510	45.1		
30	Children who have received DPT1	1,457	43.5	1,496	44.7		
31	Children who have received DPT3	1,326	39.6	1,311	39.2		
32	Children who have received Measles	1,306	39.0	1,249	37.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	135		70			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2013-14)	HMIS ( 2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	1	2	Limiting	22
35	Number of Tubectomies performed	223	125	Spacing	11.3
36	Number of IUD insertion	301	267	Women using any method	51.7
37	Number of IUD removals	67	108	Women using modern method	34.3
F) Service delivery		HMIS ( 2013-14)	HMIS ( 2014-15)		
38	IPD cases per 10,000 population ***	872	419		
39	General OPD cases per 10,000 population ***	5017	4701		
40	Ayush OPD cases per 10,000 population ***	176	228		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2013-14)	HMIS ( 2014-15)		
41	Neonatal death within 24 hours	1	0		
42	Up to 1 Weeks of Birth	18	8		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	19	8		
45	Between 1 month and 11 months	0	2		
46	<b>Total reported infant deaths</b>	19	10		
II)	Maternal Mortality	HMIS ( 2013-14)	HMIS ( 2014-15)		
<b>Maternal Deaths (In Numbers)</b>					
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	2		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	0	2		

## Mon Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	250,260					
2	Sex Ratio	898					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	50					
4	Primary Health Centers (PHC)	15					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	4,735		4,735			
9	Expected number of Delivery	4,356		4,356			
		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	4,871	102.9	3,617	76.4	Any ANC	25.6
11	Mothers registered in the first trimester	1,526	31.3	1,339	37.0	ANC Check up in first trimester	10.5
12	Mothers who had at least 3 Ante-Natal care check ups	605	12.4	598	16.5	3 or more ANC check up	9.7
13	PW who got TT 2 / Booster injection	1,936	39.7	1,687	46.6	Atleast 1 TT received	25.6
14	PW who consumed 100 IFA tablets	1,765	36.2	1,399	38.7	100 IFA tablets consumed	4.8
15	Home Delivery against expected delivery *	998	22.9	798	18.3	Full ANC	3.2
16	Institutional Delivery against expected delivery *	953	21.9	1,192	27.4	Home Delivery	84
17	Home Delivery against reported delivery **	998	51.2	798	40.1	Institutional Delivery	16
18	Institutional Delivery against reported delivery **	953	48.8	1,192	76.9	Home Delivery by SBA	24
19	Total reported Deliveries	1,951		1,990		PNC within 48 hrs of delivery	75
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	810	81.2	649	81.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	486	24.9	620	31.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	4,304		4,304			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,924	44.7	1,955	45.4	Breastfed within 1 hour of birth	22.1
24	Total Still Birth	29	0.7	36	0.8	BCG	42.9

25	PC of newborn weighted at birth to live birth	1,878	97.6	1,901	97.2	3 dose of DPT	65
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	92	4.9	84	4.4	Measles	33.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,907	99.1	1,936	99.0	Full Immunization	20
28	Children fully immunized	1,713	39.8	1,557	36.2		
29	Children who have received BCG	2,813	65.4	2,465	57.3		
30	Children who have received DPT1	2,826	65.7	2,423	56.3		
31	Children who have received DPT3	2,184	50.7	1,880	43.7		
32	Children who have received Measles	1,771	41.1	1,679	39.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	383		462			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2013-14)	HMIS ( 2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	19.3
35	Number of Tubectomies performed	93	62	Spacing	33.8
36	Number of IUD insertion	458	683	Women using any method	30.9
37	Number of IUD removals	264	282	Women using modern method	28
F) Service delivery		HMIS ( 2013-14)	HMIS ( 2014-15)		
38	IPD cases per 10,000 population ***	134	119		
39	General OPD cases per 10,000 population ***	2295	2141		
40	Ayush OPD cases per 10,000 population ***	74	78		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2013-14)	HMIS ( 2014-15)		
41	Neonatal death within 24 hours	1	0		
42	Up to 1 Weeks of Birth	3	1		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	4	1		
45	Between 1 month and 11 months	2	2		
46	<b>Total reported infant deaths</b>	6	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2013-14)	HMIS ( 2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	2	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	2		
53	<b>Total reported maternal deaths</b>	2	2		

## Phek Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	163,418					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	43					
4	Primary Health Centers (PHC)	23					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	1,802		1,802			
9	Expected number of Delivery	2,845		2,845			
		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,879	104.3	2,162	120.0	Any ANC	51.9
11	Mothers registered in the first trimester	875	46.6	809	37.4	ANC Check up in first trimester	37
12	Mothers who had at least 3 Ante-Natal care check ups	742	39.5	496	22.9	3 or more ANC check up	40.7
13	PW who got TT 2 / Booster injection	1,045	55.6	792	36.6	Atleast 1 TT received	51.9
14	PW who consumed 100 IFA tablets	1,692	90.0	1,502	69.5	100 IFA tablets consumed	18.5
15	Home Delivery against expected delivery *	745	26.2	266	9.4	Full ANC	18.5
16	Institutional Delivery against expected delivery *	699	24.6	816	28.7	Home Delivery	66.7
17	Home Delivery against reported delivery **	745	51.6	266	24.6	Institutional Delivery	33.3
18	Institutional Delivery against reported delivery **	699	48.4	816	95.8	Home Delivery by SBA	29.6
19	Total reported Deliveries	1,444		1,082		PNC within 48 hrs of delivery	44.4
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	738	99.1	164	61.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	682	47.2	429	39.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,811		2,811			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,427	50.8	1,072	38.1	Breastfed within 1 hour of birth	40
24	Total Still Birth	17	0.6	15	0.5	BCG	42.9

25	PC of newborn weighted at birth to live birth	1,396	97.8	1,052	98.1	3 dose of DPT	42.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2	0.1	24	2.3	Measles	14.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,400	98.1	1,048	97.8	Full Immunization	0
28	Children fully immunized	1,383	49.2	762	27.1		
29	Children who have received BCG	1,701	60.5	1,196	42.6		
30	Children who have received DPT1	1,798	64.0	1,268	45.1		
31	Children who have received DPT3	1,710	60.8	982	34.9		
32	Children who have received Measles	1,534	54.6	906	32.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	159		229			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2013-14)	HMIS ( 2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	2	Limiting	19.3
35	Number of Tubectomies performed	80	48	Spacing	25.9
36	Number of IUD insertion	411	187	Women using any method	21.4
37	Number of IUD removals	133	99	Women using modern method	11.1
F) Service delivery		HMIS ( 2013-14)	HMIS ( 2014-15)		
38	IPD cases per 10,000 population ***	166	83		
39	General OPD cases per 10,000 population ***	3385	1807		
40	Ayush OPD cases per 10,000 population ***	115	134		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2013-14)	HMIS ( 2014-15)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	5		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	5		
45	Between 1 month and 11 months	0	2		
46	<b>Total reported infant deaths</b>	0	7		
II)	Maternal Mortality	HMIS ( 2013-14)	HMIS ( 2014-15)		
<b>Maternal Deaths (In Numbers)</b>					
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	1		
53	<b>Total reported maternal deaths</b>	0	1		



## Pheren Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	95,219					
2	Sex Ratio	917					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	16					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2011-12</b>		<b>2011-12</b>			
8	Expected number of PW	3,092		3,092			
9	Expected number of Delivery	1,657		1,657			
		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	2,134	69.0	1,959	63.4	Any ANC	34.7
11	Mothers registered in the first trimester	999	46.8	966	49.3	ANC Check up in first trimester	15.3
12	Mothers who had at least 3 Ante-Natal care check ups	512	24.0	755	38.5	3 or more ANC check up	16.3
13	PW who got TT 2 / Booster injection	787	36.9	975	49.8	Atleast 1 TT received	33.7
14	PW who consumed 100 IFA tablets	1,341	62.8	1,695	86.5	100 IFA tablets consumed	5.1
15	Home Delivery against expected delivery *	242	14.6	820	49.5	Full ANC	3
16	Institutional Delivery against expected delivery *	732	44.2	680	41.0	Home Delivery	78.8
17	Home Delivery against reported delivery **	242	24.8	820	54.7	Institutional Delivery	21.2
18	Institutional Delivery against reported delivery **	732	75.2	680	55.2	Home Delivery by SBA	12.2
19	Total reported Deliveries	974		1,500		PNC within 48 hrs of delivery	19
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	174	71.9	779	95.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	377	38.7	969	64.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,638		1,638			
<b>D) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	965	58.9	1,490	91.0	Breastfed within 1 hour of birth	45.2
24	Total Still Birth	11	0.7	13	0.8	BCG	63.2

25	PC of newborn weighted at birth to live birth	918	95.1	1,407	94.4	3 dose of DPT	84.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	22	2.4	13	0.9	Measles	57.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	947	98.1	1,418	95.2	Full Immunization	52.6
28	Children fully immunized	722	44.1	1,252	76.4		
29	Children who have received BCG	1,282	78.3	1,870	114.2		
30	Children who have received DPT1	1,270	77.5	1,813	110.7		
31	Children who have received DPT3	997	60.9	1,663	101.5		
32	Children who have received Measles	915	55.9	1,489	90.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	313		306			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2013-14)	HMIS ( 2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	8.7
35	Number of Tubectomies performed	54	108	Spacing	41.5
36	Number of IUD insertion	192	312	Women using any method	12.5
37	Number of IUD removals	68	123	Women using modern method	8.7
F) Service delivery		HMIS ( 2013-14)	HMIS ( 2014-15)		
38	IPD cases per 10,000 population ***	136	270		
39	General OPD cases per 10,000 population ***	3322	6162		
40	Ayush OPD cases per 10,000 population ***	333	280		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2013-14)	HMIS ( 2014-15)		
41	Neonatal death within 24 hours	1	0		
42	Up to 1 Weeks of Birth	3	1		
43	Between 1 week & 4 weeks of birth	0	1		
44	Neonatal Death	4	2		
45	Between 1 month and 11 months	1	0		
46	<b>Total reported infant deaths</b>	<b>5</b>	<b>2</b>		
II)	Maternal Mortality	HMIS ( 2013-14)	HMIS ( 2014-15)		
<b>Maternal Deaths (In Numbers)</b>					
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	1	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	<b>1</b>	<b>0</b>		

## Tuensang Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	196,596					
2	Sex Ratio	930					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	38					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2011-12</b>		<b>2011-12</b>			
8	Expected number of PW	3,720		3,720			
9	Expected number of Delivery	3,422		3,422			
		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	2,786	74.9	2,267	60.9	Any ANC	19.6
11	Mothers registered in the first trimester	1,390	49.9	648	28.6	ANC Check up in first trimester	9.1
12	Mothers who had at least 3 Ante-Natal care check ups	668	24.0	766	33.8	3 or more ANC check up	10.5
13	PW who got TT 2 / Booster injection	1,240	44.5	1,222	53.9	Atleast 1 TT received	15.8
14	PW who consumed 100 IFA tablets	1,354	48.6	1,257	55.4	100 IFA tablets consumed	4.9
15	Home Delivery against expected delivery *	679	19.8	619	18.1	Full ANC	4.2
16	Institutional Delivery against expected delivery *	1,108	32.4	1,174	34.3	Home Delivery	75.2
17	Home Delivery against reported delivery **	679	38.0	619	34.5	Institutional Delivery	10.5
18	Institutional Delivery against reported delivery **	1,108	62.0	1,174	98.6	Home Delivery by SBA	3.9
19	Total reported Deliveries	1,787		1,793		PNC within 48 hrs of delivery	50
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	484	71.3	212	34.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	327	18.3	423	23.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,381		3,381			
<b>D) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,778	52.6	1,776	52.5	Breastfed within 1 hour of birth	53.2
24	Total Still Birth	20	0.6	28	0.8	BCG	50.6

25	PC of newborn weighted at birth to live birth	1,440	81.0	1,642	92.5	3 dose of DPT	68.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	20	1.4	14	0.9	Measles	44.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,493	84.0	1,648	92.8	Full Immunization	34.2
28	Children fully immunized	1,355	40.1	1,092	32.3		
29	Children who have received BCG	2,290	67.7	2,112	62.5		
30	Children who have received DPT1	2,148	63.5	2,039	60.3		
31	Children who have received DPT3	1,658	49.0	1,705	50.4		
32	Children who have received Measles	1,532	45.3	1,484	43.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	458		398			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2013-14)	HMIS ( 2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	30.6
35	Number of Tubectomies performed	142	127	Spacing	21.1
36	Number of IUD insertion	212	169	Women using any method	37.6
37	Number of IUD removals	60	60	Women using modern method	29.6
F) Service delivery		HMIS ( 2013-14)	HMIS ( 2014-15)		
38	IPD cases per 10,000 population ***	213	201		
39	General OPD cases per 10,000 population ***	2269	2030		
40	Ayush OPD cases per 10,000 population ***	126	129		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2013-14)	HMIS ( 2014-15)		
41	Neonatal death within 24 hours	0	1		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	1	0		
44	Neonatal Death	1	1		
45	Between 1 month and 11 months	7	2		
46	<b>Total reported infant deaths</b>	<b>8</b>	<b>3</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2013-14)	HMIS ( 2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	1	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	2	0		
53	<b>Total reported maternal deaths</b>	<b>3</b>	<b>0</b>		

## Wokha Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	166,343					
2	Sex Ratio	969					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	37					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	3,147		3,147			
9	Expected number of Delivery	2,895		2,895			
		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,238	71.1	2,066	65.6	Any ANC	30.1
11	Mothers registered in the first trimester	969	43.3	805	39.0	ANC Check up in first trimester	25.4
12	Mothers who had at least 3 Ante-Natal care check ups	776	34.7	693	33.5	3 or more ANC check up	25.6
13	PW who got TT 2 / Booster injection	978	43.7	862	41.7	Atleast 1 TT received	30.1
14	PW who consumed 100 IFA tablets	1,339	59.8	1,422	68.8	100 IFA tablets consumed	6
15	Home Delivery against expected delivery *	238	8.2	190	6.6	Full ANC	6
16	Institutional Delivery against expected delivery *	725	25.0	785	27.1	Home Delivery	81.8
17	Home Delivery against reported delivery **	238	24.7	190	19.5	Institutional Delivery	18.2
18	Institutional Delivery against reported delivery **	725	75.3	785	84.9	Home Delivery by SBA	35.3
19	Total reported Deliveries	963		975		PNC within 48 hrs of delivery	64
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	236	99.2	184	96.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	356	37.0	493	50.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,861		2,861			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	965	33.7	975	34.1	Breastfed within 1 hour of birth	33.7
24	Total Still Birth	2	0.1	0	0.0	BCG	41.7

25	PC of newborn weighted at birth to live birth	862	89.3	917	94.1	3 dose of DPT	37.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	20	2.3	21	2.3	Measles	21.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	938	97.2	957	98.2	Full Immunization	13.5
28	Children fully immunized	1,240	43.3	1,279	44.7		
29	Children who have received BCG	1,514	52.9	1,542	53.9		
30	Children who have received DPT1	1,646	57.5	1,581	55.3		
31	Children who have received DPT3	1,576	55.1	1,451	50.7		
32	Children who have received Measles	1,282	44.8	1,346	47.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	112		62			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2013-14)	HMIS ( 2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	22
35	Number of Tubectomies performed	104	92	Spacing	14
36	Number of IUD insertion	176	91	Women using any method	33.6
37	Number of IUD removals	41	34	Women using modern method	25.2
F) Service delivery		HMIS ( 2013-14)	HMIS ( 2014-15)		
38	IPD cases per 10,000 population ***	146	189		
39	General OPD cases per 10,000 population ***	2860	2805		
40	Ayush OPD cases per 10,000 population ***	159	90		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2013-14)	HMIS ( 2014-15)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	1	0		
46	<b>Total reported infant deaths</b>	<b>1</b>	<b>0</b>		
II)	Maternal Mortality	HMIS ( 2013-14)	HMIS ( 2014-15)		
	Maternal Deaths (In Numbers)	HMIS ( 2013-14)	HMIS ( 2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Zunheboto Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	140,757					
2	Sex Ratio	981					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	47					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	2,663		2,663			
9	Expected number of Delivery	2,450		2,450			
		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,580	59.3	1,376	51.7	Any ANC	38.6
11	Mothers registered in the first trimester	610	38.6	578	42.0	ANC Check up in first trimester	18.6
12	Mothers who had at least 3 Ante-Natal care check ups	326	20.6	353	25.7	3 or more ANC check up	31.8
13	PW who got TT 2 / Booster injection	635	40.2	585	42.5	Atleast 1 TT received	36.4
14	PW who consumed 100 IFA tablets	363	23.0	402	29.2	100 IFA tablets consumed	15.9
15	Home Delivery against expected delivery *	456	18.6	377	15.4	Full ANC	13.6
16	Institutional Delivery against expected delivery *	744	30.4	740	30.2	Home Delivery	75
17	Home Delivery against reported delivery **	456	38.0	377	33.8	Institutional Delivery	20.7
18	Institutional Delivery against reported delivery **	744	62.0	740	92.8	Home Delivery by SBA	27.3
19	Total reported Deliveries	1,200		1,117		PNC within 48 hrs of delivery	70
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	425	93.2	360	95.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	550	45.8	707	63.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,421		2,421			
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,197	49.4	1,110	45.8	Breastfed within 1 hour of birth	44.4
24	Total Still Birth	16	0.7	9	0.4	BCG	62.5

25	PC of newborn weighted at birth to live birth	1,156	96.6	1,091	98.3	3 dose of DPT	50
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	17	1.5	13	1.2	Measles	75
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,102	92.1	991	89.3	Full Immunization	25
28	Children fully immunized	657	27.1	769	31.8		
29	Children who have received BCG	1,305	53.9	1,170	48.3		
30	Children who have received DPT1	1,196	49.4	1,191	49.2		
31	Children who have received DPT3	1,055	43.6	977	40.4		
32	Children who have received Measles	920	38.0	973	40.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	458		385			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2013-14)	HMIS ( 2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	19.5
35	Number of Tubectomies performed	52	15	Spacing	15.2
36	Number of IUD insertion	388	307	Women using any method	26.7
37	Number of IUD removals	151	104	Women using modern method	19
F) Service delivery		HMIS ( 2013-14)	HMIS ( 2014-15)		
38	IPD cases per 10,000 population ***	122	126		
39	General OPD cases per 10,000 population ***	3712	3780		
40	Ayush OPD cases per 10,000 population ***	150	120		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2013-14)	HMIS ( 2014-15)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	1	0		
46	<b>Total reported infant deaths</b>	<b>1</b>	<b>0</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2013-14)	HMIS ( 2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	1	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	<b>1</b>	<b>0</b>		



**Note** : Negative decadal growth rate was reported in Nagaland from 2001 to 2011 census. For this reason, the factsheet considers 2011 census data and corresponding targets.

\* Against Expected Delivery for the year 2011-12.

\*\* Against Reported Delivery for the year 2013-14 & 2014-15.

\*\*\* Against Population for year 2011-12.