

## Sikkim Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)		SL No	C) State Health Indicator (SRS 2014)			
1	Population 2011	610,577	9	Birth Rate		17.1	
2	Sex Ratio	889	10	Death Rate		5.2	
3	Number of districts	4	11	IMR		22	
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>	12	Growth Rate		11.8	
4	Sub Centers (SC)	147	13	TFR (SRS - 2007)		2.0	
5	Primary Health Centers (PHC)	24					
6	Community Health Centers (CHC)	2					
7	SDH	0					
8	DH	4					
<b>D) Maternal Health:</b>		<b>2013-14</b>	<b>2014-15</b>				
14	Expected number of PW	12,115	11,986				
15	Expected number of Delivery	11,146	11,027				
		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15)</b>		<b>DLHS-4 (2012-13)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
16	PW register for ANC	9,424	77.8	9,305	77.6	Any ANC	91.8
17	Mothers registered in the first trimester	6,784	72.0	7,257	78.0	ANC Check up in first trimester	68.5
18	Mothers who had at least 3 Ante-Natal care check ups	7,803	82.8	8,222	88.4	3 or more ANC check up	84.8
19	PW who got TT 2 / Booster injection	7,643	88.6	7,300	87.4	Atleast 1 TT received	91.3
20	PW who consumed 100 IFA tablets	7,614	80.8	7,573	81.4	100 IFA tablets consumed	74.8
21	Home Delivery against expected delivery *	548	4.9	164	1.5	Full ANC	70.3
22	Institutional Delivery against expected delivery *	7,416	66.5	7,722	70.0	Home Delivery	16
23	Home Delivery against reported delivery **	548	7	164	2.1	Institutional Delivery	82.7
24	Institutional Delivery against reported delivery **	7,416	93	7,722	97.9	Home Delivery by SBA	2.2
25	Total reported Deliveries	7,964	71	7,886	72	PNC within 14 days of delivery	84.9
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	245	45	55	34		
27	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	6,732	85	6,673	85		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
28	Expected number of Live Birth	11,013		10,896			
<b>E) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15)</b>		<b>DLHS-4 (2012-13)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
29	Total reported live births	7,912	71.8	7,842	72.0	Breastfed within 1 hour of birth	61.4
30	Total Still Birth	111	1.0	129	1.2	BCG	99.2

31	PC of newborn weighted at birth to live birth	7,796	98.5	7,456	95.1	3 dose of DPT	95.9
32	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	630	8.0	499	6.4	Measles	94.9
33	PC of newborns breastfed within 1 hour to total reported live birth.	7,748	97.9	6,676	85.1	Full Immunization	85.2
34	Children fully immunized	8,308	75.4	7,889	72.4		
35	Children who have received BCG	8,060	73.2	7,936	72.8		
36	Children who have received DPT1	7,960	72.3	7,668	70.4		
37	Children who have received DPT3	8,133	73.8	7,575	69.5		
38	Children who have received Measles	8,416	76.4	8,027	73.7		
39	Diarrhoea and Dehydration cases reported in children below 5 years	8,401		7,892			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
<b>F) Family Planning</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>DLHS-4 (2012-13)</b>	
40	Number of Vasectomies performed	49		28		Limiting	13.1
41	Number of Tubectomies performed	167		128		Spacing	7.1
42	Number of IUD insertion	1,441		1,524		Women using any method	64.1
43	Number of IUD removals	568		460		Women using modern method	53.8
<b>G) Service delivery</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
44	IPD cases per 10,000 population ***	638.77		643.41			
45	General OPD cases per 10,000 population ***	14948		14968			
46	Ayush OPD cases per 10,000 population ***	404.67		314.54			
<b>H) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
47	Neonatal death within 24 hours	4		3			
48	Up to 1 Weeks of Birth	31		69			
49	Between 1 week & 4 weeks of birth	4		5			
50	Neonatal Death	39		77			
51	Between 1 month and 11 months	21		69			
52	<b>Total reported infant deaths</b>	60		146			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
53	Due to Abortion	0		0			
54	Due to Obstructed/prolonged labour	0		0			
55	Due to Severe hypertension/fits	4		2			
56	Due to Bleeding	3		3			
57	Due to High fever	0		0			
58	Due to Other Causes (including causes not known)	4		10			
59	<b>Total reported maternal deaths</b>	11		15			

## East Sikkim Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	283,583					
2	Sex Ratio	872					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	48					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2013-14</b>		<b>2014-15</b>			
8	Expected number of PW	5,654		5,607			
9	Expected number of Delivery	5,202		5,159			
		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	4,381	77.5	4,322	77.1	Any ANC	94.0
11	Mothers registered in the first trimester	3,095	70.6	3,167	73.3	ANC Check up in first trimester	74.8
12	Mothers who had at least 3 Ante-Natal care check ups	3,640	83.1	3,847	89.0	3 or more ANC check up	81.1
13	PW who got TT 2 / Booster injection	3,770	86.1	3,512	81.3	Atleast 1 TT received	93.5
14	PW who consumed 100 IFA tablets	3,469	79.2	3,358	77.7	100 IFA tablets consumed	74.1
15	Home Delivery against expected delivery *	167	3.2	71	1.4	Full ANC	65.2
16	Institutional Delivery against expected delivery *	4,505	86.6	4,766	92.4	Home Delivery	6.9
17	Home Delivery against reported delivery **	167	3.6	71	1.5	Institutional Delivery	92.6
18	Institutional Delivery against reported delivery **	4,505	96.4	4,766	98.5	Home Delivery by SBA	1.0
19	Total reported Deliveries	4,672		4,837		PNC within 14 days of delivery	75.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	75	44.9	27	38.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,245	69.5	3,391	70.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth	5,140		5,097			
<b>D) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	4,665	90.8	4,821	94.6	Breastfed within 1 hour of birth	57.5
24	Total Still Birth	51	1.0	69	1.4	BCG	100

25	PC of newborn weighted at birth to live birth	4,595	98.5	4,475	92.8	3 dose of DPT	97.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	482	10.5	363	8.1	Measles	97.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,500	96.5	3,805	78.9	Full Immunization	83.3
28	Children fully immunized	3,945	76.8	3,694	72.5		
29	Children who have received BCG	4,649	90.4	4,793	94.0		
30	Children who have received DPT1	3,631	70.6	3,439	67.5		
31	Children who have received DPT3	3,685	71.7	3,318	65.1		
32	Children who have received Measles	3,994	77.7	3,720	73.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	3,532		3,121			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	12		4		Limiting	22.1
35	Number of Tubectomies performed	92		80		Spacing	10.8
36	Number of IUD insertion	644		633		Women using any method	49.4
37	Number of IUD removals	134		145		Women using modern method	46.3
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
38	IPD cases per 10,000 population ***	705.80		691.15			
39	General OPD cases per 10,000 population ***	17597.47		16647.89			
40	Ayush OPD cases per 10,000 population ***	195.25		327.13			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
41	Neonatal death within 24 hours	3		3			
42	Up to 1 Weeks of Birth	16		48			
43	Between 1 week & 4 weeks of birth	2		0			
44	Neonatal Death	21		51			
45	Between 1 month and 11 months	9		31			
46	<b>Total reported infant deaths</b>	<b>30</b>		<b>82</b>			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>		<b>HMIS ( 2014-15)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	3		1			
50	Due to Bleeding	1		3			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	3		7			
53	<b>Total reported maternal deaths</b>	<b>7</b>		<b>11</b>			

## North Sikkim Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	43,709						
2	Sex Ratio	769						
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	19						
4	Primary Health Centers (PHC)	5						
5	Community Health Centers (CHC)	0						
6	SDH	0						
7	DH	1						
<b>C) Maternal Health:</b>		<b>2013-14</b>	<b>2014-15</b>					
8	Expected number of PW #	856	841					
9	Expected number of Delivery #	787	774					
		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15)</b>		<b>DLHS-4 (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	665	77.7	671	79.8	Any ANC	91.0	
11	Mothers registered in the first trimester	515	77.4	574	85.5	ANC Check up in first trimester	70.3	
12	Mothers who had at least 3 Ante-Natal care check ups	594	89.3	597	89.0	3 or more ANC check up	86.2	
13	PW who got TT 2 / Booster injection	609	91.6	626	93.3	Atleast 1 TT received	91.0	
14	PW who consumed 100 IFA tablets	519	78.0	470	70.0	100 IFA tablets consumed	79.0	
15	Home Delivery against expected delivery *	24	3.0	8	1.0	Full ANC	75.5	
16	Institutional Delivery against expected delivery *	306	38.9	242	31.3	Home Delivery	17.0	
17	Home Delivery against reported delivery **	24	7.3	8	3.2	Institutional Delivery	82.0	
18	Institutional Delivery against reported delivery **	306	92.7	242	96.8	Home Delivery by SBA	3.5	
19	Total reported Deliveries	330		250		PNC within 14 days of delivery	86.7	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	14	58.3	2	25.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	360	109.1	312	124.8			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).								
22	Expected number of Live Birth #	778		765				
<b>D) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15)</b>		<b>DLHS-4 (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	320	41.1	249	32.6	Breastfed within 1 hour of birth	64.2	
24	Total Still Birth	5	0.6	3	0.4	BCG	98.2	

25	PC of newborn weighted at birth to live birth	303	94.7	248	99.6	3 dose of DPT	96.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	14	4.6	16	6.5	Measles	94.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	320	100.0	246	98.8	Full Immunization	86
28	Children fully immunized	543	69.8	488	63.8		
29	Children who have received BCG	339	43.6	250	32.7		
30	Children who have received DPT1	549	70.6	524	68.5		
31	Children who have received DPT3	571	73.4	537	70.2		
32	Children who have received Measles	552	70.9	541	70.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	806		687			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15)</b>	<b>DLHS-4 (2012-13)</b>			
34	Number of Vasectomies performed	0	0	Limiting	4.3		
35	Number of Tubectomies performed	0	0	Spacing	6.1		
36	Number of IUD insertion	67	87	Women using any method	73.5		
37	Number of IUD removals	29	36	Women using modern method	65.2		
<b>F) Service delivery</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15)</b>				
38	IPD cases per 10,000 population ***	386.15	374.97				
39	General OPD cases per 10,000 population ***	11588.23	12031.03				
40	Ayush OPD cases per 10,000 population ***	54.74	1.12				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15)</b>				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	1	1				
43	Between 1 week & 4 weeks of birth	1	2				
44	Neonatal Death	2	3				
45	Between 1 month and 11 months	2	8				
46	<b>Total reported infant deaths</b>	4	11				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15)</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	1	0				
50	Due to Bleeding	1	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	1	0				
53	<b>Total reported maternal deaths</b>	3	0				

## South Sikkim Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	146,850						
2	Sex Ratio	914						
B) Infrastructure Details (RHS 2014)		Numbers						
3	Sub Centers (SC)	39						
4	Primary Health Centers (PHC)	6						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2013-14		2014-15		DLHS-4 (2012-13)		
8	Expected number of PW	2,909	2,876					
9	Expected number of Delivery	2,676	2,646					
		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 (2012-13)		
		Number	PC	Number	PC			
10	PW register for ANC	2,195	75.5	2,194	76.3	Any ANC	94.3	
11	Mothers registered in the first trimester	1,625	74.0	1,735	79.1	ANC Check up in first trimester	70.0	
12	Mothers who had at least 3 Ante-Natal care check ups	1,752	79.8	1,879	85.6	3 or more ANC check up	91.5	
13	PW who got TT 2 / Booster injection	1,982	90.3	1,994	90.9	Atleast 1 TT received	93.5	
14	PW who consumed 100 IFA tablets	1,716	78.2	1,770	80.7	100 IFA tablets consumed	72.4	
15	Home Delivery against expected delivery *	162	6.1	59	2.2	Full ANC	67.9	
16	Institutional Delivery against expected delivery *	1,572	58.7	1,572	59.4	Home Delivery	17.9	
17	Home Delivery against reported delivery **	162	9.3	59	3.6	Institutional Delivery	81.3	
18	Institutional Delivery against reported delivery **	1,572	90.7	1,572	96.4	Home Delivery by SBA	2.0	
19	Total reported Deliveries	1,734		1,631		PNC within 14 days of delivery	90.5	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	77	47.5	13	22.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,474	85.0	1,441	88.4			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).								
22	Expected number of Live Birth	2,645		2,615				
D) Child Immunization :		HMIS ( 2013-14)		HMIS ( 2014-15)		DLHS-4 (2012-13)		
		Number	PC	Number	PC			
23	Total reported live births	1,705	64.5	1,611	61.6	Breastfed within 1 hour of birth	65.4	
24	Total Still Birth	29	1.1	35	1.3	BCG	98.1	

25	PC of newborn weighted at birth to live birth	1,705	100.0	1,587	98.5	3 dose of DPT	94.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	63	3.7	69	4.3	Measles	90.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,731	101.5	1,481	91.9	Full Immunization	83.3
28	Children fully immunized	1,952	73.8	1,869	71.5		
29	Children who have received BCG	1,731	65.5	1,665	63.7		
30	Children who have received DPT1	1,925	72.8	1,866	71.4		
31	Children who have received DPT3	1,977	74.8	1,880	71.9		
32	Children who have received Measles	1,967	74.4	1,911	73.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,010		2,082			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2013-14)	HMIS ( 2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	37	24	Limiting	13
35	Number of Tubectomies performed	75	48	Spacing	5.8
36	Number of IUD insertion	202	188	Women using any method	67.4
37	Number of IUD removals	93	66	Women using modern method	53
F) Service delivery		HMIS ( 2013-14)	HMIS ( 2014-15)		
38	IPD cases per 10,000 population ***	735.95	773.13		
39	General OPD cases per 10,000 population ***	13921.88	15696.51		
40	Ayush OPD cases per 10,000 population ***	687.04	412.02		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2013-14)	HMIS ( 2014-15)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	9	11		
43	Between 1 week & 4 weeks of birth	0	2		
44	Neonatal Death	9	13		
45	Between 1 month and 11 months	5	10		
46	<b>Total reported infant deaths</b>	14	23		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS ( 2013-14)	HMIS ( 2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	1	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	2		
53	<b>Total reported maternal deaths</b>	1	2		



## West Sikkim Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	136,435						
2	Sex Ratio	941						
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	41						
4	Primary Health Centers (PHC)	7						
5	Community Health Centers (CHC)	0						
6	SDH	0						
7	DH	1						
<b>C) Maternal Health:</b>		<b>2013-14</b>	<b>2014-15</b>					
8	Expected number of PW	2,698	2,664					
9	Expected number of Delivery	2,482	2,451					
		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15)</b>		<b>DLHS-4 (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	2,183	80.9	2,118	79.5	Any ANC	87.4	
11	Mothers registered in the first trimester	1,549	71.0	1,781	84.1	ANC Check up in first trimester	56.1	
12	Mothers who had at least 3 Ante-Natal care check ups	1,817	83.2	1,899	89.7	3 or more ANC check up	82.7	
13	PW who got TT 2 / Booster injection	1,984	90.9	1,999	94.4	Atleast 1 TT received	87.0	
14	PW who consumed 100 IFA tablets	1,910	87.5	1,975	93.2	100 IFA tablets consumed	71.8	
15	Home Delivery against expected delivery *	195	7.9	26	1.1	Full ANC	69.7	
16	Institutional Delivery against expected delivery *	1,033	41.6	1,142	46.6	Home Delivery	24.1	
17	Home Delivery against reported delivery **	195	15.9	26	2.2	Institutional Delivery	73.7	
18	Institutional Delivery against reported delivery **	1,033	84.1	1,142	97.8	Home Delivery by SBA	2.2	
19	Total reported Deliveries	1,228		1,168		PNC within 14 days of delivery	83.4	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	79	40.5	13	50.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,653	134.6	1,529	130.9			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>								
22	Expected number of Live Birth	2,452		2,422				
<b>D) Child Immunization :</b>		<b>HMIS ( 2013-14)</b>	<b>HMIS ( 2014-15)</b>		<b>DLHS-4 (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	1,222	49.8	1,161	47.9	Breastfed within 1 hour of birth	59.2	

24	Total Still Birth	26	1.1	22	0.9	BCG	100
25	PC of newborn weighted at birth to live birth	1,193	97.6	1,146	98.7	3 dose of DPT	97.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	71	6.0	51	4.5	Measles	97.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,197	98.0	1,144	98.5	Full Immunization	88.4
28	Children fully immunized	1,868	76.2	1,838	75.9		
29	Children who have received BCG	1,341	54.7	1,228	50.7		
30	Children who have received DPT1	1,855	75.6	1,839	75.9		
31	Children who have received DPT3	1,900	77.5	1,840	76.0		
32	Children who have received Measles	1,903	77.6	1,855	76.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,053		2,002			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2013-14)	HMIS ( 2014-15)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	8.5
35	Number of Tubectomies performed	0	0	Spacing	4.5
36	Number of IUD insertion	528	616	Women using any method	70.8
37	Number of IUD removals	312	213	Women using modern method	55.6
F) Service delivery		HMIS ( 2013-14)	HMIS ( 2014-15)		
38	IPD cases per 10,000 population ***	473.23	487.02		
39	General OPD cases per 10,000 population ***	11556.27	11557.74		
40	Ayush OPD cases per 10,000 population ***	649.85	281.43		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2013-14)	HMIS ( 2014-15)		
41	Neonatal death within 24 hours	1	0		
42	Up to 1 Weeks of Birth	5	9		
43	Between 1 week & 4 weeks of birth	1	1		
44	Neonatal Death	7	10		
45	Between 1 month and 11 months	5	20		
46	<b>Total reported infant deaths</b>	12	30		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2013-14)	HMIS ( 2014-15)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	1		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	1		
53	<b>Total reported maternal deaths</b>	0	2		

\* Against Expected Delivery for the year 2013-14 & 2014-15.

\*\* Against Reported Delivery for the year 2013-14 & 2014-15.

\*\*\* Against Estimated Population for year 2013-14 & 2014-15.