

Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)		SL No	C) State Health Indicator (SRS 2014)			
1	Population 2011	3,673,917	9	Birth Rate		13.7	
2	Sex Ratio	961	10	Death Rate		4.7	
3	Number of districts	8	11	IMR		26	
B) Infrastructure Details (RHS 2014)			12	Growth Rate		9	
4	Sub Centers (SC)	972	13	TFR (SRS - 2007)		1.7	
5	Primary Health Centers (PHC)	84					
6	Community Health Centers (CHC)	18					
7	SDH	13					
8	DH	3					
D) Maternal Health:		2013-14	2014-15				
14	Expected number of PW	57,808	58,667				
15	Expected number of Delivery	53,604	54,400				
		HMIS (2013-14)	HMIS (2014-15)		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
16	PW register for ANC	78,125	135.1	77,805	132.6	Any ANC	83.7
17	Mothers registered in the first trimester	44,334	56.7	48,880	62.8	ANC Check up in first trimester	66.6
18	Mothers who had at least 3 Ante-Natal care check ups	47,990	61.4	55,574	71.4	3 or more ANC check up	63.8
19	PW who got TT 2 / Booster injection	50,676	64.9	52,256	67.2	Atleast 1 TT received	80
20	PW who consumed 100 IFA tablets	34,761	44.5	46,844	60.2	100 IFA tablets consumed	36.9
21	Home Delivery against expected delivery *	8,039	15.0	6,777	12.5	Full ANC	27.3
22	Institutional Delivery against expected delivery *	44,178	82.4	44,544	81.9	Home Delivery	26.8
23	Home Delivery against reported delivery **	8,039	15	6,777	13.2	Institutional Delivery	72.7
24	Institutional Delivery against reported delivery **	44,178	85	44,544	86.8	Home Delivery by SBA	4.3
25	Total reported Deliveries	52,217	97	51,321	94	PNC within 14 days of delivery	61.6
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	188	2	135	2		
27	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	34,255	66	36,715	72		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
28	Expected number of Live Birth	52,553	53,333				
E) Child Immunization :		HMIS (2013-14)	HMIS (2014-15)		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
29	Total reported live births	51,845	98.7	50,893	95.4	Breastfed within 1 hour of birth	41.9

30	Total Still Birth	1,213	2.3	950	1.8	BCG	75.3
31	Newborn weighted at birth to live birth	48,264	93.1	48,756	95.8	3 dose of DPT	70.1
32	Newborn having weight less than 2.5 kg to newborn weighted at birth.	5,051	10.5	5,154	10.6	Measles	61.2
33	Newborns breastfed within 1 hour to total reported live birth.	47,769	92.1	48,864	96.0	Full Immunization	48
34	Fully immunized	47,319	90.0	49,132	92.1		
35	Children who have received BCG	55,918	106.4	54,165	101.6		
36	Children who have received DPT1	60,664	115.4	57,482	107.8		
37	Children who have received DPT3	55,788	106.2	53,417	100.2		
38	Children who have received Measles	54,416	103.5	55,058	103.2		
39	Diarrhoea and Dehydration cases reported in children below 5 years	32,385		30,973			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

F) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
40	Number of Vasectomies performed	23	18	Limiting	18.6
41	Number of Tubectomies performed	5,389	4,241	Spacing	8.1
42	Number of IUD insertion	984	1,099	Women using any method	61
43	Number of IUD removals	839	1,074	Women using modern method	41.1
G) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
44	IPD cases per 10,000 population ***	1,039	1,211		
45	General OPD cases per 10,000 population ***	8,889	9,615		
46	Ayush OPD cases per 10,000 population ***	994	837		
H) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
47	Neonatal death within 24 hours	9	4		
48	Up to 1 Weeks of Birth	147	229		
49	Between 1 week & 4 weeks of birth	20	6		
50	Neonatal Death	176	239		
51	Between 1 month and 11 months	170	282		
52	Total reported infant deaths	346	521		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2013-14)	HMIS (2014-15)		
53	Due to Abortion	1	0		
54	Due to Obstructed/prolonged labour	2	0		
55	Due to Severe hypertension/fits	10	4		
56	Due to Bleeding	7	4		
57	Due to High fever	1	0		
58	Due to Other Causes (including causes not known)	21	12		
59	Total reported maternal deaths	42	20		

Dhalai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	378,230						
2	Sex Ratio	945						
B) Infrastructure Details (RHS 2014)		Numbers						
4	Sub Centers(SC)	130						
5	Primary Health Centers(PHC)	12						
6	Community Health Centers (CHC)	1						
7	SDH	3						
8	DH	1						
C) Maternal Health:		2013-14	2014-15					
9	Expected number of PW	6,046	6,183					
10	Expected number of Delivery	5,606	5,734					
		HMIS (2013-14)	HMIS (2014-15)		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
11	PW register for ANC	7,857	130.0	8,134	131.5	Any ANC	81.1	
12	Mothers registered in the first trimester	5,640	71.8	5,453	67.0	ANC Check up in first trimester	64.2	
13	Mothers who had at least 3 Ante-Natal care check ups	4,611	58.7	4,893	60.2	3 or more ANC check up	63.6	
14	PW who got TT 2 / Booster injection	6,113	77.8	6,310	77.6	Atleast 1 TT received	78.1	
15	PW who consumed 100 IFA tablets	6,834	87.0	6,272	77.1	100 IFA tablets consumed	27.9	
16	Home Delivery against expected delivery *	806	14.4	749	13.1	Full ANC	20.6	
17	Institutional Delivery against expected delivery *	5,009	89.3	4,809	83.9	Home Delivery	29.4	
18	Home Delivery against reported delivery **	806	13.9	749	13.5	Institutional Delivery	70.6	
19	Institutional Delivery against reported delivery **	5,009	86.1	4,809	86.5	Home Delivery by SBA	4.1	
20	Total reported Deliveries	5,815		5,558		PNC within 14 days of delivery	58.8	
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	61	7.6	54	7.2			
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,589	44.5	3,025	54.4			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
23	Expected number of Live Birth	5,496		5,621				
D) Child Immunization :		HMIS (2013-14)	HMIS (2014-15)		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
24	Total reported live births	5,750	104.6	5,556	98.8	Breastfed within 1 hour of birth	43.3	
25	Total Still Birth	129	2.3	133	2.4	BCG	76	

26	PC of newborn weighted at birth to live birth	5,385	93.7	5,245	94.4	3 dose of DPT	66.7
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	545	10.1	576	11.0	Measles	61.3
28	PC of newborns breastfed within 1 hour to total reported live birth.	5,008	87.1	5,083	91.5	Full Immunization	51.4
29	Children fully immunized	5,145	93.6	5,030	89.5		
30	Children who have received BCG	5,986	108.9	5,766	102.6		
31	Children who have received DPT1	6,998	127.3	6,645	118.2		
32	Children who have received DPT3	6,057	110.2	5,776	102.8		
33	Children who have received Measles	5,495	100.0	5,302	94.3		
34	Diarrhoea and Dehydration cases reported in children below 5 years	5,994		6,761			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
36	Number of Vasectomies performed	0		0		Limiting	20.1
37	Number of Tubectomies performed	510		58		Spacing	8.3
38	Number of IUD insertion	305		173		Women using any method	58.9
39	Number of IUD removals	142		170		Women using modern method	39.1
F) Service delivery		HMIS (2013-14)		HMIS (2014-15)			
40	IPD cases per 10,000 population ***	983		1400			
41	General OPD cases per 10,000 population ***	7062.3		8368.6			
42	Ayush OPD cases per 10,000 population ***	617.4		402.6			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2013-14)		HMIS (2014-15)			
43	Neonatal death within 24 hours	1		3			
44	Up to 1 Weeks of Birth	32		27			
45	Between 1 week & 4 weeks of birth	1		1			
46	Neonatal Death	34		31			
47	Between 1 month and 11 months	41		52			
48	Total reported infant deaths	75		83			
II) Maternal Mortality							
Maternal Deaths (In Numbers)		HMIS (2013-14)		HMIS (2014-15)			
49	Due to Abortion	1		0			
50	Due to Obstructed/prolonged labour	1		0			
51	Due to Severe hypertension/fits	1		1			
52	Due to Bleeding	3		2			
53	Due to High fever	1		0			
54	Due to Other Causes (including causes not known)	3		2			
55	Total reported maternal deaths	10		5			

Gomati Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	436,868					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2014)		Numbers					
4	Sub Centers(SC)	130					
5	Primary Health Centers(PHC)	10					
6	Community Health Centers (CHC)	3					
7	SDH	2					
8	DH	1					
C) Maternal Health:		2013-14		2014-15			
9	Expected number of PW	6,868		6,965			
10	Expected number of Delivery	6,369		6,458			
		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	8,452	123.1	7,672	110.2	Any ANC	NA
12	Mothers registered in the first trimester	4,522	53.5	5,028	65.5	ANC Check up in first trimester	NA
13	Mothers who had at least 3 Ante-Natal care check ups	5,026	59.5	6,040	78.7	3 or more ANC check up	NA
14	PW who got TT 2 / Booster injection	5,952	70.4	6,265	81.7	Atleast 1 TT received	NA
15	PW who consumed 100 IFA tablets	4,420	52.3	4,949	64.5	100 IFA tablets consumed	NA
16	Home Delivery against expected delivery *	1,416	22.2	833	12.9	Full ANC	NA
17	Institutional Delivery against expected delivery *	5,661	88.9	5,706	88.4	Home Delivery	NA
18	Home Delivery against reported delivery **	1,416	20.0	833	12.7	Institutional Delivery	NA
19	Institutional Delivery against reported delivery **	5,661	80.0	5,706	87.3	Home Delivery by SBA	NA
20	Total reported Deliveries	7,077		6,539		PNC within 14 days of delivery	NA
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	8	0.6	3	0.4		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,024	56.9	3,814	58.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	6,244		6,332			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	7,009	112.3	6,465	102.1	Breastfed within 1 hour of birth	NA
25	Total Still Birth	105	1.7	105	1.7	BCG	NA

26	PC of newborn weighted at birth to live birth	6,136	87.5	6,141	95.0	3 dose of DPT	NA
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	626	10.2	807	13.1	Measles	NA
28	PC of newborns breastfed within 1 hour to total reported live birth.	6,620	94.4	6,416	99.2	Full Immunization	NA
29	Children fully immunized	5,150	82.5	5,628	88.9		
30	Children who have received BCG	6,668	106.8	6,677	105.5		
31	Children who have received DPT1	7,602	121.7	6,753	106.7		
32	Children who have received DPT3	6,478	103.7	6,286	99.3		
33	Children who have received Measles	5,721	91.6	6,172	97.5		
34	Diarrhoea and Dehydration cases reported in children below 5 years	1,776		2,405			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)			
36	Number of Vasectomies performed	0	0	Limiting	NA		
37	Number of Tubectomies performed	391	200	Spacing	NA		
38	Number of IUD insertion	104	140	Women using any method	NA		
39	Number of IUD removals	118	24	Women using modern method	NA		
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)				
40	IPD cases per 10,000 population ***	1190	1416				
41	General OPD cases per 10,000 population ***	6522.6	7705.7				
42	Ayush OPD cases per 10,000 population ***	672.5	616.8				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)				
43	Neonatal death within 24 hours	1	0				
44	Up to 1 Weeks of Birth	1	22				
45	Between 1 week & 4 weeks of birth	0	0				
46	Neonatal Death	2	22				
47	Between 1 month and 11 months	29	44				
48	Total reported infant deaths	31	66				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)				
49	Due to Abortion	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits	1	0				
52	Due to Bleeding	1	0				
53	Due to High fever	0	0				
54	Due to Other Causes (including causes not known)	1	2				
55	Total reported maternal deaths	3	2				

Khowai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	327,391					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2014)		Numbers					
4	Sub Centers(SC)	109					
5	Primary Health Centers(PHC)	7					
6	Community Health Centers (CHC)	2					
7	SDH	1					
8	DH	0					
C) Maternal Health:		2013-14		2014-15			
9	Expected number of PW	5,132		5,196			
10	Expected number of Delivery	4,759		4,818			
		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	5,386	105.0	5,628	108.3	Any ANC	NA
12	Mothers registered in the first trimester	4,149	77.0	4,388	78.0	ANC Check up in first trimester	NA
13	Mothers who had at least 3 Ante-Natal care check ups	3,884	72.1	4,743	84.3	3 or more ANC check up	NA
14	PW who got TT 2 / Booster injection	4,528	84.1	4,626	82.2	Atleast 1 TT received	NA
15	PW who consumed 100 IFA tablets	3,085	57.3	4,916	87.3	100 IFA tablets consumed	NA
16	Home Delivery against expected delivery *	572	12.0	360	7.5	Full ANC	NA
17	Institutional Delivery against expected delivery *	2,884	60.6	2,939	61.0	Home Delivery	NA
18	Home Delivery against reported delivery **	572	16.6	360	10.9	Institutional Delivery	NA
19	Institutional Delivery against reported delivery **	2,884	83.4	2,939	89.1	Home Delivery by SBA	NA
20	Total reported Deliveries	3,456		3,299		PNC within 14 days of delivery	NA
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	44	7.7	6	1.7		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,474	42.7	1,603	48.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	4,665		4,724			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	3,411	73.1	3,259	69.0	Breastfed within 1 hour of birth	NA
25	Total Still Birth	50	1.1	54	1.1	BCG	NA

26	PC of newborn weighted at birth to live birth	3,155	92.5	3,180	97.6	3 dose of DPT	NA
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	425	13.5	334	10.5	Measles	NA
28	PC of newborns breastfed within 1 hour to total reported live birth.	3,063	89.8	3,182	97.6	Full Immunization	NA
29	Children fully immunized	4,929	105.7	4,954	104.9		
30	Children who have received BCG	3,965	85.0	3,272	69.3		
31	Children who have received DPT1	5,000	107.2	4,684	99.2		
32	Children who have received DPT3	4,970	106.5	4,619	97.8		
33	Children who have received Measles	5,018	107.6	5,029	106.5		
34	Diarrhoea and Dehydration cases reported in children below 5 years	1,065		973			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
36	Number of Vasectomies performed	0		0		Limiting	NA
37	Number of Tubectomies performed	239		134		Spacing	NA
38	Number of IUD insertion	30		26		Women using any method	NA
39	Number of IUD removals	103		138		Women using modern method	NA
F) Service delivery		HMIS (2013-14)		HMIS (2014-15)			
40	IPD cases per 10,000 population ***	630		806			
41	General OPD cases per 10,000 population ***	7711.4		8304.1			
42	Ayush OPD cases per 10,000 population ***	1121.0		1042.0			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15)			
43	Neonatal death within 24 hours	1		0			
44	Up to 1 Weeks of Birth	4		0			
45	Between 1 week & 4 weeks of birth	0		0			
46	Neonatal Death	5		0			
47	Between 1 month and 11 months	8		25			
48	Total reported infant deaths	13		25			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15)			
49	Due to Abortion	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits	0		0			
52	Due to Bleeding	1		0			
53	Due to High fever	0		0			
54	Due to Other Causes (including causes not known)	0		1			
55	Total reported maternal deaths	1		1			

North Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	415,946					
2	Sex Ratio	967					
B) Infrastructure Details (RHS 2014)		Numbers					
4	Sub Centers(SC)	88					
5	Primary Health Centers(PHC)	14					
6	Community Health Centers (CHC)	1					
7	SDH	2					
8	DH	0					
C) Maternal Health:		2013-14		2014-15			
9	Expected number of PW	6,582		6,696			
10	Expected number of Delivery	6,103		6,209			
		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	8,425	128.0	8,827	131.8	Any ANC	85.9
12	Mothers registered in the first trimester	3,908	46.4	4,699	53.2	ANC Check up in first trimester	62.4
13	Mothers who had at least 3 Ante-Natal care check ups	4,592	54.5	5,499	62.3	3 or more ANC check up	64.6
14	PW who got TT 2 / Booster injection	6,125	72.7	6,571	74.4	Atleast 1 TT received	83.1
15	PW who consumed 100 IFA tablets	2,822	33.5	3,682	41.7	100 IFA tablets consumed	39.9
16	Home Delivery against expected delivery *	1,734	28.4	1,767	28.5	Full ANC	28.7
17	Institutional Delivery against expected delivery *	3,009	49.3	3,322	53.5	Home Delivery	37.4
18	Home Delivery against reported delivery **	1,734	36.6	1,767	34.7	Institutional Delivery	62.6
19	Institutional Delivery against reported delivery **	3,009	63.4	3,322	65.3	Home Delivery by SBA	4.9
20	Total reported Deliveries	4,743		5,089		PNC within 14 days of delivery	62.1
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	8	0.5	19	1.1		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,615	76.2	4,728	92.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	5,984		6,087			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	4,657	77.8	5,034	82.7	Breastfed within 1 hour of birth	51.3
25	Total Still Birth	110	1.8	95	1.6	BCG	73.7

26	PC of newborn weighted at birth to live birth	4,536	97.4	4,865	96.6	3 dose of DPT	65.6
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	341	7.5	337	6.9	Measles	56.3
28	PC of newborns breastfed within 1 hour to total reported live birth.	4,456	95.7	4,928	97.9	Full Immunization	42.1
29	Children fully immunized	4,883	81.6	5,110	83.9		
30	Children who have received BCG	5,915	98.9	5,803	95.3		
31	Children who have received DPT1	8,020	134.0	7,337	120.5		
32	Children who have received DPT3	6,586	110.1	6,053	99.4		
33	Children who have received Measles	5,966	99.7	5,977	98.2		
34	Diarrhoea and Dehydration cases reported in children below 5 years	3,559		3,111			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
36	Number of Vasectomies performed	0	0	Limiting	14.6
37	Number of Tubectomies performed	108	10	Spacing	8
38	Number of IUD insertion	40	61	Women using any method	65.2
39	Number of IUD removals	21	191	Women using modern method	41.7
F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
40	IPD cases per 10,000 population ***	818	1010		
41	General OPD cases per 10,000 population ***	6343.8	6741.4		
42	Ayush OPD cases per 10,000 population ***	1031.8	843.1		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
43	Neonatal death within 24 hours	2	0		
44	Up to 1 Weeks of Birth	10	23		
45	Between 1 week & 4 weeks of birth	2	1		
46	Neonatal Death	14	24		
47	Between 1 month and 11 months	16	48		
48	Total reported infant deaths	30	72		
II)	Maternal Mortality	HMIS (2013-14)	HMIS (2014-15)		
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
49	Due to Abortion	0	0		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits	2	1		
52	Due to Bleeding	1	1		
53	Due to High fever	0	0		
54	Due to Other Causes (including causes not known)	8	1		
55	Total reported maternal deaths	12	3		

Sipahijala Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	484,233					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2014)		Numbers					
4	Sub Centers(SC)	136					
5	Primary Health Centers(PHC)	9					
6	Community Health Centers (CHC)	4					
7	SDH	2					
8	DH	0					
C) Maternal Health:		2013-14	2014-15				
9	Expected number of PW	7,590	7,685				
10	Expected number of Delivery	7,038	7,126				
		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	8,096	106.7	8,333	108.4	Any ANC	NA
12	Mothers registered in the first trimester	5,319	65.7	6,052	72.6	ANC Check up in first trimester	NA
13	Mothers who had at least 3 Ante-Natal care check ups	5,138	63.5	6,085	73.0	3 or more ANC check up	NA
14	PW who got TT 2 / Booster injection	7,048	87.1	7,197	86.4	Atleast 1 TT received	NA
15	PW who consumed 100 IFA tablets	3,953	48.8	5,159	61.9	100 IFA tablets consumed	NA
16	Home Delivery against expected delivery *	836	11.9	907	12.7	Full ANC	NA
17	Institutional Delivery against expected delivery *	3,123	44.4	2,983	41.9	Home Delivery	NA
18	Home Delivery against reported delivery **	836	21.1	907	23.3	Institutional Delivery	NA
19	Institutional Delivery against reported delivery **	3,123	78.9	2,983	76.7	Home Delivery by SBA	NA
20	Total reported Deliveries	3,959		3,890		PNC within 14 days of delivery	NA
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	1.4	2	0.2		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,077	77.7	2,976	76.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	6,900		6,986			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	3,945	57.2	3,859	55.2	Breastfed within 1 hour of birth	NA
25	Total Still Birth	46	0.7	62	0.9	BCG	NA

26	PC of newborn weighted at birth to live birth	3,370	85.4	3,374	87.4	3 dose of DPT	NA
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	372	11.0	453	13.4	Measles	NA
28	PC of newborns breastfed within 1 hour to total reported live birth.	3,622	91.8	3,646	94.5	Full Immunization	NA
29	Children fully immunized	6,800	98.5	7,122	101.9		
30	Children who have received BCG	5,908	85.6	5,814	83.2		
31	Children who have received DPT1	7,657	111.0	7,595	108.7		
32	Children who have received DPT3	7,629	110.6	7,567	108.3		
33	Children who have received Measles	7,124	103.2	7,250	103.8		
34	Diarrhoea and Dehydration cases reported in children below 5 years	2,460		2,112			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2013-14)	HMIS (2014-15)	DLHS-4 (2012-13)	
36	Number of Vasectomies performed	12	0	Limiting	NA
37	Number of Tubectomies performed	534	263	Spacing	NA
38	Number of IUD insertion	44	48	Women using any method	NA
39	Number of IUD removals	13	14	Women using modern method	NA

F) Service delivery		HMIS (2013-14)	HMIS (2014-15)		
40	IPD cases per 10,000 population ***	632	742		
41	General OPD cases per 10,000 population ***	9267.4	9064.9		
42	Ayush OPD cases per 10,000 population ***	1540.6	1130.1		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
43	Neonatal death within 24 hours	3	0		
44	Up to 1 Weeks of Birth	5	15		
45	Between 1 week & 4 weeks of birth	0	0		
46	Neonatal Death	8	15		
47	Between 1 month and 11 months	8	30		
48	Total reported infant deaths	16	45		

II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2013-14)	HMIS (2014-15)		
49	Due to Abortion	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits	4	0		
52	Due to Bleeding	0	0		
53	Due to High fever	0	0		
54	Due to Other Causes (including causes not known)	1	3		
55	Total reported maternal deaths	5	3		

South Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	433,737					
2	Sex Ratio	957					
B) Infrastructure Details (RHS 2014)		Numbers					
4	Sub Centers(SC)	148					
5	Primary Health Centers(PHC)	16					
6	Community Health Centers (CHC)	4					
7	SDH	2					
8	DH	0					
C) Maternal Health:		2013-14		2014-15			
9	Expected number of PW	6,819		6,915			
10	Expected number of Delivery	6,323		6,412			
		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	7,965	116.8	8,012	115.9	Any ANC	77.0
12	Mothers registered in the first trimester	4,245	53.3	6,284	78.4	ANC Check up in first trimester	62.0
13	Mothers who had at least 3 Ante-Natal care check ups	5,131	64.4	6,304	78.7	3 or more ANC check up	61.2
14	PW who got TT 2 / Booster injection	6,656	83.6	6,808	85.0	Atleast 1 TT received	74.3
15	PW who consumed 100 IFA tablets	5,043	63.3	7,261	90.6	100 IFA tablets consumed	35.0
16	Home Delivery against expected delivery *	890	14.1	576	9.0	Full ANC	27.0
17	Institutional Delivery against expected delivery *	4,239	67.0	4,514	70.4	Home Delivery	28.6
18	Home Delivery against reported delivery **	890	17.4	576	11.3	Institutional Delivery	69.1
19	Institutional Delivery against reported delivery **	4,239	82.6	4,514	88.7	Home Delivery by SBA	5.0
20	Total reported Deliveries	5,129		5,090		PNC within 14 days of delivery	47.1
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	7	0.8	1	0.2		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,120	80.3	5,360	105.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	6,199		6,286			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	5,106	82.4	5,065	80.6	Breastfed within 1 hour of birth	41.8
25	Total Still Birth	44	0.7	51	0.8	BCG	71.2

26	PC of newborn weighted at birth to live birth	4,722	92.5	4,916	97.1	3 dose of DPT	69.5
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	433	9.2	499	10.2	Measles	61
28	PC of newborns breastfed within 1 hour to total reported live birth.	5,031	98.5	5,036	99.4	Full Immunization	55.9
29	Children fully immunized	5,709	92.1	5,924	94.2		
30	Children who have received BCG	6,075	98.0	5,840	92.9		
31	Children who have received DPT1	7,106	114.6	6,712	106.8		
32	Children who have received DPT3	6,857	110.6	6,423	102.2		
33	Children who have received Measles	6,564	105.9	6,252	99.5		
34	Diarrhoea and Dehydration cases reported in children below 5 years	2,030		2,000			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
36	Number of Vasectomies performed	2		10		Limiting	22.4
37	Number of Tubectomies performed	250		147		Spacing	9.2
38	Number of IUD insertion	118		275		Women using any method	59.9
39	Number of IUD removals	167		161		Women using modern method	42.6
F) Service delivery		HMIS (2013-14)		HMIS (2014-15)			
40	IPD cases per 10,000 population ***	1194		1528			
41	General OPD cases per 10,000 population ***	8544.6		9529.6			
42	Ayush OPD cases per 10,000 population ***	1186.0		1071.6			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15)			
43	Neonatal death within 24 hours	1		0			
44	Up to 1 Weeks of Birth	3		15			
45	Between 1 week & 4 weeks of birth	3		0			
46	Neonatal Death	7		15			
47	Between 1 month and 11 months	15		21			
48	Total reported infant deaths	22		36			
II)	Maternal Mortality	HMIS (2013-14)		HMIS (2014-15)			
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15)			
49	Due to Abortion	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits	1		1			
52	Due to Bleeding	1		1			
53	Due to High fever	0		0			
54	Due to Other Causes (including causes not known)	0		0			
55	Total reported maternal deaths	2		2			

Unakoti Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	277,335					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2014)		Numbers					
4	Sub Centers(SC)	74					
5	Primary Health Centers(PHC)	7					
6	Community Health Centers (CHC)	1					
7	SDH	1					
8	DH	1					
C) Maternal Health:		2013-14	2014-15				
9	Expected number of PW	4,389	4,465				
10	Expected number of Delivery	4,069	4,140				
		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	5,701	129.9	5,655	126.7	Any ANC	NA
12	Mothers registered in the first trimester	2,223	39.0	2,415	42.7	ANC Check up in first trimester	NA
13	Mothers who had at least 3 Ante-Natal care check ups	3,146	55.2	3,668	64.9	3 or more ANC check up	NA
14	PW who got TT 2 / Booster injection	4,473	78.5	4,389	77.6	Atleast 1 TT received	NA
15	PW who consumed 100 IFA tablets	1,312	23.0	3,577	63.3	100 IFA tablets consumed	NA
16	Home Delivery against expected delivery *	917	22.5	1,064	25.7	Full ANC	NA
17	Institutional Delivery against expected delivery *	2,899	71.2	2,821	68.1	Home Delivery	NA
18	Home Delivery against reported delivery **	917	24.0	1,064	27.4	Institutional Delivery	NA
19	Institutional Delivery against reported delivery **	2,899	76.0	2,821	72.6	Home Delivery by SBA	NA
20	Total reported Deliveries	3,816		3,885		PNC within 14 days of delivery	NA
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	29	3.2	42	3.9		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,881	49.3	1,883	48.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	3,990		4,059			
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	3,717	93.2	3,826	94.3	Breastfed within 1 hour of birth	NA
25	Total Still Birth	108	2.7	85	2.1	BCG	NA

26	PC of newborn weighted at birth to live birth	3,399	91.4	3,618	94.6	3 dose of DPT	NA
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	423	12.4	378	10.4	Measles	NA
28	PC of newborns breastfed within 1 hour to total reported live birth.	2,927	78.7	3,461	90.5	Full Immunization	NA
29	Children fully immunized	3,572	89.5	4,109	101.2		
30	Children who have received BCG	4,525	113.4	4,509	111.1		
31	Children who have received DPT1	5,459	136.8	5,014	123.5		
32	Children who have received DPT3	4,919	123.3	4,659	114.8		
33	Children who have received Measles	4,158	104.2	4,550	112.1		
34	Diarrhoea and Dehydration cases reported in children below 5 years	5,858		4,435			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
36	Number of Vasectomies performed	0		0		Limiting	NA
37	Number of Tubectomies performed	236		14		Spacing	NA
38	Number of IUD insertion	26		16		Women using any method	NA
39	Number of IUD removals	12		67		Women using modern method	NA
F) Service delivery		HMIS (2013-14)		HMIS (2014-15)			
40	IPD cases per 10,000 population ***	1089		1370			
41	General OPD cases per 10,000 population ***	6697.1		7541.9			
42	Ayush OPD cases per 10,000 population ***	1772.8		2001.1			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15)			
43	Neonatal death within 24 hours	0		1			
44	Up to 1 Weeks of Birth	27		19			
45	Between 1 week & 4 weeks of birth	4		2			
46	Neonatal Death	31		22			
47	Between 1 month and 11 months	1		13			
48	Total reported infant deaths	32		35			
II)	Maternal Mortality	HMIS (2013-14)		HMIS (2014-15)			
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15)			
49	Due to Abortion	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits	0		0			
52	Due to Bleeding	0		0			
53	Due to High fever	0		0			
54	Due to Other Causes (including causes not known)	7		3			
55	Total reported maternal deaths	7		3			

West Tripura Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	917,534						
2	Sex Ratio	964						
B) Infrastructure Details (RHS 2014)		Numbers						
4	Sub Centers(SC)	157						
5	Primary Health Centers(PHC)	9						
6	Community Health Centers (CHC)	2						
7	SDH	0						
8	DH	0						
C) Maternal Health:		2013-14	2014-15					
9	Expected number of PW	14,382	14,562					
10	Expected number of Delivery	13,336	13,503					
		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)		
		Number	PC	Number	PC			
11	PW register for ANC	26,243	182.5	25,544	175.4	Any ANC	86.1	
12	Mothers registered in the first trimester	14,328	54.6	14,561	57.0	ANC Check up in first trimester	73.2	
13	Mothers who had at least 3 Ante-Natal care check ups	16,462	62.7	18,342	71.8	3 or more ANC check up	58.6	
14	PW who got TT 2 / Booster injection	9,781	37.3	10,090	39.5	Atleast 1 TT received	80.1	
15	PW who consumed 100 IFA tablets	7,292	27.8	11,028	43.2	100 IFA tablets consumed	40.3	
16	Home Delivery against expected delivery *	868	6.5	521	3.9	Full ANC	27.4	
17	Institutional Delivery against expected delivery *	17,354	130.1	17,450	129.2	Home Delivery	15.6	
18	Home Delivery against reported delivery **	868	4.8	521	2.9	Institutional Delivery	84.4	
19	Institutional Delivery against reported delivery **	17,354	95.2	17,450	97.1	Home Delivery by SBA	4.8	
20	Total reported Deliveries	18,222		17,971		PNC within 14 days of delivery	72.3	
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	19	2.2	8	1.5			
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,475	73.9	13,326	74.2			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
23	Expected number of Live Birth	13,075		13,238				
D) Child Immunization :		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)		
		Number	PC	Number	PC			
24	Total reported live births	18,250	139.6	17,829	134.7	Breastfed within 1 hour of birth	30.3	
25	Total Still Birth	621	4.7	365	2.8	BCG	78.4	

26	PC of newborn weighted at birth to live birth	17,561	96.2	17,417	97.7	3 dose of DPT	80.8
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,886	10.7	1,770	10.2	Measles	64.7
28	PC of newborns breastfed within 1 hour to total reported live birth.	17,042	93.4	17,112	96.0	Full Immunization	38.5
29	Children fully immunized	11,131	85.1	11,255	85.0		
30	Children who have received BCG	16,876	129.1	16,484	124.5		
31	Children who have received DPT1	12,822	98.1	12,742	96.3		
32	Children who have received DPT3	12,292	94.0	12,034	90.9		
33	Children who have received Measles	14,370	109.9	14,526	109.7		
34	Diarrhoea and Dehydration cases reported in children below 5 years	9,643		9,176			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2013-14)		HMIS (2014-15)		DLHS-4 (2012-13)	
36	Number of Vasectomies performed	9		8		Limiting	18.8
37	Number of Tubectomies performed	3,121		3,415		Spacing	7.4
38	Number of IUD insertion	317		360		Women using any method	58.8
39	Number of IUD removals	263		309		Women using modern method	41.9
F) Service delivery		HMIS (2013-14)		HMIS (2014-15)			
40	IPD cases per 10,000 population ***	1364		1318			
41	General OPD cases per 10,000 population ***	13005.4		13814.0			
42	Ayush OPD cases per 10,000 population ***	624.5		427.2			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15)			
43	Neonatal death within 24 hours	0		0			
44	Up to 1 Weeks of Birth	65		108			
45	Between 1 week & 4 weeks of birth	10		2			
46	Neonatal Death	75		110			
47	Between 1 month and 11 months	52		49			
48	Total reported infant deaths	127		159			
II)	Maternal Mortality	HMIS (2013-14)		HMIS (2014-15)			
	Maternal Deaths (In Numbers)	HMIS (2013-14)		HMIS (2014-15)			
49	Due to Abortion	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits	1		1			
52	Due to Bleeding	0		0			
53	Due to High fever	0		0			
54	Due to Other Causes (including causes not known)	1		0			
55	Total reported maternal deaths	2		1			

* Against Expected Delivery for the year 2013-14 & 2014-15.

** Against Reported Delivery for the year 2013-14 & 2014-15.

*** Against Estimated Population for year 2013-14 & 2014-15.