

## ARUNACHAL Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)		SL No	C) State Health Indicator (SRS 2014)			
1	Population 2011	1,382,611	9	Birth Rate		19.3	
2	Sex Ratio	920	10	Death Rate		5.8	
3	Number of districts	16	11	IMR		32	
<b>B) Infrastructure Details (RHS 2015)</b>			12	Growth Rate		13.4	
4	Sub Centers (SC)	286	13	TFR (SRS - 2007)		2.7	
5	Primary Health Centers (PHC)	117					
6	Community Health Centers (CHC)	52					
7	SDH	0					
8	DH	14					
<b>D) Maternal Health:</b>		<b>2014-15</b>	<b>2015-16</b>				
14	Expected number of PW	31,885	32,543				
15	Expected number of Delivery	29,566	30,177				
		<b>HMIS (2014-15)</b>	<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
16	PW register for ANC	34,773	109.1	29,631	91.1	Any ANC	61.6
17	Mothers registered in the first trimester	12,582	36.2	11,049	37.3	ANC Check up in first trimester	34.8
18	Mothers who had at least 3 Ante-Natal care check ups	12,372	35.6	12,771	43.1	3 or more ANC check up	43.8
19	PW who got TT 2 / Booster injection	13,983	40.2	14,149	47.8	Atleast 1 TT received	59.1
20	PW who consumed 100 IFA tablets	20,647	59.4	18,866	63.7	100 IFA tablets consumed	17.4
21	Home Delivery against expected delivery *	879	3.0	1,207	4.0	Full ANC	13.5
22	Institutional Delivery against expected delivery *	15,154	51	15,368	51	Home Delivery	48.5
23	Home Delivery against reported delivery **	879	5	1,207	7.3	Institutional Delivery	49.5
24	Institutional Delivery against reported delivery **	15,154	95	15,368	92.7	Home Delivery by SBA	3.1
25	Total reported Deliveries	16,033	54	16,575	55	PNC within 14 days of delivery	48.8
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	498	57	692	57		
27	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,007	25	4,997	30		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
28	Expected number of Live Birth	28,987	29,585				
<b>E) Child Immunization :</b>		<b>HMIS (2014-15)</b>	<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
29	Total reported live births	16,038	55.3	16,566	56.0	Breastfed within 1 hour of birth	55.7

30	Total Still Birth	363	1.3	276	0.9	BCG	75.5
31	Newborn weighted at birth to live birth	15,363	95.8	15,189	91.7	3 dose of DPT	71.1
32	Newborn having weighted less than 2.5 kg to newborn weighted at birth.	901	5.6	1,000	6.0	Measles	60.4
33	Newborns breastfed within 1 hour to total reported live birth.	13,919	86.8	14,551	87.8	Full Immunization	49.2
34	Fully immunized	15,704	54.2	17,052	57.6		
35	Children who have received BCG	21,769	75.1	21,657	73.2		
36	Children who have received DPT1	20,245	69.8	17,680	59.8		
37	Children who have received DPT3	17,047	58.8	18,503	62.5		
38	Children who have received Measles	16,641	57.4	18,750	63.4		
39	Diarrhoea and Dehydration cases reported in children below 5 years	18,296		17,149			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>F) Family Planning</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
40	Number of Vasectomies performed	2		4		Limiting	11.7
41	Number of Tubectomies performed	937		968		Spacing	20.4
42	Number of IUD insertion	3,246		2,924		Women using any method	48.4
43	Number of IUD removals	1,508		1,333		Women using modern method	43.9
<b>G) Service delivery</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
44	IPD cases per 10,000 population ***	443		461			
45	General OPD cases per 10,000 population ***	9,352		8506			
46	Ayush OPD cases per 10,000 population ***	453		427			
<b>H) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
47	Neonatal death within 24 hours	17		5			
48	Up to 1 Weeks of Birth	7		32			
49	Between 1 week & 4 weeks of birth	0		0			
50	Neonatal Death	24		37			
51	Between 1 month and 11 months	12		29			
52	<b>Total reported infant deaths</b>	<b>36</b>		<b>66</b>			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
53	Due to Abortion	1		0			
54	Due to Obstructed/prolonged labour	2		2			
55	Due to Severe hypertension/fits	1		2			
56	Due to Bleeding	1		3			
57	Due to High fever	5		1			
58	Due to Other Causes (including causes not known)	2		2			
59	<b>Total reported maternal deaths</b>	<b>12</b>		<b>10</b>			

## Anjaw Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	21,089					
2	Sex Ratio	805					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	471		475			
9	Expected number of Delivery	436		440			
		HMIS ( 2014-15)		HMIS ( 2015-16)		DLHS-4 ( 2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	367	78.0	378	79.6	Any ANC	52.1
11	Mothers registered in the first trimester	122	33.2	135	35.7	ANC Check up in first trimester	22.1
12	Mothers who had at least 3 Ante-Natal care check ups	143	39.0	103	27.2	3 or more ANC check up	32.6
13	PW who got TT 2 / Booster injection	206	56.1	154	40.7	At least 1 TT received	47.9
14	PW who consumed 100 IFA tablets	169	46.0	182	48.1	100 IFA tablets consumed	10.3
15	Home Delivery against expected delivery *	28	6.4	19	4.3	Full ANC	6.5
16	Institutional Delivery against expected delivery *	120	27.5	102	23.2	Home Delivery	62.0
17	Home Delivery against reported delivery **	28	18.9	19	15.7	Institutional Delivery	35.0
18	Institutional Delivery against reported delivery **	120	81.1	102	84.3	Home Delivery by SBA	4.9
19	Total reported Deliveries	148		121		PNC within 14 days of delivery	65.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	18	64.3	18	94.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	64	43.2	66	54.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	428		431			
D) Child Immunization :		HMIS ( 2014-15)		HMIS ( 2015-16)		DLHS-4 ( 2012-13)	
23	Total reported live births	144	33.7	119	27.6	Breastfeed within 1 hour of birth	53.8
24	Total Still Birth	4	0.9	2	0.5	BCG	65.5

25	Newborn weighted at birth to live birth	130	90.3	112	94.1	3 dose of DPT	58.2
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	14	10.8	6	5.4	Measles	34.5
27	Newborns breastfed within 1 hour to total reported live birth.	135	93.8	111	93.3	Full Immunization	29.1
28	Fully immunized	108	25.2	131	30.4		
29	Children who have received BCG	114	26.6	206	47.7		
30	Children who have received DPT1	210	49.1	256	59.3		
31	Children who have received DPT3	147	34.4	230	53.3		
32	Children who have received Measles	120	28.0	252	58.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	655		655			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2014-15)	HMIS ( 2015-16)	DLHS-4 ( 2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	10.6
35	Number of Tubectomies performed	0	0	Spacing	27.1
36	Number of IUD insertion	16	11	Women using any method	44.4
37	Number of IUD removals	10	6	Women using modern method	39.1
F) Service delivery		HMIS ( 2014-15)	HMIS ( 2015-16)		
38	IPD cases per 10,000 population ***	161	148		
39	General OPD cases per 10,000 population ***	11998	11479		
40	Ayush OPD cases per 10,000 population ***	804	875		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2014-15)	HMIS ( 2015-16)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	0	0		
46	<b>Total reported infant deaths</b>	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2014-15)	HMIS ( 2015-16)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	0	0		

## Changlang Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	147,951					
2	Sex Ratio	914					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	3,337		3,379			
9	Expected number of Delivery	3,094		3,133			
		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	3,478	104.2	3,219	95.3	Any ANC	63.2
11	Mothers registered in the first trimester	908	26.1	998	31.0	ANC Check up in first trimester	34.3
12	Mothers who had at least 3 Ante-Natal care check ups	1,554	44.7	1,470	45.7	3 or more ANC check up	38.5
13	PW who got TT 2 / Booster injection	2,082	59.9	2,125	66.0	At least 1 TT received	60.5
14	PW who consumed 100 IFA tablets	1,340	38.5	1,331	41.3	100 IFA tablets consumed	7.1
15	Home Delivery against expected delivery *	60	1.9	162	5.2	Full ANC	4.6
16	Institutional Delivery against expected delivery *	1,167	37.7	1,173	37.4	Home Delivery	46.7
17	Home Delivery against reported delivery **	60	4.9	162	12.1	Institutional Delivery	52.2
18	Institutional Delivery against reported delivery **	1,167	95.1	1,173	87.9	Home Delivery by SBA	0.0
19	Total reported Deliveries	1,227		1,335		PNC within 14 days of delivery	45.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	42	70.0	121	74.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	383	31.2	550	41.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,033		3,072			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
23	Total reported live births	1,205	39.7	1,333	43.4	Breastfeed within 1 hour of birth	59.4
24	Total Still Birth	16	0.5	16	0.5	BCG	65.8

25	Newborn weighted at birth to live birth	1,183	98.2	1,262	94.7	3 dose of DPT	72.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	113	9.6	113	9.0	Measles	47.9
27	Newborns breastfed within 1 hour to total reported live birth.	1,186	98.4	1,265	94.9	Full Immunization	36.1
28	Fully immunized	1,438	47.4	2,041	66.4		
29	Children who have received BCG	2,153	71.0	2,630	85.6		
30	Children who have received DPT1	2,270	74.8	2,220	72.3		
31	Children who have received DPT3	1,717	56.6	2,249	73.2		
32	Children who have received Measles	1,525	50.3	2,367	77.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	699		364			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	13.2
35	Number of Tubectomies performed	0		49		Spacing	24
36	Number of IUD insertion	97		104		Women using any method	44.7
37	Number of IUD removals	76		51		Women using modern method	38.5
<b>F) Service delivery</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
38	IPD cases per 10,000 population ***	296		196			
39	General OPD cases per 10,000 population ***	7969		6259			
40	Ayush OPD cases per 10,000 population ***	765		742			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	0		1			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	0		1			
45	Between 1 month and 11 months	0		0			
46	<b>Total reported infant deaths</b>	0		1			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	<b>Total reported maternal deaths</b>	0		0			

## Dibang Valley Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	7,948					
2	Sex Ratio	808					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	176		176			
9	Expected number of Delivery	163		164			
		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	138	78.6	175	99.2	Any ANC	45.6
11	Mothers registered in the first trimester	80	58.0	103	58.9	ANC Check up in first trimester	25.0
12	Mothers who had at least 3 Ante-Natal care check ups	92	66.7	72	41.1	3 or more ANC check up	31.7
13	PW who got TT 2 / Booster injection	82	59.4	90	51.4	At least 1 TT received	45.6
14	PW who consumed 100 IFA tablets	101	73.2	152	86.9	100 IFA tablets consumed	12.8
15	Home Delivery against expected delivery *	13	8.0	3	1.8	Full ANC	9.5
16	Institutional Delivery against expected delivery *	80	49.1	73	44.6	Home Delivery	47.2
17	Home Delivery against reported delivery **	13	14.0	3	3.9	Institutional Delivery	52.5
18	Institutional Delivery against reported delivery **	80	86.0	73	96.1	Home Delivery by SBA	3.4
19	Total reported Deliveries	93		76		PNC within 14 days of delivery	55.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	13	100.0	3	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	93	100.0	72	94.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	160		160			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
23	Total reported live births	85	53.2	80	49.9	Breastfeed within 1 hour of birth	50.4
24	Total Still Birth	1	0.6	0	0.0	BCG	90.2

25	Newborn weighted at birth to live birth	92	108.2	79	98.8	3 dose of DPT	90.2
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1	1.1	2	2.5	Measles	61
27	Newborns breastfed within 1 hour to total reported live birth.	92	108.2	79	98.8	Full Immunization	58.5
28	Fully immunized	66	41.3	89	55.5		
29	Children who have received BCG	92	57.6	81	50.5		
30	Children who have received DPT1	98	61.4	78	48.7		
31	Children who have received DPT3	96	60.1	81	50.5		
32	Children who have received Measles	70	43.8	91	56.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	390		375			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	10.2
35	Number of Tubectomies performed	0		0		Spacing	24.5
36	Number of IUD insertion	8		1		Women using any method	45.4
37	Number of IUD removals	3		0		Women using modern method	44.3
<b>F) Service delivery</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
38	IPD cases per 10,000 population ***	239		258			
39	General OPD cases per 10,000 population ***	11172		13026			
40	Ayush OPD cases per 10,000 population ***	433		462			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	0		0			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	0		0			
45	Between 1 month and 11 months	0		0			
46	<b>Total reported infant deaths</b>	0		0			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	<b>Total reported maternal deaths</b>	0		0			



## East Kameng Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	78,413					
2	Sex Ratio	1,012					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	1,873		1,933			
9	Expected number of Delivery	1,737		1,792			
		HMIS ( 2014-15)		HMIS ( 2015-16)		DLHS-4 ( 2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,492	79.6	2,179	112.7	Any ANC	48.0
11	Mothers registered in the first trimester	683	45.8	848	38.9	ANC Check up in first trimester	28.9
12	Mothers who had at least 3 Ante-Natal care check ups	636	42.6	822	37.7	3 or more ANC check up	29.6
13	PW who got TT 2 / Booster injection	506	33.9	958	44.0	At least 1 TT received	44.4
14	PW who consumed 100 IFA tablets	1,305	87.5	1,215	55.8	100 IFA tablets consumed	12.1
15	Home Delivery against expected delivery *	89	5.1	94	5.2	Full ANC	7.5
16	Institutional Delivery against expected delivery *	566	32.6	652	36.4	Home Delivery	59.5
17	Home Delivery against reported delivery **	89	13.6	94	12.6	Institutional Delivery	34.1
18	Institutional Delivery against reported delivery **	566	86.4	652	87.4	Home Delivery by SBA	2.2
19	Total reported Deliveries	655		746		PNC within 14 days of delivery	52.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	53	59.6	74	78.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	66	10.1	71	9.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,703		1,757			
D) Child Immunization :		HMIS ( 2014-15)		HMIS ( 2015-16)		DLHS-4 ( 2012-13)	
23	Total reported live births	657	38.6	785	44.7	Breastfeed within 1 hour of birth	45.9
24	Total Still Birth	9	0.5	14	0.8	BCG	55.9

25	Newborn weighted at birth to live birth	611	93.0	681	86.8	3 dose of DPT	46.3
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	59	9.7	143	21.0	Measles	40.3
27	Newborns breastfed within 1 hour to total reported live birth.	442	67.3	405	51.6	Full Immunization	18.2
28	Fully immunized	510	29.9	962	54.7		
29	Children who have received BCG	610	35.8	1,218	69.3		
30	Children who have received DPT1	926	54.4	1,617	92.0		
31	Children who have received DPT3	646	37.9	1,985	113.0		
32	Children who have received Measles	513	30.1	1,278	72.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,541		2,414			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>		<b>DLHS-4 ( 2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	10.4
35	Number of Tubectomies performed	0		107		Spacing	24
36	Number of IUD insertion	75		188		Women using any method	44.5
37	Number of IUD removals	21		40		Women using modern method	38.7
<b>F) Service delivery</b>		<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
38	IPD cases per 10,000 population ***	399		335			
39	General OPD cases per 10,000 population ***	4654		4988			
40	Ayush OPD cases per 10,000 population ***	82		154			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
41	Neonatal death within 24 hours	1		0			
42	Up to 1 Weeks of Birth	0		2			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	1		2			
45	Between 1 month and 11 months	2		6			
46	<b>Total reported infant deaths</b>	<b>3</b>		<b>8</b>			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	3		0			
52	Due to Other Causes (including causes not known)	0		0			
53	<b>Total reported maternal deaths</b>	<b>3</b>		<b>0</b>			

## East Siang Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	99,019					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	2,203		2,221			
9	Expected number of Delivery	2,043		2,059			
		HMIS ( 2014-15)		HMIS ( 2015-16)		DLHS-4 ( 2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,113	95.9	1,848	83.2	Any ANC	63.1
11	Mothers registered in the first trimester	958	45.3	1,002	54.2	ANC Check up in first trimester	37.1
12	Mothers who had at least 3 Ante-Natal care check ups	935	44.2	926	50.1	3 or more ANC check up	50.2
13	PW who got TT 2 / Booster injection	1,102	52.2	1,031	55.8	At least 1 TT received	57.9
14	PW who consumed 100 IFA tablets	1,073	50.8	995	53.8	100 IFA tablets consumed	19.3
15	Home Delivery against expected delivery *	87	4.3	56	2.7	Full ANC	13.8
16	Institutional Delivery against expected delivery *	1,596	78.1	1,631	79.2	Home Delivery	48.9
17	Home Delivery against reported delivery **	87	5.2	56	3.3	Institutional Delivery	50.2
18	Institutional Delivery against reported delivery **	1,596	94.8	1,631	96.7	Home Delivery by SBA	2.1
19	Total reported Deliveries	1,683		1,687		PNC within 14 days of delivery	50.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	74	85.1	39	69.6		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	350	20.8	358	21.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,003		2,019			
D) Child Immunization :		HMIS ( 2014-15)		HMIS ( 2015-16)		DLHS-4 ( 2012-13)	
23	Total reported live births	1,646	82.2	1,655	82.0	Breastfeed within 1 hour of birth	53.3
24	Total Still Birth	125	6.2	32	1.6	BCG	69.8

25	Newborn weighted at birth to live birth	1,540	93.6	1,544	93.3	3 dose of DPT	73.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	127	8.2	101	6.5	Measles	60.4
27	Newborns breastfed within 1 hour to total reported live birth.	977	59.4	683	41.3	Full Immunization	41.5
28	Fully immunized	1,393	69.6	1,278	63.3		
29	Children who have received BCG	1,848	92.3	1,974	97.8		
30	Children who have received DPT1	1,691	84.4	1,301	64.4		
31	Children who have received DPT3	1,507	75.3	1,435	71.1		
32	Children who have received Measles	1,358	67.8	1,441	71.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	858		991			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>		<b>DLHS-4 ( 2012-13)</b>	
34	Number of Vasectomies performed	2		2		Limiting	12.7
35	Number of Tubectomies performed	265		212		Spacing	18.3
36	Number of IUD insertion	264		177		Women using any method	55.3
37	Number of IUD removals	106		75		Women using modern method	50
<b>F) Service delivery</b>		<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
38	IPD cases per 10,000 population ***	1085		1003			
39	General OPD cases per 10,000 population ***	15214		14452			
40	Ayush OPD cases per 10,000 population ***	284		178			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
41	Neonatal death within 24 hours	0		1			
42	Up to 1 Weeks of Birth	0		7			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	0		8			
45	Between 1 month and 11 months	0		2			
46	<b>Total reported infant deaths</b>	0		10			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	<b>Total reported maternal deaths</b>	0		0			

## Kurung Kumey Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	89,717					
2	Sex Ratio	1,029					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	2,695		2,978			
9	Expected number of Delivery	2,499		2,762			
		HMIS ( 2014-15)		HMIS ( 2015-16)		DLHS-4 ( 2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,003	37.2	1,181	39.7	Any ANC	46.9
11	Mothers registered in the first trimester	491	49.0	656	55.5	ANC Check up in first trimester	21.3
12	Mothers who had at least 3 Ante-Natal care check ups	513	51.1	623	52.8	3 or more ANC check up	23.9
13	PW who got TT 2 / Booster injection	302	30.1	409	34.6	At least 1 TT received	44.4
14	PW who consumed 100 IFA tablets	936	93.3	1,162	98.4	100 IFA tablets consumed	13.8
15	Home Delivery against expected delivery *	169	6.8	160	5.8	Full ANC	8.4
16	Institutional Delivery against expected delivery *	389	15.6	396	14.3	Home Delivery	66.4
17	Home Delivery against reported delivery **	169	30.3	160	28.8	Institutional Delivery	31.7
18	Institutional Delivery against reported delivery **	389	69.7	396	71.2	Home Delivery by SBA	4.2
19	Total reported Deliveries	558		556		PNC within 14 days of delivery	39.5
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	74	43.8	95	59.4		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	303	54.3	342	61.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,450		2,708			
D) Child Immunization :		HMIS ( 2014-15)		HMIS ( 2015-16)		DLHS-4 ( 2012-13)	
23	Total reported live births	558	22.8	561	20.7	Breastfeed within 1 hour of birth	67.7
24	Total Still Birth	1	0.0	1	0.0	BCG	77.6

25	Newborn weighted at birth to live birth	557	99.8	554	98.8	3 dose of DPT	76.1
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	0.4	1	0.2	Measles	59.7
27	Newborns breastfed within 1 hour to total reported live birth.	557	99.8	560	99.8	Full Immunization	52.2
28	Fully immunized	623	25.4	810	29.9		
29	Children who have received BCG	811	33.1	994	36.7		
30	Children who have received DPT1	812	33.1	875	32.3		
31	Children who have received DPT3	637	26.0	841	31.1		
32	Children who have received Measles	618	25.2	811	30.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,486		1,030			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>		<b>DLHS-4 ( 2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	11.4
35	Number of Tubectomies performed	0		0		Spacing	29
36	Number of IUD insertion	118		99		Women using any method	34.1
37	Number of IUD removals	63		31		Women using modern method	29.7
<b>F) Service delivery</b>		<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
38	IPD cases per 10,000 population ***	145		139			
39	General OPD cases per 10,000 population ***	2836		2185			
40	Ayush OPD cases per 10,000 population ***	192		91			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	0		0			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	0		0			
45	Between 1 month and 11 months	0		0			
46	<b>Total reported infant deaths</b>	<b>0</b>		<b>0</b>			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	<b>Total reported maternal deaths</b>	<b>0</b>		<b>0</b>			

## Lohit Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	145,538					
2	Sex Ratio	901					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	3,266		3,302			
9	Expected number of Delivery	3,028		3,062			
		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	4,365	133.7	3,455	104.6	Any ANC	62.8
11	Mothers registered in the first trimester	1,209	27.7	1,319	38.2	ANC Check up in first trimester	32.5
12	Mothers who had at least 3 Ante-Natal care check ups	1,776	40.7	1,632	47.2	3 or more ANC check up	45.8
13	PW who got TT 2 / Booster injection	2,125	48.7	2,136	61.8	At least 1 TT received	60.6
14	PW who consumed 100 IFA tablets	1,113	25.5	5,606	162.3	100 IFA tablets consumed	15.8
15	Home Delivery against expected delivery *	14	0.5	19	0.6	Full ANC	12.0
16	Institutional Delivery against expected delivery *	1,402	46.3	1,543	50.4	Home Delivery	49.5
17	Home Delivery against reported delivery **	14	1.0	19	1.2	Institutional Delivery	44.9
18	Institutional Delivery against reported delivery **	1,402	99.0	1,543	98.8	Home Delivery by SBA	6.4
19	Total reported Deliveries	1,416		1,562		PNC within 14 days of delivery	28.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	8	57.1	13	68.4		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	71	5.0	196	12.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,969		3,002			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
23	Total reported live births	1,407	47.4	1,570	52.3	Breastfeed within 1 hour of birth	49.3
24	Total Still Birth	16	0.5	16	0.5	BCG	67.4

25	Newborn weighted at birth to live birth	1,406	99.9	1,552	98.9	3 dose of DPT	69.8
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	84	6.0	185	11.9	Measles	58.1
27	Newborns breastfed within 1 hour to total reported live birth.	1,386	98.5	1,519	96.8	Full Immunization	43
28	Fully immunized	1,658	55.8	1,733	57.7		
29	Children who have received BCG	2,777	93.5	2,585	86.1		
30	Children who have received DPT1	2,666	89.8	1,761	58.7		
31	Children who have received DPT3	2,093	70.5	1,949	64.9		
32	Children who have received Measles	1,681	56.6	2,021	67.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,240		1,548			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	18.5
35	Number of Tubectomies performed	4	67	Spacing	18.2
36	Number of IUD insertion	211	185	Women using any method	43.7
37	Number of IUD removals	81	99	Women using modern method	42
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)		
38	IPD cases per 10,000 population ***	215	220		
39	General OPD cases per 10,000 population ***	9073	7756		
40	Ayush OPD cases per 10,000 population ***	594	588		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	2	0		
46	<b>Total reported infant deaths</b>	2	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	1	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	1	1		



## Longding Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	53,014					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	NA					
6	SDH	NA					
7	DH	NA					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	NA		1,131			
9	Expected number of Delivery	NA		1,049			
		HMIS ( 2014-15)		HMIS ( 2015-16)		DLHS-4 ( 2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	NA	NA	460	40.7	Any ANC	43.4
11	Mothers registered in the first trimester	NA	NA	123	26.7	ANC Check up in first trimester	22.5
12	Mothers who had at least 3 Ante-Natal care check ups	NA	NA	152	33.0	3 or more ANC check up	26.3
13	PW who got TT 2 / Booster injection	NA	NA	332	72.2	At least 1 TT received	43.1
14	PW who consumed 100 IFA tablets	NA	NA	293	63.7	100 IFA tablets consumed	17.9
15	Home Delivery against expected delivery *	NA	NA	118	11.2	Full ANC	13.3
16	Institutional Delivery against expected delivery *	NA	NA	127	12.1	Home Delivery	68.8
17	Home Delivery against reported delivery **	NA	NA	118	48.2	Institutional Delivery	29.9
18	Institutional Delivery against reported delivery **	NA	NA	127	51.8	Home Delivery by SBA	6.4
19	Total reported Deliveries	NA		245		PNC within 14 days of delivery	42.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	50	42.4		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	3	1.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	NA		1,028			
D) Child Immunization :		HMIS ( 2014-15)		HMIS ( 2015-16)		DLHS-4 ( 2012-13)	
23	Total reported live births	NA	NA	214	20.8	Breastfeed within 1 hour of birth	47.7
24	Total Still Birth	NA	NA	6	0.6	BCG	60.2

25	Newborn weighted at birth to live birth	NA	NA	176	82.2	3 dose of DPT	67
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	3	1.7	Measles	43.6
27	Newborns breastfed within 1 hour to total reported live birth.	NA	NA	176	82.2	Full Immunization	33.3
28	Fully immunized	NA	NA	191	18.6		
29	Children who have received BCG	NA	NA	252	24.5		
30	Children who have received DPT1	NA	NA	320	31.1		
31	Children who have received DPT3	NA	NA	231	22.5		
32	Children who have received Measles	NA	NA	172	16.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	NA		575			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>		<b>DLHS-4 ( 2012-13)</b>	
34	Number of Vasectomies performed	NA		0		Limiting	11.6
35	Number of Tubectomies performed	NA		0		Spacing	22.6
36	Number of IUD insertion	NA		2		Women using any method	45.3
37	Number of IUD removals	NA		0		Women using modern method	42.8
<b>F) Service delivery</b>		<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
38	IPD cases per 10,000 population ***	NA		44			
39	General OPD cases per 10,000 population ***	NA		3330			
40	Ayush OPD cases per 10,000 population ***	NA		1090			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
41	Neonatal death within 24 hours	NA		0			
42	Up to 1 Weeks of Birth	NA		0			
43	Between 1 week & 4 weeks of birth	NA		0			
44	Neonatal Death	0		0			
45	Between 1 month and 11 months	NA		0			
46	<b>Total reported infant deaths</b>	0		0			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
47	Due to Abortion	NA		0			
48	Due to Obstructed/prolonged labour	NA		0			
49	Due to Severe hypertension/fits	NA		0			
50	Due to Bleeding	NA		0			
51	Due to High fever	NA		0			
52	Due to Other Causes (including causes not known)	NA		0			
53	<b>Total reported maternal deaths</b>	0		0			

## Lower Dibang Valley Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	53,986					
2	Sex Ratio	919					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	1,179		1,181			
9	Expected number of Delivery	1,093		1,095			
		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,126	95.5	1,183	100.2	Any ANC	72.4
11	Mothers registered in the first trimester	277	24.6	338	28.6	ANC Check up in first trimester	35.4
12	Mothers who had at least 3 Ante-Natal care check ups	408	36.2	595	50.3	3 or more ANC check up	53.9
13	PW who got TT 2 / Booster injection	645	57.3	664	56.1	At least 1 TT received	70.0
14	PW who consumed 100 IFA tablets	395	35.1	583	49.3	100 IFA tablets consumed	13.2
15	Home Delivery against expected delivery *	69	6.3	70	6.4	Full ANC	6.2
16	Institutional Delivery against expected delivery *	552	50.5	516	47.1	Home Delivery	38.5
17	Home Delivery against reported delivery **	69	11.1	70	11.9	Institutional Delivery	60.3
18	Institutional Delivery against reported delivery **	552	88.9	516	88.1	Home Delivery by SBA	2.6
19	Total reported Deliveries	621		586		PNC within 14 days of delivery	41.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	69	100.0	59	84.3		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	475	76.5	351	59.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,071		1,073			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
23	Total reported live births	625	58.3	606	56.5	Breastfeed within 1 hour of birth	70.3
24	Total Still Birth	21	2.0	16	1.5	BCG	84.2

25	Newborn weighted at birth to live birth	621	99.4	601	99.2	3 dose of DPT	73.7
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	54	8.7	61	10.1	Measles	73.7
27	Newborns breastfed within 1 hour to total reported live birth.	607	97.1	591	97.5	Full Immunization	64.9
28	Fully immunized	860	80.3	715	66.6		
29	Children who have received BCG	859	80.2	849	79.1		
30	Children who have received DPT1	841	78.5	636	59.3		
31	Children who have received DPT3	637	59.5	654	60.9		
32	Children who have received Measles	615	57.4	750	69.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	729		651			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	0		2		Limiting	11.3
35	Number of Tubectomies performed	24		26		Spacing	20.1
36	Number of IUD insertion	42		55		Women using any method	51.7
37	Number of IUD removals	13		24		Women using modern method	40.1
<b>F) Service delivery</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
38	IPD cases per 10,000 population ***	401		398			
39	General OPD cases per 10,000 population ***	9709		9927			
40	Ayush OPD cases per 10,000 population ***	136		41			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
41	Neonatal death within 24 hours	2		2			
42	Up to 1 Weeks of Birth	0		0			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	2		2			
45	Between 1 month and 11 months	1		5			
46	<b>Total reported infant deaths</b>	<b>3</b>		<b>7</b>			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	1		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		1			
51	Due to High fever	1		0			
52	Due to Other Causes (including causes not known)	0		0			
53	<b>Total reported maternal deaths</b>	<b>2</b>		<b>1</b>			

## Lower Subansiri Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	82,839					
2	Sex Ratio	975					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	2,043		2,132			
9	Expected number of Delivery	1,895		1,977			
		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,949	95.4	1,225	57.5	Any ANC	79.3
11	Mothers registered in the first trimester	399	20.5	377	30.8	ANC Check up in first trimester	48.3
12	Mothers who had at least 3 Ante-Natal care check ups	308	15.8	402	32.8	3 or more ANC check up	60.1
13	PW who got TT 2 / Booster injection	508	26.1	570	46.5	At least 1 TT received	78.6
14	PW who consumed 100 IFA tablets	103	5.3	941	76.8	100 IFA tablets consumed	25.1
15	Home Delivery against expected delivery *	3	0.2	121	6.1	Full ANC	22.3
16	Institutional Delivery against expected delivery *	499	26.3	485	24.5	Home Delivery	33.2
17	Home Delivery against reported delivery **	3	0.6	121	20.0	Institutional Delivery	65.9
18	Institutional Delivery against reported delivery **	499	99.4	485	80.0	Home Delivery by SBA	4.3
19	Total reported Deliveries	502		606		PNC within 14 days of delivery	46.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	100.0	22	18.2		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	137	27.3	187	30.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,858		1,938			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
23	Total reported live births	528	28.4	486	25.1	Breastfeed within 1 hour of birth	69.2
24	Total Still Birth	24	1.3	11	0.6	BCG	89

25	Newborn weighted at birth to live birth	392	74.2	487	100.2	3 dose of DPT	83.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	80	20.4	22	4.5	Measles	76.7
27	Newborns breastfed within 1 hour to total reported live birth.	435	82.4	429	88.3	Full Immunization	68.5
28	Fully immunized	526	28.3	751	38.8		
29	Children who have received BCG	758	40.8	713	36.8		
30	Children who have received DPT1	779	41.9	689	35.6		
31	Children who have received DPT3	743	40.0	743	38.3		
32	Children who have received Measles	681	36.7	828	42.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,083		1,217			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>		<b>DLHS-4 ( 2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	7.4
35	Number of Tubectomies performed	12		2		Spacing	11.5
36	Number of IUD insertion	165		205		Women using any method	57.4
37	Number of IUD removals	119		131		Women using modern method	50.6
<b>F) Service delivery</b>		<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
38	IPD cases per 10,000 population ***	474		359			
39	General OPD cases per 10,000 population ***	5421		5175			
40	Ayush OPD cases per 10,000 population ***	157		208			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	2		2			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	2		2			
45	Between 1 month and 11 months	0		1			
46	<b>Total reported infant deaths</b>	2		3			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		1			
52	Due to Other Causes (including causes not known)	1		0			
53	<b>Total reported maternal deaths</b>	1		1			

## Papum Pare Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	176,385					
2	Sex Ratio	950					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	4,295		4,463			
9	Expected number of Delivery	3,982		4,138			
		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	8,543	198.9	4,263	95.5	Any ANC	78.0
11	Mothers registered in the first trimester	3,492	40.9	2,035	47.7	ANC Check up in first trimester	47.8
12	Mothers who had at least 3 Ante-Natal care check ups	2,015	23.6	2,255	52.9	3 or more ANC check up	55.2
13	PW who got TT 2 / Booster injection	1,742	20.4	992	23.3	At least 1 TT received	76.0
14	PW who consumed 100 IFA tablets	3,667	42.9	1,032	24.2	100 IFA tablets consumed	29.4
15	Home Delivery against expected delivery *	27	0.7	30	0.7	Full ANC	22.2
16	Institutional Delivery against expected delivery *	4,636	116.4	4,407	106.5	Home Delivery	22.7
17	Home Delivery against reported delivery **	27	0.6	30	0.7	Institutional Delivery	74.1
18	Institutional Delivery against reported delivery **	4,636	99.4	4,407	99.3	Home Delivery by SBA	0.9
19	Total reported Deliveries	4,663		4,437		PNC within 14 days of delivery	52.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	20	74.1	29	96.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	129	2.8	483	10.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,904		4,057			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
23	Total reported live births	4,624	118.4	4,598	113.3	Breastfeed within 1 hour of birth	44.9
24	Total Still Birth	59	1.5	77	1.9	BCG	93

25	Newborn weighted at birth to live birth	4,578	99.0	3,794	82.5	3 dose of DPT	72.7
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	204	4.5	214	5.6	Measles	74.7
27	Newborns breastfed within 1 hour to total reported live birth.	3,892	84.2	4,423	96.2	Full Immunization	65.5
28	Fully immunized	2,848	72.9	3,099	76.4		
29	Children who have received BCG	5,386	138.0	4,198	103.5		
30	Children who have received DPT1	3,065	78.5	3,101	76.4		
31	Children who have received DPT3	2,484	63.6	2,853	70.3		
32	Children who have received Measles	3,329	85.3	3,252	80.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	3,374		2,781			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>		<b>DLHS-4 ( 2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	10.8
35	Number of Tubectomies performed	397		320		Spacing	21.3
36	Number of IUD insertion	850		526		Women using any method	49.3
37	Number of IUD removals	186		92		Women using modern method	43.3
<b>F) Service delivery</b>		<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
38	IPD cases per 10,000 population ***	1112		1389			
39	General OPD cases per 10,000 population ***	19573		15803			
40	Ayush OPD cases per 10,000 population ***	348		264			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
41	Neonatal death within 24 hours	13		2			
42	Up to 1 Weeks of Birth	2		17			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	15		19			
45	Between 1 month and 11 months	3		11			
46	<b>Total reported infant deaths</b>	18		30			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
47	Due to Abortion	1		0			
48	Due to Obstructed/prolonged labour	0		2			
49	Due to Severe hypertension/fits	1		0			
50	Due to Bleeding	0		0			
51	Due to High fever	1		0			
52	Due to Other Causes (including causes not known)	1		2			
53	<b>Total reported maternal deaths</b>	4		4			



## Tawang Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	49,950					
2	Sex Ratio	701					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	1,160		1,186			
9	Expected number of Delivery	1,075		1,100			
		HMIS ( 2014-15)		HMIS ( 2015-16)		DLHS-4 ( 2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	901	77.7	881	74.3	Any ANC	61.5
11	Mothers registered in the first trimester	473	52.5	404	45.9	ANC Check up in first trimester	36.7
12	Mothers who had at least 3 Ante-Natal care check ups	213	23.6	225	25.5	3 or more ANC check up	42.7
13	PW who got TT 2 / Booster injection	399	44.3	438	49.7	At least 1 TT received	58.8
14	PW who consumed 100 IFA tablets	517	57.4	505	57.3	100 IFA tablets consumed	17.4
15	Home Delivery against expected delivery *	56	5.2	84	7.6	Full ANC	13.5
16	Institutional Delivery against expected delivery *	267	24.8	342	31.1	Home Delivery	62.3
17	Home Delivery against reported delivery **	56	17.3	84	19.7	Institutional Delivery	37.0
18	Institutional Delivery against reported delivery **	267	82.7	342	80.3	Home Delivery by SBA	4.2
19	Total reported Deliveries	323		426		PNC within 14 days of delivery	53.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	5.4	53	63.1		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	107	33.1	223	52.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,054		1,079			
D) Child Immunization :		HMIS ( 2014-15)		HMIS ( 2015-16)		DLHS-4 ( 2012-13)	
23	Total reported live births	358	34.0	426	39.5	Breastfeed within 1 hour of birth	62
24	Total Still Birth	7	0.7	7	0.6	BCG	83.3

25	Newborn weighted at birth to live birth	296	82.7	377	88.5	3 dose of DPT	76.4
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	23	7.8	25	6.6	Measles	63.9
27	Newborns breastfed within 1 hour to total reported live birth.	294	82.1	361	84.7	Full Immunization	56.9
28	Fully immunized	636	60.3	635	58.9		
29	Children who have received BCG	677	64.2	683	63.3		
30	Children who have received DPT1	704	66.8	489	45.3		
31	Children who have received DPT3	635	60.2	625	57.9		
32	Children who have received Measles	733	69.5	651	60.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	926		1,086			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>		<b>DLHS-4 ( 2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	14.1
35	Number of Tubectomies performed	2		0		Spacing	17.6
36	Number of IUD insertion	142		98		Women using any method	47.1
37	Number of IUD removals	86		57		Women using modern method	43.9
<b>F) Service delivery</b>		<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
38	IPD cases per 10,000 population ***	240		404			
39	General OPD cases per 10,000 population ***	11156		12001			
40	Ayush OPD cases per 10,000 population ***	168		545			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	2		1			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	2		1			
45	Between 1 month and 11 months	0		2			
46	<b>Total reported infant deaths</b>	2		3			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	<b>Total reported maternal deaths</b>	0		0			

## Tirap Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	58,961					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	2,474		1,252			
9	Expected number of Delivery	2,294		1,161			
		HMIS ( 2014-15)		HMIS ( 2015-16)		DLHS-4 ( 2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,901	76.8	800	63.9	Any ANC	43.4
11	Mothers registered in the first trimester	712	37.5	265	33.1	ANC Check up in first trimester	22.5
12	Mothers who had at least 3 Ante-Natal care check ups	817	43.0	350	43.8	3 or more ANC check up	26.3
13	PW who got TT 2 / Booster injection	1,422	74.8	696	87.0	At least 1 TT received	43.1
14	PW who consumed 100 IFA tablets	1,243	65.4	499	62.4	100 IFA tablets consumed	17.9
15	Home Delivery against expected delivery *	170	7.4	138	11.9	Full ANC	13.3
16	Institutional Delivery against expected delivery *	675	29.4	415	35.7	Home Delivery	68.8
17	Home Delivery against reported delivery **	170	20.1	138	25.0	Institutional Delivery	29.9
18	Institutional Delivery against reported delivery **	675	79.9	415	75.0	Home Delivery by SBA	6.4
19	Total reported Deliveries	845		553		PNC within 14 days of delivery	42.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	47	27.6	10	7.2		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	311	36.8	232	42.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,249		1,138			
D) Child Immunization :		HMIS ( 2014-15)		HMIS ( 2015-16)		DLHS-4 ( 2012-13)	
23	Total reported live births	839	37.3	544	47.8	Breastfeed within 1 hour of birth	47.7
24	Total Still Birth	11	0.5	9	0.8	BCG	60.2

25	Newborn weighted at birth to live birth	777	92.6	520	95.6	3 dose of DPT	67
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	8	1.0	1	0.2	Measles	43.6
27	Newborns breastfed within 1 hour to total reported live birth.	785	93.6	520	95.6	Full Immunization	33.3
28	Fully immunized	1,446	64.3	580	51.0		
29	Children who have received BCG	1,597	71.0	821	72.1		
30	Children who have received DPT1	1,993	88.6	636	55.9		
31	Children who have received DPT3	1,929	85.8	669	58.8		
32	Children who have received Measles	1,665	74.0	616	54.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,006		422			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>		<b>DLHS-4 ( 2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	11.6
35	Number of Tubectomies performed	0		29		Spacing	22.6
36	Number of IUD insertion	70		45		Women using any method	45.3
37	Number of IUD removals	53		47		Women using modern method	42.8
<b>F) Service delivery</b>		<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
38	IPD cases per 10,000 population ***	216		346			
39	General OPD cases per 10,000 population ***	6374		7255			
40	Ayush OPD cases per 10,000 population ***	1485		1571			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	0		0			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	0		0			
45	Between 1 month and 11 months	0		0			
46	<b>Total reported infant deaths</b>	0		0			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		1			
50	Due to Bleeding	0		1			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	<b>Total reported maternal deaths</b>	0		2			

## Upper Siang Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	35,289					
2	Sex Ratio	891					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	767		767			
9	Expected number of Delivery	711		712			
		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	775	101.1	733	95.5	Any ANC	28.4
11	Mothers registered in the first trimester	343	44.3	326	44.5	ANC Check up in first trimester	14.0
12	Mothers who had at least 3 Ante-Natal care check ups	378	48.8	383	52.3	3 or more ANC check up	16.6
13	PW who got TT 2 / Booster injection	395	51.0	442	60.3	At least 1 TT received	25.4
14	PW who consumed 100 IFA tablets	435	56.1	478	65.2	100 IFA tablets consumed	8.7
15	Home Delivery against expected delivery *	44	6.2	24	3.4	Full ANC	5.7
16	Institutional Delivery against expected delivery *	247	34.7	341	47.9	Home Delivery	66.4
17	Home Delivery against reported delivery **	44	15.1	24	6.6	Institutional Delivery	30.1
18	Institutional Delivery against reported delivery **	247	84.9	341	93.4	Home Delivery by SBA	4.4
19	Total reported Deliveries	291		365		PNC within 14 days of delivery	47.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	38	86.4	17	70.8		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	154	52.9	106	29.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	697		698			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
23	Total reported live births	387	55.5	386	55.3	Breastfeed within 1 hour of birth	70.4
24	Total Still Birth	8	1.1	16	2.3	BCG	60

25	Newborn weighted at birth to live birth	294	76.0	380	98.4	3 dose of DPT	50.9
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	7	2.4	23	6.1	Measles	40
27	Newborns breastfed within 1 hour to total reported live birth.	319	82.4	370	95.9	Full Immunization	29.1
28	Fully immunized	433	62.1	488	70.0		
29	Children who have received BCG	407	58.4	507	72.7		
30	Children who have received DPT1	451	64.7	426	61.1		
31	Children who have received DPT3	421	60.4	492	70.5		
32	Children who have received Measles	494	70.9	545	78.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	945		604			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>		<b>DLHS-4 ( 2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	14.7
35	Number of Tubectomies performed	56		52		Spacing	28.9
36	Number of IUD insertion	108		117		Women using any method	41.7
37	Number of IUD removals	83		49		Women using modern method	39.8
<b>F) Service delivery</b>		<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
38	IPD cases per 10,000 population ***	429		403			
39	General OPD cases per 10,000 population ***	11780		12002			
40	Ayush OPD cases per 10,000 population ***	759		973			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
41	Neonatal death within 24 hours	1		0			
42	Up to 1 Weeks of Birth	0		0			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	1		0			
45	Between 1 month and 11 months	0		0			
46	<b>Total reported infant deaths</b>	1		0			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	<b>Total reported maternal deaths</b>	0		0			

## Upper Subansiri Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	83,205					
2	Sex Ratio	982					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	2,063		2,156			
9	Expected number of Delivery	1,913		1,999			
		HMIS ( 2014-15)		HMIS ( 2015-16)		DLHS-4 ( 2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,591	77.1	2,081	96.5	Any ANC	56.2
11	Mothers registered in the first trimester	392	24.6	570	27.4	ANC Check up in first trimester	33.6
12	Mothers who had at least 3 Ante-Natal care check ups	388	24.4	675	32.4	3 or more ANC check up	39.0
13	PW who got TT 2 / Booster injection	532	33.4	719	34.6	At least 1 TT received	54.8
14	PW who consumed 100 IFA tablets	1,177	74.0	602	28.9	100 IFA tablets consumed	8.1
15	Home Delivery against expected delivery *	19	1.0	47	2.4	Full ANC	6.2
16	Institutional Delivery against expected delivery *	861	45.0	952	47.6	Home Delivery	56.2
17	Home Delivery against reported delivery **	19	2.2	47	4.7	Institutional Delivery	43.3
18	Institutional Delivery against reported delivery **	861	97.8	952	95.3	Home Delivery by SBA	0.6
19	Total reported Deliveries	880		999		PNC within 14 days of delivery	37.4
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	63.2	35	74.5		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	738	83.9	884	88.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,876		1,960			
D) Child Immunization :		HMIS ( 2014-15)		HMIS ( 2015-16)		DLHS-4 ( 2012-13)	
23	Total reported live births	867	46.2	990	50.5	Breastfeed within 1 hour of birth	54.4
24	Total Still Birth	25	1.3	16	0.8	BCG	77.9

25	Newborn weighted at birth to live birth	818	94.3	921	93.0	3 dose of DPT	81.2
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	15	1.8	15	1.6	Measles	63.2
27	Newborns breastfed within 1 hour to total reported live birth.	819	94.5	963	97.3	Full Immunization	58
28	Fully immunized	923	49.2	981	50.0		
29	Children who have received BCG	926	49.4	1,154	58.9		
30	Children who have received DPT1	979	52.2	899	45.9		
31	Children who have received DPT3	890	47.4	1,039	53.0		
32	Children who have received Measles	925	49.3	1,082	55.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	726		668			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>		<b>DLHS-4 ( 2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	8.4
35	Number of Tubectomies performed	96		0		Spacing	23
36	Number of IUD insertion	240		213		Women using any method	47.3
37	Number of IUD removals	184		212		Women using modern method	42.6
<b>F) Service delivery</b>		<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
38	IPD cases per 10,000 population ***	186		177			
39	General OPD cases per 10,000 population ***	4625		4717			
40	Ayush OPD cases per 10,000 population ***	254		269			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	0		2			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	0		2			
45	Between 1 month and 11 months	0		2			
46	<b>Total reported infant deaths</b>	0		4			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		1			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	<b>Total reported maternal deaths</b>	0		1			



## West Kameng Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	87,013					
2	Sex Ratio	755					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	1,882		1,904			
9	Expected number of Delivery	1,745		1,765			
		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	3,250	172.7	3,640	191.2	Any ANC	70.1
11	Mothers registered in the first trimester	1,575	48.5	1,102	30.3	ANC Check up in first trimester	45.7
12	Mothers who had at least 3 Ante-Natal care check ups	1,302	40.1	1,133	31.1	3 or more ANC check up	57.4
13	PW who got TT 2 / Booster injection	971	29.9	1,291	35.5	At least 1 TT received	68.0
14	PW who consumed 100 IFA tablets	5,732	176.4	2,001	55.0	100 IFA tablets consumed	16.2
15	Home Delivery against expected delivery *	20	1.1	57	3.2	Full ANC	14.7
16	Institutional Delivery against expected delivery *	895	51.3	966	54.7	Home Delivery	50.4
17	Home Delivery against reported delivery **	20	2.2	57	5.6	Institutional Delivery	49.3
18	Institutional Delivery against reported delivery **	895	97.8	966	94.4	Home Delivery by SBA	2.4
19	Total reported Deliveries	915		1,023		PNC within 14 days of delivery	64.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	15	75.0	52	91.2		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	565	61.7	532	52.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,711		1,731			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
23	Total reported live births	895	52.3	975	56.3	Breastfeed within 1 hour of birth	56.7
24	Total Still Birth	22	1.3	22	1.3	BCG	86.7

25	Newborn weighted at birth to live birth	880	98.3	926	95.0	3 dose of DPT	85.3
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	52	5.9	39	4.2	Measles	75
27	Newborns breastfed within 1 hour to total reported live birth.	888	99.2	940	96.4	Full Immunization	61.8
28	Fully immunized	977	57.1	1,263	73.0		
29	Children who have received BCG	1,319	77.1	1,292	74.6		
30	Children who have received DPT1	1,275	74.5	1,326	76.6		
31	Children who have received DPT3	1,092	63.8	1,187	68.6		
32	Children who have received Measles	1,040	60.8	1,208	69.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,171		1,082			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	11.5
35	Number of Tubectomies performed	3		15		Spacing	15.8
36	Number of IUD insertion	523		554		Women using any method	55.4
37	Number of IUD removals	157		227		Women using modern method	49
<b>F) Service delivery</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
38	IPD cases per 10,000 population ***	328		325			
39	General OPD cases per 10,000 population ***	7419		8410			
40	Ayush OPD cases per 10,000 population ***	183		131			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	1		0			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	1		0			
45	Between 1 month and 11 months	4		0			
46	<b>Total reported infant deaths</b>	5		0			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	1		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	<b>Total reported maternal deaths</b>	1		0			

## West Siang Factsheet

### Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	112,272					
2	Sex Ratio	916					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	NA					
4	Primary Health Centers (PHC)	NA					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	2,454		2,461			
9	Expected number of Delivery	2,276		2,282			
		HMIS ( 2014-15)		HMIS ( 2015-16)		DLHS-4 ( 2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,781	72.6	1,930	78.4	Any ANC	71.5
11	Mothers registered in the first trimester	468	26.3	448	23.2	ANC Check up in first trimester	31.9
12	Mothers who had at least 3 Ante-Natal care check ups	894	50.2	953	49.4	3 or more ANC check up	58.6
13	PW who got TT 2 / Booster injection	964	54.1	1,102	57.1	At least 1 TT received	65.6
14	PW who consumed 100 IFA tablets	1,341	75.3	1,289	66.8	100 IFA tablets consumed	30.6
15	Home Delivery against expected delivery *	11	0.5	5	0.2	Full ANC	27.0
16	Institutional Delivery against expected delivery *	1,202	52.8	1,247	54.6	Home Delivery	40.7
17	Home Delivery against reported delivery **	11	0.9	5	0.4	Institutional Delivery	58.6
18	Institutional Delivery against reported delivery **	1,202	99.1	1,247	99.6	Home Delivery by SBA	0.7
19	Total reported Deliveries	1,213		1,252		PNC within 14 days of delivery	31.5
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	9	81.8	2	40.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	61	5.0	341	27.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,231		2,237			
D) Child Immunization :		HMIS ( 2014-15)		HMIS ( 2015-16)		DLHS-4 ( 2012-13)	
23	Total reported live births	1,213	54.4	1,238	55.3	Breastfeed within 1 hour of birth	59.7
24	Total Still Birth	14	0.6	15	0.7	BCG	68.9

25	Newborn weighted at birth to live birth	1,188	97.9	1,223	98.8	3 dose of DPT	58.9
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	58	4.9	46	3.8	Measles	66.2
27	Newborns breastfed within 1 hour to total reported live birth.	1,105	91.1	1,156	93.4	Full Immunization	50
28	Fully immunized	1,259	56.4	1,305	58.3		
29	Children who have received BCG	1,435	64.3	1,500	67.0		
30	Children who have received DPT1	1,485	66.6	1,050	46.9		
31	Children who have received DPT3	1,373	61.5	1,240	55.4		
32	Children who have received Measles	1,274	57.1	1,385	61.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	467		686			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>		<b>DLHS-4 ( 2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	11.1
35	Number of Tubectomies performed	78		89		Spacing	13.6
36	Number of IUD insertion	317		344		Women using any method	61.3
37	Number of IUD removals	267		192		Women using modern method	55.2
<b>F) Service delivery</b>		<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
38	IPD cases per 10,000 population ***	173		201			
39	General OPD cases per 10,000 population ***	6792		7443			
40	Ayush OPD cases per 10,000 population ***	364		363			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	0		0			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	0		0			
45	Between 1 month and 11 months	0		0			
46	<b>Total reported infant deaths</b>	0		0			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	<b>Total reported maternal deaths</b>	0		0			