

ASSAM Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)		SL No	C) State Health Indicator (SRS 2014)			
1	Population 2011	31,169,272	9	Birth Rate		22.4	
2	Sex Ratio	954	10	Death Rate		7.8	
3	Number of districts	27	11	IMR		54	
B) Infrastructure Details (RHS 2015)			12	Growth Rate		14.5	
4	Sub Centres (SC)	4,621	13	TFR (SRS - 2007)		2.4	
5	Primary Health Centres (PHC)	1,024	14	MMR(SRS 2011-13)		300	
6	Community Health Centres (CHC)	151					
7	SDH	13					
8	DH	25					
D) Maternal Health:		2014-15	2015-16				
15	Expected number of PW	808,419	812,232				
16	Expected number of Delivery	754,024	756,853				
		HMIS (2014-15)	HMIS (2015-16)		AHS (2012-13)		
		Number	PC	Number	PC		PC
17	PW register for ANC	748,081	92.5	740,777	91.2	Any ANC	94.8
18	Mothers registered in the first trimester	577,347	77.2	596,803	80.6	ANC Check up in first trimester	54.8
19	Mothers who had at least 3 Ante-Natal care check ups	628,773	84.1	644,303	87.0	3 or more ANC check up	66.2
20	PW who got TT 2 / Booster injection	662,416	88.5	672,592	90.8	Atleast 1 TT received	94.5
21	PW who consumed 100 IFA tablets	678,829	90.7	669,135	90.3	100 IFA tablets consumed	23.1
22	Home Delivery against expected delivery *	95,767	12.7	88,672	11.7	Full ANC	18.4
23	Institutional Delivery against expected delivery *	528,358	70.1	538,303	71.1	Home Delivery	33.6
24	Home Delivery against reported delivery **	95,767	15.3	88,672	14.1	Institutional Delivery	65.9
25	Institutional Delivery against reported delivery **	528,358	84.7	538,303	85.9	Home Delivery by SBA	29.2
26	Total reported Deliveries	624,125	82.8	626,975	82.8	PNC within 14 days of delivery	69.4
27	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	20,305	21.2	20,316	22.9		
28	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	444,409	71.2	455,171	72.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
29	Expected number of Live Birth	734,926	738,394				
E) Child Immunization :		HMIS (2014-15)	HMIS (2015-16)		AHS (2012-13)		
		Number	PC	Number	PC		PC
30	Total reported live births	610,345	83.0	613,648	83.1	Breastfeed within 1 hour of birth	75.6

31	Total Still Birth	14,080	1.9	13,238	1.8	BCG	94.1
32	Newborn weighted at birth to live birth	597,685	97.9	601,998	98.1	3 dose of DPT	77.6
33	Newborn having weigh less than 2.5 kg to newborn weighted at birth.	109,733	18.0	100,506	16.7	Measles	80.9
34	Newborns breast feed within 1 hour to total reported live birth.	584,182	95.7	584,098	95.2	Full Immunization	64.4
35	Fully immunized	581,146	79.1	609,102	82.5		
36	Children who have received BCG	641,584	87.3	624,890	84.6		
37	Children who have received DPT1	567,248	77.2	13,897	1.9		
38	Children who have received DPT3	603,698	82.1	94,810	12.8		
39	Children who have received Measles	589,250	80.2	615,814	83.4		
40	Diarrhoea and Dehydration reported in children below 5 years of age	125,825		89,708			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
F) Family Planning		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
41	Number of Vasectomies performed	4,279		4,116		Limiting	6.5
42	Number of Tubectomies performed	39,802		43,376		Spacing	6.6
43	Number of IUD insertion	97,714		86,159		Women using any method	67.2
44	Number of IUD removals	11,995		11,971		Women using modern method	38.1
G) Service delivery		HMIS (2014-15)		HMIS (2015-16)			
45	IPD cases per 10,000 population ***	363		342			
46	General OPD cases per 10,000 population ***	8,669		8,533			
47	Ayush OPD cases per 10,000 population ***	168		229			
H) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2014-15)		HMIS (2015-16)			
48	Neonatal death within 24 hours	174		165			
49	Up to 1 Weeks of Birth	2,734		2,814			
50	Between 1 week & 4 weeks of birth	59		116			
51	Neonatal Death	2,967		3,095			
52	Between 1 month and 11 months	1,719		1,529			
53	Total reported infant deaths	4,686		4,624			
II)	Maternal Mortality	HMIS (2014-15)		HMIS (2015-16)			
	Maternal Deaths (In Numbers)	HMIS (2014-15)		HMIS (2015-16)			
54	Due to Abortion	15		12			
55	Due to Obstructed/prolonged labour	26		22			
56	Due to Severe hypertesion/fits	91		56			
57	Due to Bleeding	98		85			
58	Due to High fever	22		8			
59	Due to Other Causes (including causes not known)	487		419			
60	Total reported maternal deaths	739		602			

Baksa Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	953,773					
2	Sex Ratio	967					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	157					
4	Primary Health Centers (PHC)	41					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	24,311		24,473			
9	Expected number of Delivery	22,654		22,805			
		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	18,201	74.9	17,754	72.5	Any ANC	NA
11	Mothers registered in the first trimester	14,994	82.4	14,819	83.5	ANC Check up in first trimester	NA
12	Mothers who had at least 3 Ante-Natal care check ups	15,436	84.8	15,628	88.0	3 or more ANC check up	NA
13	PW who got TT 2 / Booster injection	15,570	85.5	15,626	88.0	Atleast 1 TT received	NA
14	PW who consumed 100 IFA tablets	16,434	90.3	16,297	91.8	100 IFA tablets consumed	NA
15	Home Delivery against expected delivery *	1,091	4.8	999	4.4	Full ANC	NA
16	Institutional Delivery against expected delivery *	10,155	44.8	9,685	42.5	Home Delivery	NA
17	Home Delivery against reported delivery **	1,091	9.7	999	9.4	Institutional Delivery	NA
18	Institutional Delivery against reported delivery **	10,155	90.3	9,685	90.6	Home Delivery by SBA	NA
19	Total reported Deliveries	11,246		10,684		PNC within 1 week of delivery	NA
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	26	2.4	74	7.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,449	92.9	10,076	94.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	22,101		22,249			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
23	Total reported live births	11,058	50.0	10,493	47.2	Breastfed within 1 hour of birth	NA
24	Total Still Birth	211	1.0	191	0.9	BCG	NA

25	PC of newborn weighted at birth to live birth	11,009	99.6	10,516	100.2	3 dose of DPT	NA
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,419	12.9	1,362	13.0	Measles	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	10,973	99.2	10,447	99.6	Full Immunization	NA
28	Children fully immunized	14,119	63.9	14,910	67.0		
29	Children who have received BCG	13,953	63.1	13,227	59.5		
30	Children who have received DPT1	14,888	67.4	241	1.1		
31	Children who have received DPT3	14,988	67.8	2,713	12.2		
32	Children who have received Measles	14,084	63.7	14,936	67.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,262		1,627			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	AHS (2012-13)	
34	Number of Vasectomies performed	25	0	Limiting	NA
35	Number of Tubectomies performed	270	499	Spacing	NA
36	Number of IUD insertion	1,288	1,461	Women using any method	NA
37	Number of IUD removals	390	342	Women using modern method	NA
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)		
38	IPD cases per 10,000 population ***	129	141		
39	General OPD cases per 10,000 population ***	6,545	6,214		
40	Ayush OPD cases per 10,000 population ***	262	577.6		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
41	Neonatal death within 24 hours	4	10		
42	Up to 1 Weeks of Birth	52	42		
43	Between 1 week & 4 weeks of birth	3	3		
44	Neonatal Death	59	55		
45	Between 1 month and 11 months	71	73		
46	Total reported infant deaths	130	128		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	1		
49	Due to Severe hypertension / fits	0	0		
50	Due to Bleeding	2	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	2	7		
53	Total reported maternal deaths	4	9		

Barpeta Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,693,190					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	264					
4	Primary Health Centers (PHC)	51					
5	Community Health Centers (CHC)	6					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	44,666		45,419			
9	Expected number of Delivery	41,621		42,323			
		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	41,310	92.5	42,033	92.5	Any ANC	94.0
11	Mothers registered in the first trimester	32,407	78.4	34,931	83.1	ANC Check up in first trimester	35.7
12	Mothers who had at least 3 Ante-Natal care check ups	36,669	88.8	38,697	92.1	3 or more ANC check up	55.6
13	PW who got TT 2 / Booster injection	36,683	88.8	37,046	88.1	Atleast 1 TT received	94.0
14	PW who consumed 100 IFA tablets	34,634	83.8	37,198	88.5	100 IFA tablets consumed	18.9
15	Home Delivery against expected delivery *	11,365	27.3	9,854	23.3	Full ANC	14.0
16	Institutional Delivery against expected delivery *	25,658	61.6	26,783	63.3	Home Delivery	47.4
17	Home Delivery against reported delivery **	11,365	30.7	9,854	26.9	Institutional Delivery	52.3
18	Institutional Delivery against reported delivery **	25,658	69.3	26,783	73.1	Home Delivery by SBA	19.8
19	Total reported Deliveries	37,023		36,637		PNC within 1 week of delivery	56.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3,142	27.6	3,461	35.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	26,016	70.3	25,828	70.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	40,606		41,290			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
23	Total reported live births	36,194	89.1	35,965	87.1	Breastfed within 1 hour of birth	78.9
24	Total Still Birth	1,077	2.7	968	2.3	BCG	93.5

25	PC of newborn weighted at birth to live birth	35,985	99.4	35,860	99.7	3 dose of DPT	78.5
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	8,585	23.9	6,536	18.2	Measles	76.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	35,629	98.4	34,536	96.0	Full Immunization	62.1
28	Children fully immunized	34,218	84.3	35,908	87.0		
29	Children who have received BCG	36,926	90.9	36,016	87.2		
30	Children who have received DPT1	34,065	83.9	576	1.4		
31	Children who have received DPT3	36,522	89.9	5,345	12.9		
32	Children who have received Measles	34,555	85.1	36,395	88.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,979		1,953			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	AHS (2012-13)	
34	Number of Vasectomies performed	66	54	Limiting	5.2
35	Number of Tubectomies performed	1,144	1,207	Spacing	7.2
36	Number of IUD insertion	3,825	4,045	Women using any method	74.1
37	Number of IUD removals	101	249	Women using modern method	39
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)		
38	IPD cases per 10,000 population ***	196	190		
39	General OPD cases per 10,000 population ***	6,801	6,244		
40	Ayush OPD cases per 10,000 population ***	0	38.1		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
41	Neonatal death within 24 hours	6	16		
42	Up to 1 Weeks of Birth	151	479		
43	Between 1 week & 4 weeks of birth	4	37		
44	Neonatal Death	161	532		
45	Between 1 month and 11 months	78	82		
46	Total reported infant deaths	239	614		
II)	Maternal Mortality	HMIS (2014-15)	HMIS (2015-16)		
47	Due to Abortion	1	3		
48	Due to Obstructed/prolonged labour	1	3		
49	Due to Severe hypertension / fits	5	10		
50	Due to Bleeding	8	9		
51	Due to High fever	2	0		
52	Due to Other Causes (including causes not known)	25	42		
53	Total reported maternal deaths	42	67		

Bongaigaon Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	732,639					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	84					
4	Primary Health Centers (PHC)	30					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	19,381		19,672			
9	Expected number of Delivery	18,059		18,331			
		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	16,065	82.9	16,769	85.2	Any ANC	92.6
11	Mothers registered in the first trimester	11,963	74.5	13,442	80.2	ANC Check up in first trimester	43.7
12	Mothers who had at least 3 Ante-Natal care check ups	13,193	82.1	14,077	83.9	3 or more ANC check up	59.5
13	PW who got TT 2 / Booster injection	14,666	91.3	15,067	89.9	Atleast 1 TT received	92.5
14	PW who consumed 100 IFA tablets	14,984	93.3	13,776	82.2	100 IFA tablets consumed	21.1
15	Home Delivery against expected delivery *	3,613	20.0	3,376	18.4	Full ANC	16.3
16	Institutional Delivery against expected delivery *	11,949	66.2	12,196	66.5	Home Delivery	45.1
17	Home Delivery against reported delivery **	3,613	23.2	3,376	21.7	Institutional Delivery	54.8
18	Institutional Delivery against reported delivery **	11,949	76.8	12,196	78.3	Home Delivery by SBA	34.8
19	Total reported Deliveries	15,562		15,572		PNC within 1 week of delivery	55.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	95	2.6	205	6.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,462	86.5	16,466	105.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	17,619		17,884			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
23	Total reported live births	15,270	86.7	15,402	86.1	Breastfed within 1 hour of birth	72.8

24	Total Still Birth	351	2.0	299	1.7	BCG	94.3
25	PC of newborn weighted at birth to live birth	15,174	99.4	15,399	100.0	3 dose of DPT	66.6
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,768	11.7	2,109	13.7	Measles	79.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	15,213	99.6	15,192	98.6	Full Immunization	52.4
28	Children fully immunized	13,508	76.7	14,228	79.6		
29	Children who have received BCG	15,683	89.0	16,333	91.3		
30	Children who have received DPT1	14,081	79.9	669	3.7		
31	Children who have received DPT3	14,162	80.4	3,620	20.2		
32	Children who have received Measles	13,637	77.4	14,316	80.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	496		502			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
34	Number of Vasectomies performed	5		29		Limiting	5.2
35	Number of Tubectomies performed	272		364		Spacing	6.6
36	Number of IUD insertion	1,873		2,309		Women using any method	70.5
37	Number of IUD removals	137		98		Women using modern method	35.7
F) Service delivery		HMIS (2014-15)		HMIS (2015-16)			
38	IPD cases per 10,000 population ***	154		150			
39	General OPD cases per 10,000 population ***	8,179		8,123			
40	Ayush OPD cases per 10,000 population ***	14		26.9			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2014-15)		HMIS (2015-16)			
41	Neonatal death within 24 hours	3		7			
42	Up to 1 Weeks of Birth	222		213			
43	Between 1 week & 4 weeks of birth	5		10			
44	Neonatal Death	230		230			
45	Between 1 month and 11 months	82		89			
46	Total reported infant deaths	312		319			
II) Maternal Mortality		HMIS (2014-15)		HMIS (2015-16)			
Maternal Deaths (In Numbers)		HMIS (2014-15)		HMIS (2015-16)			
47	Due to Abortion	1		1			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension / fits	1		1			
50	Due to Bleeding	5		3			
51	Due to High fever	0		1			
52	Due to Other Causes (including causes not known)	18		17			
53	Total reported maternal deaths	25		23			

Cachar Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,736,319					
2	Sex Ratio	958					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	270					
4	Primary Health Centers (PHC)	33					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	45,635		46,348			
9	Expected number of Delivery	42,523		43,188			
		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	41,316	90.5	43,671	94.2	Any ANC	95.6
11	Mothers registered in the first trimester	33,426	80.9	35,841	82.1	ANC Check up in first trimester	57.8
12	Mothers who had at least 3 Ante-Natal care check ups	33,446	81.0	38,837	88.9	3 or more ANC check up	66.5
13	PW who got TT 2 / Booster injection	37,561	90.9	40,051	91.7	Atleast 1 TT received	95.3
14	PW who consumed 100 IFA tablets	45,424	109.9	40,816	93.5	100 IFA tablets consumed	21.5
15	Home Delivery against expected delivery *	5,160	12.1	3,900	9.0	Full ANC	17.8
16	Institutional Delivery against expected delivery *	35,920	84.5	37,041	85.8	Home Delivery	34.9
17	Home Delivery against reported delivery **	5,160	12.6	3,900	9.5	Institutional Delivery	64.8
18	Institutional Delivery against reported delivery **	35,920	87.4	37,041	90.5	Home Delivery by SBA	35.7
19	Total reported Deliveries	41,080		40,941		PNC within 1 week of delivery	69.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,082		1,959			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	28,592		23,532			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	41,486		42,135			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
23	Total reported live births	40,218		40,707		Breastfed within 1 hour of birth	63.3

24	Total Still Birth	1,385	3.3	1,154	2.7	BCG	94.2
25	PC of newborn weighted at birth to live birth	40,185	99.9	38,795	95.3	3 dose of DPT	77.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	8,729	21.7	8,624	22.2	Measles	80.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	36,452	90.6	34,755	85.4	Full Immunization	64.5
28	Children fully immunized	34,885	84.1	37,689	89.4		
29	Children who have received BCG	41,487	100.0	40,817	96.9		
30	Children who have received DPT1	34,188	82.4	2,412	5.7		
31	Children who have received DPT3	36,167	87.2	7,806	18.5		
32	Children who have received Measles	35,461	85.5	37,480	89.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,683		2,629			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
34	Number of Vasectomies performed	142		137		Limiting	8.8
35	Number of Tubectomies performed	2,987		3,140		Spacing	9.4
36	Number of IUD insertion	2,037		2,562		Women using any method	57
37	Number of IUD removals	265		378		Women using modern method	31.9
F) Service delivery		HMIS (2014-15)		HMIS (2015-16)			
38	IPD cases per 10,000 population ***	420		412			
39	General OPD cases per 10,000 population ***	6,993		6,508			
40	Ayush OPD cases per 10,000 population ***	6		9.2			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2014-15)		HMIS (2015-16)			
41	Neonatal death within 24 hours	19		8			
42	Up to 1 Weeks of Birth	238		167			
43	Between 1 week & 4 weeks of birth	2		1			
44	Neonatal Death	259		176			
45	Between 1 month and 11 months	144		164			
46	Total reported infant deaths	403		340			
II) Maternal Mortality		HMIS (2014-15)		HMIS (2015-16)			
Maternal Deaths (In Numbers)		HMIS (2014-15)		HMIS (2015-16)			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	3		1			
49	Due to Severe hypertension / fits	8		8			
50	Due to Bleeding	3		5			
51	Due to High fever	2		0			
52	Due to Other Causes (including causes not known)	33		40			
53	Total reported maternal deaths	49		54			

Chirang Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	481,818					
2	Sex Ratio	969					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	86					
4	Primary Health Centers (PHC)	25					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	12,341		12,425			
9	Expected number of Delivery	11,500		11,578			
		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	11,381	92.2	10,624	85.5	Any ANC	NA
11	Mothers registered in the first trimester	8,168	71.8	8,286	78.0	ANC Check up in first trimester	NA
12	Mothers who had at least 3 Ante-Natal care check ups	9,046	79.5	8,502	80.0	3 or more ANC check up	NA
13	PW who got TT 2 / Booster injection	9,836	86.4	9,715	91.4	Atleast 1 TT received	NA
14	PW who consumed 100 IFA tablets	10,297	90.5	10,439	98.3	100 IFA tablets consumed	NA
15	Home Delivery against expected delivery *	2,112	18.4	1,846	15.9	Full ANC	NA
16	Institutional Delivery against expected delivery *	5,679	49.4	5,943	51.3	Home Delivery	NA
17	Home Delivery against reported delivery **	2,112	27.1	1,846	23.7	Institutional Delivery	NA
18	Institutional Delivery against reported delivery **	5,679	72.9	5,943	76.3	Home Delivery by SBA	NA
19	Total reported Deliveries	7,791		7,789		PNC within 1 week of delivery	NA
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	89	4.2	324	17.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,152	53.3	4,135	53.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	11,219		11,295			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
23	Total reported live births	7,792	69.5	7,747	68.6	Breastfed within 1 hour of birth	NA
24	Total Still Birth	80	0.7	72	0.6	BCG	NA

25	PC of newborn weighted at birth to live birth	7,519	96.5	7,710	99.5	3 dose of DPT	NA
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,331	44.3	1,090	14.1	Measles	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	7,512	96.4	7,675	99.1	Full Immunization	NA
28	Children fully immunized	8,481	75.6	8,779	77.7		
29	Children who have received BCG	8,859	79.0	9,128	80.8		
30	Children who have received DPT1	8,324	74.2	152	1.3		
31	Children who have received DPT3	8,405	74.9	1,749	15.5		
32	Children who have received Measles	8,523	76.0	8,871	78.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,780		1,719			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	AHS (2012-13)			
34	Number of Vasectomies performed	0	0	Limiting	NA		
35	Number of Tubectomies performed	131	0	Spacing	NA		
36	Number of IUD insertion	1,555	1,385	Women using any method	NA		
37	Number of IUD removals	378	322	Women using modern method	NA		
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)				
38	IPD cases per 10,000 population ***	27	24				
39	General OPD cases per 10,000 population ***	7,640	6,829				
40	Ayush OPD cases per 10,000 population ***	208	336.9				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
41	Neonatal death within 24 hours	1	3				
42	Up to 1 Weeks of Birth	16	12				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	17	15				
45	Between 1 month and 11 months	50	52				
46	Total reported infant deaths	67	67				
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension / fits	0	0				
50	Due to Bleeding	1	0				
51	Due to High fever	0	1				
52	Due to Other Causes (including causes not known)	10	1				
53	Total reported maternal deaths	11	2				

Darrang Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	908,090					
2	Sex Ratio	923					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	163					
4	Primary Health Centers (PHC)	30					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	24,352		24,717			
9	Expected number of Delivery	22,691		23,031			
		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	22,397	92.0	22,908	92.7	Any ANC	91.3
11	Mothers registered in the first trimester	14,769	65.9	16,681	72.8	ANC Check up in first trimester	39.9
12	Mothers who had at least 3 Ante-Natal care check ups	20,705	92.4	20,331	88.8	3 or more ANC check up	51.9
13	PW who got TT 2 / Booster injection	19,821	88.5	21,194	92.5	Atleast 1 TT received	91.3
14	PW who consumed 100 IFA tablets	17,304	77.3	20,619	90.0	100 IFA tablets consumed	29.4
15	Home Delivery against expected delivery *	3,151	13.9	2,999	13.0	Full ANC	17.1
16	Institutional Delivery against expected delivery *	15,812	69.7	14,633	63.5	Home Delivery	36.6
17	Home Delivery against reported delivery **	3,151	16.6	2,999	17.0	Institutional Delivery	63.0
18	Institutional Delivery against reported delivery **	15,812	83.4	14,633	83.0	Home Delivery by SBA	24.0
19	Total reported Deliveries	18,963		17,632		PNC within 1 week of delivery	66.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	311	9.9	823	27.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,083	69.0	12,511	71.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	22,138		22,470			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
23	Total reported live births	18,719	84.6	17,334	77.1	Breastfed within 1 hour of birth	73.6

24	Total Still Birth	405	1.8	317	1.4	BCG	93.2
25	PC of newborn weighted at birth to live birth	17,883	95.5	16,742	96.6	3 dose of DPT	70.8
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,063	17.1	2,705	16.2	Measles	71.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	17,805	95.1	16,721	96.5	Full Immunization	56.4
28	Children fully immunized	18,930	85.5	19,642	87.4		
29	Children who have received BCG	20,169	91.1	16,300	72.5		
30	Children who have received DPT1	16,921	76.4	139	0.6		
31	Children who have received DPT3	18,615	84.1	2,517	11.2		
32	Children who have received Measles	19,146	86.5	19,801	88.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	7,948		5,558			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	AHS (2012-13)	
34	Number of Vasectomies performed	49	31	Limiting	6.2
35	Number of Tubectomies performed	1,763	1,179	Spacing	8.2
36	Number of IUD insertion	4,817	2,734	Women using any method	68
37	Number of IUD removals	479	576	Women using modern method	37.3
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)		
38	IPD cases per 10,000 population ***	392	378		
39	General OPD cases per 10,000 population ***	7,280	6,895		
40	Ayush OPD cases per 10,000 population ***	208	176.5		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
41	Neonatal death within 24 hours	6	2		
42	Up to 1 Weeks of Birth	52	60		
43	Between 1 week & 4 weeks of birth	1	2		
44	Neonatal Death	59	64		
45	Between 1 month and 11 months	39	29		
46	Total reported infant deaths	98	93		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
47	Due to Abortion	0	1		
48	Due to Obstructed/prolonged labour	0	1		
49	Due to Severe hypertension / fits	2	5		
50	Due to Bleeding	2	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	2	3		
53	Total reported maternal deaths	6	11		

Dhemaji Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	688,077					
2	Sex Ratio	949					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	98					
4	Primary Health Centers (PHC)	22					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	18,037		18,321			
9	Expected number of Delivery	16,807		17,072			
		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	15,568	86.3	15,441	84.3	Any ANC	94.9
11	Mothers registered in the first trimester	12,658	81.3	12,852	83.2	ANC Check up in first trimester	60.8
12	Mothers who had at least 3 Ante-Natal care check ups	13,961	89.7	13,989	90.6	3 or more ANC check up	66.9
13	PW who got TT 2 / Booster injection	13,950	89.6	13,901	90.0	Atleast 1 TT received	94.7
14	PW who consumed 100 IFA tablets	13,472	86.5	13,704	88.8	100 IFA tablets consumed	14.4
15	Home Delivery against expected delivery *	128	0.8	109	0.6	Full ANC	11.0
16	Institutional Delivery against expected delivery *	15,799	94.0	17,177	100.6	Home Delivery	27.1
17	Home Delivery against reported delivery **	128	0.8	109	0.6	Institutional Delivery	72.3
18	Institutional Delivery against reported delivery **	15,799	99.2	17,177	99.4	Home Delivery by SBA	24.9
19	Total reported Deliveries	15,927		17,286		PNC within 1 week of delivery	70.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	15	11.7	55	50.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,855	55.6	12,674	73.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	16,397		16,656			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
23	Total reported live births	15,693	95.7	17,091	102.6	Breastfed within 1 hour of birth	82.9

24	Total Still Birth	333	2.0	355	2.1	BCG	91.5
25	PC of newborn weighted at birth to live birth	15,609	99.5	16,953	99.2	3 dose of DPT	78
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,017	12.9	1,731	10.2	Measles	77.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	14,866	94.7	15,754	92.2	Full Immunization	66.6
28	Children fully immunized	13,486	82.2	13,641	81.9		
29	Children who have received BCG	14,796	90.2	15,055	90.4		
30	Children who have received DPT1	11,993	73.1	22	0.1		
31	Children who have received DPT3	13,466	82.1	1,193	7.2		
32	Children who have received Measles	13,520	82.5	13,746	82.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	4,406		4,068			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	AHS (2012-13)			
34	Number of Vasectomies performed	0	3	Limiting	6.1		
35	Number of Tubectomies performed	1,865	1,725	Spacing	6.1		
36	Number of IUD insertion	4,929	5,217	Women using any method	75.2		
37	Number of IUD removals	706	1,055	Women using modern method	34.7		
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)				
38	IPD cases per 10,000 population ***	200	227				
39	General OPD cases per 10,000 population ***	8,106	7,499				
40	Ayush OPD cases per 10,000 population ***	408	551.4				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
41	Neonatal death within 24 hours	11	2				
42	Up to 1 Weeks of Birth	141	169				
43	Between 1 week & 4 weeks of birth	1	4				
44	Neonatal Death	153	175				
45	Between 1 month and 11 months	93	65				
46	Total reported infant deaths	246	240				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
47	Due to Abortion	0	1				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension / fits	1	0				
50	Due to Bleeding	2	3				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	28	14				
53	Total reported maternal deaths	31	18				

Dhubri Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,948,632					
2	Sex Ratio	952					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	246					
4	Primary Health Centers (PHC)	44					
5	Community Health Centers (CHC)	8					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	51,862		52,892			
9	Expected number of Delivery	48,326		49,286			
		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	60,314	116.3	60,158	113.7	Any ANC	88.7
11	Mothers registered in the first trimester	40,275	66.8	42,887	71.3	ANC Check up in first trimester	33.4
12	Mothers who had at least 3 Ante-Natal care check ups	51,491	85.4	52,118	86.6	3 or more ANC check up	39.7
13	PW who got TT 2 / Booster injection	53,285	88.3	53,966	89.7	Atleast 1 TT received	88.6
14	PW who consumed 100 IFA tablets	56,600	93.8	51,903	86.3	100 IFA tablets consumed	14.3
15	Home Delivery against expected delivery *	22,834	47.2	22,873	46.4	Full ANC	7.6
16	Institutional Delivery against expected delivery *	26,104	54.0	25,871	52.5	Home Delivery	57.3
17	Home Delivery against reported delivery **	22,834	46.7	22,873	46.9	Institutional Delivery	42.4
18	Institutional Delivery against reported delivery **	26,104	53.3	25,871	53.1	Home Delivery by SBA	23.0
19	Total reported Deliveries	48,938		48,744		PNC within 1 week of delivery	52.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5,207	22.8	4,739	20.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	33,630	68.7	33,159	68.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	47,148		48,083			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
23	Total reported live births	47,946	101.7	47,516	98.8	Breastfed within 1 hour of birth	65.5

24	Total Still Birth	1,123	2.4	1,079	2.2	BCG	89.9
25	PC of newborn weighted at birth to live birth	47,854	99.8	47,346	99.6	3 dose of DPT	69.4
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	8,793	18.4	8,196	17.3	Measles	62.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	47,172	98.4	46,792	98.5	Full Immunization	48.7
28	Children fully immunized	42,712	90.6	45,728	95.1		
29	Children who have received BCG	52,142	110.6	50,970	106.0		
30	Children who have received DPT1	43,617	92.5	610	1.3		
31	Children who have received DPT3	44,586	94.6	9,742	20.3		
32	Children who have received Measles	43,401	92.1	45,888	95.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	6,916		5,959			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	AHS (2012-13)	
34	Number of Vasectomies performed	4	9	Limiting	7
35	Number of Tubectomies performed	705	835	Spacing	11.8
36	Number of IUD insertion	7,440	8,762	Women using any method	49.6
37	Number of IUD removals	632	531	Women using modern method	34
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)		
38	IPD cases per 10,000 population ***	282	294		
39	General OPD cases per 10,000 population ***	7,525	8,282		
40	Ayush OPD cases per 10,000 population ***	40	366.5		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
41	Neonatal death within 24 hours	11	8		
42	Up to 1 Weeks of Birth	296	83		
43	Between 1 week & 4 weeks of birth	6	0		
44	Neonatal Death	313	91		
45	Between 1 month and 11 months	110	45		
46	Total reported infant deaths	423	136		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
47	Due to Abortion	7	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension / fits	13	1		
50	Due to Bleeding	14	5		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	44	22		
53	Total reported maternal deaths	78	28		

Dibrugarh Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,327,748					
2	Sex Ratio	952					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	231					
4	Primary Health Centers (PHC)	30					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	34,027		34,283			
9	Expected number of Delivery	31,707		31,946			
		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	27,026	79.4	23,710	69.2	Any ANC	97.3
11	Mothers registered in the first trimester	21,478	79.5	20,137	84.9	ANC Check up in first trimester	68.0
12	Mothers who had at least 3 Ante-Natal care check ups	22,766	84.2	21,561	90.9	3 or more ANC check up	84.8
13	PW who got TT 2 / Booster injection	22,093	81.7	21,596	91.1	Atleast 1 TT received	97.2
14	PW who consumed 100 IFA tablets	23,795	88.0	22,679	95.7	100 IFA tablets consumed	32.8
15	Home Delivery against expected delivery *	168	0.5	133	0.4	Full ANC	29.3
16	Institutional Delivery against expected delivery *	26,475	83.5	25,210	78.9	Home Delivery	18.6
17	Home Delivery against reported delivery **	168	0.6	133	0.5	Institutional Delivery	81.2
18	Institutional Delivery against reported delivery **	26,475	99.4	25,210	99.5	Home Delivery by SBA	36.4
19	Total reported Deliveries	26,643		25,343		PNC within 1 week of delivery	84.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	39	23.2	44	33.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	17,129	64.3	16,393	64.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	30,933		31,167			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
23	Total reported live births	23,468	75.9	24,977	80.1	Breastfed within 1 hour of birth	81.4
24	Total Still Birth	608	2.0	534	1.7	BCG	97.5

25	PC of newborn weighted at birth to live birth	23,271	99.2	24,950	99.9	3 dose of DPT	88
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,455	23.4	5,169	20.7	Measles	93.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	23,147	98.6	23,665	94.7	Full Immunization	82.3
28	Children fully immunized	21,599	69.8	21,294	68.3		
29	Children who have received BCG	25,356	82.0	23,087	74.1		
30	Children who have received DPT1	20,327	65.7	96	0.3		
31	Children who have received DPT3	21,254	68.7	2,159	6.9		
32	Children who have received Measles	21,654	70.0	21,267	68.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	4,836		3,536			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	AHS (2012-13)			
34	Number of Vasectomies performed	252	197	Limiting	9.2		
35	Number of Tubectomies performed	4,291	4,528	Spacing	6		
36	Number of IUD insertion	3,826	3,433	Women using any method	65.1		
37	Number of IUD removals	436	550	Women using modern method	43.9		
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)				
38	IPD cases per 10,000 population ***	633	619				
39	General OPD cases per 10,000 population ***	13,937	14,099				
40	Ayush OPD cases per 10,000 population ***	174	155.9				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
41	Neonatal death within 24 hours	2	6				
42	Up to 1 Weeks of Birth	65	54				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	67	60				
45	Between 1 month and 11 months	46	22				
46	Total reported infant deaths	113	82				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	1				
49	Due to Severe hypertension / fits	2	1				
50	Due to Bleeding	1	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	12	10				
53	Total reported maternal deaths	15	12				

Goalpara Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,008,959					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	151					
4	Primary Health Centers (PHC)	41					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	26,694		27,179			
9	Expected number of Delivery	24,874		25,326			
		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	29,243	109.5	29,015	106.8	Any ANC	94.8
11	Mothers registered in the first trimester	20,455	69.9	23,902	82.4	ANC Check up in first trimester	40.8
12	Mothers who had at least 3 Ante-Natal care check ups	25,067	85.7	25,523	88.0	3 or more ANC check up	65.4
13	PW who got TT 2 / Booster injection	25,302	86.5	26,785	92.3	Atleast 1 TT received	94.8
14	PW who consumed 100 IFA tablets	25,880	88.5	26,032	89.7	100 IFA tablets consumed	18.0
15	Home Delivery against expected delivery *	3,015	12.1	2,492	9.8	Full ANC	14.6
16	Institutional Delivery against expected delivery *	20,920	84.1	21,644	85.5	Home Delivery	44.2
17	Home Delivery against reported delivery **	3,015	12.6	2,492	10.3	Institutional Delivery	55.6
18	Institutional Delivery against reported delivery **	20,920	87.4	21,644	89.7	Home Delivery by SBA	36.0
19	Total reported Deliveries	23,935		24,136		PNC within 1 week of delivery	55.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,076	35.7	976	39.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	15,449	64.5	16,927	70.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	24,267		24,709			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
23	Total reported live births	23,703	97.7	23,908	96.8	Breastfed within 1 hour of birth	79.8

24	Total Still Birth	401	1.7	449	1.8	BCG	91.8
25	PC of newborn weighted at birth to live birth	23,539	99.3	23,779	99.5	3 dose of DPT	58.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,405	14.5	4,404	18.5	Measles	72.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	23,229	98.0	23,470	98.2	Full Immunization	46.6
28	Children fully immunized	21,431	88.3	23,098	93.5		
29	Children who have received BCG	23,719	97.7	24,191	97.9		
30	Children who have received DPT1	21,038	86.7	351	1.4		
31	Children who have received DPT3	22,681	93.5	4,220	17.1		
32	Children who have received Measles	21,609	89.0	23,368	94.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	4,123		2,708			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	AHS (2012-13)			
34	Number of Vasectomies performed	1	8	Limiting	6.1		
35	Number of Tubectomies performed	666	956	Spacing	6.6		
36	Number of IUD insertion	3,291	2,860	Women using any method	72.4		
37	Number of IUD removals	495	484	Women using modern method	45		
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)				
38	IPD cases per 10,000 population ***	292	289				
39	General OPD cases per 10,000 population ***	7,844	7,972				
40	Ayush OPD cases per 10,000 population ***	1,147	1267.6				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
41	Neonatal death within 24 hours	9	19				
42	Up to 1 Weeks of Birth	114	206				
43	Between 1 week & 4 weeks of birth	0	11				
44	Neonatal Death	123	236				
45	Between 1 month and 11 months	98	91				
46	Total reported infant deaths	221	327				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
47	Due to Abortion	2	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension / fits	2	2				
50	Due to Bleeding	12	6				
51	Due to High fever	2	0				
52	Due to Other Causes (including causes not known)	21	16				
53	Total reported maternal deaths	39	24				

Golaghat Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,058,674					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	144					
4	Primary Health Centers (PHC)	40					
5	Community Health Centers (CHC)	4					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	27,358		27,560			
9	Expected number of Delivery	25,492		25,681			
		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	20,942	76.5	19,350	70.2	Any ANC	96.1
11	Mothers registered in the first trimester	17,348	82.8	16,463	85.1	ANC Check up in first trimester	65.9
12	Mothers who had at least 3 Ante-Natal care check ups	18,291	87.3	17,029	88.0	3 or more ANC check up	75.0
13	PW who got TT 2 / Booster injection	18,828	89.9	17,714	91.5	Atleast 1 TT received	95.8
14	PW who consumed 100 IFA tablets	19,471	93.0	16,620	85.9	100 IFA tablets consumed	21.8
15	Home Delivery against expected delivery *	671	2.6	637	2.5	Full ANC	18.4
16	Institutional Delivery against expected delivery *	16,830	66.0	15,619	60.8	Home Delivery	26.6
17	Home Delivery against reported delivery **	671	3.8	637	3.9	Institutional Delivery	73.0
18	Institutional Delivery against reported delivery **	16,830	96.2	15,619	96.1	Home Delivery by SBA	43.9
19	Total reported Deliveries	17,501		16,256		PNC within 1 week of delivery	81.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	176	26.2	322	50.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,923	62.4	10,323	63.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	24,871		25,054			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
23	Total reported live births	17,176	69.1	15,961	63.7	Breastfed within 1 hour of birth	79
24	Total Still Birth	446	1.8	307	1.2	BCG	96.6

25	PC of newborn weighted at birth to live birth	11,496	66.9	12,484	78.2	3 dose of DPT	85.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,321	20.2	1,801	14.4	Measles	89.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	15,609	90.9	14,799	92.7	Full Immunization	69.4
28	Children fully immunized	16,443	66.1	16,629	66.4		
29	Children who have received BCG	19,270	77.5	16,512	65.9		
30	Children who have received DPT1	16,296	65.5	180	0.7		
31	Children who have received DPT3	16,572	66.6	1,960	7.8		
32	Children who have received Measles	16,711	67.2	16,838	67.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,196		1,943			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	AHS (2012-13)			
34	Number of Vasectomies performed	579	168	Limiting		12.6	
35	Number of Tubectomies performed	1,165	1,149	Spacing		5.1	
36	Number of IUD insertion	3,589	2,764	Women using any method		66	
37	Number of IUD removals	398	533	Women using modern method		40.3	
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)				
38	IPD cases per 10,000 population ***	412	416				
39	General OPD cases per 10,000 population ***	9,149	8,991				
40	Ayush OPD cases per 10,000 population ***	107	107.9				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
41	Neonatal death within 24 hours	9	13				
42	Up to 1 Weeks of Birth	144	78				
43	Between 1 week & 4 weeks of birth	2	0				
44	Neonatal Death	155	91				
45	Between 1 month and 11 months	57	38				
46	Total reported infant deaths	212	129				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	1	0				
49	Due to Severe hypertension / fits	8	2				
50	Due to Bleeding	2	2				
51	Due to High fever	2	0				
52	Due to Other Causes (including causes not known)	37	19				
53	Total reported maternal deaths	50	23				

Hailakandi Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	659,260					
2	Sex Ratio	946					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	105					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15	2015-16				
8	Expected number of PW	17,390	17,684				
9	Expected number of Delivery	16,204	16,478				
		HMIS (2014-15)	HMIS (2015-16)		AHS (2012-13)		
		Number	PC	Number	PC		
10	PW register for ANC	19,602	112.7	19,884	112.4	Any ANC	93.8
11	Mothers registered in the first trimester	13,732	70.1	15,339	77.1	ANC Check up in first trimester	53.5
12	Mothers who had at least 3 Ante-Natal care check ups	16,237	82.8	16,370	82.3	3 or more ANC check up	64.0
13	PW who got TT 2 / Booster injection	17,483	89.2	17,710	89.1	Atleast 1 TT received	93.6
14	PW who consumed 100 IFA tablets	17,298	88.2	16,516	83.1	100 IFA tablets consumed	14.8
15	Home Delivery against expected delivery *	4,898	30.2	4,460	27.1	Full ANC	12.2
16	Institutional Delivery against expected delivery *	10,027	61.9	9,920	60.2	Home Delivery	57.8
17	Home Delivery against reported delivery **	4,898	32.8	4,460	31.0	Institutional Delivery	42.1
18	Institutional Delivery against reported delivery **	10,027	67.2	9,920	69.0	Home Delivery by SBA	24.4
19	Total reported Deliveries	14,925		14,380		PNC within 1 week of delivery	47.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	834	17.0	1,165	26.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,307	62.4	9,259	64.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	15,809		16,076			
D) Child Immunization :		HMIS (2014-15)	HMIS (2015-16)		AHS (2012-13)		
23	Total reported live births	14,578	92.2	14,039	87.3	Breastfed within 1 hour of birth	62.4
24	Total Still Birth	516	3.3	456	2.8	BCG	89.3

25	PC of newborn weighted at birth to live birth	14,529	99.7	14,034	100.0	3 dose of DPT	75.3
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,788	12.3	1,520	10.8	Measles	78.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	14,230	97.6	13,984	99.6	Full Immunization	67.1
28	Children fully immunized	15,546	98.3	17,179	106.9		
29	Children who have received BCG	17,091	108.1	17,259	107.4		
30	Children who have received DPT1	15,078	95.4	81	0.5		
31	Children who have received DPT3	16,068	101.6	2,392	14.9		
32	Children who have received Measles	15,794	99.9	17,335	107.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	5,556		4,270			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	AHS (2012-13)			
34	Number of Vasectomies performed	20	10	Limiting	9.8		
35	Number of Tubectomies performed	648	301	Spacing	7.4		
36	Number of IUD insertion	4,862	3,039	Women using any method	58.9		
37	Number of IUD removals	281	273	Women using modern method	29.9		
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)				
38	IPD cases per 10,000 population ***	444	420				
39	General OPD cases per 10,000 population ***	6,076	4,546				
40	Ayush OPD cases per 10,000 population ***	33	23.6				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
41	Neonatal death within 24 hours	5	4				
42	Up to 1 Weeks of Birth	173	180				
43	Between 1 week & 4 weeks of birth	6	7				
44	Neonatal Death	184	191				
45	Between 1 month and 11 months	89	106				
46	Total reported infant deaths	273	297				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
47	Due to Abortion	2	1				
48	Due to Obstructed/prolonged labour	0	1				
49	Due to Severe hypertension / fits	2	0				
50	Due to Bleeding	0	2				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	20	21				
53	Total reported maternal deaths	24	25				

Jorhat Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,091,295					
2	Sex Ratio	956					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	144					
4	Primary Health Centers (PHC)	44					
5	Community Health Centers (CHC)	5					
6	SDH	2					
7	DH	0					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	27,787		27,918			
9	Expected number of Delivery	25,893		26,015			
		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	21,847	78.6	23,908	85.6	Any ANC	97.6
11	Mothers registered in the first trimester	19,570	89.6	20,970	87.7	ANC Check up in first trimester	72.6
12	Mothers who had at least 3 Ante-Natal care check ups	16,945	77.6	19,281	80.6	3 or more ANC check up	82.3
13	PW who got TT 2 / Booster injection	18,619	85.2	20,348	85.1	Atleast 1 TT received	97.3
14	PW who consumed 100 IFA tablets	15,986	73.2	29,208	122.2	100 IFA tablets consumed	27.1
15	Home Delivery against expected delivery *	191	0.7	141	0.5	Full ANC	24.3
16	Institutional Delivery against expected delivery *	16,952	65.5	18,274	70.2	Home Delivery	18.4
17	Home Delivery against reported delivery **	191	1.1	141	0.8	Institutional Delivery	80.8
18	Institutional Delivery against reported delivery **	16,952	98.9	18,274	99.2	Home Delivery by SBA	39.8
19	Total reported Deliveries	17,143		18,415		PNC within 1 week of delivery	82.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	163	85.3	131	92.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,523	78.9	14,129	76.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	25,261		25,380			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
23	Total reported live births	16,782	66.4	18,008	71.0	Breastfed within 1 hour of birth	80
24	Total Still Birth	304	1.2	294	1.2	BCG	96.8

25	PC of newborn weighted at birth to live birth	16,762	99.9	17,054	94.7	3 dose of DPT	83.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	6,463	38.6	5,547	32.5	Measles	90.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	16,464	98.1	16,998	94.4	Full Immunization	70.9
28	Children fully immunized	18,697	74.0	18,305	72.1		
29	Children who have received BCG	17,835	70.6	17,257	68.0		
30	Children who have received DPT1	16,571	65.6	209	0.8		
31	Children who have received DPT3	18,513	73.3	1,757	6.9		
32	Children who have received Measles	18,621	73.7	18,228	71.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	4,129		2,714			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	AHS (2012-13)			
34	Number of Vasectomies performed	171	65	Limiting	11.7		
35	Number of Tubectomies performed	3,060	2,889	Spacing	4.1		
36	Number of IUD insertion	2,797	2,688	Women using any method	66.2		
37	Number of IUD removals	393	396	Women using modern method	34.5		
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)				
38	IPD cases per 10,000 population ***	508	518				
39	General OPD cases per 10,000 population ***	9,375	9,091				
40	Ayush OPD cases per 10,000 population ***	61	82.1				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	12	9				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	12	9				
45	Between 1 month and 11 months	4	2				
46	Total reported infant deaths	16	11				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	7	6				
49	Due to Severe hypertension / fits	4	5				
50	Due to Bleeding	8	3				
51	Due to High fever	5	0				
52	Due to Other Causes (including causes not known)	11	12				
53	Total reported maternal deaths	35	26				

Kamrup M Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,260,419					
2	Sex Ratio	922					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	51					
4	Primary Health Centers (PHC)	25					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	32,833		33,306			
9	Expected number of Delivery	30,594		31,036			
		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	41,224	125.6	41,490	124.6	Any ANC	98.5
11	Mothers registered in the first trimester	32,490	78.8	34,491	83.1	ANC Check up in first trimester	62.5
12	Mothers who had at least 3 Ante-Natal care check ups	34,159	82.9	34,936	84.2	3 or more ANC check up	81.7
13	PW who got TT 2 / Booster injection	35,492	86.1	38,012	91.6	Atleast 1 TT received	98.4
14	PW who consumed 100 IFA tablets	35,419	85.9	37,147	89.5	100 IFA tablets consumed	33.5
15	Home Delivery against expected delivery *	607	2.0	400	1.3	Full ANC	29.9
16	Institutional Delivery against expected delivery *	31,014	101.4	36,170	116.5	Home Delivery	15.1
17	Home Delivery against reported delivery **	607	1.9	400	1.1	Institutional Delivery	84.7
18	Institutional Delivery against reported delivery **	31,014	98.1	36,170	98.9	Home Delivery by SBA	26.6
19	Total reported Deliveries	31,621		36,570		PNC within 1 week of delivery	84.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	41	6.8	9	2.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	18,931	59.9	18,649	51.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	29,848		30,279			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
23	Total reported live births	30,806	103.2	35,558	117.4	Breastfed within 1 hour of birth	82.4
24	Total Still Birth	890	3.0	1,048	3.5	BCG	97.8

25	PC of newborn weighted at birth to live birth	31,080	100.9	35,963	101.1	3 dose of DPT	77.5
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,579	11.5	2,673	7.4	Measles	88.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	30,333	98.5	35,423	99.6	Full Immunization	64.6
28	Children fully immunized	22,425	75.1	22,418	74.0		
29	Children who have received BCG	30,180	101.1	31,510	104.1		
30	Children who have received DPT1	22,406	75.1	3,238	10.7		
31	Children who have received DPT3	23,883	80.0	4,609	15.2		
32	Children who have received Measles	23,582	79.0	23,503	77.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,831		2,687			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	AHS (2012-13)			
34	Number of Vasectomies performed	342	942	Limiting	2.1		
35	Number of Tubectomies performed	3,739	4,809	Spacing	3.7		
36	Number of IUD insertion	12,171	7,449	Women using any method	79		
37	Number of IUD removals	502	772	Women using modern method	40.8		
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)				
38	IPD cases per 10,000 population ***	842	817				
39	General OPD cases per 10,000 population ***	11,060	10,694				
40	Ayush OPD cases per 10,000 population ***	122	293.4				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	0	0				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	0	0				
45	Between 1 month and 11 months	0	0				
46	Total reported infant deaths	0	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension / fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	1				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	0	1				

Kamrup R Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,517,202					
2	Sex Ratio	946					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	280					
4	Primary Health Centers (PHC)	71					
5	Community Health Centers (CHC)	11					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	39,353		39,792			
9	Expected number of Delivery	36,669		37,079			
		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	35,591	90.4	34,060	85.6	Any ANC	98.5
11	Mothers registered in the first trimester	31,361	88.1	30,513	89.6	ANC Check up in first trimester	62.5
12	Mothers who had at least 3 Ante-Natal care check ups	31,393	88.2	30,580	89.8	3 or more ANC check up	81.7
13	PW who got TT 2 / Booster injection	30,884	86.8	30,611	89.9	Atleast 1 TT received	98.4
14	PW who consumed 100 IFA tablets	33,780	94.9	30,783	90.4	100 IFA tablets consumed	33.5
15	Home Delivery against expected delivery *	1,388	3.8	1,025	2.8	Full ANC	29.9
16	Institutional Delivery against expected delivery *	21,966	59.9	21,133	57.0	Home Delivery	15.1
17	Home Delivery against reported delivery **	1,388	5.9	1,025	4.6	Institutional Delivery	84.7
18	Institutional Delivery against reported delivery **	21,966	94.1	21,133	95.4	Home Delivery by SBA	26.6
19	Total reported Deliveries	23,354		22,158		PNC within 1 week of delivery	84.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	708	51.0	442	43.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	20,259	86.7	19,231	86.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	35,775		36,174			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
23	Total reported live births	23,285	65.1	21,688	60.0	Breastfed within 1 hour of birth	82.4
24	Total Still Birth	259	0.7	230	0.6	BCG	97.8

25	PC of newborn weighted at birth to live birth	22,897	98.3	20,915	96.4	3 dose of DPT	77.5
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,796	12.2	2,881	13.8	Measles	88.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	22,935	98.5	20,797	95.9	Full Immunization	64.6
28	Children fully immunized	30,076	84.1	30,098	83.2		
29	Children who have received BCG	28,979	81.0	26,383	72.9		
30	Children who have received DPT1	26,898	75.2	6	0.0		
31	Children who have received DPT3	30,729	85.9	3,282	9.1		
32	Children who have received Measles	30,280	84.6	30,427	84.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,015		2,190			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	AHS (2012-13)			
34	Number of Vasectomies performed	380	256	Limiting	2.1		
35	Number of Tubectomies performed	2,447	2,173	Spacing	3.7		
36	Number of IUD insertion	6,134	5,593	Women using any method	79		
37	Number of IUD removals	601	734	Women using modern method	40.8		
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)				
38	IPD cases per 10,000 population ***	165	145				
39	General OPD cases per 10,000 population ***	8,613	8,613				
40	Ayush OPD cases per 10,000 population ***	304	328.8				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
41	Neonatal death within 24 hours	8	3				
42	Up to 1 Weeks of Birth	49	31				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	57	34				
45	Between 1 month and 11 months	22	18				
46	Total reported infant deaths	79	52				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
47	Due to Abortion	1	0				
48	Due to Obstructed/prolonged labour	1	0				
49	Due to Severe hypertension / fits	0	0				
50	Due to Bleeding	3	1				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	5	4				
53	Total reported maternal deaths	10	5				

Karbi Anglong Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	965,280					
2	Sex Ratio	956					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	145					
4	Primary Health Centers (PHC)	46					
5	Community Health Centers (CHC)	5					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	25,021		25,375			
9	Expected number of Delivery	23,315		23,645			
		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	23,555	94.1	24,652	97.2	Any ANC	88.1
11	Mothers registered in the first trimester	15,455	65.6	16,001	64.9	ANC Check up in first trimester	49.3
12	Mothers who had at least 3 Ante-Natal care check ups	16,196	68.8	16,769	68.0	3 or more ANC check up	53.6
13	PW who got TT 2 / Booster injection	20,994	89.1	21,914	88.9	Atleast 1 TT received	87.7
14	PW who consumed 100 IFA tablets	17,692	75.1	18,120	73.5	100 IFA tablets consumed	10.5
15	Home Delivery against expected delivery *	2,485	10.7	2,528	10.7	Full ANC	7.2
16	Institutional Delivery against expected delivery *	16,310	70.0	16,385	69.3	Home Delivery	40.3
17	Home Delivery against reported delivery **	2,485	13.2	2,528	13.4	Institutional Delivery	59.5
18	Institutional Delivery against reported delivery **	16,310	86.8	16,385	86.6	Home Delivery by SBA	33.2
19	Total reported Deliveries	18,795		18,913		PNC within 1 week of delivery	63.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	366	14.7	441	17.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,369	49.8	10,213	54.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	22,746		23,068			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
23	Total reported live births	18,481	81.2	18,704	81.1	Breastfed within 1 hour of birth	74.3
24	Total Still Birth	432	1.9	419	1.8	BCG	91

25	PC of newborn weighted at birth to live birth	18,186	98.4	18,272	97.7	3 dose of DPT	79.4
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,884	10.4	1,982	10.8	Measles	85.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	17,742	96.0	17,683	94.5	Full Immunization	71.8
28	Children fully immunized	18,106	79.6	18,968	82.2		
29	Children who have received BCG	19,127	84.1	19,466	84.4		
30	Children who have received DPT1	17,437	76.7	444	1.9		
31	Children who have received DPT3	18,957	83.3	2,953	12.8		
32	Children who have received Measles	18,143	79.8	19,229	83.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,866		2,802			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	AHS (2012-13)			
34	Number of Vasectomies performed	0	0	Limiting		6	
35	Number of Tubectomies performed	34	69	Spacing		6.9	
36	Number of IUD insertion	3,667	3,831	Women using any method		68.4	
37	Number of IUD removals	1,002	852	Women using modern method		42.9	
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)				
38	IPD cases per 10,000 population ***	276	301				
39	General OPD cases per 10,000 population ***	5,455	5,052				
40	Ayush OPD cases per 10,000 population ***	45	174.2				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
41	Neonatal death within 24 hours	5	14				
42	Up to 1 Weeks of Birth	23	18				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	28	32				
45	Between 1 month and 11 months	40	51				
46	Total reported infant deaths	68	83				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	1				
49	Due to Severe hypertension / fits	0	2				
50	Due to Bleeding	5	5				
51	Due to High fever	5	0				
52	Due to Other Causes (including causes not known)	13	8				
53	Total reported maternal deaths	23	16				

Karimganj Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,217,002					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	218					
4	Primary Health Centers (PHC)	29					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	32,342		32,866			
9	Expected number of Delivery	30,136		30,625			
		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	35,851	110.9	34,440	104.8	Any ANC	92.2
11	Mothers registered in the first trimester	28,405	79.2	28,058	81.5	ANC Check up in first trimester	58.7
12	Mothers who had at least 3 Ante-Natal care check ups	28,465	79.4	29,333	85.2	3 or more ANC check up	61.6
13	PW who got TT 2 / Booster injection	31,603	88.2	33,124	96.2	Atleast 1 TT received	90.9
14	PW who consumed 100 IFA tablets	33,313	92.9	29,591	85.9	100 IFA tablets consumed	13.6
15	Home Delivery against expected delivery *	11,035	36.6	10,941	35.7	Full ANC	11.4
16	Institutional Delivery against expected delivery *	17,355	57.6	18,143	59.2	Home Delivery	61.6
17	Home Delivery against reported delivery **	11,035	38.9	10,941	37.6	Institutional Delivery	38.2
18	Institutional Delivery against reported delivery **	17,355	61.1	18,143	62.4	Home Delivery by SBA	24.5
19	Total reported Deliveries	28,390		29,084		PNC within 1 week of delivery	46.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,198	10.9	924	8.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	15,398	54.2	15,086	51.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	29,401		29,878			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
23	Total reported live births	27,832	94.7	28,578	95.6	Breastfed within 1 hour of birth	64.5
24	Total Still Birth	813	2.8	812	2.7	BCG	88.5

25	PC of newborn weighted at birth to live birth	27,789	99.8	28,471	99.6	3 dose of DPT	73.2
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,822	10.2	3,312	11.6	Measles	73.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	26,438	95.0	27,236	95.3	Full Immunization	65.4
28	Children fully immunized	23,633	80.4	27,017	90.4		
29	Children who have received BCG	27,289	92.8	28,747	96.2		
30	Children who have received DPT1	24,728	84.1	463	1.5		
31	Children who have received DPT3	26,350	89.6	5,612	18.8		
32	Children who have received Measles	25,065	85.3	27,464	91.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	10,875		6,250			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
34	Number of Vasectomies performed	7		5		Limiting	15
35	Number of Tubectomies performed	1,218		1,034		Spacing	13
36	Number of IUD insertion	2,072		1,883		Women using any method	49.4
37	Number of IUD removals	484		461		Women using modern method	21.7
F) Service delivery		HMIS (2014-15)		HMIS (2015-16)			
38	IPD cases per 10,000 population ***	250		260			
39	General OPD cases per 10,000 population ***	5,264		5,211			
40	Ayush OPD cases per 10,000 population ***	145		149.6			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2014-15)		HMIS (2015-16)			
41	Neonatal death within 24 hours	6		9			
42	Up to 1 Weeks of Birth	139		157			
43	Between 1 week & 4 weeks of birth	1		2			
44	Neonatal Death	146		168			
45	Between 1 month and 11 months	89		134			
46	Total reported infant deaths	235		302			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2014-15)		HMIS (2015-16)			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	3		0			
49	Due to Severe hypertension / fits	3		2			
50	Due to Bleeding	5		4			
51	Due to High fever	2		0			
52	Due to Other Causes (including causes not known)	14		26			
53	Total reported maternal deaths	27		32			

Kokrajhar Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	886,999					
2	Sex Ratio	958					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	161					
4	Primary Health Centers (PHC)	45					
5	Community Health Centers (CHC)	4					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	22,300		22,317			
9	Expected number of Delivery	20,780		20,795			
		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	21,189	95.0	20,472	91.7	Any ANC	93.8
11	Mothers registered in the first trimester	13,183	62.2	13,763	67.2	ANC Check up in first trimester	43.6
12	Mothers who had at least 3 Ante-Natal care check ups	16,774	79.2	16,615	81.2	3 or more ANC check up	55.6
13	PW who got TT 2 / Booster injection	18,175	85.8	18,469	90.2	Atleast 1 TT received	93.6
14	PW who consumed 100 IFA tablets	18,632	87.9	19,384	94.7	100 IFA tablets consumed	16.6
15	Home Delivery against expected delivery *	1,832	8.8	1,634	7.9	Full ANC	8.7
16	Institutional Delivery against expected delivery *	15,840	76.2	15,819	76.1	Home Delivery	41.2
17	Home Delivery against reported delivery **	1,832	10.4	1,634	9.4	Institutional Delivery	58.8
18	Institutional Delivery against reported delivery **	15,840	89.6	15,819	90.6	Home Delivery by SBA	40.0
19	Total reported Deliveries	17,672		17,453		PNC within 1 week of delivery	61.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	779	42.5	789	48.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,083	51.4	8,501	48.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	20,273		20,288			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
23	Total reported live births	17,715	87.4	17,408	85.8	Breastfed within 1 hour of birth	84.5
24	Total Still Birth	281	1.4	259	1.3	BCG	96.2

25	PC of newborn weighted at birth to live birth	17,537	99.0	16,441	94.4	3 dose of DPT	72.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	4,196	23.9	4,567	27.8	Measles	85.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	14,449	81.6	14,716	84.5	Full Immunization	59.2
28	Children fully immunized	15,075	74.4	16,229	80.0		
29	Children who have received BCG	16,652	82.1	18,694	92.1		
30	Children who have received DPT1	16,285	80.3	979	4.8		
31	Children who have received DPT3	16,684	82.3	3,952	19.5		
32	Children who have received Measles	15,210	75.0	16,344	80.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	4,642		1,056			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	AHS (2012-13)			
34	Number of Vasectomies performed	1	0	Limiting	1.1		
35	Number of Tubectomies performed	199	378	Spacing	6.6		
36	Number of IUD insertion	2,205	1,876	Women using any method	73.8		
37	Number of IUD removals	516	500	Women using modern method	43.5		
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)				
38	IPD cases per 10,000 population ***	239	273				
39	General OPD cases per 10,000 population ***	5,861	5,709				
40	Ayush OPD cases per 10,000 population ***	50	60.5				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
41	Neonatal death within 24 hours	1	1				
42	Up to 1 Weeks of Birth	18	5				
43	Between 1 week & 4 weeks of birth	0	1				
44	Neonatal Death	19	7				
45	Between 1 month and 11 months	14	15				
46	Total reported infant deaths	33	22				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	2	2				
49	Due to Severe hypertension / fits	3	0				
50	Due to Bleeding	2	2				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	20	13				
53	Total reported maternal deaths	27	17				

Lakhimpur Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,040,644					
2	Sex Ratio	965					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	156					
4	Primary Health Centers (PHC)	30					
5	Community Health Centers (CHC)	8					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	27,136		27,476			
9	Expected number of Delivery	25,285		25,603			
		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	20,972	77.3	22,693	82.6	Any ANC	98.2
11	Mothers registered in the first trimester	17,440	83.2	19,429	85.6	ANC Check up in first trimester	58.7
12	Mothers who had at least 3 Ante-Natal care check ups	18,001	85.8	19,131	84.3	3 or more ANC check up	69.9
13	PW who got TT 2 / Booster injection	19,266	91.9	20,216	89.1	Atleast 1 TT received	98.2
14	PW who consumed 100 IFA tablets	16,636	79.3	16,361	72.1	100 IFA tablets consumed	27.2
15	Home Delivery against expected delivery *	274	1.1	344	1.3	Full ANC	21.2
16	Institutional Delivery against expected delivery *	18,638	73.7	18,938	74.0	Home Delivery	14.0
17	Home Delivery against reported delivery **	274	1.4	344	1.8	Institutional Delivery	85.7
18	Institutional Delivery against reported delivery **	18,638	98.6	18,938	98.2	Home Delivery by SBA	17.5
19	Total reported Deliveries	18,912		19,282		PNC within 1 week of delivery	87.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	35	12.8	38	11.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	37,477	198.2	40,790	211.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	24,669		24,978			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
23	Total reported live births	18,489	74.9	18,963	75.9	Breastfed within 1 hour of birth	82.2
24	Total Still Birth	432	1.8	328	1.3	BCG	98.1

25	PC of newborn weighted at birth to live birth	18,340	99.2	18,960	100.0	3 dose of DPT	78.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	4,953	27.0	5,094	26.9	Measles	87.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	18,128	98.0	18,302	96.5	Full Immunization	64.2
28	Children fully immunized	18,074	73.3	20,148	80.7		
29	Children who have received BCG	20,790	84.3	19,698	78.9		
30	Children who have received DPT1	17,955	72.8	8	0.0		
31	Children who have received DPT3	18,504	75.0	1,505	6.0		
32	Children who have received Measles	18,324	74.3	20,263	81.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	6,041		4,377			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
34	Number of Vasectomies performed	45		37		Limiting	5.1
35	Number of Tubectomies performed	1,600		2,001		Spacing	4.8
36	Number of IUD insertion	1,315		934		Women using any method	76
37	Number of IUD removals	361		117		Women using modern method	40
F) Service delivery		HMIS (2014-15)		HMIS (2015-16)			
38	IPD cases per 10,000 population ***	843		443			
39	General OPD cases per 10,000 population ***	7,715		7,624			
40	Ayush OPD cases per 10,000 population ***	23		85.8			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2014-15)		HMIS (2015-16)			
41	Neonatal death within 24 hours	28		8			
42	Up to 1 Weeks of Birth	232		167			
43	Between 1 week & 4 weeks of birth	1		0			
44	Neonatal Death	261		175			
45	Between 1 month and 11 months	65		68			
46	Total reported infant deaths	326		243			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2014-15)		HMIS (2015-16)			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	1		0			
49	Due to Severe hypertension / fits	4		1			
50	Due to Bleeding	1		1			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	23		14			
53	Total reported maternal deaths	29		16			

Marigaon Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	957,853					
2	Sex Ratio	974					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	123					
4	Primary Health Centers (PHC)	36					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15	2015-16				
8	Expected number of PW	25,398	25,877				
9	Expected number of Delivery	23,666	24,112				
		HMIS (2014-15)	HMIS (2015-16)		AHS (2012-13)		
		Number	PC	Number	PC		
10	PW register for ANC	26,065	102.6	25,340	97.9	Any ANC	97.2
11	Mothers registered in the first trimester	19,481	74.7	22,500	88.8	ANC Check up in first trimester	52.2
12	Mothers who had at least 3 Ante-Natal care check ups	22,107	84.8	22,923	90.5	3 or more ANC check up	71.3
13	PW who got TT 2 / Booster injection	25,077	96.2	23,897	94.3	Atleast 1 TT received	97.1
14	PW who consumed 100 IFA tablets	23,255	89.2	24,948	98.5	100 IFA tablets consumed	32.9
15	Home Delivery against expected delivery *	2,693	11.4	2,507	10.4	Full ANC	25.4
16	Institutional Delivery against expected delivery *	17,078	72.2	17,420	72.2	Home Delivery	31.1
17	Home Delivery against reported delivery **	2,693	13.6	2,507	12.6	Institutional Delivery	68.3
18	Institutional Delivery against reported delivery **	17,078	86.4	17,420	87.4	Home Delivery by SBA	19.6
19	Total reported Deliveries	19,771		19,927		PNC within 1 week of delivery	60.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	640	23.8	594	23.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,798	49.6	17,041	85.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	23,089		23,524			
D) Child Immunization :		HMIS (2014-15)	HMIS (2015-16)		AHS (2012-13)		
23	Total reported live births	19,587	84.8	19,796	84.2	Breastfed within 1 hour of birth	78.9
24	Total Still Birth	239	1.0	237	1.0	BCG	93.8

25	PC of newborn weighted at birth to live birth	19,656	100.4	19,847	100.3	3 dose of DPT	84.6
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,693	18.8	3,510	17.7	Measles	82.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	18,925	96.6	19,731	99.7	Full Immunization	66.2
28	Children fully immunized	21,429	92.8	22,126	94.1		
29	Children who have received BCG	22,071	95.6	22,228	94.5		
30	Children who have received DPT1	19,678	85.2	141	0.6		
31	Children who have received DPT3	21,365	92.5	2,123	9.0		
32	Children who have received Measles	21,529	93.2	22,237	94.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,022		2,318			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	AHS (2012-13)			
34	Number of Vasectomies performed	99	20	Limiting	5		
35	Number of Tubectomies performed	875	743	Spacing	7.6		
36	Number of IUD insertion	2,758	2,111	Women using any method	70		
37	Number of IUD removals	232	180	Women using modern method	39.1		
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)				
38	IPD cases per 10,000 population ***	339	391				
39	General OPD cases per 10,000 population ***	8,843	8,702				
40	Ayush OPD cases per 10,000 population ***	0	19.1				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
41	Neonatal death within 24 hours	1	3				
42	Up to 1 Weeks of Birth	143	156				
43	Between 1 week & 4 weeks of birth	20	24				
44	Neonatal Death	164	183				
45	Between 1 month and 11 months	198	56				
46	Total reported infant deaths	362	239				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	1	2				
49	Due to Severe hypertension / fits	15	4				
50	Due to Bleeding	2	17				
51	Due to High fever	0	1				
52	Due to Other Causes (including causes not known)	28	17				
53	Total reported maternal deaths	46	41				

Nagaon Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,826,006					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	354					
4	Primary Health Centers (PHC)	80					
5	Community Health Centers (CHC)	15					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	74,623		75,932			
9	Expected number of Delivery	69,535		70,755			
		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	73,792	98.9	71,185	93.7	Any ANC	92.6
11	Mothers registered in the first trimester	59,193	80.2	57,661	81.0	ANC Check up in first trimester	57.8
12	Mothers who had at least 3 Ante-Natal care check ups	65,259	88.4	67,793	95.2	3 or more ANC check up	57.0
13	PW who got TT 2 / Booster injection	66,633	90.3	66,624	93.6	Atleast 1 TT received	92.2
14	PW who consumed 100 IFA tablets	73,543	99.7	69,510	97.6	100 IFA tablets consumed	23.8
15	Home Delivery against expected delivery *	5,663	8.1	5,389	7.6	Full ANC	18.4
16	Institutional Delivery against expected delivery *	59,654	85.8	59,712	84.4	Home Delivery	41.9
17	Home Delivery against reported delivery **	5,663	8.7	5,389	8.3	Institutional Delivery	57.9
18	Institutional Delivery against reported delivery **	59,654	91.3	59,712	91.7	Home Delivery by SBA	35.1
19	Total reported Deliveries	65,317		65,101		PNC within 1 week of delivery	62.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	857	15.1	851	15.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	49,096	75.2	52,403	80.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	67,839		69,029			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
23	Total reported live births	63,872	94.2	63,338	91.8	Breastfed within 1 hour of birth	70.6
24	Total Still Birth	1,685	2.5	1,628	2.4	BCG	89.2

25	PC of newborn weighted at birth to live birth	63,904	100.1	63,584	100.4	3 dose of DPT	69.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	9,020	14.1	8,274	13.0	Measles	68.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	61,905	96.9	60,738	95.9	Full Immunization	52.5
28	Children fully immunized	56,284	83.0	57,682	83.6		
29	Children who have received BCG	60,638	89.4	53,461	77.4		
30	Children who have received DPT1	53,655	79.1	477	0.7		
31	Children who have received DPT3	58,003	85.5	9,113	13.2		
32	Children who have received Measles	57,032	84.1	59,242	85.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	8,952		6,436			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
34	Number of Vasectomies performed	262		115		Limiting	11.3
35	Number of Tubectomies performed	1,702		1,524		Spacing	7
36	Number of IUD insertion	4,815		3,505		Women using any method	65.9
37	Number of IUD removals	577		378		Women using modern method	32.3
F) Service delivery		HMIS (2014-15)		HMIS (2015-16)			
38	IPD cases per 10,000 population ***	234		226			
39	General OPD cases per 10,000 population ***	7,211		7,063			
40	Ayush OPD cases per 10,000 population ***	19		42.4			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2014-15)		HMIS (2015-16)			
41	Neonatal death within 24 hours	1		1			
42	Up to 1 Weeks of Birth	92		66			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	93		67			
45	Between 1 month and 11 months	24		40			
46	Total reported infant deaths	117		107			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2014-15)		HMIS (2015-16)			
47	Due to Abortion	1		0			
48	Due to Obstructed/prolonged labour	0		2			
49	Due to Severe hypertension / fits	11		1			
50	Due to Bleeding	5		1			
51	Due to High fever	1		0			
52	Due to Other Causes (including causes not known)	11		9			
53	Total reported maternal deaths	29		13			

Nalbari Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	769,919					
2	Sex Ratio	945					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	121					
4	Primary Health Centers (PHC)	47					
5	Community Health Centers (CHC)	9					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15	2015-16				
8	Expected number of PW	19,779	19,922				
9	Expected number of Delivery	18,430	18,564				
		HMIS (2014-15)	HMIS (2015-16)		AHS (2012-13)		
		Number	PC	Number	PC		
10	PW register for ANC	15,253	77.1	14,944	75.0	Any ANC	98.4
11	Mothers registered in the first trimester	13,231	86.7	13,699	91.7	ANC Check up in first trimester	60.6
12	Mothers who had at least 3 Ante-Natal care check ups	13,223	86.7	13,673	91.5	3 or more ANC check up	81.2
13	PW who got TT 2 / Booster injection	13,586	89.1	14,305	95.7	Atleast 1 TT received	98.3
14	PW who consumed 100 IFA tablets	14,349	94.1	14,431	96.6	100 IFA tablets consumed	26.7
15	Home Delivery against expected delivery *	1,524	8.3	649	3.5	Full ANC	24.9
16	Institutional Delivery against expected delivery *	12,768	69.3	13,143	70.8	Home Delivery	12.0
17	Home Delivery against reported delivery **	1,524	10.7	649	4.7	Institutional Delivery	87.4
18	Institutional Delivery against reported delivery **	12,768	89.3	13,143	95.3	Home Delivery by SBA	34.9
19	Total reported Deliveries	14,292		13,792		PNC within 1 week of delivery	88.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	967	63.5	486	74.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,759	75.3	12,992	94.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	17,981		18,111			
D) Child Immunization :		HMIS (2014-15)	HMIS (2015-16)		AHS (2012-13)		
23	Total reported live births	14,179	78.9	13,750	75.9	Breastfed within 1 hour of birth	74.7
24	Total Still Birth	206	1.1	151	0.8	BCG	98

25	PC of newborn weighted at birth to live birth	14,174	100.0	13,748	100.0	3 dose of DPT	87.8
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,976	13.9	2,051	14.9	Measles	88
27	PC of newborns breastfed within 1 hour to total reported live birth.	13,828	97.5	13,446	97.8	Full Immunization	68
28	Children fully immunized	13,932	77.5	14,480	80.0		
29	Children who have received BCG	15,156	84.3	14,778	81.6		
30	Children who have received DPT1	14,369	79.9	1,152	6.4		
31	Children who have received DPT3	14,793	82.3	2,338	12.9		
32	Children who have received Measles	14,022	78.0	14,595	80.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	5,291		5,320			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	AHS (2012-13)			
34	Number of Vasectomies performed	226	465	Limiting	5.6		
35	Number of Tubectomies performed	1,324	1,091	Spacing	4.9		
36	Number of IUD insertion	1,832	2,899	Women using any method	71.5		
37	Number of IUD removals	332	368	Women using modern method	44		
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)				
38	IPD cases per 10,000 population ***	348	326				
39	General OPD cases per 10,000 population ***	10,246	10,465				
40	Ayush OPD cases per 10,000 population ***	1,717	1786.8				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
41	Neonatal death within 24 hours	9	6				
42	Up to 1 Weeks of Birth	60	68				
43	Between 1 week & 4 weeks of birth	0	3				
44	Neonatal Death	69	77				
45	Between 1 month and 11 months	22	19				
46	Total reported infant deaths	91	96				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
47	Due to Abortion	0	1				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension / fits	0	1				
50	Due to Bleeding	0	2				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	3	2				
53	Total reported maternal deaths	3	6				

North Cachar Hills (Dima Hasao) Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	213,529					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	65					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	5,517		5,567			
9	Expected number of Delivery	5,141		5,187			
		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	5,247	95.1	5,467	98.2	Any ANC	90.8
11	Mothers registered in the first trimester	2,709	51.6	3,193	58.4	ANC Check up in first trimester	54.5
12	Mothers who had at least 3 Ante-Natal care check ups	3,585	68.3	3,638	66.5	3 or more ANC check up	54.4
13	PW who got TT 2 / Booster injection	4,356	83.0	4,566	83.5	Atleast 1 TT received	89.4
14	PW who consumed 100 IFA tablets	3,288	62.7	3,715	68.0	100 IFA tablets consumed	24.1
15	Home Delivery against expected delivery *	1,747	34.0	1,730	33.4	Full ANC	15.7
16	Institutional Delivery against expected delivery *	2,500	48.6	2,432	46.9	Home Delivery	30.7
17	Home Delivery against reported delivery **	1,747	41.1	1,730	41.6	Institutional Delivery	69.3
18	Institutional Delivery against reported delivery **	2,500	58.9	2,432	58.4	Home Delivery by SBA	32.5
19	Total reported Deliveries	4,247		4,162		PNC within 1 week of delivery	71.5
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	256	14.7	246	14.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,203	51.9	2,191	52.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	5,015		5,061			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
23	Total reported live births	4,224	84.2	4,149	82.0	Breastfed within 1 hour of birth	80.4

24	Total Still Birth	105	2.1	68	1.3	BCG	91.6
25	PC of newborn weighted at birth to live birth	3,717	88.0	4,101	98.8	3 dose of DPT	64.8
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	279	7.5	324	7.9	Measles	75.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,087	96.8	4,138	99.7	Full Immunization	56.2
28	Children fully immunized	3,622	72.2	3,874	76.5		
29	Children who have received BCG	4,511	89.9	4,448	87.9		
30	Children who have received DPT1	3,785	75.5	68	1.3		
31	Children who have received DPT3	4,032	80.4	592	11.7		
32	Children who have received Measles	3,631	72.4	3,874	76.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,496		3,439			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	AHS (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	10.3
35	Number of Tubectomies performed	58	60	Spacing	9
36	Number of IUD insertion	664	535	Women using any method	56.5
37	Number of IUD removals	117	91	Women using modern method	43.5
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)		
38	IPD cases per 10,000 population ***	509	596		
39	General OPD cases per 10,000 population ***	10,414	9,169		
40	Ayush OPD cases per 10,000 population ***	468	356.9		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
41	Neonatal death within 24 hours	8	4		
42	Up to 1 Weeks of Birth	35	39		
43	Between 1 week & 4 weeks of birth	1	4		
44	Neonatal Death	44	47		
45	Between 1 month and 11 months	49	30		
46	Total reported infant deaths	93	77		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
47	Due to Abortion	0	1		
48	Due to Obstructed/prolonged labour	1	0		
49	Due to Severe hypertension / fits	1	1		
50	Due to Bleeding	0	3		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	7	11		
53	Total reported maternal deaths	9	16		

Sibsagar Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,150,253					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	219					
4	Primary Health Centers (PHC)	45					
5	Community Health Centers (CHC)	4					
6	SDH	2					
7	DH	1					
C) Maternal Health:		2014-15	2015-16				
8	Expected number of PW	29,297	29,440				
9	Expected number of Delivery	27,299	27,433				
		HMIS (2014-15)	HMIS (2015-16)		AHS (2012-13)		
		Number	PC	Number	PC		
10	PW register for ANC	22,207	75.8	20,683	70.3	Any ANC	98.2
11	Mothers registered in the first trimester	18,446	83.1	17,591	85.1	ANC Check up in first trimester	73.3
12	Mothers who had at least 3 Ante-Natal care check ups	18,811	84.7	18,313	88.5	3 or more ANC check up	83.3
13	PW who got TT 2 / Booster injection	18,707	84.2	17,807	86.1	Atleast 1 TT received	98.1
14	PW who consumed 100 IFA tablets	19,048	85.8	18,913	91.4	100 IFA tablets consumed	21.8
15	Home Delivery against expected delivery *	374	1.4	329	1.2	Full ANC	19.5
16	Institutional Delivery against expected delivery *	15,914	58.3	15,253	55.6	Home Delivery	12.8
17	Home Delivery against reported delivery **	374	2.3	329	2.1	Institutional Delivery	87.0
18	Institutional Delivery against reported delivery **	15,914	97.7	15,253	97.9	Home Delivery by SBA	38.5
19	Total reported Deliveries	16,288		15,582		PNC within 1 week of delivery	90.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	165	44.1	176	53.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	14,572	89.5	12,046	77.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	26,633		26,764			
D) Child Immunization :		HMIS (2014-15)	HMIS (2015-16)		AHS (2012-13)		
23	Total reported live births	16,157	60.7	15,345	57.3	Breastfed within 1 hour of birth	83.1
24	Total Still Birth	287	1.1	304	1.1	BCG	98

25	PC of newborn weighted at birth to live birth	16,041	99.3	15,296	99.7	3 dose of DPT	92
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,506	21.9	2,836	18.5	Measles	93.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	14,846	91.9	14,648	95.5	Full Immunization	83.5
28	Children fully immunized	16,734	62.8	17,825	66.6		
29	Children who have received BCG	17,648	66.3	16,968	63.4		
30	Children who have received DPT1	15,882	59.6	1	0.0		
31	Children who have received DPT3	17,710	66.5	1,819	6.8		
32	Children who have received Measles	17,067	64.1	18,044	67.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	5,174		3,331			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	AHS (2012-13)			
34	Number of Vasectomies performed	789	500	Limiting	10.3		
35	Number of Tubectomies performed	1,206	4,160	Spacing	4.3		
36	Number of IUD insertion	4,267	4,167	Women using any method	64.7		
37	Number of IUD removals	651	358	Women using modern method	36.1		
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)				
38	IPD cases per 10,000 population ***	577	431				
39	General OPD cases per 10,000 population ***	13,048	12,792				
40	Ayush OPD cases per 10,000 population ***	78	111.3				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
41	Neonatal death within 24 hours	2	1				
42	Up to 1 Weeks of Birth	38	62				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	40	63				
45	Between 1 month and 11 months	20	20				
46	Total reported infant deaths	60	83				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	1	0				
49	Due to Severe hypertension / fits	0	0				
50	Due to Bleeding	0	1				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	33	12				
53	Total reported maternal deaths	34	13				

Sonitpur Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,925,975					
2	Sex Ratio	946					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	275					
4	Primary Health Centers (PHC)	58					
5	Community Health Centers (CHC)	7					
6	SDH	2					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	49,896		50,452			
9	Expected number of Delivery	46,494		47,012			
		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	38,760	77.7	38,508	76.3	Any ANC	94.8
11	Mothers registered in the first trimester	30,910	79.7	31,071	80.7	ANC Check up in first trimester	48.9
12	Mothers who had at least 3 Ante-Natal care check ups	32,006	82.6	31,967	83.0	3 or more ANC check up	65.6
13	PW who got TT 2 / Booster injection	36,029	93.0	35,217	91.5	Atleast 1 TT received	94.7
14	PW who consumed 100 IFA tablets	39,626	102.2	32,289	83.9	100 IFA tablets consumed	25.1
15	Home Delivery against expected delivery *	5,056	10.9	4,917	10.5	Full ANC	19.2
16	Institutional Delivery against expected delivery *	27,922	60.1	31,047	66.0	Home Delivery	32.5
17	Home Delivery against reported delivery **	5,056	15.3	4,917	13.7	Institutional Delivery	63.6
18	Institutional Delivery against reported delivery **	27,922	84.7	31,047	86.3	Home Delivery by SBA	26.3
19	Total reported Deliveries	32,978		35,964		PNC within 1 week of delivery	71.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	733		718			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	21,547		20,348			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	45,360		45,866			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
23	Total reported live births	31,664		32,327		Breastfed within 1 hour of birth	76.2
24	Total Still Birth	672		707		BCG	95.8

25	PC of newborn weighted at birth to live birth	28,556	90.2	30,267	93.6	3 dose of DPT	83.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	6,582	23.0	5,467	18.1	Measles	85
27	PC of newborns breastfed within 1 hour to total reported live birth.	28,213	89.1	29,220	90.4	Full Immunization	70.5
28	Children fully immunized	32,912	72.6	34,389	75.0		
29	Children who have received BCG	37,732	83.2	33,514	73.1		
30	Children who have received DPT1	32,186	71.0	427	0.9		
31	Children who have received DPT3	33,642	74.2	4,292	9.4		
32	Children who have received Measles	33,260	73.3	34,642	75.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,854		1,836			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	AHS (2012-13)			
34	Number of Vasectomies performed	317	426	Limiting	6		
35	Number of Tubectomies performed	2,716	3,917	Spacing	7.4		
36	Number of IUD insertion	2,148	1,590	Women using any method	68.8		
37	Number of IUD removals	787	594	Women using modern method	42.1		
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)				
38	IPD cases per 10,000 population ***	361	376				
39	General OPD cases per 10,000 population ***	10,830	10,981				
40	Ayush OPD cases per 10,000 population ***	40	49.7				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
41	Neonatal death within 24 hours	5	9				
42	Up to 1 Weeks of Birth	113	92				
43	Between 1 week & 4 weeks of birth	1	0				
44	Neonatal Death	119	101				
45	Between 1 month and 11 months	69	63				
46	Total reported infant deaths	188	164				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
47	Due to Abortion	0	1				
48	Due to Obstructed/prolonged labour	3	1				
49	Due to Severe hypertension / fits	1	5				
50	Due to Bleeding	5	3				
51	Due to High fever	1	1				
52	Due to Other Causes (including causes not known)	23	31				
53	Total reported maternal deaths	33	42				

Tinsukia Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,316,948					
2	Sex Ratio	948					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	164					
4	Primary Health Centers (PHC)	23					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	34,318		34,661			
9	Expected number of Delivery	31,978		32,298			
		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	26,948	78.5	26,158	75.5	Any ANC	97.2
11	Mothers registered in the first trimester	20,097	74.6	19,351	74.0	ANC Check up in first trimester	71.9
12	Mothers who had at least 3 Ante-Natal care check ups	22,089	82.0	23,690	90.6	3 or more ANC check up	72.9
13	PW who got TT 2 / Booster injection	23,423	86.9	23,345	89.2	Atleast 1 TT received	97.0
14	PW who consumed 100 IFA tablets	24,632	91.4	25,639	98.0	100 IFA tablets consumed	21.7
15	Home Delivery against expected delivery *	1,647	5.2	1,585	4.9	Full ANC	18.4
16	Institutional Delivery against expected delivery *	22,749	71.1	22,708	70.3	Home Delivery	23.8
17	Home Delivery against reported delivery **	1,647	6.8	1,585	6.5	Institutional Delivery	75.9
18	Institutional Delivery against reported delivery **	22,749	93.2	22,708	93.5	Home Delivery by SBA	26.2
19	Total reported Deliveries	24,396		24,293		PNC within 1 week of delivery	80.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	221	13.4	188	11.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	15,427	63.2	14,478	59.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	31,198		31,510			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
23	Total reported live births	24,177	77.5	24,100	76.5	Breastfed within 1 hour of birth	80.1
24	Total Still Birth	354	1.1	355	1.1	BCG	98.4

25	PC of newborn weighted at birth to live birth	23,944	99.0	23,979	99.5	3 dose of DPT	88.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,076	21.2	4,688	19.6	Measles	91.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	23,316	96.4	23,213	96.3	Full Immunization	79
28	Children fully immunized	20,992	67.3	22,968	72.9		
29	Children who have received BCG	21,608	69.3	25,818	81.9		
30	Children who have received DPT1	21,333	68.4	475	1.5		
31	Children who have received DPT3	23,188	74.3	3,064	9.7		
32	Children who have received Measles	21,471	68.8	23,496	74.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	8,763		6,435			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	AHS (2012-13)			
34	Number of Vasectomies performed	427	608	Limiting	8		
35	Number of Tubectomies performed	3,687	2,527	Spacing	4.9		
36	Number of IUD insertion	5,161	4,746	Women using any method	67		
37	Number of IUD removals	362	314	Women using modern method	47		
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)				
38	IPD cases per 10,000 population ***	369	308				
39	General OPD cases per 10,000 population ***	10,726	11,280				
40	Ayush OPD cases per 10,000 population ***	15	7.8				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
41	Neonatal death within 24 hours	10	6				
42	Up to 1 Weeks of Birth	72	125				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	82	131				
45	Between 1 month and 11 months	57	77				
46	Total reported infant deaths	139	208				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
47	Due to Abortion	0	1				
48	Due to Obstructed/prolonged labour	1	0				
49	Due to Severe hypertension / fits	2	3				
50	Due to Bleeding	4	4				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	37	29				
53	Total reported maternal deaths	44	37				

Udalguri Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	832,769					
2	Sex Ratio	966					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	146					
4	Primary Health Centers (PHC)	24					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW	21,192		21,304			
9	Expected number of Delivery	19,747		19,852			
		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	16,215	76.5	15,460	72.6	Any ANC	NA
11	Mothers registered in the first trimester	13,703	84.5	12,932	83.6	ANC Check up in first trimester	NA
12	Mothers who had at least 3 Ante-Natal care check ups	13,452	83.0	12,999	84.1	3 or more ANC check up	NA
13	PW who got TT 2 / Booster injection	14,494	89.4	13,766	89.0	Atleast 1 TT received	NA
14	PW who consumed 100 IFA tablets	14,037	86.6	12,497	80.8	100 IFA tablets consumed	NA
15	Home Delivery against expected delivery *	1,045	5.3	875	4.4	Full ANC	NA
16	Institutional Delivery against expected delivery *	10,370	52.5	10,004	50.4	Home Delivery	NA
17	Home Delivery against reported delivery **	1,045	9.2	875	8.0	Institutional Delivery	NA
18	Institutional Delivery against reported delivery **	10,370	90.8	10,004	92.0	Home Delivery by SBA	NA
19	Total reported Deliveries	11,415		10,879		PNC within 1 week of delivery	NA
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	84	8.0	136	15.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,920	51.9	5,790	53.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	19,266		19,367			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		AHS (2012-13)	
23	Total reported live births	11,280	58.5	10,796	55.7	Breastfed within 1 hour of birth	NA
24	Total Still Birth	185	1.0	217	1.1	BCG	NA

25	PC of newborn weighted at birth to live birth	11,049	98.0	10,532	97.6	3 dose of DPT	NA
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,234	20.2	2,053	19.5	Measles	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	10,736	95.2	10,019	92.8	Full Immunization	NA
28	Children fully immunized	13,797	71.6	13,850	71.5		
29	Children who have received BCG	11,917	61.9	13,025	67.3		
30	Children who have received DPT1	13,264	68.8	280	1.4		
31	Children who have received DPT3	13,859	71.9	2,383	12.3		
32	Children who have received Measles	13,918	72.2	13,985	72.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,693		2,045			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	AHS (2012-13)			
34	Number of Vasectomies performed	70	31	Limiting	NA		
35	Number of Tubectomies performed	30	118	Spacing	NA		
36	Number of IUD insertion	2,376	1,781	Women using any method	NA		
37	Number of IUD removals	380	465	Women using modern method	NA		
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)				
38	IPD cases per 10,000 population ***	193	196				
39	General OPD cases per 10,000 population ***	9,678	9,968				
40	Ayush OPD cases per 10,000 population ***	91	86.3				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
41	Neonatal death within 24 hours	4	2				
42	Up to 1 Weeks of Birth	44	76				
43	Between 1 week & 4 weeks of birth	5	7				
44	Neonatal Death	53	85				
45	Between 1 month and 11 months	89	80				
46	Total reported infant deaths	142	165				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
47	Due to Abortion	0	1				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension / fits	3	1				
50	Due to Bleeding	6	1				
51	Due to High fever	0	3				
52	Due to Other Causes (including causes not known)	7	19				
53	Total reported maternal deaths	16	25				