

## MANIPUR Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)		SL No	C) State Health Indicator (SRS 2014)				
1	Population 2011	2,855,794	9	Birth Rate				14.7
2	Sex Ratio	987	10	Death Rate				4
3	Number of districts	9	11	IMR				10
<b>B) Infrastructure Details (RHS 2014)</b>			12	Growth Rate				10.6
4	Sub Centers (SC)	421	13	TFR (SRS - 2007)				1.6
5	Primary Health Centers (PHC)	85						
6	Community Health Centers (CHC)	17						
7	SDH	1						
8	DH	7						
<b>D) Maternal Health:</b>		<b>2014-15</b>	<b>2015-16</b>					
14	Expected number of PW	48,478	49,721					
15	Expected number of Delivery	44,600	45,743					
		<b>HMIS (2014-15)</b>	<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
16	PW register for ANC	78,996	163.0	70,899	142.6	Any ANC	75.8	
17	Mothers registered in the first trimester	46,680	59.1	44,831	63.2	ANC Check up in first trimester	55.1	
18	Mothers who had at least 3 Ante-Natal care check ups	42,010	53.2	42,515	60.0	3 or more ANC check up	61.3	
19	PW who got TT 2 / Booster injection	33,317	42.2	32,004	45.1	At least 1 TT received	73.9	
20	PW who consumed 100 IFA tablets	21,509	27.2	24,655	34.8	100 IFA tablets consumed	31.9	
21	Home Delivery against expected delivery *	8,171	18.3	7,798	17.0	Full ANC	28.3	
22	Institutional Delivery against expected delivery *	32,400	72.6	31,814	69.5	Home Delivery	37.4	
23	Home Delivery against reported delivery **	8,171	20.1	7,798	19.7	Institutional Delivery	61.1	
24	Institutional Delivery against reported delivery **	32,400	79.9	31,814	80.3	Home Delivery by SBA	12.4	
25	Total reported Deliveries	40,571	91.0	39,612	86.6	PNC within 14 days of delivery	78	
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4,397	53.8	4,755	61.0			
27	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	15,716	38.7	16,665	42.1			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>								
28	Expected number of Live Birth	44,071	45,201					
<b>E) Child Immunization:</b>		<b>HMIS (2014-15)</b>	<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
29	Total reported live births	40,617	92.2	39,640	87.7	Breastfed within 1 hour of birth	43.4	

30	Total Still Birth	208	0.5	189	0.4	BCG	85.5
31	Newborn weighted at birth to live birth	39,672	97.7	38,982	98.3	3 dose of DPT	75.7
32	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1,542	3.8	1,376	3.5	Measles	69
33	Newborns breastfed within 1 hour to total reported live birth.	32,014	78.8	32,301	81.5	Full Immunization	54.1
34	Fully immunized	40,455	91.8	41,334	91.4		
35	Children who have received BCG	51,355	116.5	49,048	108.5		
36	Children who have received DPT1	51,006	115.7	39,132	86.6		
37	Children who have received DPT3	45,910	104.2	41,290	91.3		
38	Children who have received Measles	42,727	97.0	43,451	96.1		
39	Diarrhoea and Dehydration cases reported in children below 5 years	12,765		14,714			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

F) Family Planning		HMIS (2014-15)	HMIS (2015-16)	DLHS-4 (2012-13)	
40	Number of Vasectomies performed	89	136	Limiting	25.7
41	Number of Tubectomies performed	685	797	Spacing	28.8
42	Number of IUD insertion	5,236	5,043	Women using any method	20.5
43	Number of IUD removals	2,209	2,217	Women using modern method	11.3
G) Service delivery		HMIS (2014-15)	HMIS (2015-16)		
44	IPD cases per 10,000 population ***	239	286		
45	General OPD cases per 10,000 population ***	3,828	4,073		
46	Ayush OPD cases per 10,000 population ***	375	307		
H) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
47	Neonatal death within 24 hours	5	4		
48	Up to 1 Weeks of Birth	29	38		
49	Between 1 week & 4 weeks of birth	3	3		
50	Neonatal Death	37	45		
51	Between 1 month and 11 months	33	48		
52	<b>Total reported infant deaths</b>	70	93		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
53	Due to Abortion	0	0		
54	Due to Obstructed/prolonged labour	3	1		
55	Due to Severe hypertension/fits	1	0		
56	Due to Bleeding	4	2		
57	Due to High fever	1	0		
58	Due to Other Causes (including causes not known)	4	3		
59	<b>Total reported maternal deaths</b>	13	6		

## Bishnupur Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	237,399					
2	Sex Ratio	1,000					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	33					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2014-15</b>		<b>2015-16</b>			
8	Expected number of PW	3,991		4,080			
9	Expected number of Delivery	3,672		3,754			
		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	5,227	131.0	4,820	118.1	Any ANC	92.5
11	Mothers registered in the first trimester	3,679	70.4	3,334	69.2	ANC Check up in first trimester	68.4
12	Mothers who had at least 3 Ante-Natal care check ups	3,061	58.6	3,018	62.6	3 or more ANC check up	79.2
13	PW who got TT 2 / Booster injection	3,577	68.4	3,226	66.9	At least 1 TT received	86.6
14	PW who consumed 100 IFA tablets	1,691	32.4	1,300	27.0	100 IFA tablets consumed	46.2
15	Home Delivery against expected delivery *	277	7.5	220	5.9	Full ANC	40.3
16	Institutional Delivery against expected delivery *	1,119	30.5	1,311	34.9	Home Delivery	16.0
17	Home Delivery against reported delivery **	277	19.8	220	14.4	Institutional Delivery	83.7
18	Institutional Delivery against reported delivery **	1,119	80.2	1,311	85.6	Home Delivery by SBA	6.8
19	Total reported Deliveries	1,396		1,531		PNC within 14 days of delivery	82.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	240	86.6	202	91.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,432	102.6	678	44.3		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	3,628		3,709			
<b>D) Child Immunization :</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,393	38.4	1,529	41.2	Breastfed within 1 hour of birth	58.3

24	Total Still Birth	6	0.2	5	0.1	BCG	92.8
25	PC of newborn weighted at birth to live birth	1,392	99.9	1,524	99.7	3 dose of DPT	73.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	60	4.3	58	3.8	Measles	79.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,392	99.9	1,524	99.7	Full Immunization	58
28	Children fully immunized	3,681	101.5	3,874	104.4		
29	Children who have received BCG	4,572	126.0	4,275	115.3		
30	Children who have received DPT1	4,629	127.6	2,812	75.8		
31	Children who have received DPT3	3,865	106.5	3,461	93.3		
32	Children who have received Measles	4,027	111.0	4,045	109.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,972		2,109			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2014-15)	HMIS ( 2015-16)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	10	3	Limiting	22.9
35	Number of Tubectomies performed	43	0	Spacing	25.3
36	Number of IUD insertion	520	468	Women using any method	30.2
37	Number of IUD removals	260	247	Women using modern method	18.6
F) Service delivery		HMIS ( 2014-15)	HMIS ( 2015-16)		
38	IPD cases per 10,000 population ***	260	295		
39	General OPD cases per 10,000 population ***	7426	7577		
40	Ayush OPD cases per 10,000 population ***	871	708		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2014-15)	HMIS ( 2015-16)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	2	2		
43	Between 1 week & 4 weeks of birth	0	1		
44	Neonatal Death	2	3		
45	Between 1 month and 11 months	1	7		
46	<b>Total reported infant deaths</b>	3	10		
II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS ( 2014-15)	HMIS ( 2015-16)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	0	0		

## Chandel Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	144,182					
2	Sex Ratio	932					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	26					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	1					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2014-15</b>		<b>2015-16</b>			
8	Expected number of PW	2,470		2,541			
9	Expected number of Delivery	2,272		2,337			
		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	3,468	140.4	3,194	125.7	Any ANC	62.3
11	Mothers registered in the first trimester	1,898	54.7	1,614	50.5	ANC Check up in first trimester	47.7
12	Mothers who had at least 3 Ante-Natal care check ups	1,609	46.4	1,293	40.5	3 or more ANC check up	43.7
13	PW who got TT 2 / Booster injection	1,572	45.3	1,472	46.1	At least 1 TT received	60.6
14	PW who consumed 100 IFA tablets	2,074	59.8	2,003	62.7	100 IFA tablets consumed	14.3
15	Home Delivery against expected delivery *	847	37.3	985	42.1	Full ANC	11.0
16	Institutional Delivery against expected delivery *	490	21.6	458	19.6	Home Delivery	59.4
17	Home Delivery against reported delivery **	847	63.4	985	68.3	Institutional Delivery	36.2
18	Institutional Delivery against reported delivery **	490	36.6	458	31.7	Home Delivery by SBA	14.9
19	Total reported Deliveries	1,337		1,443		PNC within 14 days of delivery	57.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	488	57.6	883	89.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	734	54.9	1,007	69.8		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	2,245		2,310			
<b>D) Child Immunization :</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,407	62.7	1,469	63.6	Breastfed within 1 hour of birth	42.9

24	Total Still Birth	8	0.4	0	0.0	BCG	86
25	PC of newborn weighted at birth to live birth	1,204	85.6	1,447	98.5	3 dose of DPT	79.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	9	0.7	20	1.4	Measles	72.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,277	90.8	1,451	98.8	Full Immunization	52.3
28	Children fully immunized	1,696	75.5	1,508	65.3		
29	Children who have received BCG	1,871	83.3	1,821	78.8		
30	Children who have received DPT1	1,827	81.4	1,361	58.9		
31	Children who have received DPT3	1,712	76.3	1,388	60.1		
32	Children who have received Measles	1,708	76.1	1,557	67.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	659		967			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2014-15)	HMIS ( 2015-16)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	33.9
35	Number of Tubectomies performed	13	0	Spacing	32.1
36	Number of IUD insertion	222	151	Women using any method	8.3
37	Number of IUD removals	64	49	Women using modern method	5.4
F) Service delivery		HMIS ( 2014-15)	HMIS ( 2015-16)		
38	IPD cases per 10,000 population ***	270	279		
39	General OPD cases per 10,000 population ***	2269	2399		
40	Ayush OPD cases per 10,000 population ***	343	368		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2014-15)	HMIS ( 2015-16)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	3	1		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	3	1		
45	Between 1 month and 11 months	4	0		
46	<b>Total reported infant deaths</b>	7	1		
II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS ( 2014-15)	HMIS ( 2015-16)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	1	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	1	0		

## Churachandpur Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	274,143					
2	Sex Ratio	969					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	65					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2014-15</b>		<b>2015-16</b>			
8	Expected number of PW	4,659		4,780			
9	Expected number of Delivery	4,286		4,398			
		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	10,021	215.1	6,489	135.8	Any ANC	51.3
11	Mothers registered in the first trimester	6,810	68.0	4,180	64.4	ANC Check up in first trimester	26.5
12	Mothers who had at least 3 Ante-Natal care check ups	4,455	44.5	4,436	68.4	3 or more ANC check up	31.0
13	PW who got TT 2 / Booster injection	4,028	40.2	2,726	42.0	At least 1 TT received	51.0
14	PW who consumed 100 IFA tablets	5,389	53.8	4,424	68.2	100 IFA tablets consumed	12.6
15	Home Delivery against expected delivery *	845	19.7	589	13.4	Full ANC	7.6
16	Institutional Delivery against expected delivery *	3,760	87.7	4,158	94.6	Home Delivery	45.6
17	Home Delivery against reported delivery **	845	18.3	589	12.4	Institutional Delivery	51.0
18	Institutional Delivery against reported delivery **	3,760	81.7	4,158	87.6	Home Delivery by SBA	14.6
19	Total reported Deliveries	4,605		4,747		PNC within 14 days of delivery	82.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	430	50.9	285	48.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	647	14.0	524	11.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	4,235		4,346			
<b>D) Child Immunization :</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	4,594	108.5	4,741	109.1	Breastfed within 1 hour of birth	44.6



24	Total Still Birth	11	0.3	6	0.1	BCG	64.6
25	PC of newborn weighted at birth to live birth	4,525	98.5	4,732	99.8	3 dose of DPT	62.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	77	1.7	52	1.1	Measles	39.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,519	98.4	4,714	99.4	Full Immunization	18.8
28	Children fully immunized	3,657	86.3	3,450	79.4		
29	Children who have received BCG	4,612	108.9	4,711	108.4		
30	Children who have received DPT1	4,982	117.6	3,117	71.7		
31	Children who have received DPT3	4,571	107.9	3,411	78.5		
32	Children who have received Measles	3,802	89.8	3,593	82.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	794		2,856			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	8	22	Limiting	24.4
35	Number of Tubectomies performed	141	215	Spacing	36.2
36	Number of IUD insertion	725	741	Women using any method	22.6
37	Number of IUD removals	303	434	Women using modern method	14.6
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)		
38	IPD cases per 10,000 population ***	396	452		
39	General OPD cases per 10,000 population ***	4846	5093		
40	Ayush OPD cases per 10,000 population ***	178	169		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
41	Neonatal death within 24 hours	1	2		
42	Up to 1 Weeks of Birth	19	27		
43	Between 1 week & 4 weeks of birth	2	0		
44	Neonatal Death	22	29		
45	Between 1 month and 11 months	18	20		
46	<b>Total reported infant deaths</b>	40	49		
II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	3	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	1	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	4	0		



## Imphal East Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	456,113					
2	Sex Ratio	1,011					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	54					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
<b>C) Maternal Health:</b>		<b>2014-15</b>		<b>2015-16</b>			
8	Expected number of PW	7,651		7,817			
9	Expected number of Delivery	7,039		7,191			
		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	8,651	113.1	8,165	104.5	Any ANC	87.9
11	Mothers registered in the first trimester	4,562	52.7	5,641	69.1	ANC Check up in first trimester	63.0
12	Mothers who had at least 3 Ante-Natal care check ups	2,931	33.9	3,945	48.3	3 or more ANC check up	75.0
13	PW who got TT 2 / Booster injection	4,119	47.6	4,195	51.4	At least 1 TT received	86.8
14	PW who consumed 100 IFA tablets	2,464	28.5	3,104	38.0	100 IFA tablets consumed	41.5
15	Home Delivery against expected delivery *	218	3.1	95	1.3	Full ANC	37.8
16	Institutional Delivery against expected delivery *	5,185	73.7	3,938	54.8	Home Delivery	23.9
17	Home Delivery against reported delivery **	218	4.0	95	2.4	Institutional Delivery	75.6
18	Institutional Delivery against reported delivery **	5,185	96.0	3,938	97.6	Home Delivery by SBA	12.6
19	Total reported Deliveries	5,403		4,033		PNC within 14 days of delivery	84.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	109	50.0	30	31.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,447	26.8	1,912	47.4		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	6,956		7,106			
<b>D) Child Immunization :</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	5,379	77.3	4,016	56.5	Breastfed within 1 hour of birth	40.2

24	Total Still Birth	24	0.3	17	0.2	BCG	90.4
25	PC of newborn weighted at birth to live birth	5,178	96.3	3,919	97.6	3 dose of DPT	69.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	80	1.5	59	1.5	Measles	78.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,273	79.4	3,664	91.2	Full Immunization	55.9
28	Children fully immunized	6,298	90.5	7,206	101.4		
29	Children who have received BCG	8,130	116.9	8,501	119.6		
30	Children who have received DPT1	7,921	113.9	8,513	119.8		
31	Children who have received DPT3	7,194	103.4	7,286	102.5		
32	Children who have received Measles	6,796	97.7	7,921	111.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,258		1,059			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2014-15)	HMIS ( 2015-16)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	59	Limiting	26.4
35	Number of Tubectomies performed	2	182	Spacing	24.2
36	Number of IUD insertion	817	1,038	Women using any method	22.4
37	Number of IUD removals	288	314	Women using modern method	12.6
F) Service delivery		HMIS ( 2014-15)	HMIS ( 2015-16)		
38	IPD cases per 10,000 population ***	160	248		
39	General OPD cases per 10,000 population ***	2911	4095		
40	Ayush OPD cases per 10,000 population ***	317	306		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2014-15)	HMIS ( 2015-16)		
41	Neonatal death within 24 hours	1	0		
42	Up to 1 Weeks of Birth	0	3		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	1	3		
45	Between 1 month and 11 months	3	3		
46	<b>Total reported infant deaths</b>	4	6		
II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS ( 2014-15)	HMIS ( 2015-16)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	0		
53	<b>Total reported maternal deaths</b>	1	1		

## Imphal West Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	517,992					
2	Sex Ratio	1,029					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	51					
4	Primary Health Centers (PHC)	9					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
<b>C) Maternal Health:</b>		<b>2014-15</b>		<b>2015-16</b>			
8	Expected number of PW	8,720		8,919			
9	Expected number of Delivery	8,022		8,205			
		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	23,937	274.5	21,335	239.2	Any ANC	91.6
11	Mothers registered in the first trimester	14,903	62.3	15,250	71.5	ANC Check up in first trimester	75.4
12	Mothers who had at least 3 Ante-Natal care check ups	19,745	82.5	18,470	86.6	3 or more ANC check up	82.2
13	PW who got TT 2 / Booster injection	8,167	34.1	8,067	37.8	At least 1 TT received	89.2
14	PW who consumed 100 IFA tablets	2,772	11.6	3,054	14.3	100 IFA tablets consumed	53.4
15	Home Delivery against expected delivery *	315	3.9	201	2.4	Full ANC	50.0
16	Institutional Delivery against expected delivery *	16,537	206.1	15,649	190.7	Home Delivery	13.5
17	Home Delivery against reported delivery **	315	1.9	201	1.3	Institutional Delivery	85.5
18	Institutional Delivery against reported delivery **	16,537	98.1	15,649	98.7	Home Delivery by SBA	5.4
19	Total reported Deliveries	16,852		15,850		PNC within 14 days of delivery	81.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	26	8.3	30	14.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,209	48.7	8,555	54.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	7,927		8,108			
<b>D) Child Immunization :</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	16,903	213.2	15,890	196.0	Breastfed within 1 hour of birth	38.6

24	Total Still Birth	107	1.3	110	1.4	BCG	97.7
25	PC of newborn weighted at birth to live birth	16,883	99.9	15,873	99.9	3 dose of DPT	93
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,154	6.8	1,029	6.5	Measles	88.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	10,384	61.4	9,803	61.7	Full Immunization	79.1
28	Children fully immunized	9,374	118.2	9,214	113.6		
29	Children who have received BCG	12,324	155.5	10,653	131.4		
30	Children who have received DPT1	11,103	140.1	7,142	88.1		
31	Children who have received DPT3	10,325	130.2	8,493	104.7		
32	Children who have received Measles	9,984	125.9	9,594	118.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,919		2,188			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	59	41	Limiting	25.3
35	Number of Tubectomies performed	425	307	Spacing	28.9
36	Number of IUD insertion	1,026	904	Women using any method	22.8
37	Number of IUD removals	420	316	Women using modern method	12.5
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)		
38	IPD cases per 10,000 population ***	430	503		
39	General OPD cases per 10,000 population ***	4575	4689		
40	Ayush OPD cases per 10,000 population ***	328	343		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	3	1		
43	Between 1 week & 4 weeks of birth	1	0		
44	Neonatal Death	4	1		
45	Between 1 month and 11 months	1	2		
46	<b>Total reported infant deaths</b>	<b>5</b>	<b>3</b>		
II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	1	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	2	2		
53	<b>Total reported maternal deaths</b>	<b>3</b>	<b>2</b>		

## Senapati Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	479,148					
2	Sex Ratio	939					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	66					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2014-15</b>		<b>2015-16</b>			
8	Expected number of PW	8,291		8,557			
9	Expected number of Delivery	7,627		7,873			
		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	8,964	108.1	10,003	116.9	Any ANC	63.1
11	Mothers registered in the first trimester	4,244	47.3	5,223	52.2	ANC Check up in first trimester	42.4
12	Mothers who had at least 3 Ante-Natal care check ups	3,783	42.2	4,499	45.0	3 or more ANC check up	47.9
13	PW who got TT 2 / Booster injection	5,070	56.6	5,585	55.8	At least 1 TT received	61.0
14	PW who consumed 100 IFA tablets	1,697	18.9	4,628	46.3	100 IFA tablets consumed	14.1
15	Home Delivery against expected delivery *	3,547	46.5	3,579	45.5	Full ANC	12.8
16	Institutional Delivery against expected delivery *	1,522	20.0	1,692	21.5	Home Delivery	66.6
17	Home Delivery against reported delivery **	3,547	70.0	3,579	67.9	Institutional Delivery	32.6
18	Institutional Delivery against reported delivery **	1,522	30.0	1,692	32.1	Home Delivery by SBA	23.1
19	Total reported Deliveries	5,069		5,271		PNC within 14 days of delivery	78.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,016		2,288			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,376		1,914			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	7,537		7,780			
<b>D) Child Immunization :</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	5,074		5,282		Breastfed within 1 hour of birth	47.7

24	Total Still Birth	10	0.1	11	0.1	BCG	87.7
25	PC of newborn weighted at birth to live birth	4,987	98.3	5,032	95.3	3 dose of DPT	66.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	38	0.8	28	0.6	Measles	64.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,922	97.0	5,035	95.3	Full Immunization	47.7
28	Children fully immunized	6,005	79.7	5,979	76.9		
29	Children who have received BCG	6,762	89.7	6,745	86.7		
30	Children who have received DPT1	7,292	96.7	6,428	82.6		
31	Children who have received DPT3	6,934	92.0	6,499	83.5		
32	Children who have received Measles	6,239	82.8	6,184	79.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,566		1,809			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2014-15)	HMIS ( 2015-16)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	6	0	Limiting	24.3
35	Number of Tubectomies performed	39	6	Spacing	26
36	Number of IUD insertion	425	421	Women using any method	24.4
37	Number of IUD removals	203	242	Women using modern method	9.8
F) Service delivery		HMIS ( 2014-15)	HMIS ( 2015-16)		
38	IPD cases per 10,000 population ***	108	102		
39	General OPD cases per 10,000 population ***	2102	2145		
40	Ayush OPD cases per 10,000 population ***	199	139		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2014-15)	HMIS ( 2015-16)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	3		
43	Between 1 week & 4 weeks of birth	0	2		
44	Neonatal Death	0	5		
45	Between 1 month and 11 months	1	5		
46	<b>Total reported infant deaths</b>	1	10		
II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS ( 2014-15)	HMIS ( 2015-16)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	1	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	1		
53	<b>Total reported maternal deaths</b>	2	1		

## Tamenglong Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	140,651					
2	Sex Ratio	953					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	29					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2014-15</b>		<b>2015-16</b>			
8	Expected number of PW	2,437		2,517			
9	Expected number of Delivery	2,242		2,316			
		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	2,715	111.4	2,728	108.4	Any ANC	60.3
11	Mothers registered in the first trimester	1,512	55.7	1,393	51.1	ANC Check up in first trimester	34.3
12	Mothers who had at least 3 Ante-Natal care check ups	1,437	52.9	1,378	50.5	3 or more ANC check up	41.9
13	PW who got TT 2 / Booster injection	1,155	42.5	1,134	41.6	At least 1 TT received	56.8
14	PW who consumed 100 IFA tablets	1,133	41.7	1,107	40.6	100 IFA tablets consumed	17.1
15	Home Delivery against expected delivery *	542	24.2	579	25.0	Full ANC	13.7
16	Institutional Delivery against expected delivery *	624	27.8	643	27.8	Home Delivery	60.8
17	Home Delivery against reported delivery **	542	46.5	579	47.4	Institutional Delivery	38.7
18	Institutional Delivery against reported delivery **	624	53.5	643	52.6	Home Delivery by SBA	11.6
19	Total reported Deliveries	1,166		1,222		PNC within 14 days of delivery	62.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	176	32.5	218	37.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	216	18.5	173	14.2		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	2,216		2,288			
<b>D) Child Immunization :</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,160	52.3	1,210	52.9	Breastfed within 1 hour of birth	61.2



24	Total Still Birth	8	0.4	12	0.5	BCG	76.3
25	PC of newborn weighted at birth to live birth	1,010	87.1	1,114	92.1	3 dose of DPT	56.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	16	1.6	21	1.9	Measles	54.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,030	88.8	1,157	95.6	Full Immunization	29.7
28	Children fully immunized	1,442	65.1	1,536	67.1		
29	Children who have received BCG	2,170	97.9	1,857	81.1		
30	Children who have received DPT1	2,277	102.8	1,942	84.9		
31	Children who have received DPT3	1,856	83.8	1,878	82.1		
32	Children who have received Measles	1,550	69.9	1,642	71.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	702		805			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	31.6
35	Number of Tubectomies performed	0	17	Spacing	36.2
36	Number of IUD insertion	616	571	Women using any method	8
37	Number of IUD removals	252	172	Women using modern method	4.5
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)		
38	IPD cases per 10,000 population ***	199	188		
39	General OPD cases per 10,000 population ***	2435	2459		
40	Ayush OPD cases per 10,000 population ***	267	60		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
41	Neonatal death within 24 hours	0	1		
42	Up to 1 Weeks of Birth	1	1		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	1	2		
45	Between 1 month and 11 months	1	6		
46	<b>Total reported infant deaths</b>	<b>2</b>	<b>8</b>		
II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Thoubal Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	422,168					
2	Sex Ratio	1,006					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	57					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2014-15</b>		<b>2015-16</b>			
8	Expected number of PW	7,100		7,259			
9	Expected number of Delivery	6,532		6,678			
		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	12,733	179.3	10,584	145.8	Any ANC	92.0
11	Mothers registered in the first trimester	7,135	56.0	6,885	65.1	ANC Check up in first trimester	80.1
12	Mothers who had at least 3 Ante-Natal care check ups	3,930	30.9	4,318	40.8	3 or more ANC check up	78.2
13	PW who got TT 2 / Booster injection	4,399	34.5	4,365	41.2	At least 1 TT received	90.8
14	PW who consumed 100 IFA tablets	3,087	24.2	4,024	38.0	100 IFA tablets consumed	46.2
15	Home Delivery against expected delivery *	772	11.8	860	12.9	Full ANC	42.2
16	Institutional Delivery against expected delivery *	2,125	32.5	2,674	40.0	Home Delivery	24.6
17	Home Delivery against reported delivery **	772	26.6	860	24.3	Institutional Delivery	74.2
18	Institutional Delivery against reported delivery **	2,125	73.4	2,674	75.7	Home Delivery by SBA	12.0
19	Total reported Deliveries	2,897		3,534		PNC within 14 days of delivery	75.5
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	533	69.0	494	57.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,157	39.9	1,465	41.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	6,454		6,599			
<b>D) Child Immunization :</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	2,889	44.8	3,523	53.4	Breastfed within 1 hour of birth	26.3

24	Total Still Birth	17	0.3	14	0.2	BCG	88.2
25	PC of newborn weighted at birth to live birth	2,869	99.3	3,462	98.3	3 dose of DPT	84
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	53	1.8	61	1.8	Measles	66.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,824	97.8	3,397	96.4	Full Immunization	59.1
28	Children fully immunized	6,667	103.3	6,877	104.2		
29	Children who have received BCG	8,724	135.2	8,215	124.5		
30	Children who have received DPT1	8,617	133.5	5,375	81.4		
31	Children who have received DPT3	7,431	115.1	6,642	100.6		
32	Children who have received Measles	6,926	107.3	7,066	107.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,511		2,441			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	5	8	Limiting	24.5
35	Number of Tubectomies performed	3	27	Spacing	25
36	Number of IUD insertion	726	569	Women using any method	18.6
37	Number of IUD removals	388	388	Women using modern method	10.1
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)		
38	IPD cases per 10,000 population ***	169	252		
39	General OPD cases per 10,000 population ***	4727	4875		
40	Ayush OPD cases per 10,000 population ***	575	486		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	0	0		
46	<b>Total reported infant deaths</b>	0	0		
II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	1	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	1	0		

## Ukhrul Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	183,998					
2	Sex Ratio	948					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	40					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2014-15</b>		<b>2015-16</b>			
8	Expected number of PW	3,230		3,350			
9	Expected number of Delivery	2,971		3,082			
		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	3,280	101.6	3,581	106.9	Any ANC	49.0
11	Mothers registered in the first trimester	1,937	59.1	1,311	36.6	ANC Check up in first trimester	25.8
12	Mothers who had at least 3 Ante-Natal care check ups	1,059	32.3	1,158	32.3	3 or more ANC check up	34.2
13	PW who got TT 2 / Booster injection	1,230	37.5	1,234	34.5	At least 1 TT received	46.6
14	PW who consumed 100 IFA tablets	1,202	36.6	1,011	28.2	100 IFA tablets consumed	10.1
15	Home Delivery against expected delivery *	808	27.2	690	22.4	Full ANC	8.5
16	Institutional Delivery against expected delivery *	1,038	34.9	1,291	41.9	Home Delivery	64.2
17	Home Delivery against reported delivery **	808	43.8	690	34.8	Institutional Delivery	32.7
18	Institutional Delivery against reported delivery **	1,038	56.2	1,291	65.2	Home Delivery by SBA	12.4
19	Total reported Deliveries	1,846		1,981		PNC within 14 days of delivery	64.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	379	46.9	325	47.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	498	27.0	437	22.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	2,936		3,045			
<b>D) Child Immunization :</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,818	61.9	1,980	65.0	Breastfed within 1 hour of birth	41.5

24	Total Still Birth	17	0.6	14	0.5	BCG	62.1
25	PC of newborn weighted at birth to live birth	1,624	89.3	1,879	94.9	3 dose of DPT	61.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	55	3.4	48	2.6	Measles	42.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,393	76.6	1,556	78.6	Full Immunization	33.8
28	Children fully immunized	1,635	55.7	1,690	55.5		
29	Children who have received BCG	2,190	74.6	2,270	74.5		
30	Children who have received DPT1	2,358	80.3	2,442	80.2		
31	Children who have received DPT3	2,022	68.9	2,232	73.3		
32	Children who have received Measles	1,695	57.7	1,849	60.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	384		480			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2014-15)	HMIS ( 2015-16)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	1	3	Limiting	26.7
35	Number of Tubectomies performed	19	43	Spacing	33.8
36	Number of IUD insertion	159	180	Women using any method	15.7
37	Number of IUD removals	31	55	Women using modern method	7.2
F) Service delivery		HMIS ( 2014-15)	HMIS ( 2015-16)		
38	IPD cases per 10,000 population ***	145	168		
39	General OPD cases per 10,000 population ***	2684	2211		
40	Ayush OPD cases per 10,000 population ***	427	90		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2014-15)	HMIS ( 2015-16)		
41	Neonatal death within 24 hours	3	1		
42	Up to 1 Weeks of Birth	1	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	4	1		
45	Between 1 month and 11 months	4	5		
46	<b>Total reported infant deaths</b>	8	6		
II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS ( 2014-15)	HMIS ( 2015-16)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	1		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	1	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	1	2		

