

MEGHALAYA Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | SL No | C) State Health Indicator (SRS 2014) | | | |
|---|--|-----------------------|-----------------------|--------------------------------------|-------------------------|----------------------------------|------|
| 1 | Population 2011 | 2,966,889 | 9 | Birth Rate | | 23.9 | |
| 2 | Sex Ratio | 986 | 10 | Death Rate | | 7.6 | |
| 3 | Number of districts | 7 | 11 | IMR | | 47 | |
| B) Infrastructure Details (RHS 2015) | | Numbers | 12 | Growth Rate | | 16.4 | |
| 4 | Sub Centers (SC) | 428 | 13 | TFR (SRS - 2007) | | 3.1 | |
| 5 | Primary Health Centers (PHC) | 110 | | | | | |
| 6 | Community Health Centers (CHC) | 27 | | | | | |
| 7 | SDH | 1 | | | | | |
| 8 | DH | 12 | | | | | |
| D) Maternal Health: | | 2014-15 | 2015-16 | | | | |
| 14 | Expected number of PW | 85,401 | 87,208 | | | | |
| 15 | Expected number of Delivery | 79,966 | 81,659 | | | | |
| | | HMIS (2014-15) | HMIS (2015-16) | | DLHS-4 (2012-13) | | |
| | | Number | PC | Number | PC | | |
| 16 | PW register for ANC | 129,672 | 151.8 | 131,934 | 151.3 | Any ANC | 74.1 |
| 17 | Mothers registered in the first trimester | 41,849 | 32.3 | 42,284 | 32.0 | ANC Check up in first trimester | 38.3 |
| 18 | Mothers who had at least 3 Ante-Natal care check ups | 71,458 | 55.1 | 75,280 | 57.1 | 3 or more ANC check up | 45.6 |
| 19 | PW who got TT 2 / Booster injection | 71,685 | 55.3 | 74,187 | 56.2 | Atleast 1 TT received | 69.1 |
| 20 | PW who consumed 100 IFA tablets | 53,771 | 41.5 | 46,623 | 35.3 | 100 IFA tablets consumed | 32.4 |
| 21 | Home Delivery against expected delivery * | 41,925 | 52.4 | 40,984 | 50.2 | Full ANC | 21.4 |
| 22 | Institutional Delivery against expected delivery * | 44,035 | 55.1 | 46,013 | 56.3 | Home Delivery | 52.2 |
| 23 | Home Delivery against reported delivery ** | 41,925 | 48.8 | 40,984 | 47.1 | Institutional Delivery | 47.3 |
| 24 | Institutional Delivery against reported delivery ** | 44,035 | 51.2 | 46,013 | 52.9 | Home Delivery by SBA | 22.1 |
| 25 | Total reported Deliveries | 85,960 | 107.5 | 86,997 | 106.5 | PNC within 14 days of delivery | 74 |
| 26 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 3,640 | 8.7 | 2,488 | 6.1 | | |
| 27 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 37,567 | 43.7 | 38,578 | 44.3 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date). | | | | | | | |
| 28 | Expected number of Live Birth | 77,637 | | 79,280 | | | |
| E) Child Immunization : | | HMIS (2014-15) | HMIS (2015-16) | | DLHS-4 (2012-13) | | |
| 29 | Total reported live births | 84,902 | 109.4 | 85,664 | 108.1 | Breastfed within 1 hour of birth | 60.6 |
| 30 | Total Still Birth | 1,932 | 2.5 | 1,875 | 2.4 | BCG | 75.1 |

| | | | | | | | |
|----|--|--------|-------|--------|-------|-------------------|------|
| 31 | PC of newborn weighted at birth to live birth | 71,941 | 84.7 | 77,012 | 89.9 | 3 dose of DPT | 68.1 |
| 32 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 5,888 | 6.9 | 5,903 | 6.9 | Measles | 62 |
| 33 | PC of newborns breastfed within 1 hour to total reported live birth. | 72,676 | 85.6 | 74,960 | 87.5 | Full Immunization | 48.9 |
| 34 | Children fully immunized | 68,411 | 88.1 | 66,289 | 83.6 | | |
| 35 | Children who have received BCG | 86,363 | 111.2 | 83,909 | 105.8 | | |
| 36 | Children who have received DPT1 | 84,936 | 109.4 | 54,467 | 68.7 | | |
| 37 | Children who have received DPT3 | 75,652 | 97.4 | 66,199 | 83.5 | | |
| 38 | Children who have received Measles | 71,711 | 92.4 | 70,400 | 88.8 | | |
| 39 | Diarrhoea and Dehydration cases reported in children below 5 years | 87,413 | | 69,209 | | | |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

| F) Family Planning | | HMIS (2014-15) | HMIS (2015-16) | DLHS-4 (2012-13) | |
|-----------------------------|--|-----------------------|-----------------------|---------------------------|------|
| 40 | Number of Vasectomies performed | 22 | 14 | Limiting | 15.8 |
| 41 | Number of Tubectomies performed | 2,112 | 2,514 | Spacing | 39.7 |
| 42 | Number of IUD insertion | 4,714 | 4,414 | Women using any method | 18.7 |
| 43 | Number of IUD removals | 1,785 | 2,466 | Women using modern method | 14.3 |
| G) Service delivery | | HMIS (2014-15) | HMIS (2015-16) | | |
| 44 | IPD cases per 10,000 population *** | 767 | 828 | | |
| 45 | General OPD cases per 10,000 population *** | 10,284 | 11,308 | | |
| 46 | Ayush OPD cases per 10,000 population *** | 729 | 891 | | |
| H) Mortality Details | | | | | |
| I) | Infant Deaths (In Number) | HMIS (2014-15) | HMIS (2015-16) | | |
| 47 | Neonatal death within 24 hours | 328 | 297 | | |
| 48 | Up to 1 Weeks of Birth | 506 | 507 | | |
| 49 | Between 1 week & 4 weeks of birth | 60 | 75 | | |
| 50 | Neonatal Death | 894 | 879 | | |
| 51 | Between 1 month and 11 months | 1,414 | 1,628 | | |
| 52 | Total reported infant deaths | 2,308 | 2,507 | | |
| II) | Maternal Mortality | | | | |
| | Maternal Deaths (In Number) | HMIS (2014-15) | HMIS (2015-16) | | |
| 53 | Due to Abortion | 2 | 7 | | |
| 54 | Due to Obstructed/prolonged labour | 22 | 20 | | |
| 55 | Due to Severe hypertension/fits | 11 | 12 | | |
| 56 | Due to Bleeding | 34 | 39 | | |
| 57 | Due to High fever | 6 | 7 | | |
| 58 | Due to Other Causes (including causes not known) | 110 | 126 | | |
| 59 | Total reported maternal deaths | 185 | 211 | | |

East Garo Hills Factsheet

Key Indicators

| Sl No | A) Demographic Indicators (Census 2011) | | | | | | |
|---|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| 1 | Population 2011 | 317,917 | | | | | |
| 2 | Sex Ratio | 968 | | | | | |
| B) Infrastructure Details (RHS 2015) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 39 | | | | | |
| 4 | Primary Health Centers (PHC) | 9 | | | | | |
| 5 | Community Health Centers (CHC) | 1 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 1 | | | | | |
| C) Maternal Health: | | 2014-15 | | 2015-16 | | | |
| 8 | Expected number of PW | 4,723 | | 4,804 | | | |
| 9 | Expected number of Delivery | 4,422 | | 4,499 | | | |
| | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 7,504 | 158.9 | 8,221 | 171.1 | Any ANC | 48.9 |
| 11 | Mothers registered in the first trimester | 2,298 | 30.6 | 2,563 | 31.2 | ANC Check up in first trimester | 15.5 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 3,415 | 45.5 | 3,998 | 48.6 | 3 or more ANC check up | 29.9 |
| 13 | PW who got TT 2 / Booster injection | 4,129 | 55.0 | 4,377 | 53.2 | At least 1 TT received | 45.0 |
| 14 | PW who consumed 100 IFA tablets | 3,667 | 48.9 | 4,043 | 49.2 | 100 IFA tablets consumed | 18.6 |
| 15 | Home Delivery against expected delivery * | 2,946 | 66.6 | 3,066 | 68.2 | Full ANC | 12.5 |
| 16 | Institutional Delivery Against expected delivery * | 1,587 | 35.9 | 1,502 | 33.4 | Home Delivery | 70.4 |
| 17 | Home Delivery against reported delivery ** | 2,946 | 65.0 | 3,066 | 67.1 | Institutional Delivery | 28.7 |
| 18 | Institutional Delivery against reported delivery ** | 1,587 | 35.0 | 1,502 | 32.9 | Home Delivery by SBA | 42.3 |
| 19 | Total reported Deliveries | 4,533 | | 4,568 | | PNC within 14 days of delivery | 77.7 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 153 | 5.2 | 159 | 5.2 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 1,591 | 35.1 | 2,626 | 57.5 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date). | | | | | | | |
| 22 | Expected number of Live Birth | 4,293 | | 4,368 | | | |
| D) Child Immunization : | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| 23 | Total reported live births | 4,528 | 105.5 | 4,489 | 102.8 | Breastfed within 1 hour of birth | 90.7 |
| 24 | Total Still Birth | 90 | 2.1 | 81 | 1.9 | BCG | 45.2 |

| | | | | | | | |
|---|--|-----------------------|-------|-----------------------|-------|---------------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 3,066 | 67.7 | 3,805 | 84.8 | 3 dose of DPT | 47.6 |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 247 | 8.1 | 173 | 4.5 | Measles | 36.1 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 3,623 | 80.0 | 4,009 | 89.3 | Full Immunization | 30.1 |
| 28 | Children fully immunized | 3,517 | 81.9 | 3,926 | 89.9 | | |
| 29 | Children who have received BCG | 4,758 | 110.8 | 4,541 | 104.0 | | |
| 30 | Children who have received DPT1 | 4,833 | 112.6 | 3,020 | 69.1 | | |
| 31 | Children who have received DPT3 | 4,314 | 100.5 | 3,837 | 87.8 | | |
| 32 | Children who have received Measles | 3,731 | 86.9 | 4,158 | 95.2 | | |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years | 4,956 | | 5,457 | | | |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p> | | | | | | | |
| E) Family Planning | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| 34 | Number of Vasectomies performed | 0 | | 0 | | Limiting | 6.7 |
| 35 | Number of Tubectomies performed | 105 | | 148 | | Spacing | 61.8 |
| 36 | Number of IUD insertion | 144 | | 303 | | Women using any method | 16.9 |
| 37 | Number of IUD removals | 95 | | 113 | | Women using modern method | 12.2 |
| F) Service delivery | | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 38 | IPD cases per 10,000 population *** | 617 | | 1174 | | | |
| 39 | General OPD cases per 10,000 population *** | 7918 | | 9149 | | | |
| 40 | Ayush OPD cases per 10,000 population *** | 160 | | 231 | | | |
| G) Mortality Details | | | | | | | |
| I) | Infant Deaths (In Number) | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 41 | Neonatal death within 24 hours | 8 | | 6 | | | |
| 42 | Up to 1 Weeks of Birth | 13 | | 25 | | | |
| 43 | Between 1 week & 4 weeks of birth | 0 | | 1 | | | |
| 44 | Neonatal Death | 21 | | 32 | | | |
| 45 | Between 1 month and 11 months | 82 | | 127 | | | |
| 46 | Total reported infant deaths | 103 | | 159 | | | |
| II) | Maternal Mortality | HMIS (2014-15) | | HMIS (2015-16) | | | |
| | Maternal Deaths (In Number) | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 47 | Due to Abortion | 0 | | 0 | | | |
| 48 | Due to Obstructed/prolonged labour | 1 | | 2 | | | |
| 49 | Due to Severe hypertension/fits | 0 | | 1 | | | |
| 50 | Due to Bleeding | 2 | | 3 | | | |
| 51 | Due to High fever | 3 | | 3 | | | |
| 52 | Due to Other Causes (including causes not known) | 3 | | 6 | | | |
| 53 | Total reported maternal deaths | 9 | | 15 | | | |

East Jaintia Hills Factsheet

Key Indicators

| Sl No | A) Demographic Indicators (Census 2011) | | | | | | |
|---|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| 1 | Population 2011 | 395,124 | | | | | |
| 2 | Sex Ratio | 1,008 | | | | | |
| B) Infrastructure Details (RHS 2015) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 34 | | | | | |
| 4 | Primary Health Centers (PHC) | 6 | | | | | |
| 5 | Community Health Centers (CHC) | 2 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 0 | | | | | |
| C) Maternal Health: | | 2014-15 | | 2015-16 | | | |
| 8 | Expected number of PW | 3,933 | | 4,022 | | | |
| 9 | Expected number of Delivery | 3,683 | | 3,767 | | | |
| | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 4,359 | 110.8 | 4,384 | 109.0 | Any ANC | 83.1 |
| 11 | Mothers registered in the first trimester | 1,106 | 25.4 | 1,158 | 26.4 | ANC Check up in first trimester | 49.6 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 1,732 | 39.7 | 2,116 | 48.3 | 3 or more ANC check up | 53.9 |
| 13 | PW who got TT 2 / Booster injection | 3,232 | 74.1 | 3,508 | 80.0 | At least 1 TT received | 75.8 |
| 14 | PW who consumed 100 IFA tablets | 1,016 | 23.3 | 627 | 14.3 | 100 IFA tablets consumed | 33.2 |
| 15 | Home Delivery against expected delivery * | 2,442 | 66.3 | 2,222 | 59.0 | Full ANC | 23.9 |
| 16 | Institutional Delivery Against expected delivery * | 656 | 17.8 | 752 | 20.0 | Home Delivery | 59.6 |
| 17 | Home Delivery against reported delivery ** | 2,442 | 78.8 | 2,222 | 74.7 | Institutional Delivery | 40.4 |
| 18 | Institutional Delivery against reported delivery ** | 656 | 21.2 | 752 | 25.3 | Home Delivery by SBA | 12.0 |
| 19 | Total reported Deliveries | 3,098 | | 2,974 | | PNC within 14 days of delivery | 86.3 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 419 | 17.2 | 249 | 11.2 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 1,296 | 41.8 | 1,376 | 46.3 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date). | | | | | | | |
| 22 | Expected number of Live Birth | 3,575 | | 3,657 | | | |
| D) Child Immunization : | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| 23 | Total reported live births | 3,060 | 85.6 | 2,934 | 80.2 | Breastfed within 1 hour of birth | 46.3 |
| 24 | Total Still Birth | 86 | 2.4 | 57 | 1.6 | BCG | 81.9 |

| | | | | | | | |
|---|--|-----------------------|-------|-----------------------|-------|---------------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 2,492 | 81.4 | 2,541 | 86.6 | 3 dose of DPT | 73.3 |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 63 | 2.5 | 105 | 4.1 | Measles | 67.6 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 2,892 | 94.5 | 2,781 | 94.8 | Full Immunization | 57.1 |
| 28 | Children fully immunized | 3,559 | 99.6 | 3,922 | 107.3 | | |
| 29 | Children who have received BCG | 4,280 | 119.7 | 3,888 | 106.3 | | |
| 30 | Children who have received DPT1 | 4,413 | 123.4 | 3,082 | 84.3 | | |
| 31 | Children who have received DPT3 | 3,855 | 107.8 | 3,960 | 108.3 | | |
| 32 | Children who have received Measles | 3,672 | 102.7 | 4,160 | 113.8 | | |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years | 8,544 | | 7,388 | | | |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p> | | | | | | | |
| E) Family Planning | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| 34 | Number of Vasectomies performed | 0 | | 0 | | Limiting | 18.1 |
| 35 | Number of Tubectomies performed | 0 | | 0 | | Spacing | 21.9 |
| 36 | Number of IUD insertion | 73 | | 72 | | Women using any method | 21.2 |
| 37 | Number of IUD removals | 25 | | 31 | | Women using modern method | 13.4 |
| F) Service delivery | | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 38 | IPD cases per 10,000 population *** | 375 | | 399 | | | |
| 39 | General OPD cases per 10,000 population *** | 6974 | | 8110 | | | |
| 40 | Ayush OPD cases per 10,000 population *** | 416 | | 404 | | | |
| G) Mortality Details | | | | | | | |
| I) | Infant Deaths (In Number) | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 41 | Neonatal death within 24 hours | 3 | | 8 | | | |
| 42 | Up to 1 Weeks of Birth | 14 | | 11 | | | |
| 43 | Between 1 week & 4 weeks of birth | 2 | | 3 | | | |
| 44 | Neonatal Death | 19 | | 22 | | | |
| 45 | Between 1 month and 11 months | 30 | | 41 | | | |
| 46 | Total reported infant deaths | 49 | | 63 | | | |
| II) | Maternal Mortality | HMIS (2014-15) | | HMIS (2015-16) | | | |
| | Maternal Deaths (In Number) | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 47 | Due to Abortion | 0 | | 0 | | | |
| 48 | Due to Obstructed/prolonged labour | 1 | | 0 | | | |
| 49 | Due to Severe hypertension/fits | 2 | | 0 | | | |
| 50 | Due to Bleeding | 1 | | 0 | | | |
| 51 | Due to High fever | 1 | | 0 | | | |
| 52 | Due to Other Causes (including causes not known) | 1 | | 3 | | | |
| 53 | Total reported maternal deaths | 6 | | 3 | | | |

East Khasi Hills Factsheet

Key Indicators

| Sl No | A) Demographic Indicators (Census 2011) | | | | | | |
|---|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| 1 | Population 2011 | 825,922 | | | | | |
| 2 | Sex Ratio | 1,008 | | | | | |
| B) Infrastructure Details (RHS 2015) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 64 | | | | | |
| 4 | Primary Health Centers (PHC) | 26 | | | | | |
| 5 | Community Health Centers (CHC) | 6 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 4 | | | | | |
| C) Maternal Health: | | 2014-15 | | 2015-16 | | | |
| 8 | Expected number of PW | 23,723 | | 24,107 | | | |
| 9 | Expected number of Delivery | 22,214 | | 22,573 | | | |
| | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 55,390 | 233.5 | 56,206 | 233.2 | Any ANC | 88.4 |
| 11 | Mothers registered in the first trimester | 17,019 | 30.7 | 17,324 | 30.8 | ANC Check up in first trimester | 56.0 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 31,992 | 57.8 | 32,257 | 57.4 | 3 or more ANC check up | 58.8 |
| 13 | PW who got TT 2 / Booster injection | 16,852 | 30.4 | 17,685 | 31.5 | At least 1 TT received | 83.1 |
| 14 | PW who consumed 100 IFA tablets | 22,934 | 41.4 | 23,910 | 42.5 | 100 IFA tablets consumed | 40.3 |
| 15 | Home Delivery against expected delivery * | 6,821 | 30.7 | 6,691 | 29.6 | Full ANC | 26.0 |
| 16 | Institutional Delivery Against expected delivery * | 21,036 | 94.7 | 21,257 | 94.2 | Home Delivery | 23.5 |
| 17 | Home Delivery against reported delivery ** | 6,821 | 24.5 | 6,691 | 23.9 | Institutional Delivery | 76.5 |
| 18 | Institutional Delivery against reported delivery ** | 21,036 | 75.5 | 21,257 | 76.1 | Home Delivery by SBA | 9.1 |
| 19 | Total reported Deliveries | 27,857 | | 27,948 | | PNC within 14 days of delivery | 77.4 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 275 | 4.0 | 197 | 2.9 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 10,015 | 36.0 | 8,837 | 31.6 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date). | | | | | | | |
| 22 | Expected number of Live Birth | 21,567 | | 21,916 | | | |
| D) Child Immunization : | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| 23 | Total reported live births | 27,197 | 126.1 | 27,385 | 125.0 | Breastfed within 1 hour of birth | 47.1 |
| 24 | Total Still Birth | 708 | 3.3 | 673 | 3.1 | BCG | 85.4 |

| | | | | | | | |
|---|--|-----------------------|-------|-----------------------|-------|---------------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 23,987 | 88.2 | 25,517 | 93.2 | 3 dose of DPT | 73.5 |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 3,114 | 13.0 | 2,924 | 11.5 | Measles | 69.4 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 21,268 | 78.2 | 21,557 | 78.7 | Full Immunization | 52.1 |
| 28 | Children fully immunized | 15,539 | 72.0 | 13,875 | 63.3 | | |
| 29 | Children who have received BCG | 25,653 | 118.9 | 25,179 | 114.9 | | |
| 30 | Children who have received DPT1 | 20,178 | 93.6 | 12,703 | 58.0 | | |
| 31 | Children who have received DPT3 | 17,021 | 78.9 | 14,269 | 65.1 | | |
| 32 | Children who have received Measles | 15,998 | 74.2 | 14,903 | 68.0 | | |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years | 20,558 | | 15,393 | | | |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p> | | | | | | | |
| E) Family Planning | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| 34 | Number of Vasectomies performed | 12 | | 11 | | Limiting | 11.3 |
| 35 | Number of Tubectomies performed | 1,244 | | 1,545 | | Spacing | 29.1 |
| 36 | Number of IUD insertion | 2,026 | | 1,313 | | Women using any method | 27.6 |
| 37 | Number of IUD removals | 766 | | 948 | | Women using modern method | 22.8 |
| F) Service delivery | | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 38 | IPD cases per 10,000 population *** | 1395 | | 1332 | | | |
| 39 | General OPD cases per 10,000 population *** | 16702 | | 17299 | | | |
| 40 | Ayush OPD cases per 10,000 population *** | 744 | | 877 | | | |
| G) Mortality Details | | | | | | | |
| I) | Infant Deaths (In Number) | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 41 | Neonatal death within 24 hours | 134 | | 121 | | | |
| 42 | Up to 1 Weeks of Birth | 211 | | 196 | | | |
| 43 | Between 1 week & 4 weeks of birth | 33 | | 33 | | | |
| 44 | Neonatal Death | 378 | | 350 | | | |
| 45 | Between 1 month and 11 months | 448 | | 507 | | | |
| 46 | Total reported infant deaths | 826 | | 857 | | | |
| II) | Maternal Mortality | HMIS (2014-15) | | HMIS (2015-16) | | | |
| | Maternal Deaths (In Number) | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 47 | Due to Abortion | 0 | | 1 | | | |
| 48 | Due to Obstructed/prolonged labour | 6 | | 1 | | | |
| 49 | Due to Severe hypertension/fits | 2 | | 3 | | | |
| 50 | Due to Bleeding | 12 | | 6 | | | |
| 51 | Due to High fever | 0 | | 1 | | | |
| 52 | Due to Other Causes (including causes not known) | 34 | | 31 | | | |
| 53 | Total reported maternal deaths | 54 | | 43 | | | |

North Garo Hills Factsheet

Key Indicators

| Sl No | A) Demographic Indicators (Census 2011) | | | | | | |
|---|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| 1 | Population 2011 | 317,917 | | | | | |
| 2 | Sex Ratio | 968 | | | | | |
| B) Infrastructure Details (RHS 2015) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 41 | | | | | |
| 4 | Primary Health Centers (PHC) | 7 | | | | | |
| 5 | Community Health Centers (CHC) | 1 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 0 | | | | | |
| C) Maternal Health: | | 2014-15 | | 2015-16 | | | |
| 8 | Expected number of PW | 4,366 | | 4,442 | | | |
| 9 | Expected number of Delivery | 4,088 | | 4,159 | | | |
| | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 4,016 | 92.0 | 4,610 | 103.8 | Any ANC | 48.9 |
| 11 | Mothers registered in the first trimester | 1,735 | 43.2 | 1,783 | 38.7 | ANC Check up in first trimester | 15.5 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 2,717 | 67.7 | 3,018 | 65.5 | 3 or more ANC check up | 29.9 |
| 13 | PW who got TT 2 / Booster injection | 3,252 | 81.0 | 3,720 | 80.7 | At least 1 TT received | 45.0 |
| 14 | PW who consumed 100 IFA tablets | 1,937 | 48.2 | 2,326 | 50.5 | 100 IFA tablets consumed | 18.6 |
| 15 | Home Delivery against expected delivery * | 1,358 | 33.2 | 1,389 | 33.4 | Full ANC | 12.5 |
| 16 | Institutional Delivery Against expected delivery * | 1,154 | 28.2 | 1,162 | 27.9 | Home Delivery | 70.4 |
| 17 | Home Delivery against reported delivery ** | 1,358 | 54.1 | 1,389 | 54.4 | Institutional Delivery | 28.7 |
| 18 | Institutional Delivery against reported delivery ** | 1,154 | 45.9 | 1,162 | 45.6 | Home Delivery by SBA | 42.3 |
| 19 | Total reported Deliveries | 2,512 | | 2,551 | | PNC within 14 days of delivery | 77.7 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 237 | 17.5 | 269 | 19.4 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 1,594 | 63.5 | 1,708 | 67.0 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date). | | | | | | | |
| 22 | Expected number of Live Birth | 3,969 | | 4,038 | | | |
| D) Child Immunization : | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| 23 | Total reported live births | 2,540 | 64.0 | 2,511 | 62.2 | Breastfed within 1 hour of birth | 90.7 |
| 24 | Total Still Birth | 57 | 1.4 | 46 | 1.1 | BCG | 45.2 |

| | | | | | | | |
|---|--|-----------------------|------|-----------------------|------|---------------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 2,123 | 83.6 | 2,198 | 87.5 | 3 dose of DPT | 47.6 |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 117 | 5.5 | 109 | 5.0 | Measles | 36.1 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 2,222 | 87.5 | 2,258 | 89.9 | Full Immunization | 30.1 |
| 28 | Children fully immunized | 2,904 | 73.2 | 3,266 | 80.9 | | |
| 29 | Children who have received BCG | 3,288 | 82.8 | 3,554 | 88.0 | | |
| 30 | Children who have received DPT1 | 3,674 | 92.6 | 2,524 | 62.5 | | |
| 31 | Children who have received DPT3 | 3,548 | 89.4 | 3,026 | 74.9 | | |
| 32 | Children who have received Measles | 3,082 | 77.7 | 3,448 | 85.4 | | |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years | 1,768 | | 2,286 | | | |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p> | | | | | | | |
| E) Family Planning | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| 34 | Number of Vasectomies performed | 0 | | 0 | | Limiting | 6.7 |
| 35 | Number of Tubectomies performed | 0 | | 0 | | Spacing | 61.8 |
| 36 | Number of IUD insertion | 71 | | 86 | | Women using any method | 16.9 |
| 37 | Number of IUD removals | 40 | | 77 | | Women using modern method | 12.2 |
| F) Service delivery | | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 38 | IPD cases per 10,000 population *** | 345 | | 420 | | | |
| 39 | General OPD cases per 10,000 population *** | 5323 | | 6180 | | | |
| 40 | Ayush OPD cases per 10,000 population *** | 253 | | 338 | | | |
| G) Mortality Details | | | | | | | |
| I) | Infant Deaths (In Number) | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 41 | Neonatal death within 24 hours | 8 | | 5 | | | |
| 42 | Up to 1 Weeks of Birth | 14 | | 7 | | | |
| 43 | Between 1 week & 4 weeks of birth | 0 | | 0 | | | |
| 44 | Neonatal Death | 22 | | 12 | | | |
| 45 | Between 1 month and 11 months | 51 | | 42 | | | |
| 46 | Total reported infant deaths | 73 | | 54 | | | |
| II) | Maternal Mortality | HMIS (2014-15) | | HMIS (2015-16) | | | |
| | Maternal Deaths (In Number) | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 47 | Due to Abortion | 1 | | 0 | | | |
| 48 | Due to Obstructed/prolonged labour | 3 | | 1 | | | |
| 49 | Due to Severe hypertension/fits | 0 | | 0 | | | |
| 50 | Due to Bleeding | 0 | | 0 | | | |
| 51 | Due to High fever | 0 | | 0 | | | |
| 52 | Due to Other Causes (including causes not known) | 1 | | 4 | | | |
| 53 | Total reported maternal deaths | 5 | | 5 | | | |

Ri Bhoi Factsheet

Key Indicators

| Sl No | A) Demographic Indicators (Census 2011) | | | | | | |
|---|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| 1 | Population 2011 | 258,840 | | | | | |
| 2 | Sex Ratio | 951 | | | | | |
| B) Infrastructure Details (RHS 2015) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 27 | | | | | |
| 4 | Primary Health Centers (PHC) | 8 | | | | | |
| 5 | Community Health Centers (CHC) | 3 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 1 | | | | | |
| C) Maternal Health: | | 2014-15 | | 2015-16 | | | |
| 8 | Expected number of PW | 7,572 | | 7,765 | | | |
| 9 | Expected number of Delivery | 7,090 | | 7,271 | | | |
| | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 8,211 | 108.4 | 8,404 | 108.2 | Any ANC | 86.3 |
| 11 | Mothers registered in the first trimester | 2,540 | 30.9 | 3,046 | 36.2 | ANC Check up in first trimester | 51.5 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 5,526 | 67.3 | 6,278 | 74.7 | 3 or more ANC check up | 60.3 |
| 13 | PW who got TT 2 / Booster injection | 6,248 | 76.1 | 6,554 | 78.0 | At least 1 TT received | 83.4 |
| 14 | PW who consumed 100 IFA tablets | 3,107 | 37.8 | 3,385 | 40.3 | 100 IFA tablets consumed | 40.8 |
| 15 | Home Delivery against expected delivery * | 4,566 | 64.4 | 4,140 | 56.9 | Full ANC | 31.7 |
| 16 | Institutional Delivery Against expected delivery * | 1,656 | 23.4 | 1,853 | 25.5 | Home Delivery | 50.8 |
| 17 | Home Delivery against reported delivery ** | 4,566 | 73.4 | 4,140 | 69.1 | Institutional Delivery | 48.4 |
| 18 | Institutional Delivery against reported delivery ** | 1,656 | 26.6 | 1,853 | 30.9 | Home Delivery by SBA | 31.4 |
| 19 | Total reported Deliveries | 6,222 | | 5,993 | | PNC within 14 days of delivery | 79.6 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 599 | 13.1 | 270 | 6.5 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 2,815 | 45.2 | 2,833 | 47.3 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date). | | | | | | | |
| 22 | Expected number of Live Birth | 6,884 | | 7,059 | | | |
| D) Child Immunization : | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| 23 | Total reported live births | 6,182 | 89.8 | 5,962 | 84.5 | Breastfed within 1 hour of birth | 56.5 |
| 24 | Total Still Birth | 91 | 1.3 | 70 | 1.0 | BCG | 91.2 |

| | | | | | | | |
|---|--|-----------------------|-------|-----------------------|------|---------------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 4,189 | 67.8 | 4,969 | 83.3 | 3 dose of DPT | 77.5 |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 143 | 3.4 | 226 | 4.5 | Measles | 71.6 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 5,466 | 88.4 | 5,636 | 94.5 | Full Immunization | 54.9 |
| 28 | Children fully immunized | 5,503 | 79.9 | 5,095 | 72.2 | | |
| 29 | Children who have received BCG | 6,184 | 89.8 | 5,807 | 82.3 | | |
| 30 | Children who have received DPT1 | 7,584 | 110.2 | 3,859 | 54.7 | | |
| 31 | Children who have received DPT3 | 6,449 | 93.7 | 5,033 | 71.3 | | |
| 32 | Children who have received Measles | 6,326 | 91.9 | 6,075 | 86.1 | | |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years | 7,800 | | 4,802 | | | |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p> | | | | | | | |
| E) Family Planning | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| 34 | Number of Vasectomies performed | 0 | | 0 | | Limiting | 19 |
| 35 | Number of Tubectomies performed | 12 | | 33 | | Spacing | 36.2 |
| 36 | Number of IUD insertion | 431 | | 535 | | Women using any method | 19.5 |
| 37 | Number of IUD removals | 89 | | 130 | | Women using modern method | 16.2 |
| F) Service delivery | | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 38 | IPD cases per 10,000 population *** | 588 | | 543 | | | |
| 39 | General OPD cases per 10,000 population *** | 10132 | | 10217 | | | |
| 40 | Ayush OPD cases per 10,000 population *** | 994 | | 1142 | | | |
| G) Mortality Details | | | | | | | |
| I) | Infant Deaths (In Number) | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 41 | Neonatal death within 24 hours | 18 | | 11 | | | |
| 42 | Up to 1 Weeks of Birth | 31 | | 33 | | | |
| 43 | Between 1 week & 4 weeks of birth | 3 | | 8 | | | |
| 44 | Neonatal Death | 52 | | 52 | | | |
| 45 | Between 1 month and 11 months | 78 | | 76 | | | |
| 46 | Total reported infant deaths | 130 | | 128 | | | |
| II) | Maternal Mortality | HMIS (2014-15) | | HMIS (2015-16) | | | |
| | Maternal Deaths (In Number) | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 47 | Due to Abortion | 0 | | 1 | | | |
| 48 | Due to Obstructed/prolonged labour | 2 | | 0 | | | |
| 49 | Due to Severe hypertension/fits | 1 | | 0 | | | |
| 50 | Due to Bleeding | 4 | | 5 | | | |
| 51 | Due to High fever | 0 | | 0 | | | |
| 52 | Due to Other Causes (including causes not known) | 3 | | 5 | | | |
| 53 | Total reported maternal deaths | 10 | | 11 | | | |

South Garo Hills Factsheet

Key Indicators

| Sl No | A) Demographic Indicators (Census 2011) | | | | | | |
|---|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| 1 | Population 2011 | 142,334 | | | | | |
| 2 | Sex Ratio | 944 | | | | | |
| B) Infrastructure Details (RHS 2015) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 21 | | | | | |
| 4 | Primary Health Centers (PHC) | 6 | | | | | |
| 5 | Community Health Centers (CHC) | 1 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 1 | | | | | |
| C) Maternal Health: | | 2014-15 | | 2015-16 | | | |
| 8 | Expected number of PW | 4,122 | | 4,207 | | | |
| 9 | Expected number of Delivery | 3,859 | | 3,940 | | | |
| | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 3,550 | 86.1 | 3,939 | 93.6 | Any ANC | 40.0 |
| 11 | Mothers registered in the first trimester | 1,515 | 42.7 | 1,610 | 40.9 | ANC Check up in first trimester | 2.2 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 1,910 | 53.8 | 2,418 | 61.4 | 3 or more ANC check up | 4.4 |
| 13 | PW who got TT 2 / Booster injection | 2,591 | 73.0 | 2,845 | 72.2 | At least 1 TT received | 31.8 |
| 14 | PW who consumed 100 IFA tablets | 1,615 | 45.5 | 2,128 | 54.0 | 100 IFA tablets consumed | 26.7 |
| 15 | Home Delivery against expected delivery * | 2,059 | 53.4 | 1,926 | 48.9 | Full ANC | 4.4 |
| 16 | Institutional Delivery Against expected delivery * | 677 | 17.5 | 815 | 20.7 | Home Delivery | 66.7 |
| 17 | Home Delivery against reported delivery ** | 2,059 | 75.3 | 1,926 | 70.3 | Institutional Delivery | 33.3 |
| 18 | Institutional Delivery against reported delivery ** | 677 | 24.7 | 815 | 29.7 | Home Delivery by SBA | 6.7 |
| 19 | Total reported Deliveries | 2,736 | | 2,741 | | PNC within 14 days of delivery | 42.9 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 165 | 8.0 | 149 | 7.7 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 1,508 | 55.1 | 1,346 | 49.1 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date). | | | | | | | |
| 22 | Expected number of Live Birth | 3,747 | | 3,825 | | | |
| D) Child Immunization : | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| 23 | Total reported live births | 2,708 | 72.3 | 2,724 | 71.2 | Breastfed within 1 hour of birth | NA |
| 24 | Total Still Birth | 34 | 0.9 | 40 | 1.0 | BCG | 70 |

| | | | | | | | |
|---|--|-----------------------|------|-----------------------|------|---------------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 2,282 | 84.3 | 2,477 | 90.9 | 3 dose of DPT | 70 |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 105 | 4.6 | 131 | 5.3 | Measles | 50 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 2,622 | 96.8 | 2,609 | 95.8 | Full Immunization | 50 |
| 28 | Children fully immunized | 2,419 | 64.6 | 2,277 | 59.5 | | |
| 29 | Children who have received BCG | 2,918 | 77.9 | 2,852 | 74.6 | | |
| 30 | Children who have received DPT1 | 3,649 | 97.4 | 2,673 | 69.9 | | |
| 31 | Children who have received DPT3 | 3,088 | 82.4 | 2,832 | 74.0 | | |
| 32 | Children who have received Measles | 2,864 | 76.4 | 2,654 | 69.4 | | |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years | 1,364 | | 1,742 | | | |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p> | | | | | | | |
| E) Family Planning | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| 34 | Number of Vasectomies performed | 0 | | 0 | | Limiting | 29.2 |
| 35 | Number of Tubectomies performed | 0 | | 0 | | Spacing | 44.6 |
| 36 | Number of IUD insertion | 10 | | 50 | | Women using any method | 11.8 |
| 37 | Number of IUD removals | 63 | | 24 | | Women using modern method | 10.3 |
| F) Service delivery | | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 38 | IPD cases per 10,000 population *** | 296 | | 362 | | | |
| 39 | General OPD cases per 10,000 population *** | 6311 | | 6995 | | | |
| 40 | Ayush OPD cases per 10,000 population *** | 668 | | 629 | | | |
| G) Mortality Details | | | | | | | |
| I) | Infant Deaths (In Number) | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 41 | Neonatal death within 24 hours | 3 | | 10 | | | |
| 42 | Up to 1 Weeks of Birth | 6 | | 9 | | | |
| 43 | Between 1 week & 4 weeks of birth | 2 | | 0 | | | |
| 44 | Neonatal Death | 11 | | 19 | | | |
| 45 | Between 1 month and 11 months | 99 | | 114 | | | |
| 46 | Total reported infant deaths | 110 | | 133 | | | |
| II) | Maternal Mortality | HMIS (2014-15) | | HMIS (2015-16) | | | |
| | Maternal Deaths (In Number) | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 47 | Due to Abortion | 0 | | 0 | | | |
| 48 | Due to Obstructed/prolonged labour | 2 | | 1 | | | |
| 49 | Due to Severe hypertension/fits | 0 | | 1 | | | |
| 50 | Due to Bleeding | 2 | | 4 | | | |
| 51 | Due to High fever | 0 | | 0 | | | |
| 52 | Due to Other Causes (including causes not known) | 5 | | 8 | | | |
| 53 | Total reported maternal deaths | 9 | | 14 | | | |

South West Garo Hills Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|---|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| 1 | Population 2011 | 642,923 | | | | | |
| 2 | Sex Ratio | 979 | | | | | |
| B) Infrastructure Details (RHS 2015) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 19 | | | | | |
| 4 | Primary Health Centers (PHC) | 7 | | | | | |
| 5 | Community Health Centers (CHC) | 1 | | | | | |
| 6 | SDH | 1 | | | | | |
| 7 | DH | 0 | | | | | |
| C) Maternal Health: | | 2014-15 | | 2015-16 | | | |
| 8 | Expected number of PW | 4,200 | | 4,277 | | | |
| 9 | Expected number of Delivery | 3,933 | | 4,005 | | | |
| | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 3,673 | 87.5 | 3,696 | 86.4 | Any ANC | 61.3 |
| 11 | Mothers registered in the first trimester | 1,914 | 52.1 | 1,793 | 48.5 | ANC Check up in first trimester | 18.2 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 2,175 | 59.2 | 2,199 | 59.5 | 3 or more ANC check up | 38.3 |
| 13 | PW who got TT 2 / Booster injection | 3,077 | 83.8 | 2,982 | 80.7 | At least 1 TT received | 53.5 |
| 14 | PW who consumed 100 IFA tablets | 2,317 | 63.1 | 712 | 19.3 | 100 IFA tablets consumed | 26.6 |
| 15 | Home Delivery against expected delivery * | 1,729 | 44.0 | 1,643 | 41.0 | Full ANC | 15.0 |
| 16 | Institutional Delivery Against expected delivery * | 1,472 | 37.4 | 1,518 | 37.9 | Home Delivery | 52.6 |
| 17 | Home Delivery against reported delivery ** | 1,729 | 54.0 | 1,643 | 52.0 | Institutional Delivery | 47.1 |
| 18 | Institutional Delivery against reported delivery ** | 1,472 | 46.0 | 1,518 | 48.0 | Home Delivery by SBA | 17.0 |
| 19 | Total reported Deliveries | 3,201 | | 3,161 | | PNC within 14 days of delivery | 49.3 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 197 | 11.4 | 110 | 6.7 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 1,236 | 38.6 | 1,345 | 42.5 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date). | | | | | | | |
| 22 | Expected number of Live Birth | 3,818 | | 3,888 | | | |
| D) Child Immunization : | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| 23 | Total reported live births | 3,157 | 82.7 | 3,114 | 80.1 | Breastfed within 1 hour of birth | 86 |
| 24 | Total Still Birth | 76 | 2.0 | 57 | 1.5 | BCG | 43.5 |

| | | | | | | | |
|---|--|-----------------------|------|-----------------------|------|---------------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 3,151 | 99.8 | 3,072 | 98.7 | 3 dose of DPT | 50 |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 165 | 5.2 | 234 | 7.6 | Measles | 43.5 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 3,135 | 99.3 | 3,064 | 98.4 | Full Immunization | 34.8 |
| 28 | Children fully immunized | 3,188 | 83.5 | 3,224 | 82.9 | | |
| 29 | Children who have received BCG | 3,158 | 82.7 | 2,792 | 71.8 | | |
| 30 | Children who have received DPT1 | 3,598 | 94.2 | 2,510 | 64.6 | | |
| 31 | Children who have received DPT3 | 3,552 | 93.0 | 3,273 | 84.2 | | |
| 32 | Children who have received Measles | 3,204 | 83.9 | 3,216 | 82.7 | | |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years | 3,374 | | 3,498 | | | |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p> | | | | | | | |
| E) Family Planning | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| 34 | Number of Vasectomies performed | 0 | | 0 | | Limiting | 19.1 |
| 35 | Number of Tubectomies performed | 43 | | 32 | | Spacing | 57 |
| 36 | Number of IUD insertion | 198 | | 324 | | Women using any method | 9.2 |
| 37 | Number of IUD removals | 71 | | 377 | | Women using modern method | 5.4 |
| F) Service delivery | | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 38 | IPD cases per 10,000 population *** | 306 | | 328 | | | |
| 39 | General OPD cases per 10,000 population *** | 7390 | | 7413 | | | |
| 40 | Ayush OPD cases per 10,000 population *** | 126 | | 190 | | | |
| G) Mortality Details | | | | | | | |
| I) | Infant Deaths (In Number) | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 41 | Neonatal death within 24 hours | 3 | | 2 | | | |
| 42 | Up to 1 Weeks of Birth | 15 | | 18 | | | |
| 43 | Between 1 week & 4 weeks of birth | 1 | | 0 | | | |
| 44 | Neonatal Death | 19 | | 20 | | | |
| 45 | Between 1 month and 11 months | 60 | | 85 | | | |
| 46 | Total reported infant deaths | 79 | | 105 | | | |
| II) | Maternal Mortality | HMIS (2014-15) | | HMIS (2015-16) | | | |
| | Maternal Deaths (In Number) | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 47 | Due to Abortion | 0 | | 0 | | | |
| 48 | Due to Obstructed/prolonged labour | 0 | | 0 | | | |
| 49 | Due to Severe hypertension/fits | 2 | | 0 | | | |
| 50 | Due to Bleeding | 1 | | 1 | | | |
| 51 | Due to High fever | 0 | | 0 | | | |
| 52 | Due to Other Causes (including causes not known) | 2 | | 2 | | | |
| 53 | Total reported maternal deaths | 5 | | 3 | | | |

South West Khasi Hills Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|---|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| 1 | Population 2011 | 383,461 | | | | | |
| 2 | Sex Ratio | 981 | | | | | |
| B) Infrastructure Details (RHS 2015) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 19 | | | | | |
| 4 | Primary Health Centers (PHC) | 3 | | | | | |
| 5 | Community Health Centers (CHC) | 2 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 0 | | | | | |
| C) Maternal Health: | | 2014-15 | | 2015-16 | | | |
| 8 | Expected number of PW | 2,769 | | 2,829 | | | |
| 9 | Expected number of Delivery | 2,593 | | 2,649 | | | |
| | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 2,882 | 104.1 | 2,904 | 102.6 | Any ANC | 68.4 |
| 11 | Mothers registered in the first trimester | 453 | 15.7 | 540 | 18.6 | ANC Check up in first trimester | 23.7 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 1,521 | 52.8 | 1,561 | 53.8 | 3 or more ANC check up | 21.2 |
| 13 | PW who got TT 2 / Booster injection | 2,172 | 75.4 | 2,138 | 73.6 | At least 1 TT received | 64.2 |
| 14 | PW who consumed 100 IFA tablets | 296 | 10.3 | 688 | 23.7 | 100 IFA tablets consumed | 24.3 |
| 15 | Home Delivery against expected delivery * | 1,966 | 75.8 | 1,875 | 70.8 | Full ANC | 11.1 |
| 16 | Institutional Delivery Against expected delivery * | 500 | 19.3 | 589 | 22.2 | Home Delivery | 66.7 |
| 17 | Home Delivery against reported delivery ** | 1,966 | 79.7 | 1,875 | 76.1 | Institutional Delivery | 32.3 |
| 18 | Institutional Delivery against reported delivery ** | 500 | 20.3 | 589 | 23.9 | Home Delivery by SBA | 19.1 |
| 19 | Total reported Deliveries | 2,466 | | 2,464 | | PNC within 14 days of delivery | 45.9 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 23 | 1.2 | 20 | 1.1 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 1,239 | 50.2 | 1,244 | 50.5 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date). | | | | | | | |
| 22 | Expected number of Live Birth | 2,517 | | 2,572 | | | |
| D) Child Immunization : | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| 23 | Total reported live births | 2,428 | 96.5 | 2,423 | 94.2 | Breastfed within 1 hour of birth | 47.5 |
| 24 | Total Still Birth | 53 | 2.1 | 51 | 2.0 | BCG | 79.6 |

| | | | | | | | |
|---|--|-----------------------|-------|-----------------------|------|---------------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 1,841 | 75.8 | 1,930 | 79.7 | 3 dose of DPT | 70.4 |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 75 | 4.1 | 86 | 4.5 | Measles | 70.9 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 1,416 | 58.3 | 1,581 | 65.2 | Full Immunization | 47.3 |
| 28 | Children fully immunized | 2,145 | 85.2 | 2,232 | 86.8 | | |
| 29 | Children who have received BCG | 2,701 | 107.3 | 2,546 | 99.0 | | |
| 30 | Children who have received DPT1 | 2,965 | 117.8 | 2,000 | 77.8 | | |
| 31 | Children who have received DPT3 | 2,537 | 100.8 | 2,510 | 97.6 | | |
| 32 | Children who have received Measles | 2,374 | 94.3 | 2,440 | 94.9 | | |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years | 1,281 | | 703 | | | |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p> | | | | | | | |
| E) Family Planning | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| 34 | Number of Vasectomies performed | 0 | | 0 | | Limiting | 17.3 |
| 35 | Number of Tubectomies performed | 0 | | 0 | | Spacing | 29.1 |
| 36 | Number of IUD insertion | 5 | | 8 | | Women using any method | 17.4 |
| 37 | Number of IUD removals | 13 | | 3 | | Women using modern method | 14.6 |
| F) Service delivery | | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 38 | IPD cases per 10,000 population *** | 420 | | 449 | | | |
| 39 | General OPD cases per 10,000 population *** | 4935 | | 5485 | | | |
| 40 | Ayush OPD cases per 10,000 population *** | 656 | | 912 | | | |
| G) Mortality Details | | | | | | | |
| I) | Infant Deaths (In Number) | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 41 | Neonatal death within 24 hours | 17 | | 13 | | | |
| 42 | Up to 1 Weeks of Birth | 14 | | 15 | | | |
| 43 | Between 1 week & 4 weeks of birth | 5 | | 1 | | | |
| 44 | Neonatal Death | 36 | | 29 | | | |
| 45 | Between 1 month and 11 months | 107 | | 92 | | | |
| 46 | Total reported infant deaths | 143 | | 121 | | | |
| II) | Maternal Mortality | HMIS (2014-15) | | HMIS (2015-16) | | | |
| | Maternal Deaths (In Number) | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 47 | Due to Abortion | 0 | | 0 | | | |
| 48 | Due to Obstructed/prolonged labour | 1 | | 0 | | | |
| 49 | Due to Severe hypertension/fits | 1 | | 0 | | | |
| 50 | Due to Bleeding | 1 | | 5 | | | |
| 51 | Due to High fever | 0 | | 1 | | | |
| 52 | Due to Other Causes (including causes not known) | 1 | | 4 | | | |
| 53 | Total reported maternal deaths | 4 | | 10 | | | |

West Garo Hills Factsheet

Key Indicators

| Sl No | A) Demographic Indicators (Census 2011) | | | | | | |
|---|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| 1 | Population 2011 | 642,923 | | | | | |
| 2 | Sex Ratio | 979 | | | | | |
| B) Infrastructure Details (RHS 2015) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 72 | | | | | |
| 4 | Primary Health Centers (PHC) | 11 | | | | | |
| 5 | Community Health Centers (CHC) | 5 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 2 | | | | | |
| C) Maternal Health: | | 2014-15 | | 2015-16 | | | |
| 8 | Expected number of PW | 14,248 | | 14,508 | | | |
| 9 | Expected number of Delivery | 13,341 | | 13,584 | | | |
| | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 15,988 | 112.2 | 15,908 | 109.7 | Any ANC | 61.3 |
| 11 | Mothers registered in the first trimester | 6,046 | 37.8 | 5,497 | 34.6 | ANC Check up in first trimester | 18.2 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 9,730 | 60.9 | 10,210 | 64.2 | 3 or more ANC check up | 38.3 |
| 13 | PW who got TT 2 / Booster injection | 12,703 | 79.5 | 12,322 | 77.5 | At least 1 TT received | 53.5 |
| 14 | PW who consumed 100 IFA tablets | 9,558 | 59.8 | 4,154 | 26.1 | 100 IFA tablets consumed | 26.6 |
| 15 | Home Delivery against expected delivery * | 7,103 | 53.2 | 7,098 | 52.3 | Full ANC | 15.0 |
| 16 | Institutional Delivery Against expected delivery * | 7,384 | 55.3 | 7,413 | 54.6 | Home Delivery | 52.6 |
| 17 | Home Delivery against reported delivery ** | 7,103 | 49.0 | 7,098 | 48.9 | Institutional Delivery | 47.1 |
| 18 | Institutional Delivery against reported delivery ** | 7,384 | 51.0 | 7,413 | 51.1 | Home Delivery by SBA | 17.0 |
| 19 | Total reported Deliveries | 14,487 | | 14,511 | | PNC within 14 days of delivery | 49.3 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 869 | 12.2 | 424 | 6.0 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 8,463 | 58.4 | 8,537 | 58.8 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date). | | | | | | | |
| 22 | Expected number of Live Birth | 12,953 | | 13,189 | | | |
| D) Child Immunization : | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| 23 | Total reported live births | 14,246 | 110.0 | 14,250 | 108.0 | Breastfed within 1 hour of birth | 86 |
| 24 | Total Still Birth | 322 | 2.5 | 358 | 2.7 | BCG | 43.5 |

| | | | | | | | |
|---|--|-----------------------|-------|-----------------------|------|---------------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 14,091 | 98.9 | 13,964 | 98.0 | 3 dose of DPT | 50 |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 987 | 7.0 | 955 | 6.8 | Measles | 43.5 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 14,038 | 98.5 | 14,061 | 98.7 | Full Immunization | 34.8 |
| 28 | Children fully immunized | 12,644 | 97.6 | 11,924 | 90.4 | | |
| 29 | Children who have received BCG | 13,995 | 108.0 | 13,124 | 99.5 | | |
| 30 | Children who have received DPT1 | 13,842 | 106.9 | 8,227 | 62.4 | | |
| 31 | Children who have received DPT3 | 13,141 | 101.5 | 10,783 | 81.8 | | |
| 32 | Children who have received Measles | 12,977 | 100.2 | 12,193 | 92.5 | | |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years | 7,568 | | 7,352 | | | |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p> | | | | | | | |
| E) Family Planning | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| 34 | Number of Vasectomies performed | 9 | | 0 | | Limiting | 19.1 |
| 35 | Number of Tubectomies performed | 419 | | 373 | | Spacing | 57 |
| 36 | Number of IUD insertion | 1,250 | | 1,302 | | Women using any method | 9.2 |
| 37 | Number of IUD removals | 488 | | 554 | | Women using modern method | 5.4 |
| F) Service delivery | | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 38 | IPD cases per 10,000 population *** | 476 | | 496 | | | |
| 39 | General OPD cases per 10,000 population *** | 7058 | | 7633 | | | |
| 40 | Ayush OPD cases per 10,000 population *** | 737 | | 822 | | | |
| G) Mortality Details | | | | | | | |
| I) | Infant Deaths (In Number) | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 41 | Neonatal death within 24 hours | 40 | | 39 | | | |
| 42 | Up to 1 Weeks of Birth | 43 | | 59 | | | |
| 43 | Between 1 week & 4 weeks of birth | 2 | | 8 | | | |
| 44 | Neonatal Death | 85 | | 106 | | | |
| 45 | Between 1 month and 11 months | 274 | | 326 | | | |
| 46 | Total reported infant deaths | 359 | | 432 | | | |
| II) | Maternal Mortality | HMIS (2014-15) | | HMIS (2015-16) | | | |
| | Maternal Deaths (In Number) | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 47 | Due to Abortion | 1 | | 4 | | | |
| 48 | Due to Obstructed/prolonged labour | 4 | | 11 | | | |
| 49 | Due to Severe hypertension/fits | 2 | | 4 | | | |
| 50 | Due to Bleeding | 6 | | 8 | | | |
| 51 | Due to High fever | 1 | | 0 | | | |
| 52 | Due to Other Causes (including causes not known) | 35 | | 39 | | | |
| 53 | Total reported maternal deaths | 49 | | 66 | | | |

West Jaintia Hills Factsheet

Key Indicators

| Sl No | A) Demographic Indicators (Census 2011) | | | | | | |
|---|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| 1 | Population 2011 | 395,124 | | | | | |
| 2 | Sex Ratio | 1,008 | | | | | |
| B) Infrastructure Details (RHS 2015) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 46 | | | | | |
| 4 | Primary Health Centers (PHC) | 12 | | | | | |
| 5 | Community Health Centers (CHC) | 3 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 1 | | | | | |
| C) Maternal Health: | | 2014-15 | | 2015-16 | | | |
| 8 | Expected number of PW | 7,490 | | 7,661 | | | |
| 9 | Expected number of Delivery | 7,014 | | 7,174 | | | |
| | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 11,241 | 150.1 | 11,607 | 151.5 | Any ANC | 83.1 |
| 11 | Mothers registered in the first trimester | 3,496 | 31.1 | 3,353 | 28.9 | ANC Check up in first trimester | 49.6 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 3,762 | 33.5 | 3,937 | 33.9 | 3 or more ANC check up | 53.9 |
| 13 | PW who got TT 2 / Booster injection | 8,781 | 78.1 | 8,859 | 76.3 | At least 1 TT received | 75.8 |
| 14 | PW who consumed 100 IFA tablets | 1,657 | 14.7 | 439 | 3.8 | 100 IFA tablets consumed | 33.2 |
| 15 | Home Delivery against expected delivery * | 5,201 | 74.2 | 5,018 | 70.0 | Full ANC | 23.9 |
| 16 | Institutional Delivery Against expected delivery * | 4,582 | 65.3 | 5,394 | 75.2 | Home Delivery | 59.6 |
| 17 | Home Delivery against reported delivery ** | 5,201 | 53.2 | 5,018 | 48.2 | Institutional Delivery | 40.4 |
| 18 | Institutional Delivery against reported delivery ** | 4,582 | 46.8 | 5,394 | 51.8 | Home Delivery by SBA | 12.0 |
| 19 | Total reported Deliveries | 9,783 | | 10,412 | | PNC within 14 days of delivery | 86.3 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 301 | 5.8 | 214 | 4.3 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 3,673 | 37.5 | 3,606 | 34.6 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date). | | | | | | | |
| 22 | Expected number of Live Birth | 6,810 | | 6,965 | | | |
| D) Child Immunization : | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| 23 | Total reported live births | 9,890 | 145.2 | 10,333 | 148.4 | Breastfed within 1 hour of birth | 46.3 |
| 24 | Total Still Birth | 281 | 4.1 | 274 | 3.9 | BCG | 81.9 |

| | | | | | | | |
|---|--|-----------------------|-------|-----------------------|-------|---------------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 7,930 | 80.2 | 8,602 | 83.2 | 3 dose of DPT | 73.3 |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 617 | 7.8 | 653 | 7.6 | Measles | 67.6 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 8,948 | 90.5 | 9,111 | 88.2 | Full Immunization | 57.1 |
| 28 | Children fully immunized | 8,330 | 122.3 | 7,673 | 110.2 | | |
| 29 | Children who have received BCG | 9,543 | 140.1 | 9,502 | 136.4 | | |
| 30 | Children who have received DPT1 | 9,400 | 138.0 | 6,264 | 89.9 | | |
| 31 | Children who have received DPT3 | 8,552 | 125.6 | 7,816 | 112.2 | | |
| 32 | Children who have received Measles | 8,462 | 124.3 | 7,848 | 112.7 | | |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years | 16,912 | | 11,630 | | | |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p> | | | | | | | |
| E) Family Planning | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| 34 | Number of Vasectomies performed | 1 | | 3 | | Limiting | 18.1 |
| 35 | Number of Tubectomies performed | 189 | | 241 | | Spacing | 21.9 |
| 36 | Number of IUD insertion | 342 | | 258 | | Women using any method | 21.2 |
| 37 | Number of IUD removals | 103 | | 161 | | Women using modern method | 13.4 |
| F) Service delivery | | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 38 | IPD cases per 10,000 population *** | 1028 | | 1012 | | | |
| 39 | General OPD cases per 10,000 population *** | 10098 | | 10335 | | | |
| 40 | Ayush OPD cases per 10,000 population *** | 916 | | 1206 | | | |
| G) Mortality Details | | | | | | | |
| I) | Infant Deaths (In Number) | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 41 | Neonatal death within 24 hours | 55 | | 42 | | | |
| 42 | Up to 1 Weeks of Birth | 106 | | 101 | | | |
| 43 | Between 1 week & 4 weeks of birth | 5 | | 16 | | | |
| 44 | Neonatal Death | 166 | | 159 | | | |
| 45 | Between 1 month and 11 months | 92 | | 116 | | | |
| 46 | Total reported infant deaths | 258 | | 275 | | | |
| II) | Maternal Mortality | HMIS (2014-15) | | HMIS (2015-16) | | | |
| | Maternal Deaths (In Number) | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 47 | Due to Abortion | 0 | | 0 | | | |
| 48 | Due to Obstructed/prolonged labour | 0 | | 2 | | | |
| 49 | Due to Severe hypertension/fits | 0 | | 3 | | | |
| 50 | Due to Bleeding | 3 | | 6 | | | |
| 51 | Due to High fever | 1 | | 1 | | | |
| 52 | Due to Other Causes (including causes not known) | 9 | | 9 | | | |
| 53 | Total reported maternal deaths | 13 | | 21 | | | |

West Khasi Hills Factsheet

Key Indicators

| Sl No | A) Demographic Indicators (Census 2011) | | | | | | |
|---|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| 1 | Population 2011 | 383,461 | | | | | |
| 2 | Sex Ratio | 981 | | | | | |
| B) Infrastructure Details (RHS 2015) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 48 | | | | | |
| 4 | Primary Health Centers (PHC) | 15 | | | | | |
| 5 | Community Health Centers (CHC) | 2 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 2 | | | | | |
| C) Maternal Health: | | 2014-15 | | 2015-16 | | | |
| 8 | Expected number of PW | 8,411 | | 8,593 | | | |
| 9 | Expected number of Delivery | 7,876 | | 8,047 | | | |
| | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 12,858 | 152.9 | 12,055 | 140.3 | Any ANC | 68.4 |
| 11 | Mothers registered in the first trimester | 3,727 | 29.0 | 3,617 | 30.0 | ANC Check up in first trimester | 23.7 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 6,978 | 54.3 | 7,288 | 60.5 | 3 or more ANC check up | 21.2 |
| 13 | PW who got TT 2 / Booster injection | 8,648 | 67.3 | 9,197 | 76.3 | At least 1 TT received | 64.2 |
| 14 | PW who consumed 100 IFA tablets | 5,667 | 44.1 | 4,211 | 34.9 | 100 IFA tablets consumed | 24.3 |
| 15 | Home Delivery against expected delivery * | 5,734 | 72.8 | 5,916 | 73.5 | Full ANC | 11.1 |
| 16 | Institutional Delivery Against expected delivery * | 3,331 | 42.3 | 3,758 | 46.7 | Home Delivery | 66.7 |
| 17 | Home Delivery against reported delivery ** | 5,734 | 63.3 | 5,916 | 61.2 | Institutional Delivery | 32.3 |
| 18 | Institutional Delivery against reported delivery ** | 3,331 | 36.7 | 3,758 | 38.8 | Home Delivery by SBA | 19.1 |
| 19 | Total reported Deliveries | 9,065 | | 9,674 | | PNC within 14 days of delivery | 45.9 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 402 | 7.0 | 427 | 7.2 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 4,137 | 45.6 | 5,120 | 52.9 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date). | | | | | | | |
| 22 | Expected number of Live Birth | 7,646 | | 7,812 | | | |
| D) Child Immunization : | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| 23 | Total reported live births | 8,966 | 117.3 | 9,539 | 122.1 | Breastfed within 1 hour of birth | 47.5 |
| 24 | Total Still Birth | 134 | 1.8 | 168 | 2.2 | BCG | 79.6 |

| | | | | | | | |
|---|--|-----------------------|-------|-----------------------|-------|---------------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 6,789 | 75.7 | 7,937 | 83.2 | 3 dose of DPT | 70.4 |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 255 | 3.8 | 307 | 3.9 | Measles | 70.9 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 7,046 | 78.6 | 8,293 | 86.9 | Full Immunization | 47.3 |
| 28 | Children fully immunized | 8,663 | 113.3 | 8,875 | 113.6 | | |
| 29 | Children who have received BCG | 9,885 | 129.3 | 10,124 | 129.6 | | |
| 30 | Children who have received DPT1 | 10,800 | 141.3 | 7,605 | 97.3 | | |
| 31 | Children who have received DPT3 | 9,595 | 125.5 | 8,860 | 113.4 | | |
| 32 | Children who have received Measles | 9,021 | 118.0 | 9,305 | 119.1 | | |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years | 13,288 | | 8,958 | | | |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p> | | | | | | | |
| E) Family Planning | | HMIS (2014-15) | | HMIS (2015-16) | | DLHS-4 (2012-13) | |
| 34 | Number of Vasectomies performed | 0 | | 0 | | Limiting | 17.3 |
| 35 | Number of Tubectomies performed | 100 | | 142 | | Spacing | 29.1 |
| 36 | Number of IUD insertion | 164 | | 163 | | Women using any method | 17.4 |
| 37 | Number of IUD removals | 32 | | 48 | | Women using modern method | 14.6 |
| F) Service delivery | | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 38 | IPD cases per 10,000 population *** | 694 | | 662 | | | |
| 39 | General OPD cases per 10,000 population *** | 11465 | | 10761 | | | |
| 40 | Ayush OPD cases per 10,000 population *** | 1540 | | 1642 | | | |
| G) Mortality Details | | | | | | | |
| I) | Infant Deaths (In Number) | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 41 | Neonatal death within 24 hours | 39 | | 40 | | | |
| 42 | Up to 1 Weeks of Birth | 39 | | 33 | | | |
| 43 | Between 1 week & 4 weeks of birth | 7 | | 5 | | | |
| 44 | Neonatal Death | 85 | | 78 | | | |
| 45 | Between 1 month and 11 months | 93 | | 102 | | | |
| 46 | Total reported infant deaths | 178 | | 180 | | | |
| II) | Maternal Mortality | HMIS (2014-15) | | HMIS (2015-16) | | | |
| | Maternal Deaths (In Number) | HMIS (2014-15) | | HMIS (2015-16) | | | |
| 47 | Due to Abortion | 0 | | 1 | | | |
| 48 | Due to Obstructed/prolonged labour | 2 | | 2 | | | |
| 49 | Due to Severe hypertension/fits | 1 | | 0 | | | |
| 50 | Due to Bleeding | 2 | | 1 | | | |
| 51 | Due to High fever | 0 | | 1 | | | |
| 52 | Due to Other Causes (including causes not known) | 16 | | 15 | | | |
| 53 | Total reported maternal deaths | 21 | | 20 | | | |

