

## Mizoram Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)			C) State Health Indicator (SRS 2014)			
1	Population 2011	1,097,206	9	Birth Rate		16.1	
2	Sex Ratio	975	10	Death Rate		4.3	
3	Number of districts	9	11	IMR		35	
<b>B) Infrastructure Details (RHS 2014)</b>			12	Growth Rate		11.8	
4	Sub Centers (SC)	370	13	TFR (SRS - 2007)		2.0	
5	Primary Health Centers (PHC)	57					
6	Community Health Centers (CHC)	9					
7	SDH	2					
8	DH	8					
<b>D) Maternal Health:</b>		<b>2014-15</b>		<b>2015-16</b>			
14	Expected number of PW	21,048		21,264			
15	Expected number of Delivery	19,364		19,562			
		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
16	PW register for ANC	23,475	111.5	22,404	105.4	Any ANC	83.3
17	Mothers registered in the first trimester	16,970	72.3	16,492	73.6	ANC Check up in first trimester	54.3
18	Mothers who had at least 3 Ante-Natal care check ups	16,968	72.3	15,817	70.6	3 or more ANC check up	61.6
19	PW who got TT 2 / Booster injection	20,391	86.9	19,988	89.2	Atleast 1 TT received	80
20	PW who consumed 100 IFA tablets	15,456	65.8	10,102	45.1	100 IFA tablets consumed	46.5
21	Home Delivery against expected delivery *	2,123	11.0	2,128	10.9	Full ANC	36.7
22	Institutional Delivery against expected delivery *	19,660	101.5	17,931	91.7	Home Delivery	27.1
23	Reported Home Delivery **	2,123	9.7	2,128	10.6	Institutional Delivery	72.4
24	Reported institutional Delivery **	19,660	90.3	17,931	89.4	Home Delivery by SBA	7.2
25	Total reported Deliveries	21,783	112.5	20,059	102.5	PNC within 14 days of delivery	49.7
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	588	27.7	503	23.6		
27	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	18,373	84.3	15,286	76.2		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
28	Expected number of Live Birth	19,135		19,330			
<b>F) Child Immunization :</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
29	Total reported live births	22,113	115.6	19,900	102.9	Breastfed within 1 hour of birth	84.5

30	Total Still Birth	244	1.3	214	1.1	BCG	88.4
31	Newborn weighted at birth to live birth	21,389	96.7	19,336	97.2	3 dose of DPT	82.5
32	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1,033	4.7	902	4.5	Measles	79.7
33	Newborns breastfed within 1 hour to total reported live birth.	21,206	95.9	19,086	95.9	Full Immunization	71.2
34	Fully immunized	18,537	96.9	18,997	98.3		
35	Children who have received BCG	23,348	122.0	20,785	107.5		
36	Children who have received DPT1	21,050	110.0	11,791	61.0		
37	Children who have received DPT3	20,191	105.5	15,034	77.8		
38	Children who have received Measles	18,868	98.6	19,453	100.6		
39	Diarrhoea and Dehydration cases reported in children below 5 years	8,513		7,445			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>Family Planning</b>		<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
40	Number of Vasectomies performed	0		0		Limiting	2.9
41	Number of Tubectomies performed	1,543		1,351		Spacing	18.5
42	Number of IUD insertion	2,531		2,483		Women using any method	59.8
43	Number of IUD removals	1,307		1,408		Women using modern method	59
<b>I) Service delivery</b>		<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
44	IPD cases per 10,000 population ***	885		878			
45	General OPD cases per 10,000 population ***	10,218		10,466			
46	Ayush OPD cases per 10,000 population ***	279		300			
<b>J) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
47	Neonatal death within 24 hours	13		14			
48	Up to 1 Weeks of Birth	164		151			
49	Between 1 week & 4 weeks of birth	17		16			
50	Neonatal Death	194		181			
51	Between 1 month and 11 months	628		265			
52	<b>Total reported infant deaths</b>	822		446			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2014-15)</b>		<b>HMIS ( 2015-16)</b>			
53	Due to Abortion	0		0			
54	Due to Obstructed/prolonged labour	1		3			
55	Due to Severe hypertension/fits	1		1			
56	Due to Bleeding	6		5			
57	Due to High fever	4		0			
58	Due to Other Causes (including causes not known)	13		10			
59	<b>Total reported maternal deaths</b>	25		19			

## Aizawl East Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	240,589					
2	Sex Ratio	1,009					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	40					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
<b>C) Maternal Health:</b>		<b>2014-15</b>		<b>2015-16</b>			
8	Expected number of PW	4,633		4,686			
9	Expected number of Delivery	4,262		4,311			
		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	5,202	112.3	4,787	102.2	Any ANC	97.7
11	Mothers registered in the first trimester	4,025	77.4	3,790	79.2	ANC Check up in first trimester	66.1
12	Mothers who had at least 3 Ante-Natal care check ups	4,214	81.0	3,739	78.1	3 or more ANC check up	76.1
13	PW who got TT 2 / Booster injection	4,762	91.5	4,676	97.7	At least 1 TT received	96.4
14	PW who consumed 100 IFA tablets	2,934	56.4	1,672	34.9	100 IFA tablets consumed	67.2
15	Home Delivery against expected delivery *	55	1.3	37	0.9	Full ANC	53.9
16	Institutional Delivery Against expected delivery *	3,722	87.3	3,405	79.0	Home Delivery	6.6
17	Reported Home Delivery **	55	1.5	37	1.1	Institutional Delivery	93.4
18	Reported institutional Delivery **	3,722	98.5	3,405	98.9	Home Delivery by SBA	2.9
19	Total reported Deliveries	3,777		3,442		PNC within 14 days of delivery	47.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	19	34.5	15	40.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,901	129.8	4,156	120.7		
<b>Note:</b> In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth	4,212		4,260			
<b>D) Child Immunization :</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	3,762	89.3	3,427	80.4	Breastfed within 1 hour of birth	87.7
24	Total Still Birth	51	1.2	38	0.9	BCG	98.6

25	PC of newborn weighted at birth to live birth	3,722	98.9	3,501	102.2	3 dose of DPT	94.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	156	4.2	150	4.3	Measles	90
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,542	94.2	3,308	96.5	Full Immunization	87
28	Children fully immunized	5,076	120.5	5,417	127.2		
29	Children who have received BCG	4,732	112.4	4,345	102.0		
30	Children who have received DPT1	5,563	132.1	3,096	72.7		
31	Children who have received DPT3	5,286	125.5	3,806	89.3		
32	Children who have received Measles	5,059	120.1	5,455	128.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	558		423			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	1.6
35	Number of Tubectomies performed	206	215	Spacing	14.4
36	Number of IUD insertion	394	435	Women using any method	64.6
37	Number of IUD removals	213	209	Women using modern method	63.5
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)		
38	IPD cases per 10,000 population ***	1103	1061		
39	General OPD cases per 10,000 population ***	6323	6957		
40	Ayush OPD cases per 10,000 population ***	97	41		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
41	Neonatal death within 24 hours	0	4		
42	Up to 1 Weeks of Birth	31	19		
43	Between 1 week & 4 weeks of birth	1	2		
44	Neonatal Death	32	25		
45	Between 1 month and 11 months	84	27		
46	<b>Total reported infant deaths</b>	116	52		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	1	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	2	0		
51	Due to High fever	4	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	7	0		

## Aizawl West Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	159,720						
2	Sex Ratio	1,009						
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	54						
4	Primary Health Centers (PHC)	5						
5	Community Health Centers (CHC)	0						
6	SDH	1						
7	DH	1						
<b>C) Maternal Health:</b>		<b>2014-15</b>	<b>2015-16</b>					
8	Expected number of PW	3,076	3,111					
9	Expected number of Delivery	2,830	2,862					
		<b>HMIS (2014-15)</b>	<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	3,517	114.4	3,463	111.3	Any ANC	97.7	
11	Mothers registered in the first trimester	2,399	68.2	2,410	69.6	ANC Check up in first trimester	66.1	
12	Mothers who had at least 3 Ante-Natal care check ups	2,789	79.3	2,521	72.8	3 or more ANC check up	76.1	
13	PW who got TT 2 / Booster injection	3,013	85.7	2,981	86.1	At least 1 TT received	96.4	
14	PW who consumed 100 IFA tablets	2,168	61.6	1,356	39.2	100 IFA tablets consumed	67.2	
15	Home Delivery against expected delivery *	9	0.3	14	0.5	Full ANC	53.9	
16	Institutional Delivery Against expected delivery *	6,362	224.8	5,959	208.2	Home Delivery	6.6	
17	Reported Home Delivery **	9	0.1	14	0.2	Institutional Delivery	93.4	
18	Reported institutional Delivery **	6,362	99.9	5,959	99.8	Home Delivery by SBA	2.9	
19	Total reported Deliveries	6,371		5,973		PNC within 14 days of delivery	47.7	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	9	100.0	8	57.1			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,042	79.1	4,050	67.8			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).								
22	Expected number of Live Birth	2,796		2,828				
<b>D) Child Immunization :</b>		<b>HMIS (2014-15)</b>	<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	6,305	225.5	5,894	208.4	Breastfed within 1 hour of birth	87.7	
24	Total Still Birth	66	2.4	79	2.8	BCG	98.6	

25	PC of newborn weighted at birth to live birth	6,302	100.0	5,893	100.0	3 dose of DPT	94.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	315	5.0	316	5.4	Measles	90
27	PC of newborns breastfed within 1 hour to total reported live birth.	6,300	99.9	5,892	100.0	Full Immunization	87
28	Children fully immunized	2,700	96.6	2,678	94.7		
29	Children who have received BCG	5,522	197.5	4,417	156.2		
30	Children who have received DPT1	2,933	104.9	1,346	47.6		
31	Children who have received DPT3	2,906	103.9	1,861	65.8		
32	Children who have received Measles	2,700	96.6	2,678	94.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	848		810			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	1.6
35	Number of Tubectomies performed	765	581	Spacing	14.4
36	Number of IUD insertion	602	628	Women using any method	64.6
37	Number of IUD removals	302	380	Women using modern method	63.5
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)		
38	IPD cases per 10,000 population ***	1331	1457		
39	General OPD cases per 10,000 population ***	27330	29023		
40	Ayush OPD cases per 10,000 population ***	427	506		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
41	Neonatal death within 24 hours	3	0		
42	Up to 1 Weeks of Birth	52	64		
43	Between 1 week & 4 weeks of birth	3	8		
44	Neonatal Death	58	72		
45	Between 1 month and 11 months	130	48		
46	<b>Total reported infant deaths</b>	<b>188</b>	<b>120</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	1	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	<b>1</b>	<b>0</b>		

## Champhai Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	125,745						
2	Sex Ratio	981						
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	59						
4	Primary Health Centers (PHC)	11						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	1						
<b>C) Maternal Health:</b>		<b>2014-15</b>	<b>2015-16</b>					
8	Expected number of PW	2,367	2,376					
9	Expected number of Delivery	2,177	2,186					
		<b>HMIS (2014-15)</b>	<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	3,025	127.8	2,742	115.4	Any ANC	91.3	
11	Mothers registered in the first trimester	2,353	77.8	2,061	75.2	ANC Check up in first trimester	54.4	
12	Mothers who had at least 3 Ante-Natal care check ups	2,388	78.9	2,104	76.7	3 or more ANC check up	66.0	
13	PW who got TT 2 / Booster injection	2,741	90.6	2,421	88.3	At least 1 TT received	87.8	
14	PW who consumed 100 IFA tablets	2,545	84.1	1,989	72.5	100 IFA tablets consumed	51.3	
15	Home Delivery against expected delivery *	151	6.9	102	4.7	Full ANC	39.1	
16	Institutional Delivery Against expected delivery *	2,135	98.1	1,906	87.2	Home Delivery	21.7	
17	Reported Home Delivery **	151	6.6	102	5.1	Institutional Delivery	78.3	
18	Reported institutional Delivery **	2,135	93.4	1,906	94.9	Home Delivery by SBA	8.7	
19	Total reported Deliveries	2,286		2,008		PNC within 14 days of delivery	32.0	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	25	16.6	12	11.8			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,838	80.4	1,373	68.4			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).								
22	Expected number of Live Birth	2,152		2,160				
<b>D) Child Immunization :</b>		<b>HMIS (2014-15)</b>	<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	2,284	106.2	1,988	92.0	Breastfed within 1 hour of birth	91	
24	Total Still Birth	28	1.3	20	0.9	BCG	95.1	



25	PC of newborn weighted at birth to live birth	2,255	98.7	1,962	98.7	3 dose of DPT	90.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	135	6.0	94	4.8	Measles	89
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,234	97.8	1,951	98.1	Full Immunization	82.9
28	Children fully immunized	2,471	114.8	2,391	110.7		
29	Children who have received BCG	2,487	115.6	2,283	105.7		
30	Children who have received DPT1	2,765	128.5	1,410	65.3		
31	Children who have received DPT3	2,764	128.5	1,795	83.1		
32	Children who have received Measles	2,536	117.9	2,458	113.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,537		1,411			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	2.7
35	Number of Tubectomies performed	94	62	Spacing	19.7
36	Number of IUD insertion	420	435	Women using any method	59.4
37	Number of IUD removals	350	340	Women using modern method	59
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)		
38	IPD cases per 10,000 population ***	805	712		
39	General OPD cases per 10,000 population ***	7011	6490		
40	Ayush OPD cases per 10,000 population ***	115	144		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
41	Neonatal death within 24 hours	4	2		
42	Up to 1 Weeks of Birth	18	10		
43	Between 1 week & 4 weeks of birth	5	2		
44	Neonatal Death	27	14		
45	Between 1 month and 11 months	50	36		
46	<b>Total reported infant deaths</b>	<b>77</b>	<b>50</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	6	1		
53	<b>Total reported maternal deaths</b>	<b>6</b>	<b>2</b>		



## Kolasib Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	83,955					
2	Sex Ratio	956					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	30					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2014-15</b>		<b>2015-16</b>			
8	Expected number of PW	1,625		1,647			
9	Expected number of Delivery	1,495		1,515			
		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	2,015	124.0	1,882	114.3	Any ANC	95.1
11	Mothers registered in the first trimester	1,493	74.1	1,345	71.5	ANC Check up in first trimester	65.6
12	Mothers who had at least 3 Ante-Natal care check ups	1,573	78.1	1,339	71.1	3 or more ANC check up	70.8
13	PW who got TT 2 / Booster injection	1,942	96.4	1,681	89.3	At least 1 TT received	93.1
14	PW who consumed 100 IFA tablets	1,441	71.5	1,063	56.5	100 IFA tablets consumed	51.4
15	Home Delivery against expected delivery *	131	8.8	137	9.0	Full ANC	42.7
16	Institutional Delivery Against expected delivery *	1,281	85.7	1,060	70.0	Home Delivery	22.5
17	Reported Home Delivery **	131	9.3	137	11.4	Institutional Delivery	77.5
18	Reported institutional Delivery **	1,281	90.7	1,060	88.6	Home Delivery by SBA	6.9
19	Total reported Deliveries	1,412		1,197		PNC within 14 days of delivery	52.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	32	24.4	59	43.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,398	99.0	1,316	109.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth	1,478		1,497			
<b>D) Child Immunization :</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,856	125.6	1,187	79.3	Breastfed within 1 hour of birth	82.2
24	Total Still Birth	32	2.2	14	0.9	BCG	99

25	PC of newborn weighted at birth to live birth	1,524	82.1	1,155	97.3	3 dose of DPT	96.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	115	7.5	68	5.9	Measles	90.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,535	82.7	1,136	95.7	Full Immunization	83.7
28	Children fully immunized	1,468	99.3	1,453	97.0		
29	Children who have received BCG	1,952	132.1	1,602	107.0		
30	Children who have received DPT1	1,612	109.1	856	57.2		
31	Children who have received DPT3	1,541	104.3	1,147	76.6		
32	Children who have received Measles	1,468	99.3	1,508	100.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,805		1,287			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	2.2
35	Number of Tubectomies performed	94	33	Spacing	18.2
36	Number of IUD insertion	130	93	Women using any method	57.3
37	Number of IUD removals	64	103	Women using modern method	56.7
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)		
38	IPD cases per 10,000 population ***	788	794		
39	General OPD cases per 10,000 population ***	8023	7808		
40	Ayush OPD cases per 10,000 population ***	442	484		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
41	Neonatal death within 24 hours	2	1		
42	Up to 1 Weeks of Birth	8	6		
43	Between 1 week & 4 weeks of birth	2	1		
44	Neonatal Death	12	8		
45	Between 1 month and 11 months	54	12		
46	<b>Total reported infant deaths</b>	66	20		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	1		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	1	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	0		
53	<b>Total reported maternal deaths</b>	2	1		

## Lawngtlai Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	117,894					
2	Sex Ratio	945					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	37					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2014-15</b>		<b>2015-16</b>			
8	Expected number of PW	2,337		2,387			
9	Expected number of Delivery	2,150		2,196			
		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	2,411	103.1	2,286	95.8	Any ANC	37.9
11	Mothers registered in the first trimester	1,691	70.1	1,782	78.0	ANC Check up in first trimester	21.5
12	Mothers who had at least 3 Ante-Natal care check ups	1,367	56.7	1,517	66.4	3 or more ANC check up	26.4
13	PW who got TT 2 / Booster injection	1,890	78.4	1,854	81.1	At least 1 TT received	35.1
14	PW who consumed 100 IFA tablets	1,406	58.3	970	42.4	100 IFA tablets consumed	16.0
15	Home Delivery against expected delivery *	542	25.2	562	25.6	Full ANC	12.3
16	Institutional Delivery Against expected delivery *	1,338	62.2	1,075	48.9	Home Delivery	70.1
17	Reported Home Delivery **	542	28.8	562	34.3	Institutional Delivery	27.7
18	Reported institutional Delivery **	1,338	71.2	1,075	65.7	Home Delivery by SBA	3.5
19	Total reported Deliveries	1,880		1,637		PNC within 14 days of delivery	74.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	69	12.7	86	15.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	544	28.9	544	33.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth	2,125		2,170			
<b>D) Child Immunization :</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,880	88.5	1,627	75.0	Breastfed within 1 hour of birth	56.5
24	Total Still Birth	23	1.1	29	1.3	BCG	40.8

25	PC of newborn weighted at birth to live birth	1,775	94.4	1,438	88.4	3 dose of DPT	44.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	69	3.9	57	4.0	Measles	35.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,811	96.3	1,459	89.7	Full Immunization	26.3
28	Children fully immunized	1,442	67.9	1,542	71.0		
29	Children who have received BCG	1,918	90.3	1,820	83.9		
30	Children who have received DPT1	1,924	90.5	1,397	64.4		
31	Children who have received DPT3	1,729	81.4	1,670	76.9		
32	Children who have received Measles	1,564	73.6	1,686	77.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	488		638			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	6.3
35	Number of Tubectomies performed	27	115	Spacing	23.6
36	Number of IUD insertion	155	103	Women using any method	47.4
37	Number of IUD removals	79	40	Women using modern method	46.2
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)		
38	IPD cases per 10,000 population ***	474	429		
39	General OPD cases per 10,000 population ***	4699	4513		
40	Ayush OPD cases per 10,000 population ***	42	53		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
41	Neonatal death within 24 hours	0	2		
42	Up to 1 Weeks of Birth	5	6		
43	Between 1 week & 4 weeks of birth	2	0		
44	Neonatal Death	7	8		
45	Between 1 month and 11 months	54	34		
46	<b>Total reported infant deaths</b>	<b>61</b>	<b>42</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	2		
53	<b>Total reported maternal deaths</b>	<b>1</b>	<b>3</b>		

## Lunglei Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	161,428					
2	Sex Ratio	944					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	71					
4	Primary Health Centers (PHC)	9					
5	Community Health Centers (CHC)	1					
6	SDH	1					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2014-15</b>		<b>2015-16</b>			
8	Expected number of PW	3,002		3,002			
9	Expected number of Delivery	2,762		2,762			
		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	2,636	87.8	2,611	87.0	Any ANC	74.2
11	Mothers registered in the first trimester	1,735	65.8	1,784	68.3	ANC Check up in first trimester	41.0
12	Mothers who had at least 3 Ante-Natal care check ups	1,652	62.7	1,666	63.8	3 or more ANC check up	51.6
13	PW who got TT 2 / Booster injection	2,318	87.9	2,356	90.2	At least 1 TT received	67.1
14	PW who consumed 100 IFA tablets	1,775	67.3	527	20.2	100 IFA tablets consumed	33.2
15	Home Delivery against expected delivery *	374	13.5	460	16.7	Full ANC	24.0
16	Institutional Delivery Against expected delivery *	2,175	78.7	2,048	74.2	Home Delivery	38.5
17	Reported Home Delivery **	374	14.7	460	18.3	Institutional Delivery	61.2
18	Reported institutional Delivery **	2,175	85.3	2,048	81.7	Home Delivery by SBA	11.3
19	Total reported Deliveries	2,549		2,508		PNC within 14 days of delivery	53.4
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	153	40.9	138	30.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,399	94.1	2,282	91.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth	2,729		2,729			
<b>D) Child Immunization :</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	2,539	93.0	2,498	91.5	Breastfed within 1 hour of birth	90.2
24	Total Still Birth	14	0.5	15	0.5	BCG	85.5

25	PC of newborn weighted at birth to live birth	2,527	99.5	2,367	94.8	3 dose of DPT	75
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	112	4.4	107	4.5	Measles	76.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,417	95.2	2,220	88.9	Full Immunization	59.2
28	Children fully immunized	2,118	77.6	2,042	74.8		
29	Children who have received BCG	2,791	102.3	2,490	91.2		
30	Children who have received DPT1	2,307	84.5	1,464	53.6		
31	Children who have received DPT3	2,328	85.3	1,895	69.4		
32	Children who have received Measles	2,181	79.9	2,119	77.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,182		839			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	1.8
35	Number of Tubectomies performed	214	179	Spacing	17.4
36	Number of IUD insertion	308	318	Women using any method	65.5
37	Number of IUD removals	115	139	Women using modern method	64.9
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)		
38	IPD cases per 10,000 population ***	793	799		
39	General OPD cases per 10,000 population ***	10715	10550		
40	Ayush OPD cases per 10,000 population ***	509	446		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	15	24		
43	Between 1 week & 4 weeks of birth	1	0		
44	Neonatal Death	16	24		
45	Between 1 month and 11 months	63	48		
46	<b>Total reported infant deaths</b>	<b>79</b>	<b>72</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	1		
50	Due to Bleeding	1	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	2		
53	<b>Total reported maternal deaths</b>	<b>2</b>	<b>4</b>		

## Mamit Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	86,364					
2	Sex Ratio	924					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	29					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2014-15</b>		<b>2015-16</b>			
8	Expected number of PW	1,725		1,766			
9	Expected number of Delivery	1,587		1,625			
		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,763	102.2	1,765	99.9	Any ANC	78.0
11	Mothers registered in the first trimester	1,118	63.4	1,175	66.6	ANC Check up in first trimester	38.4
12	Mothers who had at least 3 Ante-Natal care check ups	1,020	57.9	1,057	59.9	3 or more ANC check up	47.4
13	PW who got TT 2 / Booster injection	1,311	74.4	1,541	87.3	At least 1 TT received	75.4
14	PW who consumed 100 IFA tablets	1,288	73.1	817	46.3	100 IFA tablets consumed	37.8
15	Home Delivery against expected delivery *	488	30.8	423	26.0	Full ANC	26.4
16	Institutional Delivery Against expected delivery *	794	50.0	801	49.3	Home Delivery	37.7
17	Reported Home Delivery **	488	38.1	423	34.6	Institutional Delivery	62.0
18	Reported institutional Delivery **	794	61.9	801	65.4	Home Delivery by SBA	10.1
19	Total reported Deliveries	1,282		1,224		PNC within 14 days of delivery	51.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	118	24.2	81	19.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	914	71.3	715	58.4		
<b>Note:</b> In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth	1,568		1,605			
<b>D) Child Immunization :</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,262	80.5	1,219	75.9	Breastfed within 1 hour of birth	91.6
24	Total Still Birth	12	0.8	5	0.3	BCG	90.2



25	PC of newborn weighted at birth to live birth	1,112	88.1	1,017	83.4	3 dose of DPT	79.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	37	3.3	38	3.7	Measles	70.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,206	95.6	1,112	91.2	Full Immunization	59.8
28	Children fully immunized	1,232	78.6	1,479	92.1		
29	Children who have received BCG	1,507	96.1	1,714	106.8		
30	Children who have received DPT1	1,590	101.4	1,027	64.0		
31	Children who have received DPT3	1,388	88.5	1,325	82.5		
32	Children who have received Measles	1,238	79.0	1,506	93.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	999		1,028			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	2.3
35	Number of Tubectomies performed	33	63	Spacing	21.3
36	Number of IUD insertion	138	125	Women using any method	58.9
37	Number of IUD removals	45	42	Women using modern method	58.5
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)		
38	IPD cases per 10,000 population ***	630	583		
39	General OPD cases per 10,000 population ***	7439	7457		
40	Ayush OPD cases per 10,000 population ***	17	53		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
41	Neonatal death within 24 hours	2	4		
42	Up to 1 Weeks of Birth	5	1		
43	Between 1 week & 4 weeks of birth	1	2		
44	Neonatal Death	8	7		
45	Between 1 month and 11 months	31	12		
46	<b>Total reported infant deaths</b>	<b>39</b>	<b>19</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	1		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	1		
53	<b>Total reported maternal deaths</b>	<b>1</b>	<b>2</b>		

## Saiha Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	56,574					
2	Sex Ratio	978					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	24					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2014-15</b>		<b>2015-16</b>			
8	Expected number of PW	1,076		1,083			
9	Expected number of Delivery	989		997			
		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,619	150.5	1,590	146.8	Any ANC	73.9
11	Mothers registered in the first trimester	1,143	70.6	1,136	71.4	ANC Check up in first trimester	53.6
12	Mothers who had at least 3 Ante-Natal care check ups	1,001	61.8	973	61.2	3 or more ANC check up	51.0
13	PW who got TT 2 / Booster injection	1,307	80.7	1,349	84.8	At least 1 TT received	66.0
14	PW who consumed 100 IFA tablets	1,036	64.0	1,143	71.9	100 IFA tablets consumed	35.4
15	Home Delivery against expected delivery *	352	35.6	367	36.8	Full ANC	28.1
16	Institutional Delivery Against expected delivery *	1,047	105.8	943	94.6	Home Delivery	42.4
17	Reported Home Delivery **	352	25.2	367	28.0	Institutional Delivery	56.5
18	Reported institutional Delivery **	1,047	74.8	943	72.0	Home Delivery by SBA	17.2
19	Total reported Deliveries	1,399		1,310		PNC within 14 days of delivery	41.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	155	44.0	94	25.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	852	60.9	691	52.7		
<b>Note:</b> In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth	978		985			
<b>D) Child Immunization :</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,400	143.2	1,303	132.3	Breastfed within 1 hour of birth	92
24	Total Still Birth	9	0.9	11	1.1	BCG	80.6

25	PC of newborn weighted at birth to live birth	1,347	96.2	1,260	96.7	3 dose of DPT	72
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	74	5.5	59	4.7	Measles	73.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,338	95.6	1,256	96.4	Full Immunization	60.2
28	Children fully immunized	977	99.9	978	99.3		
29	Children who have received BCG	1,361	139.2	1,131	114.8		
30	Children who have received DPT1	1,229	125.7	637	64.7		
31	Children who have received DPT3	1,130	115.6	834	84.7		
32	Children who have received Measles	1,069	109.3	1,026	104.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	690		598			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	5.8
35	Number of Tubectomies performed	93	91	Spacing	22.2
36	Number of IUD insertion	255	231	Women using any method	54.3
37	Number of IUD removals	55	74	Women using modern method	53.6
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)		
38	IPD cases per 10,000 population ***	851	908		
39	General OPD cases per 10,000 population ***	7185	6388		
40	Ayush OPD cases per 10,000 population ***	644	1025		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
41	Neonatal death within 24 hours	1	1		
42	Up to 1 Weeks of Birth	24	16		
43	Between 1 week & 4 weeks of birth	2	0		
44	Neonatal Death	27	17		
45	Between 1 month and 11 months	131	33		
46	<b>Total reported infant deaths</b>	158	50		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	1		
49	Due to Severe hypertension/fits	1	0		
50	Due to Bleeding	1	2		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	3	3		
53	<b>Total reported maternal deaths</b>	5	6		

## Serchhip Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	64,937					
2	Sex Ratio	976					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	26					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2014-15</b>		<b>2015-16</b>			
8	Expected number of PW	1,232		1,241			
9	Expected number of Delivery	1,134		1,141			
		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,287	104.4	1,278	103.0	Any ANC	99.7
11	Mothers registered in the first trimester	1,013	78.7	1,009	79.0	ANC Check up in first trimester	69.6
12	Mothers who had at least 3 Ante-Natal care check ups	964	74.9	901	70.5	3 or more ANC check up	74.2
13	PW who got TT 2 / Booster injection	1,107	86.0	1,129	88.3	At least 1 TT received	98.4
14	PW who consumed 100 IFA tablets	863	67.1	565	44.2	100 IFA tablets consumed	49.7
15	Home Delivery against expected delivery *	21	1.9	26	2.3	Full ANC	38.7
16	Institutional Delivery Against expected delivery *	806	71.1	734	64.3	Home Delivery	16.3
17	Reported Home Delivery **	21	2.5	26	3.4	Institutional Delivery	83.1
18	Reported institutional Delivery **	806	97.5	734	96.6	Home Delivery by SBA	8.6
19	Total reported Deliveries	827		760		PNC within 14 days of delivery	49.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	8	38.1	10	38.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	485	58.6	159	20.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth	1,120		1,128			
<b>D) Child Immunization :</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	825	73.6	757	67.1	Breastfed within 1 hour of birth	78.6
24	Total Still Birth	9	0.8	3	0.3	BCG	97.4

25	PC of newborn weighted at birth to live birth	825	100.0	743	98.2	3 dose of DPT	85.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	20	2.4	13	1.7	Measles	89.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	823	99.8	752	99.3	Full Immunization	82.3
28	Children fully immunized	1,053	94.0	1,017	90.2		
29	Children who have received BCG	1,078	96.2	983	87.2		
30	Children who have received DPT1	1,127	100.6	558	49.5		
31	Children who have received DPT3	1,119	99.9	701	62.2		
32	Children who have received Measles	1,053	94.0	1,017	90.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	406		411			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	2.5
35	Number of Tubectomies performed	17	12	Spacing	14.4
36	Number of IUD insertion	129	115	Women using any method	66
37	Number of IUD removals	84	81	Women using modern method	65
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)		
38	IPD cases per 10,000 population ***	606	596		
39	General OPD cases per 10,000 population ***	6788	7126		
40	Ayush OPD cases per 10,000 population ***	624	646		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
41	Neonatal death within 24 hours	1	0		
42	Up to 1 Weeks of Birth	6	5		
43	Between 1 week & 4 weeks of birth	0	1		
44	Neonatal Death	7	6		
45	Between 1 month and 11 months	31	15		
46	<b>Total reported infant deaths</b>	<b>38</b>	<b>21</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	1		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>1</b>		

