

## NAGALAND Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)		SL No	C) State Health Indicator (SRS 2014)			
1	Population 2011	1,978,502	9	Birth Rate		15.4	
2	Sex Ratio	931	10	Death Rate		3.1	
3	Number of districts	11	11	IMR		18	
<b>B) Infrastructure Details (RHS 2014)</b>			12	Growth Rate		12.3	
4	Sub Centers (SC)	396	13	TFR (SRS - 2007)		2.0	
5	Primary Health Centers (PHC)	126					
6	Community Health Centers (CHC)	21					
7	SDH	0					
8	DH	11					
<b>D) Maternal Health:</b>		<b>2011-12</b>		<b>2011-12</b>			
14	Expected number of PW	37,433		37,433			
15	Expected number of Delivery	34,439		34,439			
		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
16	PW register for ANC	44,556	119.0	48,800	130.4	Any ANC	41.8
17	Mothers registered in the first trimester	20,859	46.8	17,480	35.8	ANC Check up in first trimester	23.8
18	Mothers who had at least 3 Ante-Natal care check ups	14,948	33.5	15,718	32.2	3 or more ANC check up	26.5
19	Mothers who got TT2/ Booster injection (%)	16,223	36.4	15,077	30.9	Atleast 1 TT received	39.4
20	PW who consumed 100 IFA tablets	15,075	33.8	14,087	28.9	100 IFA tablets consumed	12
21	Home Delivery against expected delivery *	5,107	14.8	4,706	13.7	Full ANC	9.7
22	Institutional Delivery against expected delivery *	17,220	50.0	17,513	50.9	Home Delivery	66.1
23	Home Delivery against reported delivery **	5,107	22.9	4,706	21.2	Institutional Delivery	30.1
24	Institutional Delivery against reported delivery **	17,220	77.1	17,513	78.8	Home Delivery by SBA	17.5
25	Total reported Deliveries	22,327	64.8	22,219	64.5	PNC within 14 days of delivery	63.9
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4,056	79.4	3,357	71.3		
27	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,574	33.9	8,572	38.6		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
28	Expected number of Live Birth	34,030		34,030			
<b>E) Child Immunization :</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
29	Total reported live births	22,046	64.8	21,629	63.6	Breastfed within 1 hour of birth	44.5

30	Total Still Birth	380	1.1	362	1.1	BCG	61.2
31	Newborn weighted at birth to live birth	21,178	96.1	19,982	92.4	3 dose of DPT	66
32	Newborn having weight less than 2.5 kg to newborn weighted at birth.	869	3.9	778	3.6	Measles	49
33	Newborns breastfed within 1 hour to total reported live birth.	19,404	88.0	17,912	82.8	Full Immunization	35.6
34	Fully immunized	19,236	56.5	19,386	57.0		
35	Children who have received BCG	27,348	80.4	27,221	80.0		
36	Children who have received DPT1	25,437	74.7	21,342	62.7		
37	Children who have received DPT3	21,743	63.9	20,919	61.5		
38	Children who have received Measles	20,649	60.7	20,556	60.4		
39	Diarrhoea and Dehydration cases reported in children below 5 years	5,061		4,982			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>F) Family Planning</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
40	Number of Vasectomies performed	9		10		Limiting	23
41	Number of Tubectomies performed	1,437		1,531		Spacing	18.6
42	Number of IUD insertion	3,865		4,050		Women using any method	33.1
43	Number of IUD removals	1,637		1,647		Women using modern method	23.9
<b>I) Service delivery</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
44	IPD cases per 10,000 population ***	391		395			
45	General OPD cases per 10,000 population ***	5,073		5,253			
46	Ayush OPD cases per 10,000 population ***	143		152			
<b>J) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
47	Neonatal death within 24 hours	3		3			
48	Up to 1 Weeks of Birth	52		65			
49	Between 1 week & 4 weeks of birth	4		1			
50	Neonatal Death	59		69			
51	Between 1 month and 11 months	48		56			
52	<b>Total reported infant deaths</b>	107		125			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
53	Due to Abortion	1		0			
54	Due to Obstructed/prolonged labour	1		1			
55	Due to Severe hypertension/fits	5		2			
56	Due to Bleeding	6		3			
57	Due to High fever	0		1			
58	Due to Other Causes (including causes not known)	14		22			
59	<b>Total reported maternal deaths</b>	27		29			

## Dimapur Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	378,811					
2	Sex Ratio	916					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	47					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2011-12</b>		<b>2011-12</b>			
8	Expected number of PW	7,167		7,167			
9	Expected number of Delivery	6,594		6,594			
		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	22,854	318.9	24,065	335.8	Any ANC	57.1
11	Mothers registered in the first trimester	13,010	56.9	10,437	43.4	ANC Check up in first trimester	37.8
12	Mothers who had at least 3 Ante-Natal care check ups	7,901	34.6	8,068	33.5	3 or more ANC check up	38
13	PW who got TT 2 / Booster injection	6,861	30.0	6,218	25.8	Atleast 1 TT received	53
14	PW who consumed 100 IFA tablets	5,436	23.8	6,461	26.8	100 IFA tablets consumed	16.9
15	Home Delivery against expected delivery *	932	14.1	865	13.1	Full ANC	12.8
16	Institutional Delivery against expected delivery *	7,357	111.6	7,905	119.9	Home Delivery	47.7
17	Home Delivery against reported delivery **	932	11.2	865	9.9	Institutional Delivery	52
18	Institutional Delivery against reported delivery **	7,357	88.8	7,905	89.7	Home Delivery by SBA	65.6
19	Total reported Deliveries	8,289		8,770		PNC within 48 hrs of delivery	68.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	823	88.3	750	86.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,561	18.8	1,568	17.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	6,516		6,516			
<b>D) Child Immunization :</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	8,152	125.1	8,303	127.4	Breastfed within 1 hour of birth	45.8
24	Total Still Birth	202	3.1	208	3.2	BCG	71.4

25	PC of newborn weighted at birth to live birth	8,075	99.1	8,216	99.0	3 dose of DPT	68.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	596	7.4	604	7.4	Measles	50.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	6,374	78.2	6,369	76.7	Full Immunization	38.1
28	Children fully immunized	7,203	110.6	6,952	106.7		
29	Children who have received BCG	10,160	155.9	10,084	154.8		
30	Children who have received DPT1	8,711	133.7	6,630	101.8		
31	Children who have received DPT3	7,311	112.2	6,541	100.4		
32	Children who have received Measles	7,203	110.6	6,952	106.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,840		2,002			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	5		8		Limiting	23
35	Number of Tubectomies performed	494		585		Spacing	12.7
36	Number of IUD insertion	742		744		Women using any method	36.2
37	Number of IUD removals	489		491		Women using modern method	28.3
<b>F) Service delivery</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
38	IPD cases per 10,000 population ***	968		1008			
39	General OPD cases per 10,000 population ***	10529		11425			
40	Ayush OPD cases per 10,000 population ***	144		168			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
41	Neonatal death within 24 hours	1		0			
42	Up to 1 Weeks of Birth	37		56			
43	Between 1 week & 4 weeks of birth	1		0			
44	Neonatal Death	39		56			
45	Between 1 month and 11 months	29		33			
46	<b>Total reported infant deaths</b>	68		89			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
47	Due to Abortion	1		0			
48	Due to Obstructed/prolonged labour	1		0			
49	Due to Severe hypertension/fits	1		2			
50	Due to Bleeding	5		2			
51	Due to High fever	0		1			
52	Due to Other Causes (including causes not known)	6		17			
53	<b>Total reported maternal deaths</b>	14		22			

## Kiphrie Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	74,004					
2	Sex Ratio	961					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	19					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2011-12</b>		<b>2011-12</b>			
8	Expected number of PW	1,400		1,400			
9	Expected number of Delivery	1,288		1,288			
		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,065	76.1	1,003	71.6	Any ANC	14.7
11	Mothers registered in the first trimester	305	28.6	153	15.3	ANC Check up in first trimester	2.9
12	Mothers who had at least 3 Ante-Natal care check ups	232	21.8	161	16.1	3 or more ANC check up	5.9
13	PW who got TT 2 / Booster injection	412	38.7	431	43.0	Atleast 1 TT received	11.8
14	PW who consumed 100 IFA tablets	685	64.3	251	25.0	100 IFA tablets consumed	5.9
15	Home Delivery against expected delivery *	308	23.9	333	25.9	Full ANC	2.9
16	Institutional Delivery against expected delivery *	501	38.9	514	39.9	Home Delivery	58.8
17	Home Delivery against reported delivery **	308	38.1	333	39.3	Institutional Delivery	32.4
18	Institutional Delivery against reported delivery **	501	61.9	514	62.2	Home Delivery by SBA	35.3
19	Total reported Deliveries	809		847		PNC within 48 hrs of delivery	63.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	232	75.3	169	50.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	428	52.9	430	50.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,273		1,273			
<b>D) Child Immunization :</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	799	62.8	835	65.6	Breastfed within 1 hour of birth	88.2
24	Total Still Birth	16	1.3	16	1.3	BCG	60

25	PC of newborn weighted at birth to live birth	744	93.1	712	85.3	3 dose of DPT	40
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	9	1.2	5	0.7	Measles	20
27	PC of newborns breastfed within 1 hour to total reported live birth.	772	96.6	802	96.0	Full Immunization	20
28	Children fully immunized	657	51.6	660	51.9		
29	Children who have received BCG	976	76.7	943	74.1		
30	Children who have received DPT1	868	68.2	846	66.5		
31	Children who have received DPT3	792	62.2	843	66.2		
32	Children who have received Measles	752	59.1	721	56.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	730		758			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	39.4
35	Number of Tubectomies performed	73		45		Spacing	11.6
36	Number of IUD insertion	163		247		Women using any method	35.1
37	Number of IUD removals	28		43		Women using modern method	26.1
<b>F) Service delivery</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
38	IPD cases per 10,000 population ***	329		296			
39	General OPD cases per 10,000 population ***	4123		4269			
40	Ayush OPD cases per 10,000 population ***	95		103			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	0		0			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	0		0			
45	Between 1 month and 11 months	2		1			
46	<b>Total reported infant deaths</b>	2		1			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		1			
49	Due to Severe hypertension/fits	1		0			
50	Due to Bleeding	1		1			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	1		0			
53	<b>Total reported maternal deaths</b>	3		2			

## Kohima Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	267,988					
2	Sex Ratio	927					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	40					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2011-12</b>		<b>2011-12</b>			
8	Expected number of PW	5,070		5,070			
9	Expected number of Delivery	4,665		4,665			
		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	4,895	96.5	8,040	158.6	Any ANC	72.4
11	Mothers registered in the first trimester	1,411	28.8	1,101	13.7	ANC Check up in first trimester	45.2
12	Mothers who had at least 3 Ante-Natal care check ups	2,395	48.9	3,483	43.3	3 or more ANC check up	42.4
13	PW who got TT 2 / Booster injection	1,880	38.4	1,668	20.7	Atleast 1 TT received	67.7
14	PW who consumed 100 IFA tablets	613	12.5	468	5.8	100 IFA tablets consumed	17.7
15	Home Delivery against expected delivery *	230	4.9	215	4.6	Full ANC	14.5
16	Institutional Delivery against expected delivery *	2,678	57.4	2,595	55.6	Home Delivery	50
17	Home Delivery against reported delivery **	230	7.9	215	7.7	Institutional Delivery	44.4
18	Institutional Delivery against reported delivery **	2,678	92.1	2,595	78.3	Home Delivery by SBA	15.3
19	Total reported Deliveries	2,908		2,810		PNC within 48 hrs of delivery	53.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	189	82.2	163	75.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,173	40.3	882	31.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	4,609		4,609			
<b>D) Child Immunization :</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	2,870	62.3	2,786	60.4	Breastfed within 1 hour of birth	46
24	Total Still Birth	42	0.9	31	0.7	BCG	63.9



25	PC of newborn weighted at birth to live birth	2,564	89.3	1,792	64.3	3 dose of DPT	69.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	46	1.8	23	1.3	Measles	58.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,437	84.9	1,401	50.3	Full Immunization	38.9
28	Children fully immunized	2,819	61.2	2,664	57.8		
29	Children who have received BCG	3,679	79.8	3,549	77.0		
30	Children who have received DPT1	3,278	71.1	2,326	50.5		
31	Children who have received DPT3	3,007	65.2	2,534	55.0		
32	Children who have received Measles	2,876	62.4	2,825	61.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	432		333			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	0		1		Limiting	20.5
35	Number of Tubectomies performed	256		254		Spacing	15.7
36	Number of IUD insertion	780		976		Women using any method	44.4
37	Number of IUD removals	249		296		Women using modern method	25.2
<b>F) Service delivery</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
38	IPD cases per 10,000 population ***	505		510			
39	General OPD cases per 10,000 population ***	6285		6112			
40	Ayush OPD cases per 10,000 population ***	154		94			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
41	Neonatal death within 24 hours	1		1			
42	Up to 1 Weeks of Birth	0		0			
43	Between 1 week & 4 weeks of birth	2		1			
44	Neonatal Death	3		2			
45	Between 1 month and 11 months	9		10			
46	<b>Total reported infant deaths</b>	12		12			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	1		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	4		0			
53	<b>Total reported maternal deaths</b>	5		0			



## Longleng Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	50,484					
2	Sex Ratio	903					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	8					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2011-12</b>		<b>2011-12</b>			
8	Expected number of PW	955		955			
9	Expected number of Delivery	879		879			
		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	725	75.9	853	89.3	Any ANC	18.8
11	Mothers registered in the first trimester	465	64.1	301	35.3	ANC Check up in first trimester	7.2
12	Mothers who had at least 3 Ante-Natal care check ups	198	27.3	244	28.6	3 or more ANC check up	11.4
13	PW who got TT 2 / Booster injection	312	43.0	326	38.2	Atleast 1 TT received	17.4
14	PW who consumed 100 IFA tablets	335	46.2	460	53.9	100 IFA tablets consumed	7.2
15	Home Delivery against expected delivery *	235	26.7	180	20.5	Full ANC	7.2
16	Institutional Delivery against expected delivery *	356	40.5	308	35.0	Home Delivery	82.6
17	Home Delivery against reported delivery **	235	39.8	180	36.9	Institutional Delivery	17.4
18	Institutional Delivery against reported delivery **	356	60.2	308	82.7	Home Delivery by SBA	12.9
19	Total reported Deliveries	591		488		PNC within 48 hrs of delivery	83.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	227	96.6	175	97.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	310	52.5	225	46.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	868		868			
<b>D) Child Immunization :</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	590	67.9	484	55.7	Breastfed within 1 hour of birth	80
24	Total Still Birth	2	0.2	6	0.7	BCG	55.6

25	PC of newborn weighted at birth to live birth	561	95.1	461	95.2	3 dose of DPT	66.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	13	2.3	7	1.5	Measles	33.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	579	98.1	472	97.5	Full Immunization	22.2
28	Children fully immunized	645	74.3	533	61.4		
29	Children who have received BCG	668	76.9	543	62.5		
30	Children who have received DPT1	769	88.6	582	67.0		
31	Children who have received DPT3	664	76.5	545	62.8		
32	Children who have received Measles	692	79.7	567	65.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	147		167			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	24.2
35	Number of Tubectomies performed	37		39		Spacing	10.6
36	Number of IUD insertion	164		169		Women using any method	31.3
37	Number of IUD removals	61		71		Women using modern method	22.3
<b>F) Service delivery</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
38	IPD cases per 10,000 population ***	170		185			
39	General OPD cases per 10,000 population ***	6507		6208			
40	Ayush OPD cases per 10,000 population ***	215		31			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	0		0			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	0		0			
45	Between 1 month and 11 months	0		0			
46	<b>Total reported infant deaths</b>	0		0			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	<b>Total reported maternal deaths</b>	0		0			

## Mokokchung Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	194,622					
2	Sex Ratio	927					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	51					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2011-12</b>		<b>2011-12</b>			
8	Expected number of PW	3,682		3,682			
9	Expected number of Delivery	3,388		3,388			
		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,570	42.6	1,803	49.0	Any ANC	74.6
11	Mothers registered in the first trimester	523	33.3	688	38.2	ANC Check up in first trimester	27.6
12	Mothers who had at least 3 Ante-Natal care check ups	561	35.7	527	29.2	3 or more ANC check up	46.6
13	PW who got TT 2 / Booster injection	635	40.4	680	37.7	Atleast 1 TT received	72.4
14	PW who consumed 100 IFA tablets	329	21.0	209	11.6	100 IFA tablets consumed	26.1
15	Home Delivery against expected delivery *	332	9.8	280	8.3	Full ANC	21.6
16	Institutional Delivery against expected delivery *	941	27.8	927	27.4	Home Delivery	56.4
17	Home Delivery against reported delivery **	332	26.1	280	23.2	Institutional Delivery	42.9
18	Institutional Delivery against reported delivery **	941	73.9	927	72.4	Home Delivery by SBA	35.8
19	Total reported Deliveries	1,273		1,207		PNC within 48 hrs of delivery	59.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	237	71.4	224	80.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	461	36.2	975	80.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,347		3,347			
<b>D) Child Immunization :</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,257	37.6	1,190	35.5	Breastfed within 1 hour of birth	34.7
24	Total Still Birth	17	0.5	16	0.5	BCG	89.1

25	PC of newborn weighted at birth to live birth	1,224	97.4	1,176	98.8	3 dose of DPT	80.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	36	2.9	32	2.7	Measles	78.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,244	99.0	1,180	99.2	Full Immunization	60.9
28	Children fully immunized	1,201	35.9	1,265	37.8		
29	Children who have received BCG	1,510	45.1	1,318	39.4		
30	Children who have received DPT1	1,496	44.7	1,223	36.5		
31	Children who have received DPT3	1,311	39.2	1,334	39.9		
32	Children who have received Measles	1,249	37.3	1,293	38.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	70		115			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	2		0		Limiting	22
35	Number of Tubectomies performed	125		212		Spacing	11.3
36	Number of IUD insertion	267		280		Women using any method	51.7
37	Number of IUD removals	108		104		Women using modern method	34.3
<b>F) Service delivery</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
38	IPD cases per 10,000 population ***	419		402			
39	General OPD cases per 10,000 population ***	4701		4810			
40	Ayush OPD cases per 10,000 population ***	228		273			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
41	Neonatal death within 24 hours	0		1			
42	Up to 1 Weeks of Birth	8		6			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	8		7			
45	Between 1 month and 11 months	2		4			
46	<b>Total reported infant deaths</b>	10		11			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	2		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	<b>Total reported maternal deaths</b>	2		0			

## Mon Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	250,260					
2	Sex Ratio	898					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	50					
4	Primary Health Centers (PHC)	15					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2011-12</b>		<b>2011-12</b>			
8	Expected number of PW	4,735		4,735			
9	Expected number of Delivery	4,356		4,356			
		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	3,617	76.4	3,262	68.9	Any ANC	25.6
11	Mothers registered in the first trimester	1,339	37.0	1,368	41.9	ANC Check up in first trimester	10.5
12	Mothers who had at least 3 Ante-Natal care check ups	598	16.5	470	14.4	3 or more ANC check up	9.7
13	PW who got TT 2 / Booster injection	1,687	46.6	1,528	46.8	Atleast 1 TT received	25.6
14	PW who consumed 100 IFA tablets	1,399	38.7	920	28.2	100 IFA tablets consumed	4.8
15	Home Delivery against expected delivery *	798	18.3	744	17.1	Full ANC	3.2
16	Institutional Delivery against expected delivery *	1,192	27.4	1,266	29.1	Home Delivery	84
17	Home Delivery against reported delivery **	798	40.1	744	37.0	Institutional Delivery	16
18	Institutional Delivery against reported delivery **	1,192	59.9	1,266	76.9	Home Delivery by SBA	24
19	Total reported Deliveries	1,990		2,010		PNC within 48 hrs of delivery	75
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	649	81.3	523	70.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	620	31.2	1,023	50.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	4,304		4,304			
<b>D) Child Immunization :</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,955	45.4	1,981	46.0	Breastfed within 1 hour of birth	22.1
24	Total Still Birth	36	0.8	30	0.7	BCG	42.9

25	PC of newborn weighted at birth to live birth	1,901	97.2	1,814	91.6	3 dose of DPT	65
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	84	4.4	43	2.4	Measles	33.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,936	99.0	1,973	99.6	Full Immunization	20
28	Children fully immunized	1,557	36.2	1,691	39.3		
29	Children who have received BCG	2,465	57.3	2,794	64.9		
30	Children who have received DPT1	2,423	56.3	2,621	60.9		
31	Children who have received DPT3	1,880	43.7	2,186	50.8		
32	Children who have received Measles	1,679	39.0	1,692	39.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	462		210			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	19.3
35	Number of Tubectomies performed	62		27		Spacing	33.8
36	Number of IUD insertion	683		504		Women using any method	30.9
37	Number of IUD removals	282		184		Women using modern method	28
<b>F) Service delivery</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
38	IPD cases per 10,000 population ***	119		118			
39	General OPD cases per 10,000 population ***	2141		2144			
40	Ayush OPD cases per 10,000 population ***	78		99			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	1		0			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	1		0			
45	Between 1 month and 11 months	2		1			
46	<b>Total reported infant deaths</b>	3		1			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	2		5			
53	<b>Total reported maternal deaths</b>	2		5			

## Phek Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	163,418					
2	Sex Ratio	951					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	43					
4	Primary Health Centers (PHC)	23					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2011-12</b>		<b>2011-12</b>			
8	Expected number of PW	1,802		1,802			
9	Expected number of Delivery	2,845		2,845			
		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	2,162	120.0	2,064	114.6	Any ANC	51.9
11	Mothers registered in the first trimester	809	37.4	705	34.2	ANC Check up in first trimester	37
12	Mothers who had at least 3 Ante-Natal care check ups	496	22.9	572	27.7	3 or more ANC check up	40.7
13	PW who got TT 2 / Booster injection	792	36.6	860	41.7	Atleast 1 TT received	51.9
14	PW who consumed 100 IFA tablets	1,502	69.5	1,102	53.4	100 IFA tablets consumed	18.5
15	Home Delivery against expected delivery *	266	9.4	253	8.9	Full ANC	18.5
16	Institutional Delivery against expected delivery *	816	28.7	795	27.9	Home Delivery	66.7
17	Home Delivery against reported delivery **	266	24.6	253	24.1	Institutional Delivery	33.3
18	Institutional Delivery against reported delivery **	816	75.4	795	95.8	Home Delivery by SBA	29.6
19	Total reported Deliveries	1,082		1,048		PNC within 48 hrs of delivery	44.4
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	164	61.7	104	41.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	429	39.6	329	31.4		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	2,811		2,811			
<b>D) Child Immunization :</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,072	38.1	1,035	36.8	Breastfed within 1 hour of birth	40
24	Total Still Birth	15	0.5	18	0.6	BCG	42.9



25	PC of newborn weighted at birth to live birth	1,052	98.1	983	95.0	3 dose of DPT	42.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	24	2.3	17	1.7	Measles	14.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,048	97.8	956	92.4	Full Immunization	0
28	Children fully immunized	762	27.1	839	29.8		
29	Children who have received BCG	1,196	42.6	1,311	46.6		
30	Children who have received DPT1	1,268	45.1	1,185	42.2		
31	Children who have received DPT3	982	34.9	1,077	38.3		
32	Children who have received Measles	906	32.2	992	35.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	229		169			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	2		0		Limiting	19.3
35	Number of Tubectomies performed	48		20		Spacing	25.9
36	Number of IUD insertion	187		192		Women using any method	21.4
37	Number of IUD removals	99		104		Women using modern method	11.1
<b>F) Service delivery</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
38	IPD cases per 10,000 population ***	83		91			
39	General OPD cases per 10,000 population ***	1807		1969			
40	Ayush OPD cases per 10,000 population ***	134		189			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	5		2			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	5		2			
45	Between 1 month and 11 months	2		2			
46	<b>Total reported infant deaths</b>	7		4			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	1		0			
53	<b>Total reported maternal deaths</b>	1		0			

## Pheren Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	95,219					
2	Sex Ratio	917					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	16					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2011-12</b>		<b>2011-12</b>			
8	Expected number of PW	3,092		3,092			
9	Expected number of Delivery	1,657		1,657			
		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,959	63.4	1,671	54.0	Any ANC	34.7
11	Mothers registered in the first trimester	966	49.3	586	35.1	ANC Check up in first trimester	15.3
12	Mothers who had at least 3 Ante-Natal care check ups	755	38.5	752	45.0	3 or more ANC check up	16.3
13	PW who got TT 2 / Booster injection	975	49.8	904	54.1	Atleast 1 TT received	33.7
14	PW who consumed 100 IFA tablets	1,695	86.5	1,237	74.0	100 IFA tablets consumed	5.1
15	Home Delivery against expected delivery *	820	49.5	639	38.6	Full ANC	3
16	Institutional Delivery against expected delivery *	680	41.0	668	40.3	Home Delivery	78.8
17	Home Delivery against reported delivery **	820	54.7	639	48.9	Institutional Delivery	21.2
18	Institutional Delivery against reported delivery **	680	45.3	668	55.2	Home Delivery by SBA	12.2
19	Total reported Deliveries	1,500		1,307		PNC within 48 hrs of delivery	19
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	779	95.0	583	91.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	969	64.6	1,061	81.2		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	1,638		1,638			
<b>D) Child Immunization :</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,490	91.0	1,303	79.5	Breastfed within 1 hour of birth	45.2
24	Total Still Birth	13	0.8	9	0.5	BCG	63.2

25	PC of newborn weighted at birth to live birth	1,407	94.4	1,247	95.7	3 dose of DPT	84.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	13	0.9	6	0.5	Measles	57.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,418	95.2	1,255	96.3	Full Immunization	52.6
28	Children fully immunized	1,252	76.4	1,450	88.5		
29	Children who have received BCG	1,870	114.2	1,577	96.3		
30	Children who have received DPT1	1,813	110.7	1,474	90.0		
31	Children who have received DPT3	1,663	101.5	1,491	91.0		
32	Children who have received Measles	1,489	90.9	1,554	94.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	306		245			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	0		1		Limiting	8.7
35	Number of Tubectomies performed	108		120		Spacing	41.5
36	Number of IUD insertion	312		233		Women using any method	12.5
37	Number of IUD removals	123		111		Women using modern method	8.7
<b>F) Service delivery</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
38	IPD cases per 10,000 population ***	270		271			
39	General OPD cases per 10,000 population ***	6162		5754			
40	Ayush OPD cases per 10,000 population ***	280		363			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	1		1			
43	Between 1 week & 4 weeks of birth	1		0			
44	Neonatal Death	2		1			
45	Between 1 month and 11 months	0		1			
46	<b>Total reported infant deaths</b>	2		2			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	<b>Total reported maternal deaths</b>	0		0			

## Tuensang Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	196,596					
2	Sex Ratio	930					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	38					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2011-12</b>		<b>2011-12</b>			
8	Expected number of PW	3,720		3,720			
9	Expected number of Delivery	3,422		3,422			
		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	2,267	60.9	2,612	70.2	Any ANC	19.6
11	Mothers registered in the first trimester	648	28.6	672	25.7	ANC Check up in first trimester	9.1
12	Mothers who had at least 3 Ante-Natal care check ups	766	33.8	585	22.4	3 or more ANC check up	10.5
13	PW who got TT 2 / Booster injection	1,222	53.9	1,340	51.3	Atleast 1 TT received	15.8
14	PW who consumed 100 IFA tablets	1,257	55.4	978	37.4	100 IFA tablets consumed	4.9
15	Home Delivery against expected delivery *	619	18.1	638	18.6	Full ANC	4.2
16	Institutional Delivery against expected delivery *	1,174	34.3	1,166	34.1	Home Delivery	75.2
17	Home Delivery against reported delivery **	619	34.5	638	35.4	Institutional Delivery	10.5
18	Institutional Delivery against reported delivery **	1,174	65.5	1,166	98.6	Home Delivery by SBA	3.9
19	Total reported Deliveries	1,793		1,804		PNC within 48 hrs of delivery	50
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	212	34.2	177	27.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	423	23.6	590	32.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,381		3,381			
<b>D) Child Immunization :</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,776	52.5	1,788	52.9	Breastfed within 1 hour of birth	53.2
24	Total Still Birth	28	0.8	22	0.7	BCG	50.6

25	PC of newborn weighted at birth to live birth	1,642	92.5	1,762	98.5	3 dose of DPT	68.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	14	0.9	16	0.9	Measles	44.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,648	92.8	1,723	96.4	Full Immunization	34.2
28	Children fully immunized	1,092	32.3	1,515	44.8		
29	Children who have received BCG	2,112	62.5	2,550	75.4		
30	Children who have received DPT1	2,039	60.3	2,274	67.2		
31	Children who have received DPT3	1,705	50.4	2,210	65.4		
32	Children who have received Measles	1,484	43.9	1,872	55.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	398		435			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	30.6
35	Number of Tubectomies performed	127		157		Spacing	21.1
36	Number of IUD insertion	169		228		Women using any method	37.6
37	Number of IUD removals	60		56		Women using modern method	29.6
<b>F) Service delivery</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
38	IPD cases per 10,000 population ***	201		211			
39	General OPD cases per 10,000 population ***	2030		2243			
40	Ayush OPD cases per 10,000 population ***	129		191			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
41	Neonatal death within 24 hours	1		1			
42	Up to 1 Weeks of Birth	0		0			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	1		1			
45	Between 1 month and 11 months	2		4			
46	<b>Total reported infant deaths</b>	3		5			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	<b>Total reported maternal deaths</b>	0		0			

## Wokha Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	166,343					
2	Sex Ratio	969					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	37					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2011-12</b>		<b>2011-12</b>			
8	Expected number of PW	3,147		3,147			
9	Expected number of Delivery	2,895		2,895			
		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	2,066	65.6	2,202	70.0	Any ANC	30.1
11	Mothers registered in the first trimester	805	39.0	957	43.5	ANC Check up in first trimester	25.4
12	Mothers who had at least 3 Ante-Natal care check ups	693	33.5	551	25.0	3 or more ANC check up	25.6
13	PW who got TT 2 / Booster injection	862	41.7	558	25.3	Atleast 1 TT received	30.1
14	PW who consumed 100 IFA tablets	1,422	68.8	1,736	78.8	100 IFA tablets consumed	6
15	Home Delivery against expected delivery *	190	6.6	184	6.4	Full ANC	6
16	Institutional Delivery against expected delivery *	785	27.1	688	23.8	Home Delivery	81.8
17	Home Delivery against reported delivery **	190	19.5	184	21.1	Institutional Delivery	18.2
18	Institutional Delivery against reported delivery **	785	80.5	688	84.9	Home Delivery by SBA	35.3
19	Total reported Deliveries	975		872		PNC within 48 hrs of delivery	64
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	184	96.8	139	75.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	493	50.6	706	81.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,861		2,861			
<b>D) Child Immunization :</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	975	34.1	871	30.4	Breastfed within 1 hour of birth	33.7
24	Total Still Birth	0	0.0	1	0.0	BCG	41.7

25	PC of newborn weighted at birth to live birth	917	94.1	816	93.7	3 dose of DPT	37.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	21	2.3	5	0.6	Measles	21.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	957	98.2	847	97.2	Full Immunization	13.5
28	Children fully immunized	1,279	44.7	1,027	35.9		
29	Children who have received BCG	1,542	53.9	1,353	47.3		
30	Children who have received DPT1	1,581	55.3	1,080	37.7		
31	Children who have received DPT3	1,451	50.7	1,152	40.3		
32	Children who have received Measles	1,346	47.0	1,068	37.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	62		209			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	22
35	Number of Tubectomies performed	92		54		Spacing	14
36	Number of IUD insertion	91		127		Women using any method	33.6
37	Number of IUD removals	34		71		Women using modern method	25.2
<b>F) Service delivery</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
38	IPD cases per 10,000 population ***	189		147			
39	General OPD cases per 10,000 population ***	2805		2835			
40	Ayush OPD cases per 10,000 population ***	90		61			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	0		0			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	0		0			
45	Between 1 month and 11 months	0		0			
46	<b>Total reported infant deaths</b>	0		0			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	<b>Total reported maternal deaths</b>	0		0			



## Zunheboto Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	140,757					
2	Sex Ratio	981					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	47					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2011-12</b>		<b>2011-12</b>			
8	Expected number of PW	2,663		2,663			
9	Expected number of Delivery	2,450		2,450			
		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,376	51.7	1,225	46.0	Any ANC	38.6
11	Mothers registered in the first trimester	578	42.0	512	41.8	ANC Check up in first trimester	18.6
12	Mothers who had at least 3 Ante-Natal care check ups	353	25.7	305	24.9	3 or more ANC check up	31.8
13	PW who got TT 2 / Booster injection	585	42.5	564	46.0	Atleast 1 TT received	36.4
14	PW who consumed 100 IFA tablets	402	29.2	265	21.6	100 IFA tablets consumed	15.9
15	Home Delivery against expected delivery *	377	15.4	375	15.3	Full ANC	13.6
16	Institutional Delivery against expected delivery *	740	30.2	681	27.8	Home Delivery	75
17	Home Delivery against reported delivery **	377	33.8	375	35.5	Institutional Delivery	20.7
18	Institutional Delivery against reported delivery **	740	66.2	681	92.8	Home Delivery by SBA	27.3
19	Total reported Deliveries	1,117		1,056		PNC within 48 hrs of delivery	70
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	360	95.5	350	93.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	707	63.3	783	74.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	2,421		2,421			
<b>D) Child Immunization :</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,110	45.8	1,053	43.5	Breastfed within 1 hour of birth	44.4
24	Total Still Birth	9	0.4	5	0.2	BCG	62.5

25	PC of newborn weighted at birth to live birth	1,091	98.3	1,003	95.3	3 dose of DPT	50
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	13	1.2	20	2.0	Measles	75
27	PC of newborns breastfed within 1 hour to total reported live birth.	991	89.3	934	88.7	Full Immunization	25
28	Children fully immunized	769	31.8	790	32.6		
29	Children who have received BCG	1,170	48.3	1,199	49.5		
30	Children who have received DPT1	1,191	49.2	1,101	45.5		
31	Children who have received DPT3	977	40.4	1,006	41.6		
32	Children who have received Measles	973	40.2	1,020	42.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	385		339			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	19.5
35	Number of Tubectomies performed	15		18		Spacing	15.2
36	Number of IUD insertion	307		350		Women using any method	26.7
37	Number of IUD removals	104		116		Women using modern method	19
<b>F) Service delivery</b>		<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
38	IPD cases per 10,000 population ***	126		116			
39	General OPD cases per 10,000 population ***	3780		3856			
40	Ayush OPD cases per 10,000 population ***	120		88			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	0		0			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	0		0			
45	Between 1 month and 11 months	0		0			
46	<b>Total reported infant deaths</b>	0		0			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2014-15)</b>		<b>HMIS (2015-16)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	<b>Total reported maternal deaths</b>	0		0			

