

Sikkim Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)		Sl No	C) State Health Indicator (SRS 2014)			
1	Population 2011	610,577	9	Birth Rate		17.1	
2	Sex Ratio	889	10	Death Rate		5.2	
3	Number of districts	4	11	IMR		22	
B) Infrastructure Details (RHS 2014)		Numbers	12	Growth Rate		11.8	
4	Sub Centers (SC)	147	13	TFR (SRS - 2007)		2.0	
5	Primary Health Centers (PHC)	24					
6	Community Health Centers (CHC)	2					
7	SDH	0					
8	DH	4					
D) Maternal Health:		2014-15	2015-16				
14	Expected number of PW #	11,986	12,063				
15	Expected number of Delivery #	11,027	11,098				
		HMIS (2014-15)	HMIS (2015-16)		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
16	PW register for ANC	9,305	77.6	8,939	74.1	Any ANC	91.8
17	Mothers registered in the first trimester	7,257	78.0	7,141	79.9	ANC Check up in first trimester	68.5
18	Mothers who had at least 3 Ante-Natal care check ups	8,222	88.4	7,871	88.1	3 or more ANC check up	84.8
19	PW who got TT 2 / Booster injection	7,300	87.4	7,150	87.3	Atleast 1 TT received	91.3
20	PW who consumed 100 IFA tablets	7,573	81.4	7,290	81.6	100 IFA tablets consumed	74.8
21	Home Delivery against expected delivery *	164	1.5	126	1.1	Full ANC	70.3
22	Institutional Delivery against expected delivery *	7,722	70.0	7,650	68.9	Home Delivery	16
23	Home Delivery against reported delivery **	164	2	126	1.6	Institutional Delivery	82.7
24	Institutional Delivery against reported delivery **	7,722	98	7,650	98.4	Home Delivery by SBA	2.2
25	Total reported Deliveries	7,886	72	7,776	70	PNC within 14 days of delivery	84.9
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	55	34	57	45		
27	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	6,673	85	6,983	90		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
28	Expected number of Live Birth #	10,896		10,967			
E) Child Immunization :		HMIS (2014-15)	HMIS (2015-16)		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
29	Total reported live births	7,842	72.0	7,702	70.2	Breastfed within 1 hour of birth	61.4

30	Total Still Birth	129	1.2	130	1.2	BCG	99.2
31	PC of newborn weighted at birth to live birth	7,456	95.1	7,316	95.0	3 dose of DPT	95.9
32	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	499	6.4	568	7.4	Measles	94.9
33	PC of newborns breastfed within 1 hour to total reported live birth.	6,676	85.1	6,125	79.5	Full Immunization	85.2
34	Children fully immunized	7,889	72.4	7,965	72.6		
35	Children who have received BCG	7,936	72.8	7,865	71.7		
36	Children who have received DPT1	7,668	70.4	3,666	33.4		
37	Children who have received DPT3	7,575	69.5	5,244	47.8		
38	Children who have received Measles	8,027	73.7	8,100	73.9		
39	Diarrhoea and Dehydration cases reported in children below 5 years	7,892		8,157			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
F) Family Planning		HMIS (2014-15)	HMIS (2015-16)	DLHS-4 (2012-13)			
40	Number of Vasectomies performed	28	8	Limiting	13.1		
41	Number of Tubectomies performed	128	147	Spacing	7.1		
42	Number of IUD insertion	1,524	1,328	Women using any method	64.1		
43	Number of IUD removals	460	520	Women using modern method	53.8		
G) Service delivery		HMIS (2014-15)	HMIS (2015-16)				
44	IPD cases per 10,000 population ***	643.41	894.92				
45	General OPD cases per 10,000 population ***	14968	15779				
46	Ayush OPD cases per 10,000 population ***	314.54	354.79				
H) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
47	Neonatal death within 24 hours	3	2				
48	Up to 1 Weeks of Birth	69	45				
49	Between 1 week & 4 weeks of birth	5	4				
50	Neonatal Death	77	51				
51	Between 1 month and 11 months	69	54				
52	Total reported infant deaths	146	105				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
53	Due to Abortion	0	0				
54	Due to Obstructed/prolonged labour	0	0				
55	Due to Severe hypertension/fits	2	0				
56	Due to Bleeding	3	0				
57	Due to High fever	0	0				
58	Due to Other Causes (including causes not known)	10	5				
59	Total reported maternal deaths	15	5				

East Sikkim Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	283,583					
2	Sex Ratio	872					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	48					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW #	5,607		5,657			
9	Expected number of Delivery #	5,159		5,204			
		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	4,322	77.1	4,395	77.7	Any ANC	94.0
11	Mothers registered in the first trimester	3,167	73.3	3,294	74.9	ANC Check up in first trimester	74.8
12	Mothers who had at least 3 Ante-Natal care check ups	3,847	89.0	3,867	88.0	3 or more ANC check up	81.1
13	PW who got TT 2 / Booster injection	3,512	81.3	3,503	79.7	Atleast 1 TT received	93.5
14	PW who consumed 100 IFA tablets	3,358	77.7	3,298	75.0	100 IFA tablets consumed	74.1
15	Home Delivery against expected delivery *	71	1.4	42	0.8	Full ANC	65.2
16	Institutional Delivery against expected delivery *	4,766	92.4	5,027	96.6	Home Delivery	6.9
17	Home Delivery against reported delivery **	71	1.5	42	0.8	Institutional Delivery	92.6
18	Institutional Delivery against reported delivery **	4,766	98.5	5,027	99.2	Home Delivery by SBA	1.0
19	Total reported Deliveries	4,837		5,069		PNC within 14 days of delivery	75.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	27	38.0	13	31.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,391	70.1	3,649	72.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth #	5,097		5,143			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	4,821	94.6	5,015	97.5	Breastfed within 1 hour of birth	57.5

24	Total Still Birth	69	1.4	90	1.8	BCG	100
25	PC of newborn weighted at birth to live birth	4,475	92.8	4,642	92.6	3 dose of DPT	97.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	363	8.1	408	8.8	Measles	97.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,805	78.9	3,753	74.8	Full Immunization	83.3
28	Children fully immunized	3,694	72.5	3,828	74.4		
29	Children who have received BCG	4,793	94.0	5,069	98.6		
30	Children who have received DPT1	3,439	67.5	1,617	31.4		
31	Children who have received DPT3	3,318	65.1	2,346	45.6		
32	Children who have received Measles	3,720	73.0	3,885	75.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	3,121		3,821			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	DLHS-4 (2012-13)			
34	Number of Vasectomies performed	4	8	Limiting	22.1		
35	Number of Tubectomies performed	80	39	Spacing	10.8		
36	Number of IUD insertion	633	484	Women using any method	49.4		
37	Number of IUD removals	145	127	Women using modern method	46.3		
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)				
38	IPD cases per 10,000 population ***	691	1240				
39	General OPD cases per 10,000 population ***	16648	18726				
40	Ayush OPD cases per 10,000 population ***	327	391				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
41	Neonatal death within 24 hours	3	1				
42	Up to 1 Weeks of Birth	48	31				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	51	32				
45	Between 1 month and 11 months	31	31				
46	Total reported infant deaths	82	63				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	1	0				
50	Due to Bleeding	3	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	7	4				
53	Total reported maternal deaths	11	4				

North Sikkim Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	43,709					
2	Sex Ratio	769					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	19					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW #	841		841			
9	Expected number of Delivery #	774		774			
		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	671	79.8	616	73.2	Any ANC	91.0
11	Mothers registered in the first trimester	574	85.5	523	84.9	ANC Check up in first trimester	70.3
12	Mothers who had at least 3 Ante-Natal care check ups	597	89.0	537	87.2	3 or more ANC check up	86.2
13	PW who got TT 2 / Booster injection	626	93.3	593	96.3	Atleast 1 TT received	91.0
14	PW who consumed 100 IFA tablets	470	70.0	530	86.0	100 IFA tablets consumed	79.0
15	Home Delivery against expected delivery *	8	1.0	2	0.3	Full ANC	75.5
16	Institutional Delivery against expected delivery *	242	31.3	219	28.3	Home Delivery	17.0
17	Home Delivery against reported delivery **	8	3.2	2	0.9	Institutional Delivery	82.0
18	Institutional Delivery against reported delivery **	242	96.8	219	99.1	Home Delivery by SBA	3.5
19	Total reported Deliveries	250		221		PNC within 14 days of delivery	86.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	25.0	1	50.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	312	124.8	316	143.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth #	765		765			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	249	32.6	221	28.9	Breastfed within 1 hour of birth	64.2

24	Total Still Birth	3	0.4	1	0.1	BCG	98.2
25	PC of newborn weighted at birth to live birth	248	99.6	221	100.0	3 dose of DPT	96.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	16	6.5	8	3.6	Measles	94.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	246	98.8	220	99.5	Full Immunization	86
28	Children fully immunized	488	63.8	533	69.7		
29	Children who have received BCG	250	32.7	231	30.2		
30	Children who have received DPT1	524	68.5	260	34.0		
31	Children who have received DPT3	537	70.2	388	50.8		
32	Children who have received Measles	541	70.8	549	71.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	687		511			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	4.3
35	Number of Tubectomies performed	0	0	Spacing	6.1
36	Number of IUD insertion	87	150	Women using any method	73.5
37	Number of IUD removals	36	90	Women using modern method	65.2
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)		
38	IPD cases per 10,000 population ***	375	454		
39	General OPD cases per 10,000 population ***	12031	11405		
40	Ayush OPD cases per 10,000 population ***	1	65		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	1	0		
43	Between 1 week & 4 weeks of birth	2	1		
44	Neonatal Death	3	1		
45	Between 1 month and 11 months	8	3		
46	Total reported infant deaths	11	4		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	0		

South Sikkim Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	146,850					
2	Sex Ratio	914					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	39					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW #	2,876		2,892			
9	Expected number of Delivery #	2,646		2,661			
		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,194	76.3	1,965	67.9	Any ANC	94.3
11	Mothers registered in the first trimester	1,735	79.1	1,658	84.4	ANC Check up in first trimester	70.0
12	Mothers who had at least 3 Ante-Natal care check ups	1,879	85.6	1,656	84.3	3 or more ANC check up	91.5
13	PW who got TT 2 / Booster injection	1,994	90.9	1,834	93.3	Atleast 1 TT received	93.5
14	PW who consumed 100 IFA tablets	1,770	80.7	1,680	85.5	100 IFA tablets consumed	72.4
15	Home Delivery against expected delivery *	59	2.2	56	2.1	Full ANC	67.9
16	Institutional Delivery against expected delivery *	1,572	59.4	1,432	53.8	Home Delivery	17.9
17	Home Delivery against reported delivery **	59	3.6	56	3.8	Institutional Delivery	81.3
18	Institutional Delivery against reported delivery **	1,572	96.4	1,432	96.2	Home Delivery by SBA	2.0
19	Total reported Deliveries	1,631		1,488		PNC within 14 days of delivery	90.5
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	13	22.0	30	53.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,441	88.4	1,417	95.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth #	2,615		2,629			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,611	61.6	1,483	56.4	Breastfed within 1 hour of birth	65.4

24	Total Still Birth	35	1.3	16	0.6	BCG	98.1
25	PC of newborn weighted at birth to live birth	1,587	98.5	1,475	99.5	3 dose of DPT	94.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	69	4.3	103	7.0	Measles	90.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,481	91.9	1,188	80.1	Full Immunization	83.3
28	Children fully immunized	1,869	71.5	1,819	69.2		
29	Children who have received BCG	1,665	63.7	1,517	57.7		
30	Children who have received DPT1	1,866	71.4	867	33.0		
31	Children who have received DPT3	1,880	71.9	1,244	47.3		
32	Children who have received Measles	1,911	73.1	1,848	70.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,082		1,750			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	DLHS-4 (2012-13)			
34	Number of Vasectomies performed	24	0	Limiting	13		
35	Number of Tubectomies performed	48	108	Spacing	5.8		
36	Number of IUD insertion	188	240	Women using any method	67.4		
37	Number of IUD removals	66	86	Women using modern method	53		
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)				
38	IPD cases per 10,000 population ***	773	748				
39	General OPD cases per 10,000 population ***	15697	15564				
40	Ayush OPD cases per 10,000 population ***	412	330				
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2014-15)	HMIS (2015-16)				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	11	11				
43	Between 1 week & 4 weeks of birth	2	2				
44	Neonatal Death	13	13				
45	Between 1 month and 11 months	10	8				
46	Total reported infant deaths	23	21				
II) Maternal Mortality							
Maternal Deaths (In Numbers)		HMIS (2014-15)	HMIS (2015-16)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	2	0				
53	Total reported maternal deaths	2	0				

West Sikkim Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	136,435					
2	Sex Ratio	941					
B) Infrastructure Details (RHS 2014)		Numbers					
3	Sub Centers (SC)	41					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2014-15		2015-16			
8	Expected number of PW #	2,664		2,677			
9	Expected number of Delivery #	2,451		2,463			
		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,118	79.5	1,963	73.3	Any ANC	87.4
11	Mothers registered in the first trimester	1,781	84.1	1,666	84.9	ANC Check up in first trimester	56.1
12	Mothers who had at least 3 Ante-Natal care check ups	1,899	89.7	1,811	92.3	3 or more ANC check up	82.7
13	PW who got TT 2 / Booster injection	1,999	94.4	1,870	95.3	Atleast 1 TT received	87.0
14	PW who consumed 100 IFA tablets	1,975	93.2	1,782	90.8	100 IFA tablets consumed	71.8
15	Home Delivery against expected delivery *	26	1.1	26	1.1	Full ANC	69.7
16	Institutional Delivery against expected delivery *	1,142	46.6	972	39.5	Home Delivery	24.1
17	Home Delivery against reported delivery **	26	2.2	26	2.6	Institutional Delivery	73.7
18	Institutional Delivery against reported delivery **	1,142	97.8	972	97.4	Home Delivery by SBA	2.2
19	Total reported Deliveries	1,168		998		PNC within 14 days of delivery	83.4
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	13	50.0	13	50.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,529	130.9	1,601	160.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth #	2,422		2,433			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,161	47.9	983	40.4	Breastfed within 1 hour of birth	59.2

24	Total Still Birth	22	0.9	23	0.9	BCG	100
25	PC of newborn weighted at birth to live birth	1,146	98.7	978	99.5	3 dose of DPT	97.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	51	4.5	49	5.0	Measles	97.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,144	98.5	964	98.1	Full Immunization	88.4
28	Children fully immunized	1,838	75.9	1,785	73.4		
29	Children who have received BCG	1,228	50.7	1,048	43.1		
30	Children who have received DPT1	1,839	75.9	922	37.9		
31	Children who have received DPT3	1,840	76.0	1,266	52.0		
32	Children who have received Measles	1,855	76.6	1,818	74.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,002		2,075			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	DLHS-4 (2012-13)			
34	Number of Vasectomies performed	0	0	Limiting	8.5		
35	Number of Tubectomies performed	0	0	Spacing	4.5		
36	Number of IUD insertion	616	454	Women using any method	70.8		
37	Number of IUD removals	213	217	Women using modern method	55.6		
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)				
38	IPD cases per 10,000 population ***	487	462				
39	General OPD cases per 10,000 population ***	11558	11134				
40	Ayush OPD cases per 10,000 population ***	281	396				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
41	Neonatal death within 24 hours	0	1				
42	Up to 1 Weeks of Birth	9	3				
43	Between 1 week & 4 weeks of birth	1	1				
44	Neonatal Death	10	5				
45	Between 1 month and 11 months	20	12				
46	Total reported infant deaths	30	17				
II) Maternal Mortality							
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	1	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	1	1				
53	Total reported maternal deaths	2	1				

