

Tripura Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)		Sl No	C) State Health Indicator (SRS 2014)			
1	Population 2011	3,673,917	9	Birth Rate		13.7	
2	Sex Ratio	961	10	Death Rate		4.7	
3	Number of districts	8	11	IMR		26	
B) Infrastructure Details (RHS 2014)			12	Growth Rate		9	
4	Sub Centers (SC)	972	13	TFR (SRS - 2007)		1.7	
5	Primary Health Centers (PHC)	84					
6	Community Health Centers (CHC)	18					
7	SDH	13					
8	DH	3					
D) Maternal Health:		2014-15		2015-16			
14	Expected number of PW	58,667		58,682			
15	Expected number of Delivery	54,400		54,414			
		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
16	PW register for ANC	77,805	132.6	76,138	129.7	Any ANC	83.7
17	Mothers registered in the first trimester	48,880	62.8	47,331	62.2	ANC Check up in first trimester	66.6
18	Mothers who had at least 3 Ante-Natal care check ups	55,574	71.4	51,776	68.0	3 or more ANC check up	63.8
19	PW who got TT 2 / Booster injection	52,256	67.2	50,899	66.9	Atleast 1 TT received	80
20	PW who consumed 100 IFA tablets	46,844	60.2	49,069	64.4	100 IFA tablets consumed	36.9
21	Home Delivery against expected delivery *	6,777	12.5	5,790	10.6	Full ANC	27.3
22	Institutional Delivery against expected delivery *	44,544	81.9	45,057	82.8	Home Delivery	26.8
23	Home Delivery against reported delivery **	6,777	13	5,790	11.4	Institutional Delivery	72.7
24	Institutional Delivery against reported delivery **	44,544	87	45,057	88.6	Home Delivery by SBA	4.3
25	Total reported Deliveries	51,321	94	50,847	93	PNC within 14 days of delivery	61.6
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	135	2	82	1		
27	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	36,715	72	38,081	75		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
28	Expected number of Live Birth	53,333		53,347			
E) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
29	Total reported live births	50,893	95.4	50,179	94.1	Breastfed within 1 hour of birth	41.9
30	Total Still Birth	950	1.8	873	1.6	BCG	75.3

31	Newborn weighted at birth to live birth	48,756	95.8	49,018	97.7	3 dose of DPT	70.1
32	Newborn having weight less than 2.5 kg to newborn weighted at birth.	5,154	10.6	5,455	11.1	Measles	61.2
33	Newborns breastfed within 1 hour to total reported live birth.	48,864	96.0	48,541	96.7	Full Immunization	48
34	Fully immunized	49,132	92.1	47,013	88.1		
35	Children who have received BCG	54,165	101.6	53,285	99.9		
36	Children who have received DPT1	57,482	107.8	35,507	66.6		
37	Children who have received DPT3	53,417	100.2	43,628	81.8		
38	Children who have received Measles	55,058	103.2	52,119	97.7		
39	Diarrhoea and Dehydration cases reported in children below 5 years	30,973		28,832			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
F) Family Planning		HMIS (2013-14)		HMIS (2015-16)		DLHS-4 (2012-13)	
40	Number of Vasectomies performed	18		27		Limiting	18.6
41	Number of Tubectomies performed	4,241		3,494		Spacing	8.1
42	Number of IUD insertion	1,099		1,470		Women using any method	61
43	Number of IUD removals	1,074		573		Women using modern method	41.1
G) Service delivery		HMIS (2014-15)		HMIS (2015-16)			
44	IPD cases per 10,000 population ***	1,211		1,170			
45	General OPD cases per 10,000 population ***	9,615		10,704			
46	Ayush OPD cases per 10,000 population ***	837		810			
H) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2014-15)		HMIS (2015-16)			
47	Neonatal death within 24 hours	4		14			
48	Up to 1 Weeks of Birth	229		237			
49	Between 1 week & 4 weeks of birth	6		7			
50	Neonatal Death	239		258			
51	Between 1 month and 11 months	282		238			
52	Total reported infant deaths	521		496			
II)	Maternal Mortality	HMIS (2014-15)		HMIS (2015-16)			
	Maternal Deaths (In Numbers)	HMIS (2014-15)		HMIS (2015-16)			
53	Due to Abortion	0		2			
54	Due to Obstructed/prolonged labour	0		0			
55	Due to Severe hypertension/fits	4		4			
56	Due to Bleeding	4		8			
57	Due to High fever	0		2			
58	Due to Other Causes (including causes not known)	12		30			
59	Total reported maternal deaths	20		46			

Dhalai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	378,230					
2	Sex Ratio	945					
B) Infrastructure Details (RHS 2014)		Numbers					
4	Sub Centers(SC)	130					
5	Primary Health Centers(PHC)	12					
6	Community Health Centers (CHC)	1					
7	SDH	3					
8	DH	1					
C) Maternal Health:		2014-15		2015-16			
9	Expected number of PW	6,183		6,233			
10	Expected number of Delivery	5,734		5,780			
		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	8,134	131.5	8,577	137.6	Any ANC	81.1
12	Mothers registered in the first trimester	5,453	67.0	5,825	67.9	ANC Check up in first trimester	64.2
13	Mothers who had at least 3 Ante-Natal care check ups	4,893	60.2	5,748	67.0	3 or more ANC check up	63.6
14	PW who got TT 2 / Booster injection	6,310	77.6	6,780	79.0	Atleast 1 TT received	78.1
15	PW who consumed 100 IFA tablets	6,272	77.1	8,292	96.7	100 IFA tablets consumed	27.9
16	Home Delivery against expected delivery *	749	13.1	822	14.2	Full ANC	20.6
17	Institutional Delivery against expected delivery *	4,809	83.9	5,150	89.1	Home Delivery	29.4
18	Home Delivery against reported delivery **	749	13.5	822	13.8	Institutional Delivery	70.6
19	Institutional Delivery against reported delivery **	4,809	86.5	5,150	86.2	Home Delivery by SBA	4.1
20	Total reported Deliveries	5,558		5,972		PNC within 14 days of delivery	58.8
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	54	7.2	49	6.0		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,025	54.4	3,270	54.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	5,621		5,667			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	5,556	98.8	5,874	103.7	Breastfed within 1 hour of birth	43.3
25	Total Still Birth	133	2.4	132	2.3	BCG	76

26	PC of newborn weighted at birth to live birth	5,245	94.4	5,616	95.6	3 dose of DPT	66.7
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	576	11.0	593	10.6	Measles	61.3
28	PC of newborns breastfed within 1 hour to total reported live birth.	5,083	91.5	5,546	94.4	Full Immunization	51.4
29	Children fully immunized	5,030	89.5	5,327	94.0		
30	Children who have received BCG	5,766	102.6	6,243	110.2		
31	Children who have received DPT1	6,645	118.2	5,099	90.0		
32	Children who have received DPT3	5,776	102.8	5,440	96.0		
33	Children who have received Measles	5,302	94.3	5,787	102.1		
34	Diarrhoea and Dehydration cases reported in children below 5 years	6,761		6,359			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	DLHS-4 (2012-13)	
36	Number of Vasectomies performed	0	0	Limiting	20.1
37	Number of Tubectomies performed	58	124	Spacing	8.3
38	Number of IUD insertion	173	148	Women using any method	58.9
39	Number of IUD removals	170	42	Women using modern method	39.1
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)		
40	IPD cases per 10,000 population ***	1400	1248		
41	General OPD cases per 10,000 population ***	8369	8374		
42	Ayush OPD cases per 10,000 population ***	403	435		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
43	Neonatal death within 24 hours	3	2		
44	Up to 1 Weeks of Birth	27	44		
45	Between 1 week & 4 weeks of birth	1	2		
46	Neonatal Death	31	48		
47	Between 1 month and 11 months	52	74		
48	Total reported infant deaths	83	122		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
49	Due to Abortion	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits	1	1		
52	Due to Bleeding	2	5		
53	Due to High fever	0	1		
54	Due to Other Causes (including causes not known)	2	3		
55	Total reported maternal deaths	5	10		

Gomati Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	436,868					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2014)		Numbers					
4	Sub Centers(SC)	130					
5	Primary Health Centers(PHC)	10					
6	Community Health Centers (CHC)	3					
7	SDH	2					
8	DH	1					
C) Maternal Health:		2014-15		2015-16			
9	Expected number of PW	6,965		6,961			
10	Expected number of Delivery	6,458		6,455			
		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	7,672	110.2	7,256	104.2	Any ANC	NA
12	Mothers registered in the first trimester	5,028	65.5	5,088	70.1	ANC Check up in first trimester	NA
13	Mothers who had at least 3 Ante-Natal care check ups	6,040	78.7	5,971	82.3	3 or more ANC check up	NA
14	PW who got TT 2 / Booster injection	6,265	81.7	6,136	84.6	Atleast 1 TT received	NA
15	PW who consumed 100 IFA tablets	4,949	64.5	3,862	53.2	100 IFA tablets consumed	NA
16	Home Delivery against expected delivery *	833	12.9	425	6.6	Full ANC	NA
17	Institutional Delivery against expected delivery *	5,706	88.4	5,741	88.9	Home Delivery	NA
18	Home Delivery against reported delivery **	833	12.7	425	6.9	Institutional Delivery	NA
19	Institutional Delivery against reported delivery **	5,706	87.3	5,741	93.1	Home Delivery by SBA	NA
20	Total reported Deliveries	6,539		6,166		PNC within 14 days of delivery	NA
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	0.4	1	0.2		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,814	58.3	4,979	80.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	6,332		6,328			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	6,465	102.1	6,086	96.2	Breastfed within 1 hour of birth	NA
25	Total Still Birth	105	1.7	108	1.7	BCG	NA

26	PC of newborn weighted at birth to live birth	6,141	95.0	6,011	98.8	3 dose of DPT	NA
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	807	13.1	655	10.9	Measles	NA
28	PC of newborns breastfed within 1 hour to total reported live birth.	6,416	99.2	6,048	99.4	Full Immunization	NA
29	Children fully immunized	5,628	88.9	5,654	89.3		
30	Children who have received BCG	6,677	105.5	6,225	98.4		
31	Children who have received DPT1	6,753	106.7	4,070	64.3		
32	Children who have received DPT3	6,286	99.3	5,500	86.9		
33	Children who have received Measles	6,172	97.5	5,820	92.0		
34	Diarrhoea and Dehydration cases reported in children below 5 years	2,405		3,854			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	DLHS-4 (2012-13)	
36	Number of Vasectomies performed	0	22	Limiting	NA
37	Number of Tubectomies performed	200	221	Spacing	NA
38	Number of IUD insertion	140	485	Women using any method	NA
39	Number of IUD removals	24	21	Women using modern method	NA
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)		
40	IPD cases per 10,000 population ***	1416	1213		
41	General OPD cases per 10,000 population ***	7706	9678		
42	Ayush OPD cases per 10,000 population ***	617	569		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
43	Neonatal death within 24 hours	0	1		
44	Up to 1 Weeks of Birth	22	32		
45	Between 1 week & 4 weeks of birth	0	0		
46	Neonatal Death	22	33		
47	Between 1 month and 11 months	44	34		
48	Total reported infant deaths	66	67		
II)	Maternal Mortality	HMIS (2014-15)	HMIS (2015-16)		
	Maternal Deaths (In Numbers)				
49	Due to Abortion	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits	0	1		
52	Due to Bleeding	0	0		
53	Due to High fever	0	0		
54	Due to Other Causes (including causes not known)	2	6		
55	Total reported maternal deaths	2	7		

Khowai Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	327,391					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2014)		Numbers					
4	Sub Centers(SC)	109					
5	Primary Health Centers(PHC)	7					
6	Community Health Centers (CHC)	2					
7	SDH	1					
8	DH	0					
C) Maternal Health:		2014-15		2015-16			
9	Expected number of PW	5,196		5,185			
10	Expected number of Delivery	4,818		4,808			
		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	5,628	108.3	5,123	98.8	Any ANC	NA
12	Mothers registered in the first trimester	4,388	78.0	3,989	77.9	ANC Check up in first trimester	NA
13	Mothers who had at least 3 Ante-Natal care check ups	4,743	84.3	4,395	85.8	3 or more ANC check up	NA
14	PW who got TT 2 / Booster injection	4,626	82.2	4,303	84.0	Atleast 1 TT received	NA
15	PW who consumed 100 IFA tablets	4,916	87.3	4,307	84.1	100 IFA tablets consumed	NA
16	Home Delivery against expected delivery *	360	7.5	266	5.5	Full ANC	NA
17	Institutional Delivery against expected delivery *	2,939	61.0	2,665	55.4	Home Delivery	NA
18	Home Delivery against reported delivery **	360	10.9	266	9.1	Institutional Delivery	NA
19	Institutional Delivery against reported delivery **	2,939	89.1	2,665	90.9	Home Delivery by SBA	NA
20	Total reported Deliveries	3,299		2,931		PNC within 14 days of delivery	NA
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	6	1.7	4	1.5		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,603	48.6	1,742	59.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	4,724		4,714			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	3,259	69.0	2,894	61.4	Breastfed within 1 hour of birth	NA
25	Total Still Birth	54	1.1	49	1.0	BCG	NA

26	PC of newborn weighted at birth to live birth	3,180	97.6	2,860	98.8	3 dose of DPT	NA
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	334	10.5	246	8.6	Measles	NA
28	PC of newborns breastfed within 1 hour to total reported live birth.	3,182	97.6	2,761	95.4	Full Immunization	NA
29	Children fully immunized	4,954	104.9	4,675	99.2		
30	Children who have received BCG	3,272	69.3	3,619	76.8		
31	Children who have received DPT1	4,684	99.2	2,920	61.9		
32	Children who have received DPT3	4,619	97.8	3,835	81.4		
33	Children who have received Measles	5,029	106.5	4,745	100.7		
34	Diarrhoea and Dehydration cases reported in children below 5 years	973		970			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	DLHS-4 (2012-13)	
36	Number of Vasectomies performed	0	0	Limiting	NA
37	Number of Tubectomies performed	134	0	Spacing	NA
38	Number of IUD insertion	26	8	Women using any method	NA
39	Number of IUD removals	138	52	Women using modern method	NA
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)		
40	IPD cases per 10,000 population ***	806	682		
41	General OPD cases per 10,000 population ***	8304	8848		
42	Ayush OPD cases per 10,000 population ***	1042	858		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
43	Neonatal death within 24 hours	0	0		
44	Up to 1 Weeks of Birth	0	0		
45	Between 1 week & 4 weeks of birth	0	1		
46	Neonatal Death	0	1		
47	Between 1 month and 11 months	25	14		
48	Total reported infant deaths	25	15		
II)	Maternal Mortality	HMIS (2014-15)	HMIS (2015-16)		
49	Due to Abortion	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits	0	0		
52	Due to Bleeding	0	0		
53	Due to High fever	0	0		
54	Due to Other Causes (including causes not known)	1	0		
55	Total reported maternal deaths	1	0		

North Tripura Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	415,946					
2	Sex Ratio	967					
B) Infrastructure Details (RHS 2014)		Numbers					
4	Sub Centers(SC)	88					
5	Primary Health Centers(PHC)	14					
6	Community Health Centers (CHC)	1					
7	SDH	2					
8	DH	0					
C) Maternal Health:		2014-15		2015-16			
9	Expected number of PW	6,696		6,714			
10	Expected number of Delivery	6,209		6,226			
		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	8,827	131.8	9,029	134.5	Any ANC	85.9
12	Mothers registered in the first trimester	4,699	53.2	4,918	54.5	ANC Check up in first trimester	62.4
13	Mothers who had at least 3 Ante-Natal care check ups	5,499	62.3	5,222	57.8	3 or more ANC check up	64.6
14	PW who got TT 2 / Booster injection	6,571	74.4	6,437	71.3	Atleast 1 TT received	83.1
15	PW who consumed 100 IFA tablets	3,682	41.7	3,385	37.5	100 IFA tablets consumed	39.9
16	Home Delivery against expected delivery *	1,767	28.5	1,761	28.3	Full ANC	28.7
17	Institutional Delivery against expected delivery *	3,322	53.5	3,658	58.8	Home Delivery	37.4
18	Home Delivery against reported delivery **	1,767	34.7	1,761	32.5	Institutional Delivery	62.6
19	Institutional Delivery against reported delivery **	3,322	65.3	3,658	67.5	Home Delivery by SBA	4.9
20	Total reported Deliveries	5,089		5,419		PNC within 14 days of delivery	62.1
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	19	1.1	7	0.4		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,728	92.9	3,661	67.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	6,087		6,104			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	5,034	82.7	5,344	87.6	Breastfed within 1 hour of birth	51.3
25	Total Still Birth	95	1.6	102	1.7	BCG	73.7

26	PC of newborn weighted at birth to live birth	4,865	96.6	5,098	95.4	3 dose of DPT	65.6
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	337	6.9	325	6.4	Measles	56.3
28	PC of newborns breastfed within 1 hour to total reported live birth.	4,928	97.9	5,123	95.9	Full Immunization	42.1
29	Children fully immunized	5,110	83.9	4,985	81.7		
30	Children who have received BCG	5,803	95.3	6,084	99.7		
31	Children who have received DPT1	7,337	120.5	4,791	78.5		
32	Children who have received DPT3	6,053	99.4	5,218	85.5		
33	Children who have received Measles	5,977	98.2	5,884	96.4		
34	Diarrhoea and Dehydration cases reported in children below 5 years	3,111		2,986			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	DLHS-4 (2012-13)	
36	Number of Vasectomies performed	0	0	Limiting	14.6
37	Number of Tubectomies performed	10	0	Spacing	8
38	Number of IUD insertion	61	38	Women using any method	65.2
39	Number of IUD removals	191	27	Women using modern method	41.7
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)		
40	IPD cases per 10,000 population ***	1010	1026		
41	General OPD cases per 10,000 population ***	6741	7194		
42	Ayush OPD cases per 10,000 population ***	843	802		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
43	Neonatal death within 24 hours	0	3		
44	Up to 1 Weeks of Birth	23	28		
45	Between 1 week & 4 weeks of birth	1	2		
46	Neonatal Death	24	33		
47	Between 1 month and 11 months	48	43		
48	Total reported infant deaths	72	76		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
49	Due to Abortion	0	2		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits	1	0		
52	Due to Bleeding	1	1		
53	Due to High fever	0	0		
54	Due to Other Causes (including causes not known)	1	4		
55	Total reported maternal deaths	3	7		

Sipahijala Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	484,233					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2014)		Numbers					
4	Sub Centers(SC)	136					
5	Primary Health Centers(PHC)	9					
6	Community Health Centers (CHC)	4					
7	SDH	2					
8	DH	0					
C) Maternal Health:		2014-15		2015-16			
9	Expected number of PW	7,685		7,669			
10	Expected number of Delivery	7,126		7,111			
		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	8,333	108.4	7,907	103.1	Any ANC	NA
12	Mothers registered in the first trimester	6,052	72.6	5,939	75.1	ANC Check up in first trimester	NA
13	Mothers who had at least 3 Ante-Natal care check ups	6,085	73.0	5,936	75.1	3 or more ANC check up	NA
14	PW who got TT 2 / Booster injection	7,197	86.4	6,945	87.8	Atleast 1 TT received	NA
15	PW who consumed 100 IFA tablets	5,159	61.9	3,858	48.8	100 IFA tablets consumed	NA
16	Home Delivery against expected delivery *	907	12.7	791	11.1	Full ANC	NA
17	Institutional Delivery against expected delivery *	2,983	41.9	3,457	48.6	Home Delivery	NA
18	Home Delivery against reported delivery **	907	23.3	791	18.6	Institutional Delivery	NA
19	Institutional Delivery against reported delivery **	2,983	76.7	3,457	81.4	Home Delivery by SBA	NA
20	Total reported Deliveries	3,890		4,248		PNC within 14 days of delivery	NA
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	0.2	0	0.0		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,976	76.5	3,171	74.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	6,986		6,972			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	3,859	55.2	4,215	60.5	Breastfed within 1 hour of birth	NA
25	Total Still Birth	62	0.9	47	0.7	BCG	NA

26	PC of newborn weighted at birth to live birth	3,374	87.4	4,061	96.3	3 dose of DPT	NA
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	453	13.4	466	11.5	Measles	NA
28	PC of newborns breastfed within 1 hour to total reported live birth.	3,646	94.5	3,987	94.6	Full Immunization	NA
29	Children fully immunized	7,122	101.9	6,570	94.2		
30	Children who have received BCG	5,814	83.2	5,370	77.0		
31	Children who have received DPT1	7,595	108.7	4,087	58.6		
32	Children who have received DPT3	7,567	108.3	5,540	79.5		
33	Children who have received Measles	7,250	103.8	6,638	95.2		
34	Diarrhoea and Dehydration cases reported in children below 5 years	2,112		2,644			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	DLHS-4 (2012-13)	
36	Number of Vasectomies performed	0	0	Limiting	NA
37	Number of Tubectomies performed	263	74	Spacing	NA
38	Number of IUD insertion	48	38	Women using any method	NA
39	Number of IUD removals	14	5	Women using modern method	NA
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)		
40	IPD cases per 10,000 population ***	742	782		
41	General OPD cases per 10,000 population ***	9065	9775		
42	Ayush OPD cases per 10,000 population ***	1130	1375		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
43	Neonatal death within 24 hours	0	6		
44	Up to 1 Weeks of Birth	15	13		
45	Between 1 week & 4 weeks of birth	0	0		
46	Neonatal Death	15	19		
47	Between 1 month and 11 months	30	21		
48	Total reported infant deaths	45	40		
II)	Maternal Mortality	HMIS (2014-15)	HMIS (2015-16)		
49	Due to Abortion	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits	0	0		
52	Due to Bleeding	0	1		
53	Due to High fever	0	0		
54	Due to Other Causes (including causes not known)	3	2		
55	Total reported maternal deaths	3	3		

South Tripura Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	433,737					
2	Sex Ratio	957					
B) Infrastructure Details (RHS 2014)		Numbers					
4	Sub Centers(SC)	148					
5	Primary Health Centers(PHC)	16					
6	Community Health Centers (CHC)	4					
7	SDH	2					
8	DH	0					
C) Maternal Health:		2014-15		2015-16			
9	Expected number of PW	6,915		6,911			
10	Expected number of Delivery	6,412		6,408			
		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	8,012	115.9	7,588	109.8	Any ANC	77.0
12	Mothers registered in the first trimester	6,284	78.4	6,198	81.7	ANC Check up in first trimester	62.0
13	Mothers who had at least 3 Ante-Natal care check ups	6,304	78.7	5,980	78.8	3 or more ANC check up	61.2
14	PW who got TT 2 / Booster injection	6,808	85.0	6,499	85.6	Atleast 1 TT received	74.3
15	PW who consumed 100 IFA tablets	7,261	90.6	6,785	89.4	100 IFA tablets consumed	35.0
16	Home Delivery against expected delivery *	576	9.0	418	6.5	Full ANC	27.0
17	Institutional Delivery against expected delivery *	4,514	70.4	4,552	71.0	Home Delivery	28.6
18	Home Delivery against reported delivery **	576	11.3	418	8.4	Institutional Delivery	69.1
19	Institutional Delivery against reported delivery **	4,514	88.7	4,552	91.6	Home Delivery by SBA	5.0
20	Total reported Deliveries	5,090		4,970		PNC within 14 days of delivery	47.1
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	0.2	3	0.7		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,360	105.3	5,565	112.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	6,286		6,283			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	5,065	80.6	4,926	78.4	Breastfed within 1 hour of birth	41.8
25	Total Still Birth	51	0.8	52	0.8	BCG	71.2

26	PC of newborn weighted at birth to live birth	4,916	97.1	4,863	98.7	3 dose of DPT	69.5
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	499	10.2	571	11.7	Measles	61
28	PC of newborns breastfed within 1 hour to total reported live birth.	5,036	99.4	4,890	99.3	Full Immunization	55.9
29	Children fully immunized	5,924	94.2	5,898	93.9		
30	Children who have received BCG	5,840	92.9	5,231	83.3		
31	Children who have received DPT1	6,712	106.8	4,262	67.8		
32	Children who have received DPT3	6,423	102.2	5,252	83.6		
33	Children who have received Measles	6,252	99.5	6,052	96.3		
34	Diarrhoea and Dehydration cases reported in children below 5 years	2,000		2,016			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	DLHS-4 (2012-13)	
36	Number of Vasectomies performed	10	3	Limiting	22.4
37	Number of Tubectomies performed	147	161	Spacing	9.2
38	Number of IUD insertion	275	282	Women using any method	59.9
39	Number of IUD removals	161	24	Women using modern method	42.6
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)		
40	IPD cases per 10,000 population ***	1528	1461		
41	General OPD cases per 10,000 population ***	9530	10084		
42	Ayush OPD cases per 10,000 population ***	1072	1062		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
43	Neonatal death within 24 hours	0	1		
44	Up to 1 Weeks of Birth	15	17		
45	Between 1 week & 4 weeks of birth	0	0		
46	Neonatal Death	15	18		
47	Between 1 month and 11 months	21	11		
48	Total reported infant deaths	36	29		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
49	Due to Abortion	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits	1	1		
52	Due to Bleeding	1	0		
53	Due to High fever	0	0		
54	Due to Other Causes (including causes not known)	0	3		
55	Total reported maternal deaths	2	4		

Unakoti Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	277,335					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2014)		Numbers					
4	Sub Centers(SC)	74					
5	Primary Health Centers(PHC)	7					
6	Community Health Centers (CHC)	1					
7	SDH	1					
8	DH	1					
C) Maternal Health:		2014-15		2015-16			
9	Expected number of PW	4,465		4,477			
10	Expected number of Delivery	4,140		4,151			
		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	5,655	126.7	5,639	126.0	Any ANC	NA
12	Mothers registered in the first trimester	2,415	42.7	2,683	47.6	ANC Check up in first trimester	NA
13	Mothers who had at least 3 Ante-Natal care check ups	3,668	64.9	3,703	65.7	3 or more ANC check up	NA
14	PW who got TT 2 / Booster injection	4,389	77.6	4,563	80.9	Atleast 1 TT received	NA
15	PW who consumed 100 IFA tablets	3,577	63.3	3,150	55.9	100 IFA tablets consumed	NA
16	Home Delivery against expected delivery *	1,064	25.7	914	22.0	Full ANC	NA
17	Institutional Delivery against expected delivery *	2,821	68.1	3,002	72.3	Home Delivery	NA
18	Home Delivery against reported delivery **	1,064	27.4	914	23.3	Institutional Delivery	NA
19	Institutional Delivery against reported delivery **	2,821	72.6	3,002	76.7	Home Delivery by SBA	NA
20	Total reported Deliveries	3,885		3,916		PNC within 14 days of delivery	NA
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	42	3.9	7	0.8		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,883	48.5	2,916	74.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	4,059		4,070			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	3,826	94.3	3,836	94.3	Breastfed within 1 hour of birth	NA
25	Total Still Birth	85	2.1	95	2.3	BCG	NA

26	PC of newborn weighted at birth to live birth	3,618	94.6	3,721	97.0	3 dose of DPT	NA
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	378	10.4	715	19.2	Measles	NA
28	PC of newborns breastfed within 1 hour to total reported live birth.	3,461	90.5	3,733	97.3	Full Immunization	NA
29	Children fully immunized	4,109	101.2	3,985	97.9		
30	Children who have received BCG	4,509	111.1	4,172	102.5		
31	Children who have received DPT1	5,014	123.5	3,164	77.7		
32	Children who have received DPT3	4,659	114.8	3,749	92.1		
33	Children who have received Measles	4,550	112.1	4,331	106.4		
34	Diarrhoea and Dehydration cases reported in children below 5 years	4,435		4,048			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	DLHS-4 (2012-13)			
36	Number of Vasectomies performed	0	0	Limiting	NA		
37	Number of Tubectomies performed	14	36	Spacing	NA		
38	Number of IUD insertion	16	46	Women using any method	NA		
39	Number of IUD removals	67	61	Women using modern method	NA		
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)				
40	IPD cases per 10,000 population ***	1370	1225				
41	General OPD cases per 10,000 population ***	7542	8659				
42	Ayush OPD cases per 10,000 population ***	2001	1503				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)				
43	Neonatal death within 24 hours	1	0				
44	Up to 1 Weeks of Birth	19	32				
45	Between 1 week & 4 weeks of birth	2	2				
46	Neonatal Death	22	34				
47	Between 1 month and 11 months	13	23				
48	Total reported infant deaths	35	57				
II)	Maternal Mortality	HMIS (2014-15)	HMIS (2015-16)				
49	Due to Abortion	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits	0	0				
52	Due to Bleeding	0	1				
53	Due to High fever	0	0				
54	Due to Other Causes (including causes not known)	3	9				
55	Total reported maternal deaths	3	10				

West Tripura Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	917,534					
2	Sex Ratio	964					
B) Infrastructure Details (RHS 2014)		Numbers					
4	Sub Centers(SC)	157					
5	Primary Health Centers(PHC)	9					
6	Community Health Centers (CHC)	2					
7	SDH	0					
8	DH	0					
C) Maternal Health:		2014-15		2015-16			
9	Expected number of PW	14,562		14,532			
10	Expected number of Delivery	13,503		13,475			
		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	25,544	175.4	25,019	172.2	Any ANC	86.1
12	Mothers registered in the first trimester	14,561	57.0	12,691	50.7	ANC Check up in first trimester	73.2
13	Mothers who had at least 3 Ante-Natal care check ups	18,342	71.8	14,821	59.2	3 or more ANC check up	58.6
14	PW who got TT 2 / Booster injection	10,090	39.5	9,236	36.9	Atleast 1 TT received	80.1
15	PW who consumed 100 IFA tablets	11,028	43.2	15,430	61.7	100 IFA tablets consumed	40.3
16	Home Delivery against expected delivery *	521	3.9	393	2.9	Full ANC	27.4
17	Institutional Delivery against expected delivery *	17,450	129.2	16,832	124.9	Home Delivery	15.6
18	Home Delivery against reported delivery **	521	2.9	393	2.3	Institutional Delivery	84.4
19	Institutional Delivery against reported delivery **	17,450	97.1	16,832	97.7	Home Delivery by SBA	4.8
20	Total reported Deliveries	17,971		17,225		PNC within 14 days of delivery	72.3
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	8	1.5	11	2.8		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,326	74.2	12,777	74.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	13,238		13,211			
D) Child Immunization :		HMIS (2014-15)		HMIS (2015-16)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	17,829	134.7	17,004	128.7	Breastfed within 1 hour of birth	30.3
25	Total Still Birth	365	2.8	288	2.2	BCG	78.4

26	PC of newborn weighted at birth to live birth	17,417	97.7	16,788	98.7	3 dose of DPT	80.8
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,770	10.2	1,884	11.2	Measles	64.7
28	PC of newborns breastfed within 1 hour to total reported live birth.	17,112	96.0	16,453	96.8	Full Immunization	38.5
29	Children fully immunized	11,255	85.0	9,919	75.1		
30	Children who have received BCG	16,484	124.5	16,341	123.7		
31	Children who have received DPT1	12,742	96.3	7,114	53.9		
32	Children who have received DPT3	12,034	90.9	9,094	68.8		
33	Children who have received Measles	14,526	109.7	12,862	97.4		
34	Diarrhoea and Dehydration cases reported in children below 5 years	9,176		5,955			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2014-15)	HMIS (2015-16)	DLHS-4 (2012-13)	
36	Number of Vasectomies performed	8	2	Limiting	18.8
37	Number of Tubectomies performed	3,415	2,878	Spacing	7.4
38	Number of IUD insertion	360	425	Women using any method	58.8
39	Number of IUD removals	309	341	Women using modern method	41.9
F) Service delivery		HMIS (2014-15)	HMIS (2015-16)		
40	IPD cases per 10,000 population ***	1318	1408		
41	General OPD cases per 10,000 population ***	13814	15894		
42	Ayush OPD cases per 10,000 population ***	427	441		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2014-15)	HMIS (2015-16)		
43	Neonatal death within 24 hours	0	1		
44	Up to 1 Weeks of Birth	108	71		
45	Between 1 week & 4 weeks of birth	2	0		
46	Neonatal Death	110	72		
47	Between 1 month and 11 months	49	18		
48	Total reported infant deaths	159	90		
II)	Maternal Mortality	HMIS (2014-15)	HMIS (2015-16)		
	Maternal Deaths (In Numbers)				
49	Due to Abortion	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits	1	1		
52	Due to Bleeding	0	0		
53	Due to High fever	0	1		
54	Due to Other Causes (including causes not known)	0	3		
55	Total reported maternal deaths	1	5		

