

## MANIPUR Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)		SL No	C) State Health Indicator (SRS 2014)			
1	Population 2011	2,855,794	9	Birth Rate		14.7	
2	Sex Ratio	987	10	Death Rate		4	
3	Number of districts	9	11	IMR		10	
<b>B) Infrastructure Details (RHS 2015)</b>			12	Growth Rate		10.6	
4	Sub Centers (SC)	421	13	TFR (SRS - 2007)		1.6	
5	Primary Health Centers (PHC)	85					
6	Community Health Centers (CHC)	17					
7	SDH	1					
8	DH	7					
<b>D) Maternal Health:</b>		<b>2015-16</b>		<b>2016-17</b>			
14	Expected number of PW	49,721		50,303			
15	Expected number of Delivery	45,743		46,279			
		<b>HMIS (2015-16)</b>		<b>HMIS (2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
16	PW register for ANC	70,899	142.6	60,132	119.5	Any ANC	75.8
17	Mothers registered in the first trimester	44,831	63.2	36,503	60.7	ANC Check up in first trimester	55.1
18	Mothers who had at least 3 Ante-Natal care check ups	42,515	60.0	39,312	65.4	3 or more ANC check up	61.3
19	PW who got TT 2 / Booster injection	32,004	45.1	32,813	54.6	Atleast 1 TT received	73.9
20	PW who consumed 100 IFA tablets	24,655	34.8	37,775	62.8	100 IFA tablets consumed	31.9
21	Home Delivery against expected delivery *	7,798	17.0	7,350	15.9	Full ANC	28.3
22	Institutional Delivery against expected delivery *	31,814	69.5	33,184	71.7	Home Delivery	37.4
23	Home Delivery against reported delivery **	7,798	19.7	7,350	18.1	Institutional Delivery	61.1
24	Institutional Delivery against reported delivery **	31,814	80.3	33,184	81.9	Home Delivery by SBA	12.4
25	Total reported Deliveries	39,612	86.6	40,534	87.6	PNC within 14 days of delivery	78
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4,755	61.0	4,590	62.4		
27	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	16,665	42.1	16,502	40.7		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
28	Expected number of Live Birth	45,201		45,730			
<b>E) Child Immunization:</b>		<b>HMIS (2015-16)</b>		<b>HMIS (2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
29	Total reported live births	39,640	87.7	40,426	88.4	Breastfed within 1 hour of birth	43.4

30	Total Still Birth	189	0.4	267	0.6	BCG	85.5
31	Newborn weighted at birth to live birth	38,982	98.3	39,686	98.2	3 dose of DPT	75.7
32	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1,376	3.5	1,597	4.0	Measles	69
33	Newborns breastfed within 1 hour to total reported live birth.	32,301	81.5	34,519	85.4	Full Immunization	54.1
34	Fully immunized	41,334	91.4	43,938	96.1		
35	Children who have received BCG	49,048	108.5	50,570	110.6		
36	Children who have received DPT1	39,132	86.6	3,051	6.7		
37	Children who have received DPT3	41,290	91.3	5,597	12.2		
38	Children who have received Measles	43,451	96.1	45,576	99.7		
39	Diarrhoea and Dehydration cases reported in children below 5 years	14,714		16,601			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

F) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)	
40	Number of Vasectomies performed	136	80	Limiting	25.7
41	Number of Tubectomies performed	797	613	Spacing	28.8
42	Number of IUD insertion	5,043	4,830	Women using any method	20.5
43	Number of IUD removals	2,217	2,211	Women using modern method	11.3
G) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
44	IPD cases per 10,000 population ***	286	287		
45	General OPD cases per 10,000 population ***	4,073	4,341		
46	Ayush OPD cases per 10,000 population ***	307	323		
H) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
47	Neonatal death within 24 hours	4	8		
48	Up to 1 Weeks of Birth	38	32		
49	Between 1 week & 4 weeks of birth	3	1		
50	Neonatal Death	45	41		
51	Between 1 month and 11 months	48	39		
52	<b>Total reported infant deaths</b>	93	80		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
53	Due to Abortion	0	0		
54	Due to Obstructed/prolonged labour	1	2		
55	Due to Severe hypertension/fits	0	0		
56	Due to Bleeding	2	4		
57	Due to High fever	0	0		
58	Due to Other Causes (including causes not known)	3	6		
59	<b>Total reported maternal deaths</b>	6	12		

## Bishnupur Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	237,399					
2	Sex Ratio	1,000					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	33					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2015-16</b>		<b>2016-17</b>			
8	Expected number of PW	4,080		4,115			
9	Expected number of Delivery	3,754		3,785			
		<b>HMIS (2015-16)</b>		<b>HMIS (2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	4,820	118.1	4,836	117.5	Any ANC	92.5
11	Mothers registered in the first trimester	3,334	69.2	3,245	67.1	ANC Check up in first trimester	68.4
12	Mothers who had at least 3 Ante-Natal care check ups	3,018	62.6	3,353	69.3	3 or more ANC check up	79.2
13	PW who got TT 2 / Booster injection	3,226	66.9	3,349	69.3	At least 1 TT received	86.6
14	PW who consumed 100 IFA tablets	1,300	27.0	5,174	107.0	100 IFA tablets consumed	46.2
15	Home Delivery against expected delivery *	220	5.9	89	2.4	Full ANC	40.3
16	Institutional Delivery against expected delivery *	1,311	34.9	1,279	33.8	Home Delivery	16.0
17	Home Delivery against reported delivery **	220	14.4	89	6.5	Institutional Delivery	83.7
18	Institutional Delivery against reported delivery **	1,311	85.6	1,279	93.5	Home Delivery by SBA	6.8
19	Total reported Deliveries	1,531		1,368		PNC within 14 days of delivery	82.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	202	91.8	72	80.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	678	44.3	1,032	75.4		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	3,709		3,741			
<b>D) Child Immunization :</b>		<b>HMIS (2015-16)</b>		<b>HMIS (2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,529	41.2	1,366	36.5	Breastfed within 1 hour of birth	58.3

24	Total Still Birth	5	0.1	2	0.1	BCG	92.8
25	PC of newborn weighted at birth to live birth	1,524	99.7	1,364	99.9	3 dose of DPT	73.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	58	3.8	61	4.5	Measles	79.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,524	99.7	1,364	99.9	Full Immunization	58
28	Children fully immunized	3,874	104.4	4,270	114.2		
29	Children who have received BCG	4,275	115.3	3,941	105.4		
30	Children who have received DPT1	2,812	75.8	23	0.6		
31	Children who have received DPT3	3,461	93.3	203	5.4		
32	Children who have received Measles	4,045	109.1	4,356	116.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,109		2,544			
<b>Note:</b> In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
<b>E) Family Planning</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	3		7		Limiting	22.9
35	Number of Tubectomies performed	0		24		Spacing	25.3
36	Number of IUD insertion	468		445		Women using any method	30.2
37	Number of IUD removals	247		196		Women using modern method	18.6
<b>F) Service delivery</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>			
38	IPD cases per 10,000 population ***	295		296			
39	General OPD cases per 10,000 population ***	7577		7993			
40	Ayush OPD cases per 10,000 population ***	708		741			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	2		2			
43	Between 1 week & 4 weeks of birth	1		0			
44	Neonatal Death	3		2			
45	Between 1 month and 11 months	7		3			
46	<b>Total reported infant deaths</b>	10		5			
<b>II) Maternal Mortality</b>							
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	<b>Total reported maternal deaths</b>	0		0			

## Chandel Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	144,182					
2	Sex Ratio	932					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	26					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	1					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2015-16</b>		<b>2016-17</b>			
8	Expected number of PW	2,541		2,578			
9	Expected number of Delivery	2,337		2,372			
		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	3,194	125.7	2,998	116.3	Any ANC	62.3
11	Mothers registered in the first trimester	1,614	50.5	1,472	49.1	ANC Check up in first trimester	47.7
12	Mothers who had at least 3 Ante-Natal care check ups	1,293	40.5	1,537	51.3	3 or more ANC check up	43.7
13	PW who got TT 2 / Booster injection	1,472	46.1	1,405	46.9	At least 1 TT received	60.6
14	PW who consumed 100 IFA tablets	2,003	62.7	2,194	73.2	100 IFA tablets consumed	14.3
15	Home Delivery against expected delivery *	985	42.1	761	32.1	Full ANC	11.0
16	Institutional Delivery against expected delivery *	458	19.6	418	17.6	Home Delivery	59.4
17	Home Delivery against reported delivery **	985	68.3	761	64.5	Institutional Delivery	36.2
18	Institutional Delivery against reported delivery **	458	31.7	418	35.5	Home Delivery by SBA	14.9
19	Total reported Deliveries	1,443		1,179		PNC within 14 days of delivery	57.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	883	89.6	539	70.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,007	69.8	582	49.4		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	2,310		2,344			
<b>D) Child Immunization :</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,469	63.6	1,182	50.4	Breastfed within 1 hour of birth	42.9

24	Total Still Birth	0	0.0	2	0.1	BCG	86
25	PC of newborn weighted at birth to live birth	1,447	98.5	1,118	94.6	3 dose of DPT	79.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	20	1.4	4	0.4	Measles	72.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,451	98.8	1,165	98.6	Full Immunization	52.3
28	Children fully immunized	1,508	65.3	1,282	54.7		
29	Children who have received BCG	1,821	78.8	1,440	61.4		
30	Children who have received DPT1	1,361	58.9	201	8.6		
31	Children who have received DPT3	1,388	60.1	248	10.6		
32	Children who have received Measles	1,557	67.4	1,312	56.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	967		1,161			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	33.9
35	Number of Tubectomies performed	0		11		Spacing	32.1
36	Number of IUD insertion	151		117		Women using any method	8.3
37	Number of IUD removals	49		51		Women using modern method	5.4
<b>F) Service delivery</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>			
38	IPD cases per 10,000 population ***	279		366			
39	General OPD cases per 10,000 population ***	2399		2505			
40	Ayush OPD cases per 10,000 population ***	368		366			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	1		0			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	1		0			
45	Between 1 month and 11 months	0		2			
46	<b>Total reported infant deaths</b>	1		2			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		1			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		1			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	<b>Total reported maternal deaths</b>	0		2			

## Churachandpur Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	274,143					
2	Sex Ratio	969					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	65					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2015-16</b>		<b>2016-17</b>			
8	Expected number of PW	4,780		4,838			
9	Expected number of Delivery	4,398		4,451			
		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	6,489	135.8	4,536	93.8	Any ANC	51.3
11	Mothers registered in the first trimester	4,180	64.4	2,726	60.1	ANC Check up in first trimester	26.5
12	Mothers who had at least 3 Ante-Natal care check ups	4,436	68.4	2,774	61.2	3 or more ANC check up	31.0
13	PW who got TT 2 / Booster injection	2,726	42.0	3,659	80.7	At least 1 TT received	51.0
14	PW who consumed 100 IFA tablets	4,424	68.2	5,709	125.9	100 IFA tablets consumed	12.6
15	Home Delivery against expected delivery *	589	13.4	484	10.9	Full ANC	7.6
16	Institutional Delivery against expected delivery *	4,158	94.6	3,974	89.3	Home Delivery	45.6
17	Home Delivery against reported delivery **	589	12.4	484	10.9	Institutional Delivery	51.0
18	Institutional Delivery against reported delivery **	4,158	87.6	3,974	89.1	Home Delivery by SBA	14.6
19	Total reported Deliveries	4,747		4,458		PNC within 14 days of delivery	82.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	285	48.4	235	48.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	524	11.0	493	11.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	4,346		4,398			
<b>D) Child Immunization :</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	4,741	109.1	4,452	101.2	Breastfed within 1 hour of birth	44.6

24	Total Still Birth	6	0.1	6	0.1	BCG	64.6
25	PC of newborn weighted at birth to live birth	4,732	99.8	4,421	99.3	3 dose of DPT	62.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	52	1.1	38	0.9	Measles	39.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,714	99.4	4,417	99.2	Full Immunization	18.8
28	Children fully immunized	3,450	79.4	4,365	99.2		
29	Children who have received BCG	4,711	108.4	5,800	131.9		
30	Children who have received DPT1	3,117	71.7	4	0.1		
31	Children who have received DPT3	3,411	78.5	32	0.7		
32	Children who have received Measles	3,593	82.7	4,632	105.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,856		3,507			
<b>Note:</b> In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
<b>E) Family Planning</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	22		16		Limiting	24.4
35	Number of Tubectomies performed	215		153		Spacing	36.2
36	Number of IUD insertion	741		802		Women using any method	22.6
37	Number of IUD removals	434		447		Women using modern method	14.6
<b>F) Service delivery</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>			
38	IPD cases per 10,000 population ***	452		471			
39	General OPD cases per 10,000 population ***	5093		5581			
40	Ayush OPD cases per 10,000 population ***	169		161			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>			
41	Neonatal death within 24 hours	2		3			
42	Up to 1 Weeks of Birth	27		27			
43	Between 1 week & 4 weeks of birth	0		1			
44	Neonatal Death	29		31			
45	Between 1 month and 11 months	20		18			
46	<b>Total reported infant deaths</b>	49		49			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		1			
53	<b>Total reported maternal deaths</b>	0		1			



## Imphal East Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	456,113					
2	Sex Ratio	1,011					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	54					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
<b>C) Maternal Health:</b>		<b>2015-16</b>		<b>2016-17</b>			
8	Expected number of PW	7,817		7,877			
9	Expected number of Delivery	7,191		7,247			
		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	8,165	104.5	11,411	144.9	Any ANC	87.9
11	Mothers registered in the first trimester	5,641	69.1	6,802	59.6	ANC Check up in first trimester	63.0
12	Mothers who had at least 3 Ante-Natal care check ups	3,945	48.3	4,939	43.3	3 or more ANC check up	75.0
13	PW who got TT 2 / Booster injection	4,195	51.4	4,846	42.5	At least 1 TT received	86.8
14	PW who consumed 100 IFA tablets	3,104	38.0	4,118	36.1	100 IFA tablets consumed	41.5
15	Home Delivery against expected delivery *	95	1.3	48	0.7	Full ANC	37.8
16	Institutional Delivery against expected delivery *	3,938	54.8	6,954	96.0	Home Delivery	23.9
17	Home Delivery against reported delivery **	95	2.4	48	0.7	Institutional Delivery	75.6
18	Institutional Delivery against reported delivery **	3,938	97.6	6,954	99.3	Home Delivery by SBA	12.6
19	Total reported Deliveries	4,033		7,002		PNC within 14 days of delivery	84.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	30	31.6	24	50.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,912	47.4	2,258	32.2		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	7,106		7,161			
<b>D) Child Immunization :</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	4,016	56.5	6,946	97.0	Breastfed within 1 hour of birth	40.2

24	Total Still Birth	17	0.2	56	0.8	BCG	90.4
25	PC of newborn weighted at birth to live birth	3,919	97.6	6,932	99.8	3 dose of DPT	69.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	59	1.5	45	0.6	Measles	78.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,664	91.2	6,660	95.9	Full Immunization	55.9
28	Children fully immunized	7,206	101.4	7,191	100.4		
29	Children who have received BCG	8,501	119.6	10,305	143.9		
30	Children who have received DPT1	8,513	119.8	650	9.1		
31	Children who have received DPT3	7,286	102.5	1,409	19.7		
32	Children who have received Measles	7,921	111.5	7,620	106.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,059		907			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	59		1		Limiting	26.4
35	Number of Tubectomies performed	182		6		Spacing	24.2
36	Number of IUD insertion	1,038		785		Women using any method	22.4
37	Number of IUD removals	314		501		Women using modern method	12.6
<b>F) Service delivery</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>			
38	IPD cases per 10,000 population ***	248		231			
39	General OPD cases per 10,000 population ***	4095		4110			
40	Ayush OPD cases per 10,000 population ***	306		308			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	3		0			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	3		0			
45	Between 1 month and 11 months	3		2			
46	<b>Total reported infant deaths</b>	6		2			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	1		2			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		3			
53	<b>Total reported maternal deaths</b>	1		5			

## Imphal West Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	517,992					
2	Sex Ratio	1,029					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	51					
4	Primary Health Centers (PHC)	9					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
<b>C) Maternal Health:</b>		<b>2015-16</b>		<b>2016-17</b>			
8	Expected number of PW	8,919		8,998			
9	Expected number of Delivery	8,205		8,278			
		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	21,335	239.2	10,760	119.6	Any ANC	91.6
11	Mothers registered in the first trimester	15,250	71.5	7,755	72.1	ANC Check up in first trimester	75.4
12	Mothers who had at least 3 Ante-Natal care check ups	18,470	86.6	14,761	137.2	3 or more ANC check up	82.2
13	PW who got TT 2 / Booster injection	8,067	37.8	6,537	60.8	At least 1 TT received	89.2
14	PW who consumed 100 IFA tablets	3,054	14.3	5,150	47.9	100 IFA tablets consumed	53.4
15	Home Delivery against expected delivery *	201	2.4	158	1.9	Full ANC	50.0
16	Institutional Delivery against expected delivery *	15,649	190.7	13,467	162.7	Home Delivery	13.5
17	Home Delivery against reported delivery **	201	1.3	158	1.2	Institutional Delivery	85.5
18	Institutional Delivery against reported delivery **	15,649	98.7	13,467	98.8	Home Delivery by SBA	5.4
19	Total reported Deliveries	15,850		13,625		PNC within 14 days of delivery	81.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	30	14.9	53	33.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,555	54.0	7,598	55.8		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	8,108		8,180			
<b>D) Child Immunization :</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	15,890	196.0	13,628	166.6	Breastfed within 1 hour of birth	38.6

24	Total Still Birth	110	1.4	127	1.6	BCG	97.7
25	PC of newborn weighted at birth to live birth	15,873	99.9	13,621	99.9	3 dose of DPT	93
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,029	6.5	1,293	9.5	Measles	88.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	9,803	61.7	8,624	63.3	Full Immunization	79.1
28	Children fully immunized	9,214	113.6	9,294	113.6		
29	Children who have received BCG	10,653	131.4	9,772	119.5		
30	Children who have received DPT1	7,142	88.1	709	8.7		
31	Children who have received DPT3	8,493	104.7	896	11.0		
32	Children who have received Measles	9,594	118.3	9,605	117.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,188		2,115			
<b>Note:</b> In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
<b>E) Family Planning</b>		<b>HMIS (2015-16)</b>	<b>HMIS (2016-17)</b>	<b>DLHS-4 (2012-13)</b>			
34	Number of Vasectomies performed	41	55	Limiting	25.3		
35	Number of Tubectomies performed	307	340	Spacing	28.9		
36	Number of IUD insertion	904	875	Women using any method	22.8		
37	Number of IUD removals	316	328	Women using modern method	12.5		
<b>F) Service delivery</b>		<b>HMIS (2015-16)</b>	<b>HMIS (2016-17)</b>				
38	IPD cases per 10,000 population ***	503	539				
39	General OPD cases per 10,000 population ***	4689	5353				
40	Ayush OPD cases per 10,000 population ***	343	406				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2015-16)</b>	<b>HMIS (2016-17)</b>				
41	Neonatal death within 24 hours	0	4				
42	Up to 1 Weeks of Birth	1	3				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	1	7				
45	Between 1 month and 11 months	2	5				
46	<b>Total reported infant deaths</b>	<b>3</b>	<b>12</b>				
<b>II) Maternal Mortality</b>							
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2015-16)</b>	<b>HMIS (2016-17)</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	2	2				
53	<b>Total reported maternal deaths</b>	<b>2</b>	<b>2</b>				

## Senapati Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	479,148					
2	Sex Ratio	939					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	66					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2015-16</b>		<b>2016-17</b>			
8	Expected number of PW	8,557		8,713			
9	Expected number of Delivery	7,873		8,016			
		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	10,003	116.9	11,147	127.9	Any ANC	63.1
11	Mothers registered in the first trimester	5,223	52.2	5,701	51.1	ANC Check up in first trimester	42.4
12	Mothers who had at least 3 Ante-Natal care check ups	4,499	45.0	5,549	49.8	3 or more ANC check up	47.9
13	PW who got TT 2 / Booster injection	5,585	55.8	6,062	54.4	At least 1 TT received	61.0
14	PW who consumed 100 IFA tablets	4,628	46.3	7,374	66.2	100 IFA tablets consumed	14.1
15	Home Delivery against expected delivery *	3,579	45.5	3,989	49.8	Full ANC	12.8
16	Institutional Delivery against expected delivery *	1,692	21.5	2,033	25.4	Home Delivery	66.6
17	Home Delivery against reported delivery **	3,579	67.9	3,989	66.2	Institutional Delivery	32.6
18	Institutional Delivery against reported delivery **	1,692	32.1	2,033	33.8	Home Delivery by SBA	23.1
19	Total reported Deliveries	5,271		6,022		PNC within 14 days of delivery	78.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,288	63.9	2,783	69.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,914	36.3	2,116	35.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	7,780		7,921			
<b>D) Child Immunization :</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	5,282	67.9	6,008	75.8	Breastfed within 1 hour of birth	47.7

24	Total Still Birth	11	0.1	21	0.3	BCG	87.7
25	PC of newborn weighted at birth to live birth	5,032	95.3	5,598	93.2	3 dose of DPT	66.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	28	0.6	34	0.6	Measles	64.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,035	95.3	5,724	95.3	Full Immunization	47.7
28	Children fully immunized	5,979	76.9	6,508	82.2		
29	Children who have received BCG	6,745	86.7	6,946	87.7		
30	Children who have received DPT1	6,428	82.6	258	3.3		
31	Children who have received DPT3	6,499	83.5	957	12.1		
32	Children who have received Measles	6,184	79.5	6,586	83.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,809		1,960			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	0		0		Limiting	24.3
35	Number of Tubectomies performed	6		15		Spacing	26
36	Number of IUD insertion	421		486		Women using any method	24.4
37	Number of IUD removals	242		280		Women using modern method	9.8
<b>F) Service delivery</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>			
38	IPD cases per 10,000 population ***	102		94			
39	General OPD cases per 10,000 population ***	2145		2359			
40	Ayush OPD cases per 10,000 population ***	139		184			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	3		0			
43	Between 1 week & 4 weeks of birth	2		0			
44	Neonatal Death	5		0			
45	Between 1 month and 11 months	5		2			
46	<b>Total reported infant deaths</b>	10		2			
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	1		0			
53	<b>Total reported maternal deaths</b>	1		0			

## Tamenglong Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	140,651					
2	Sex Ratio	953					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	29					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2015-16</b>		<b>2016-17</b>			
8	Expected number of PW	2,517		2,564			
9	Expected number of Delivery	2,316		2,359			
		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	2,728	108.4	2,613	101.9	Any ANC	60.3
11	Mothers registered in the first trimester	1,393	51.1	1,138	43.6	ANC Check up in first trimester	34.3
12	Mothers who had at least 3 Ante-Natal care check ups	1,378	50.5	1,190	45.5	3 or more ANC check up	41.9
13	PW who got TT 2 / Booster injection	1,134	41.6	1,237	47.3	At least 1 TT received	56.8
14	PW who consumed 100 IFA tablets	1,107	40.6	1,142	43.7	100 IFA tablets consumed	17.1
15	Home Delivery against expected delivery *	579	25.0	562	23.8	Full ANC	13.7
16	Institutional Delivery against expected delivery *	643	27.8	650	27.6	Home Delivery	60.8
17	Home Delivery against reported delivery **	579	47.4	562	46.4	Institutional Delivery	38.7
18	Institutional Delivery against reported delivery **	643	52.6	650	53.6	Home Delivery by SBA	11.6
19	Total reported Deliveries	1,222		1,212		PNC within 14 days of delivery	62.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	218	37.7	151	26.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	173	14.2	149	12.3		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	2,288		2,331			
<b>D) Child Immunization :</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,210	52.9	1,202	51.6	Breastfed within 1 hour of birth	61.2

24	Total Still Birth	12	0.5	14	0.6	BCG	76.3
25	PC of newborn weighted at birth to live birth	1,114	92.1	1,083	90.1	3 dose of DPT	56.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	21	1.9	22	2.0	Measles	54.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,157	95.6	1,130	94.0	Full Immunization	29.7
28	Children fully immunized	1,536	67.1	1,792	76.9		
29	Children who have received BCG	1,857	81.1	2,099	90.0		
30	Children who have received DPT1	1,942	84.9	176	7.5		
31	Children who have received DPT3	1,878	82.1	497	21.3		
32	Children who have received Measles	1,642	71.8	1,915	82.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	805		808			
<b>Note:</b> In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
<b>E) Family Planning</b>		<b>HMIS (2015-16)</b>	<b>HMIS (2016-17)</b>	<b>DLHS-4 (2012-13)</b>			
34	Number of Vasectomies performed	0	0	Limiting		31.6	
35	Number of Tubectomies performed	17	18	Spacing		36.2	
36	Number of IUD insertion	571	608	Women using any method		8	
37	Number of IUD removals	172	158	Women using modern method		4.5	
<b>F) Service delivery</b>		<b>HMIS (2015-16)</b>	<b>HMIS (2016-17)</b>				
38	IPD cases per 10,000 population ***	188	170				
39	General OPD cases per 10,000 population ***	2459	2543				
40	Ayush OPD cases per 10,000 population ***	60	57				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2015-16)</b>	<b>HMIS (2016-17)</b>				
41	Neonatal death within 24 hours	1	0				
42	Up to 1 Weeks of Birth	1	0				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	2	0				
45	Between 1 month and 11 months	6	3				
46	<b>Total reported infant deaths</b>	<b>8</b>	<b>3</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2015-16)</b>	<b>HMIS (2016-17)</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>				



## Thoubal Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	422,168					
2	Sex Ratio	1,006					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	57					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2015-16</b>		<b>2016-17</b>			
8	Expected number of PW	7,259		7,321			
9	Expected number of Delivery	6,678		6,736			
		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	10,584	145.8	8,629	117.9	Any ANC	92.0
11	Mothers registered in the first trimester	6,885	65.1	6,456	74.8	ANC Check up in first trimester	80.1
12	Mothers who had at least 3 Ante-Natal care check ups	4,318	40.8	4,045	46.9	3 or more ANC check up	78.2
13	PW who got TT 2 / Booster injection	4,365	41.2	4,547	52.7	At least 1 TT received	90.8
14	PW who consumed 100 IFA tablets	4,024	38.0	5,231	60.6	100 IFA tablets consumed	46.2
15	Home Delivery against expected delivery *	860	12.9	600	8.9	Full ANC	42.2
16	Institutional Delivery against expected delivery *	2,674	40.0	3,272	48.6	Home Delivery	24.6
17	Home Delivery against reported delivery **	860	24.3	600	15.5	Institutional Delivery	74.2
18	Institutional Delivery against reported delivery **	2,674	75.7	3,272	84.5	Home Delivery by SBA	12.0
19	Total reported Deliveries	3,534		3,872		PNC within 14 days of delivery	75.5
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	494	57.4	435	72.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,465	41.5	1,599	41.3		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	6,599		6,656			
<b>D) Child Immunization :</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	3,523	53.4	3,866	58.1	Breastfed within 1 hour of birth	26.3

24	Total Still Birth	14	0.2	19	0.3	BCG	88.2
25	PC of newborn weighted at birth to live birth	3,462	98.3	3,838	99.3	3 dose of DPT	84
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	61	1.8	66	1.7	Measles	66.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,397	96.4	3,830	99.1	Full Immunization	59.1
28	Children fully immunized	6,877	104.2	7,481	112.4		
29	Children who have received BCG	8,215	124.5	8,233	123.7		
30	Children who have received DPT1	5,375	81.4	307	4.6		
31	Children who have received DPT3	6,642	100.6	389	5.8		
32	Children who have received Measles	7,066	107.1	7,716	115.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,441		3,246			
<b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
<b>E) Family Planning</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	8		0		Limiting	24.5
35	Number of Tubectomies performed	27		0		Spacing	25
36	Number of IUD insertion	569		577		Women using any method	18.6
37	Number of IUD removals	388		189		Women using modern method	10.1
<b>F) Service delivery</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>			
38	IPD cases per 10,000 population ***	252		219			
39	General OPD cases per 10,000 population ***	4875		5061			
40	Ayush OPD cases per 10,000 population ***	486		427			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>			
41	Neonatal death within 24 hours	0		1			
42	Up to 1 Weeks of Birth	0		0			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	0		1			
45	Between 1 month and 11 months	0		1			
46	<b>Total reported infant deaths</b>	0		2			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	<b>Total reported maternal deaths</b>	0		0			

## Ukhrul Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	183,998					
2	Sex Ratio	948					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	40					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2015-16</b>		<b>2016-17</b>			
8	Expected number of PW	3,350		3,427			
9	Expected number of Delivery	3,082		3,153			
		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	3,581	106.9	3,202	93.4	Any ANC	49.0
11	Mothers registered in the first trimester	1,311	36.6	1,208	37.7	ANC Check up in first trimester	25.8
12	Mothers who had at least 3 Ante-Natal care check ups	1,158	32.3	1,164	36.4	3 or more ANC check up	34.2
13	PW who got TT 2 / Booster injection	1,234	34.5	1,171	36.6	At least 1 TT received	46.6
14	PW who consumed 100 IFA tablets	1,011	28.2	1,683	52.6	100 IFA tablets consumed	10.1
15	Home Delivery against expected delivery *	690	22.4	659	20.9	Full ANC	8.5
16	Institutional Delivery against expected delivery *	1,291	41.9	1,137	36.1	Home Delivery	64.2
17	Home Delivery against reported delivery **	690	34.8	659	36.7	Institutional Delivery	32.7
18	Institutional Delivery against reported delivery **	1,291	65.2	1,137	63.3	Home Delivery by SBA	12.4
19	Total reported Deliveries	1,981		1,796		PNC within 14 days of delivery	64.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	325	47.1	298	45.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	437	22.1	675	37.6		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	3,045		3,115			
<b>D) Child Immunization :</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,980	65.0	1,776	57.0	Breastfed within 1 hour of birth	41.5

24	Total Still Birth	14	0.5	20	0.6	BCG	62.1
25	PC of newborn weighted at birth to live birth	1,879	94.9	1,711	96.3	3 dose of DPT	61.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	48	2.6	34	2.0	Measles	42.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,556	78.6	1,605	90.4	Full Immunization	33.8
28	Children fully immunized	1,690	55.5	1,755	56.3		
29	Children who have received BCG	2,270	74.5	2,034	65.3		
30	Children who have received DPT1	2,442	80.2	723	23.2		
31	Children who have received DPT3	2,232	73.3	966	31.0		
32	Children who have received Measles	1,849	60.7	1,834	58.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	480		353			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)
34	Number of Vasectomies performed	3	1	Limiting 26.7
35	Number of Tubectomies performed	43	46	Spacing 33.8
36	Number of IUD insertion	180	135	Women using any method 15.7
37	Number of IUD removals	55	61	Women using modern method 7.2
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)	
38	IPD cases per 10,000 population ***	168	135	
39	General OPD cases per 10,000 population ***	2211	2144	
40	Ayush OPD cases per 10,000 population ***	90	155	
G) Mortality Details				
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)	
41	Neonatal death within 24 hours	1	0	
42	Up to 1 Weeks of Birth	0	0	
43	Between 1 week & 4 weeks of birth	0	0	
44	Neonatal Death	1	0	
45	Between 1 month and 11 months	5	3	
46	<b>Total reported infant deaths</b>	<b>6</b>	<b>3</b>	
II)	Maternal Mortality			
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)	
47	Due to Abortion	0	0	
48	Due to Obstructed/prolonged labour	1	1	
49	Due to Severe hypertension/fits	0	0	
50	Due to Bleeding	1	1	
51	Due to High fever	0	0	
52	Due to Other Causes (including causes not known)	0	0	
53	<b>Total reported maternal deaths</b>	<b>2</b>	<b>2</b>	