

ASSAM Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)		SL No	C) State Health Indicator (SRS 2014)			
1	Population 2011	31,169,272	9	Birth Rate		22.4	
2	Sex Ratio	954	10	Death Rate		7.8	
3	Number of districts	27	11	IMR		54	
B) Infrastructure Details (RHS 2015)			12	Growth Rate		14.5	
4	Sub Centres (SC)	4,621	13	TFR (SRS - 2007)		2.4	
5	Primary Health Centres (PHC)	1,024	14	MMR(SRS 2011-13)		300	
6	Community Health Centres (CHC)	151					
7	SDH	13					
8	DH	25					
D) Maternal Health:		2015-16	2016-17				
15	Expected number of PW	822,313	836,235				
16	Expected number of Delivery	766,246	779,219				
		HMIS (2015-16)	HMIS (2016-17)		AHS (2012-13)		
		Number	PC	Number	PC		PC
17	PW register for ANC	740,777	90.1	732,966	87.7	Any ANC	94.8
18	Mothers registered in the first trimester	596,803	80.6	609,180	83.1	ANC Check up in first trimester	54.8
19	Mothers who had at least 3 Ante-Natal care check ups	644,303	87.0	638,519	87.1	3 or more ANC check up	66.2
20	PW who got TT 2 / Booster injection	672,592	90.8	665,080	90.7	Atleast 1 TT received	94.5
21	PW who consumed 100 IFA tablets	669,135	90.3	742,310	101.3	100 IFA tablets consumed	23.1
22	Home Delivery against expected delivery *	88,672	11.6	83,802	10.8	Full ANC	18.4
23	Institutional Delivery against expected delivery *	538,303	70.3	537,448	69.0	Home Delivery	33.6
24	Home Delivery against reported delivery **	88,672	14.1	83,802	13.5	Institutional Delivery	65.9
25	Institutional Delivery against reported delivery **	538,303	85.9	537,448	86.5	Home Delivery by SBA	29.2
26	Total reported Deliveries	626,975	81.8	621,250	79.7	PNC within 14 days of delivery	69.4
27	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	20,316	22.9	22,893	27.3		
28	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	455,171	72.6	454,402	73.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
29	Expected number of Live Birth	747,557	760,213				
E) Child Immunization :		HMIS (2015-16)	HMIS (2016-17)		AHS (2012-13)		
		Number	PC	Number	PC		PC

30	Total reported live births	613,648	82.1	610,290	80.3	Breastfeed within 1 hour of birth	75.6
31	Total Still Birth	13,238	1.8	13,214	1.7	BCG	94.1
32	Newborn weighted at birth to live birth	601,998	98.1	605,862	99.3	3 dose of DPT	77.6
33	Newborn having weight less than 2.5 kg to newborn weighted at birth.	100,506	16.4	101,924	16.8	Measles	80.9
34	Newborns breast feed within 1 hour to total reported live birth.	584,098	95.2	589,600	96.6	Full Immunization	64.4
35	Fully immunized	609,102	81.5	636,569	83.7		
36	Children who have received BCG	624,890	83.6	674,767	88.8		
37	Children who have received DPT1	13,897	1.9	4,247	0.6		
38	Children who have received DPT3	94,810	12.7	2,812	0.4		
39	Children who have received Measles	615,814	82.4	640,937	84.3		
40	Diarrhoea and Dehydration reported in children below 5 years of age	89,708		89,631			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

F) Family Planning		HMIS (2015-16)	HMIS (2016-17)	AHS (2012-13)	
41	Number of Vasectomies performed	4,116	4,404	Limiting	6.5
42	Number of Tubectomies performed	43,376	41,830	Spacing	6.6
43	Number of IUD insertion	86,159	115,421	Women using any method	67.2
44	Number of IUDremovals	11,971	13,094	Women using modern method	38.1
G) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
45	IPD cases per 10,000 population ***	337	352		
46	General OPD cases per 10,000 population ***	8,391	9,311		
47	Ayush OPD cases per 10,000 population ***	226	385		
H) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
48	Neonatal death within 24 hours	165	147		
49	Up to 1 Weeks of Birth	2,814	3,231		
50	Between 1 week & 4 weeks of birth	116	223		
51	Neonatal Death	3,095	3,601		
52	Between 1 month and 11 months	1,529	1,884		
53	Total reported infant deaths	4,624	5,485		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
54	Due to Abortion	12	8		
55	Due to Obstructed/prolonged labour	22	25		
56	Due to Severe hypertesnion/fits	56	75		
57	Due to Bleeding	85	72		
58	Due to High fever	8	16		
59	Due to Other Causes (including causes not known)	419	438		
60	Total reported maternal deaths	602	634		

Baksa Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	953,773					
2	Sex Ratio	967					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	157					
4	Primary Health Centers (PHC)	41					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	24,473		24,747			
9	Expected number of Delivery	22,805		23,060			
		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	17,754	72.5	17,582	71.0	Any ANC	NA
11	Mothers registered in the first trimester	14,819	83.5	15,048	85.6	ANC Check up in first trimester	NA
12	Mothers who had at least 3 Ante-Natal care check ups	15,628	88.0	15,025	85.5	3 or more ANC check up	NA
13	PW who got TT 2 / Booster injection	15,626	88.0	15,810	89.9	Atleast 1 TT received	NA
14	PW who consumed 100 IFA tablets	16,297	91.8	19,210	109.3	100 IFA tablets consumed	NA
15	Home Delivery against expected delivery *	999	4.4	959	4.2	Full ANC	NA
16	Institutional Delivery against expected delivery *	9,685	42.5	9,005	39.1	Home Delivery	NA
17	Home Delivery against reported delivery **	999	9.4	959	9.6	Institutional Delivery	NA
18	Institutional Delivery against reported delivery **	9,685	90.6	9,005	90.4	Home Delivery by SBA	NA
19	Total reported Deliveries	10,684		9,964		PNC within 1 week of delivery	NA
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	74	7.4	295	30.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,076	94.3	10,952	109.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	22,249		22,497			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
23	Total reported live births	10,493	47.2	9,840	43.7	Breastfed within 1 hour of birth	NA
24	Total Still Birth	191	0.9	196	0.9	BCG	NA

25	PC of newborn weighted at birth to live birth	10,516	100.2	9,857	100.2	3 dose of DPT	NA
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,362	13.0	1,426	14.5	Measles	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	10,447	99.6	9,815	99.7	Full Immunization	NA
28	Children fully immunized	14,910	67.0	16,003	71.1		
29	Children who have received BCG	13,227	59.5	13,770	61.2		
30	Children who have received DPT1	241	1.1	35	0.2		
31	Children who have received DPT3	2,713	12.2	25	0.1		
32	Children who have received Measles	14,936	67.1	15,994	71.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,627		1,906			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	AHS (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	NA
35	Number of Tubectomies performed	499	781	Spacing	NA
36	Number of IUD insertion	1,461	1,615	Women using any method	NA
37	Number of IUD removals	342	279	Women using modern method	NA
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	141	145		
39	General OPD cases per 10,000 population ***	6,214	6,535		
40	Ayush OPD cases per 10,000 population ***	578	1066.5		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	10	4		
42	Up to 1 Weeks of Birth	42	55		
43	Between 1 week & 4 weeks of birth	3	2		
44	Neonatal Death	55	61		
45	Between 1 month and 11 months	73	66		
46	Total reported infant deaths	128	127		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	1	0		
49	Due to Severe hypertension / fits	0	0		
50	Due to Bleeding	1	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	7	1		
53	Total reported maternal deaths	9	1		

Barpeta Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,693,190					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	264					
4	Primary Health Centers (PHC)	51					
5	Community Health Centers (CHC)	6					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	45,419		46,391			
9	Expected number of Delivery	42,323		43,228			
		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	42,033	92.5	42,061	90.7	Any ANC	94.0
11	Mothers registered in the first trimester	34,931	83.1	35,600	84.6	ANC Check up in first trimester	35.7
12	Mothers who had at least 3 Ante-Natal care check ups	38,697	92.1	38,632	91.8	3 or more ANC check up	55.6
13	PW who got TT 2 / Booster injection	37,046	88.1	38,384	91.3	Atleast 1 TT received	94.0
14	PW who consumed 100 IFA tablets	37,198	88.5	41,156	97.8	100 IFA tablets consumed	18.9
15	Home Delivery against expected delivery *	9,854	23.3	9,391	21.7	Full ANC	14.0
16	Institutional Delivery against expected delivery *	26,783	63.3	28,307	65.5	Home Delivery	47.4
17	Home Delivery against reported delivery **	9,854	26.9	9,391	24.9	Institutional Delivery	52.3
18	Institutional Delivery against reported delivery **	26,783	73.1	28,307	75.1	Home Delivery by SBA	19.8
19	Total reported Deliveries	36,637		37,698		PNC within 1 week of delivery	56.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3,461	35.1	6,483	69.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	25,828	70.5	25,605	67.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	41,290		42,174			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
23	Total reported live births	35,965	87.1	36,991	87.7	Breastfed within 1 hour of birth	78.9
24	Total Still Birth	968	2.3	1,047	2.5	BCG	93.5

25	PC of newborn weighted at birth to live birth	35,860	99.7	36,957	99.9	3 dose of DPT	78.5
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	6,536	18.2	7,575	20.5	Measles	76.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	34,536	96.0	35,591	96.2	Full Immunization	62.1
28	Children fully immunized	35,908	87.0	38,219	90.6		
29	Children who have received BCG	36,016	87.2	40,329	95.6		
30	Children who have received DPT1	576	1.4	2	0.0		
31	Children who have received DPT3	5,345	12.9	0	0.0		
32	Children who have received Measles	36,395	88.1	38,464	91.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,953		1,519			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
34	Number of Vasectomies performed	54		263		Limiting	5.2
35	Number of Tubectomies performed	1,207		1,279		Spacing	7.2
36	Number of IUD insertion	4,045		4,815		Women using any method	74.1
37	Number of IUD removals	249		84		Women using modern method	39
F) Service delivery		HMIS (2015-16)		HMIS (2016-17)			
38	IPD cases per 10,000 population ***	190		268			
39	General OPD cases per 10,000 population ***	6,244		7,360			
40	Ayush OPD cases per 10,000 population ***	38		101.4			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2015-16)		HMIS (2016-17)			
41	Neonatal death within 24 hours	16		8			
42	Up to 1 Weeks of Birth	479		219			
43	Between 1 week & 4 weeks of birth	37		8			
44	Neonatal Death	532		235			
45	Between 1 month and 11 months	82		57			
46	Total reported infant deaths	614		292			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2015-16)		HMIS (2016-17)			
47	Due to Abortion	3		0			
48	Due to Obstructed/prolonged labour	3		0			
49	Due to Severe hypertension / fits	10		7			
50	Due to Bleeding	9		2			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	42		16			
53	Total reported maternal deaths	67		25			

Bongaigaon Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	732,639					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	84					
4	Primary Health Centers (PHC)	30					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	19,672		20,057			
9	Expected number of Delivery	18,331		18,690			
		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	16,769	85.2	16,485	82.2	Any ANC	92.6
11	Mothers registered in the first trimester	13,442	80.2	14,867	90.2	ANC Check up in first trimester	43.7
12	Mothers who had at least 3 Ante-Natal care check ups	14,077	83.9	14,098	85.5	3 or more ANC check up	59.5
13	PW who got TT 2 / Booster injection	15,067	89.9	15,180	92.1	Atleast 1 TT received	92.5
14	PW who consumed 100 IFA tablets	13,776	82.2	13,855	84.0	100 IFA tablets consumed	21.1
15	Home Delivery against expected delivery *	3,376	18.4	2,152	11.5	Full ANC	16.3
16	Institutional Delivery against expected delivery *	12,196	66.5	13,531	72.4	Home Delivery	45.1
17	Home Delivery against reported delivery **	3,376	21.7	2,152	13.7	Institutional Delivery	54.8
18	Institutional Delivery against reported delivery **	12,196	78.3	13,531	86.3	Home Delivery by SBA	34.8
19	Total reported Deliveries	15,572		15,683		PNC within 1 week of delivery	55.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	205	6.1	191	8.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	16,466	105.7	15,566	99.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	17,884		18,234			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
23	Total reported live births	15,402	86.1	15,489	84.9	Breastfed within 1 hour of birth	72.8
24	Total Still Birth	299	1.7	305	1.7	BCG	94.3

25	PC of newborn weighted at birth to live birth	15,399	100.0	15,501	100.1	3 dose of DPT	66.6
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,109	13.7	2,278	14.7	Measles	79.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	15,192	98.6	15,048	97.2	Full Immunization	52.4
28	Children fully immunized	14,228	79.6	14,991	82.2		
29	Children who have received BCG	16,333	91.3	17,127	93.9		
30	Children who have received DPT1	669	3.7	3	0.0		
31	Children who have received DPT3	3,620	20.2	8	0.0		
32	Children who have received Measles	14,316	80.0	15,027	82.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	502		427			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	AHS (2012-13)	
34	Number of Vasectomies performed	29	47	Limiting	5.2
35	Number of Tubectomies performed	364	765	Spacing	6.6
36	Number of IUD insertion	2,309	3,434	Women using any method	70.5
37	Number of IUD removals	98	199	Women using modern method	35.7
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	150	201		
39	General OPD cases per 10,000 population ***	8,123	8,323		
40	Ayush OPD cases per 10,000 population ***	27	75.6		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	7	19		
42	Up to 1 Weeks of Birth	213	204		
43	Between 1 week & 4 weeks of birth	10	7		
44	Neonatal Death	230	230		
45	Between 1 month and 11 months	89	134		
46	Total reported infant deaths	319	364		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	1	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension / fits	1	1		
50	Due to Bleeding	3	4		
51	Due to High fever	1	0		
52	Due to Other Causes (including causes not known)	17	17		
53	Total reported maternal deaths	23	22		

Cachar Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,736,319					
2	Sex Ratio	958					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	270					
4	Primary Health Centers (PHC)	33					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	46,348		47,283			
9	Expected number of Delivery	43,188		44,059			
		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	43,671	94.2	40,070	84.7	Any ANC	95.6
11	Mothers registered in the first trimester	35,841	82.1	35,189	87.8	ANC Check up in first trimester	57.8
12	Mothers who had at least 3 Ante-Natal care check ups	38,837	88.9	39,025	97.4	3 or more ANC check up	66.5
13	PW who got TT 2 / Booster injection	40,051	91.7	39,306	98.1	Atleast 1 TT received	95.3
14	PW who consumed 100 IFA tablets	40,816	93.5	39,988	99.8	100 IFA tablets consumed	21.5
15	Home Delivery against expected delivery *	3,900	9.0	2,691	6.1	Full ANC	17.8
16	Institutional Delivery against expected delivery *	37,041	85.8	39,072	88.7	Home Delivery	34.9
17	Home Delivery against reported delivery **	3,900	9.5	2,691	6.4	Institutional Delivery	64.8
18	Institutional Delivery against reported delivery **	37,041	90.5	39,072	93.6	Home Delivery by SBA	35.7
19	Total reported Deliveries	40,941		41,763		PNC within 1 week of delivery	69.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,959	50.2	1,418	52.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	23,532	57.5	21,804	52.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	42,135		42,985			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
23	Total reported live births	40,707	96.6	40,960	95.3	Breastfed within 1 hour of birth	63.3
24	Total Still Birth	1,154	2.7	1,170	2.7	BCG	94.2

25	PC of newborn weighted at birth to live birth	38,795	95.3	40,718	99.4	3 dose of DPT	77.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	8,624	22.2	5,710	14.0	Measles	80.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	34,755	85.4	36,528	89.2	Full Immunization	64.5
28	Children fully immunized	37,689	89.4	40,120	93.3		
29	Children who have received BCG	40,817	96.9	44,468	103.5		
30	Children who have received DPT1	2,412	5.7	812	1.9		
31	Children who have received DPT3	7,806	18.5	648	1.5		
32	Children who have received Measles	37,480	89.0	40,339	93.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,629		4,176			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
34	Number of Vasectomies performed	137		165		Limiting	8.8
35	Number of Tubectomies performed	3,140		3,018		Spacing	9.4
36	Number of IUD insertion	2,562		3,492		Women using any method	57
37	Number of IUD removals	378		208		Women using modern method	31.9
F) Service delivery		HMIS (2015-16)		HMIS (2016-17)			
38	IPD cases per 10,000 population ***	412		438			
39	General OPD cases per 10,000 population ***	6,508		8,014			
40	Ayush OPD cases per 10,000 population ***	9		9.1			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2015-16)		HMIS (2016-17)			
41	Neonatal death within 24 hours	8		11			
42	Up to 1 Weeks of Birth	167		151			
43	Between 1 week & 4 weeks of birth	1		1			
44	Neonatal Death	176		163			
45	Between 1 month and 11 months	164		111			
46	Total reported infant deaths	340		274			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2015-16)		HMIS (2016-17)			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	1		0			
49	Due to Severe hypertension / fits	8		1			
50	Due to Bleeding	5		2			
51	Due to High fever	0		1			
52	Due to Other Causes (including causes not known)	40		21			
53	Total reported maternal deaths	54		25			

Chirang Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	481,818					
2	Sex Ratio	969					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	86					
4	Primary Health Centers (PHC)	25					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	12,425		12,565			
9	Expected number of Delivery	11,578		11,708			
		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	10,624	85.5	10,600	84.4	Any ANC	NA
11	Mothers registered in the first trimester	8,286	78.0	8,368	78.9	ANC Check up in first trimester	NA
12	Mothers who had at least 3 Ante-Natal care check ups	8,502	80.0	8,365	78.9	3 or more ANC check up	NA
13	PW who got TT 2 / Booster injection	9,715	91.4	9,620	90.8	Atleast 1 TT received	NA
14	PW who consumed 100 IFA tablets	10,439	98.3	10,807	102.0	100 IFA tablets consumed	NA
15	Home Delivery against expected delivery *	1,846	15.9	1,675	14.3	Full ANC	NA
16	Institutional Delivery against expected delivery *	5,943	51.3	5,574	47.6	Home Delivery	NA
17	Home Delivery against reported delivery **	1,846	23.7	1,675	23.1	Institutional Delivery	NA
18	Institutional Delivery against reported delivery **	5,943	76.3	5,574	76.9	Home Delivery by SBA	NA
19	Total reported Deliveries	7,789		7,249		PNC within 1 week of delivery	NA
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	324	17.6	252	15.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,135	53.1	4,467	61.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	11,295		11,422			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
23	Total reported live births	7,747	68.6	7,177	62.8	Breastfed within 1 hour of birth	NA
24	Total Still Birth	72	0.6	110	1.0	BCG	NA

25	PC of newborn weighted at birth to live birth	7,710	99.5	7,174	100.0	3 dose of DPT	NA
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,090	14.1	1,223	17.0	Measles	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	7,675	99.1	7,101	98.9	Full Immunization	NA
28	Children fully immunized	8,779	77.7	9,156	80.2		
29	Children who have received BCG	9,128	80.8	9,204	80.6		
30	Children who have received DPT1	152	1.3	98	0.9		
31	Children who have received DPT3	1,749	15.5	96	0.8		
32	Children who have received Measles	8,871	78.5	9,251	81.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,719		1,396			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
34	Number of Vasectomies performed	0		0		Limiting	NA
35	Number of Tubectomies performed	0		168		Spacing	NA
36	Number of IUD insertion	1,385		1,610		Women using any method	NA
37	Number of IUD removals	322		289		Women using modern method	NA
F) Service delivery		HMIS (2015-16)		HMIS (2016-17)			
38	IPD cases per 10,000 population ***	24		37			
39	General OPD cases per 10,000 population ***	6,829		6,952			
40	Ayush OPD cases per 10,000 population ***	337		1014.5			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2015-16)		HMIS (2016-17)			
41	Neonatal death within 24 hours	3		1			
42	Up to 1 Weeks of Birth	12		17			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	15		18			
45	Between 1 month and 11 months	52		85			
46	Total reported infant deaths	67		103			
II)	Maternal Mortality	HMIS (2015-16)		HMIS (2016-17)			
	Maternal Deaths (In Numbers)	HMIS (2015-16)		HMIS (2016-17)			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension / fits	0		0			
50	Due to Bleeding	0		1			
51	Due to High fever	1		1			
52	Due to Other Causes (including causes not known)	1		0			
53	Total reported maternal deaths	2		2			

Darrang Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	908,090					
2	Sex Ratio	923					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	163					
4	Primary Health Centers (PHC)	30					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	24,717		25,199			
9	Expected number of Delivery	23,031		23,481			
		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	22,908	92.7	23,814	94.5	Any ANC	91.3
11	Mothers registered in the first trimester	16,681	72.8	19,754	83.0	ANC Check up in first trimester	39.9
12	Mothers who had at least 3 Ante-Natal care check ups	20,331	88.8	21,530	90.4	3 or more ANC check up	51.9
13	PW who got TT 2 / Booster injection	21,194	92.5	22,880	96.1	Atleast 1 TT received	91.3
14	PW who consumed 100 IFA tablets	20,619	90.0	24,907	104.6	100 IFA tablets consumed	29.4
15	Home Delivery against expected delivery *	2,999	13.0	2,860	12.2	Full ANC	17.1
16	Institutional Delivery against expected delivery *	14,633	63.5	14,732	62.7	Home Delivery	36.6
17	Home Delivery against reported delivery **	2,999	17.0	2,860	16.3	Institutional Delivery	63.0
18	Institutional Delivery against reported delivery **	14,633	83.0	14,732	83.7	Home Delivery by SBA	24.0
19	Total reported Deliveries	17,632		17,592		PNC within 1 week of delivery	66.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	823	27.4	1,095	38.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,511	71.0	11,497	65.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	22,470		22,908			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
23	Total reported live births	17,334	77.1	17,369	75.8	Breastfed within 1 hour of birth	73.6
24	Total Still Birth	317	1.4	298	1.3	BCG	93.2

25	PC of newborn weighted at birth to live birth	16,742	96.6	17,020	98.0	3 dose of DPT	70.8
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,705	16.2	2,701	15.9	Measles	71.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	16,721	96.5	16,621	95.7	Full Immunization	56.4
28	Children fully immunized	19,642	87.4	19,839	86.6		
29	Children who have received BCG	16,300	72.5	17,394	75.9		
30	Children who have received DPT1	139	0.6	88	0.4		
31	Children who have received DPT3	2,517	11.2	49	0.2		
32	Children who have received Measles	19,801	88.1	19,901	86.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	5,558		4,721			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
34	Number of Vasectomies performed	31		206		Limiting	6.2
35	Number of Tubectomies performed	1,179		1,633		Spacing	8.2
36	Number of IUD insertion	2,734		7,632		Women using any method	68
37	Number of IUD removals	576		538		Women using modern method	37.3
F) Service delivery		HMIS (2015-16)		HMIS (2016-17)			
38	IPD cases per 10,000 population ***	378		344			
39	General OPD cases per 10,000 population ***	6,895		7,621			
40	Ayush OPD cases per 10,000 population ***	177		147.9			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2015-16)		HMIS (2016-17)			
41	Neonatal death within 24 hours	2		1			
42	Up to 1 Weeks of Birth	60		40			
43	Between 1 week & 4 weeks of birth	2		6			
44	Neonatal Death	64		47			
45	Between 1 month and 11 months	29		33			
46	Total reported infant deaths	93		80			
II)	Maternal Mortality	HMIS (2015-16)		HMIS (2016-17)			
	Maternal Deaths (In Numbers)	HMIS (2015-16)		HMIS (2016-17)			
47	Due to Abortion	1		0			
48	Due to Obstructed/prolonged labour	1		1			
49	Due to Severe hypertension / fits	5		1			
50	Due to Bleeding	1		0			
51	Due to High fever	0		1			
52	Due to Other Causes (including causes not known)	3		6			
53	Total reported maternal deaths	11		9			

Dhemaji Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	688,077					
2	Sex Ratio	949					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	98					
4	Primary Health Centers (PHC)	22					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	18,321		18,693			
9	Expected number of Delivery	17,072		17,419			
		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	15,441	84.3	14,705	78.7	Any ANC	94.9
11	Mothers registered in the first trimester	12,852	83.2	13,181	89.6	ANC Check up in first trimester	60.8
12	Mothers who had at least 3 Ante-Natal care check ups	13,989	90.6	13,223	89.9	3 or more ANC check up	66.9
13	PW who got TT 2 / Booster injection	13,901	90.0	13,622	92.6	Atleast 1 TT received	94.7
14	PW who consumed 100 IFA tablets	13,704	88.8	14,992	102.0	100 IFA tablets consumed	14.4
15	Home Delivery against expected delivery *	109	0.6	94	0.5	Full ANC	11.0
16	Institutional Delivery against expected delivery *	17,177	100.6	15,649	89.8	Home Delivery	27.1
17	Home Delivery against reported delivery **	109	0.6	94	0.6	Institutional Delivery	72.3
18	Institutional Delivery against reported delivery **	17,177	99.4	15,649	99.4	Home Delivery by SBA	24.9
19	Total reported Deliveries	17,286		15,743		PNC within 1 week of delivery	70.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	55	50.5	53	56.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,674	73.3	11,684	74.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	16,656		16,994			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
23	Total reported live births	17,091	102.6	15,526	91.4	Breastfed within 1 hour of birth	82.9
24	Total Still Birth	355	2.1	294	1.7	BCG	91.5

25	PC of newborn weighted at birth to live birth	16,953	99.2	15,344	98.8	3 dose of DPT	78
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,731	10.2	1,849	12.1	Measles	77.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	15,754	92.2	14,755	95.0	Full Immunization	66.6
28	Children fully immunized	13,641	81.9	13,397	78.8		
29	Children who have received BCG	15,055	90.4	13,783	81.1		
30	Children who have received DPT1	22	0.1	3	0.0		
31	Children who have received DPT3	1,193	7.2	15	0.1		
32	Children who have received Measles	13,746	82.5	13,481	79.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	4,068		3,790			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	AHS (2012-13)	
34	Number of Vasectomies performed	3	12	Limiting	6.1
35	Number of Tubectomies performed	1,725	1,821	Spacing	6.1
36	Number of IUD insertion	5,217	6,020	Women using any method	75.2
37	Number of IUD removals	1,055	1,179	Women using modern method	34.7
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	227	234		
39	General OPD cases per 10,000 population ***	7,499	7,796		
40	Ayush OPD cases per 10,000 population ***	551	854.0		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	2	0		
42	Up to 1 Weeks of Birth	169	118		
43	Between 1 week & 4 weeks of birth	4	11		
44	Neonatal Death	175	129		
45	Between 1 month and 11 months	65	84		
46	Total reported infant deaths	240	213		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	1	0		
48	Due to Obstructed/prolonged labour	0	1		
49	Due to Severe hypertension / fits	0	1		
50	Due to Bleeding	3	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	14	10		
53	Total reported maternal deaths	18	12		

Dhubri Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,948,632					
2	Sex Ratio	952					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	246					
4	Primary Health Centers (PHC)	44					
5	Community Health Centers (CHC)	8					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	52,892		54,182			
9	Expected number of Delivery	49,286		50,488			
		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	60,158	113.7	59,449	109.7	Any ANC	88.7
11	Mothers registered in the first trimester	42,887	71.3	45,748	77.0	ANC Check up in first trimester	33.4
12	Mothers who had at least 3 Ante-Natal care check ups	52,118	86.6	51,305	86.3	3 or more ANC check up	39.7
13	PW who got TT 2 / Booster injection	53,966	89.7	52,762	88.8	Atleast 1 TT received	88.6
14	PW who consumed 100 IFA tablets	51,903	86.3	54,578	91.8	100 IFA tablets consumed	14.3
15	Home Delivery against expected delivery *	22,873	46.4	24,031	47.6	Full ANC	7.6
16	Institutional Delivery against expected delivery *	25,871	52.5	27,244	54.0	Home Delivery	57.3
17	Home Delivery against reported delivery **	22,873	46.9	24,031	46.9	Institutional Delivery	42.4
18	Institutional Delivery against reported delivery **	25,871	53.1	27,244	53.1	Home Delivery by SBA	23.0
19	Total reported Deliveries	48,744		51,275		PNC within 1 week of delivery	52.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4,739	20.7	4,260	17.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	33,159	68.0	34,321	66.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	48,083		49,257			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
23	Total reported live births	47,516	98.8	50,763	103.1	Breastfed within 1 hour of birth	65.5
24	Total Still Birth	1,079	2.2	945	1.9	BCG	89.9

25	PC of newborn weighted at birth to live birth	47,346	99.6	50,452	99.4	3 dose of DPT	69.4
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	8,196	17.3	7,608	15.1	Measles	62.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	46,792	98.5	49,630	97.8	Full Immunization	48.7
28	Children fully immunized	45,728	95.1	49,647	100.8		
29	Children who have received BCG	50,970	106.0	55,768	113.2		
30	Children who have received DPT1	610	1.3	292	0.6		
31	Children who have received DPT3	9,742	20.3	134	0.3		
32	Children who have received Measles	45,888	95.4	49,845	101.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	5,959		6,661			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	AHS (2012-13)			
34	Number of Vasectomies performed	9	33	Limiting	7		
35	Number of Tubectomies performed	835	980	Spacing	11.8		
36	Number of IUD insertion	8,762	11,453	Women using any method	49.6		
37	Number of IUD removals	531	622	Women using modern method	34		
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)				
38	IPD cases per 10,000 population ***	294	304				
39	General OPD cases per 10,000 population ***	8,282	7,764				
40	Ayush OPD cases per 10,000 population ***	366	1010.3				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)				
41	Neonatal death within 24 hours	8	15				
42	Up to 1 Weeks of Birth	83	131				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	91	146				
45	Between 1 month and 11 months	45	60				
46	Total reported infant deaths	136	206				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	2				
49	Due to Severe hypertension / fits	1	9				
50	Due to Bleeding	5	8				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	22	29				
53	Total reported maternal deaths	28	48				

Dibrugarh Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,327,748					
2	Sex Ratio	952					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	231					
4	Primary Health Centers (PHC)	30					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	34,283		34,696			
9	Expected number of Delivery	31,946		32,331			
		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	23,710	69.2	25,716	74.1	Any ANC	97.3
11	Mothers registered in the first trimester	20,137	84.9	21,383	83.2	ANC Check up in first trimester	68.0
12	Mothers who had at least 3 Ante-Natal care check ups	21,561	90.9	22,620	88.0	3 or more ANC check up	84.8
13	PW who got TT 2 / Booster injection	21,596	91.1	22,907	89.1	Atleast 1 TT received	97.2
14	PW who consumed 100 IFA tablets	22,679	95.7	27,530	107.1	100 IFA tablets consumed	32.8
15	Home Delivery against expected delivery *	133	0.4	80	0.2	Full ANC	29.3
16	Institutional Delivery against expected delivery *	25,210	78.9	23,682	73.2	Home Delivery	18.6
17	Home Delivery against reported delivery **	133	0.5	80	0.3	Institutional Delivery	81.2
18	Institutional Delivery against reported delivery **	25,210	99.5	23,682	99.7	Home Delivery by SBA	36.4
19	Total reported Deliveries	25,343		23,762		PNC within 1 week of delivery	84.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	44	33.1	28	35.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	16,393	64.7	18,145	76.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	31,167		31,542			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
23	Total reported live births	24,977	80.1	23,333	74.0	Breastfed within 1 hour of birth	81.4
24	Total Still Birth	534	1.7	617	2.0	BCG	97.5

25	PC of newborn weighted at birth to live birth	24,950	99.9	23,321	99.9	3 dose of DPT	88
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,169	20.7	5,209	22.3	Measles	93.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	23,665	94.7	23,037	98.7	Full Immunization	82.3
28	Children fully immunized	21,294	68.3	21,155	67.1		
29	Children who have received BCG	23,087	74.1	22,732	72.1		
30	Children who have received DPT1	96	0.3	11	0.0		
31	Children who have received DPT3	2,159	6.9	8	0.0		
32	Children who have received Measles	21,267	68.2	21,187	67.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,536		4,930			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
34	Number of Vasectomies performed	197		211		Limiting	9.2
35	Number of Tubectomies performed	4,528		2,503		Spacing	6
36	Number of IUD insertion	3,433		4,066		Women using any method	65.1
37	Number of IUD removals	550		625		Women using modern method	43.9
F) Service delivery		HMIS (2015-16)		HMIS (2016-17)			
38	IPD cases per 10,000 population ***	619		711			
39	General OPD cases per 10,000 population ***	14,099		16,461			
40	Ayush OPD cases per 10,000 population ***	156		184.9			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2015-16)		HMIS (2016-17)			
41	Neonatal death within 24 hours	6		2			
42	Up to 1 Weeks of Birth	54		114			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	60		116			
45	Between 1 month and 11 months	22		52			
46	Total reported infant deaths	82		168			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2015-16)		HMIS (2016-17)			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	1		0			
49	Due to Severe hypertension / fits	1		3			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	10		0			
53	Total reported maternal deaths	12		3			

Goalpara Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,008,959					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	151					
4	Primary Health Centers (PHC)	41					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	27,179		27,798			
9	Expected number of Delivery	25,326		25,902			
		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	29,015	106.8	28,301	101.8	Any ANC	94.8
11	Mothers registered in the first trimester	23,902	82.4	24,607	86.9	ANC Check up in first trimester	40.8
12	Mothers who had at least 3 Ante-Natal care check ups	25,523	88.0	24,892	88.0	3 or more ANC check up	65.4
13	PW who got TT 2 / Booster injection	26,785	92.3	26,147	92.4	Atleast 1 TT received	94.8
14	PW who consumed 100 IFA tablets	26,032	89.7	30,435	107.5	100 IFA tablets consumed	18.0
15	Home Delivery against expected delivery *	2,492	9.8	2,112	8.2	Full ANC	14.6
16	Institutional Delivery against expected delivery *	21,644	85.5	22,270	86.0	Home Delivery	44.2
17	Home Delivery against reported delivery **	2,492	10.3	2,112	102.1	Institutional Delivery	55.6
18	Institutional Delivery against reported delivery **	21,644	89.7	22,270	91.3	Home Delivery by SBA	36.0
19	Total reported Deliveries	24,136		24,382		PNC within 1 week of delivery	55.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	976	39.2	1,008	47.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	16,927	70.1	15,533	63.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	24,709		25,270			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
23	Total reported live births	23,908	96.8	24,929	98.6	Breastfed within 1 hour of birth	79.8
24	Total Still Birth	449	1.8	494	2.0	BCG	91.8

25	PC of newborn weighted at birth to live birth	23,779	99.5	24,879	99.8	3 dose of DPT	58.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	4,404	18.5	4,206	16.9	Measles	72.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	23,470	98.2	23,917	95.9	Full Immunization	46.6
28	Children fully immunized	23,098	93.5	24,271	96.0		
29	Children who have received BCG	24,191	97.9	26,750	105.9		
30	Children who have received DPT1	351	1.4	124	0.5		
31	Children who have received DPT3	4,220	17.1	67	0.3		
32	Children who have received Measles	23,368	94.6	24,346	96.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,708		1,693			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	AHS (2012-13)			
34	Number of Vasectomies performed	8	74	Limiting	6.1		
35	Number of Tubectomies performed	956	1,345	Spacing	6.6		
36	Number of IUD insertion	2,860	4,284	Women using any method	72.4		
37	Number of IUD removals	484	493	Women using modern method	45		
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)				
38	IPD cases per 10,000 population ***	289	275				
39	General OPD cases per 10,000 population ***	7,972	9,383				
40	Ayush OPD cases per 10,000 population ***	1,268	1369.0				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)				
41	Neonatal death within 24 hours	19	6				
42	Up to 1 Weeks of Birth	206	168				
43	Between 1 week & 4 weeks of birth	11	2				
44	Neonatal Death	236	176				
45	Between 1 month and 11 months	91	130				
46	Total reported infant deaths	327	306				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	1				
49	Due to Severe hypertension / fits	2	3				
50	Due to Bleeding	6	2				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	16	8				
53	Total reported maternal deaths	24	14				

Golaghat Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,058,674					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	144					
4	Primary Health Centers (PHC)	40					
5	Community Health Centers (CHC)	4					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	27,560		27,887			
9	Expected number of Delivery	25,681		25,986			
		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	19,350	70.2	19,577	70.2	Any ANC	96.1
11	Mothers registered in the first trimester	16,463	85.1	16,728	85.4	ANC Check up in first trimester	65.9
12	Mothers who had at least 3 Ante-Natal care check ups	17,029	88.0	16,627	84.9	3 or more ANC check up	75.0
13	PW who got TT 2 / Booster injection	17,714	91.5	17,759	90.7	Atleast 1 TT received	95.8
14	PW who consumed 100 IFA tablets	16,620	85.9	20,344	103.9	100 IFA tablets consumed	21.8
15	Home Delivery against expected delivery *	637	2.5	660	2.5	Full ANC	18.4
16	Institutional Delivery against expected delivery *	15,619	60.8	15,497	59.6	Home Delivery	26.6
17	Home Delivery against reported delivery **	637	3.9	660	102.9	Institutional Delivery	73.0
18	Institutional Delivery against reported delivery **	15,619	96.1	15,497	95.9	Home Delivery by SBA	43.9
19	Total reported Deliveries	16,256		16,157		PNC within 1 week of delivery	81.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	322	50.5	264	40.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,323	63.5	11,728	72.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	25,054		25,352			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
23	Total reported live births	15,961	63.7	15,852	62.5	Breastfed within 1 hour of birth	79
24	Total Still Birth	307	1.2	340	1.3	BCG	96.6

25	PC of newborn weighted at birth to live birth	12,484	78.2	15,805	99.7	3 dose of DPT	85.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,801	14.4	2,111	13.4	Measles	89.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	14,799	92.7	15,261	96.3	Full Immunization	69.4
28	Children fully immunized	16,629	66.4	17,452	68.8		
29	Children who have received BCG	16,512	65.9	18,328	72.3		
30	Children who have received DPT1	180	0.7	17	0.1		
31	Children who have received DPT3	1,960	7.8	6	0.0		
32	Children who have received Measles	16,838	67.2	17,476	68.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,943		1,829			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
34	Number of Vasectomies performed	168		31		Limiting	12.6
35	Number of Tubectomies performed	1,149		1,819		Spacing	5.1
36	Number of IUD insertion	2,764		4,532		Women using any method	66
37	Number of IUD removals	533		976		Women using modern method	40.3
F) Service delivery		HMIS (2015-16)		HMIS (2016-17)			
38	IPD cases per 10,000 population ***	416		423			
39	General OPD cases per 10,000 population ***	8,991		9,768			
40	Ayush OPD cases per 10,000 population ***	108		199.5			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2015-16)		HMIS (2016-17)			
41	Neonatal death within 24 hours	13		1			
42	Up to 1 Weeks of Birth	78		102			
43	Between 1 week & 4 weeks of birth	0		1			
44	Neonatal Death	91		104			
45	Between 1 month and 11 months	38		34			
46	Total reported infant deaths	129		138			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2015-16)		HMIS (2016-17)			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		1			
49	Due to Severe hypertension / fits	2		0			
50	Due to Bleeding	2		2			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	19		11			
53	Total reported maternal deaths	23		14			

Hailakandi Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	659,260					
2	Sex Ratio	946					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	105					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	17,684		18,063			
9	Expected number of Delivery	16,478		16,831			
		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	19,884	112.4	18,689	103.5	Any ANC	93.8
11	Mothers registered in the first trimester	15,339	77.1	14,825	79.3	ANC Check up in first trimester	53.5
12	Mothers who had at least 3 Ante-Natal care check ups	16,370	82.3	15,752	84.3	3 or more ANC check up	64.0
13	PW who got TT 2 / Booster injection	17,710	89.1	16,991	90.9	Atleast 1 TT received	93.6
14	PW who consumed 100 IFA tablets	16,516	83.1	22,364	119.7	100 IFA tablets consumed	14.8
15	Home Delivery against expected delivery *	4,460	27.1	3,998	23.8	Full ANC	12.2
16	Institutional Delivery against expected delivery *	9,920	60.2	10,589	62.9	Home Delivery	57.8
17	Home Delivery against reported delivery **	4,460	31.0	3,998	108.0	Institutional Delivery	42.1
18	Institutional Delivery against reported delivery **	9,920	69.0	10,589	72.6	Home Delivery by SBA	24.4
19	Total reported Deliveries	14,380		14,587		PNC within 1 week of delivery	47.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,165	26.1	947	23.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,259	64.4	9,900	67.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	16,076		16,421			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
23	Total reported live births	14,039	87.3	14,126	86.0	Breastfed within 1 hour of birth	62.4
24	Total Still Birth	456	2.8	416	2.5	BCG	89.3

25	PC of newborn weighted at birth to live birth	14,034	100.0	14,108	99.9	3 dose of DPT	75.3
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,520	10.8	1,650	11.7	Measles	78.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	13,984	99.6	14,079	99.7	Full Immunization	67.1
28	Children fully immunized	17,179	106.9	16,764	102.1		
29	Children who have received BCG	17,259	107.4	17,491	106.5		
30	Children who have received DPT1	81	0.5	9	0.1		
31	Children who have received DPT3	2,392	14.9	4	0.0		
32	Children who have received Measles	17,335	107.8	16,811	102.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	4,270		3,913			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	AHS (2012-13)	
34	Number of Vasectomies performed	10	10	Limiting	9.8
35	Number of Tubectomies performed	301	532	Spacing	7.4
36	Number of IUD insertion	3,039	4,197	Women using any method	58.9
37	Number of IUD removals	273	336	Women using modern method	29.9
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	420	438		
39	General OPD cases per 10,000 population ***	4,546	5,390		
40	Ayush OPD cases per 10,000 population ***	24	36.4		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	4	3		
42	Up to 1 Weeks of Birth	180	130		
43	Between 1 week & 4 weeks of birth	7	10		
44	Neonatal Death	191	143		
45	Between 1 month and 11 months	106	154		
46	Total reported infant deaths	297	297		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	1	0		
48	Due to Obstructed/prolonged labour	1	0		
49	Due to Severe hypertension / fits	0	2		
50	Due to Bleeding	2	3		
51	Due to High fever	0	2		
52	Due to Other Causes (including causes not known)	21	20		
53	Total reported maternal deaths	25	27		

Jorhat Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,091,295					
2	Sex Ratio	956					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	144					
4	Primary Health Centers (PHC)	44					
5	Community Health Centers (CHC)	5					
6	SDH	2					
7	DH	0					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	27,918		28,176			
9	Expected number of Delivery	26,015		26,255			
		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	23,908	85.6	21,806	77.4	Any ANC	97.6
11	Mothers registered in the first trimester	20,970	87.7	19,317	88.6	ANC Check up in first trimester	72.6
12	Mothers who had at least 3 Ante-Natal care check ups	19,281	80.6	17,919	82.2	3 or more ANC check up	82.3
13	PW who got TT 2 / Booster injection	20,348	85.1	18,767	86.1	Atleast 1 TT received	97.3
14	PW who consumed 100 IFA tablets	29,208	122.2	19,849	91.0	100 IFA tablets consumed	27.1
15	Home Delivery against expected delivery *	141	0.5	156	0.6	Full ANC	24.3
16	Institutional Delivery against expected delivery *	18,274	70.2	17,001	64.8	Home Delivery	18.4
17	Home Delivery against reported delivery **	141	0.8	156	104.4	Institutional Delivery	80.8
18	Institutional Delivery against reported delivery **	18,274	99.2	17,001	99.1	Home Delivery by SBA	39.8
19	Total reported Deliveries	18,415		17,157		PNC within 1 week of delivery	82.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	131	92.9	135	86.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	14,129	76.7	13,206	77.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	25,380		25,614			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
23	Total reported live births	18,008	71.0	16,963	66.2	Breastfed within 1 hour of birth	80
24	Total Still Birth	294	1.2	300	1.2	BCG	96.8

25	PC of newborn weighted at birth to live birth	17,054	94.7	16,475	97.1	3 dose of DPT	83.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,547	32.5	4,660	28.3	Measles	90.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	16,998	94.4	15,588	91.9	Full Immunization	70.9
28	Children fully immunized	18,305	72.1	18,173	70.9		
29	Children who have received BCG	17,257	68.0	16,882	65.9		
30	Children who have received DPT1	209	0.8	13	0.1		
31	Children who have received DPT3	1,757	6.9	1	0.0		
32	Children who have received Measles	18,228	71.8	18,190	71.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,714		2,676			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	AHS (2012-13)	
34	Number of Vasectomies performed	65	60	Limiting	11.7
35	Number of Tubectomies performed	2,889	1,850	Spacing	4.1
36	Number of IUD insertion	2,688	2,533	Women using any method	66.2
37	Number of IUD removals	396	236	Women using modern method	34.5
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	518	472		
39	General OPD cases per 10,000 population ***	9,091	10,740		
40	Ayush OPD cases per 10,000 population ***	82	61.6		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	0	1		
42	Up to 1 Weeks of Birth	9	7		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	9	8		
45	Between 1 month and 11 months	2	3		
46	Total reported infant deaths	11	11		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	6	0		
49	Due to Severe hypertension / fits	5	0		
50	Due to Bleeding	3	2		
51	Due to High fever	0	6		
52	Due to Other Causes (including causes not known)	12	11		
53	Total reported maternal deaths	26	19		

Kamrup M Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,260,419					
2	Sex Ratio	922					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	51					
4	Primary Health Centers (PHC)	25					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	33,306		33,938			
9	Expected number of Delivery	31,036		31,624			
		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	41,490	124.6	36,424	107.3	Any ANC	98.5
11	Mothers registered in the first trimester	34,491	83.1	31,762	87.2	ANC Check up in first trimester	62.5
12	Mothers who had at least 3 Ante-Natal care check ups	34,936	84.2	31,524	86.5	3 or more ANC check up	81.7
13	PW who got TT 2 / Booster injection	38,012	91.6	32,344	88.8	Atleast 1 TT received	98.4
14	PW who consumed 100 IFA tablets	37,147	89.5	38,670	106.2	100 IFA tablets consumed	33.5
15	Home Delivery against expected delivery *	400	1.3	312	1.0	Full ANC	29.9
16	Institutional Delivery against expected delivery *	36,170	116.5	36,247	114.6	Home Delivery	15.1
17	Home Delivery against reported delivery **	400	1.1	312	86.2	Institutional Delivery	84.7
18	Institutional Delivery against reported delivery **	36,170	98.9	36,247	99.1	Home Delivery by SBA	26.6
19	Total reported Deliveries	36,570		36,559		PNC within 1 week of delivery	84.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	9	2.3	31	9.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	18,649	51.0	15,090	41.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	30,279		30,852			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
23	Total reported live births	35,558	117.4	35,610	115.4	Breastfed within 1 hour of birth	82.4
24	Total Still Birth	1,048	3.5	991	3.2	BCG	97.8

25	PC of newborn weighted at birth to live birth	35,963	101.1	35,706	100.3	3 dose of DPT	77.5
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,673	7.4	6,073	17.0	Measles	88.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	35,423	99.6	35,580	99.9	Full Immunization	64.6
28	Children fully immunized	22,418	74.0	22,504	72.9		
29	Children who have received BCG	31,510	104.1	31,960	103.6		
30	Children who have received DPT1	3,238	10.7	1,080	3.5		
31	Children who have received DPT3	4,609	15.2	664	2.2		
32	Children who have received Measles	23,503	77.6	23,535	76.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,687		3,202			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	AHS (2012-13)	
34	Number of Vasectomies performed	942	583	Limiting	2.1
35	Number of Tubectomies performed	4,809	4,014	Spacing	3.7
36	Number of IUD insertion	7,449	12,726	Women using any method	79
37	Number of IUD removals	772	1,044	Women using modern method	40.8
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	817	792		
39	General OPD cases per 10,000 population ***	10,694	12,203		
40	Ayush OPD cases per 10,000 population ***	293	755.0		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	704		
43	Between 1 week & 4 weeks of birth	0	152		
44	Neonatal Death	0	856		
45	Between 1 month and 11 months	0	138		
46	Total reported infant deaths	0	994		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	0	3		
48	Due to Obstructed/prolonged labour	0	2		
49	Due to Severe hypertension / fits	0	22		
50	Due to Bleeding	0	2		
51	Due to High fever	1	0		
52	Due to Other Causes (including causes not known)	0	105		
53	Total reported maternal deaths	1	134		

Kamrup R Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,517,202					
2	Sex Ratio	946					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	280					
4	Primary Health Centers (PHC)	71					
5	Community Health Centers (CHC)	11					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	39,792		40,415			
9	Expected number of Delivery	37,079		37,660			
		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	34,060	85.6	33,230	82.2	Any ANC	98.5
11	Mothers registered in the first trimester	30,513	89.6	29,908	90.0	ANC Check up in first trimester	62.5
12	Mothers who had at least 3 Ante-Natal care check ups	30,580	89.8	30,328	91.3	3 or more ANC check up	81.7
13	PW who got TT 2 / Booster injection	30,611	89.9	29,554	88.9	Atleast 1 TT received	98.4
14	PW who consumed 100 IFA tablets	30,783	90.4	33,646	101.3	100 IFA tablets consumed	33.5
15	Home Delivery against expected delivery *	1,025	2.8	779	2.1	Full ANC	29.9
16	Institutional Delivery against expected delivery *	21,133	57.0	20,674	54.9	Home Delivery	15.1
17	Home Delivery against reported delivery **	1,025	4.6	779	141.4	Institutional Delivery	84.7
18	Institutional Delivery against reported delivery **	21,133	95.4	20,674	96.4	Home Delivery by SBA	26.6
19	Total reported Deliveries	22,158		21,453		PNC within 1 week of delivery	84.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	442	43.1	333	42.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	19,231	86.8	17,299	80.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	36,174		36,741			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
23	Total reported live births	21,688	60.0	21,289	57.9	Breastfed within 1 hour of birth	82.4
24	Total Still Birth	230	0.6	259	0.7	BCG	97.8

25	PC of newborn weighted at birth to live birth	20,915	96.4	21,102	99.1	3 dose of DPT	77.5
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,881	13.8	3,654	17.3	Measles	88.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	20,797	95.9	21,161	99.4	Full Immunization	64.6
28	Children fully immunized	30,098	83.2	30,135	82.0		
29	Children who have received BCG	26,383	72.9	27,334	74.4		
30	Children who have received DPT1	6	0.0	1	0.0		
31	Children who have received DPT3	3,282	9.1	2	0.0		
32	Children who have received Measles	30,427	84.1	30,402	82.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,190		2,413			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
34	Number of Vasectomies performed	256		258		Limiting	2.1
35	Number of Tubectomies performed	2,173		2,370		Spacing	3.7
36	Number of IUD insertion	5,593		5,335		Women using any method	79
37	Number of IUD removals	734		810		Women using modern method	40.8
F) Service delivery		HMIS (2015-16)		HMIS (2016-17)			
38	IPD cases per 10,000 population ***	145		162			
39	General OPD cases per 10,000 population ***	8,613		8,899			
40	Ayush OPD cases per 10,000 population ***	329		493.3			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2015-16)		HMIS (2016-17)			
41	Neonatal death within 24 hours	3		0			
42	Up to 1 Weeks of Birth	31		63			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	34		63			
45	Between 1 month and 11 months	18		36			
46	Total reported infant deaths	52		99			
II)	Maternal Mortality	HMIS (2015-16)		HMIS (2016-17)			
	Maternal Deaths (In Numbers)	HMIS (2015-16)		HMIS (2016-17)			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension / fits	0		0			
50	Due to Bleeding	1		2			
51	Due to High fever	0		1			
52	Due to Other Causes (including causes not known)	4		1			
53	Total reported maternal deaths	5		4			

Karbi Anglong Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	965,280					
2	Sex Ratio	956					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	145					
4	Primary Health Centers (PHC)	46					
5	Community Health Centers (CHC)	5					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	25,375		25,849			
9	Expected number of Delivery	23,645		24,087			
		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	24,652	97.2	25,628	99.1	Any ANC	88.1
11	Mothers registered in the first trimester	16,001	64.9	17,219	67.2	ANC Check up in first trimester	49.3
12	Mothers who had at least 3 Ante-Natal care check ups	16,769	68.0	18,101	70.6	3 or more ANC check up	53.6
13	PW who got TT 2 / Booster injection	21,914	88.9	22,764	88.8	Atleast 1 TT received	87.7
14	PW who consumed 100 IFA tablets	18,120	73.5	23,885	93.2	100 IFA tablets consumed	10.5
15	Home Delivery against expected delivery *	2,528	10.7	2,637	10.9	Full ANC	7.2
16	Institutional Delivery against expected delivery *	16,385	69.3	16,351	67.9	Home Delivery	40.3
17	Home Delivery against reported delivery **	2,528	13.4	2,637	95.3	Institutional Delivery	59.5
18	Institutional Delivery against reported delivery **	16,385	86.6	16,351	86.1	Home Delivery by SBA	33.2
19	Total reported Deliveries	18,913		18,988		PNC within 1 week of delivery	63.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	441	17.4	694	26.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,213	54.0	11,130	58.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	23,068		23,499			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
23	Total reported live births	18,704	81.1	18,711	79.6	Breastfed within 1 hour of birth	74.3
24	Total Still Birth	419	1.8	417	1.8	BCG	91

25	PC of newborn weighted at birth to live birth	18,272	97.7	18,329	98.0	3 dose of DPT	79.4
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,982	10.8	1,741	9.5	Measles	85.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	17,683	94.5	17,775	95.0	Full Immunization	71.8
28	Children fully immunized	18,968	82.2	21,990	93.6		
29	Children who have received BCG	19,466	84.4	23,122	98.4		
30	Children who have received DPT1	444	1.9	142	0.6		
31	Children who have received DPT3	2,953	12.8	106	0.5		
32	Children who have received Measles	19,229	83.4	22,004	93.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,802		3,069			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
34	Number of Vasectomies performed	0		14		Limiting	6
35	Number of Tubectomies performed	69		204		Spacing	6.9
36	Number of IUD insertion	3,831		3,775		Women using any method	68.4
37	Number of IUD removals	852		435		Women using modern method	42.9
F) Service delivery		HMIS (2015-16)		HMIS (2016-17)			
38	IPD cases per 10,000 population ***	301		272			
39	General OPD cases per 10,000 population ***	5,052		5,336			
40	Ayush OPD cases per 10,000 population ***	174		367.1			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2015-16)		HMIS (2016-17)			
41	Neonatal death within 24 hours	14		17			
42	Up to 1 Weeks of Birth	18		61			
43	Between 1 week & 4 weeks of birth	0		5			
44	Neonatal Death	32		83			
45	Between 1 month and 11 months	51		50			
46	Total reported infant deaths	83		133			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2015-16)		HMIS (2016-17)			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	1		4			
49	Due to Severe hypertension / fits	2		1			
50	Due to Bleeding	5		4			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	8		15			
53	Total reported maternal deaths	16		24			

Karimganj Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,217,002					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	218					
4	Primary Health Centers (PHC)	29					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	32,866		33,547			
9	Expected number of Delivery	30,625		31,260			
		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	34,440	104.8	34,006	101.4	Any ANC	92.2
11	Mothers registered in the first trimester	28,058	81.5	27,853	81.9	ANC Check up in first trimester	58.7
12	Mothers who had at least 3 Ante-Natal care check ups	29,333	85.2	29,536	86.9	3 or more ANC check up	61.6
13	PW who got TT 2 / Booster injection	33,124	96.2	33,221	97.7	Atleast 1 TT received	90.9
14	PW who consumed 100 IFA tablets	29,591	85.9	36,942	108.6	100 IFA tablets consumed	13.6
15	Home Delivery against expected delivery *	10,941	35.7	10,429	33.4	Full ANC	11.4
16	Institutional Delivery against expected delivery *	18,143	59.2	18,735	59.9	Home Delivery	61.6
17	Home Delivery against reported delivery **	10,941	37.6	10,429	101.3	Institutional Delivery	38.2
18	Institutional Delivery against reported delivery **	18,143	62.4	18,735	64.2	Home Delivery by SBA	24.5
19	Total reported Deliveries	29,084		29,164		PNC within 1 week of delivery	46.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	924	8.4	639	6.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	15,086	51.9	15,649	53.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	29,878		30,498			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
23	Total reported live births	28,578	95.6	28,590	93.7	Breastfed within 1 hour of birth	64.5
24	Total Still Birth	812	2.7	923	3.0	BCG	88.5

25	PC of newborn weighted at birth to live birth	28,471	99.6	28,107	98.3	3 dose of DPT	73.2
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,312	11.6	3,284	11.7	Measles	73.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	27,236	95.3	27,354	95.7	Full Immunization	65.4
28	Children fully immunized	27,017	90.4	28,978	95.0		
29	Children who have received BCG	28,747	96.2	33,271	109.1		
30	Children who have received DPT1	463	1.5	160	0.5		
31	Children who have received DPT3	5,612	18.8	159	0.5		
32	Children who have received Measles	27,464	91.9	29,653	97.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	6,250		5,986			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	AHS (2012-13)			
34	Number of Vasectomies performed	5	1	Limiting	15		
35	Number of Tubectomies performed	1,034	1,311	Spacing	13		
36	Number of IUD insertion	1,883	2,425	Women using any method	49.4		
37	Number of IUD removals	461	735	Women using modern method	21.7		
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)				
38	IPD cases per 10,000 population ***	260	270				
39	General OPD cases per 10,000 population ***	5,211	5,956				
40	Ayush OPD cases per 10,000 population ***	150	444.4				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)				
41	Neonatal death within 24 hours	9	6				
42	Up to 1 Weeks of Birth	157	164				
43	Between 1 week & 4 weeks of birth	2	1				
44	Neonatal Death	168	171				
45	Between 1 month and 11 months	134	160				
46	Total reported infant deaths	302	331				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)				
47	Due to Abortion	0	2				
48	Due to Obstructed/prolonged labour	0	2				
49	Due to Severe hypertension / fits	2	3				
50	Due to Bleeding	4	3				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	26	32				
53	Total reported maternal deaths	32	42				

Kokrajhar Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	886,999					
2	Sex Ratio	958					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	161					
4	Primary Health Centers (PHC)	45					
5	Community Health Centers (CHC)	4					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	22,317		22,432			
9	Expected number of Delivery	20,795		20,903			
		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	20,472	91.7	19,897	88.7	Any ANC	93.8
11	Mothers registered in the first trimester	13,763	67.2	14,776	74.3	ANC Check up in first trimester	43.6
12	Mothers who had at least 3 Ante-Natal care check ups	16,615	81.2	15,938	80.1	3 or more ANC check up	55.6
13	PW who got TT 2 / Booster injection	18,469	90.2	17,624	88.6	Atleast 1 TT received	93.6
14	PW who consumed 100 IFA tablets	19,384	94.7	19,372	97.4	100 IFA tablets consumed	16.6
15	Home Delivery against expected delivery *	1,634	7.9	1,402	6.7	Full ANC	8.7
16	Institutional Delivery against expected delivery *	15,819	76.1	15,408	73.7	Home Delivery	41.2
17	Home Delivery against reported delivery **	1,634	9.4	1,402	94.8	Institutional Delivery	58.8
18	Institutional Delivery against reported delivery **	15,819	90.6	15,408	91.7	Home Delivery by SBA	40.0
19	Total reported Deliveries	17,453		16,810		PNC within 1 week of delivery	61.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	789	48.3	618	44.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,501	48.7	8,393	49.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	20,288		20,393			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
23	Total reported live births	17,408	85.8	16,669	81.7	Breastfed within 1 hour of birth	84.5
24	Total Still Birth	259	1.3	310	1.5	BCG	96.2

25	PC of newborn weighted at birth to live birth	16,441	94.4	16,003	96.0	3 dose of DPT	72.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	4,567	27.8	4,737	29.6	Measles	85.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	14,716	84.5	15,865	95.2	Full Immunization	59.2
28	Children fully immunized	16,229	80.0	16,797	82.4		
29	Children who have received BCG	18,694	92.1	20,247	99.3		
30	Children who have received DPT1	979	4.8	221	1.1		
31	Children who have received DPT3	3,952	19.5	288	1.4		
32	Children who have received Measles	16,344	80.6	16,848	82.6		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,056		966			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
34	Number of Vasectomies performed	0		6		Limiting	1.1
35	Number of Tubectomies performed	378		679		Spacing	6.6
36	Number of IUD insertion	1,876		1,916		Women using any method	73.8
37	Number of IUD removals	500		676		Women using modern method	43.5
F) Service delivery		HMIS (2015-16)		HMIS (2016-17)			
38	IPD cases per 10,000 population ***	273		329			
39	General OPD cases per 10,000 population ***	5,709		5,851			
40	Ayush OPD cases per 10,000 population ***	60		50.6			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2015-16)		HMIS (2016-17)			
41	Neonatal death within 24 hours	1		0			
42	Up to 1 Weeks of Birth	5		36			
43	Between 1 week & 4 weeks of birth	1		0			
44	Neonatal Death	7		36			
45	Between 1 month and 11 months	15		12			
46	Total reported infant deaths	22		48			
II)	Maternal Mortality	HMIS (2015-16)		HMIS (2016-17)			
	Maternal Deaths (In Numbers)	HMIS (2015-16)		HMIS (2016-17)			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	2		0			
49	Due to Severe hypertension / fits	0		0			
50	Due to Bleeding	2		2			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	13		5			
53	Total reported maternal deaths	17		7			

Lakhimpur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,040,644					
2	Sex Ratio	965					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	156					
4	Primary Health Centers (PHC)	30					
5	Community Health Centers (CHC)	8					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	27,476		27,945			
9	Expected number of Delivery	25,603		26,039			
		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	22,693	82.6	22,774	81.5	Any ANC	98.2
11	Mothers registered in the first trimester	19,429	85.6	20,309	89.2	ANC Check up in first trimester	58.7
12	Mothers who had at least 3 Ante-Natal care check ups	19,131	84.3	19,972	87.7	3 or more ANC check up	69.9
13	PW who got TT 2 / Booster injection	20,216	89.1	20,217	88.8	Atleast 1 TT received	98.2
14	PW who consumed 100 IFA tablets	16,361	72.1	21,473	94.3	100 IFA tablets consumed	27.2
15	Home Delivery against expected delivery *	344	1.3	326	1.3	Full ANC	21.2
16	Institutional Delivery against expected delivery *	18,938	74.0	18,981	72.9	Home Delivery	14.0
17	Home Delivery against reported delivery **	344	1.8	326	103.4	Institutional Delivery	85.7
18	Institutional Delivery against reported delivery **	18,938	98.2	18,981	98.3	Home Delivery by SBA	17.5
19	Total reported Deliveries	19,282		19,307		PNC within 1 week of delivery	87.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	38	11.0	177	54.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	40,790	211.5	44,070	228.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	24,978		25,404			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
23	Total reported live births	18,963	75.9	18,977	74.7	Breastfed within 1 hour of birth	82.2
24	Total Still Birth	328	1.3	342	1.3	BCG	98.1

25	PC of newborn weighted at birth to live birth	18,960	100.0	18,941	99.8	3 dose of DPT	78.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,094	26.9	4,163	22.0	Measles	87.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	18,302	96.5	18,874	99.5	Full Immunization	64.2
28	Children fully immunized	20,148	80.7	21,367	84.1		
29	Children who have received BCG	19,698	78.9	20,140	79.3		
30	Children who have received DPT1	8	0.0	11	0.0		
31	Children who have received DPT3	1,505	6.0	10	0.0		
32	Children who have received Measles	20,263	81.1	21,409	84.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	4,377		4,516			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	AHS (2012-13)			
34	Number of Vasectomies performed	37	290	Limiting	5.1		
35	Number of Tubectomies performed	2,001	2,259	Spacing	4.8		
36	Number of IUD insertion	934	1,901	Women using any method	76		
37	Number of IUD removals	117	101	Women using modern method	40		
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)				
38	IPD cases per 10,000 population ***	443	470				
39	General OPD cases per 10,000 population ***	7,624	9,042				
40	Ayush OPD cases per 10,000 population ***	86	284.7				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)				
41	Neonatal death within 24 hours	8	24				
42	Up to 1 Weeks of Birth	167	140				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	175	164				
45	Between 1 month and 11 months	68	77				
46	Total reported infant deaths	243	241				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension / fits	1	1				
50	Due to Bleeding	1	1				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	14	16				
53	Total reported maternal deaths	16	18				

Marigaon Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	957,853					
2	Sex Ratio	974					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	123					
4	Primary Health Centers (PHC)	36					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	25,877		26,482			
9	Expected number of Delivery	24,112		24,676			
		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	25,340	97.9	25,170	95.0	Any ANC	97.2
11	Mothers registered in the first trimester	22,500	88.8	21,099	83.8	ANC Check up in first trimester	52.2
12	Mothers who had at least 3 Ante-Natal care check ups	22,923	90.5	22,466	89.3	3 or more ANC check up	71.3
13	PW who got TT 2 / Booster injection	23,897	94.3	23,496	93.3	Atleast 1 TT received	97.1
14	PW who consumed 100 IFA tablets	24,948	98.5	25,149	99.9	100 IFA tablets consumed	32.9
15	Home Delivery against expected delivery *	2,507	10.4	2,708	11.0	Full ANC	25.4
16	Institutional Delivery against expected delivery *	17,420	72.2	16,846	68.3	Home Delivery	31.1
17	Home Delivery against reported delivery **	2,507	12.6	2,708	114.9	Institutional Delivery	68.3
18	Institutional Delivery against reported delivery **	17,420	87.4	16,846	86.2	Home Delivery by SBA	19.6
19	Total reported Deliveries	19,927		19,554		PNC within 1 week of delivery	60.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	594	23.7	1,275	47.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	17,041	85.5	18,433	94.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	23,524		24,075			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
23	Total reported live births	19,796	84.2	19,412	80.6	Breastfed within 1 hour of birth	78.9
24	Total Still Birth	237	1.0	209	0.9	BCG	93.8

25	PC of newborn weighted at birth to live birth	19,847	100.3	19,432	100.1	3 dose of DPT	84.6
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,510	17.7	4,606	23.7	Measles	82.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	19,731	99.7	19,141	98.6	Full Immunization	66.2
28	Children fully immunized	22,126	94.1	22,518	93.5		
29	Children who have received BCG	22,228	94.5	23,035	95.7		
30	Children who have received DPT1	141	0.6	0	0.0		
31	Children who have received DPT3	2,123	9.0	0	0.0		
32	Children who have received Measles	22,237	94.5	22,550	93.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,318		1,652			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	AHS (2012-13)	
34	Number of Vasectomies performed	20	134	Limiting	5
35	Number of Tubectomies performed	743	604	Spacing	7.6
36	Number of IUD insertion	2,111	2,134	Women using any method	70
37	Number of IUD removals	180	156	Women using modern method	39.1
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	391	416		
39	General OPD cases per 10,000 population ***	8,702	10,002		
40	Ayush OPD cases per 10,000 population ***	19	46.6		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	3	0		
42	Up to 1 Weeks of Birth	156	118		
43	Between 1 week & 4 weeks of birth	24	7		
44	Neonatal Death	183	125		
45	Between 1 month and 11 months	56	87		
46	Total reported infant deaths	239	212		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	0	1		
48	Due to Obstructed/prolonged labour	2	2		
49	Due to Severe hypertension / fits	4	4		
50	Due to Bleeding	17	10		
51	Due to High fever	1	0		
52	Due to Other Causes (including causes not known)	17	17		
53	Total reported maternal deaths	41	34		

Nagaon Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,826,006					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	354					
4	Primary Health Centers (PHC)	80					
5	Community Health Centers (CHC)	15					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	75,932		77,610			
9	Expected number of Delivery	70,755		72,318			
		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	71,185	93.7	70,232	90.5	Any ANC	92.6
11	Mothers registered in the first trimester	57,661	81.0	55,670	79.3	ANC Check up in first trimester	57.8
12	Mothers who had at least 3 Ante-Natal care check ups	67,793	95.2	68,838	98.0	3 or more ANC check up	57.0
13	PW who got TT 2 / Booster injection	66,624	93.6	66,199	94.3	Atleast 1 TT received	92.2
14	PW who consumed 100 IFA tablets	69,510	97.6	76,410	108.8	100 IFA tablets consumed	23.8
15	Home Delivery against expected delivery *	5,389	7.6	5,777	8.0	Full ANC	18.4
16	Institutional Delivery against expected delivery *	59,712	84.4	58,151	80.4	Home Delivery	41.9
17	Home Delivery against reported delivery **	5,389	8.3	5,777	107.7	Institutional Delivery	57.9
18	Institutional Delivery against reported delivery **	59,712	91.7	58,151	91.0	Home Delivery by SBA	35.1
19	Total reported Deliveries	65,101		63,928		PNC within 1 week of delivery	62.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	851	15.8	648	11.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	52,403	80.5	48,880	76.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	69,029		70,554			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
23	Total reported live births	63,338	91.8	62,660	88.8	Breastfed within 1 hour of birth	70.6
24	Total Still Birth	1,628	2.4	1,499	2.1	BCG	89.2

25	PC of newborn weighted at birth to live birth	63,584	100.4	62,514	99.8	3 dose of DPT	69.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	8,274	13.0	7,535	12.1	Measles	68.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	60,738	95.9	61,637	98.4	Full Immunization	52.5
28	Children fully immunized	57,682	83.6	63,212	89.6		
29	Children who have received BCG	53,461	77.4	73,335	103.9		
30	Children who have received DPT1	477	0.7	1,031	1.5		
31	Children who have received DPT3	9,113	13.2	471	0.7		
32	Children who have received Measles	59,242	85.8	64,083	90.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	6,436		7,877			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	AHS (2012-13)	
34	Number of Vasectomies performed	115	292	Limiting	11.3
35	Number of Tubectomies performed	1,524	2,206	Spacing	7
36	Number of IUD insertion	3,505	4,622	Women using any method	65.9
37	Number of IUD removals	378	858	Women using modern method	32.3
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	226	229		
39	General OPD cases per 10,000 population ***	7,063	7,726		
40	Ayush OPD cases per 10,000 population ***	42	45.2		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	1	2		
42	Up to 1 Weeks of Birth	66	101		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	67	103		
45	Between 1 month and 11 months	40	49		
46	Total reported infant deaths	107	152		
II)	Maternal Mortality	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	2	3		
49	Due to Severe hypertension / fits	1	2		
50	Due to Bleeding	1	6		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	9	29		
53	Total reported maternal deaths	13	40		

Nalbari Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	769,919					
2	Sex Ratio	945					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	121					
4	Primary Health Centers (PHC)	47					
5	Community Health Centers (CHC)	9					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	19,922		20,156			
9	Expected number of Delivery	18,564		18,782			
		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	14,944	75.0	14,747	73.2	Any ANC	98.4
11	Mothers registered in the first trimester	13,699	91.7	13,864	94.0	ANC Check up in first trimester	60.6
12	Mothers who had at least 3 Ante-Natal care check ups	13,673	91.5	13,161	89.2	3 or more ANC check up	81.2
13	PW who got TT 2 / Booster injection	14,305	95.7	14,107	95.7	Atleast 1 TT received	98.3
14	PW who consumed 100 IFA tablets	14,431	96.6	14,731	99.9	100 IFA tablets consumed	26.7
15	Home Delivery against expected delivery *	649	3.5	594	3.2	Full ANC	24.9
16	Institutional Delivery against expected delivery *	13,143	70.8	13,174	70.1	Home Delivery	12.0
17	Home Delivery against reported delivery **	649	4.7	594	95.6	Institutional Delivery	87.4
18	Institutional Delivery against reported delivery **	13,143	95.3	13,174	95.7	Home Delivery by SBA	34.9
19	Total reported Deliveries	13,792		13,768		PNC within 1 week of delivery	88.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	486	74.9	487	82.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,992	94.2	12,938	94.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	18,111		18,323			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
23	Total reported live births	13,750	75.9	13,736	75.0	Breastfed within 1 hour of birth	74.7
24	Total Still Birth	151	0.8	149	0.8	BCG	98

25	PC of newborn weighted at birth to live birth	13,748	100.0	13,726	99.9	3 dose of DPT	87.8
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,051	14.9	2,063	15.0	Measles	88
27	PC of newborns breastfed within 1 hour to total reported live birth.	13,446	97.8	13,336	97.1	Full Immunization	68
28	Children fully immunized	14,480	80.0	14,694	80.2		
29	Children who have received BCG	14,778	81.6	13,819	75.4		
30	Children who have received DPT1	1,152	6.4	33	0.2		
31	Children who have received DPT3	2,338	12.9	25	0.1		
32	Children who have received Measles	14,595	80.6	14,709	80.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	5,320		5,703			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	AHS (2012-13)	
34	Number of Vasectomies performed	465	131	Limiting	5.6
35	Number of Tubectomies performed	1,091	1,531	Spacing	4.9
36	Number of IUD insertion	2,899	3,767	Women using any method	71.5
37	Number of IUD removals	368	506	Women using modern method	44
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	326	341		
39	General OPD cases per 10,000 population ***	10,465	10,917		
40	Ayush OPD cases per 10,000 population ***	1,787	2180.1		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	6	4		
42	Up to 1 Weeks of Birth	68	71		
43	Between 1 week & 4 weeks of birth	3	2		
44	Neonatal Death	77	77		
45	Between 1 month and 11 months	19	19		
46	Total reported infant deaths	96	96		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	1	1		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension / fits	1	0		
50	Due to Bleeding	2	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	2	0		
53	Total reported maternal deaths	6	1		

North Cachar Hills (Dima Hasao) Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	213,529					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	65					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	5,567		5,642			
9	Expected number of Delivery	5,187		5,257			
		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	5,467	98.2	5,425	96.2	Any ANC	90.8
11	Mothers registered in the first trimester	3,193	58.4	3,360	61.9	ANC Check up in first trimester	54.5
12	Mothers who had at least 3 Ante-Natal care check ups	3,638	66.5	3,665	67.6	3 or more ANC check up	54.4
13	PW who got TT 2 / Booster injection	4,566	83.5	4,214	77.7	Atleast 1 TT received	89.4
14	PW who consumed 100 IFA tablets	3,715	68.0	4,044	74.5	100 IFA tablets consumed	24.1
15	Home Delivery against expected delivery *	1,730	33.4	1,463	27.8	Full ANC	15.7
16	Institutional Delivery against expected delivery *	2,432	46.9	2,696	51.3	Home Delivery	30.7
17	Home Delivery against reported delivery **	1,730	41.6	1,463	88.1	Institutional Delivery	69.3
18	Institutional Delivery against reported delivery **	2,432	58.4	2,696	64.8	Home Delivery by SBA	32.5
19	Total reported Deliveries	4,162		4,159		PNC within 1 week of delivery	71.5
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	246	14.2	355	24.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,191	52.6	2,554	61.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	5,061		5,129			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
23	Total reported live births	4,149	82.0	4,089	79.7	Breastfed within 1 hour of birth	80.4

24	Total Still Birth	68	1.3	101	2.0	BCG	91.6
25	PC of newborn weighted at birth to live birth	4,101	98.8	4,073	99.6	3 dose of DPT	64.8
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	324	7.9	326	8.0	Measles	75.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,138	99.7	4,073	99.6	Full Immunization	56.2
28	Children fully immunized	3,874	76.5	3,989	77.8		
29	Children who have received BCG	4,448	87.9	4,306	84.0		
30	Children who have received DPT1	68	1.3	33	0.6		
31	Children who have received DPT3	592	11.7	9	0.2		
32	Children who have received Measles	3,874	76.5	3,990	77.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,439		2,882			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	AHS (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	10.3
35	Number of Tubectomies performed	60	146	Spacing	9
36	Number of IUD insertion	535	657	Women using any method	56.5
37	Number of IUD removals	91	115	Women using modern method	43.5
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	596	599		
39	General OPD cases per 10,000 population ***	9,169	10,073		
40	Ayush OPD cases per 10,000 population ***	357	392.1		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	4	1		
42	Up to 1 Weeks of Birth	39	36		
43	Between 1 week & 4 weeks of birth	4	0		
44	Neonatal Death	47	37		
45	Between 1 month and 11 months	30	30		
46	Total reported infant deaths	77	67		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	1	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension / fits	1	0		
50	Due to Bleeding	3	2		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	11	8		
53	Total reported maternal deaths	16	10		

Sibsagar Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,150,253					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	219					
4	Primary Health Centers (PHC)	45					
5	Community Health Centers (CHC)	4					
6	SDH	2					
7	DH	1					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	29,440		29,716			
9	Expected number of Delivery	27,433		27,690			
		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	20,683	70.3	19,664	66.2	Any ANC	98.2
11	Mothers registered in the first trimester	17,591	85.1	16,984	86.4	ANC Check up in first trimester	73.3
12	Mothers who had at least 3 Ante-Natal care check ups	18,313	88.5	15,366	78.1	3 or more ANC check up	83.3
13	PW who got TT 2 / Booster injection	17,807	86.1	16,160	82.2	Atleast 1 TT received	98.1
14	PW who consumed 100 IFA tablets	18,913	91.4	19,899	101.2	100 IFA tablets consumed	21.8
15	Home Delivery against expected delivery *	329	1.2	278	1.0	Full ANC	19.5
16	Institutional Delivery against expected delivery *	15,253	55.6	13,786	49.8	Home Delivery	12.8
17	Home Delivery against reported delivery **	329	2.1	278	109.3	Institutional Delivery	87.0
18	Institutional Delivery against reported delivery **	15,253	97.9	13,786	98.0	Home Delivery by SBA	38.5
19	Total reported Deliveries	15,582		14,064		PNC within 1 week of delivery	90.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	176	53.5	144	51.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,046	77.3	11,181	79.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	26,764		27,014			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
23	Total reported live births	15,345	57.3	13,886	51.4	Breastfed within 1 hour of birth	83.1
24	Total Still Birth	304	1.1	255	0.9	BCG	98

25	PC of newborn weighted at birth to live birth	15,296	99.7	13,833	99.6	3 dose of DPT	92
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,836	18.5	2,765	20.0	Measles	93.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	14,648	95.5	13,378	96.3	Full Immunization	83.5
28	Children fully immunized	17,825	66.6	17,813	65.9		
29	Children who have received BCG	16,968	63.4	15,771	58.4		
30	Children who have received DPT1	1	0.0	0	0.0		
31	Children who have received DPT3	1,819	6.8	0	0.0		
32	Children who have received Measles	18,044	67.4	17,922	66.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,331		3,289			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
34	Number of Vasectomies performed	500		288		Limiting	10.3
35	Number of Tubectomies performed	4,160		2,543		Spacing	4.3
36	Number of IUD insertion	4,167		4,882		Women using any method	64.7
37	Number of IUD removals	358		297		Women using modern method	36.1
F) Service delivery		HMIS (2015-16)		HMIS (2016-17)			
38	IPD cases per 10,000 population ***	431		390			
39	General OPD cases per 10,000 population ***	12,792		12,978			
40	Ayush OPD cases per 10,000 population ***	111		143.3			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2015-16)		HMIS (2016-17)			
41	Neonatal death within 24 hours	1		6			
42	Up to 1 Weeks of Birth	62		50			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	63		56			
45	Between 1 month and 11 months	20		28			
46	Total reported infant deaths	83		84			
II)	Maternal Mortality	HMIS (2015-16)		HMIS (2016-17)			
	Maternal Deaths (In Numbers)	HMIS (2015-16)		HMIS (2016-17)			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension / fits	0		2			
50	Due to Bleeding	1		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	12		8			
53	Total reported maternal deaths	13		10			

Sonitpur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,925,975					
2	Sex Ratio	946					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	275					
4	Primary Health Centers (PHC)	58					
5	Community Health Centers (CHC)	7					
6	SDH	2					
7	DH	1					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	50,452		51,243			
9	Expected number of Delivery	47,012		47,749			
		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	38,508	76.3	46,177	90.1	Any ANC	94.8
11	Mothers registered in the first trimester	31,071	80.7	39,172	84.8	ANC Check up in first trimester	48.9
12	Mothers who had at least 3 Ante-Natal care check ups	31,967	83.0	36,259	78.5	3 or more ANC check up	65.6
13	PW who got TT 2 / Booster injection	35,217	91.5	38,797	84.0	Atleast 1 TT received	94.7
14	PW who consumed 100 IFA tablets	32,289	83.9	43,672	94.6	100 IFA tablets consumed	25.1
15	Home Delivery against expected delivery *	4,917	10.5	4,087	8.6	Full ANC	19.2
16	Institutional Delivery against expected delivery *	31,047	66.0	33,509	70.2	Home Delivery	32.5
17	Home Delivery against reported delivery **	4,917	13.7	4,087	96.4	Institutional Delivery	63.6
18	Institutional Delivery against reported delivery **	31,047	86.3	33,509	89.1	Home Delivery by SBA	26.3
19	Total reported Deliveries	35,964		37,596		PNC within 1 week of delivery	71.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	718	14.6	458	11.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	20,348	56.6	22,394	59.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	45,866		46,584			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
23	Total reported live births	32,327	70.5	34,548	74.2	Breastfed within 1 hour of birth	76.2
24	Total Still Birth	707	1.5	764	1.6	BCG	95.8

25	PC of newborn weighted at birth to live birth	30,267	93.6	34,132	98.8	3 dose of DPT	83.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,467	18.1	6,414	18.8	Measles	85
27	PC of newborns breastfed within 1 hour to total reported live birth.	29,220	90.4	32,413	93.8	Full Immunization	70.5
28	Children fully immunized	34,389	75.0	36,199	77.7		
29	Children who have received BCG	33,514	73.1	38,453	82.5		
30	Children who have received DPT1	427	0.9	1	0.0		
31	Children who have received DPT3	4,292	9.4	0	0.0		
32	Children who have received Measles	34,642	75.5	36,039	77.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,836		1,764			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
34	Number of Vasectomies performed	426		618		Limiting	6
35	Number of Tubectomies performed	3,917		2,497		Spacing	7.4
36	Number of IUD insertion	1,590		3,574		Women using any method	68.8
37	Number of IUD removals	594		553		Women using modern method	42.1
F) Service delivery		HMIS (2015-16)		HMIS (2016-17)			
38	IPD cases per 10,000 population ***	376		450			
39	General OPD cases per 10,000 population ***	10,981		13,228			
40	Ayush OPD cases per 10,000 population ***	50		200.2			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2015-16)		HMIS (2016-17)			
41	Neonatal death within 24 hours	9		8			
42	Up to 1 Weeks of Birth	92		91			
43	Between 1 week & 4 weeks of birth	0		4			
44	Neonatal Death	101		103			
45	Between 1 month and 11 months	63		87			
46	Total reported infant deaths	164		190			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2015-16)		HMIS (2016-17)			
47	Due to Abortion	1		1			
48	Due to Obstructed/prolonged labour	1		1			
49	Due to Severe hypertension / fits	5		4			
50	Due to Bleeding	3		5			
51	Due to High fever	1		2			
52	Due to Other Causes (including causes not known)	31		23			
53	Total reported maternal deaths	42		36			

Tinsukia Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,316,948					
2	Sex Ratio	948					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	164					
4	Primary Health Centers (PHC)	23					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	34,661		35,164			
9	Expected number of Delivery	32,298		32,766			
		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	26,158	75.5	25,398	72.2	Any ANC	97.2
11	Mothers registered in the first trimester	19,351	74.0	19,760	77.8	ANC Check up in first trimester	71.9
12	Mothers who had at least 3 Ante-Natal care check ups	23,690	90.6	21,898	86.2	3 or more ANC check up	72.9
13	PW who got TT 2 / Booster injection	23,345	89.2	22,365	88.1	Atleast 1 TT received	97.0
14	PW who consumed 100 IFA tablets	25,639	98.0	29,640	116.7	100 IFA tablets consumed	21.7
15	Home Delivery against expected delivery *	1,585	4.9	1,198	3.7	Full ANC	18.4
16	Institutional Delivery against expected delivery *	22,708	70.3	21,589	65.9	Home Delivery	23.8
17	Home Delivery against reported delivery **	1,585	6.5	1,198	96.1	Institutional Delivery	75.9
18	Institutional Delivery against reported delivery **	22,708	93.5	21,589	94.7	Home Delivery by SBA	26.2
19	Total reported Deliveries	24,293		22,787		PNC within 1 week of delivery	80.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	188	11.9	246	20.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	14,478	59.6	15,590	68.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	31,510		31,967			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
23	Total reported live births	24,100	76.5	22,702	71.0	Breastfed within 1 hour of birth	80.1
24	Total Still Birth	355	1.1	269	0.8	BCG	98.4

25	PC of newborn weighted at birth to live birth	23,979	99.5	22,521	99.2	3 dose of DPT	88.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	4,688	19.6	4,255	18.9	Measles	91.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	23,213	96.3	22,428	98.8	Full Immunization	79
28	Children fully immunized	22,968	72.9	23,393	73.2		
29	Children who have received BCG	25,818	81.9	23,182	72.5		
30	Children who have received DPT1	475	1.5	0	0.0		
31	Children who have received DPT3	3,064	9.7	1	0.0		
32	Children who have received Measles	23,496	74.6	23,619	73.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	6,435		4,628			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
34	Number of Vasectomies performed	608		615		Limiting	8
35	Number of Tubectomies performed	2,527		2,737		Spacing	4.9
36	Number of IUD insertion	4,746		6,160		Women using any method	67
37	Number of IUD removals	314		333		Women using modern method	47
F) Service delivery		HMIS (2015-16)		HMIS (2016-17)			
38	IPD cases per 10,000 population ***	308		296			
39	General OPD cases per 10,000 population ***	11,280		13,112			
40	Ayush OPD cases per 10,000 population ***	8		57.0			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2015-16)		HMIS (2016-17)			
41	Neonatal death within 24 hours	6		4			
42	Up to 1 Weeks of Birth	125		74			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	131		78			
45	Between 1 month and 11 months	77		27			
46	Total reported infant deaths	208		105			
II)	Maternal Mortality	HMIS (2015-16)		HMIS (2016-17)			
	Maternal Deaths (In Numbers)	HMIS (2015-16)		HMIS (2016-17)			
47	Due to Abortion	1		0			
48	Due to Obstructed/prolonged labour	0		3			
49	Due to Severe hypertension / fits	3		6			
50	Due to Bleeding	4		3			
51	Due to High fever	0		1			
52	Due to Other Causes (including causes not known)	29		15			
53	Total reported maternal deaths	37		28			

Udalguri Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	832,769					
2	Sex Ratio	966					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	146					
4	Primary Health Centers (PHC)	24					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	21,304		21,512			
9	Expected number of Delivery	19,852		20,045			
		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	15,460	72.6	15,339	71.3	Any ANC	NA
11	Mothers registered in the first trimester	12,932	83.6	12,829	83.6	ANC Check up in first trimester	NA
12	Mothers who had at least 3 Ante-Natal care check ups	12,999	84.1	12,454	81.2	3 or more ANC check up	NA
13	PW who got TT 2 / Booster injection	13,766	89.0	13,883	90.5	Atleast 1 TT received	NA
14	PW who consumed 100 IFA tablets	12,497	80.8	14,762	96.2	100 IFA tablets consumed	NA
15	Home Delivery against expected delivery *	875	4.4	953	4.8	Full ANC	NA
16	Institutional Delivery against expected delivery *	10,004	50.4	9,148	45.6	Home Delivery	NA
17	Home Delivery against reported delivery **	875	8.0	953	123.3	Institutional Delivery	NA
18	Institutional Delivery against reported delivery **	10,004	92.0	9,148	90.6	Home Delivery by SBA	NA
19	Total reported Deliveries	10,879		10,101		PNC within 1 week of delivery	NA
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	136	15.5	359	37.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,790	53.2	6,393	63.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	19,367		19,556			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
23	Total reported live births	10,796	55.7	10,093	51.6	Breastfed within 1 hour of birth	NA
24	Total Still Birth	217	1.1	194	1.0	BCG	NA

25	PC of newborn weighted at birth to live birth	10,532	97.6	9,832	97.4	3 dose of DPT	NA
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,053	19.5	2,102	21.4	Measles	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	10,019	92.8	9,614	95.3	Full Immunization	NA
28	Children fully immunized	13,850	71.5	13,793	70.5		
29	Children who have received BCG	13,025	67.3	12,766	65.3		
30	Children who have received DPT1	280	1.4	27	0.1		
31	Children who have received DPT3	2,383	12.3	16	0.1		
32	Children who have received Measles	13,985	72.2	13,862	70.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,045		2,047			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2015-16)		HMIS (2016-17)		AHS (2012-13)	
34	Number of Vasectomies performed	31		62		Limiting	NA
35	Number of Tubectomies performed	118		235		Spacing	NA
36	Number of IUD insertion	1,781		1,864		Women using any method	NA
37	Number of IUD removals	465		411		Women using modern method	NA
F) Service delivery		HMIS (2015-16)		HMIS (2016-17)			
38	IPD cases per 10,000 population ***	196		200			
39	General OPD cases per 10,000 population ***	9,968		10,481			
40	Ayush OPD cases per 10,000 population ***	86		147.0			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2015-16)		HMIS (2016-17)			
41	Neonatal death within 24 hours	2		3			
42	Up to 1 Weeks of Birth	76		66			
43	Between 1 week & 4 weeks of birth	7		4			
44	Neonatal Death	85		73			
45	Between 1 month and 11 months	80		81			
46	Total reported infant deaths	165		154			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2015-16)		HMIS (2016-17)			
47	Due to Abortion	1		0			
48	Due to Obstructed/prolonged labour	0		2			
49	Due to Severe hypertension / fits	1		2			
50	Due to Bleeding	1		6			
51	Due to High fever	3		1			
52	Due to Other Causes (including causes not known)	19		14			
53	Total reported maternal deaths	25		25			

