

MEGHALAYA Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)		SL No	C) State Health Indicator (SRS 2014)			
1	Population 2011	2,966,889	9	Birth Rate		23.9	
2	Sex Ratio	986	10	Death Rate		7.6	
3	Number of districts	7	11	IMR		47	
B) Infrastructure Details (RHS 2015)		Numbers	12	Growth Rate		16.4	
4	Sub Centers (SC)	428	13	TFR (SRS - 2007)		3.1	
5	Primary Health Centers (PHC)	110					
6	Community Health Centers (CHC)	27					
7	SDH	1					
8	DH	12					
D) Maternal Health:		2015-16	2016-17				
14	Expected number of PW	87,208	90,385				
15	Expected number of Delivery	81,659	84,633				
		HMIS (2015-16)	HMIS (2016-17)		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
16	PW register for ANC	129,672	148.7	133,919	148.2	Any ANC	74.1
17	Mothers registered in the first trimester	41,849	32.3	45,160	33.7	ANC Check up in first trimester	38.3
18	Mothers who had at least 3 Ante-Natal care check ups	71,458	55.1	77,003	57.5	3 or more ANC check up	45.6
19	PW who got TT 2 / Booster injection	71,685	55.3	73,965	55.2	Atleast 1 TT received	69.1
20	PW who consumed 100 IFA tablets	53,771	41.5	61,767	46.1	100 IFA tablets consumed	32.4
21	Home Delivery against expected delivery *	41,925	51.3	39,149	46.3	Full ANC	21.4
22	Institutional Delivery against expected delivery *	44,035	53.9	47,491	56.1	Home Delivery	52.2
23	Home Delivery against reported delivery **	41,925	48.8	39,149	45.2	Institutional Delivery	47.3
24	Institutional Delivery against reported delivery **	44,035	51.2	47,491	54.8	Home Delivery by SBA	22.1
25	Total reported Deliveries	85,960	105.3	86,640	102.4	PNC within 14 days of delivery	74
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3,640	8.7	1,947	5.0		
27	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	37,567	43.7	42,251	48.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
28	Expected number of Live Birth	79,280		82,168			
E) Child Immunization :		HMIS (2015-16)	HMIS (2016-17)		DLHS-4 (2012-13)		
29	Total reported live births	84,902	107.1	85,308	103.8	Breastfed within 1 hour of birth	60.6
30	Total Still Birth	1,932	2.4	1,826	2.2	BCG	75.1

31	PC of newborn weighted at birth to live birth	71,941	84.7	79,578	93.3	3 dose of DPT	68.1
32	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5,888	6.9	5,936	7.0	Measles	62
33	PC of newborns breastfed within 1 hour to total reported live birth.	72,676	85.6	76,053	89.2	Full Immunization	48.9
34	Children fully immunized	68,411	86.3	67,293	81.9		
35	Children who have received BCG	86,363	108.9	85,725	104.3		
36	Children who have received DPT1	84,936	107.1	1,460	1.8		
37	Children who have received DPT3	75,652	95.4	4,847	5.9		
38	Children who have received Measles	71,711	90.5	71,431	86.9		
39	Diarrhoea and Dehydration cases reported in children below 5 years	87,413		75,170			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
F) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)			
40	Number of Vasectomies performed	22	16	Limiting	15.8		
41	Number of Tubectomies performed	2,112	2,609	Spacing	39.7		
42	Number of IUD insertion	4,714	4,568	Women using any method	18.7		
43	Number of IUD removals	1,785	2,812	Women using modern method	14.3		
G) Service delivery		HMIS (2015-16)	HMIS (2016-17)				
44	IPD cases per 10,000 population ***	767	941				
45	General OPD cases per 10,000 population ***	10,284	13,057				
46	Ayush OPD cases per 10,000 population ***	729	997				
H) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2015-16)	HMIS (2016-17)				
47	Neonatal death within 24 hours	328	314				
48	Up to 1 Weeks of Birth	506	543				
49	Between 1 week & 4 weeks of birth	60	86				
50	Neonatal Death	894	943				
51	Between 1 month and 11 months	1,414	1,486				
52	Total reported infant deaths	2,308	2,429				
II) Maternal Mortality							
	Maternal Deaths (In Number)	HMIS (2015-16)	HMIS (2016-17)				
53	Due to Abortion	2	4				
54	Due to Obstructed/prolonged labour	22	21				
55	Due to Severe hypertension/fits	11	11				
56	Due to Bleeding	34	40				
57	Due to High fever	6	5				
58	Due to Other Causes (including causes not known)	110	118				
59	Total reported maternal deaths	185	199				

East Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	317,917					
2	Sex Ratio	968					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	39					
4	Primary Health Centers (PHC)	9					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	4,723		4,970			
9	Expected number of Delivery	4,422		4,654			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	7,504	158.9	7,877	158.5	Any ANC	48.9
11	Mothers registered in the first trimester	2,298	30.6	2,172	27.6	ANC Check up in first trimester	15.5
12	Mothers who had at least 3 Ante-Natal care check ups	3,415	45.5	4,989	63.3	3 or more ANC check up	29.9
13	PW who got TT 2 / Booster injection	4,129	55.0	3,909	49.6	At least 1 TT received	45.0
14	PW who consumed 100 IFA tablets	3,667	48.9	6,788	86.2	100 IFA tablets consumed	18.6
15	Home Delivery against expected delivery *	2,946	66.6	3,177	68.3	Full ANC	12.5
16	Institutional Delivery Against expected delivery *	1,587	35.9	1,567	33.7	Home Delivery	70.4
17	Home Delivery against reported delivery **	2,946	65.0	3,177	67.0	Institutional Delivery	28.7
18	Institutional Delivery against reported delivery **	1,587	35.0	1,567	33.0	Home Delivery by SBA	42.3
19	Total reported Deliveries	4,533		4,744		PNC within 14 days of delivery	77.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	153	5.2	309	9.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,591	35.1	3,311	69.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	4,293		4,518			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
23	Total reported live births	4,528	105.5	4,653	103.0	Breastfed within 1 hour of birth	90.7
24	Total Still Birth	90	2.1	92	2.0	BCG	45.2

25	PC of newborn weighted at birth to live birth	3,066	67.7	4,435	95.3	3 dose of DPT	47.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	247	8.1	232	5.2	Measles	36.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,623	80.0	4,273	91.8	Full Immunization	30.1
28	Children fully immunized	3,517	81.9	3,732	82.6		
29	Children who have received BCG	4,758	110.8	4,482	99.2		
30	Children who have received DPT1	4,833	112.6	86	1.9		
31	Children who have received DPT3	4,314	100.5	154	3.4		
32	Children who have received Measles	3,731	86.9	3,897	86.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	4,956		3,965			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	6.7
35	Number of Tubectomies performed	105	121	Spacing	61.8
36	Number of IUD insertion	144	404	Women using any method	16.9
37	Number of IUD removals	95	81	Women using modern method	12.2
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	617	1183		
39	General OPD cases per 10,000 population ***	7918	8362		
40	Ayush OPD cases per 10,000 population ***	160	359		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	8	8		
42	Up to 1 Weeks of Birth	13	14		
43	Between 1 week & 4 weeks of birth	0	2		
44	Neonatal Death	21	24		
45	Between 1 month and 11 months	82	69		
46	Total reported infant deaths	103	93		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	0	2		
48	Due to Obstructed/prolonged labour	1	4		
49	Due to Severe hypertension/fits	0	1		
50	Due to Bleeding	2	5		
51	Due to High fever	3	0		
52	Due to Other Causes (including causes not known)	3	10		
53	Total reported maternal deaths	9	22		

East Jaintia Hills Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	395,124					
2	Sex Ratio	1,008					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	34					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	3,933		4,183			
9	Expected number of Delivery	3,683		3,917			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	4,359	110.8	4,347	103.9	Any ANC	83.1
11	Mothers registered in the first trimester	1,106	25.4	1,366	31.4	ANC Check up in first trimester	49.6
12	Mothers who had at least 3 Ante-Natal care check ups	1,732	39.7	2,539	58.4	3 or more ANC check up	53.9
13	PW who got TT 2 / Booster injection	3,232	74.1	3,593	82.7	At least 1 TT received	75.8
14	PW who consumed 100 IFA tablets	1,016	23.3	2,714	62.4	100 IFA tablets consumed	33.2
15	Home Delivery against expected delivery *	2,442	66.3	2,113	53.9	Full ANC	23.9
16	Institutional Delivery Against expected delivery *	656	17.8	772	19.7	Home Delivery	59.6
17	Home Delivery against reported delivery **	2,442	78.8	2,113	73.2	Institutional Delivery	40.4
18	Institutional Delivery against reported delivery **	656	21.2	772	26.8	Home Delivery by SBA	12.0
19	Total reported Deliveries	3,098		2,885		PNC within 14 days of delivery	86.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	419	17.2	244	11.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,296	41.8	1,579	54.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,575		3,803			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
23	Total reported live births	3,060	85.6	2,850	74.9	Breastfed within 1 hour of birth	46.3

24	Total Still Birth	86	2.4	60	1.6	BCG	81.9
25	PC of newborn weighted at birth to live birth	2,492	81.4	2,537	89.0	3 dose of DPT	73.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	63	2.5	91	3.6	Measles	67.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,892	94.5	2,687	94.3	Full Immunization	57.1
28	Children fully immunized	3,559	99.6	4,184	110.0		
29	Children who have received BCG	4,280	119.7	3,691	97.1		
30	Children who have received DPT1	4,413	123.4	48	1.3		
31	Children who have received DPT3	3,855	107.8	330	8.7		
32	Children who have received Measles	3,672	102.7	4,268	112.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	8,544		8,291			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)			
34	Number of Vasectomies performed	0	0	Limiting		18.1	
35	Number of Tubectomies performed	0	0	Spacing		21.9	
36	Number of IUD insertion	73	138	Women using any method		21.2	
37	Number of IUD removals	25	73	Women using modern method		13.4	
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)				
38	IPD cases per 10,000 population ***	375	400				
39	General OPD cases per 10,000 population ***	6974	10500				
40	Ayush OPD cases per 10,000 population ***	416	824				
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2015-16)	HMIS (2016-17)				
41	Neonatal death within 24 hours	3	2				
42	Up to 1 Weeks of Birth	14	14				
43	Between 1 week & 4 weeks of birth	2	6				
44	Neonatal Death	19	22				
45	Between 1 month and 11 months	30	34				
46	Total reported infant deaths	49	56				
II)	Maternal Mortality						
	Maternal Deaths (In Number)	HMIS (2015-16)	HMIS (2016-17)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	1	0				
49	Due to Severe hypertension/fits	2	0				
50	Due to Bleeding	1	3				
51	Due to High fever	1	0				
52	Due to Other Causes (including causes not known)	1	2				
53	Total reported maternal deaths	6	5				

East Khasi Hills Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	825,922					
2	Sex Ratio	1,008					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	64					
4	Primary Health Centers (PHC)	26					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	4					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	23,723		24,909			
9	Expected number of Delivery	22,214		23,324			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	55,390	233.5	55,522	222.9	Any ANC	88.4
11	Mothers registered in the first trimester	17,019	30.7	18,775	33.8	ANC Check up in first trimester	56.0
12	Mothers who had at least 3 Ante-Natal care check ups	31,992	57.8	28,533	51.4	3 or more ANC check up	58.8
13	PW who got TT 2 / Booster injection	16,852	30.4	17,221	31.0	At least 1 TT received	83.1
14	PW who consumed 100 IFA tablets	22,934	41.4	19,300	34.8	100 IFA tablets consumed	40.3
15	Home Delivery against expected delivery *	6,821	30.7	5,910	25.3	Full ANC	26.0
16	Institutional Delivery Against expected delivery *	21,036	94.7	20,860	89.4	Home Delivery	23.5
17	Home Delivery against reported delivery **	6,821	24.5	5,910	22.1	Institutional Delivery	76.5
18	Institutional Delivery against reported delivery **	21,036	75.5	20,860	77.9	Home Delivery by SBA	9.1
19	Total reported Deliveries	27,857		26,770		PNC within 14 days of delivery	77.4
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	275	4.0	143	2.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,015	36.0	10,432	39.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	21,567		22,644			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
23	Total reported live births	27,197	126.1	26,195	115.7	Breastfed within 1 hour of birth	47.1

24	Total Still Birth	708	3.3	674	3.0	BCG	85.4
25	PC of newborn weighted at birth to live birth	23,987	88.2	24,733	94.4	3 dose of DPT	73.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	3,114	13.0	2,723	11.0	Measles	69.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	21,268	78.2	21,574	82.4	Full Immunization	52.1
28	Children fully immunized	15,539	72.0	13,970	61.7		
29	Children who have received BCG	25,653	118.9	25,605	113.1		
30	Children who have received DPT1	20,178	93.6	478	2.1		
31	Children who have received DPT3	17,021	78.9	1,571	6.9		
32	Children who have received Measles	15,998	74.2	14,739	65.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	20,558		17,226			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	12		14		Limiting	11.3
35	Number of Tubectomies performed	1,244		1,497		Spacing	29.1
36	Number of IUD insertion	2,026		1,169		Women using any method	27.6
37	Number of IUD removals	766		1,019		Women using modern method	22.8
F) Service delivery		HMIS (2015-16)		HMIS (2016-17)			
38	IPD cases per 10,000 population ***	1395		1566			
39	General OPD cases per 10,000 population ***	16702		19123			
40	Ayush OPD cases per 10,000 population ***	744		823			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2015-16)		HMIS (2016-17)			
41	Neonatal death within 24 hours	134		152			
42	Up to 1 Weeks of Birth	211		247			
43	Between 1 week & 4 weeks of birth	33		43			
44	Neonatal Death	378		442			
45	Between 1 month and 11 months	448		501			
46	Total reported infant deaths	826		943			
II)	Maternal Mortality	HMIS (2015-16)		HMIS (2016-17)			
	Maternal Deaths (In Number)	HMIS (2015-16)		HMIS (2016-17)			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	6		1			
49	Due to Severe hypertension/fits	2		1			
50	Due to Bleeding	12		6			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	34		34			
53	Total reported maternal deaths	54		42			

North Garo Hills Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	317,917					
2	Sex Ratio	968					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	41					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	4,366		4,595			
9	Expected number of Delivery	4,088		4,302			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	4,016	92.0	5,202	113.2	Any ANC	48.9
11	Mothers registered in the first trimester	1,735	43.2	1,842	35.4	ANC Check up in first trimester	15.5
12	Mothers who had at least 3 Ante-Natal care check ups	2,717	67.7	3,398	65.3	3 or more ANC check up	29.9
13	PW who got TT 2 / Booster injection	3,252	81.0	3,801	73.1	At least 1 TT received	45.0
14	PW who consumed 100 IFA tablets	1,937	48.2	3,704	71.2	100 IFA tablets consumed	18.6
15	Home Delivery against expected delivery *	1,358	33.2	1,500	34.9	Full ANC	12.5
16	Institutional Delivery Against expected delivery *	1,154	28.2	1,411	32.8	Home Delivery	70.4
17	Home Delivery against reported delivery **	1,358	54.1	1,500	51.5	Institutional Delivery	28.7
18	Institutional Delivery against reported delivery **	1,154	45.9	1,411	48.5	Home Delivery by SBA	42.3
19	Total reported Deliveries	2,512		2,911		PNC within 14 days of delivery	77.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	237	17.5	239	15.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,594	63.5	1,913	65.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,969		4,177			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
23	Total reported live births	2,540	64.0	2,901	69.5	Breastfed within 1 hour of birth	90.7

24	Total Still Birth	57	1.4	46	1.1	BCG	45.2
25	PC of newborn weighted at birth to live birth	2,123	83.6	2,698	93.0	3 dose of DPT	47.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	117	5.5	97	3.6	Measles	36.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,222	87.5	2,718	93.7	Full Immunization	30.1
28	Children fully immunized	2,904	73.2	2,957	70.8		
29	Children who have received BCG	3,288	82.8	3,475	83.2		
30	Children who have received DPT1	3,674	92.6	201	4.8		
31	Children who have received DPT3	3,548	89.4	278	6.7		
32	Children who have received Measles	3,082	77.7	3,480	83.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,768		2,143			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	6.7
35	Number of Tubectomies performed	0	0	Spacing	61.8
36	Number of IUD insertion	71	102	Women using any method	16.9
37	Number of IUD removals	40	238	Women using modern method	12.2
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	345	433		
39	General OPD cases per 10,000 population ***	5323	7993		
40	Ayush OPD cases per 10,000 population ***	253	335		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	8	0		
42	Up to 1 Weeks of Birth	14	7		
43	Between 1 week & 4 weeks of birth	0	1		
44	Neonatal Death	22	8		
45	Between 1 month and 11 months	51	32		
46	Total reported infant deaths	73	40		
II) Maternal Mortality					
	Maternal Deaths (In Number)	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	1	0		
48	Due to Obstructed/prolonged labour	3	1		
49	Due to Severe hypertension/fits	0	3		
50	Due to Bleeding	0	3		
51	Due to High fever	0	1		
52	Due to Other Causes (including causes not known)	1	4		
53	Total reported maternal deaths	5	12		

Ri Bhoi Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	258,840					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	27					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	7,572		8,096			
9	Expected number of Delivery	7,090		7,581			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	8,211	108.4	8,889	109.8	Any ANC	86.3
11	Mothers registered in the first trimester	2,540	30.9	3,274	36.8	ANC Check up in first trimester	51.5
12	Mothers who had at least 3 Ante-Natal care check ups	5,526	67.3	6,207	69.8	3 or more ANC check up	60.3
13	PW who got TT 2 / Booster injection	6,248	76.1	6,478	72.9	At least 1 TT received	83.4
14	PW who consumed 100 IFA tablets	3,107	37.8	4,439	49.9	100 IFA tablets consumed	40.8
15	Home Delivery against expected delivery *	4,566	64.4	3,743	49.4	Full ANC	31.7
16	Institutional Delivery Against expected delivery *	1,656	23.4	2,315	30.5	Home Delivery	50.8
17	Home Delivery against reported delivery **	4,566	73.4	3,743	61.8	Institutional Delivery	48.4
18	Institutional Delivery against reported delivery **	1,656	26.6	2,315	38.2	Home Delivery by SBA	31.4
19	Total reported Deliveries	6,222		6,058		PNC within 14 days of delivery	79.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	599	13.1	120	3.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,815	45.2	3,434	56.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	6,884		7,360			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
23	Total reported live births	6,182	89.8	6,018	81.8	Breastfed within 1 hour of birth	56.5

24	Total Still Birth	91	1.3	83	1.1	BCG	91.2
25	PC of newborn weighted at birth to live birth	4,189	67.8	5,425	90.1	3 dose of DPT	77.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	143	3.4	231	4.3	Measles	71.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,466	88.4	5,742	95.4	Full Immunization	54.9
28	Children fully immunized	5,503	79.9	5,580	75.8		
29	Children who have received BCG	6,184	89.8	5,699	77.4		
30	Children who have received DPT1	7,584	110.2	165	2.2		
31	Children who have received DPT3	6,449	93.7	284	3.9		
32	Children who have received Measles	6,326	91.9	6,580	89.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	7,800		7,079			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)			
34	Number of Vasectomies performed	0	0	Limiting	19		
35	Number of Tubectomies performed	12	45	Spacing	36.2		
36	Number of IUD insertion	431	598	Women using any method	19.5		
37	Number of IUD removals	89	244	Women using modern method	16.2		
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)				
38	IPD cases per 10,000 population ***	588	622				
39	General OPD cases per 10,000 population ***	10132	12061				
40	Ayush OPD cases per 10,000 population ***	994	1285				
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2015-16)	HMIS (2016-17)				
41	Neonatal death within 24 hours	18	12				
42	Up to 1 Weeks of Birth	31	32				
43	Between 1 week & 4 weeks of birth	3	8				
44	Neonatal Death	52	52				
45	Between 1 month and 11 months	78	84				
46	Total reported infant deaths	130	136				
II) Maternal Mortality							
	Maternal Deaths (In Number)	HMIS (2015-16)	HMIS (2016-17)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	2	3				
49	Due to Severe hypertension/fits	1	0				
50	Due to Bleeding	4	3				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	3	8				
53	Total reported maternal deaths	10	14				

South Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	142,334					
2	Sex Ratio	944					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	21					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	4,122		4,367			
9	Expected number of Delivery	3,859		4,089			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	3,550	86.1	3,830	87.7	Any ANC	40.0
11	Mothers registered in the first trimester	1,515	42.7	1,536	40.1	ANC Check up in first trimester	2.2
12	Mothers who had at least 3 Ante-Natal care check ups	1,910	53.8	2,476	64.6	3 or more ANC check up	4.4
13	PW who got TT 2 / Booster injection	2,591	73.0	2,705	70.6	At least 1 TT received	31.8
14	PW who consumed 100 IFA tablets	1,615	45.5	2,328	60.8	100 IFA tablets consumed	26.7
15	Home Delivery against expected delivery *	2,059	53.4	1,908	46.7	Full ANC	4.4
16	Institutional Delivery Against expected delivery *	677	17.5	823	20.1	Home Delivery	66.7
17	Home Delivery against reported delivery **	2,059	75.3	1,908	69.9	Institutional Delivery	33.3
18	Institutional Delivery against reported delivery **	677	24.7	823	30.1	Home Delivery by SBA	6.7
19	Total reported Deliveries	2,736		2,731		PNC within 14 days of delivery	42.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	165	8.0	114	6.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,508	55.1	1,196	43.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,747		3,970			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
23	Total reported live births	2,708	72.3	2,704	68.1	Breastfed within 1 hour of birth	NA

24	Total Still Birth	34	0.9	38	1.0	BCG	70
25	PC of newborn weighted at birth to live birth	2,282	84.3	2,457	90.9	3 dose of DPT	70
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	105	4.6	116	4.7	Measles	50
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,622	96.8	2,550	94.3	Full Immunization	50
28	Children fully immunized	2,419	64.6	2,423	61.0		
29	Children who have received BCG	2,918	77.9	2,938	74.0		
30	Children who have received DPT1	3,649	97.4	79	2.0		
31	Children who have received DPT3	3,088	82.4	258	6.5		
32	Children who have received Measles	2,864	76.4	2,819	71.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,364		1,337			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	1	Limiting	29.2
35	Number of Tubectomies performed	0	0	Spacing	44.6
36	Number of IUD insertion	10	50	Women using any method	11.8
37	Number of IUD removals	63	41	Women using modern method	10.3
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	296	349		
39	General OPD cases per 10,000 population ***	6311	6373		
40	Ayush OPD cases per 10,000 population ***	668	921		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	3	4		
42	Up to 1 Weeks of Birth	6	18		
43	Between 1 week & 4 weeks of birth	2	0		
44	Neonatal Death	11	22		
45	Between 1 month and 11 months	99	78		
46	Total reported infant deaths	110	100		
II) Maternal Mortality					
	Maternal Deaths (In Number)	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	2	2		
49	Due to Severe hypertension/fits	0	2		
50	Due to Bleeding	2	2		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	5	4		
53	Total reported maternal deaths	9	10		

South West Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	642,923					
2	Sex Ratio	979					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	17					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	1					
6	SDH	1					
7	DH	0					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	4,200		4,428			
9	Expected number of Delivery	3,933		4,146			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	3,673	87.5	4,387	99.1	Any ANC	61.3
11	Mothers registered in the first trimester	1,914	52.1	2,042	46.5	ANC Check up in first trimester	18.2
12	Mothers who had at least 3 Ante-Natal care check ups	2,175	59.2	3,092	70.5	3 or more ANC check up	38.3
13	PW who got TT 2 / Booster injection	3,077	83.8	3,651	83.2	At least 1 TT received	53.5
14	PW who consumed 100 IFA tablets	2,317	63.1	2,788	63.6	100 IFA tablets consumed	26.6
15	Home Delivery against expected delivery *	1,729	44.0	1,862	44.9	Full ANC	15.0
16	Institutional Delivery Against expected delivery *	1,472	37.4	1,832	44.2	Home Delivery	52.6
17	Home Delivery against reported delivery **	1,729	54.0	1,862	50.4	Institutional Delivery	47.1
18	Institutional Delivery against reported delivery **	1,472	46.0	1,832	49.6	Home Delivery by SBA	17.0
19	Total reported Deliveries	3,201		3,694		PNC within 14 days of delivery	49.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	197	11.4	71	3.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,236	38.6	1,881	50.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,818		4,025			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
23	Total reported live births	3,157	82.7	3,646	90.6	Breastfed within 1 hour of birth	86

24	Total Still Birth	76	2.0	60	1.5	BCG	43.5
25	PC of newborn weighted at birth to live birth	3,151	99.8	3,627	99.5	3 dose of DPT	50
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	165	5.2	260	7.2	Measles	43.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,135	99.3	3,636	99.7	Full Immunization	34.8
28	Children fully immunized	3,188	83.5	3,783	94.0		
29	Children who have received BCG	3,158	82.7	3,693	91.7		
30	Children who have received DPT1	3,598	94.2	9	0.2		
31	Children who have received DPT3	3,552	93.0	162	4.0		
32	Children who have received Measles	3,204	83.9	3,811	94.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	3,374		3,370			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)			
34	Number of Vasectomies performed	0	0	Limiting		19.1	
35	Number of Tubectomies performed	43	32	Spacing		57	
36	Number of IUD insertion	198	297	Women using any method		9.2	
37	Number of IUD removals	71	135	Women using modern method		5.4	
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)				
38	IPD cases per 10,000 population ***	306	409				
39	General OPD cases per 10,000 population ***	7390	9538				
40	Ayush OPD cases per 10,000 population ***	126	706				
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2015-16)	HMIS (2016-17)				
41	Neonatal death within 24 hours	3	6				
42	Up to 1 Weeks of Birth	15	14				
43	Between 1 week & 4 weeks of birth	1	0				
44	Neonatal Death	19	20				
45	Between 1 month and 11 months	60	119				
46	Total reported infant deaths	79	139				
II)	Maternal Mortality						
	Maternal Deaths (In Number)	HMIS (2015-16)	HMIS (2016-17)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	2	1				
50	Due to Bleeding	1	1				
51	Due to High fever	0	1				
52	Due to Other Causes (including causes not known)	2	5				
53	Total reported maternal deaths	5	8				

South West Khasi Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	383,461					
2	Sex Ratio	981					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	19					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	2,769		2,939			
9	Expected number of Delivery	2,593		2,752			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,882	104.1	3,366	114.5	Any ANC	68.4
11	Mothers registered in the first trimester	453	15.7	661	19.6	ANC Check up in first trimester	23.7
12	Mothers who had at least 3 Ante-Natal care check ups	1,521	52.8	1,976	58.7	3 or more ANC check up	21.2
13	PW who got TT 2 / Booster injection	2,172	75.4	2,468	73.3	At least 1 TT received	64.2
14	PW who consumed 100 IFA tablets	296	10.3	1,433	42.6	100 IFA tablets consumed	24.3
15	Home Delivery against expected delivery *	1,966	75.8	2,135	77.6	Full ANC	11.1
16	Institutional Delivery Against expected delivery *	500	19.3	609	22.1	Home Delivery	66.7
17	Home Delivery against reported delivery **	1,966	79.7	2,135	77.8	Institutional Delivery	32.3
18	Institutional Delivery against reported delivery **	500	20.3	609	22.2	Home Delivery by SBA	19.1
19	Total reported Deliveries	2,466		2,744		PNC within 14 days of delivery	45.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	23	1.2	16	0.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,239	50.2	1,636	59.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,517		2,672			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
23	Total reported live births	2,428	96.5	2,718	101.7	Breastfed within 1 hour of birth	47.5

24	Total Still Birth	53	2.1	50	1.9	BCG	79.6
25	PC of newborn weighted at birth to live birth	1,841	75.8	2,427	89.3	3 dose of DPT	70.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	75	4.1	107	4.4	Measles	70.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,416	58.3	2,177	80.1	Full Immunization	47.3
28	Children fully immunized	2,145	85.2	2,331	87.2		
29	Children who have received BCG	2,701	107.3	2,765	103.5		
30	Children who have received DPT1	2,965	117.8	61	2.3		
31	Children who have received DPT3	2,537	100.8	275	10.3		
32	Children who have received Measles	2,374	94.3	2,550	95.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,281		1,533			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0		0		Limiting	17.3
35	Number of Tubectomies performed	0		0		Spacing	29.1
36	Number of IUD insertion	5		26		Women using any method	17.4
37	Number of IUD removals	13		63		Women using modern method	14.6
F) Service delivery		HMIS (2015-16)		HMIS (2016-17)			
38	IPD cases per 10,000 population ***	420		468			
39	General OPD cases per 10,000 population ***	4935		8044			
40	Ayush OPD cases per 10,000 population ***	656		1113			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2015-16)		HMIS (2016-17)			
41	Neonatal death within 24 hours	17		12			
42	Up to 1 Weeks of Birth	14		22			
43	Between 1 week & 4 weeks of birth	5		2			
44	Neonatal Death	36		36			
45	Between 1 month and 11 months	107		86			
46	Total reported infant deaths	143		122			
II)	Maternal Mortality	HMIS (2015-16)		HMIS (2016-17)			
	Maternal Deaths (In Number)	HMIS (2015-16)		HMIS (2016-17)			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	1		0			
49	Due to Severe hypertension/fits	1		1			
50	Due to Bleeding	1		2			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	1		8			
53	Total reported maternal deaths	4		11			

West Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	642,923					
2	Sex Ratio	979					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	72					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	2					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	14,248		15,020			
9	Expected number of Delivery	13,341		14,064			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	15,988	112.2	15,925	106.0	Any ANC	61.3
11	Mothers registered in the first trimester	6,046	37.8	5,537	34.8	ANC Check up in first trimester	18.2
12	Mothers who had at least 3 Ante-Natal care check ups	9,730	60.9	10,522	66.1	3 or more ANC check up	38.3
13	PW who got TT 2 / Booster injection	12,703	79.5	11,964	75.1	At least 1 TT received	53.5
14	PW who consumed 100 IFA tablets	9,558	59.8	9,412	59.1	100 IFA tablets consumed	26.6
15	Home Delivery against expected delivery *	7,103	53.2	6,466	46.0	Full ANC	15.0
16	Institutional Delivery Against expected delivery *	7,384	55.3	7,327	52.1	Home Delivery	52.6
17	Home Delivery against reported delivery **	7,103	49.0	6,466	46.9	Institutional Delivery	47.1
18	Institutional Delivery against reported delivery **	7,384	51.0	7,327	53.1	Home Delivery by SBA	17.0
19	Total reported Deliveries	14,487		13,793		PNC within 14 days of delivery	49.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	869	12.2	184	2.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,463	58.4	7,541	54.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	12,953		13,655			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
23	Total reported live births	14,246	110.0	13,580	99.5	Breastfed within 1 hour of birth	86

24	Total Still Birth	322	2.5	286	2.1	BCG	43.5
25	PC of newborn weighted at birth to live birth	14,091	98.9	13,338	98.2	3 dose of DPT	50
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	987	7.0	1,048	7.9	Measles	43.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	14,038	98.5	13,382	98.5	Full Immunization	34.8
28	Children fully immunized	12,644	97.6	10,915	79.9		
29	Children who have received BCG	13,995	108.0	13,479	98.7		
30	Children who have received DPT1	13,842	106.9	117	0.9		
31	Children who have received DPT3	13,141	101.5	469	3.4		
32	Children who have received Measles	12,977	100.2	11,238	82.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	7,568		6,259			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)			
34	Number of Vasectomies performed	9	0	Limiting	19.1		
35	Number of Tubectomies performed	419	496	Spacing	57		
36	Number of IUD insertion	1,250	1,144	Women using any method	9.2		
37	Number of IUD removals	488	689	Women using modern method	5.4		
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)				
38	IPD cases per 10,000 population ***	476	487				
39	General OPD cases per 10,000 population ***	7058	7569				
40	Ayush OPD cases per 10,000 population ***	737	764				
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2015-16)	HMIS (2016-17)				
41	Neonatal death within 24 hours	40	51				
42	Up to 1 Weeks of Birth	43	49				
43	Between 1 week & 4 weeks of birth	2	9				
44	Neonatal Death	85	109				
45	Between 1 month and 11 months	274	255				
46	Total reported infant deaths	359	364				
II) Maternal Mortality							
	Maternal Deaths (In Number)	HMIS (2015-16)	HMIS (2016-17)				
47	Due to Abortion	1	1				
48	Due to Obstructed/prolonged labour	4	10				
49	Due to Severe hypertension/fits	2	1				
50	Due to Bleeding	6	7				
51	Due to High fever	1	2				
52	Due to Other Causes (including causes not known)	35	26				
53	Total reported maternal deaths	49	47				

West Jaintia Hills Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	395,124					
2	Sex Ratio	1,008					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	46					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	7,490		7,967			
9	Expected number of Delivery	7,014		7,460			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	11,241	150.1	12,462	156.4	Any ANC	83.1
11	Mothers registered in the first trimester	3,496	31.1	4,150	33.3	ANC Check up in first trimester	49.6
12	Mothers who had at least 3 Ante-Natal care check ups	3,762	33.5	4,467	35.8	3 or more ANC check up	53.9
13	PW who got TT 2 / Booster injection	8,781	78.1	8,444	67.8	At least 1 TT received	75.8
14	PW who consumed 100 IFA tablets	1,657	14.7	2,979	23.9	100 IFA tablets consumed	33.2
15	Home Delivery against expected delivery *	5,201	74.2	4,488	60.2	Full ANC	23.9
16	Institutional Delivery Against expected delivery *	4,582	65.3	5,637	75.6	Home Delivery	59.6
17	Home Delivery against reported delivery **	5,201	53.2	4,488	44.3	Institutional Delivery	40.4
18	Institutional Delivery against reported delivery **	4,582	46.8	5,637	55.7	Home Delivery by SBA	12.0
19	Total reported Deliveries	9,783		10,125		PNC within 14 days of delivery	86.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	301	5.8	156	3.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,673	37.5	3,906	38.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	6,810		7,243			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
23	Total reported live births	9,890	145.2	9,988	137.9	Breastfed within 1 hour of birth	46.3

24	Total Still Birth	281	4.1	262	3.6	BCG	81.9
25	PC of newborn weighted at birth to live birth	7,930	80.2	8,939	89.5	3 dose of DPT	73.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	617	7.8	659	7.4	Measles	67.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	8,948	90.5	8,251	82.6	Full Immunization	57.1
28	Children fully immunized	8,330	122.3	7,802	107.7		
29	Children who have received BCG	9,543	140.1	9,599	132.5		
30	Children who have received DPT1	9,400	138.0	27	0.4		
31	Children who have received DPT3	8,552	125.6	352	4.9		
32	Children who have received Measles	8,462	124.3	8,055	111.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	16,912		13,350			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	1		1		Limiting	18.1
35	Number of Tubectomies performed	189		225		Spacing	21.9
36	Number of IUD insertion	342		338		Women using any method	21.2
37	Number of IUD removals	103		186		Women using modern method	13.4
F) Service delivery		HMIS (2015-16)		HMIS (2016-17)			
38	IPD cases per 10,000 population ***	1028		1028			
39	General OPD cases per 10,000 population ***	10098		12164			
40	Ayush OPD cases per 10,000 population ***	916		1264			
G) Mortality Details							
I) Infant Deaths (In Number)		HMIS (2015-16)		HMIS (2016-17)			
41	Neonatal death within 24 hours	55		32			
42	Up to 1 Weeks of Birth	106		97			
43	Between 1 week & 4 weeks of birth	5		8			
44	Neonatal Death	166		137			
45	Between 1 month and 11 months	92		118			
46	Total reported infant deaths	258		255			
II) Maternal Mortality							
Maternal Deaths (In Number)		HMIS (2015-16)		HMIS (2016-17)			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	3		3			
51	Due to High fever	1		1			
52	Due to Other Causes (including causes not known)	9		8			
53	Total reported maternal deaths	13		12			

West Khasi Hills Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	383,461					
2	Sex Ratio	981					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	48					
4	Primary Health Centers (PHC)	15					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	2					
C) Maternal Health:		2015-16		2016-17			
8	Expected number of PW	8,411		8,927			
9	Expected number of Delivery	7,876		8,359			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	12,858	152.9	12,112	135.7	Any ANC	68.4
11	Mothers registered in the first trimester	3,727	29.0	3,805	31.4	ANC Check up in first trimester	23.7
12	Mothers who had at least 3 Ante-Natal care check ups	6,978	54.3	8,804	72.7	3 or more ANC check up	21.2
13	PW who got TT 2 / Booster injection	8,648	67.3	9,731	80.3	At least 1 TT received	64.2
14	PW who consumed 100 IFA tablets	5,667	44.1	5,882	48.6	100 IFA tablets consumed	24.3
15	Home Delivery against expected delivery *	5,734	72.8	5,847	69.9	Full ANC	11.1
16	Institutional Delivery Against expected delivery *	3,331	42.3	4,338	51.9	Home Delivery	66.7
17	Home Delivery against reported delivery **	5,734	63.3	5,847	57.4	Institutional Delivery	32.3
18	Institutional Delivery against reported delivery **	3,331	36.7	4,338	42.6	Home Delivery by SBA	19.1
19	Total reported Deliveries	9,065		10,185		PNC within 14 days of delivery	45.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	402	7.0	351	6.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,137	45.6	5,422	53.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	7,646		8,116			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
23	Total reported live births	8,966	117.3	10,055	123.9	Breastfed within 1 hour of birth	47.5

24	Total Still Birth	134	1.8	175	2.2	BCG	79.6
25	PC of newborn weighted at birth to live birth	6,789	75.7	8,962	89.1	3 dose of DPT	70.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	255	3.8	372	4.2	Measles	70.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	7,046	78.6	9,063	90.1	Full Immunization	47.3
28	Children fully immunized	8,663	113.3	9,616	118.5		
29	Children who have received BCG	9,885	129.3	10,299	126.9		
30	Children who have received DPT1	10,800	141.3	189	2.3		
31	Children who have received DPT3	9,595	125.5	714	8.8		
32	Children who have received Measles	9,021	118.0	9,994	123.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	13,288		10,617			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0		0		Limiting	17.3
35	Number of Tubectomies performed	100		193		Spacing	29.1
36	Number of IUD insertion	164		302		Women using any method	17.4
37	Number of IUD removals	32		43		Women using modern method	14.6
F) Service delivery		HMIS (2015-16)		HMIS (2016-17)			
38	IPD cases per 10,000 population ***	694		754			
39	General OPD cases per 10,000 population ***	11465		13065			
40	Ayush OPD cases per 10,000 population ***	1540		1751			
G) Mortality Details							
I)	Infant Deaths (In Number)	HMIS (2015-16)		HMIS (2016-17)			
41	Neonatal death within 24 hours	39		35			
42	Up to 1 Weeks of Birth	39		29			
43	Between 1 week & 4 weeks of birth	7		7			
44	Neonatal Death	85		71			
45	Between 1 month and 11 months	93		110			
46	Total reported infant deaths	178		181			
II)	Maternal Mortality	HMIS (2015-16)		HMIS (2016-17)			
	Maternal Deaths (In Number)	HMIS (2015-16)		HMIS (2016-17)			
47	Due to Abortion	0		1			
48	Due to Obstructed/prolonged labour	2		0			
49	Due to Severe hypertension/fits	1		1			
50	Due to Bleeding	2		5			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	16		9			
53	Total reported maternal deaths	21		16			

