

## Mizoram Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)			C) State Health Indicator (SRS 2014)			
1	Population 2011	1,097,206	9	Birth Rate		16.1	
2	Sex Ratio	975	10	Death Rate		4.3	
3	Number of districts	9	11	IMR		35	
<b>B) Infrastructure Details (RHS 2015)</b>			12	Growth Rate		11.8	
4	Sub Centers (SC)	370	13	TFR (SRS - 2007)		2.0	
5	Primary Health Centers (PHC)	57					
6	Community Health Centers (CHC)	9					
7	SDH	2					
8	DH	8					
<b>D) Maternal Health:</b>		<b>2015-16</b>		<b>2016-17</b>			
14	Expected number of PW	21,264		21,748			
15	Expected number of Delivery	19,562		20,008			
		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
16	PW register for ANC	22,404	105.4	21,976	101.0	Any ANC	83.3
17	Mothers registered in the first trimester	16,492	73.6	16,776	76.3	ANC Check up in first trimester	54.3
18	Mothers who had at least 3 Ante-Natal care check ups	15,817	70.6	15,273	69.5	3 or more ANC check up	61.6
19	PW who got TT 2 / Booster injection	19,988	89.2	19,153	87.2	Atleast 1 TT received	80
20	PW who consumed 100 IFA tablets	10,102	45.1	12,698	57.8	100 IFA tablets consumed	46.5
21	Home Delivery against expected delivery *	2,128	10.9	2,023	10.1	Full ANC	36.7
22	Institutional Delivery against expected delivery *	17,931	91.7	17,201	86.0	Home Delivery	27.1
23	Reported Home Delivery **	2,128	10.6	2,023	10.5	Institutional Delivery	72.4
24	Reported institutional Delivery **	17,931	89.4	17,201	89.5	Home Delivery by SBA	7.2
25	Total reported Deliveries	20,059	102.5	19,224	96.1	PNC within 14 days of delivery	49.7
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	503	23.6	453	22.4		
27	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	15,286	76.2	15,091	78.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
28	Expected number of Live Birth	19,330		19,771			
<b>F) Child Immunization :</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
29	Total reported live births	19,900	102.9	19,099	96.6	Breastfed within 1 hour of birth	84.5

30	Total Still Birth	214	1.1	179	0.9	BCG	88.4
31	Newborn weighted at birth to live birth	19,336	97.2	18,514	96.9	3 dose of DPT	82.5
32	Newborn having weight less than 2.5 kg to newborn weighted at birth.	902	4.5	866	4.5	Measles	79.7
33	Newborns breastfed within 1 hour to total reported live birth.	19,086	95.9	18,399	96.3	Full Immunization	71.2
34	Fully immunized	18,997	98.3	17,881	90.4		
35	Children who have received BCG	20,785	107.5	19,823	100.3		
36	Children who have received DPT1	11,791	61.0	225	1.1		
37	Children who have received DPT3	15,034	77.8	308	1.6		
38	Children who have received Measles	19,453	100.6	18,506	93.6		
39	Diarrhoea and Dehydration cases reported in children below 5 years	7,445		6,435			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>Family Planning</b>		<b>HMIS (2015-16)</b>	<b>HMIS (2016-17)</b>	<b>DLHS-4 (2012-13)</b>			
40	Number of Vasectomies performed	0	0	Limiting		2.9	
41	Number of Tubectomies performed	1,351	1,298	Spacing		18.5	
42	Number of IUD insertion	2,483	2,392	Women using any method		59.8	
43	Number of IUD removals	1,408	1,553	Women using modern method		59	
<b>I) Service delivery</b>		<b>HMIS (2015-16)</b>	<b>HMIS (2016-17)</b>				
44	IPD cases per 10,000 population ***	878	830				
45	General OPD cases per 10,000 population ***	10,466	11,289				
46	Ayush OPD cases per 10,000 population ***	300	374				
<b>J) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2015-16)</b>	<b>HMIS (2016-17)</b>				
47	Neonatal death within 24 hours	14	7				
48	Up to 1 Weeks of Birth	151	150				
49	Between 1 week & 4 weeks of birth	16	14				
50	Neonatal Death	181	171				
51	Between 1 month and 11 months	265	184				
52	<b>Total reported infant deaths</b>	446	355				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2015-16)</b>	<b>HMIS (2016-17)</b>				
53	Due to Abortion	0	2				
54	Due to Obstructed/prolonged labour	3	2				
55	Due to Severe hypertension/fits	1	2				
56	Due to Bleeding	5	4				
57	Due to High fever	0	2				
58	Due to Other Causes (including causes not known)	10	6				
59	<b>Total reported maternal deaths</b>	19	18				

## Aizawl East Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	240,589					
2	Sex Ratio	1,009					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	40					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
<b>C) Maternal Health:</b>		<b>2015-16</b>		<b>2016-17</b>			
8	Expected number of PW	4,686		4,799			
9	Expected number of Delivery	4,311		4,415			
		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	4,787	102.2	4,689	97.7	Any ANC	97.7
11	Mothers registered in the first trimester	3,790	79.2	3,769	80.4	ANC Check up in first trimester	66.1
12	Mothers who had at least 3 Ante-Natal care check ups	3,739	78.1	3,674	78.4	3 or more ANC check up	76.1
13	PW who got TT 2 / Booster injection	4,676	97.7	3,947	84.2	At least 1 TT received	96.4
14	PW who consumed 100 IFA tablets	1,672	34.9	2,464	52.5	100 IFA tablets consumed	67.2
15	Home Delivery against expected delivery *	37	0.9	28	0.6	Full ANC	53.9
16	Institutional Delivery Against expected delivery *	3,405	79.0	3,255	73.7	Home Delivery	6.6
17	Reported Home Delivery **	37	1.1	28	0.9	Institutional Delivery	93.4
18	Reported institutional Delivery **	3,405	98.9	3,255	99.1	Home Delivery by SBA	2.9
19	Total reported Deliveries	3,442		3,283		PNC within 14 days of delivery	47.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	15	40.5	14	50.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,156	120.7	4,300	131.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
22	Expected number of Live Birth	4,260		4,363			
<b>D) Child Immunization :</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	3,427	80.4	3,270	75.0	Breastfed within 1 hour of birth	87.7
24	Total Still Birth	38	0.9	15	0.3	BCG	98.6

25	PC of newborn weighted at birth to live birth	3,501	102.2	3,264	99.8	3 dose of DPT	94.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	150	4.3	171	5.2	Measles	90
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,308	96.5	3,250	99.4	Full Immunization	87
28	Children fully immunized	5,417	127.2	5,108	117.1		
29	Children who have received BCG	4,345	102.0	3,856	88.4		
30	Children who have received DPT1	3,096	72.7	6	0.1		
31	Children who have received DPT3	3,806	89.3	14	0.3		
32	Children who have received Measles	5,455	128.0	5,256	120.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	423		247			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	1.6
35	Number of Tubectomies performed	215	172	Spacing	14.4
36	Number of IUD insertion	435	565	Women using any method	64.6
37	Number of IUD removals	209	256	Women using modern method	63.5
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	1061	1026		
39	General OPD cases per 10,000 population ***	6957	8164		
40	Ayush OPD cases per 10,000 population ***	41	103		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	4	0		
42	Up to 1 Weeks of Birth	19	20		
43	Between 1 week & 4 weeks of birth	2	3		
44	Neonatal Death	25	23		
45	Between 1 month and 11 months	27	13		
46	<b>Total reported infant deaths</b>	<b>52</b>	<b>36</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Aizawl West Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	159,720					
2	Sex Ratio	1,009					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	54					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	0					
6	SDH	1					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2015-16</b>		<b>2016-17</b>			
8	Expected number of PW	3,111		3,186			
9	Expected number of Delivery	2,862		2,931			
		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	3,463	111.3	3,386	106.3	Any ANC	97.7
11	Mothers registered in the first trimester	2,410	69.6	2,522	74.5	ANC Check up in first trimester	66.1
12	Mothers who had at least 3 Ante-Natal care check ups	2,521	72.8	2,341	69.1	3 or more ANC check up	76.1
13	PW who got TT 2 / Booster injection	2,981	86.1	2,943	86.9	At least 1 TT received	96.4
14	PW who consumed 100 IFA tablets	1,356	39.2	1,479	43.7	100 IFA tablets consumed	67.2
15	Home Delivery against expected delivery *	14	0.5	9	0.3	Full ANC	53.9
16	Institutional Delivery Against expected delivery *	5,959	208.2	5,859	199.9	Home Delivery	6.6
17	Reported Home Delivery **	14	0.2	9	0.2	Institutional Delivery	93.4
18	Reported institutional Delivery **	5,959	99.8	5,859	99.8	Home Delivery by SBA	2.9
19	Total reported Deliveries	5,973		5,868		PNC within 14 days of delivery	47.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	8	57.1	5	55.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,050	67.8	4,036	68.8		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
22	Expected number of Live Birth	2,828		2,896			
<b>D) Child Immunization :</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	5,894	208.4	5,797	200.2	Breastfed within 1 hour of birth	87.7
24	Total Still Birth	79	2.8	71	2.5	BCG	98.6

25	PC of newborn weighted at birth to live birth	5,893	100.0	5,795	100.0	3 dose of DPT	94.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	316	5.4	323	5.6	Measles	90
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,892	100.0	5,787	99.8	Full Immunization	87
28	Children fully immunized	2,678	94.7	2,707	93.5		
29	Children who have received BCG	4,417	156.2	4,422	152.7		
30	Children who have received DPT1	1,346	47.6	0	0.0		
31	Children who have received DPT3	1,861	65.8	0	0.0		
32	Children who have received Measles	2,678	94.7	2,708	93.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	810		605			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	1.6
35	Number of Tubectomies performed	581	647	Spacing	14.4
36	Number of IUD insertion	628	600	Women using any method	64.6
37	Number of IUD removals	380	557	Women using modern method	63.5
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	1457	1492		
39	General OPD cases per 10,000 population ***	29023	31496		
40	Ayush OPD cases per 10,000 population ***	506	519		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	0	1		
42	Up to 1 Weeks of Birth	64	87		
43	Between 1 week & 4 weeks of birth	8	6		
44	Neonatal Death	72	94		
45	Between 1 month and 11 months	48	40		
46	<b>Total reported infant deaths</b>	120	134		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	0	2		
48	Due to Obstructed/prolonged labour	0	1		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	1		
53	<b>Total reported maternal deaths</b>	0	4		

## Champhai Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	125,745					
2	Sex Ratio	981					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	59					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2015-16</b>		<b>2016-17</b>			
8	Expected number of PW	2,376		2,415			
9	Expected number of Delivery	2,186		2,221			
		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	2,742	115.4	2,696	111.7	Any ANC	91.3
11	Mothers registered in the first trimester	2,061	75.2	2,129	79.0	ANC Check up in first trimester	54.4
12	Mothers who had at least 3 Ante-Natal care check ups	2,104	76.7	1,995	74.0	3 or more ANC check up	66.0
13	PW who got TT 2 / Booster injection	2,421	88.3	2,429	90.1	At least 1 TT received	87.8
14	PW who consumed 100 IFA tablets	1,989	72.5	2,004	74.3	100 IFA tablets consumed	51.3
15	Home Delivery against expected delivery *	102	4.7	90	4.1	Full ANC	39.1
16	Institutional Delivery Against expected delivery *	1,906	87.2	1,744	78.5	Home Delivery	21.7
17	Reported Home Delivery **	102	5.1	90	4.9	Institutional Delivery	78.3
18	Reported institutional Delivery **	1,906	94.9	1,744	95.1	Home Delivery by SBA	8.7
19	Total reported Deliveries	2,008		1,834		PNC within 14 days of delivery	32.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	11.8	19	21.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,373	68.4	1,516	82.7		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
22	Expected number of Live Birth	2,160		2,195			
<b>D) Child Immunization :</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,988	92.0	1,826	83.2	Breastfed within 1 hour of birth	91
24	Total Still Birth	20	0.9	13	0.6	BCG	95.1

25	PC of newborn weighted at birth to live birth	1,962	98.7	1,791	98.1	3 dose of DPT	90.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	94	4.8	110	6.1	Measles	89
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,951	98.1	1,776	97.3	Full Immunization	82.9
28	Children fully immunized	2,391	110.7	2,147	97.8		
29	Children who have received BCG	2,283	105.7	2,078	94.7		
30	Children who have received DPT1	1,410	65.3	36	1.6		
31	Children who have received DPT3	1,795	83.1	77	3.5		
32	Children who have received Measles	2,458	113.8	2,213	100.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,411		1,320			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	2.7
35	Number of Tubectomies performed	62	65	Spacing	19.7
36	Number of IUD insertion	435	361	Women using any method	59.4
37	Number of IUD removals	340	246	Women using modern method	59
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	712	638		
39	General OPD cases per 10,000 population ***	6490	7077		
40	Ayush OPD cases per 10,000 population ***	144	424		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	2	1		
42	Up to 1 Weeks of Birth	10	4		
43	Between 1 week & 4 weeks of birth	2	2		
44	Neonatal Death	14	7		
45	Between 1 month and 11 months	36	16		
46	<b>Total reported infant deaths</b>	<b>50</b>	<b>23</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	1	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	0		
53	<b>Total reported maternal deaths</b>	<b>2</b>	<b>1</b>		



## Kolasi Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	83,955					
2	Sex Ratio	956					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	30					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2015-16</b>		<b>2016-17</b>			
8	Expected number of PW	1,647		1,690			
9	Expected number of Delivery	1,515		1,555			
		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,882	114.3	1,806	106.9	Any ANC	95.1
11	Mothers registered in the first trimester	1,345	71.5	1,388	76.9	ANC Check up in first trimester	65.6
12	Mothers who had at least 3 Ante-Natal care check ups	1,339	71.1	1,358	75.2	3 or more ANC check up	70.8
13	PW who got TT 2 / Booster injection	1,681	89.3	1,647	91.2	At least 1 TT received	93.1
14	PW who consumed 100 IFA tablets	1,063	56.5	1,192	66.0	100 IFA tablets consumed	51.4
15	Home Delivery against expected delivery *	137	9.0	77	5.0	Full ANC	42.7
16	Institutional Delivery Against expected delivery *	1,060	70.0	1,104	71.0	Home Delivery	22.5
17	Reported Home Delivery **	137	11.4	77	6.5	Institutional Delivery	77.5
18	Reported institutional Delivery **	1,060	88.6	1,104	93.5	Home Delivery by SBA	6.9
19	Total reported Deliveries	1,197		1,181		PNC within 14 days of delivery	52.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	59	43.1	29	37.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,316	109.9	1,192	100.9		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
22	Expected number of Live Birth	1,497		1,536			
<b>D) Child Immunization :</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,187	79.3	1,180	76.8	Breastfed within 1 hour of birth	82.2
24	Total Still Birth	14	0.9	13	0.8	BCG	99

25	PC of newborn weighted at birth to live birth	1,155	97.3	1,167	98.9	3 dose of DPT	96.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	68	5.9	50	4.3	Measles	90.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,136	95.7	1,150	97.5	Full Immunization	83.7
28	Children fully immunized	1,453	97.0	1,393	90.7		
29	Children who have received BCG	1,602	107.0	1,260	82.0		
30	Children who have received DPT1	856	57.2	0	0.0		
31	Children who have received DPT3	1,147	76.6	0	0.0		
32	Children who have received Measles	1,508	100.7	1,427	92.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,287		1,106			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	2.2
35	Number of Tubectomies performed	33	72	Spacing	18.2
36	Number of IUD insertion	93	91	Women using any method	57.3
37	Number of IUD removals	103	99	Women using modern method	56.7
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	794	715		
39	General OPD cases per 10,000 population ***	7808	7721		
40	Ayush OPD cases per 10,000 population ***	484	506		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	1	0		
42	Up to 1 Weeks of Birth	6	2		
43	Between 1 week & 4 weeks of birth	1	2		
44	Neonatal Death	8	4		
45	Between 1 month and 11 months	12	20		
46	<b>Total reported infant deaths</b>	<b>20</b>	<b>24</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	1	0		
49	Due to Severe hypertension/fits	0	1		
50	Due to Bleeding	0	0		
51	Due to High fever	0	1		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	<b>1</b>	<b>2</b>		

## Lawngtlai Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	117,894					
2	Sex Ratio	945					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	37					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2015-16</b>		<b>2016-17</b>			
8	Expected number of PW	2,387		2,469			
9	Expected number of Delivery	2,196		2,271			
		<b>HMIS (2015-16)</b>		<b>HMIS (2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	2,286	95.8	2,505	101.5	Any ANC	37.9
11	Mothers registered in the first trimester	1,782	78.0	1,798	71.8	ANC Check up in first trimester	21.5
12	Mothers who had at least 3 Ante-Natal care check ups	1,517	66.4	1,379	55.0	3 or more ANC check up	26.4
13	PW who got TT 2 / Booster injection	1,854	81.1	2,189	87.4	At least 1 TT received	35.1
14	PW who consumed 100 IFA tablets	970	42.4	1,663	66.4	100 IFA tablets consumed	16.0
15	Home Delivery against expected delivery *	562	25.6	636	28.0	Full ANC	12.3
16	Institutional Delivery Against expected delivery *	1,075	48.9	900	39.6	Home Delivery	70.1
17	Reported Home Delivery **	562	34.3	636	41.4	Institutional Delivery	27.7
18	Reported institutional Delivery **	1,075	65.7	900	58.6	Home Delivery by SBA	3.5
19	Total reported Deliveries	1,637		1,536		PNC within 14 days of delivery	74.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	86	15.3	83	13.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	544	33.2	386	25.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
22	Expected number of Live Birth	2,170		2,244			
<b>D) Child Immunization :</b>		<b>HMIS (2015-16)</b>		<b>HMIS (2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,627	75.0	1,540	68.6	Breastfed within 1 hour of birth	56.5
24	Total Still Birth	29	1.3	19	0.8	BCG	40.8

25	PC of newborn weighted at birth to live birth	1,438	88.4	1,189	77.2	3 dose of DPT	44.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	57	4.0	42	3.5	Measles	35.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,459	89.7	1,195	77.6	Full Immunization	26.3
28	Children fully immunized	1,542	71.0	1,490	66.4		
29	Children who have received BCG	1,820	83.9	2,040	90.9		
30	Children who have received DPT1	1,397	64.4	161	7.2		
31	Children who have received DPT3	1,670	76.9	129	5.7		
32	Children who have received Measles	1,686	77.7	1,730	77.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	638		589			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2015-16)	HMIS ( 2016-17)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	6.3
35	Number of Tubectomies performed	115	40	Spacing	23.6
36	Number of IUD insertion	103	95	Women using any method	47.4
37	Number of IUD removals	40	91	Women using modern method	46.2
F) Service delivery		HMIS ( 2015-16)	HMIS ( 2016-17)		
38	IPD cases per 10,000 population ***	429	394		
39	General OPD cases per 10,000 population ***	4513	4657		
40	Ayush OPD cases per 10,000 population ***	53	55		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2015-16)	HMIS ( 2016-17)		
41	Neonatal death within 24 hours	2	3		
42	Up to 1 Weeks of Birth	6	3		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	8	6		
45	Between 1 month and 11 months	34	29		
46	<b>Total reported infant deaths</b>	<b>42</b>	<b>35</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2015-16)	HMIS ( 2016-17)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	1		
50	Due to Bleeding	1	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	2	1		
53	<b>Total reported maternal deaths</b>	<b>3</b>	<b>3</b>		

## Lunglei Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	161,428					
2	Sex Ratio	944					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	71					
4	Primary Health Centers (PHC)	9					
5	Community Health Centers (CHC)	1					
6	SDH	1					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2015-16</b>		<b>2016-17</b>			
8	Expected number of PW	3,002		3,039			
9	Expected number of Delivery	2,762		2,796			
		<b>HMIS (2015-16)</b>		<b>HMIS (2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	2,611	87.0	2,566	84.4	Any ANC	74.2
11	Mothers registered in the first trimester	1,784	68.3	1,996	77.8	ANC Check up in first trimester	41.0
12	Mothers who had at least 3 Ante-Natal care check ups	1,666	63.8	1,771	69.0	3 or more ANC check up	51.6
13	PW who got TT 2 / Booster injection	2,356	90.2	2,281	88.9	At least 1 TT received	67.1
14	PW who consumed 100 IFA tablets	527	20.2	1,120	43.6	100 IFA tablets consumed	33.2
15	Home Delivery against expected delivery *	460	16.7	405	14.5	Full ANC	24.0
16	Institutional Delivery Against expected delivery *	2,048	74.2	1,922	68.7	Home Delivery	38.5
17	Reported Home Delivery **	460	18.3	405	17.4	Institutional Delivery	61.2
18	Reported institutional Delivery **	2,048	81.7	1,922	82.6	Home Delivery by SBA	11.3
19	Total reported Deliveries	2,508		2,327		PNC within 14 days of delivery	53.4
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	138	30.0	85	21.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,282	91.0	2,030	87.2		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
22	Expected number of Live Birth	2,729		2,763			
<b>D) Child Immunization :</b>		<b>HMIS (2015-16)</b>		<b>HMIS (2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	2,498	91.5	2,307	83.5	Breastfed within 1 hour of birth	90.2
24	Total Still Birth	15	0.5	26	0.9	BCG	85.5

25	PC of newborn weighted at birth to live birth	2,367	94.8	2,266	98.2	3 dose of DPT	75
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	107	4.5	92	4.1	Measles	76.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,220	88.9	2,183	94.6	Full Immunization	59.2
28	Children fully immunized	2,042	74.8	1,878	68.0		
29	Children who have received BCG	2,490	91.2	2,396	86.7		
30	Children who have received DPT1	1,464	53.6	0	0.0		
31	Children who have received DPT3	1,895	69.4	21	0.8		
32	Children who have received Measles	2,119	77.6	1,915	69.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	839		759			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	1.8
35	Number of Tubectomies performed	179	180	Spacing	17.4
36	Number of IUD insertion	318	259	Women using any method	65.5
37	Number of IUD removals	139	124	Women using modern method	64.9
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	799	725		
39	General OPD cases per 10,000 population ***	10550	10950		
40	Ayush OPD cases per 10,000 population ***	446	440		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	24	13		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	24	13		
45	Between 1 month and 11 months	48	23		
46	<b>Total reported infant deaths</b>	<b>72</b>	<b>36</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	1	0		
50	Due to Bleeding	1	0		
51	Due to High fever	0	1		
52	Due to Other Causes (including causes not known)	2	1		
53	<b>Total reported maternal deaths</b>	<b>4</b>	<b>2</b>		

## Mamit Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	86,364					
2	Sex Ratio	924					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	29					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2015-16</b>		<b>2016-17</b>			
8	Expected number of PW	1,766		1,831			
9	Expected number of Delivery	1,625		1,684			
		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,765	99.9	1,719	93.9	Any ANC	78.0
11	Mothers registered in the first trimester	1,175	66.6	1,184	68.9	ANC Check up in first trimester	38.4
12	Mothers who had at least 3 Ante-Natal care check ups	1,057	59.9	997	58.0	3 or more ANC check up	47.4
13	PW who got TT 2 / Booster injection	1,541	87.3	1,518	88.3	At least 1 TT received	75.4
14	PW who consumed 100 IFA tablets	817	46.3	1,086	63.2	100 IFA tablets consumed	37.8
15	Home Delivery against expected delivery *	423	26.0	386	22.9	Full ANC	26.4
16	Institutional Delivery Against expected delivery *	801	49.3	727	43.2	Home Delivery	37.7
17	Reported Home Delivery **	423	34.6	386	34.7	Institutional Delivery	62.0
18	Reported institutional Delivery **	801	65.4	727	65.3	Home Delivery by SBA	10.1
19	Total reported Deliveries	1,224		1,113		PNC within 14 days of delivery	51.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	81	19.1	79	20.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	715	58.4	761	68.4		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
22	Expected number of Live Birth	1,605		1,664			
<b>D) Child Immunization :</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,219	75.9	1,114	66.9	Breastfed within 1 hour of birth	91.6
24	Total Still Birth	5	0.3	4	0.2	BCG	90.2

25	PC of newborn weighted at birth to live birth	1,017	83.4	1,008	90.5	3 dose of DPT	79.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	38	3.7	33	3.3	Measles	70.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,112	91.2	1,044	93.7	Full Immunization	59.8
28	Children fully immunized	1,479	92.1	1,175	70.6		
29	Children who have received BCG	1,714	106.8	1,415	85.0		
30	Children who have received DPT1	1,027	64.0	11	0.7		
31	Children who have received DPT3	1,325	82.5	29	1.7		
32	Children who have received Measles	1,506	93.8	1,216	73.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,028		870			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	2.3
35	Number of Tubectomies performed	63	24	Spacing	21.3
36	Number of IUD insertion	125	106	Women using any method	58.9
37	Number of IUD removals	42	35	Women using modern method	58.5
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	583	427		
39	General OPD cases per 10,000 population ***	7457	7522		
40	Ayush OPD cases per 10,000 population ***	53	182		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	4	0		
42	Up to 1 Weeks of Birth	1	9		
43	Between 1 week & 4 weeks of birth	2	0		
44	Neonatal Death	7	9		
45	Between 1 month and 11 months	12	12		
46	<b>Total reported infant deaths</b>	19	21		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	1	1		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	1		
53	<b>Total reported maternal deaths</b>	2	2		



## Saiha Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	56,574					
2	Sex Ratio	978					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	24					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2015-16</b>		<b>2016-17</b>			
8	Expected number of PW	1,083		1,105			
9	Expected number of Delivery	997		1,016			
		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,590	146.8	1,409	127.6	Any ANC	73.9
11	Mothers registered in the first trimester	1,136	71.4	1,008	71.5	ANC Check up in first trimester	53.6
12	Mothers who had at least 3 Ante-Natal care check ups	973	61.2	938	66.6	3 or more ANC check up	51.0
13	PW who got TT 2 / Booster injection	1,349	84.8	1,131	80.3	At least 1 TT received	66.0
14	PW who consumed 100 IFA tablets	1,143	71.9	1,001	71.0	100 IFA tablets consumed	35.4
15	Home Delivery against expected delivery *	367	36.8	374	36.8	Full ANC	28.1
16	Institutional Delivery Against expected delivery *	943	94.6	953	93.8	Home Delivery	42.4
17	Reported Home Delivery **	367	28.0	374	28.2	Institutional Delivery	56.5
18	Reported institutional Delivery **	943	72.0	953	71.8	Home Delivery by SBA	17.2
19	Total reported Deliveries	1,310		1,327		PNC within 14 days of delivery	41.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	94	25.6	132	35.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	691	52.7	743	56.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
22	Expected number of Live Birth	985		1,004			
<b>D) Child Immunization :</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,303	132.3	1,319	131.3	Breastfed within 1 hour of birth	92
24	Total Still Birth	11	1.1	9	0.9	BCG	80.6

25	PC of newborn weighted at birth to live birth	1,260	96.7	1,287	97.6	3 dose of DPT	72
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	59	4.7	34	2.6	Measles	73.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,256	96.4	1,269	96.2	Full Immunization	60.2
28	Children fully immunized	978	99.3	1,043	103.9		
29	Children who have received BCG	1,131	114.8	1,423	141.7		
30	Children who have received DPT1	637	64.7	11	1.1		
31	Children who have received DPT3	834	84.7	38	3.8		
32	Children who have received Measles	1,026	104.2	1,055	105.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	598		451			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	5.8
35	Number of Tubectomies performed	91	93	Spacing	22.2
36	Number of IUD insertion	231	223	Women using any method	54.3
37	Number of IUD removals	74	69	Women using modern method	53.6
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	908	893		
39	General OPD cases per 10,000 population ***	6388	6412		
40	Ayush OPD cases per 10,000 population ***	1025	1476		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	1	1		
42	Up to 1 Weeks of Birth	16	8		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	17	9		
45	Between 1 month and 11 months	33	25		
46	<b>Total reported infant deaths</b>	<b>50</b>	<b>34</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	1	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	2	2		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	3	2		
53	<b>Total reported maternal deaths</b>	<b>6</b>	<b>4</b>		

## Serchhip Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	64,937					
2	Sex Ratio	976					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	26					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2015-16</b>		<b>2016-17</b>			
8	Expected number of PW	1,241		1,264			
9	Expected number of Delivery	1,141		1,163			
		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,278	103.0	1,200	94.9	Any ANC	99.7
11	Mothers registered in the first trimester	1,009	79.0	982	81.8	ANC Check up in first trimester	69.6
12	Mothers who had at least 3 Ante-Natal care check ups	901	70.5	820	68.3	3 or more ANC check up	74.2
13	PW who got TT 2 / Booster injection	1,129	88.3	1,068	89.0	At least 1 TT received	98.4
14	PW who consumed 100 IFA tablets	565	44.2	689	57.4	100 IFA tablets consumed	49.7
15	Home Delivery against expected delivery *	26	2.3	18	1.5	Full ANC	38.7
16	Institutional Delivery Against expected delivery *	734	64.3	737	63.4	Home Delivery	16.3
17	Reported Home Delivery **	26	3.4	18	2.4	Institutional Delivery	83.1
18	Reported institutional Delivery **	734	96.6	737	97.6	Home Delivery by SBA	8.6
19	Total reported Deliveries	760		755		PNC within 14 days of delivery	49.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	38.5	7	38.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	159	20.9	127	16.8		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
22	Expected number of Live Birth	1,128		1,149			
<b>D) Child Immunization :</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	757	67.1	746	64.9	Breastfed within 1 hour of birth	78.6
24	Total Still Birth	3	0.3	9	0.8	BCG	97.4

25	PC of newborn weighted at birth to live birth	743	98.2	747	100.1	3 dose of DPT	85.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	13	1.7	11	1.5	Measles	89.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	752	99.3	745	99.9	Full Immunization	82.3
28	Children fully immunized	1,017	90.2	940	81.8		
29	Children who have received BCG	983	87.2	933	81.2		
30	Children who have received DPT1	558	49.5	0	0.0		
31	Children who have received DPT3	701	62.2	0	0.0		
32	Children who have received Measles	1,017	90.2	986	85.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	411		488			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	2.5
35	Number of Tubectomies performed	12	5	Spacing	14.4
36	Number of IUD insertion	115	92	Women using any method	66
37	Number of IUD removals	81	76	Women using modern method	65
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	596	540		
39	General OPD cases per 10,000 population ***	7126	8082		
40	Ayush OPD cases per 10,000 population ***	646	534		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	0	1		
42	Up to 1 Weeks of Birth	5	4		
43	Between 1 week & 4 weeks of birth	1	1		
44	Neonatal Death	6	6		
45	Between 1 month and 11 months	15	6		
46	<b>Total reported infant deaths</b>	21	12		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	0		
53	<b>Total reported maternal deaths</b>	1	0		