

NAGALAND Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)		SL No	C) State Health Indicator (SRS 2014)			
1	Population 2011	1,978,502	9	Birth Rate		15.4	
2	Sex Ratio	931	10	Death Rate		3.1	
3	Number of districts	11	11	IMR		18	
B) Infrastructure Details (RHS 2015)			12	Growth Rate		12.3	
4	Sub Centers (SC)	396	13	TFR (SRS - 2007)		2.0	
5	Primary Health Centers (PHC)	128					
6	Community Health Centers (CHC)	21					
7	SDH	0					
8	DH	11					
D) Maternal Health:		2011-12	2011-12				
14	Expected number of PW	37,433	37,433				
15	Expected number of Delivery	34,439	34,439				
		HMIS (2015-16)	HMIS (2016-17)		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
16	PW register for ANC	48,800	130.4	46,993	125.5	Any ANC	41.8
17	Mothers registered in the first trimester	17,480	35.8	15,165	32.3	ANC Check up in first trimester	23.8
18	Mothers who had at least 3 Ante-Natal care check ups	15,718	32.2	15,299	32.6	3 or more ANC check up	26.5
19	Mothers who got TT2/ Booster injection (%)	15,077	30.9	14,796	31.5	Atleast 1 TT received	39.4
20	PW who consumed 100 IFA tablets	14,087	28.9	12,249	26.1	100 IFA tablets consumed	12
21	Home Delivery against expected delivery *	4,706	13.7	4,150	12.1	Full ANC	9.7
22	Institutional Delivery against expected delivery *	17,513	50.9	16,599	48.2	Home Delivery	66.1
23	Home Delivery against reported delivery **	4,706	21.2	4,150	20.0	Institutional Delivery	30.1
24	Institutional Delivery against reported delivery **	17,513	78.8	16,599	80.0	Home Delivery by SBA	17.5
25	Total reported Deliveries	22,219	64.5	20,749	60.2	PNC within 14 days of delivery	63.9
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3,357	71.3	2,313	55.7		
27	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,572	38.6	9,166	44.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
28	Expected number of Live Birth	34,030	34,030				
E) Child Immunization :		HMIS (2015-16)	HMIS (2016-17)		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
29	Total reported live births	21,629	63.6	20,338	59.8	Breastfed within 1 hour of birth	44.5
30	Total Still Birth	362	1.1	344	1.0	BCG	61.2

31	Newborn weighted at birth to live birth	19,982	92.4	19,690	96.8	3 dose of DPT	66
32	Newborn having weight less than 2.5 kg to newborn weighted at birth.	778	3.6	863	4.2	Measles	49
33	Newborns breastfed within 1 hour to total reported live birth.	17,912	82.8	17,851	87.8	Full Immunization	35.6
34	Fully immunized	19,386	57.0	20,724	60.9		
35	Children who have received BCG	27,221	80.0	26,322	77.3		
36	Children who have received DPT1	21,342	62.7	4,499	13.2		
37	Children who have received DPT3	20,919	61.5	5,111	15.0		
38	Children who have received Measles	20,556	60.4	21,587	63.4		
39	Diarrhoea and Dehydration cases reported in children below 5 years	4,982		3,885			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
F) Family Planning		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
40	Number of Vasectomies performed	10		13		Limiting	23
41	Number of Tubectomies performed	1,531		1,642		Spacing	18.6
42	Number of IUD insertion	4,050		4,442		Women using any method	33.1
43	Number of IUD removals	1,647		1,888		Women using modern method	23.9
I) Service delivery		HMIS (2015-16)		HMIS (2016-17)			
44	IPD cases per 10,000 population ***	395		388			
45	General OPD cases per 10,000 population ***	5,253		5,385			
46	Ayush OPD cases per 10,000 population ***	152		183			
J) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2015-16)		HMIS (2016-17)			
47	Neonatal death within 24 hours	3		2			
48	Up to 1 Weeks of Birth	65		104			
49	Between 1 week & 4 weeks of birth	1		4			
50	Neonatal Death	69		110			
51	Between 1 month and 11 months	56		64			
52	Total reported infant deaths	125		174			
II)	Maternal Mortality	HMIS (2015-16)		HMIS (2016-17)			
I)	Maternal Deaths (In Numbers)	HMIS (2015-16)		HMIS (2016-17)			
53	Due to Abortion	0		0			
54	Due to Obstructed/prolonged labour	1		0			
55	Due to Severe hypertension/fits	2		1			
56	Due to Bleeding	3		2			
57	Due to High fever	1		0			
58	Due to Other Causes (including causes not known)	22		9			
59	Total reported maternal deaths	29		12			

Dimapur Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	378,811					
2	Sex Ratio	916					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	47					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	7,167		7,167			
9	Expected number of Delivery	6,594		6,594			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	24,065	335.8	23,311	325.2	Any ANC	57.1
11	Mothers registered in the first trimester	10,437	43.4	9,103	39.1	ANC Check up in first trimester	37.8
12	Mothers who had at least 3 Ante-Natal care check ups	8,068	33.5	6,956	29.8	3 or more ANC check up	38
13	PW who got TT 2 / Booster injection	6,218	25.8	5,527	23.7	Atleast 1 TT received	53
14	PW who consumed 100 IFA tablets	6,461	26.8	4,321	18.5	100 IFA tablets consumed	16.9
15	Home Delivery against expected delivery *	865	13.1	741	11.2	Full ANC	12.8
16	Institutional Delivery against expected delivery *	7,905	119.9	7,440	112.8	Home Delivery	47.7
17	Home Delivery against reported delivery **	865	9.9	741	9.1	Institutional Delivery	52
18	Institutional Delivery against reported delivery **	7,905	90.1	7,440	89.7	Home Delivery by SBA	65.6
19	Total reported Deliveries	8,770		8,181		PNC within 48 hrs of delivery	68.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	750	86.7	562	75.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,568	17.9	1,588	19.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	6,516		6,516			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	8,303	127.4	7,906	121.3	Breastfed within 1 hour of birth	45.8
24	Total Still Birth	208	3.2	177	2.7	BCG	71.4

25	PC of newborn weighted at birth to live birth	8,216	99.0	7,883	99.7	3 dose of DPT	68.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	604	7.4	594	7.5	Measles	50.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	6,369	76.7	6,186	78.2	Full Immunization	38.1
28	Children fully immunized	6,952	106.7	7,300	112.0		
29	Children who have received BCG	10,084	154.8	9,648	148.1		
30	Children who have received DPT1	6,630	101.8	387	5.9		
31	Children who have received DPT3	6,541	100.4	579	8.9		
32	Children who have received Measles	6,952	106.7	7,300	112.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,002		1,603			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	8	7	Limiting	23
35	Number of Tubectomies performed	585	529	Spacing	12.7
36	Number of IUD insertion	744	708	Women using any method	36.2
37	Number of IUD removals	491	553	Women using modern method	28.3
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	1008	929		
39	General OPD cases per 10,000 population ***	11425	11462		
40	Ayush OPD cases per 10,000 population ***	168	225		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	56	70		
43	Between 1 week & 4 weeks of birth	0	1		
44	Neonatal Death	56	71		
45	Between 1 month and 11 months	33	35		
46	Total reported infant deaths	89	106		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	2	0		
50	Due to Bleeding	2	1		
51	Due to High fever	1	0		
52	Due to Other Causes (including causes not known)	17	5		
53	Total reported maternal deaths	22	6		

Kiphrie Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	74,004					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	19					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	1,400		1,400			
9	Expected number of Delivery	1,288		1,288			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,003	71.6	831	59.4	Any ANC	14.7
11	Mothers registered in the first trimester	153	15.3	175	21.1	ANC Check up in first trimester	2.9
12	Mothers who had at least 3 Ante-Natal care check ups	161	16.1	149	17.9	3 or more ANC check up	5.9
13	PW who got TT 2 / Booster injection	431	43.0	369	44.4	Atleast 1 TT received	11.8
14	PW who consumed 100 IFA tablets	251	25.0	332	40.0	100 IFA tablets consumed	5.9
15	Home Delivery against expected delivery *	333	25.9	274	21.3	Full ANC	2.9
16	Institutional Delivery against expected delivery *	514	39.9	425	33.0	Home Delivery	58.8
17	Home Delivery against reported delivery **	333	39.3	274	39.2	Institutional Delivery	32.4
18	Institutional Delivery against reported delivery **	514	60.7	425	62.2	Home Delivery by SBA	35.3
19	Total reported Deliveries	847		699		PNC within 48 hrs of delivery	63.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	169	50.8	131	47.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	430	50.8	243	34.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,273		1,273			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	835	65.6	693	54.4	Breastfed within 1 hour of birth	88.2
24	Total Still Birth	16	1.3	11	0.9	BCG	60

25	PC of newborn weighted at birth to live birth	712	85.3	636	91.8	3 dose of DPT	40
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5	0.7	6	0.9	Measles	20
27	PC of newborns breastfed within 1 hour to total reported live birth.	802	96.0	678	97.8	Full Immunization	20
28	Children fully immunized	660	51.9	651	51.1		
29	Children who have received BCG	943	74.1	870	68.3		
30	Children who have received DPT1	846	66.5	352	27.7		
31	Children who have received DPT3	843	66.2	328	25.8		
32	Children who have received Measles	721	56.6	716	56.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	758		361			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	39.4
35	Number of Tubectomies performed	45	41	Spacing	11.6
36	Number of IUD insertion	247	288	Women using any method	35.1
37	Number of IUD removals	43	79	Women using modern method	26.1
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	296	336		
39	General OPD cases per 10,000 population ***	4269	4035		
40	Ayush OPD cases per 10,000 population ***	103	116		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	1		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	1		
45	Between 1 month and 11 months	1	0		
46	Total reported infant deaths	1	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	1	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	1	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	2	1		

Kohima Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	267,988					
2	Sex Ratio	927					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	40					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	5,070		5,070			
9	Expected number of Delivery	4,665		4,665			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	8,040	158.6	8,049	158.7	Any ANC	72.4
11	Mothers registered in the first trimester	1,101	13.7	1,081	13.4	ANC Check up in first trimester	45.2
12	Mothers who had at least 3 Ante-Natal care check ups	3,483	43.3	3,900	48.5	3 or more ANC check up	42.4
13	PW who got TT 2 / Booster injection	1,668	20.7	1,655	20.6	Atleast 1 TT received	67.7
14	PW who consumed 100 IFA tablets	468	5.8	476	5.9	100 IFA tablets consumed	17.7
15	Home Delivery against expected delivery *	215	4.6	138	3.0	Full ANC	14.5
16	Institutional Delivery against expected delivery *	2,595	55.6	2,595	55.6	Home Delivery	50
17	Home Delivery against reported delivery **	215	7.7	138	5.0	Institutional Delivery	44.4
18	Institutional Delivery against reported delivery **	2,595	92.3	2,595	78.3	Home Delivery by SBA	15.3
19	Total reported Deliveries	2,810		2,733		PNC within 48 hrs of delivery	53.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	163	75.8	107	77.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	882	31.4	1,017	37.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	4,609		4,609			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	2,786	60.4	2,696	58.5	Breastfed within 1 hour of birth	46
24	Total Still Birth	31	0.7	39	0.8	BCG	63.9

25	PC of newborn weighted at birth to live birth	1,792	64.3	2,264	84.0	3 dose of DPT	69.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	23	1.3	80	3.5	Measles	58.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,401	50.3	2,200	81.6	Full Immunization	38.9
28	Children fully immunized	2,664	57.8	2,770	60.1		
29	Children who have received BCG	3,549	77.0	3,477	75.4		
30	Children who have received DPT1	2,326	50.5	225	4.9		
31	Children who have received DPT3	2,534	55.0	277	6.0		
32	Children who have received Measles	2,825	61.3	2,824	61.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	333		326			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	1	0	Limiting	20.5
35	Number of Tubectomies performed	254	233	Spacing	15.7
36	Number of IUD insertion	976	1,022	Women using any method	44.4
37	Number of IUD removals	296	294	Women using modern method	25.2
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	510	492		
39	General OPD cases per 10,000 population ***	6112	6614		
40	Ayush OPD cases per 10,000 population ***	94	79		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	1	0		
42	Up to 1 Weeks of Birth	0	22		
43	Between 1 week & 4 weeks of birth	1	3		
44	Neonatal Death	2	25		
45	Between 1 month and 11 months	10	14		
46	Total reported infant deaths	12	39		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	1		
53	Total reported maternal deaths	0	1		

Longleng Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	50,484					
2	Sex Ratio	903					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	8					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	955		955			
9	Expected number of Delivery	879		879			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	853	89.3	845	88.5	Any ANC	18.8
11	Mothers registered in the first trimester	301	35.3	383	45.3	ANC Check up in first trimester	7.2
12	Mothers who had at least 3 Ante-Natal care check ups	244	28.6	254	30.1	3 or more ANC check up	11.4
13	PW who got TT 2 / Booster injection	326	38.2	344	40.7	Atleast 1 TT received	17.4
14	PW who consumed 100 IFA tablets	460	53.9	392	46.4	100 IFA tablets consumed	7.2
15	Home Delivery against expected delivery *	180	20.5	173	19.7	Full ANC	7.2
16	Institutional Delivery against expected delivery *	308	35.0	330	37.6	Home Delivery	82.6
17	Home Delivery against reported delivery **	180	36.9	173	34.4	Institutional Delivery	17.4
18	Institutional Delivery against reported delivery **	308	63.1	330	82.7	Home Delivery by SBA	12.9
19	Total reported Deliveries	488		503		PNC within 48 hrs of delivery	83.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	175	97.2	172	99.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	225	46.1	223	44.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	868		868			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	484	55.7	503	57.9	Breastfed within 1 hour of birth	80
24	Total Still Birth	6	0.7	4	0.5	BCG	55.6

25	PC of newborn weighted at birth to live birth	461	95.2	472	93.8	3 dose of DPT	66.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	7	1.5	5	1.1	Measles	33.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	472	97.5	499	99.2	Full Immunization	22.2
28	Children fully immunized	533	61.4	594	68.4		
29	Children who have received BCG	543	62.5	652	75.1		
30	Children who have received DPT1	582	67.0	67	7.7		
31	Children who have received DPT3	545	62.8	139	16.0		
32	Children who have received Measles	567	65.3	601	69.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	167		79			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	24.2
35	Number of Tubectomies performed	39	31	Spacing	10.6
36	Number of IUD insertion	169	180	Women using any method	31.3
37	Number of IUD removals	71	91	Women using modern method	22.3
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	185	180		
39	General OPD cases per 10,000 population ***	6208	6361		
40	Ayush OPD cases per 10,000 population ***	31	164		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	2		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	2		
45	Between 1 month and 11 months	0	0		
46	Total reported infant deaths	0	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	0		

Mokokchung Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	194,622					
2	Sex Ratio	927					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	51					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	3,682		3,682			
9	Expected number of Delivery	3,388		3,388			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,803	49.0	1,778	48.3	Any ANC	74.6
11	Mothers registered in the first trimester	688	38.2	556	31.3	ANC Check up in first trimester	27.6
12	Mothers who had at least 3 Ante-Natal care check ups	527	29.2	390	21.9	3 or more ANC check up	46.6
13	PW who got TT 2 / Booster injection	680	37.7	667	37.5	Atleast 1 TT received	72.4
14	PW who consumed 100 IFA tablets	209	11.6	251	14.1	100 IFA tablets consumed	26.1
15	Home Delivery against expected delivery *	280	8.3	167	4.9	Full ANC	21.6
16	Institutional Delivery against expected delivery *	927	27.4	880	26.0	Home Delivery	56.4
17	Home Delivery against reported delivery **	280	23.2	167	16.0	Institutional Delivery	42.9
18	Institutional Delivery against reported delivery **	927	76.8	880	72.4	Home Delivery by SBA	35.8
19	Total reported Deliveries	1,207		1,047		PNC within 48 hrs of delivery	59.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	224	80.0	124	74.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	975	80.8	837	79.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,347		3,347			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,190	35.5	1,032	30.8	Breastfed within 1 hour of birth	34.7
24	Total Still Birth	16	0.5	19	0.6	BCG	89.1

25	PC of newborn weighted at birth to live birth	1,176	98.8	1,049	101.6	3 dose of DPT	80.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	32	2.7	92	8.8	Measles	78.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,180	99.2	1,029	99.7	Full Immunization	60.9
28	Children fully immunized	1,265	37.8	1,208	36.1		
29	Children who have received BCG	1,318	39.4	1,256	37.5		
30	Children who have received DPT1	1,223	36.5	334	10.0		
31	Children who have received DPT3	1,334	39.9	374	11.2		
32	Children who have received Measles	1,293	38.6	1,212	36.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	115		67			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	22
35	Number of Tubectomies performed	212	160	Spacing	11.3
36	Number of IUD insertion	280	268	Women using any method	51.7
37	Number of IUD removals	104	124	Women using modern method	34.3
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	402	413		
39	General OPD cases per 10,000 population ***	4810	4874		
40	Ayush OPD cases per 10,000 population ***	273	408		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	1	1		
42	Up to 1 Weeks of Birth	6	8		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	7	9		
45	Between 1 month and 11 months	4	1		
46	Total reported infant deaths	11	10		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	2		
53	Total reported maternal deaths	0	2		

Mon Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	250,260					
2	Sex Ratio	898					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	50					
4	Primary Health Centers (PHC)	15					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	4,735		4,735			
9	Expected number of Delivery	4,356		4,356			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	3,262	68.9	2,609	55.1	Any ANC	25.6
11	Mothers registered in the first trimester	1,368	41.9	1,098	42.1	ANC Check up in first trimester	10.5
12	Mothers who had at least 3 Ante-Natal care check ups	470	14.4	572	21.9	3 or more ANC check up	9.7
13	PW who got TT 2 / Booster injection	1,528	46.8	1,785	68.4	Atleast 1 TT received	25.6
14	PW who consumed 100 IFA tablets	920	28.2	1,446	55.4	100 IFA tablets consumed	4.8
15	Home Delivery against expected delivery *	744	17.1	928	21.3	Full ANC	3.2
16	Institutional Delivery against expected delivery *	1,266	29.1	1,141	26.2	Home Delivery	84
17	Home Delivery against reported delivery **	744	37.0	928	44.9	Institutional Delivery	16
18	Institutional Delivery against reported delivery **	1,266	63.0	1,141	76.9	Home Delivery by SBA	24
19	Total reported Deliveries	2,010		2,069		PNC within 48 hrs of delivery	75
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	523	70.3	336	36.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,023	50.9	1,842	89.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	4,304		4,304			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,981	46.0	2,046	47.5	Breastfed within 1 hour of birth	22.1
24	Total Still Birth	30	0.7	27	0.6	BCG	42.9

25	PC of newborn weighted at birth to live birth	1,814	91.6	2,046	100.0	3 dose of DPT	65
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	43	2.4	31	1.5	Measles	33.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,973	99.6	2,043	99.9	Full Immunization	20
28	Children fully immunized	1,691	39.3	2,634	61.2		
29	Children who have received BCG	2,794	64.9	3,236	75.2		
30	Children who have received DPT1	2,621	60.9	1,488	34.6		
31	Children who have received DPT3	2,186	50.8	1,479	34.4		
32	Children who have received Measles	1,692	39.3	2,634	61.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	210		334			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	19.3
35	Number of Tubectomies performed	27	116	Spacing	33.8
36	Number of IUD insertion	504	787	Women using any method	30.9
37	Number of IUD removals	184	269	Women using modern method	28
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	118	125		
39	General OPD cases per 10,000 population ***	2144	2698		
40	Ayush OPD cases per 10,000 population ***	99	119		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	1		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	1		
45	Between 1 month and 11 months	1	10		
46	Total reported infant deaths	1	11		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	1		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	5	0		
53	Total reported maternal deaths	5	1		

Phek Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	163,418					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	43					
4	Primary Health Centers (PHC)	23					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	2,845		2,845			
9	Expected number of Delivery	1,802		1,802			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,064	114.6	2,028	112.6	Any ANC	51.9
11	Mothers registered in the first trimester	705	34.2	471	23.2	ANC Check up in first trimester	37
12	Mothers who had at least 3 Ante-Natal care check ups	572	27.7	555	27.4	3 or more ANC check up	40.7
13	PW who got TT 2 / Booster injection	860	41.7	833	41.1	Atleast 1 TT received	51.9
14	PW who consumed 100 IFA tablets	1,102	53.4	697	34.4	100 IFA tablets consumed	18.5
15	Home Delivery against expected delivery *	253	8.9	200	7.0	Full ANC	18.5
16	Institutional Delivery against expected delivery *	795	27.9	786	27.6	Home Delivery	66.7
17	Home Delivery against reported delivery **	253	24.1	200	20.3	Institutional Delivery	33.3
18	Institutional Delivery against reported delivery **	795	75.9	786	95.8	Home Delivery by SBA	29.6
19	Total reported Deliveries	1,048		986		PNC within 48 hrs of delivery	44.4
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	104	41.1	60	30.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	329	31.4	400	40.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,811		2,811			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,035	36.8	966	34.4	Breastfed within 1 hour of birth	40
24	Total Still Birth	18	0.6	24	0.9	BCG	42.9

25	PC of newborn weighted at birth to live birth	983	95.0	941	97.4	3 dose of DPT	42.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	17	1.7	18	1.9	Measles	14.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	956	92.4	942	97.5	Full Immunization	0
28	Children fully immunized	839	29.8	883	31.4		
29	Children who have received BCG	1,311	46.6	1,167	41.5		
30	Children who have received DPT1	1,185	42.2	187	6.7		
31	Children who have received DPT3	1,077	38.3	305	10.9		
32	Children who have received Measles	992	35.3	998	35.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	169		100			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	19.3
35	Number of Tubectomies performed	20	40	Spacing	25.9
36	Number of IUD insertion	192	164	Women using any method	21.4
37	Number of IUD removals	104	100	Women using modern method	11.1
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	91	95		
39	General OPD cases per 10,000 population ***	1969	1815		
40	Ayush OPD cases per 10,000 population ***	189	164		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	2	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	2	0		
45	Between 1 month and 11 months	2	0		
46	Total reported infant deaths	4	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	0		

Pheren Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	95,219					
2	Sex Ratio	917					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	16					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	3,092		3,092			
9	Expected number of Delivery	1,657		1,657			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,671	54.0	1,525	49.3	Any ANC	34.7
11	Mothers registered in the first trimester	586	35.1	475	31.1	ANC Check up in first trimester	15.3
12	Mothers who had at least 3 Ante-Natal care check ups	752	45.0	692	45.4	3 or more ANC check up	16.3
13	PW who got TT 2 / Booster injection	904	54.1	848	55.6	Atleast 1 TT received	33.7
14	PW who consumed 100 IFA tablets	1,237	74.0	1,090	71.5	100 IFA tablets consumed	5.1
15	Home Delivery against expected delivery *	639	38.6	573	34.6	Full ANC	3
16	Institutional Delivery against expected delivery *	668	40.3	644	38.9	Home Delivery	78.8
17	Home Delivery against reported delivery **	639	48.9	573	47.1	Institutional Delivery	21.2
18	Institutional Delivery against reported delivery **	668	51.1	644	55.2	Home Delivery by SBA	12.2
19	Total reported Deliveries	1,307		1,217		PNC within 48 hrs of delivery	19
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	583	91.2	529	92.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,061	81.2	1,012	83.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,638		1,638			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,303	79.5	1,210	73.9	Breastfed within 1 hour of birth	45.2
24	Total Still Birth	9	0.5	11	0.7	BCG	63.2

25	PC of newborn weighted at birth to live birth	1,247	95.7	1,164	96.2	3 dose of DPT	84.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	6	0.5	2	0.2	Measles	57.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,255	96.3	1,162	96.0	Full Immunization	52.6
28	Children fully immunized	1,450	88.5	1,360	83.0		
29	Children who have received BCG	1,577	96.3	1,590	97.1		
30	Children who have received DPT1	1,474	90.0	672	41.0		
31	Children who have received DPT3	1,491	91.0	658	40.2		
32	Children who have received Measles	1,554	94.9	1,379	84.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	245		114			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	1	6	Limiting	8.7
35	Number of Tubectomies performed	120	105	Spacing	41.5
36	Number of IUD insertion	233	304	Women using any method	12.5
37	Number of IUD removals	111	115	Women using modern method	8.7
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	271	415		
39	General OPD cases per 10,000 population ***	5754	5787		
40	Ayush OPD cases per 10,000 population ***	363	328		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	1	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	1	0		
45	Between 1 month and 11 months	1	0		
46	Total reported infant deaths	2	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	0		

Tuensang Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	196,596					
2	Sex Ratio	930					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	38					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	3,720		3,720			
9	Expected number of Delivery	3,422		3,422			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,612	70.2	2,299	61.8	Any ANC	19.6
11	Mothers registered in the first trimester	672	25.7	454	19.7	ANC Check up in first trimester	9.1
12	Mothers who had at least 3 Ante-Natal care check ups	585	22.4	632	27.5	3 or more ANC check up	10.5
13	PW who got TT 2 / Booster injection	1,340	51.3	1,161	50.5	Atleast 1 TT received	15.8
14	PW who consumed 100 IFA tablets	978	37.4	1,014	44.1	100 IFA tablets consumed	4.9
15	Home Delivery against expected delivery *	638	18.6	500	14.6	Full ANC	4.2
16	Institutional Delivery against expected delivery *	1,166	34.1	1,067	31.2	Home Delivery	75.2
17	Home Delivery against reported delivery **	638	35.4	500	31.9	Institutional Delivery	10.5
18	Institutional Delivery against reported delivery **	1,166	64.6	1,067	98.6	Home Delivery by SBA	3.9
19	Total reported Deliveries	1,804		1,567		PNC within 48 hrs of delivery	50
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	177	27.7	58	11.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	590	32.7	520	33.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,381		3,381			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,788	52.9	1,547	45.7	Breastfed within 1 hour of birth	53.2
24	Total Still Birth	22	0.7	23	0.7	BCG	50.6

25	PC of newborn weighted at birth to live birth	1,762	98.5	1,529	98.8	3 dose of DPT	68.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	16	0.9	18	1.2	Measles	44.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,723	96.4	1,509	97.5	Full Immunization	34.2
28	Children fully immunized	1,515	44.8	1,702	50.3		
29	Children who have received BCG	2,550	75.4	2,278	67.4		
30	Children who have received DPT1	2,274	67.2	366	10.8		
31	Children who have received DPT3	2,210	65.4	475	14.0		
32	Children who have received Measles	1,872	55.4	1,944	57.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	435		355			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	30.6
35	Number of Tubectomies performed	157	163	Spacing	21.1
36	Number of IUD insertion	228	275	Women using any method	37.6
37	Number of IUD removals	56	60	Women using modern method	29.6
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	211	221		
39	General OPD cases per 10,000 population ***	2243	2441		
40	Ayush OPD cases per 10,000 population ***	191	220		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	1	1		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	1	1		
45	Between 1 month and 11 months	4	4		
46	Total reported infant deaths	5	5		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	1		
53	Total reported maternal deaths	0	1		

Wokha Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	166,343					
2	Sex Ratio	969					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	37					
4	Primary Health Centers (PHC)	12					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	3,147		3,147			
9	Expected number of Delivery	2,895		2,895			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,202	70.0	2,534	80.5	Any ANC	30.1
11	Mothers registered in the first trimester	957	43.5	972	38.4	ANC Check up in first trimester	25.4
12	Mothers who had at least 3 Ante-Natal care check ups	551	25.0	953	37.6	3 or more ANC check up	25.6
13	PW who got TT 2 / Booster injection	558	25.3	1,118	44.1	Atleast 1 TT received	30.1
14	PW who consumed 100 IFA tablets	1,736	78.8	1,995	78.7	100 IFA tablets consumed	6
15	Home Delivery against expected delivery *	184	6.4	184	6.4	Full ANC	6
16	Institutional Delivery against expected delivery *	688	23.8	709	24.5	Home Delivery	81.8
17	Home Delivery against reported delivery **	184	21.1	184	20.6	Institutional Delivery	18.2
18	Institutional Delivery against reported delivery **	688	78.9	709	84.9	Home Delivery by SBA	35.3
19	Total reported Deliveries	872		893		PNC within 48 hrs of delivery	64
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	139	75.5	113	61.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	706	81.0	834	93.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,861		2,861			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	871	30.4	893	31.2	Breastfed within 1 hour of birth	33.7
24	Total Still Birth	1	0.0	0	0.0	BCG	41.7

25	PC of newborn weighted at birth to live birth	816	93.7	873	97.8	3 dose of DPT	37.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5	0.6	8	0.9	Measles	21.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	847	97.2	878	98.3	Full Immunization	13.5
28	Children fully immunized	1,027	35.9	945	33.0		
29	Children who have received BCG	1,353	47.3	1,108	38.7		
30	Children who have received DPT1	1,080	37.7	30	1.0		
31	Children who have received DPT3	1,152	40.3	82	2.9		
32	Children who have received Measles	1,068	37.3	1,039	36.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	209		150			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	22
35	Number of Tubectomies performed	54	168	Spacing	14
36	Number of IUD insertion	127	111	Women using any method	33.6
37	Number of IUD removals	71	32	Women using modern method	25.2
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	147	145		
39	General OPD cases per 10,000 population ***	2835	2807		
40	Ayush OPD cases per 10,000 population ***	61	124		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	0	0		
46	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	0		

Zunheboto Factsheet

Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	140,757					
2	Sex Ratio	981					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	47					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2011-12		2011-12			
8	Expected number of PW	2,663		2,663			
9	Expected number of Delivery	2,450		2,450			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,225	46.0	1,184	44.5	Any ANC	38.6
11	Mothers registered in the first trimester	512	41.8	397	33.5	ANC Check up in first trimester	18.6
12	Mothers who had at least 3 Ante-Natal care check ups	305	24.9	246	20.8	3 or more ANC check up	31.8
13	PW who got TT 2 / Booster injection	564	46.0	489	41.3	Atleast 1 TT received	36.4
14	PW who consumed 100 IFA tablets	265	21.6	235	19.8	100 IFA tablets consumed	15.9
15	Home Delivery against expected delivery *	375	15.3	272	11.1	Full ANC	13.6
16	Institutional Delivery against expected delivery *	681	27.8	582	23.8	Home Delivery	75
17	Home Delivery against reported delivery **	375	35.5	272	31.9	Institutional Delivery	20.7
18	Institutional Delivery against reported delivery **	681	64.5	582	92.8	Home Delivery by SBA	27.3
19	Total reported Deliveries	1,056		854		PNC within 48 hrs of delivery	70
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	350	93.3	121	44.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	783	74.1	650	76.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,421		2,421			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,053	43.5	846	34.9	Breastfed within 1 hour of birth	44.4
24	Total Still Birth	5	0.2	9	0.4	BCG	62.5

25	PC of newborn weighted at birth to live birth	1,003	95.3	833	98.5	3 dose of DPT	50
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	20	2.0	9	1.1	Measles	75
27	PC of newborns breastfed within 1 hour to total reported live birth.	934	88.7	725	85.7	Full Immunization	25
28	Children fully immunized	790	32.6	677	28.0		
29	Children who have received BCG	1,199	49.5	1,040	43.0		
30	Children who have received DPT1	1,101	45.5	391	16.2		
31	Children who have received DPT3	1,006	41.6	415	17.1		
32	Children who have received Measles	1,020	42.1	940	38.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	339		396			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	19.5
35	Number of Tubectomies performed	18	56	Spacing	15.2
36	Number of IUD insertion	350	335	Women using any method	26.7
37	Number of IUD removals	116	171	Women using modern method	19
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	116	111		
39	General OPD cases per 10,000 population ***	3856	3568		
40	Ayush OPD cases per 10,000 population ***	88	55		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	0		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	0	0		
46	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	0		

