

## Sikkim Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)		SL No	C) State Health Indicator (SRS 2014)			
1	Population 2011	610,577	9	Birth Rate		17.1	
2	Sex Ratio	889	10	Death Rate		5.2	
3	Number of districts	4	11	IMR		22	
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>	12	Growth Rate		11.8	
4	Sub Centers (SC)	147	13	TFR (SRS - 2007)		2.0	
5	Primary Health Centers (PHC)	24					
6	Community Health Centers (CHC)	2					
7	SDH	0					
8	DH	4					
<b>D) Maternal Health:</b>		<b>2015-16</b>	<b>2016-17</b>				
14	Expected number of PW #	12,063	12,212				
15	Expected number of Delivery #	11,098	11,235				
		<b>HMIS (2015-16)</b>	<b>HMIS (2016-17)</b>		<b>DLHS-4 (2012-13)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
16	PW register for ANC	8,939	74.1	8,295	67.9	Any ANC	91.8
17	Mothers registered in the first trimester	7,141	79.9	6,637	80.0	ANC Check up in first trimester	68.5
18	Mothers who had at least 3 Ante-Natal care check ups	7,871	88.1	7,192	86.7	3 or more ANC check up	84.8
19	PW who got TT 2 / Booster injection	7,150	87.3	6,785	90.1	Atleast 1 TT received	91.3
20	PW who consumed 100 IFA tablets	7,290	81.6	6,847	82.5	100 IFA tablets consumed	74.8
21	Home Delivery against expected delivery *	126	1.1	117	1.0	Full ANC	70.3
22	Institutional Delivery against expected delivery *	7,650	68.9	6,753	60.1	Home Delivery	16
23	Home Delivery against reported delivery **	126	2	117	1.7	Institutional Delivery	82.7
24	Institutional Delivery against reported delivery **	7,650	98	6,753	98.3	Home Delivery by SBA	2.2
25	Total reported Deliveries	7,776	70	6,870	61	PNC within 14 days of delivery	84.9
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	57	45	47	40		
27	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	6,983	90	6,750	98		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
28	Expected number of Live Birth #	10,967		11,102			
<b>E) Child Immunization :</b>		<b>HMIS (2015-16)</b>	<b>HMIS (2016-17)</b>		<b>DLHS-4 (2012-13)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
29	Total reported live births	7,702	70.2	6,599	59.4	Breastfed within 1 hour of birth	61.4
30	Total Still Birth	130	1.2	137	1.2	BCG	99.2

31	PC of newborn weighted at birth to live birth	7,316	95.0	6,581	99.7	3 dose of DPT	95.9
32	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	568	7.4	415	6.3	Measles	94.9
33	PC of newborns breastfed within 1 hour to total reported live birth.	6,125	79.5	5,590	84.7	Full Immunization	85.2
34	Children fully immunized	7,965	72.6	7,731	69.6		
35	Children who have received BCG	7,865	71.7	6,676	60.1		
36	Children who have received DPT1	3,666	33.4	0	0.0		
37	Children who have received DPT3	5,244	47.8	11	0.1		
38	Children who have received Measles	8,100	73.9	7,843	70.6		
39	Diarrhoea and Dehydration cases reported in children below 5 years	8,157		7,909			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

F) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)	
40	Number of Vasectomies performed	8	21	Limiting	13.1
41	Number of Tubectomies performed	147	94	Spacing	7.1
42	Number of IUD insertion	1,328	1,041	Women using any method	64.1
43	Number of IUD removals	520	677	Women using modern method	53.8
G) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
44	IPD cases per 10,000 population ***	894.92	679.73		
45	General OPD cases per 10,000 population ***	15779	16515		
46	Ayush OPD cases per 10,000 population ***	354.79	408.04		
H) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
47	Neonatal death within 24 hours	2	1		
48	Up to 1 Weeks of Birth	45	36		
49	Between 1 week & 4 weeks of birth	4	0		
50	Neonatal Death	51	37		
51	Between 1 month and 11 months	54	38		
52	<b>Total reported infant deaths</b>	105	75		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
53	Due to Abortion	0	0		
54	Due to Obstructed/prolonged labour	0	0		
55	Due to Severe hypertension/fits	0	0		
56	Due to Bleeding	0	4		
57	Due to High fever	0	0		
58	Due to Other Causes (including causes not known)	5	6		
59	<b>Total reported maternal deaths</b>	5	10		

## East Sikkim Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	283,583					
2	Sex Ratio	872					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	48					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2015-16</b>		<b>2016-17</b>			
8	Expected number of PW #	5,657		5,741			
9	Expected number of Delivery #	5,204		5,282			
		<b>HMIS (2015-16)</b>		<b>HMIS (2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	4,395	77.7	3,969	69.1	Any ANC	94.0
11	Mothers registered in the first trimester	3,294	74.9	3,005	75.7	ANC Check up in first trimester	74.8
12	Mothers who had at least 3 Ante-Natal care check ups	3,867	88.0	3,374	85.0	3 or more ANC check up	81.1
13	PW who got TT 2 / Booster injection	3,503	79.7	3,367	84.8	Atleast 1 TT received	93.5
14	PW who consumed 100 IFA tablets	3,298	75.0	2,988	75.3	100 IFA tablets consumed	74.1
15	Home Delivery against expected delivery *	42	0.8	48	0.9	Full ANC	65.2
16	Institutional Delivery against expected delivery *	5,027	96.6	4,577	86.7	Home Delivery	6.9
17	Home Delivery against reported delivery **	42	0.8	48	1.0	Institutional Delivery	92.6
18	Institutional Delivery against reported delivery **	5,027	99.2	4,577	99.0	Home Delivery by SBA	1.0
19	Total reported Deliveries	5,069		4,625		PNC within 14 days of delivery	75.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	13	31.0	22	45.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,649	72.0	3,519	76.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
22	Expected number of Live Birth #	5,143		5,741			
<b>D) Child Immunization :</b>		<b>HMIS (2015-16)</b>		<b>HMIS (2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	5,015	97.5	4,373	76.2	Breastfed within 1 hour of birth	57.5

24	Total Still Birth	90	1.8	103	1.8	BCG	100
25	PC of newborn weighted at birth to live birth	4,642	92.6	4,371	100.0	3 dose of DPT	97.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	408	8.8	323	7.4	Measles	97.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,753	74.8	3,548	81.1	Full Immunization	83.3
28	Children fully immunized	3,828	74.4	3,720	64.8		
29	Children who have received BCG	5,069	98.6	4,394	76.5		
30	Children who have received DPT1	1,617	31.4	0	0.0		
31	Children who have received DPT3	2,346	45.6	11	0.2		
32	Children who have received Measles	3,885	75.5	3,722	64.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	3,821		3,944			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	8	5	Limiting	22.1
35	Number of Tubectomies performed	39	31	Spacing	10.8
36	Number of IUD insertion	484	313	Women using any method	49.4
37	Number of IUD removals	127	113	Women using modern method	46.3
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	1240	865		
39	General OPD cases per 10,000 population ***	18726	18960		
40	Ayush OPD cases per 10,000 population ***	391	414		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	1	0		
42	Up to 1 Weeks of Birth	31	26		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	32	26		
45	Between 1 month and 11 months	31	19		
46	<b>Total reported infant deaths</b>	<b>63</b>	<b>45</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	4	6		
53	<b>Total reported maternal deaths</b>	<b>4</b>	<b>7</b>		

## North Sikkim Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	43,709					
2	Sex Ratio	769					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	19					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2015-16</b>		<b>2016-17</b>			
8	Expected number of PW #	841		846			
9	Expected number of Delivery #	774		778			
		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	616	73.2	552	65.3	Any ANC	91.0
11	Mothers registered in the first trimester	523	84.9	468	84.8	ANC Check up in first trimester	70.3
12	Mothers who had at least 3 Ante-Natal care check ups	537	87.2	459	83.2	3 or more ANC check up	86.2
13	PW who got TT 2 / Booster injection	593	96.3	542	98.2	Atleast 1 TT received	91.0
14	PW who consumed 100 IFA tablets	530	86.0	469	85.0	100 IFA tablets consumed	79.0
15	Home Delivery against expected delivery *	2	0.3	10	1.3	Full ANC	75.5
16	Institutional Delivery against expected delivery *	219	28.3	172	22.1	Home Delivery	17.0
17	Home Delivery against reported delivery **	2	0.9	10	5.5	Institutional Delivery	82.0
18	Institutional Delivery against reported delivery **	219	99.1	172	94.5	Home Delivery by SBA	3.5
19	Total reported Deliveries	221		182		PNC within 14 days of delivery	86.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	50.0	6	60.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	316	143.0	312	171.4		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
22	Expected number of Live Birth #	765		846			
<b>D) Child Immunization :</b>		<b>HMIS ( 2015-16)</b>		<b>HMIS ( 2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	221	28.9	181	21.4	Breastfed within 1 hour of birth	64.2

24	Total Still Birth	1	0.1	4	0.5	BCG	98.2
25	PC of newborn weighted at birth to live birth	221	100.0	180	99.4	3 dose of DPT	96.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	8	3.6	5	2.8	Measles	94.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	220	99.5	178	98.3	Full Immunization	86
28	Children fully immunized	533	69.7	551	65.2		
29	Children who have received BCG	231	30.2	190	22.5		
30	Children who have received DPT1	260	34.0	0	0.0		
31	Children who have received DPT3	388	50.8	0	0.0		
32	Children who have received Measles	549	71.8	572	67.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	511		524			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	4.3
35	Number of Tubectomies performed	0	0	Spacing	6.1
36	Number of IUD insertion	150	51	Women using any method	73.5
37	Number of IUD removals	90	27	Women using modern method	65.2
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
38	IPD cases per 10,000 population ***	454	465		
39	General OPD cases per 10,000 population ***	11405	11188		
40	Ayush OPD cases per 10,000 population ***	65	164		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	1		
43	Between 1 week & 4 weeks of birth	1	0		
44	Neonatal Death	1	1		
45	Between 1 month and 11 months	3	0		
46	<b>Total reported infant deaths</b>	<b>4</b>	<b>1</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## South Sikkim Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	146,850					
2	Sex Ratio	914					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	39					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2015-16</b>		<b>2016-17</b>			
8	Expected number of PW #	2,892		2,926			
9	Expected number of Delivery #	2,661		2,692			
		<b>HMIS (2015-16)</b>		<b>HMIS (2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,965	67.9	1,857	63.5	Any ANC	94.3
11	Mothers registered in the first trimester	1,658	84.4	1,547	83.3	ANC Check up in first trimester	70.0
12	Mothers who had at least 3 Ante-Natal care check ups	1,656	84.3	1,695	91.3	3 or more ANC check up	91.5
13	PW who got TT 2 / Booster injection	1,834	93.3	1,721	92.7	Atleast 1 TT received	93.5
14	PW who consumed 100 IFA tablets	1,680	85.5	1,582	85.2	100 IFA tablets consumed	72.4
15	Home Delivery against expected delivery *	56	2.1	40	1.5	Full ANC	67.9
16	Institutional Delivery against expected delivery *	1,432	53.8	1,092	40.6	Home Delivery	17.9
17	Home Delivery against reported delivery **	56	3.8	40	3.5	Institutional Delivery	81.3
18	Institutional Delivery against reported delivery **	1,432	96.2	1,092	96.5	Home Delivery by SBA	2.0
19	Total reported Deliveries	1,488		1,132		PNC within 14 days of delivery	90.5
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	30	53.6	14	35.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,417	95.2	1,446	127.7		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
22	Expected number of Live Birth #	2,629		2,926			
<b>D) Child Immunization :</b>		<b>HMIS (2015-16)</b>		<b>HMIS (2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,483	56.4	1,126	38.5	Breastfed within 1 hour of birth	65.4

24	Total Still Birth	16	0.6	13	0.4	BCG	98.1
25	PC of newborn weighted at birth to live birth	1,475	99.5	1,123	99.7	3 dose of DPT	94.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	103	7.0	49	4.4	Measles	90.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,188	80.1	965	85.7	Full Immunization	83.3
28	Children fully immunized	1,819	69.2	1,740	59.5		
29	Children who have received BCG	1,517	57.7	1,148	39.2		
30	Children who have received DPT1	867	33.0	0	0.0		
31	Children who have received DPT3	1,244	47.3	0	0.0		
32	Children who have received Measles	1,848	70.3	1,774	60.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,750		1,326			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2015-16)</b>	<b>HMIS (2016-17)</b>	<b>DLHS-4 (2012-13)</b>			
34	Number of Vasectomies performed	0	16	Limiting	13		
35	Number of Tubectomies performed	108	63	Spacing	5.8		
36	Number of IUD insertion	240	305	Women using any method	67.4		
37	Number of IUD removals	86	286	Women using modern method	53		
<b>F) Service delivery</b>		<b>HMIS (2015-16)</b>	<b>HMIS (2016-17)</b>				
38	IPD cases per 10,000 population ***	748	627				
39	General OPD cases per 10,000 population ***	15564	17985				
40	Ayush OPD cases per 10,000 population ***	330	435				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2015-16)</b>	<b>HMIS (2016-17)</b>				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	11	2				
43	Between 1 week & 4 weeks of birth	2	0				
44	Neonatal Death	13	2				
45	Between 1 month and 11 months	8	3				
46	<b>Total reported infant deaths</b>	21	5				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2015-16)</b>	<b>HMIS (2016-17)</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	<b>Total reported maternal deaths</b>	0	0				



## West Sikkim Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	136,435					
2	Sex Ratio	941					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	41					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2015-16</b>		<b>2016-17</b>			
8	Expected number of PW #	2,677		2,705			
9	Expected number of Delivery #	2,463		2,489			
		<b>HMIS (2015-16)</b>		<b>HMIS (2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,963	73.3	1,917	70.9	Any ANC	87.4
11	Mothers registered in the first trimester	1,666	84.9	1,617	84.4	ANC Check up in first trimester	56.1
12	Mothers who had at least 3 Ante-Natal care check ups	1,811	92.3	1,664	86.8	3 or more ANC check up	82.7
13	PW who got TT 2 / Booster injection	1,870	95.3	1,843	96.1	Atleast 1 TT received	87.0
14	PW who consumed 100 IFA tablets	1,782	90.8	1,808	94.3	100 IFA tablets consumed	71.8
15	Home Delivery against expected delivery *	26	1.1	19	0.8	Full ANC	69.7
16	Institutional Delivery against expected delivery *	972	39.5	912	36.6	Home Delivery	24.1
17	Home Delivery against reported delivery **	26	2.6	19	2.0	Institutional Delivery	73.7
18	Institutional Delivery against reported delivery **	972	97.4	912	98.0	Home Delivery by SBA	2.2
19	Total reported Deliveries	998		931		PNC within 14 days of delivery	83.4
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	13	50.0	5	26.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,601	160.4	1,473	158.2		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
22	Expected number of Live Birth #	2,433		2,705			
<b>D) Child Immunization :</b>		<b>HMIS (2015-16)</b>		<b>HMIS (2016-17)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	983	40.4	919	34.0	Breastfed within 1 hour of birth	59.2

24	Total Still Birth	23	0.9	17	0.6	BCG	100
25	PC of newborn weighted at birth to live birth	978	99.5	907	98.7	3 dose of DPT	97.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	49	5.0	38	4.2	Measles	97.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	964	98.1	899	97.8	Full Immunization	88.4
28	Children fully immunized	1,785	73.4	1,720	63.6		
29	Children who have received BCG	1,048	43.1	944	34.9		
30	Children who have received DPT1	922	37.9	0	0.0		
31	Children who have received DPT3	1,266	52.0	0	0.0		
32	Children who have received Measles	1,818	74.7	1,775	65.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,075		2,115			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2015-16)</b>	<b>HMIS (2016-17)</b>	<b>DLHS-4 (2012-13)</b>			
34	Number of Vasectomies performed	0	0	Limiting		8.5	
35	Number of Tubectomies performed	0	0	Spacing		4.5	
36	Number of IUD insertion	454	372	Women using any method		70.8	
37	Number of IUD removals	217	251	Women using modern method		55.6	
<b>F) Service delivery</b>		<b>HMIS (2015-16)</b>	<b>HMIS (2016-17)</b>				
38	IPD cases per 10,000 population ***	462	409				
39	General OPD cases per 10,000 population ***	11134	11370				
40	Ayush OPD cases per 10,000 population ***	396	443				
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS (2015-16)</b>	<b>HMIS (2016-17)</b>				
41	Neonatal death within 24 hours	1	1				
42	Up to 1 Weeks of Birth	3	7				
43	Between 1 week & 4 weeks of birth	1	0				
44	Neonatal Death	5	8				
45	Between 1 month and 11 months	12	16				
46	<b>Total reported infant deaths</b>	<b>17</b>	<b>24</b>				
<b>II) Maternal Mortality</b>		<b>HMIS (2015-16)</b>	<b>HMIS (2016-17)</b>				
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS (2015-16)</b>	<b>HMIS (2016-17)</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	3				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	1	0				
53	<b>Total reported maternal deaths</b>	<b>1</b>	<b>3</b>				

