

Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)		SL No	C) State Health Indicator (SRS 2014)			
1	Population 2011	3,673,917	9	Birth Rate		13.7	
2	Sex Ratio	961	10	Death Rate		4.7	
3	Number of districts	8	11	IMR		26	
B) Infrastructure Details (RHS 2014)			12	Growth Rate		9	
4	Sub Centers (SC)	1,017	13	TFR (SRS - 2007)		1.7	
5	Primary Health Centers (PHC)	91					
6	Community Health Centers (CHC)	20					
7	SDH	11					
8	DH	6					
D) Maternal Health:		2015-16		2016-17			
14	Expected number of PW	58,659		64,738			
15	Expected number of Delivery	54,393		60,030			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
16	PW register for ANC	76,138	129.8	76,814	118.7	Any ANC	83.7
17	Mothers registered in the first trimester	47,331	62.2	48,465	63.1	ANC Check up in first trimester	66.6
18	Mothers who had at least 3 Ante-Natal care check ups	51,776	68.0	48,682	63.4	3 or more ANC check up	63.8
19	PW who got TT 2 / Booster injection	50,899	66.9	50,329	65.5	Atleast 1 TT received	80
20	PW who consumed 100 IFA tablets	49,069	64.4	58,815	76.6	100 IFA tablets consumed	36.9
21	Home Delivery against expected delivery *	5,790	10.6	4,813	8.0	Full ANC	27.3
22	Institutional Delivery against expected delivery *	45,057	82.8	44,690	74.4	Home Delivery	26.8
23	Home Delivery against reported delivery **	5,790	11	4,813	9.7	Institutional Delivery	72.7
24	Institutional Delivery against reported delivery **	45,057	89	44,690	90.3	Home Delivery by SBA	4.3
25	Total reported Deliveries	50,847	93	49,503	82	PNC within 14 days of delivery	61.6
26	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	82	1	16	0		
27	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	38,081	75	36,909	75		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
28	Expected number of Live Birth	53,327		58,853			
E) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
29	Total reported live births	50,179	94.1	48,827	83.0	Breastfed within 1 hour of birth	41.9

30	Total Still Birth	873	1.6	897	1.5	BCG	75.3
31	Newborn weighted at birth to live birth	49,018	97.7	48,108	98.5	3 dose of DPT	70.1
32	Newborn having weight less than 2.5 kg to newborn weighted at birth.	5,455	11.1	5,746	11.9	Measles	61.2
33	Newborns breastfed within 1 hour to total reported live birth.	48,541	96.7	46,827	95.9	Full Immunization	48
34	Fully immunized	47,013	88.2	46,398	78.8		
35	Children who have received BCG	53,285	99.9	51,358	87.3		
36	Children who have received DPT1	35,507	66.6	1,117	1.9		
37	Children who have received DPT3	43,628	81.8	3,465	5.9		
38	Children who have received Measles	52,119	97.7	49,978	84.9		
39	Diarrhoea and Dehydration cases reported in children below 5 years	28,832		26,904			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

F) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)	
40	Number of Vasectomies performed	27	43	Limiting	18.6
41	Number of Tubectomies performed	3,494	2,544	Spacing	8.1
42	Number of IUD insertion	1,470	2,202	Women using any method	61
43	Number of IUD removals	573	1,250	Women using modern method	41.1
G) Service delivery		HMIS (2015-16)	HMIS (2016-17)		
44	IPD cases per 10,000 population ***	1,170	1,079		
45	General OPD cases per 10,000 population ***	10,704	10,512		
46	Ayush OPD cases per 10,000 population ***	810	755		
H) Mortality Details					
I) Infant Deaths (In Numbers)		HMIS (2015-16)	HMIS (2016-17)		
47	Neonatal death within 24 hours	14	31		
48	Up to 1 Weeks of Birth	237	261		
49	Between 1 week & 4 weeks of birth	7	4		
50	Neonatal Death	258	296		
51	Between 1 month and 11 months	238	276		
52	Total reported infant deaths	496	572		
II) Maternal Mortality					
Maternal Deaths (In Numbers)		HMIS (2015-16)	HMIS (2016-17)		
53	Due to Abortion	2	4		
54	Due to Obstructed/prolonged labour	0	6		
55	Due to Severe hypertension/fits	4	12		
56	Due to Bleeding	8	7		
57	Due to High fever	2	0		
58	Due to Other Causes (including causes not known)	30	20		
59	Total reported maternal deaths	46	49		

Dhalai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	378,230					
2	Sex Ratio	945					
B) Infrastructure Details (RHS 2014)		Numbers					
4	Sub Centers(SC)	131					
5	Primary Health Centers(PHC)	14					
6	Community Health Centers (CHC)	2					
7	SDH	3					
8	DH	1					
C) Maternal Health:		2015-16		2016-17			
9	Expected number of PW	6,233		6,934			
10	Expected number of Delivery	5,780		6,429			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	8,577	137.6	7,889	113.8	Any ANC	81.1
12	Mothers registered in the first trimester	5,825	67.9	5,127	65.0	ANC Check up in first trimester	64.2
13	Mothers who had at least 3 Ante-Natal care check ups	5,748	67.0	6,210	78.7	3 or more ANC check up	63.6
14	PW who got TT 2 / Booster injection	6,780	79.0	6,680	84.7	Atleast 1 TT received	78.1
15	PW who consumed 100 IFA tablets	8,292	96.7	9,386	119.0	100 IFA tablets consumed	27.9
16	Home Delivery against expected delivery *	822	14.2	561	8.7	Full ANC	20.6
17	Institutional Delivery against expected delivery *	5,150	89.1	4,950	77.0	Home Delivery	29.4
18	Home Delivery against reported delivery **	822	13.8	561	10.2	Institutional Delivery	70.6
19	Institutional Delivery against reported delivery **	5,150	86.2	4,950	89.8	Home Delivery by SBA	4.1
20	Total reported Deliveries	5,972		5,511		PNC within 14 days of delivery	58.8
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	49	6.0	10	1.8		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,270	54.8	3,885	70.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	5,667		6,303			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	5,874	103.7	5,433	86.2	Breastfed within 1 hour of birth	43.3
25	Total Still Birth	132	2.3	105	1.7	BCG	76

26	PC of newborn weighted at birth to live birth	5,616	95.6	5,345	98.4	3 dose of DPT	66.7
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	593	10.6	639	12.0	Measles	61.3
28	PC of newborns breastfed within 1 hour to total reported live birth.	5,546	94.4	5,197	95.7	Full Immunization	51.4
29	Children fully immunized	5,327	94.0	5,549	88.0		
30	Children who have received BCG	6,243	110.2	5,829	92.5		
31	Children who have received DPT1	5,099	90.0	303	4.8		
32	Children who have received DPT3	5,440	96.0	660	10.5		
33	Children who have received Measles	5,787	102.1	5,665	89.9		
34	Diarrhoea and Dehydration cases reported in children below 5 years	6,359		4,353			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)			
36	Number of Vasectomies performed	0	0	Limiting	20.1		
37	Number of Tubectomies performed	124	13	Spacing	8.3		
38	Number of IUD insertion	148	120	Women using any method	58.9		
39	Number of IUD removals	42	139	Women using modern method	39.1		
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)				
40	IPD cases per 10,000 population ***	1248	1038				
41	General OPD cases per 10,000 population ***	8374	8126				
42	Ayush OPD cases per 10,000 population ***	435	420				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)				
43	Neonatal death within 24 hours	2	3				
44	Up to 1 Weeks of Birth	44	46				
45	Between 1 week & 4 weeks of birth	2	1				
46	Neonatal Death	48	50				
47	Between 1 month and 11 months	74	57				
48	Total reported infant deaths	122	107				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)				
49	Due to Abortion	0	0				
50	Due to Obstructed/prolonged labour	0	1				
51	Due to Severe hypertension/fits	1	2				
52	Due to Bleeding	5	3				
53	Due to High fever	1	0				
54	Due to Other Causes (including causes not known)	3	4				
55	Total reported maternal deaths	10	10				

Gomati Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	436,868					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2014)		Numbers					
4	Sub Centers(SC)	151					
5	Primary Health Centers(PHC)	10					
6	Community Health Centers (CHC)	3					
7	SDH	2					
8	DH	1					
C) Maternal Health:		2015-16		2016-17			
9	Expected number of PW	6,961		7,677			
10	Expected number of Delivery	6,455		7,119			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	7,256	104.2	7,077	92.2	Any ANC	NA
12	Mothers registered in the first trimester	5,088	70.1	5,263	74.4	ANC Check up in first trimester	NA
13	Mothers who had at least 3 Ante-Natal care check ups	5,971	82.3	5,496	77.7	3 or more ANC check up	NA
14	PW who got TT 2 / Booster injection	6,136	84.6	5,881	83.1	Atleast 1 TT received	NA
15	PW who consumed 100 IFA tablets	3,862	53.2	5,045	71.3	100 IFA tablets consumed	NA
16	Home Delivery against expected delivery *	425	6.6	357	5.0	Full ANC	NA
17	Institutional Delivery against expected delivery *	5,741	88.9	5,628	79.1	Home Delivery	NA
18	Home Delivery against reported delivery **	425	6.9	357	6.0	Institutional Delivery	NA
19	Institutional Delivery against reported delivery **	5,741	93.1	5,628	94.0	Home Delivery by SBA	NA
20	Total reported Deliveries	6,166		5,985		PNC within 14 days of delivery	NA
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	0.2	0	0.0		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,979	80.7	5,182	86.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	6,328		6,979			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	6,086	96.2	5,938	85.1	Breastfed within 1 hour of birth	NA
25	Total Still Birth	108	1.7	92	1.3	BCG	NA

26	PC of newborn weighted at birth to live birth	6,011	98.8	5,900	99.4	3 dose of DPT	NA
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	655	10.9	504	8.5	Measles	NA
28	PC of newborns breastfed within 1 hour to total reported live birth.	6,048	99.4	5,843	98.4	Full Immunization	NA
29	Children fully immunized	5,654	89.3	5,294	75.9		
30	Children who have received BCG	6,225	98.4	6,142	88.0		
31	Children who have received DPT1	4,070	64.3	61	0.9		
32	Children who have received DPT3	5,500	86.9	318	4.6		
33	Children who have received Measles	5,820	92.0	5,418	77.6		
34	Diarrhoea and Dehydration cases reported in children below 5 years	3,854		2,898			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)			
36	Number of Vasectomies performed	22	38	Limiting	NA		
37	Number of Tubectomies performed	221	352	Spacing	NA		
38	Number of IUD insertion	485	502	Women using any method	NA		
39	Number of IUD removals	21	29	Women using modern method	NA		
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)				
40	IPD cases per 10,000 population ***	1213	1098				
41	General OPD cases per 10,000 population ***	9678	9460				
42	Ayush OPD cases per 10,000 population ***	569	565				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)				
43	Neonatal death within 24 hours	1	1				
44	Up to 1 Weeks of Birth	32	14				
45	Between 1 week & 4 weeks of birth	0	0				
46	Neonatal Death	33	15				
47	Between 1 month and 11 months	34	19				
48	Total reported infant deaths	67	34				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)				
49	Due to Abortion	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits	1	0				
52	Due to Bleeding	0	0				
53	Due to High fever	0	0				
54	Due to Other Causes (including causes not known)	6	1				
55	Total reported maternal deaths	7	1				

Khowai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	327,391					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2014)		Numbers					
4	Sub Centers(SC)	109					
5	Primary Health Centers(PHC)	7					
6	Community Health Centers (CHC)	2					
7	SDH	0					
8	DH	1					
C) Maternal Health:		2015-16		2016-17			
9	Expected number of PW	5,185		5,710			
10	Expected number of Delivery	4,808		5,295			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	5,123	98.8	4,895	85.7	Any ANC	NA
12	Mothers registered in the first trimester	3,989	77.9	3,785	77.3	ANC Check up in first trimester	NA
13	Mothers who had at least 3 Ante-Natal care check ups	4,395	85.8	4,185	85.5	3 or more ANC check up	NA
14	PW who got TT 2 / Booster injection	4,303	84.0	4,110	84.0	Atleast 1 TT received	NA
15	PW who consumed 100 IFA tablets	4,307	84.1	4,613	94.2	100 IFA tablets consumed	NA
16	Home Delivery against expected delivery *	266	5.5	187	3.5	Full ANC	NA
17	Institutional Delivery against expected delivery *	2,665	55.4	2,556	48.3	Home Delivery	NA
18	Home Delivery against reported delivery **	266	9.1	187	6.8	Institutional Delivery	NA
19	Institutional Delivery against reported delivery **	2,665	90.9	2,556	93.2	Home Delivery by SBA	NA
20	Total reported Deliveries	2,931		2,743		PNC within 14 days of delivery	NA
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4	1.5	1	0.5		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,742	59.4	1,699	61.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	4,714		5,191			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	2,894	61.4	2,709	52.2	Breastfed within 1 hour of birth	NA
25	Total Still Birth	49	1.0	37	0.7	BCG	NA

26	PC of newborn weighted at birth to live birth	2,860	98.8	2,664	98.3	3 dose of DPT	NA
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	246	8.6	228	8.6	Measles	NA
28	PC of newborns breastfed within 1 hour to total reported live birth.	2,761	95.4	2,553	94.2	Full Immunization	NA
29	Children fully immunized	4,675	99.2	4,370	84.2		
30	Children who have received BCG	3,619	76.8	3,158	60.8		
31	Children who have received DPT1	2,920	61.9	25	0.5		
32	Children who have received DPT3	3,835	81.4	177	3.4		
33	Children who have received Measles	4,745	100.7	4,406	84.9		
34	Diarrhoea and Dehydration cases reported in children below 5 years	970		956			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)			
36	Number of Vasectomies performed	0	0	Limiting	NA		
37	Number of Tubectomies performed	0	0	Spacing	NA		
38	Number of IUD insertion	8	46	Women using any method	NA		
39	Number of IUD removals	52	86	Women using modern method	NA		
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)				
40	IPD cases per 10,000 population ***	682	575				
41	General OPD cases per 10,000 population ***	8848	8653				
42	Ayush OPD cases per 10,000 population ***	858	797				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)				
43	Neonatal death within 24 hours	0	0				
44	Up to 1 Weeks of Birth	0	1				
45	Between 1 week & 4 weeks of birth	1	1				
46	Neonatal Death	1	2				
47	Between 1 month and 11 months	14	19				
48	Total reported infant deaths	15	21				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)				
49	Due to Abortion	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits	0	1				
52	Due to Bleeding	0	0				
53	Due to High fever	0	0				
54	Due to Other Causes (including causes not known)	0	2				
55	Total reported maternal deaths	0	3				

North Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	415,946					
2	Sex Ratio	967					
B) Infrastructure Details (RHS 2014)		Numbers					
4	Sub Centers(SC)	90					
5	Primary Health Centers(PHC)	14					
6	Community Health Centers (CHC)	2					
7	SDH	1					
8	DH	1					
C) Maternal Health:		2015-16		2016-17			
9	Expected number of PW	6,714		7,429			
10	Expected number of Delivery	6,226		6,888			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	9,029	134.5	8,846	119.1	Any ANC	85.9
12	Mothers registered in the first trimester	4,918	54.5	5,016	56.7	ANC Check up in first trimester	62.4
13	Mothers who had at least 3 Ante-Natal care check ups	5,222	57.8	4,969	56.2	3 or more ANC check up	64.6
14	PW who got TT 2 / Booster injection	6,437	71.3	6,434	72.7	Atleast 1 TT received	83.1
15	PW who consumed 100 IFA tablets	3,385	37.5	5,352	60.5	100 IFA tablets consumed	39.9
16	Home Delivery against expected delivery *	1,761	28.3	1,520	22.1	Full ANC	28.7
17	Institutional Delivery against expected delivery *	3,658	58.8	3,753	54.5	Home Delivery	37.4
18	Home Delivery against reported delivery **	1,761	32.5	1,520	28.8	Institutional Delivery	62.6
19	Institutional Delivery against reported delivery **	3,658	67.5	3,753	71.2	Home Delivery by SBA	4.9
20	Total reported Deliveries	5,419		5,273		PNC within 14 days of delivery	62.1
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	7	0.4	4	0.3		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,661	67.6	3,296	62.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	6,104		6,753			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	5,344	87.6	5,198	77.0	Breastfed within 1 hour of birth	51.3
25	Total Still Birth	102	1.7	114	1.7	BCG	73.7

26	PC of newborn weighted at birth to live birth	5,098	95.4	5,039	96.9	3 dose of DPT	65.6
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	325	6.4	411	8.2	Measles	56.3
28	PC of newborns breastfed within 1 hour to total reported live birth.	5,123	95.9	5,038	96.9	Full Immunization	42.1
29	Children fully immunized	4,985	81.7	4,669	69.1		
30	Children who have received BCG	6,084	99.7	5,714	84.6		
31	Children who have received DPT1	4,791	78.5	136	2.0		
32	Children who have received DPT3	5,218	85.5	541	8.0		
33	Children who have received Measles	5,884	96.4	5,262	77.9		
34	Diarrhoea and Dehydration cases reported in children below 5 years	2,986		2,638			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)			
36	Number of Vasectomies performed	0	0	Limiting	14.6		
37	Number of Tubectomies performed	0	37	Spacing	8		
38	Number of IUD insertion	38	41	Women using any method	65.2		
39	Number of IUD removals	27	139	Women using modern method	41.7		
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)				
40	IPD cases per 10,000 population ***	1026	970				
41	General OPD cases per 10,000 population ***	7194	7160				
42	Ayush OPD cases per 10,000 population ***	802	607				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)				
43	Neonatal death within 24 hours	3	1				
44	Up to 1 Weeks of Birth	28	33				
45	Between 1 week & 4 weeks of birth	2	0				
46	Neonatal Death	33	34				
47	Between 1 month and 11 months	43	49				
48	Total reported infant deaths	76	83				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)				
49	Due to Abortion	2	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits	0	0				
52	Due to Bleeding	1	2				
53	Due to High fever	0	0				
54	Due to Other Causes (including causes not known)	4	2				
55	Total reported maternal deaths	7	4				

Sipahijala Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	484,233					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2014)		Numbers					
4	Sub Centers(SC)	142					
5	Primary Health Centers(PHC)	12					
6	Community Health Centers (CHC)	4					
7	SDH	2					
8	DH	0					
C) Maternal Health:		2015-16		2016-17			
9	Expected number of PW	7,669		8,445			
10	Expected number of Delivery	7,111		7,831			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	7,907	103.1	8,179	96.8	Any ANC	NA
12	Mothers registered in the first trimester	5,939	75.1	6,238	76.3	ANC Check up in first trimester	NA
13	Mothers who had at least 3 Ante-Natal care check ups	5,936	75.1	5,645	69.0	3 or more ANC check up	NA
14	PW who got TT 2 / Booster injection	6,945	87.8	6,775	82.8	Atleast 1 TT received	NA
15	PW who consumed 100 IFA tablets	3,858	48.8	6,206	75.9	100 IFA tablets consumed	NA
16	Home Delivery against expected delivery *	791	11.1	596	7.6	Full ANC	NA
17	Institutional Delivery against expected delivery *	3,457	48.6	3,098	39.6	Home Delivery	NA
18	Home Delivery against reported delivery **	791	18.6	596	16.1	Institutional Delivery	NA
19	Institutional Delivery against reported delivery **	3,457	81.4	3,098	83.9	Home Delivery by SBA	NA
20	Total reported Deliveries	4,248		3,694		PNC within 14 days of delivery	NA
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,171	74.6	3,338	90.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	6,972		7,677			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	4,215	60.5	3,662	47.7	Breastfed within 1 hour of birth	NA
25	Total Still Birth	47	0.7	48	0.6	BCG	NA

26	PC of newborn weighted at birth to live birth	4,061	96.3	3,524	96.2	3 dose of DPT	NA
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	466	11.5	471	13.4	Measles	NA
28	PC of newborns breastfed within 1 hour to total reported live birth.	3,987	94.6	3,405	93.0	Full Immunization	NA
29	Children fully immunized	6,570	94.2	6,582	85.7		
30	Children who have received BCG	5,370	77.0	5,126	66.8		
31	Children who have received DPT1	4,087	58.6	37	0.5		
32	Children who have received DPT3	5,540	79.5	293	3.8		
33	Children who have received Measles	6,638	95.2	6,625	86.3		
34	Diarrhoea and Dehydration cases reported in children below 5 years	2,644		1,986			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)			
36	Number of Vasectomies performed	0	0	Limiting	NA		
37	Number of Tubectomies performed	74	307	Spacing	NA		
38	Number of IUD insertion	38	48	Women using any method	NA		
39	Number of IUD removals	5	12	Women using modern method	NA		
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)				
40	IPD cases per 10,000 population ***	782	775				
41	General OPD cases per 10,000 population ***	9775	10172				
42	Ayush OPD cases per 10,000 population ***	1375	1396				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)				
43	Neonatal death within 24 hours	6	4				
44	Up to 1 Weeks of Birth	13	10				
45	Between 1 week & 4 weeks of birth	0	0				
46	Neonatal Death	19	14				
47	Between 1 month and 11 months	21	24				
48	Total reported infant deaths	40	38				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)				
49	Due to Abortion	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits	0	0				
52	Due to Bleeding	1	1				
53	Due to High fever	0	0				
54	Due to Other Causes (including causes not known)	2	0				
55	Total reported maternal deaths	3	1				

South Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	433,737					
2	Sex Ratio	957					
B) Infrastructure Details (RHS 2014)		Numbers					
4	Sub Centers(SC)	148					
5	Primary Health Centers(PHC)	16					
6	Community Health Centers (CHC)	4					
7	SDH	2					
8	DH	1					
C) Maternal Health:		2015-16		2016-17			
9	Expected number of PW	6,911		7,622			
10	Expected number of Delivery	6,408		7,068			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	7,588	109.8	7,355	96.5	Any ANC	77.0
12	Mothers registered in the first trimester	6,198	81.7	6,046	82.2	ANC Check up in first trimester	62.0
13	Mothers who had at least 3 Ante-Natal care check ups	5,980	78.8	5,936	80.7	3 or more ANC check up	61.2
14	PW who got TT 2 / Booster injection	6,499	85.6	6,483	88.1	Atleast 1 TT received	74.3
15	PW who consumed 100 IFA tablets	6,785	89.4	7,231	98.3	100 IFA tablets consumed	35.0
16	Home Delivery against expected delivery *	418	6.5	339	4.8	Full ANC	27.0
17	Institutional Delivery against expected delivery *	4,552	71.0	4,517	63.9	Home Delivery	28.6
18	Home Delivery against reported delivery **	418	8.4	339	7.0	Institutional Delivery	69.1
19	Institutional Delivery against reported delivery **	4,552	91.6	4,517	93.0	Home Delivery by SBA	5.0
20	Total reported Deliveries	4,970		4,856		PNC within 14 days of delivery	47.1
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	0.7	0	0.0		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,565	112.0	5,074	104.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	6,283		6,929			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	4,926	78.4	4,823	69.6	Breastfed within 1 hour of birth	41.8
25	Total Still Birth	52	0.8	42	0.6	BCG	71.2

26	PC of newborn weighted at birth to live birth	4,863	98.7	4,785	99.2	3 dose of DPT	69.5
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	571	11.7	474	9.9	Measles	61
28	PC of newborns breastfed within 1 hour to total reported live birth.	4,890	99.3	4,805	99.6	Full Immunization	55.9
29	Children fully immunized	5,898	93.9	5,653	81.6		
30	Children who have received BCG	5,231	83.3	5,275	76.1		
31	Children who have received DPT1	4,262	67.8	26	0.4		
32	Children who have received DPT3	5,252	83.6	380	5.5		
33	Children who have received Measles	6,052	96.3	5,910	85.3		
34	Diarrhoea and Dehydration cases reported in children below 5 years	2,016		1,830			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)			
36	Number of Vasectomies performed	3	1	Limiting	22.4		
37	Number of Tubectomies performed	161	269	Spacing	9.2		
38	Number of IUD insertion	282	246	Women using any method	59.9		
39	Number of IUD removals	24	749	Women using modern method	42.6		
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)				
40	IPD cases per 10,000 population ***	1461	1191				
41	General OPD cases per 10,000 population ***	10084	9430				
42	Ayush OPD cases per 10,000 population ***	1062	813				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)				
43	Neonatal death within 24 hours	1	0				
44	Up to 1 Weeks of Birth	17	9				
45	Between 1 week & 4 weeks of birth	0	0				
46	Neonatal Death	18	9				
47	Between 1 month and 11 months	11	14				
48	Total reported infant deaths	29	23				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)				
49	Due to Abortion	0	0				
50	Due to Obstructed/prolonged labour	0	0				
51	Due to Severe hypertension/fits	1	0				
52	Due to Bleeding	0	0				
53	Due to High fever	0	0				
54	Due to Other Causes (including causes not known)	3	2				
55	Total reported maternal deaths	4	2				

Unakoti Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	277,335					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2014)		Numbers					
4	Sub Centers(SC)	75					
5	Primary Health Centers(PHC)	7					
6	Community Health Centers (CHC)	1					
7	SDH	1					
8	DH	1					
C) Maternal Health:		2015-16		2016-17			
9	Expected number of PW	4,477		4,953			
10	Expected number of Delivery	4,151		4,593			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	5,639	126.0	5,432	109.7	Any ANC	NA
12	Mothers registered in the first trimester	2,683	47.6	3,137	57.8	ANC Check up in first trimester	NA
13	Mothers who had at least 3 Ante-Natal care check ups	3,703	65.7	3,480	64.1	3 or more ANC check up	NA
14	PW who got TT 2 / Booster injection	4,563	80.9	4,203	77.4	Atleast 1 TT received	NA
15	PW who consumed 100 IFA tablets	3,150	55.9	4,004	73.7	100 IFA tablets consumed	NA
16	Home Delivery against expected delivery *	914	22.0	886	19.3	Full ANC	NA
17	Institutional Delivery against expected delivery *	3,002	72.3	3,292	71.7	Home Delivery	NA
18	Home Delivery against reported delivery **	914	23.3	886	21.2	Institutional Delivery	NA
19	Institutional Delivery against reported delivery **	3,002	76.7	3,292	78.8	Home Delivery by SBA	NA
20	Total reported Deliveries	3,916		4,178		PNC within 14 days of delivery	NA
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	7	0.8	1	0.1		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,916	74.5	2,738	65.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	4,070		4,503			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	3,836	94.3	4,108	91.2	Breastfed within 1 hour of birth	NA
25	Total Still Birth	95	2.3	77	1.7	BCG	NA

26	PC of newborn weighted at birth to live birth	3,721	97.0	3,972	96.7	3 dose of DPT	NA
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	715	19.2	497	12.5	Measles	NA
28	PC of newborns breastfed within 1 hour to total reported live birth.	3,733	97.3	3,961	96.4	Full Immunization	NA
29	Children fully immunized	3,985	97.9	3,896	86.5		
30	Children who have received BCG	4,172	102.5	3,816	84.7		
31	Children who have received DPT1	3,164	77.7	82	1.8		
32	Children who have received DPT3	3,749	92.1	452	10.0		
33	Children who have received Measles	4,331	106.4	4,145	92.1		
34	Diarrhoea and Dehydration cases reported in children below 5 years	4,048		3,170			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)			
36	Number of Vasectomies performed	0	0	Limiting	NA		
37	Number of Tubectomies performed	36	74	Spacing	NA		
38	Number of IUD insertion	46	68	Women using any method	NA		
39	Number of IUD removals	61	25	Women using modern method	NA		
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)				
40	IPD cases per 10,000 population ***	1225	1231				
41	General OPD cases per 10,000 population ***	8659	8336				
42	Ayush OPD cases per 10,000 population ***	1503	1621				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)				
43	Neonatal death within 24 hours	0	2				
44	Up to 1 Weeks of Birth	32	20				
45	Between 1 week & 4 weeks of birth	2	2				
46	Neonatal Death	34	24				
47	Between 1 month and 11 months	23	33				
48	Total reported infant deaths	57	57				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)				
49	Due to Abortion	0	0				
50	Due to Obstructed/prolonged labour	0	2				
51	Due to Severe hypertension/fits	0	2				
52	Due to Bleeding	1	1				
53	Due to High fever	0	0				
54	Due to Other Causes (including causes not known)	9	5				
55	Total reported maternal deaths	10	10				

West Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	917,534					
2	Sex Ratio	964					
B) Infrastructure Details (RHS 2014)		Numbers					
4	Sub Centers(SC)	171					
5	Primary Health Centers(PHC)	11					
6	Community Health Centers (CHC)	2					
7	SDH	0					
8	DH	0					
C) Maternal Health:		2015-16		2016-17			
9	Expected number of PW	14,532		16,002			
10	Expected number of Delivery	13,475		14,838			
		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	25,019	172.2	27,141	169.6	Any ANC	86.1
12	Mothers registered in the first trimester	12,691	50.7	13,853	51.0	ANC Check up in first trimester	73.2
13	Mothers who had at least 3 Ante-Natal care check ups	14,821	59.2	12,761	47.0	3 or more ANC check up	58.6
14	PW who got TT 2 / Booster injection	9,236	36.9	9,763	36.0	Atleast 1 TT received	80.1
15	PW who consumed 100 IFA tablets	15,430	61.7	16,978	62.6	100 IFA tablets consumed	40.3
16	Home Delivery against expected delivery *	393	2.9	367	2.5	Full ANC	27.4
17	Institutional Delivery against expected delivery *	16,832	124.9	16,896	113.9	Home Delivery	15.6
18	Home Delivery against reported delivery **	393	2.3	367	2.1	Institutional Delivery	84.4
19	Institutional Delivery against reported delivery **	16,832	97.7	16,896	97.9	Home Delivery by SBA	4.8
20	Total reported Deliveries	17,225		17,263		PNC within 14 days of delivery	72.3
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	11	2.8	0	0.0		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,777	74.2	11,697	67.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	13,211		14,547			
D) Child Immunization :		HMIS (2015-16)		HMIS (2016-17)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	17,004	128.7	16,956	116.6	Breastfed within 1 hour of birth	30.3
25	Total Still Birth	288	2.2	382	2.6	BCG	78.4

26	PC of newborn weighted at birth to live birth	16,788	98.7	16,879	99.5	3 dose of DPT	80.8
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,884	11.2	2,522	14.9	Measles	64.7
28	PC of newborns breastfed within 1 hour to total reported live birth.	16,453	96.8	16,025	94.5	Full Immunization	38.5
29	Children fully immunized	9,919	75.1	10,385	71.4		
30	Children who have received BCG	16,341	123.7	16,298	112.0		
31	Children who have received DPT1	7,114	53.9	447	3.1		
32	Children who have received DPT3	9,094	68.8	644	4.4		
33	Children who have received Measles	12,862	97.4	12,547	86.2		
34	Diarrhoea and Dehydration cases reported in children below 5 years	5,955		9,073			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2015-16)	HMIS (2016-17)	DLHS-4 (2012-13)			
36	Number of Vasectomies performed	2	4	Limiting	18.8		
37	Number of Tubectomies performed	2,878	1,492	Spacing	7.4		
38	Number of IUD insertion	425	1,131	Women using any method	58.8		
39	Number of IUD removals	341	71	Women using modern method	41.9		
F) Service delivery		HMIS (2015-16)	HMIS (2016-17)				
40	IPD cases per 10,000 population ***	1408	1375				
41	General OPD cases per 10,000 population ***	15894	15617				
42	Ayush OPD cases per 10,000 population ***	441	408				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)				
43	Neonatal death within 24 hours	1	20				
44	Up to 1 Weeks of Birth	71	128				
45	Between 1 week & 4 weeks of birth	0	0				
46	Neonatal Death	72	148				
47	Between 1 month and 11 months	18	61				
48	Total reported infant deaths	90	209				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2015-16)	HMIS (2016-17)				
49	Due to Abortion	0	4				
50	Due to Obstructed/prolonged labour	0	3				
51	Due to Severe hypertension/fits	1	7				
52	Due to Bleeding	0	0				
53	Due to High fever	1	0				
54	Due to Other Causes (including causes not known)	3	4				
55	Total reported maternal deaths	5	18				