

## Manipur Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,855,794					
2	Sex Ratio	987					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	421					
4	Primary Health Centers (PHC)	85					
5	Community Health Centers (CHC)	17					
6	SDH	1					
7	DH	7					
<b>C) Maternal Health:</b>		<b>2016-17</b>		<b>2017-18</b>			
8	Expected number of PW	49,614		45,275			
9	Expected number of Delivery	45,645		41,653			
		<b>HMIS ( 2016-17)</b>		<b>HMIS ( 2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	60,132	121.2	55,802	123.3	Any ANC	75.8
11	Mothers registered in the first trimester	36,503	60.7	34,056	61.0	ANC Check up in first trimester	55.1
12	Mothers who had at least 3 Ante-Natal care check ups	39,312	65.4	26,419	47.3	3 or more ANC check up	61.3
13	PW who got TT 2 / Booster injection	32,813	54.6	35,930	64.4	At least 1 TT received	73.9
14	PW who consumed 100 IFA tablets	37,775	62.8	25,506	45.7	100 IFA tablets consumed	31.9
15	Home Delivery against expected delivery *	7,350	16.1	6,960	16.7	Full ANC	28.3
16	Institutional Delivery against expected delivery *	33,184	72.7	31,601	75.9	Home Delivery	37.4
17	Home Delivery against reported delivery **	7,350	18.1	6,960	18.0	Institutional Delivery	61.1
18	Institutional Delivery against reported delivery **	33,184	81.9	31,601	82.0	Home Delivery by SBA	12.4
19	Total reported Deliveries	40,534		38,561		PNC within 14 days of delivery	78.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4,590	62.4	4,501	64.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	16,502	40.7	19,916	51.6		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	45,104		41,159			
<b>D) Child Immunization :</b>		<b>HMIS ( 2016-17)</b>		<b>HMIS ( 2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	40,426	89.6	38,556	93.7	Breastfed within 1 hour of	43.4

						birth	
24	Total Still Birth	267	0.6	181	0.4	BCG	85.5
25	PC of newborn weighted at birth to live birth	39,686	98.2	37,605	97.5	3 dose of DPT	75.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,597	4.0	1,677	4.5	Measles	69
27	PC of newborns breastfed within 1 hour to total reported live birth.	34,519	85.4	36,035	93.5	Full Immunization	54.1
28	Children fully immunized	43,938	97.4	39,360	95.6		
29	Children who have received BCG	50,570	112.1	44,337	107.7		
30	Children who have received DPT1	3,051	6.8	43,237	105.0		
31	Children who have received DPT3	5,597	12.4	41,153	100.0		
32	Children who have received Measles	45,576	101.0	40,128	97.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	16,601		36,746			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2016-17)</b>		<b>HMIS ( 2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	80		70		Limiting	25.7
35	Number of Tubectomies performed	613		669		Spacing	28.8
36	Number of IUD insertion	4,830		3,530		Women using any method	20.5
37	Number of IUD removals	2,211		2,014		Women using modern method	11.3
<b>F) Service delivery</b>		<b>HMIS ( 2016-17)</b>		<b>HMIS ( 2017-18)</b>			
38	IPD cases per 10,000 population ***	287		263			
39	General OPD cases per 10,000 population ***	4341		4062			
40	Ayush OPD cases per 10,000 population ***	323		356			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS ( 2016-17)</b>		<b>HMIS ( 2017-18)</b>			
41	Neonatal death within 24 hours	8		22			
42	Up to 1 Weeks of Birth	32		NA			
43	Between 1 week & 4 weeks of birth	1		54			
44	Neonatal Death	41		76			
45	Between 1 month and 11 months	39		66			
46	<b>Total reported infant deaths</b>	80		142			
<b>II) Maternal Mortality</b>		<b>HMIS ( 2016-17)</b>		<b>HMIS ( 2017-18)</b>			
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS ( 2016-17)</b>		<b>HMIS ( 2017-18)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	2		1			
49	Due to Severe hypertension/fits	0		1			
50	Due to Bleeding	4		4			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	6		10			
53	<b>Total reported maternal deaths</b>	12		16			

## Bishnupur Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	237,399					
2	Sex Ratio	1,000					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	33					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	4,058		3,691			
9	Expected number of Delivery	3,734		3,396			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	4,836	119.2	4,566	123.7	Any ANC	92.5
11	Mothers registered in the first trimester	3,245	67.1	3,189	69.8	ANC Check up in first trimester	68.4
12	Mothers who had at least 3 Ante-Natal care check ups	3,353	69.3	4,935	108.1	3 or more ANC check up	79.2
13	PW who got TT 2 / Booster injection	3,349	69.3	3,223	70.6	At least 1 TT received	86.6
14	PW who consumed 100 IFA tablets	5,174	107.0	2,286	50.1	100 IFA tablets consumed	46.2
15	Home Delivery against expected delivery *	89	2.4	60	1.8	Full ANC	40.3
16	Institutional Delivery against expected delivery *	1,279	34.3	1,047	30.8	Home Delivery	16.0
17	Home Delivery against reported delivery **	89	6.5	60	5.4	Institutional Delivery	83.7
18	Institutional Delivery against reported delivery **	1,279	93.5	1,047	94.6	Home Delivery by SBA	6.8
19	Total reported Deliveries	1,368		1,107		PNC within 14 days of delivery	82.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	72	80.9	38	63.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,032	75.4	402	36.3		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	3,689		3,356			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,366	37.0	1,103	32.9	Breastfed within 1 hour of	58.3

						birth	
24	Total Still Birth	2	0.1	6	0.2	BCG	92.8
25	PC of newborn weighted at birth to live birth	1,364	99.9	1,097	99.5	3 dose of DPT	73.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	61	4.5	33	3.0	Measles	79.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,364	99.9	1,093	99.1	Full Immunization	58
28	Children fully immunized	4,270	115.7	3,705	110.4		
29	Children who have received BCG	3,941	106.8	3,774	112.5		
30	Children who have received DPT1	23	0.6	3,944	117.5		
31	Children who have received DPT3	203	5.5	3,602	107.3		
32	Children who have received Measles	4,356	118.1	3,713	110.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,544		3,666			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	7	0	Limiting	22.9
35	Number of Tubectomies performed	24	20	Spacing	25.3
36	Number of IUD insertion	445	295	Women using any method	30.2
37	Number of IUD removals	196	228	Women using modern method	18.6
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	296	305		
39	General OPD cases per 10,000 population ***	7993	8007		
40	Ayush OPD cases per 10,000 population ***	741	957		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	2	NA		
43	Between 1 week & 4 weeks of birth	0	2		
44	Neonatal Death	2	2		
45	Between 1 month and 11 months	3	6		
46	<b>Total reported infant deaths</b>	5	8		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	2		
53	<b>Total reported maternal deaths</b>	0	2		

## Chandel Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	144,182					
2	Sex Ratio	932					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	26					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	1					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2016-17</b>		<b>2017-18</b>			
8	Expected number of PW	2,543		2,327			
9	Expected number of Delivery	2,339		2,141			
		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	2,998	117.9	1,680	72.2	Any ANC	62.3
11	Mothers registered in the first trimester	1,472	49.1	991	59.0	ANC Check up in first trimester	47.7
12	Mothers who had at least 3 Ante-Natal care check ups	1,537	51.3	413	24.6	3 or more ANC check up	43.7
13	PW who got TT 2 / Booster injection	1,405	46.9	1,242	73.9	At least 1 TT received	60.6
14	PW who consumed 100 IFA tablets	2,194	73.2	1,085	64.6	100 IFA tablets consumed	14.3
15	Home Delivery against expected delivery *	761	32.5	613	28.6	Full ANC	11.0
16	Institutional Delivery against expected delivery *	418	17.9	205	9.6	Home Delivery	59.4
17	Home Delivery against reported delivery **	761	64.5	613	74.9	Institutional Delivery	36.2
18	Institutional Delivery against reported delivery **	418	35.5	205	25.1	Home Delivery by SBA	14.9
19	Total reported Deliveries	1,179		818		PNC within 14 days of delivery	57.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	539	70.8	236	38.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	582	49.4	468	57.2		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	2,312		2,116			
<b>D) Child Immunization :</b>		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,182	51.1	819	38.7	Breastfed within 1 hour of	42.9

						birth	
24	Total Still Birth	2	0.1	3	0.1	BCG	86
25	PC of newborn weighted at birth to live birth	1,118	94.6	627	76.6	3 dose of DPT	79.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	4	0.4	9	1.4	Measles	72.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,165	98.6	754	92.1	Full Immunization	52.3
28	Children fully immunized	1,282	55.5	1,058	50.0		
29	Children who have received BCG	1,440	62.3	1,217	57.5		
30	Children who have received DPT1	201	8.7	1,249	59.0		
31	Children who have received DPT3	248	10.7	1,179	55.7		
32	Children who have received Measles	1,312	56.8	1,133	53.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,161		991			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	0		9		Limiting	33.9
35	Number of Tubectomies performed	11		7		Spacing	32.1
36	Number of IUD insertion	117		61		Women using any method	8.3
37	Number of IUD removals	51		21		Women using modern method	5.4
<b>F) Service delivery</b>		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>			
38	IPD cases per 10,000 population ***	366		185			
39	General OPD cases per 10,000 population ***	2505		2326			
40	Ayush OPD cases per 10,000 population ***	366		339			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>			
41	Neonatal death within 24 hours	0		0			
42	Up to 1 Weeks of Birth	0		NA			
43	Between 1 week & 4 weeks of birth	0		0			
44	Neonatal Death	0		0			
45	Between 1 month and 11 months	2		2			
46	<b>Total reported infant deaths</b>	2		2			
<b>II) Maternal Mortality</b>		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>			
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	1		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	1		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		0			
53	<b>Total reported maternal deaths</b>	2		0			

## Churachandpur Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	274,143					
2	Sex Ratio	969					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	65					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2016-17</b>		<b>2017-18</b>			
8	Expected number of PW	4,772		4,356			
9	Expected number of Delivery	4,390		4,007			
		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	4,536	95.1	6,033	138.5	Any ANC	51.3
11	Mothers registered in the first trimester	2,726	60.1	3,772	62.5	ANC Check up in first trimester	26.5
12	Mothers who had at least 3 Ante-Natal care check ups	2,774	61.2	1,398	23.2	3 or more ANC check up	31.0
13	PW who got TT 2 / Booster injection	3,659	80.7	3,488	57.8	At least 1 TT received	51.0
14	PW who consumed 100 IFA tablets	5,709	125.9	3,242	53.7	100 IFA tablets consumed	12.6
15	Home Delivery against expected delivery *	484	11.0	598	14.9	Full ANC	7.6
16	Institutional Delivery against expected delivery *	3,974	90.5	3,664	91.4	Home Delivery	45.6
17	Home Delivery against reported delivery **	484	10.9	598	14.0	Institutional Delivery	51.0
18	Institutional Delivery against reported delivery **	3,974	89.1	3,664	86.0	Home Delivery by SBA	14.6
19	Total reported Deliveries	4,458		4,262		PNC within 14 days of delivery	82.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	235	48.6	250	41.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	493	11.1	3,471	81.4		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	4,338		3,960			
<b>D) Child Immunization :</b>		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	4,452	102.6	4,240	107.1	Breastfed within 1 hour of	44.6

						birth	
24	Total Still Birth	6	0.1	22	0.6	BCG	64.6
25	PC of newborn weighted at birth to live birth	4,421	99.3	4,176	98.5	3 dose of DPT	62.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	38	0.9	172	4.1	Measles	39.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,417	99.2	3,838	90.5	Full Immunization	18.8
28	Children fully immunized	4,365	100.6	3,640	91.9		
29	Children who have received BCG	5,800	133.7	4,137	104.5		
30	Children who have received DPT1	4	0.1	4,223	106.6		
31	Children who have received DPT3	32	0.7	4,041	102.0		
32	Children who have received Measles	4,632	106.8	3,697	93.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	3,507		3,042			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	16		7		Limiting	24.4
35	Number of Tubectomies performed	153		99		Spacing	36.2
36	Number of IUD insertion	802		760		Women using any method	22.6
37	Number of IUD removals	447		434		Women using modern method	14.6
<b>F) Service delivery</b>		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>			
38	IPD cases per 10,000 population ***	471		444			
39	General OPD cases per 10,000 population ***	5581		5476			
40	Ayush OPD cases per 10,000 population ***	161		172			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>			
41	Neonatal death within 24 hours	3		7			
42	Up to 1 Weeks of Birth	27		NA			
43	Between 1 week & 4 weeks of birth	1		42			
44	Neonatal Death	31		49			
45	Between 1 month and 11 months	18		24			
46	<b>Total reported infant deaths</b>	49		73			
<b>II) Maternal Mortality</b>							
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		1			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	1		2			
53	<b>Total reported maternal deaths</b>	1		3			



## Imphal East Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	456,113					
2	Sex Ratio	1,011					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	54					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
<b>C) Maternal Health:</b>		<b>2016-17</b>		<b>2017-18</b>			
8	Expected number of PW	7,769		7,062			
9	Expected number of Delivery	7,147		6,497			
		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	11,411	146.9	8,309	117.7	Any ANC	87.9
11	Mothers registered in the first trimester	6,802	59.6	6,348	76.4	ANC Check up in first trimester	63.0
12	Mothers who had at least 3 Ante-Natal care check ups	4,939	43.3	3,223	38.8	3 or more ANC check up	75.0
13	PW who got TT 2 / Booster injection	4,846	42.5	6,532	78.6	At least 1 TT received	86.8
14	PW who consumed 100 IFA tablets	4,118	36.1	2,968	35.7	100 IFA tablets consumed	41.5
15	Home Delivery against expected delivery *	48	0.7	88	1.4	Full ANC	37.8
16	Institutional Delivery against expected delivery *	6,954	97.3	7,891	121.5	Home Delivery	23.9
17	Home Delivery against reported delivery **	48	0.7	88	1.1	Institutional Delivery	75.6
18	Institutional Delivery against reported delivery **	6,954	99.3	7,891	98.9	Home Delivery by SBA	12.6
19	Total reported Deliveries	7,002		7,979		PNC within 14 days of delivery	84.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	24	50.0	42	47.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,258	32.2	9,030	113.2		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	7,063		6,420			
<b>D) Child Immunization :</b>		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	6,946	98.3	7,967	124.1	Breastfed within 1 hour of	40.2

						birth	
24	Total Still Birth	56	0.8	12	0.2	BCG	90.4
25	PC of newborn weighted at birth to live birth	6,932	99.8	7,943	99.7	3 dose of DPT	69.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	45	0.6	40	0.5	Measles	78.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	6,660	95.9	7,925	99.5	Full Immunization	55.9
28	Children fully immunized	7,191	101.8	6,905	107.6		
29	Children who have received BCG	10,305	145.9	8,605	134.0		
30	Children who have received DPT1	650	9.2	7,203	112.2		
31	Children who have received DPT3	1,409	19.9	6,657	103.7		
32	Children who have received Measles	7,620	107.9	7,125	111.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	907		6,277			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	1	0	Limiting	26.4
35	Number of Tubectomies performed	6	110	Spacing	24.2
36	Number of IUD insertion	785	509	Women using any method	22.4
37	Number of IUD removals	501	310	Women using modern method	12.6
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	231	185		
39	General OPD cases per 10,000 population ***	4110	3329		
40	Ayush OPD cases per 10,000 population ***	308	286		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	0	3		
42	Up to 1 Weeks of Birth	0	NA		
43	Between 1 week & 4 weeks of birth	0	1		
44	Neonatal Death	0	4		
45	Between 1 month and 11 months	2	0		
46	<b>Total reported infant deaths</b>	<b>2</b>	<b>4</b>		
II)	Maternal Mortality	HMIS (2016-17)	HMIS (2017-18)		
Maternal Deaths (In Numbers)		HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	2	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	3	1		
53	<b>Total reported maternal deaths</b>	<b>5</b>	<b>1</b>		

## Imphal West Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	<b>517,992</b>					
2	Sex Ratio	<b>1,029</b>					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	<b>51</b>					
4	Primary Health Centers (PHC)	<b>9</b>					
5	Community Health Centers (CHC)	<b>2</b>					
6	SDH	<b>0</b>					
7	DH	<b>0</b>					
<b>C) Maternal Health:</b>		<b>2016-17</b>		<b>2017-18</b>			
8	Expected number of PW	8,875		8,076			
9	Expected number of Delivery	8,165		7,430			
		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	10,760	121.2	9,360	115.9	Any ANC	91.6
11	Mothers registered in the first trimester	7,755	72.1	6,825	72.9	ANC Check up in first trimester	75.4
12	Mothers who had at least 3 Ante-Natal care check ups	14,761	137.2	9,033	96.5	3 or more ANC check up	82.2
13	PW who got TT 2 / Booster injection	6,537	60.8	7,002	74.8	At least 1 TT received	89.2
14	PW who consumed 100 IFA tablets	5,150	47.9	3,047	32.6	100 IFA tablets consumed	53.4
15	Home Delivery against expected delivery *	158	1.9	155	2.1	Full ANC	50.0
16	Institutional Delivery against expected delivery *	13,467	164.9	12,642	170.1	Home Delivery	13.5
17	Home Delivery against reported delivery **	158	1.2	155	1.2	Institutional Delivery	85.5
18	Institutional Delivery against reported delivery **	13,467	98.8	12,642	98.8	Home Delivery by SBA	5.4
19	Total reported Deliveries	13,625		12,797		PNC within 14 days of delivery	81.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	53	33.5	126	81.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,598	55.8	1,850	14.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	8,068		7,342			
<b>D) Child Immunization :</b>		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	13,628	168.9	12,851	175.0	Breastfed within 1 hour of	38.6

						birth	
24	Total Still Birth	127	1.6	108	1.5	BCG	97.7
25	PC of newborn weighted at birth to live birth	13,621	99.9	12,829	99.8	3 dose of DPT	93
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,293	9.5	1,305	10.2	Measles	88.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	8,624	63.3	11,414	88.8	Full Immunization	79.1
28	Children fully immunized	9,294	115.2	8,084	110.1		
29	Children who have received BCG	9,772	121.1	8,794	119.8		
30	Children who have received DPT1	709	8.8	8,080	110.1		
31	Children who have received DPT3	896	11.1	8,058	109.8		
32	Children who have received Measles	9,605	119.0	8,226	112.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,115		7,597			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	55	35	Limiting	25.3
35	Number of Tubectomies performed	340	331	Spacing	28.9
36	Number of IUD insertion	875	685	Women using any method	22.8
37	Number of IUD removals	328	353	Women using modern method	12.5

F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	539	533		
39	General OPD cases per 10,000 population ***	5353	5110		
40	Ayush OPD cases per 10,000 population ***	406	354		

### G) Mortality Details

I) Infant Deaths (In Numbers)		HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	4	3		
42	Up to 1 Weeks of Birth	3	NA		
43	Between 1 week & 4 weeks of birth	0	5		
44	Neonatal Death	7	8		
45	Between 1 month and 11 months	5	9		
46	<b>Total reported infant deaths</b>	12	17		

II) Maternal Mortality		HMIS (2016-17)	HMIS (2017-18)		
Maternal Deaths (In Numbers)		HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	2	2		
53	<b>Total reported maternal deaths</b>	2	2		

## Senapati Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	<b>479,148</b>					
2	Sex Ratio	<b>939</b>					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	<b>66</b>					
4	Primary Health Centers (PHC)	<b>14</b>					
5	Community Health Centers (CHC)	<b>2</b>					
6	SDH	<b>0</b>					
7	DH	<b>1</b>					
<b>C) Maternal Health:</b>		<b>2016-17</b>		<b>2017-18</b>			
8	Expected number of PW	8,594		7,892			
9	Expected number of Delivery	7,906		7,261			
		<b>HMIS ( 2016-17)</b>		<b>HMIS ( 2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	11,147	129.7	11,371	144.1	Any ANC	63.1
11	Mothers registered in the first trimester	5,701	51.1	4,558	40.1	ANC Check up in first trimester	42.4
12	Mothers who had at least 3 Ante-Natal care check ups	5,549	49.8	3,220	28.3	3 or more ANC check up	47.9
13	PW who got TT 2 / Booster injection	6,062	54.4	7,318	64.4	At least 1 TT received	61.0
14	PW who consumed 100 IFA tablets	7,374	66.2	5,297	46.6	100 IFA tablets consumed	14.1
15	Home Delivery against expected delivery *	3,989	50.5	4,024	55.4	Full ANC	12.8
16	Institutional Delivery against expected delivery *	2,033	25.7	1,898	26.1	Home Delivery	66.6
17	Home Delivery against reported delivery **	3,989	66.2	4,024	68.0	Institutional Delivery	32.6
18	Institutional Delivery against reported delivery **	2,033	33.8	1,898	32.0	Home Delivery by SBA	23.1
19	Total reported Deliveries	6,022		5,922		PNC within 14 days of delivery	78.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,783	69.8	3,091	76.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,116	35.1	2,135	36.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	7,813		7,175			
<b>D) Child Immunization :</b>		<b>HMIS ( 2016-17)</b>		<b>HMIS ( 2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	6,008	76.9	5,879	81.9	Breastfed within 1 hour of	47.7

						birth	
24	Total Still Birth	21	0.3	6	0.1	BCG	87.7
25	PC of newborn weighted at birth to live birth	5,598	93.2	5,429	92.3	3 dose of DPT	66.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	34	0.6	21	0.4	Measles	64.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,724	95.3	5,728	97.4	Full Immunization	47.7
28	Children fully immunized	6,508	83.3	6,359	88.6		
29	Children who have received BCG	6,946	88.9	6,821	95.1		
30	Children who have received DPT1	258	3.3	6,985	97.4		
31	Children who have received DPT3	957	12.2	6,796	94.7		
32	Children who have received Measles	6,586	84.3	6,427	89.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,960		5,702			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>	<b>DLHS-4 (2012-13)</b>			
34	Number of Vasectomies performed	0	0	Limiting		24.3	
35	Number of Tubectomies performed	15	36	Spacing		26	
36	Number of IUD insertion	486	383	Women using any method		24.4	
37	Number of IUD removals	280	196	Women using modern method		9.8	
<b>F) Service delivery</b>		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>				
38	IPD cases per 10,000 population ***	94	73				
39	General OPD cases per 10,000 population ***	2359	1995				
40	Ayush OPD cases per 10,000 population ***	184	266				
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>				
41	Neonatal death within 24 hours	0	1				
42	Up to 1 Weeks of Birth	0	NA				
43	Between 1 week & 4 weeks of birth	0	1				
44	Neonatal Death	0	2				
45	Between 1 month and 11 months	2	5				
46	<b>Total reported infant deaths</b>	2	7				
<b>II) Maternal Mortality</b>							
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	1				
50	Due to Bleeding	0	1				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	<b>Total reported maternal deaths</b>	0	2				

## Tamenglong Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	140,651					
2	Sex Ratio	953					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	29					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2016-17</b>		<b>2017-18</b>			
8	Expected number of PW	2,529		2,324			
9	Expected number of Delivery	2,327		2,138			
		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	2,613	103.3	2,577	110.9	Any ANC	60.3
11	Mothers registered in the first trimester	1,138	43.6	1,338	51.9	ANC Check up in first trimester	34.3
12	Mothers who had at least 3 Ante-Natal care check ups	1,190	45.5	571	22.2	3 or more ANC check up	41.9
13	PW who got TT 2 / Booster injection	1,237	47.3	1,345	52.2	At least 1 TT received	56.8
14	PW who consumed 100 IFA tablets	1,142	43.7	833	32.3	100 IFA tablets consumed	17.1
15	Home Delivery against expected delivery *	562	24.2	407	19.0	Full ANC	13.7
16	Institutional Delivery against expected delivery *	650	27.9	703	32.9	Home Delivery	60.8
17	Home Delivery against reported delivery **	562	46.4	407	36.7	Institutional Delivery	38.7
18	Institutional Delivery against reported delivery **	650	53.6	703	63.3	Home Delivery by SBA	11.6
19	Total reported Deliveries	1,212		1,110		PNC within 14 days of delivery	62.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	151	26.9	155	38.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	149	12.3	199	17.9		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	2,299		2,113			
<b>D) Child Immunization :</b>		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,202	52.3	1,133	53.6	Breastfed within 1 hour of	61.2

						birth	
24	Total Still Birth	14	0.6	7	0.3	BCG	76.3
25	PC of newborn weighted at birth to live birth	1,083	90.1	1,077	95.1	3 dose of DPT	56.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	22	2.0	16	1.5	Measles	54.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,130	94.0	1,077	95.1	Full Immunization	29.7
28	Children fully immunized	1,792	77.9	1,409	66.7		
29	Children who have received BCG	2,099	91.3	1,858	87.9		
30	Children who have received DPT1	176	7.7	1,991	94.2		
31	Children who have received DPT3	497	21.6	1,801	85.2		
32	Children who have received Measles	1,915	83.3	1,464	69.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	808		1,040			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>	<b>DLHS-4 (2012-13)</b>			
34	Number of Vasectomies performed	0	0	Limiting		31.6	
35	Number of Tubectomies performed	18	39	Spacing		36.2	
36	Number of IUD insertion	608	415	Women using any method		8	
37	Number of IUD removals	158	170	Women using modern method		4.5	
<b>F) Service delivery</b>		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>				
38	IPD cases per 10,000 population ***	170	150				
39	General OPD cases per 10,000 population ***	2543	2440				
40	Ayush OPD cases per 10,000 population ***	57	61				
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>				
41	Neonatal death within 24 hours	0	2				
42	Up to 1 Weeks of Birth	0	NA				
43	Between 1 week & 4 weeks of birth	0	1				
44	Neonatal Death	0	3				
45	Between 1 month and 11 months	3	12				
46	<b>Total reported infant deaths</b>	<b>3</b>	<b>15</b>				
<b>II) Maternal Mortality</b>							
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	1				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>1</b>				



## Thoubal Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	422,168						
2	Sex Ratio	1,006						
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	57						
4	Primary Health Centers (PHC)	13						
5	Community Health Centers (CHC)	5						
6	SDH	0						
7	DH	1						
<b>C) Maternal Health:</b>		<b>2016-17</b>	<b>2017-18</b>					
8	Expected number of PW	7,221	6,569					
9	Expected number of Delivery	6,643	6,043					
		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	8,629	119.5	8,367	127.4	Any ANC	92.0	
11	Mothers registered in the first trimester	6,456	74.8	5,856	70.0	ANC Check up in first trimester	80.1	
12	Mothers who had at least 3 Ante-Natal care check ups	4,045	46.9	2,412	28.8	3 or more ANC check up	78.2	
13	PW who got TT 2 / Booster injection	4,547	52.7	4,433	53.0	At least 1 TT received	90.8	
14	PW who consumed 100 IFA tablets	5,231	60.6	4,803	57.4	100 IFA tablets consumed	46.2	
15	Home Delivery against expected delivery *	600	9.0	306	5.1	Full ANC	42.2	
16	Institutional Delivery against expected delivery *	3,272	49.3	2,298	38.0	Home Delivery	24.6	
17	Home Delivery against reported delivery **	600	15.5	306	11.8	Institutional Delivery	74.2	
18	Institutional Delivery against reported delivery **	3,272	84.5	2,298	88.2	Home Delivery by SBA	12.0	
19	Total reported Deliveries	3,872		2,604		PNC within 14 days of delivery	75.5	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	435	72.5	195	63.7			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,599	41.3	1,640	63.0			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>								
22	Expected number of Live Birth	6,565		5,972				
<b>D) Child Immunization :</b>		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	3,866	58.9	2,602	43.6	Breastfed within 1 hour of	26.3	

						birth	
24	Total Still Birth	19	0.3	8	0.1	BCG	88.2
25	PC of newborn weighted at birth to live birth	3,838	99.3	2,578	99.1	3 dose of DPT	84
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	66	1.7	44	1.7	Measles	66.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,830	99.1	2,571	98.8	Full Immunization	59.1
28	Children fully immunized	7,481	114.0	6,631	111.0		
29	Children who have received BCG	8,233	125.4	6,886	115.3		
30	Children who have received DPT1	307	4.7	7,367	123.4		
31	Children who have received DPT3	389	5.9	7,068	118.4		
32	Children who have received Measles	7,716	117.5	6,670	111.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	3,246		6,863			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	19	Limiting	24.5
35	Number of Tubectomies performed	0	19	Spacing	25
36	Number of IUD insertion	577	378	Women using any method	18.6
37	Number of IUD removals	189	230	Women using modern method	10.1
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	219	226		
39	General OPD cases per 10,000 population ***	5061	4930		
40	Ayush OPD cases per 10,000 population ***	427	514		
G) Mortality Details					
I) Infant Deaths (In Numbers)		HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	1	3		
42	Up to 1 Weeks of Birth	0	NA		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	1	3		
45	Between 1 month and 11 months	1	2		
46	<b>Total reported infant deaths</b>	<b>2</b>	<b>5</b>		
II) Maternal Mortality					
Maternal Deaths (In Numbers)		HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	2		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>2</b>		

## Ukhrul Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	183,998						
2	Sex Ratio	948						
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	40						
4	Primary Health Centers (PHC)	8						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
<b>C) Maternal Health:</b>		<b>2016-17</b>	<b>2017-18</b>					
8	Expected number of PW	3,380	3,119					
9	Expected number of Delivery	3,109	2,869					
		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	3,202	94.7	3,539	113.5	Any ANC	49.0	
11	Mothers registered in the first trimester	1,208	37.7	1,179	33.3	ANC Check up in first trimester	25.8	
12	Mothers who had at least 3 Ante-Natal care check ups	1,164	36.4	1,214	34.3	3 or more ANC check up	34.2	
13	PW who got TT 2 / Booster injection	1,171	36.6	1,347	38.1	At least 1 TT received	46.6	
14	PW who consumed 100 IFA tablets	1,683	52.6	1,945	55.0	100 IFA tablets consumed	10.1	
15	Home Delivery against expected delivery *	659	21.2	709	24.7	Full ANC	8.5	
16	Institutional Delivery against expected delivery *	1,137	36.6	1,253	43.7	Home Delivery	64.2	
17	Home Delivery against reported delivery **	659	36.7	709	36.1	Institutional Delivery	32.7	
18	Institutional Delivery against reported delivery **	1,137	63.3	1,253	63.9	Home Delivery by SBA	12.4	
19	Total reported Deliveries	1,796		1,962		PNC within 14 days of delivery	64.0	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	298	45.2	368	51.9			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	675	37.6	721	36.7			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>								
22	Expected number of Live Birth	3,073		2,835				
<b>D) Child Immunization :</b>		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	1,776	57.8	1,962	69.2	Breastfed within 1 hour of	41.5	

						birth	
24	Total Still Birth	20	0.7	9	0.3	BCG	62.1
25	PC of newborn weighted at birth to live birth	1,711	96.3	1,849	94.2	3 dose of DPT	61.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	34	2.0	37	2.0	Measles	42.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,605	90.4	1,635	83.3	Full Immunization	33.8
28	Children fully immunized	1,755	57.1	1,569	55.3		
29	Children who have received BCG	2,034	66.2	2,245	79.2		
30	Children who have received DPT1	723	23.5	2,195	77.4		
31	Children who have received DPT3	966	31.4	1,951	68.8		
32	Children who have received Measles	1,834	59.7	1,673	59.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	353		1,568			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	1	0	Limiting	26.7
35	Number of Tubectomies performed	46	8	Spacing	33.8
36	Number of IUD insertion	135	44	Women using any method	15.7
37	Number of IUD removals	61	72	Women using modern method	7.2
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	135	132		
39	General OPD cases per 10,000 population ***	2144	2081		
40	Ayush OPD cases per 10,000 population ***	155	184		
G) Mortality Details					
I) Infant Deaths (In Numbers)		HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	0	3		
42	Up to 1 Weeks of Birth	0	NA		
43	Between 1 week & 4 weeks of birth	0	2		
44	Neonatal Death	0	5		
45	Between 1 month and 11 months	3	6		
46	<b>Total reported infant deaths</b>	<b>3</b>	<b>11</b>		
II) Maternal Mortality					
Maternal Deaths (In Numbers)		HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	1	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	1	2		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	1		
53	<b>Total reported maternal deaths</b>	<b>2</b>	<b>3</b>		

