

Arunachal Pradesh Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	1,382,611					
2	Sex Ratio	920					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	580					
4	Primary Health Centers (PHC)	143					
5	Community Health Centers (CHC)	63					
6	SDH	0					
7	DH	18					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	32,695		33,543			
9	Expected number of Delivery	30,317		31,103			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	29,975	91.7	32,087	95.7	Any ANC	61.6
11	Mothers registered in the first trimester	11,201	37.4	11,669	36.4	ANC Check up in first trimester	34.8
12	Mothers who had at least 3 Ante-Natal care check ups	12,423	41.4	7,117	22.2	3 or more ANC check up	43.8
13	PW who got TT 2 / Booster injection	14,596	48.7	16,913	52.7	At least 1 TT received	59.1
14	PW who consumed 100 IFA tablets	30,703	102.4	11,439	35.6	100 IFA tablets consumed	17.4
15	Home Delivery against expected delivery *	1,200	4.0	1,812	5.8	Full ANC	13.5
16	Institutional Delivery against expected delivery *	15,644	51.6	15,816	50.9	Home Delivery	48.5
17	Home Delivery against reported delivery **	1,200	7.1	1,812	10.3	Institutional Delivery	49.5
18	Institutional Delivery against reported delivery **	15,644	92.9	15,816	89.7	Home Delivery by SBA	3.1
19	Total reported Deliveries	16,844		17,628		PNC within 14 days of delivery	48.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	458	38.2	783	43.2		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,518	26.8	7,101	40.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	29,723		30,493			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
23	Total reported live births	17,093	57.5	17,424	57.1	Breastfeed within 1 hour of birth	55.7

24	Total Still Birth	248	0.8	208	0.7	BCG	75.5
25	Newborn weighted at birth to live birth	16,334	95.6	16,725	96.0	3 dose of DPT	71.1
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1,327	8.1	1,093	6.5	Measles	60.4
27	Newborns breastfed within 1 hour to total reported live birth.	14,096	82.5	15,267	87.6	Full Immunization	49.2
28	Fully immunized	18,097	60.9	16,677	54.7		
29	Children who have received BCG	19,948	67.1	20,230	66.3		
30	Children who have received DPT1	1,322	4.4	20,399	66.9		
31	Children who have received DPT3	1,495	5.0	18,136	59.5		
32	Children who have received Measles	17,924	60.3	16,045	52.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	15,843		12,997			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	33	1	Limiting	11.7
35	Number of Tubectomies performed	1,068	808	Spacing	20.4
36	Number of IUD insertion	2,921	2,258	Women using any method	48.4
37	Number of IUD removals	1,630	1,258	Women using modern method	43.9
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	423	402		
39	General OPD cases per 10,000 population ***	8742	8337		
40	Ayush OPD cases per 10,000 population ***	490	543		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	17	48		
42	Up to 1 Weeks of Birth	32	NA		
43	Between 1 week & 4 weeks of birth	0	64		
44	Neonatal Death	49	112		
45	Between 1 month and 11 months	27	28		
46	Total reported infant deaths	76	140		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	2	1		
50	Due to Bleeding	0	2		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	3	10		
53	Total reported maternal deaths	5	13		

Anjaw Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	21,089					
2	Sex Ratio	805					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	41					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	471		478			
9	Expected number of Delivery	437		443			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	420	89.1	398	83.3	Any ANC	52.1
11	Mothers registered in the first trimester	159	37.9	155	38.9	ANC Check up in first trimester	22.1
12	Mothers who had at least 3 Ante-Natal care check ups	96	22.9	40	10.1	3 or more ANC check up	32.6
13	PW who got TT 2 / Booster injection	172	41.0	187	47.0	At least 1 TT received	47.9
14	PW who consumed 100 IFA tablets	153	36.4	109	27.4	100 IFA tablets consumed	10.3
15	Home Delivery against expected delivery *	21	4.8	38	8.6	Full ANC	6.5
16	Institutional Delivery against expected delivery *	94	21.5	68	15.4	Home Delivery	62.0
17	Home Delivery against reported delivery **	21	18.3	38	35.8	Institutional Delivery	35.0
18	Institutional Delivery against reported delivery **	94	81.7	68	64.2	Home Delivery by SBA	4.9
19	Total reported Deliveries	115		106		PNC within 14 days of delivery	65.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	9.5	9	23.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	76	66.1	76	71.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	428		434			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
23	Total reported live births	115	26.8	106	24.4	Breastfeed within 1 hour of birth	53.8

24	Total Still Birth	0	0.0	0	0.0	BCG	65.5
25	Newborn weighted at birth to live birth	99	86.1	84	79.2	3 dose of DPT	58.2
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	7	7.1	6	7.1	Measles	34.5
27	Newborns breastfed within 1 hour to total reported live birth.	114	99.1	99	93.4	Full Immunization	29.1
28	Fully immunized	104	24.3	133	30.6		
29	Children who have received BCG	125	29.2	147	33.8		
30	Children who have received DPT1	9	2.1	243	56.0		
31	Children who have received DPT3	2	0.5	270	62.2		
32	Children who have received Measles	125	29.2	108	24.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	626		123			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	10.6
35	Number of Tubectomies performed	0	0	Spacing	27.1
36	Number of IUD insertion	8	16	Women using any method	44.4
37	Number of IUD removals	8	7	Women using modern method	39.1
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	171	211		
39	General OPD cases per 10,000 population ***	11648	9996		
40	Ayush OPD cases per 10,000 population ***	905	1946		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	NA		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	0	0		
46	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	0		

Changlang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	147,951					
2	Sex Ratio	914					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	35					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	3,369		3,429			
9	Expected number of Delivery	3,124		3,180			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	3,156	93.7	3,136	91.5	Any ANC	63.2
11	Mothers registered in the first trimester	1,038	32.9	930	29.7	ANC Check up in first trimester	34.3
12	Mothers who had at least 3 Ante-Natal care check ups	1,568	49.7	890	28.4	3 or more ANC check up	38.5
13	PW who got TT 2 / Booster injection	2,439	77.3	2,380	75.9	At least 1 TT received	60.5
14	PW who consumed 100 IFA tablets	1,612	51.1	494	15.8	100 IFA tablets consumed	7.1
15	Home Delivery against expected delivery *	219	7.0	408	12.8	Full ANC	4.6
16	Institutional Delivery against expected delivery *	1,057	33.8	1,219	38.3	Home Delivery	46.7
17	Home Delivery against reported delivery **	219	17.2	408	25.1	Institutional Delivery	52.2
18	Institutional Delivery against reported delivery **	1,057	82.8	1,219	74.9	Home Delivery by SBA	0.0
19	Total reported Deliveries	1,276		1,627		PNC within 14 days of delivery	45.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	85	38.8	114	27.9		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	452	35.4	413	25.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,062		3,117			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
23	Total reported live births	1,232	40.2	1,590	51.0	Breastfeed within 1 hour of birth	59.4

24	Total Still Birth	15	0.5	13	0.4	BCG	65.8
25	Newborn weighted at birth to live birth	1,183	96.0	1,518	95.5	3 dose of DPT	72.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	83	7.0	86	5.7	Measles	47.9
27	Newborns breastfed within 1 hour to total reported live birth.	1,188	96.4	1,497	94.2	Full Immunization	36.1
28	Fully immunized	1,876	61.3	1,977	63.4		
29	Children who have received BCG	2,318	75.7	2,478	79.5		
30	Children who have received DPT1	72	2.4	2,599	83.4		
31	Children who have received DPT3	197	6.4	2,220	71.2		
32	Children who have received Measles	2,133	69.7	1,944	62.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	386		1,986			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	13.2
35	Number of Tubectomies performed	0	0	Spacing	24
36	Number of IUD insertion	125	91	Women using any method	44.7
37	Number of IUD removals	145	49	Women using modern method	38.5
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	226	261		
39	General OPD cases per 10,000 population ***	7311	5927		
40	Ayush OPD cases per 10,000 population ***	725	800		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	0	2		
42	Up to 1 Weeks of Birth	0	NA		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	2		
45	Between 1 month and 11 months	0	5		
46	Total reported infant deaths	0	7		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	0		

Dibang Valley Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	7,948					
2	Sex Ratio	808					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	10					
4	Primary Health Centers (PHC)	1					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	174		176			
9	Expected number of Delivery	162		163			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	200	114.8	161	91.5	Any ANC	45.6
11	Mothers registered in the first trimester	115	57.5	72	44.7	ANC Check up in first trimester	25.0
12	Mothers who had at least 3 Ante-Natal care check ups	52	26.0	0	0.0	3 or more ANC check up	31.7
13	PW who got TT 2 / Booster injection	104	52.0	96	59.6	At least 1 TT received	45.6
14	PW who consumed 100 IFA tablets	137	68.5	84	52.2	100 IFA tablets consumed	12.8
15	Home Delivery against expected delivery *	9	5.6	2	1.2	Full ANC	9.5
16	Institutional Delivery against expected delivery *	61	37.7	22	13.5	Home Delivery	47.2
17	Home Delivery against reported delivery **	9	12.9	2	8.3	Institutional Delivery	52.5
18	Institutional Delivery against reported delivery **	61	87.1	22	91.7	Home Delivery by SBA	3.4
19	Total reported Deliveries	70		24		PNC within 14 days of delivery	55.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	7	77.8	1	50.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	67	95.7	39	162.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	158		160			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
23	Total reported live births	74	46.7	47	29.4	Breastfeed within 1 hour of birth	50.4

24	Total Still Birth	3	1.9	1	0.6	BCG	90.2
25	Newborn weighted at birth to live birth	71	95.9	15	31.9	3 dose of DPT	90.2
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	4	5.6	1	6.7	Measles	61
27	Newborns breastfed within 1 hour to total reported live birth.	71	95.9	12	25.5	Full Immunization	58.5
28	Fully immunized	36	22.7	51	31.9		
29	Children who have received BCG	69	43.5	42	26.3		
30	Children who have received DPT1	11	6.9	69	43.1		
31	Children who have received DPT3	9	5.7	70	43.8		
32	Children who have received Measles	61	38.5	39	24.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	217		21			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	10.2
35	Number of Tubectomies performed	0	0	Spacing	24.5
36	Number of IUD insertion	3	0	Women using any method	45.4
37	Number of IUD removals	3	0	Women using modern method	44.3
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	89	73		
39	General OPD cases per 10,000 population ***	11899	13301		
40	Ayush OPD cases per 10,000 population ***	1403	1856		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	NA		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	0	0		
46	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	0		

East Kameng Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	78,413					
2	Sex Ratio	1,012					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	49					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	1,963		2,036			
9	Expected number of Delivery	1,820		1,888			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,712	87.2	1,568	77.0	Any ANC	48.0
11	Mothers registered in the first trimester	499	29.1	486	31.0	ANC Check up in first trimester	28.9
12	Mothers who had at least 3 Ante-Natal care check ups	780	45.6	378	24.1	3 or more ANC check up	29.6
13	PW who got TT 2 / Booster injection	921	53.8	994	63.4	At least 1 TT received	44.4
14	PW who consumed 100 IFA tablets	400	23.4	385	24.6	100 IFA tablets consumed	12.1
15	Home Delivery against expected delivery *	37	2.0	108	5.7	Full ANC	7.5
16	Institutional Delivery against expected delivery *	666	36.6	701	37.1	Home Delivery	59.5
17	Home Delivery against reported delivery **	37	5.3	108	13.3	Institutional Delivery	34.1
18	Institutional Delivery against reported delivery **	666	94.7	701	86.7	Home Delivery by SBA	2.2
19	Total reported Deliveries	703		809		PNC within 14 days of delivery	52.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	23	62.2	73	67.6		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	65	9.2	69	8.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,785		1,851			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
23	Total reported live births	761	42.6	795	43.0	Breastfeed within 1 hour of birth	45.9

24	Total Still Birth	10	0.6	15	0.8	BCG	55.9
25	Newborn weighted at birth to live birth	619	81.3	740	93.1	3 dose of DPT	46.3
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	33	5.3	32	4.3	Measles	40.3
27	Newborns breastfed within 1 hour to total reported live birth.	640	84.1	755	95.0	Full Immunization	18.2
28	Fully immunized	797	44.7	958	51.8		
29	Children who have received BCG	876	49.1	873	47.2		
30	Children who have received DPT1	72	4.0	1,039	56.1		
31	Children who have received DPT3	89	5.0	960	51.9		
32	Children who have received Measles	731	41.0	619	33.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,748		481			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	10.4
35	Number of Tubectomies performed	0	0	Spacing	24
36	Number of IUD insertion	198	137	Women using any method	44.5
37	Number of IUD removals	134	27	Women using modern method	38.7
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	349	370		
39	General OPD cases per 10,000 population ***	5386	4467		
40	Ayush OPD cases per 10,000 population ***	446	706		
G) Mortality Details					
I) Infant Deaths (In Numbers)		HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	0	3		
42	Up to 1 Weeks of Birth	0	NA		
43	Between 1 week & 4 weeks of birth	0	7		
44	Neonatal Death	0	10		
45	Between 1 month and 11 months	3	3		
46	Total reported infant deaths	3	13		
II) Maternal Mortality		HMIS (2016-17)	HMIS (2017-18)		
Maternal Deaths (In Numbers)					
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	1	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	1	0		

East Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	99,019					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	22					
4	Primary Health Centers (PHC)	10					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	1,819		1,843			
9	Expected number of Delivery	1,686		1,709			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,947	107.1	2,112	114.6	Any ANC	63.1
11	Mothers registered in the first trimester	1,106	56.8	1,120	53.0	ANC Check up in first trimester	37.1
12	Mothers who had at least 3 Ante-Natal care check ups	954	49.0	627	29.7	3 or more ANC check up	50.2
13	PW who got TT 2 / Booster injection	1,139	58.5	1,445	68.4	At least 1 TT received	57.9
14	PW who consumed 100 IFA tablets	1,024	52.6	886	42.0	100 IFA tablets consumed	19.3
15	Home Delivery against expected delivery *	52	3.1	111	6.5	Full ANC	13.8
16	Institutional Delivery against expected delivery *	1,747	103.6	1,681	98.4	Home Delivery	48.9
17	Home Delivery against reported delivery **	52	2.9	111	6.2	Institutional Delivery	50.2
18	Institutional Delivery against reported delivery **	1,747	97.1	1,681	93.8	Home Delivery by SBA	2.1
19	Total reported Deliveries	1,799		1,792		PNC within 14 days of delivery	50.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	51	98.1	59	53.2		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	238	13.2	411	22.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,653		1,675			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
23	Total reported live births	1,794	108.5	1,764	105.3	Breastfeed within 1 hour of birth	53.3

24	Total Still Birth	27	1.6	40	2.4	BCG	69.8
25	Newborn weighted at birth to live birth	1,767	98.5	1,773	100.5	3 dose of DPT	73.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	266	15.1	141	8.0	Measles	60.4
27	Newborns breastfed within 1 hour to total reported live birth.	630	35.1	1,730	98.1	Full Immunization	41.5
28	Fully immunized	1,246	75.4	1,116	66.6		
29	Children who have received BCG	1,870	113.1	1,854	110.7		
30	Children who have received DPT1	56	3.4	1,558	93.0		
31	Children who have received DPT3	51	3.1	1,484	88.6		
32	Children who have received Measles	1,448	87.6	1,114	66.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	534		860			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	4	1	Limiting	12.7
35	Number of Tubectomies performed	266	196	Spacing	18.3
36	Number of IUD insertion	200	150	Women using any method	55.3
37	Number of IUD removals	97	94	Women using modern method	50
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	1180	1114		
39	General OPD cases per 10,000 population ***	19001	15565		
40	Ayush OPD cases per 10,000 population ***	227	360		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	4	16		
42	Up to 1 Weeks of Birth	5	NA		
43	Between 1 week & 4 weeks of birth	0	22		
44	Neonatal Death	9	38		
45	Between 1 month and 11 months	11	2		
46	Total reported infant deaths	20	40		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	2	0		
53	Total reported maternal deaths	2	0		

Kra Daadi Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	NA					
2	Sex Ratio	1,029					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	34					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	1,644		1,826			
9	Expected number of Delivery	1,524		1,693			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	4	0.2	270	14.8	Any ANC	46.9
11	Mothers registered in the first trimester	2	50.0	122	45.2	ANC Check up in first trimester	21.3
12	Mothers who had at least 3 Ante-Natal care check ups	2	50.0	49	18.1	3 or more ANC check up	23.9
13	PW who got TT 2 / Booster injection	1	25.0	143	53.0	At least 1 TT received	44.4
14	PW who consumed 100 IFA tablets	4	100.0	167	61.9	100 IFA tablets consumed	13.8
15	Home Delivery against expected delivery *	0	0.0	98	5.8	Full ANC	8.4
16	Institutional Delivery against expected delivery *	1	0.1	51	3.0	Home Delivery	66.4
17	Home Delivery against reported delivery **	0	0.0	98	65.8	Institutional Delivery	31.7
18	Institutional Delivery against reported delivery **	1	100.0	51	34.2	Home Delivery by SBA	4.2
19	Total reported Deliveries	1		149		PNC within 14 days of delivery	39.5
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	-	64	65.3		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	0	0.0	20	13.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,494		1,660			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
23	Total reported live births	1	0.1	157	9.5	Breastfeed within 1 hour of birth	67.7

24	Total Still Birth	0	0.0	0	0.0	BCG	77.6
25	Newborn weighted at birth to live birth	1	100.0	156	99.4	3 dose of DPT	76.1
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	9	5.8	Measles	59.7
27	Newborns breastfed within 1 hour to total reported live birth.	1	100.0	150	95.5	Full Immunization	52.2
28	Fully immunized	0	0.0	105	6.3		
29	Children who have received BCG	1	0.1	154	9.3		
30	Children who have received DPT1	0	0.0	160	9.6		
31	Children who have received DPT3	2	0.1	152	9.2		
32	Children who have received Measles	2	0.1	116	7.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	4		60			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	11.4
35	Number of Tubectomies performed	0	8	Spacing	29
36	Number of IUD insertion	3	33	Women using any method	34.1
37	Number of IUD removals	2	10	Women using modern method	29.7
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	2	42		
39	General OPD cases per 10,000 population ***	15	553		
40	Ayush OPD cases per 10,000 population ***	0	20		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	NA		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	0	0		
46	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	0		

Kurung Kumey Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	89,717					
2	Sex Ratio	1,029					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	25					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	1,597		1,774			
9	Expected number of Delivery	1,481		1,645			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,047	65.6	901	50.8	Any ANC	46.9
11	Mothers registered in the first trimester	643	61.4	558	61.9	ANC Check up in first trimester	21.3
12	Mothers who had at least 3 Ante-Natal care check ups	593	56.6	460	51.1	3 or more ANC check up	23.9
13	PW who got TT 2 / Booster injection	397	37.9	373	41.4	At least 1 TT received	44.4
14	PW who consumed 100 IFA tablets	1,020	97.4	855	94.9	100 IFA tablets consumed	13.8
15	Home Delivery against expected delivery *	150	10.1	105	6.4	Full ANC	8.4
16	Institutional Delivery against expected delivery *	323	21.8	316	19.2	Home Delivery	66.4
17	Home Delivery against reported delivery **	150	31.7	105	24.9	Institutional Delivery	31.7
18	Institutional Delivery against reported delivery **	323	68.3	316	75.1	Home Delivery by SBA	4.2
19	Total reported Deliveries	473		421		PNC within 14 days of delivery	39.5
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	70	46.7	79	75.2		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	281	59.4	259	61.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,452		1,613			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
23	Total reported live births	500	34.4	419	26.0	Breastfeed within 1 hour of birth	67.7

24	Total Still Birth	9	0.6	2	0.1	BCG	77.6
25	Newborn weighted at birth to live birth	467	93.4	419	100.0	3 dose of DPT	76.1
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	15	3.2	12	2.9	Measles	59.7
27	Newborns breastfed within 1 hour to total reported live birth.	463	92.6	418	99.8	Full Immunization	52.2
28	Fully immunized	749	51.6	646	40.1		
29	Children who have received BCG	899	61.9	693	43.0		
30	Children who have received DPT1	129	8.9	690	42.8		
31	Children who have received DPT3	124	8.5	656	40.7		
32	Children who have received Measles	737	50.8	573	35.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	786		564			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	11.4
35	Number of Tubectomies performed	0	0	Spacing	29
36	Number of IUD insertion	133	35	Women using any method	34.1
37	Number of IUD removals	77	15	Women using modern method	29.7
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	217	124		
39	General OPD cases per 10,000 population ***	3885	2199		
40	Ayush OPD cases per 10,000 population ***	64	9		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	NA		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	0	0		
46	Total reported infant deaths	0	0		
II)	Maternal Mortality	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	0		

Lohit Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	145,538					
2	Sex Ratio	901					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	15					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	1,123		1,141			
9	Expected number of Delivery	1,041		1,058			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	3,568	317.8	1,785	156.4	Any ANC	62.8
11	Mothers registered in the first trimester	1,363	38.2	716	40.1	ANC Check up in first trimester	32.5
12	Mothers who had at least 3 Ante-Natal care check ups	1,652	46.3	1,002	56.1	3 or more ANC check up	45.8
13	PW who got TT 2 / Booster injection	2,162	60.6	1,107	62.0	At least 1 TT received	60.6
14	PW who consumed 100 IFA tablets	10,238	286.9	1,066	59.7	100 IFA tablets consumed	15.8
15	Home Delivery against expected delivery *	33	3.2	50	4.7	Full ANC	12.0
16	Institutional Delivery against expected delivery *	1,521	146.1	899	85.0	Home Delivery	49.5
17	Home Delivery against reported delivery **	33	2.1	50	5.3	Institutional Delivery	44.9
18	Institutional Delivery against reported delivery **	1,521	97.9	899	94.7	Home Delivery by SBA	6.4
19	Total reported Deliveries	1,554		949		PNC within 14 days of delivery	28.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	15	45.5	13	26.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	304	19.6	351	37.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,021		1,037			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
23	Total reported live births	1,660	162.6	1,037	100.0	Breastfeed within 1 hour of birth	49.3

24	Total Still Birth	57	5.6	19	1.8	BCG	67.4
25	Newborn weighted at birth to live birth	1,584	95.4	978	94.3	3 dose of DPT	69.8
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	147	9.3	62	6.3	Measles	58.1
27	Newborns breastfed within 1 hour to total reported live birth.	1,491	89.8	960	92.6	Full Immunization	43
28	Fully immunized	1,857	181.9	1,049	101.1		
29	Children who have received BCG	2,612	255.9	1,202	115.9		
30	Children who have received DPT1	218	21.4	1,213	116.9		
31	Children who have received DPT3	228	22.3	1,115	107.5		
32	Children who have received Measles	2,016	197.5	1,052	101.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,622		709			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	18.5
35	Number of Tubectomies performed	35	90	Spacing	18.2
36	Number of IUD insertion	179	126	Women using any method	43.7
37	Number of IUD removals	116	40	Women using modern method	42
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	747	453		
39	General OPD cases per 10,000 population ***	21832	13884		
40	Ayush OPD cases per 10,000 population ***	1543	1075		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	1	5		
42	Up to 1 Weeks of Birth	0	NA		
43	Between 1 week & 4 weeks of birth	0	1		
44	Neonatal Death	1	6		
45	Between 1 month and 11 months	0	1		
46	Total reported infant deaths	1	7		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	0		

Longding Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	53,014					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	19					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	1,255		1,269			
9	Expected number of Delivery	1,163		1,177			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	736	58.7	852	67.1	Any ANC	43.4
11	Mothers registered in the first trimester	259	35.2	324	38.0	ANC Check up in first trimester	22.5
12	Mothers who had at least 3 Ante-Natal care check ups	266	36.1	142	16.7	3 or more ANC check up	26.3
13	PW who got TT 2 / Booster injection	548	74.5	737	86.5	At least 1 TT received	43.1
14	PW who consumed 100 IFA tablets	567	77.0	417	48.9	100 IFA tablets consumed	17.9
15	Home Delivery against expected delivery *	198	17.0	300	25.5	Full ANC	13.3
16	Institutional Delivery against expected delivery *	306	26.3	328	27.9	Home Delivery	68.8
17	Home Delivery against reported delivery **	198	39.3	300	47.8	Institutional Delivery	29.9
18	Institutional Delivery against reported delivery **	306	60.7	328	52.2	Home Delivery by SBA	6.4
19	Total reported Deliveries	504		628		PNC within 14 days of delivery	42.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	13	6.6	78	26.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	50	9.9	18	2.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,140		1,154			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
23	Total reported live births	503	44.1	629	54.5	Breastfeed within 1 hour of birth	47.7

24	Total Still Birth	2	0.2	8	0.7	BCG	60.2
25	Newborn weighted at birth to live birth	414	82.3	580	92.2	3 dose of DPT	67
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	0.5	1	0.2	Measles	43.6
27	Newborns breastfed within 1 hour to total reported live birth.	420	83.5	630	100.2	Full Immunization	33.3
28	Fully immunized	461	40.4	542	47.0		
29	Children who have received BCG	608	53.3	820	71.1		
30	Children who have received DPT1	3	0.3	760	65.9		
31	Children who have received DPT3	30	2.6	596	51.7		
32	Children who have received Measles	480	42.1	567	49.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,275		200			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	11.6
35	Number of Tubectomies performed	0	1	Spacing	22.6
36	Number of IUD insertion	3	0	Women using any method	45.3
37	Number of IUD removals	9	2	Women using modern method	42.8

F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	130	91		
39	General OPD cases per 10,000 population ***	5891	4159		
40	Ayush OPD cases per 10,000 population ***	2314	811		

G) Mortality Details

I) Infant Deaths (In Numbers)		HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	NA		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	0	1		
46	Total reported infant deaths	0	1		

II) Maternal Mortality

Maternal Deaths (In Numbers)		HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	9		
53	Total reported maternal deaths	0	9		

Lower Dibang Valley Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	53,986					
2	Sex Ratio	919					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	19					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	1,164		1,172			
9	Expected number of Delivery	1,080		1,087			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,282	110.1	1,228	104.7	Any ANC	72.4
11	Mothers registered in the first trimester	478	37.3	450	36.6	ANC Check up in first trimester	35.4
12	Mothers who had at least 3 Ante-Natal care check ups	752	58.7	301	24.5	3 or more ANC check up	53.9
13	PW who got TT 2 / Booster injection	765	59.7	636	51.8	At least 1 TT received	70.0
14	PW who consumed 100 IFA tablets	833	65.0	181	14.7	100 IFA tablets consumed	13.2
15	Home Delivery against expected delivery *	13	1.2	12	1.1	Full ANC	6.2
16	Institutional Delivery against expected delivery *	644	59.7	622	57.2	Home Delivery	38.5
17	Home Delivery against reported delivery **	13	2.0	12	1.9	Institutional Delivery	60.3
18	Institutional Delivery against reported delivery **	644	98.0	622	98.1	Home Delivery by SBA	2.6
19	Total reported Deliveries	657		634		PNC within 14 days of delivery	41.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	13	100.0	9	75.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	163	24.8	145	22.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,058		1,066			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
23	Total reported live births	662	62.5	621	58.3	Breastfeed within 1 hour of birth	70.3

24	Total Still Birth	10	0.9	12	1.1	BCG	84.2
25	Newborn weighted at birth to live birth	657	99.2	628	101.1	3 dose of DPT	73.7
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	57	8.7	52	8.3	Measles	73.7
27	Newborns breastfed within 1 hour to total reported live birth.	652	98.5	618	99.5	Full Immunization	64.9
28	Fully immunized	773	73.0	782	73.4		
29	Children who have received BCG	916	86.5	795	74.6		
30	Children who have received DPT1	69	6.5	900	84.4		
31	Children who have received DPT3	92	8.7	830	77.9		
32	Children who have received Measles	841	79.5	757	71.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	452		730			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	1	0	Limiting	11.3
35	Number of Tubectomies performed	21	28	Spacing	20.1
36	Number of IUD insertion	37	57	Women using any method	51.7
37	Number of IUD removals	15	29	Women using modern method	40.1
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	383	370		
39	General OPD cases per 10,000 population ***	11650	11011		
40	Ayush OPD cases per 10,000 population ***	41	709		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	1	1		
42	Up to 1 Weeks of Birth	2	NA		
43	Between 1 week & 4 weeks of birth	0	4		
44	Neonatal Death	3	5		
45	Between 1 month and 11 months	2	1		
46	Total reported infant deaths	5	6		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	0		

Lower Subansiri Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	82,839					
2	Sex Ratio	975					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	35					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	2,189		2,296			
9	Expected number of Delivery	2,030		2,129			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,611	73.6	952	41.5	Any ANC	79.3
11	Mothers registered in the first trimester	429	26.6	378	39.7	ANC Check up in first trimester	48.3
12	Mothers who had at least 3 Ante-Natal care check ups	435	27.0	211	22.2	3 or more ANC check up	60.1
13	PW who got TT 2 / Booster injection	535	33.2	615	64.6	At least 1 TT received	78.6
14	PW who consumed 100 IFA tablets	835	51.8	693	72.8	100 IFA tablets consumed	25.1
15	Home Delivery against expected delivery *	154	7.6	155	7.3	Full ANC	22.3
16	Institutional Delivery against expected delivery *	427	21.0	365	17.1	Home Delivery	33.2
17	Home Delivery against reported delivery **	154	26.5	155	29.8	Institutional Delivery	65.9
18	Institutional Delivery against reported delivery **	427	73.5	365	70.2	Home Delivery by SBA	4.3
19	Total reported Deliveries	581		520		PNC within 14 days of delivery	46.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	17	11.0	51	32.9		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	188	32.4	138	26.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,990		2,087			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
23	Total reported live births	573	28.8	488	23.4	Breastfeed within 1 hour of birth	69.2

24	Total Still Birth	13	0.7	4	0.2	BCG	89
25	Newborn weighted at birth to live birth	478	83.4	448	91.8	3 dose of DPT	83.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	28	5.9	28	6.3	Measles	76.7
27	Newborns breastfed within 1 hour to total reported live birth.	442	77.1	397	81.4	Full Immunization	68.5
28	Fully immunized	829	41.7	640	30.7		
29	Children who have received BCG	612	30.8	466	22.3		
30	Children who have received DPT1	54	2.7	750	35.9		
31	Children who have received DPT3	64	3.2	730	35.0		
32	Children who have received Measles	897	45.1	594	28.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,483		624			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	7.4
35	Number of Tubectomies performed	7	4	Spacing	11.5
36	Number of IUD insertion	160	150	Women using any method	57.4
37	Number of IUD removals	68	67	Women using modern method	50.6
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	357	358		
39	General OPD cases per 10,000 population ***	4922	4263		
40	Ayush OPD cases per 10,000 population ***	403	688		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	0	3		
42	Up to 1 Weeks of Birth	0	NA		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	3		
45	Between 1 month and 11 months	3	2		
46	Total reported infant deaths	3	5		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	0		

Namsai Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	NA					
2	Sex Ratio	901					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	14					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	2,164		2,200			
9	Expected number of Delivery	2,007		2,040			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	NA	NA	1,633	74.2	Any ANC	62.8
11	Mothers registered in the first trimester	NA	NA	685	41.9	ANC Check up in first trimester	32.5
12	Mothers who had at least 3 Ante-Natal care check ups	NA	NA	579	35.5	3 or more ANC check up	45.8
13	PW who got TT 2 / Booster injection	NA	NA	1,318	80.7	At least 1 TT received	60.6
14	PW who consumed 100 IFA tablets	NA	NA	664	40.7	100 IFA tablets consumed	15.8
15	Home Delivery against expected delivery *	NA	NA	51	2.5	Full ANC	12.0
16	Institutional Delivery against expected delivery *	NA	NA	700	34.3	Home Delivery	49.5
17	Home Delivery against reported delivery **	NA	NA	51	6.8	Institutional Delivery	44.9
18	Institutional Delivery against reported delivery **	NA	NA	700	93.2	Home Delivery by SBA	6.4
19	Total reported Deliveries	NA		751		PNC within 14 days of delivery	28.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	30	58.8		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	247	32.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,967		2,000			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
23	Total reported live births	NA	NA	727	36.4	Breastfeed within 1 hour of	49.3

						birth	
24	Total Still Birth	NA	NA	6	0.3	BCG	67.4
25	Newborn weighted at birth to live birth	NA	NA	674	92.7	3 dose of DPT	69.8
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	40	5.9	Measles	58.1
27	Newborns breastfed within 1 hour to total reported live birth.	NA	NA	698	96.0	Full Immunization	43
28	Fully immunized	NA	NA	882	44.1		
29	Children who have received BCG	NA	NA	1,221	61.1		
30	Children who have received DPT1	NA	NA	1,349	67.5		
31	Children who have received DPT3	NA	NA	1,069	53.5		
32	Children who have received Measles	NA	NA	971	48.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	NA		245			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
34	Number of Vasectomies performed	NA		0		Limiting	18.5
35	Number of Tubectomies performed	NA		0		Spacing	18.2
36	Number of IUD insertion	NA		77		Women using any method	43.7
37	Number of IUD removals	NA		45		Women using modern method	42
F) Service delivery		HMIS (2016-17)		HMIS (2017-18)			
38	IPD cases per 10,000 population ***	NA		89			
39	General OPD cases per 10,000 population ***	NA		8938			
40	Ayush OPD cases per 10,000 population ***	NA		349			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2016-17)		HMIS (2017-18)			
41	Neonatal death within 24 hours	NA		0			
42	Up to 1 Weeks of Birth	NA		NA			
43	Between 1 week & 4 weeks of birth	NA		0			
44	Neonatal Death	0		0			
45	Between 1 month and 11 months	NA		0			
46	Total reported infant deaths	0		0			
II) Maternal Mortality							
Maternal Deaths (In Numbers)		HMIS (2016-17)		HMIS (2017-18)			
47	Due to Abortion	NA		0			
48	Due to Obstructed/prolonged labour	NA		0			
49	Due to Severe hypertension/fits	NA		0			
50	Due to Bleeding	NA		0			
51	Due to High fever	NA		0			
52	Due to Other Causes (including causes not known)	NA		0			
53	Total reported maternal deaths	0		0			

Papum Pare Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	176,385					
2	Sex Ratio	950					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	56					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	2					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	4,565		4,769			
9	Expected number of Delivery	4,233		4,422			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	6,049	132.5	9,226	193.5	Any ANC	78.0
11	Mothers registered in the first trimester	2,075	34.3	2,329	25.2	ANC Check up in first trimester	47.8
12	Mothers who had at least 3 Ante-Natal care check ups	1,756	29.0	172	1.9	3 or more ANC check up	55.2
13	PW who got TT 2 / Booster injection	1,060	17.5	2,357	25.5	At least 1 TT received	76.0
14	PW who consumed 100 IFA tablets	2,418	40.0	1,921	20.8	100 IFA tablets consumed	29.4
15	Home Delivery against expected delivery *	20	0.5	11	0.2	Full ANC	22.2
16	Institutional Delivery against expected delivery *	4,565	107.8	4,874	110.2	Home Delivery	22.7
17	Home Delivery against reported delivery **	20	0.4	11	0.2	Institutional Delivery	74.1
18	Institutional Delivery against reported delivery **	4,565	99.6	4,874	99.8	Home Delivery by SBA	0.9
19	Total reported Deliveries	4,585		4,885		PNC within 14 days of delivery	52.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	8	40.0	3	27.3		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	326	7.1	3,024	61.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	4,150		4,335			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
23	Total reported live births	4,717	113.7	4,730	109.1	Breastfeed within 1 hour of birth	44.9

24	Total Still Birth	51	1.2	39	0.9	BCG	93
25	Newborn weighted at birth to live birth	4,726	100.2	4,595	97.1	3 dose of DPT	72.7
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	537	11.4	455	9.9	Measles	74.7
27	Newborns breastfed within 1 hour to total reported live birth.	3,757	79.6	3,364	71.1	Full Immunization	65.5
28	Fully immunized	4,296	103.5	2,738	63.2		
29	Children who have received BCG	4,046	97.5	4,579	105.6		
30	Children who have received DPT1	357	8.6	3,369	77.7		
31	Children who have received DPT3	273	6.6	2,772	63.9		
32	Children who have received Measles	3,010	72.5	2,351	54.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,728		2,139			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	28	0	Limiting	10.8
35	Number of Tubectomies performed	412	405	Spacing	21.3
36	Number of IUD insertion	577	510	Women using any method	49.3
37	Number of IUD removals	149	227	Women using modern method	43.3
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	1052	1031		
39	General OPD cases per 10,000 population ***	15332	15134		
40	Ayush OPD cases per 10,000 population ***	190	281		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	9	10		
42	Up to 1 Weeks of Birth	24	NA		
43	Between 1 week & 4 weeks of birth	0	13		
44	Neonatal Death	33	23		
45	Between 1 month and 11 months	7	13		
46	Total reported infant deaths	40	36		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	1		
53	Total reported maternal deaths	1	1		

Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	NA					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	23					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	709		718			
9	Expected number of Delivery	657		666			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	NA	NA	392	54.6	Any ANC	63.1
11	Mothers registered in the first trimester	NA	NA	80	20.4	ANC Check up in first trimester	37.1
12	Mothers who had at least 3 Ante-Natal care check ups	NA	NA	39	9.9	3 or more ANC check up	50.2
13	PW who got TT 2 / Booster injection	NA	NA	182	46.4	At least 1 TT received	57.9
14	PW who consumed 100 IFA tablets	NA	NA	156	39.8	100 IFA tablets consumed	19.3
15	Home Delivery against expected delivery *	NA	NA	62	9.3	Full ANC	13.8
16	Institutional Delivery against expected delivery *	NA	NA	132	19.8	Home Delivery	48.9
17	Home Delivery against reported delivery **	NA	NA	62	32.0	Institutional Delivery	50.2
18	Institutional Delivery against reported delivery **	NA	NA	132	68.0	Home Delivery by SBA	2.1
19	Total reported Deliveries	NA		194		PNC within 14 days of delivery	50.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	NA	NA	39	62.9		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	NA	NA	76	39.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	644		653			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
23	Total reported live births	NA	NA	188	28.8	Breastfeed within 1 hour of birth	53.3

24	Total Still Birth	NA	NA	4	0.6	BCG	69.8
25	Newborn weighted at birth to live birth	NA	NA	189	100.5	3 dose of DPT	73.6
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	NA	NA	24	12.7	Measles	60.4
27	Newborns breastfed within 1 hour to total reported live birth.	NA	NA	171	91.0	Full Immunization	41.5
28	Fully immunized	NA	NA	251	38.4		
29	Children who have received BCG	NA	NA	263	40.3		
30	Children who have received DPT1	NA	NA	348	53.3		
31	Children who have received DPT3	NA	NA	355	54.4		
32	Children who have received Measles	NA	NA	269	41.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	NA		144			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	NA	0	Limiting	12.7
35	Number of Tubectomies performed	NA	0	Spacing	18.3
36	Number of IUD insertion	NA	17	Women using any method	55.3
37	Number of IUD removals	NA	18	Women using modern method	50
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	NA	207		
39	General OPD cases per 10,000 population ***	NA	5208		
40	Ayush OPD cases per 10,000 population ***	NA	336		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	NA	1		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	NA	0		
44	Neonatal Death	0	1		
45	Between 1 month and 11 months	NA	0		
46	Total reported infant deaths	0	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	NA	0		
48	Due to Obstructed/prolonged labour	NA	0		
49	Due to Severe hypertension/fits	NA	0		
50	Due to Bleeding	NA	0		
51	Due to High fever	NA	0		
52	Due to Other Causes (including causes not known)	NA	0		
53	Total reported maternal deaths	0	0		

Tawang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	49,950					
2	Sex Ratio	701					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	15					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	1,195		1,229			
9	Expected number of Delivery	1,108		1,139			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	806	67.5	929	75.6	Any ANC	61.5
11	Mothers registered in the first trimester	289	35.9	339	36.5	ANC Check up in first trimester	36.7
12	Mothers who had at least 3 Ante-Natal care check ups	232	28.8	320	34.4	3 or more ANC check up	42.7
13	PW who got TT 2 / Booster injection	497	61.7	534	57.5	At least 1 TT received	58.8
14	PW who consumed 100 IFA tablets	570	70.7	165	17.8	100 IFA tablets consumed	17.4
15	Home Delivery against expected delivery *	113	10.2	113	9.9	Full ANC	13.5
16	Institutional Delivery against expected delivery *	337	30.4	398	34.9	Home Delivery	62.3
17	Home Delivery against reported delivery **	113	25.1	113	22.1	Institutional Delivery	37.0
18	Institutional Delivery against reported delivery **	337	74.9	398	77.9	Home Delivery by SBA	4.2
19	Total reported Deliveries	450		511		PNC within 14 days of delivery	53.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	92	81.4	54	47.8		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	197	43.8	216	42.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,086		1,117			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
23	Total reported live births	444	40.9	497	44.5	Breastfeed within 1 hour of birth	62

24	Total Still Birth	8	0.7	15	1.3	BCG	83.3
25	Newborn weighted at birth to live birth	340	76.6	400	80.5	3 dose of DPT	76.4
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	14	4.1	23	5.8	Measles	63.9
27	Newborns breastfed within 1 hour to total reported live birth.	390	87.8	427	85.9	Full Immunization	56.9
28	Fully immunized	639	58.8	594	53.2		
29	Children who have received BCG	665	61.2	668	59.8		
30	Children who have received DPT1	0	0.0	721	64.6		
31	Children who have received DPT3	10	0.9	634	56.8		
32	Children who have received Measles	671	61.8	601	53.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,600		569			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	14.1
35	Number of Tubectomies performed	0	0	Spacing	17.6
36	Number of IUD insertion	80	107	Women using any method	47.1
37	Number of IUD removals	29	19	Women using modern method	43.9
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	404	252		
39	General OPD cases per 10,000 population ***	10930	10352		
40	Ayush OPD cases per 10,000 population ***	522	687		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	0	1		
42	Up to 1 Weeks of Birth	1	NA		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	1	1		
45	Between 1 month and 11 months	1	0		
46	Total reported infant deaths	2	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	1	0		
50	Due to Bleeding	0	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	1	1		

Tirap Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	58,961					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	19					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	1,212		1,226			
9	Expected number of Delivery	1,124		1,137			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,055	87.0	983	80.2	Any ANC	43.4
11	Mothers registered in the first trimester	368	34.9	393	40.0	ANC Check up in first trimester	22.5
12	Mothers who had at least 3 Ante-Natal care check ups	410	38.9	247	25.1	3 or more ANC check up	26.3
13	PW who got TT 2 / Booster injection	610	57.8	712	72.4	At least 1 TT received	43.1
14	PW who consumed 100 IFA tablets	239	22.7	58	5.9	100 IFA tablets consumed	17.9
15	Home Delivery against expected delivery *	109	9.7	65	5.7	Full ANC	13.3
16	Institutional Delivery against expected delivery *	472	42.0	440	38.7	Home Delivery	68.8
17	Home Delivery against reported delivery **	109	18.8	65	12.9	Institutional Delivery	29.9
18	Institutional Delivery against reported delivery **	472	81.2	440	87.1	Home Delivery by SBA	6.4
19	Total reported Deliveries	581		505		PNC within 14 days of delivery	42.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	4.6	4	6.2		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	352	60.6	133	26.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,102		1,115			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
23	Total reported live births	580	52.6	503	45.1	Breastfeed within 1 hour of birth	47.7

24	Total Still Birth	2	0.2	2	0.2	BCG	60.2
25	Newborn weighted at birth to live birth	578	99.7	503	100.0	3 dose of DPT	67
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	9	1.6	0	0.0	Measles	43.6
27	Newborns breastfed within 1 hour to total reported live birth.	577	99.5	503	100.0	Full Immunization	33.3
28	Fully immunized	578	52.5	695	62.4		
29	Children who have received BCG	779	70.7	842	75.5		
30	Children who have received DPT1	0	0.0	931	83.5		
31	Children who have received DPT3	8	0.7	774	69.4		
32	Children who have received Measles	670	60.8	902	80.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	393		1,057			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	11.6
35	Number of Tubectomies performed	180	0	Spacing	22.6
36	Number of IUD insertion	44	28	Women using any method	45.3
37	Number of IUD removals	53	24	Women using modern method	42.8
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	421	269		
39	General OPD cases per 10,000 population ***	6962	4502		
40	Ayush OPD cases per 10,000 population ***	1601	1108		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	2	0		
42	Up to 1 Weeks of Birth	0	NA		
43	Between 1 week & 4 weeks of birth	0	1		
44	Neonatal Death	2	1		
45	Between 1 month and 11 months	0	0		
46	Total reported infant deaths	2	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	1		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	1		

Upper Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	35,289					
2	Sex Ratio	891					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	14					
4	Primary Health Centers (PHC)	2					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	756		760			
9	Expected number of Delivery	701		705			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	603	79.8	626	82.4	Any ANC	28.4
11	Mothers registered in the first trimester	275	45.6	245	39.1	ANC Check up in first trimester	14.0
12	Mothers who had at least 3 Ante-Natal care check ups	343	56.9	220	35.1	3 or more ANC check up	16.6
13	PW who got TT 2 / Booster injection	374	62.0	403	64.4	At least 1 TT received	25.4
14	PW who consumed 100 IFA tablets	581	96.4	559	89.3	100 IFA tablets consumed	8.7
15	Home Delivery against expected delivery *	16	2.3	23	3.3	Full ANC	5.7
16	Institutional Delivery against expected delivery *	311	44.4	271	38.4	Home Delivery	66.4
17	Home Delivery against reported delivery **	16	4.9	23	7.8	Institutional Delivery	30.1
18	Institutional Delivery against reported delivery **	311	95.1	271	92.2	Home Delivery by SBA	4.4
19	Total reported Deliveries	327		294		PNC within 14 days of delivery	47.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	13	81.3	20	87.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	181	55.4	87	29.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	687		691			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
23	Total reported live births	332	48.3	292	42.3	Breastfeed within 1 hour of birth	70.4

24	Total Still Birth	2	0.3	2	0.3	BCG	60
25	Newborn weighted at birth to live birth	298	89.8	290	99.3	3 dose of DPT	50.9
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	22	7.4	8	2.8	Measles	40
27	Newborns breastfed within 1 hour to total reported live birth.	282	84.9	282	96.6	Full Immunization	29.1
28	Fully immunized	460	67.0	425	61.5		
29	Children who have received BCG	311	45.3	286	41.4		
30	Children who have received DPT1	31	4.5	449	65.0		
31	Children who have received DPT3	33	4.8	485	70.2		
32	Children who have received Measles	451	65.6	403	58.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	555		342			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	14.7
35	Number of Tubectomies performed	25	24	Spacing	28.9
36	Number of IUD insertion	104	50	Women using any method	41.7
37	Number of IUD removals	36	53	Women using modern method	39.8
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	356	309		
39	General OPD cases per 10,000 population ***	11433	8614		
40	Ayush OPD cases per 10,000 population ***	902	818		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	0	3		
42	Up to 1 Weeks of Birth	0	NA		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	3		
45	Between 1 month and 11 months	0	0		
46	Total reported infant deaths	0	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	0		

Upper Subansiri Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	83,205					
2	Sex Ratio	982					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	58					
4	Primary Health Centers (PHC)	15					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	2,218		2,329			
9	Expected number of Delivery	2,056		2,160			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,254	56.5	1,093	46.9	Any ANC	56.2
11	Mothers registered in the first trimester	586	46.7	552	50.5	ANC Check up in first trimester	33.6
12	Mothers who had at least 3 Ante-Natal care check ups	488	38.9	33	3.0	3 or more ANC check up	39.0
13	PW who got TT 2 / Booster injection	664	53.0	590	54.0	At least 1 TT received	54.8
14	PW who consumed 100 IFA tablets	6,279	500.7	410	37.5	100 IFA tablets consumed	8.1
15	Home Delivery against expected delivery *	14	0.7	30	1.4	Full ANC	6.2
16	Institutional Delivery against expected delivery *	887	43.1	783	36.3	Home Delivery	56.2
17	Home Delivery against reported delivery **	14	1.6	30	3.7	Institutional Delivery	43.3
18	Institutional Delivery against reported delivery **	887	98.4	783	96.3	Home Delivery by SBA	0.6
19	Total reported Deliveries	901		813		PNC within 14 days of delivery	37.4
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	11	78.6	24	80.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	798	88.6	714	87.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,016		2,118			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
23	Total reported live births	894	44.3	834	39.4	Breastfeed within 1 hour of birth	54.4

24	Total Still Birth	15	0.7	3	0.1	BCG	77.9
25	Newborn weighted at birth to live birth	872	97.5	819	98.2	3 dose of DPT	81.2
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	13	1.5	28	3.4	Measles	63.2
27	Newborns breastfed within 1 hour to total reported live birth.	876	98.0	813	97.5	Full Immunization	58
28	Fully immunized	880	43.6	782	36.9		
29	Children who have received BCG	880	43.6	752	35.5		
30	Children who have received DPT1	172	8.5	856	40.4		
31	Children who have received DPT3	197	9.8	781	36.9		
32	Children who have received Measles	950	47.1	746	35.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	652		690			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	8.4
35	Number of Tubectomies performed	48	0	Spacing	23
36	Number of IUD insertion	241	222	Women using any method	47.3
37	Number of IUD removals	204	152	Women using modern method	42.6
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	166	148		
39	General OPD cases per 10,000 population ***	4453	3409		
40	Ayush OPD cases per 10,000 population ***	295	307		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	NA		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	0	0		
46	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	0		

West Kameng Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	87,013					
2	Sex Ratio	755					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	26					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	1,895		1,927			
9	Expected number of Delivery	1,758		1,787			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,468	130.2	1,990	103.3	Any ANC	70.1
11	Mothers registered in the first trimester	998	40.4	1,226	61.6	ANC Check up in first trimester	45.7
12	Mothers who had at least 3 Ante-Natal care check ups	1,041	42.2	599	30.1	3 or more ANC check up	57.4
13	PW who got TT 2 / Booster injection	1,189	48.2	1,174	59.0	At least 1 TT received	68.0
14	PW who consumed 100 IFA tablets	2,321	94.0	1,335	67.1	100 IFA tablets consumed	16.2
15	Home Delivery against expected delivery *	39	2.2	32	1.8	Full ANC	14.7
16	Institutional Delivery against expected delivery *	943	53.7	871	48.7	Home Delivery	50.4
17	Home Delivery against reported delivery **	39	4.0	32	3.5	Institutional Delivery	49.3
18	Institutional Delivery against reported delivery **	943	96.0	871	96.5	Home Delivery by SBA	2.4
19	Total reported Deliveries	982		903		PNC within 14 days of delivery	64.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	30	76.9	31	96.9		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	621	63.2	552	61.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,723		1,752			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
23	Total reported live births	983	57.0	898	51.3	Breastfeed within 1 hour of birth	56.7

24	Total Still Birth	7	0.4	18	1.0	BCG	86.7
25	Newborn weighted at birth to live birth	954	97.0	879	97.9	3 dose of DPT	85.3
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	41	4.3	39	4.4	Measles	75
27	Newborns breastfed within 1 hour to total reported live birth.	952	96.8	865	96.3	Full Immunization	61.8
28	Fully immunized	1,264	73.4	1,213	69.2		
29	Children who have received BCG	1,036	60.1	1,013	57.8		
30	Children who have received DPT1	51	3.0	1,137	64.9		
31	Children who have received DPT3	71	4.1	977	55.8		
32	Children who have received Measles	1,332	77.3	1,180	67.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	840		881			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	11.5
35	Number of Tubectomies performed	16	21	Spacing	15.8
36	Number of IUD insertion	535	222	Women using any method	55.4
37	Number of IUD removals	267	195	Women using modern method	49

F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	313	308		
39	General OPD cases per 10,000 population ***	9204	10408		
40	Ayush OPD cases per 10,000 population ***	174	274		

G) Mortality Details

I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	0	3		
42	Up to 1 Weeks of Birth	0	NA		
43	Between 1 week & 4 weeks of birth	0	16		
44	Neonatal Death	0	19		
45	Between 1 month and 11 months	0	0		
46	Total reported infant deaths	0	19		

II) Maternal Mortality

	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	1		

West Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	112,272					
2	Sex Ratio	916					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	51					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	2,114		2,131			
9	Expected number of Delivery	1,960		1,976			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,057	97.3	1,852	86.9	Any ANC	71.5
11	Mothers registered in the first trimester	519	25.2	509	27.5	ANC Check up in first trimester	31.9
12	Mothers who had at least 3 Ante-Natal care check ups	1,003	48.8	808	43.6	3 or more ANC check up	58.6
13	PW who got TT 2 / Booster injection	1,019	49.5	930	50.2	At least 1 TT received	65.6
14	PW who consumed 100 IFA tablets	1,472	71.6	834	45.0	100 IFA tablets consumed	30.6
15	Home Delivery against expected delivery *	3	0.2	38	1.9	Full ANC	27.0
16	Institutional Delivery against expected delivery *	1,282	65.4	1,075	54.4	Home Delivery	40.7
17	Home Delivery against reported delivery **	3	0.2	38	3.4	Institutional Delivery	58.6
18	Institutional Delivery against reported delivery **	1,282	99.8	1,075	96.6	Home Delivery by SBA	0.7
19	Total reported Deliveries	1,285		1,113		PNC within 14 days of delivery	31.5
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	100.0	28	73.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	159	12.4	113	10.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,922		1,937			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
23	Total reported live births	1,268	66.0	1,102	56.9	Breastfeed within 1 hour of birth	59.7

24	Total Still Birth	17	0.9	5	0.3	BCG	68.9
25	Newborn weighted at birth to live birth	1,226	96.7	1,037	94.1	3 dose of DPT	58.9
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	49	4.0	46	4.4	Measles	66.2
27	Newborns breastfed within 1 hour to total reported live birth.	1,150	90.7	878	79.7	Full Immunization	50
28	Fully immunized	1,252	65.2	1,098	56.7		
29	Children who have received BCG	1,325	69.0	1,082	55.9		
30	Children who have received DPT1	18	0.9	1,258	64.9		
31	Children who have received DPT3	15	0.8	1,206	62.3		
32	Children who have received Measles	1,369	71.2	1,139	58.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	942		572			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	11.1
35	Number of Tubectomies performed	58	31	Spacing	13.6
36	Number of IUD insertion	291	230	Women using any method	61.3
37	Number of IUD removals	218	185	Women using modern method	55.2
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	260	197		
39	General OPD cases per 10,000 population ***	8788	8138		
40	Ayush OPD cases per 10,000 population ***	412	454		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	0	NA		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	0	0		
46	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	0		

