

Assam Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	31,169,272					
2	Sex Ratio	954					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	4,621					
4	Primary Health Centers (PHC)	1,014					
5	Community Health Centers (CHC)	151					
6	SDH	13					
7	DH	25					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	821,302		823,817			
9	Expected number of Delivery	765,304		767,648			
		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	732,966	89.2	690,494	83.8	Any ANC	94.8
11	Mothers registered in the first trimester	609,180	83.1	585,574	84.8	ANC Check up in first trimester	54.8
12	Mothers who had at least 3 Ante-Natal care check ups	638,519	87.1	538,463	78.0	3 or more ANC check up	66.2
13	PW who got TT 2 / Booster injection	665,080	90.7	634,254	91.9	Atleast 1 TT received	94.5
14	PW who consumed 100 IFA tablets	742,310	101.3	651,449	94.3	100 IFA tablets consumed	23.1
15	Home Delivery against expected delivery *	83,802	11.0	74,942	9.8	Full ANC	18.4
16	Institutional Delivery against expected delivery *	537,448	70.2	526,561	68.6	Home Delivery	33.6
17	Home Delivery against reported delivery **	83,802	13.5	74,942	12.5	Institutional Delivery	65.9
18	Institutional Delivery against reported delivery **	537,448	86.5	526,561	87.5	Home Delivery by SBA	29.2
19	Total reported Deliveries	621,250		601,503		PNC within 1 week of delivery	69.4
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	22,893	27.3	18,719	25.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	454,402	73.1	451,386	75.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	746,638		748,925			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
23	Total reported live births	610,290	81.7	590,751	78.9	Breastfed within 1 hour of birth	75.6

24	Total Still Birth	13,214	1.8	12,706	1.7	BCG	94.1
25	PC of newborn weighted at birth to live birth	605,862	99.3	583,762	98.8	3 dose of DPT	77.6
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	101,924	16.8	84,567	14.5	Measles	80.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	589,600	96.6	575,276	97.4	Full Immunization	64.4
28	Children fully immunized	636,569	85.3	582,836	77.8		
29	Children who have received BCG	674,767	90.4	641,565	85.7		
30	Children who have received DPT1	4,247	0.6	613,684	81.9		
31	Children who have received DPT3	2,812	0.4	592,261	79.1		
32	Children who have received Measles	640,937	85.8	560,410	74.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	89,631		589,667			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
34	Number of Vasectomies performed	4,404		2,610		Limiting	6.5
35	Number of Tubectomies performed	41,830		34,788		Spacing	6.6
36	Number of IUD insertion	115,421		78,510		Women using any method	67.2
37	Number of IUD removals	13,094		13,186		Women using modern method	38.1
F) Service delivery		HMIS (2016-17)		HMIS (2017-18)			
38	IPD cases per 10,000 population ***	358		402			
39	General OPD cases per 10,000 population ***	9,468		9,369			
40	Ayush OPD cases per 10,000 population ***	392		605.1			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2016-17)		HMIS (2017-18)			
41	Neonatal death within 24 hours	147		1,445			
42	Up to 1 Weeks of Birth	3,231		NA			
43	Between 1 week & 4 weeks of birth	223		6,119			
44	Neonatal Death	3,601		7,564			
45	Between 1 month and 11 months	1,884		4,029			
46	Total reported infant deaths	5,485		11,593			
II)	Maternal Mortality	HMIS (2016-17)		HMIS (2017-18)			
	Maternal Deaths (In Numbers)	HMIS (2016-17)		HMIS (2017-18)			
47	Due to Abortion	8		12			
48	Due to Obstructed/prolonged labour	25		41			
49	Due to Severe hypertension / fits	75		104			
50	Due to Bleeding	72		130			
51	Due to High fever	16		9			
52	Due to Other Causes (including causes not known)	438		872			
53	Total reported maternal deaths	634		1,168			

Baksa Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	953,773					
2	Sex Ratio	967					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	157					
4	Primary Health Centers (PHC)	41					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	24,305		24,241			
9	Expected number of Delivery	22,648		22,588			
		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	17,582	72.3	17,120	70.6	Any ANC	NA
11	Mothers registered in the first trimester	15,048	85.6	15,048	87.9	ANC Check up in first trimester	NA
12	Mothers who had at least 3 Ante-Natal care check ups	15,025	85.5	13,774	80.5	3 or more ANC check up	NA
13	PW who got TT 2 / Booster injection	15,810	89.9	15,404	90.0	Atleast 1 TT received	NA
14	PW who consumed 100 IFA tablets	19,210	109.3	18,165	106.1	100 IFA tablets consumed	NA
15	Home Delivery against expected delivery *	959	4.2	801	3.5	Full ANC	NA
16	Institutional Delivery against expected delivery *	9,005	39.8	8,508	37.7	Home Delivery	NA
17	Home Delivery against reported delivery **	959	9.6	801	8.6	Institutional Delivery	NA
18	Institutional Delivery against reported delivery **	9,005	90.4	8,508	91.4	Home Delivery by SBA	NA
19	Total reported Deliveries	9,964		9,309		PNC within 1 week of delivery	NA
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	295	30.8	398	49.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,952	109.9	12,539	134.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	22,095		22,038			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
23	Total reported live births	9,840	44.5	9,146	41.5	Breastfed within 1 hour of birth	NA

24	Total Still Birth	196	0.9	180	0.8	BCG	NA
25	PC of newborn weighted at birth to live birth	9,857	100.2	9,188	100.5	3 dose of DPT	NA
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,426	14.5	1,126	12.3	Measles	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	9,815	99.7	9,115	99.7	Full Immunization	NA
28	Children fully immunized	16,003	72.4	13,919	63.2		
29	Children who have received BCG	13,770	62.3	13,721	62.3		
30	Children who have received DPT1	35	0.2	15,069	68.4		
31	Children who have received DPT3	25	0.1	14,664	66.5		
32	Children who have received Measles	15,994	72.4	13,940	63.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,906		14,635			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).							
E) Family Planning		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
34	Number of Vasectomies performed	0		37		Limiting	NA
35	Number of Tubectomies performed	781		670		Spacing	NA
36	Number of IUD insertion	1,615		1,571		Women using any method	NA
37	Number of IUD removals	279		286		Women using modern method	NA
F) Service delivery		HMIS (2016-17)		HMIS (2017-18)			
38	IPD cases per 10,000 population ***	146		166			
39	General OPD cases per 10,000 population ***	6,608		5,659			
40	Ayush OPD cases per 10,000 population ***	1,078		1324.4			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2016-17)		HMIS (2017-18)			
41	Neonatal death within 24 hours	4		31			
42	Up to 1 Weeks of Birth	55		NA			
43	Between 1 week & 4 weeks of birth	2		71			
44	Neonatal Death	61		102			
45	Between 1 month and 11 months	66		137			
46	Total reported infant deaths	127		239			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2016-17)		HMIS (2017-18)			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension / fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	1		9			
53	Total reported maternal deaths	1		9			

Barpeta Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,693,190					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	264					
4	Primary Health Centers (PHC)	51					
5	Community Health Centers (CHC)	6					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	45,563		45,903			
9	Expected number of Delivery	42,456		42,774			
		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	42,061	92.3	40,813	88.9	Any ANC	94.0
11	Mothers registered in the first trimester	35,600	84.6	34,913	85.5	ANC Check up in first trimester	35.7
12	Mothers who had at least 3 Ante-Natal care check ups	38,632	91.8	35,091	86.0	3 or more ANC check up	55.6
13	PW who got TT 2 / Booster injection	38,384	91.3	36,909	90.4	Atleast 1 TT received	94.0
14	PW who consumed 100 IFA tablets	41,156	97.8	31,636	77.5	100 IFA tablets consumed	18.9
15	Home Delivery against expected delivery *	9,391	22.1	8,368	19.6	Full ANC	14.0
16	Institutional Delivery against expected delivery *	28,307	66.7	29,720	69.5	Home Delivery	47.4
17	Home Delivery against reported delivery **	9,391	24.9	8,368	22.0	Institutional Delivery	52.3
18	Institutional Delivery against reported delivery **	28,307	75.1	29,720	78.0	Home Delivery by SBA	19.8
19	Total reported Deliveries	37,698		38,088		PNC within 1 week of delivery	56.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	6,483	69.0	3,631	43.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	25,605	67.9	24,363	64.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	41,421		41,730			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
23	Total reported live births	36,991	89.3	37,780	90.5	Breastfed within 1 hour of birth	78.9

24	Total Still Birth	1,047	2.5	959	2.3	BCG	93.5
25	PC of newborn weighted at birth to live birth	36,957	99.9	37,321	98.8	3 dose of DPT	78.5
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	7,575	20.5	5,555	14.9	Measles	76.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	35,591	96.2	37,068	98.1	Full Immunization	62.1
28	Children fully immunized	38,219	92.3	34,215	82.0		
29	Children who have received BCG	40,329	97.4	39,863	95.5		
30	Children who have received DPT1	2	0.0	38,612	92.5		
31	Children who have received DPT3	0	0.0	37,110	88.9		
32	Children who have received Measles	38,464	92.9	31,216	74.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,519		36,496			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	AHS (2012-13)	
34	Number of Vasectomies performed	263	273	Limiting	5.2
35	Number of Tubectomies performed	1,279	1,550	Spacing	7.2
36	Number of IUD insertion	4,815	4,722	Women using any method	74.1
37	Number of IUD removals	84	269	Women using modern method	39
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	274	283		
39	General OPD cases per 10,000 population ***	7,517	7,456		
40	Ayush OPD cases per 10,000 population ***	104	370.0		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	8	67		
42	Up to 1 Weeks of Birth	219	NA		
43	Between 1 week & 4 weeks of birth	8	584		
44	Neonatal Death	235	651		
45	Between 1 month and 11 months	57	123		
46	Total reported infant deaths	292	774		
II)	Maternal Mortality	HMIS (2016-17)	HMIS (2017-18)		
Maternal Deaths (In Numbers)		HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	1		
48	Due to Obstructed/prolonged labour	0	3		
49	Due to Severe hypertension / fits	7	2		
50	Due to Bleeding	2	6		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	16	32		
53	Total reported maternal deaths	25	44		

Bongaigaon Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	732,639					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	84					
4	Primary Health Centers (PHC)	30					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	19,699		19,811			
9	Expected number of Delivery	18,356		18,460			
		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	16,485	83.7	15,297	77.2	Any ANC	92.6
11	Mothers registered in the first trimester	14,867	90.2	13,257	86.7	ANC Check up in first trimester	43.7
12	Mothers who had at least 3 Ante-Natal care check ups	14,098	85.5	11,665	76.3	3 or more ANC check up	59.5
13	PW who got TT 2 / Booster injection	15,180	92.1	14,351	93.8	Atleast 1 TT received	92.5
14	PW who consumed 100 IFA tablets	13,855	84.0	15,226	99.5	100 IFA tablets consumed	21.1
15	Home Delivery against expected delivery *	2,152	11.7	1,702	9.2	Full ANC	16.3
16	Institutional Delivery against expected delivery *	13,531	73.7	13,483	73.0	Home Delivery	45.1
17	Home Delivery against reported delivery **	2,152	13.7	1,702	11.2	Institutional Delivery	54.8
18	Institutional Delivery against reported delivery **	13,531	86.3	13,483	88.8	Home Delivery by SBA	34.8
19	Total reported Deliveries	15,683		15,185		PNC within 1 week of delivery	55.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	191	8.9	118	6.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	15,566	99.3	13,822	91.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	17,908		18,010			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
23	Total reported live births	15,489	86.5	14,992	83.2	Breastfed within 1 hour of birth	72.8

24	Total Still Birth	305	1.7	273	1.5	BCG	94.3
25	PC of newborn weighted at birth to live birth	15,501	100.1	14,976	99.9	3 dose of DPT	66.6
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,278	14.7	2,048	13.7	Measles	79.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	15,048	97.2	14,409	96.1	Full Immunization	52.4
28	Children fully immunized	14,991	83.7	14,130	78.5		
29	Children who have received BCG	17,127	95.6	15,632	86.8		
30	Children who have received DPT1	3	0.0	14,523	80.6		
31	Children who have received DPT3	8	0.0	13,267	73.7		
32	Children who have received Measles	15,027	83.9	13,573	75.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	427		14,275			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
34	Number of Vasectomies performed	47		29		Limiting	5.2
35	Number of Tubectomies performed	765		852		Spacing	6.6
36	Number of IUD insertion	3,434		2,894		Women using any method	70.5
37	Number of IUD removals	199		324		Women using modern method	35.7
F) Service delivery		HMIS (2016-17)		HMIS (2017-18)			
38	IPD cases per 10,000 population ***	205		224			
39	General OPD cases per 10,000 population ***	8,486		8,471			
40	Ayush OPD cases per 10,000 population ***	77		187.8			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2016-17)		HMIS (2017-18)			
41	Neonatal death within 24 hours	19		59			
42	Up to 1 Weeks of Birth	204		NA			
43	Between 1 week & 4 weeks of birth	7		218			
44	Neonatal Death	230		277			
45	Between 1 month and 11 months	134		137			
46	Total reported infant deaths	364		414			
II)	Maternal Mortality	HMIS (2016-17)		HMIS (2017-18)			
	Maternal Deaths (In Numbers)	HMIS (2016-17)		HMIS (2017-18)			
47	Due to Abortion	0		1			
48	Due to Obstructed/prolonged labour	0		1			
49	Due to Severe hypertension / fits	1		3			
50	Due to Bleeding	4		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	17		11			
53	Total reported maternal deaths	22		16			

Cachar Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,736,319					
2	Sex Ratio	958					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	270					
4	Primary Health Centers (PHC)	33					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	46,439		46,730			
9	Expected number of Delivery	43,273		43,543			
		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	40,070	86.3	39,489	84.5	Any ANC	95.6
11	Mothers registered in the first trimester	35,189	87.8	34,635	87.7	ANC Check up in first trimester	57.8
12	Mothers who had at least 3 Ante-Natal care check ups	39,025	97.4	33,576	85.0	3 or more ANC check up	66.5
13	PW who got TT 2 / Booster injection	39,306	98.1	37,689	95.4	Atleast 1 TT received	95.3
14	PW who consumed 100 IFA tablets	39,988	99.8	38,422	97.3	100 IFA tablets consumed	21.5
15	Home Delivery against expected delivery *	2,691	6.2	1,881	4.3	Full ANC	17.8
16	Institutional Delivery against expected delivery *	39,072	90.3	40,672	93.4	Home Delivery	34.9
17	Home Delivery against reported delivery **	2,691	6.4	1,881	4.4	Institutional Delivery	64.8
18	Institutional Delivery against reported delivery **	39,072	93.6	40,672	95.6	Home Delivery by SBA	35.7
19	Total reported Deliveries	41,763		42,553		PNC within 1 week of delivery	69.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,418	52.7	750	39.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	21,804	52.2	19,370	45.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	42,217		42,481			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
23	Total reported live births	40,960	97.0	41,658	98.1	Breastfed within 1 hour of birth	63.3

24	Total Still Birth	1,170	2.8	1,142	2.7	BCG	94.2
25	PC of newborn weighted at birth to live birth	40,718	99.4	40,713	97.7	3 dose of DPT	77.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,710	14.0	7,530	18.5	Measles	80.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	36,528	89.2	41,131	98.7	Full Immunization	64.5
28	Children fully immunized	40,120	95.0	36,205	85.2		
29	Children who have received BCG	44,468	105.3	44,635	105.1		
30	Children who have received DPT1	812	1.9	36,806	86.6		
31	Children who have received DPT3	648	1.5	36,757	86.5		
32	Children who have received Measles	40,339	95.6	36,298	85.4		
33	Diarrhoea and Dehydration reported in children below 5 years of age	4,176		34,721			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	AHS (2012-13)	
34	Number of Vasectomies performed	165	104	Limiting	8.8
35	Number of Tubectomies performed	3,018	2,751	Spacing	9.4
36	Number of IUD insertion	3,492	2,625	Women using any method	57
37	Number of IUD removals	208	187	Women using modern method	31.9

F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	447	502		
39	General OPD cases per 10,000 population ***	8,175	8,870		
40	Ayush OPD cases per 10,000 population ***	9	37.0		

G) Mortality Details

I) Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)			
41	Neonatal death within 24 hours	11	58		
42	Up to 1 Weeks of Birth	151	NA		
43	Between 1 week & 4 weeks of birth	1	527		
44	Neonatal Death	163	585		
45	Between 1 month and 11 months	111	305		
46	Total reported infant deaths	274	890		

II) Maternal Mortality					
Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)			
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension / fits	1	5		
50	Due to Bleeding	2	3		
51	Due to High fever	1	0		
52	Due to Other Causes (including causes not known)	21	157		
53	Total reported maternal deaths	25	165		

Chirang Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	481,818					
2	Sex Ratio	969					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	86					
4	Primary Health Centers (PHC)	25					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	12,340		12,309			
9	Expected number of Delivery	11,499		11,470			
		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	10,600	85.9	9,906	80.5	Any ANC	NA
11	Mothers registered in the first trimester	8,368	78.9	7,783	78.6	ANC Check up in first trimester	NA
12	Mothers who had at least 3 Ante-Natal care check ups	8,365	78.9	6,879	69.4	3 or more ANC check up	NA
13	PW who got TT 2 / Booster injection	9,620	90.8	9,139	92.3	Atleast 1 TT received	NA
14	PW who consumed 100 IFA tablets	10,807	102.0	7,267	73.4	100 IFA tablets consumed	NA
15	Home Delivery against expected delivery *	1,675	14.6	1,557	13.6	Full ANC	NA
16	Institutional Delivery against expected delivery *	5,574	48.5	5,793	50.5	Home Delivery	NA
17	Home Delivery against reported delivery **	1,675	23.1	1,557	21.2	Institutional Delivery	NA
18	Institutional Delivery against reported delivery **	5,574	76.9	5,793	78.8	Home Delivery by SBA	NA
19	Total reported Deliveries	7,249		7,350		PNC within 1 week of delivery	NA
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	252	15.0	221	14.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,467	61.6	4,496	61.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	11,218		11,190			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
23	Total reported live births	7,177	64.0	7,278	65.0	Breastfed within 1 hour of birth	NA

24	Total Still Birth	110	1.0	122	1.1	BCG	NA
25	PC of newborn weighted at birth to live birth	7,174	100.0	7,261	99.8	3 dose of DPT	NA
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,223	17.0	1,442	19.9	Measles	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	7,101	98.9	7,249	99.6	Full Immunization	NA
28	Children fully immunized	9,156	81.6	8,700	77.7		
29	Children who have received BCG	9,204	82.0	9,118	81.5		
30	Children who have received DPT1	98	0.9	8,973	80.2		
31	Children who have received DPT3	96	0.9	8,494	75.9		
32	Children who have received Measles	9,251	82.5	8,695	77.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,396		8,701			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
34	Number of Vasectomies performed	0		0		Limiting	NA
35	Number of Tubectomies performed	168		95		Spacing	NA
36	Number of IUD insertion	1,610		1,540		Women using any method	NA
37	Number of IUD removals	289		460		Women using modern method	NA
F) Service delivery		HMIS (2016-17)		HMIS (2017-18)			
38	IPD cases per 10,000 population ***	37		131			
39	General OPD cases per 10,000 population ***	7,030		6,955			
40	Ayush OPD cases per 10,000 population ***	1,026		99.5			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2016-17)		HMIS (2017-18)			
41	Neonatal death within 24 hours	1		18			
42	Up to 1 Weeks of Birth	17		NA			
43	Between 1 week & 4 weeks of birth	0		43			
44	Neonatal Death	18		61			
45	Between 1 month and 11 months	85		110			
46	Total reported infant deaths	103		171			
II)	Maternal Mortality	HMIS (2016-17)		HMIS (2017-18)			
	Maternal Deaths (In Numbers)	HMIS (2016-17)		HMIS (2017-18)			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension / fits	0		2			
50	Due to Bleeding	1		0			
51	Due to High fever	1		0			
52	Due to Other Causes (including causes not known)	0		9			
53	Total reported maternal deaths	2		11			

Darrang Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	908,090					
2	Sex Ratio	923					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	163					
4	Primary Health Centers (PHC)	30					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	24,749		24,888			
9	Expected number of Delivery	23,061		23,191			
		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	23,814	96.2	22,211	89.2	Any ANC	91.3
11	Mothers registered in the first trimester	19,754	83.0	19,869	89.5	ANC Check up in first trimester	39.9
12	Mothers who had at least 3 Ante-Natal care check ups	21,530	90.4	18,895	85.1	3 or more ANC check up	51.9
13	PW who got TT 2 / Booster injection	22,880	96.1	21,630	97.4	Atleast 1 TT received	91.3
14	PW who consumed 100 IFA tablets	24,907	104.6	24,909	112.1	100 IFA tablets consumed	29.4
15	Home Delivery against expected delivery *	2,860	12.4	2,827	12.2	Full ANC	17.1
16	Institutional Delivery against expected delivery *	14,732	63.9	14,537	62.7	Home Delivery	36.6
17	Home Delivery against reported delivery **	2,860	16.3	2,827	16.3	Institutional Delivery	63.0
18	Institutional Delivery against reported delivery **	14,732	83.7	14,537	83.7	Home Delivery by SBA	24.0
19	Total reported Deliveries	17,592		17,364		PNC within 1 week of delivery	66.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,095	38.3	1,203	42.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,497	65.4	11,830	68.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	22,499		22,625			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
23	Total reported live births	17,369	77.2	17,131	75.7	Breastfed within 1 hour of birth	73.6

24	Total Still Birth	298	1.3	272	1.2	BCG	93.2
25	PC of newborn weighted at birth to live birth	17,020	98.0	16,853	98.4	3 dose of DPT	70.8
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,701	15.9	2,031	12.1	Measles	71.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	16,621	95.7	16,297	95.1	Full Immunization	56.4
28	Children fully immunized	19,839	88.2	19,136	84.6		
29	Children who have received BCG	17,394	77.3	18,572	82.1		
30	Children who have received DPT1	88	0.4	19,801	87.5		
31	Children who have received DPT3	49	0.2	19,360	85.6		
32	Children who have received Measles	19,901	88.5	17,700	78.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	4,721		19,212			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	AHS (2012-13)	
34	Number of Vasectomies performed	206	126	Limiting	6.2
35	Number of Tubectomies performed	1,633	1,005	Spacing	8.2
36	Number of IUD insertion	7,632	3,931	Women using any method	68
37	Number of IUD removals	538	556	Women using modern method	37.3
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	351	424		
39	General OPD cases per 10,000 population ***	7,770	8,479		
40	Ayush OPD cases per 10,000 population ***	151	549.4		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	1	31		
42	Up to 1 Weeks of Birth	40	NA		
43	Between 1 week & 4 weeks of birth	6	184		
44	Neonatal Death	47	215		
45	Between 1 month and 11 months	33	78		
46	Total reported infant deaths	80	293		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	1		
48	Due to Obstructed/prolonged labour	1	1		
49	Due to Severe hypertension / fits	1	1		
50	Due to Bleeding	0	2		
51	Due to High fever	1	1		
52	Due to Other Causes (including causes not known)	6	12		
53	Total reported maternal deaths	9	18		

Dhemaji Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	688,077					
2	Sex Ratio	949					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	98					
4	Primary Health Centers (PHC)	22					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	18,360		18,477			
9	Expected number of Delivery	17,108		17,217			
		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	14,705	80.1	14,599	79.0	Any ANC	94.9
11	Mothers registered in the first trimester	13,181	89.6	13,333	91.3	ANC Check up in first trimester	60.8
12	Mothers who had at least 3 Ante-Natal care check ups	13,223	89.9	11,611	79.5	3 or more ANC check up	66.9
13	PW who got TT 2 / Booster injection	13,622	92.6	12,767	87.5	Atleast 1 TT received	94.7
14	PW who consumed 100 IFA tablets	14,992	102.0	13,299	91.1	100 IFA tablets consumed	14.4
15	Home Delivery against expected delivery *	94	0.5	97	0.6	Full ANC	11.0
16	Institutional Delivery against expected delivery *	15,649	91.5	14,784	85.9	Home Delivery	27.1
17	Home Delivery against reported delivery **	94	0.6	97	0.7	Institutional Delivery	72.3
18	Institutional Delivery against reported delivery **	15,649	99.4	14,784	99.3	Home Delivery by SBA	24.9
19	Total reported Deliveries	15,743		14,881		PNC within 1 week of delivery	70.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	53	56.4	49	50.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,684	74.2	6,972	46.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	16,691		16,797			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
23	Total reported live births	15,526	93.0	14,747	87.8	Breastfed within 1 hour of birth	82.9

24	Total Still Birth	294	1.8	281	1.7	BCG	91.5
25	PC of newborn weighted at birth to live birth	15,344	98.8	14,054	95.3	3 dose of DPT	78
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,849	12.1	1,569	11.2	Measles	77.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	14,755	95.0	13,324	90.4	Full Immunization	66.6
28	Children fully immunized	13,397	80.3	12,868	76.6		
29	Children who have received BCG	13,783	82.6	13,002	77.4		
30	Children who have received DPT1	3	0.0	12,702	75.6		
31	Children who have received DPT3	15	0.1	12,366	73.6		
32	Children who have received Measles	13,481	80.8	12,628	75.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,790		12,307			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	AHS (2012-13)	
34	Number of Vasectomies performed	12	173	Limiting	6.1
35	Number of Tubectomies performed	1,821	1,169	Spacing	6.1
36	Number of IUD insertion	6,020	3,707	Women using any method	75.2
37	Number of IUD removals	1,179	923	Women using modern method	34.7

F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	239	240		
39	General OPD cases per 10,000 population ***	7,955	7,744		
40	Ayush OPD cases per 10,000 population ***	871	666.5		

G) Mortality Details					
I) Infant Deaths (In Numbers)		HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	0	27		
42	Up to 1 Weeks of Birth	118	NA		
43	Between 1 week & 4 weeks of birth	11	162		
44	Neonatal Death	129	189		
45	Between 1 month and 11 months	84	121		
46	Total reported infant deaths	213	310		

II) Maternal Mortality					
Maternal Deaths (In Numbers)		HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	1	0		
49	Due to Severe hypertension / fits	1	2		
50	Due to Bleeding	0	4		
51	Due to High fever	0	1		
52	Due to Other Causes (including causes not known)	10	8		
53	Total reported maternal deaths	12	15		

Dhubri Factsheet

Key Indicators							
Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,948,632					
2	Sex Ratio	952					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	246					
4	Primary Health Centers (PHC)	44					
5	Community Health Centers (CHC)	8					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	53,215		53,770			
9	Expected number of Delivery	49,587		50,104			
		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	59,449	111.7	54,636	101.6	Any ANC	88.7
11	Mothers registered in the first trimester	45,748	77.0	43,193	79.1	ANC Check up in first trimester	33.4
12	Mothers who had at least 3 Ante-Natal care check ups	51,305	86.3	42,564	77.9	3 or more ANC check up	39.7
13	PW who got TT 2 / Booster injection	52,762	88.8	50,223	91.9	Atleast 1 TT received	88.6
14	PW who consumed 100 IFA tablets	54,578	91.8	51,099	93.5	100 IFA tablets consumed	14.3
15	Home Delivery against expected delivery *	24,031	48.5	21,775	43.5	Full ANC	7.6
16	Institutional Delivery against expected delivery *	27,244	54.9	28,266	56.4	Home Delivery	57.3
17	Home Delivery against reported delivery **	24,031	46.9	21,775	43.5	Institutional Delivery	42.4
18	Institutional Delivery against reported delivery **	27,244	53.1	28,266	56.5	Home Delivery by SBA	23.0
19	Total reported Deliveries	51,275		50,041		PNC within 1 week of delivery	52.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4,260	17.7	2,982	13.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	34,321	66.9	26,415	52.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	48,377		48,882			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
23	Total reported live births	50,763	104.9	49,318	100.9	Breastfed within 1 hour of birth	65.5

24	Total Still Birth	945	2.0	1,022	2.1	BCG	89.9
25	PC of newborn weighted at birth to live birth	50,452	99.4	49,054	99.5	3 dose of DPT	69.4
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	7,608	15.1	6,511	13.3	Measles	62.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	49,630	97.8	49,227	99.8	Full Immunization	48.7
28	Children fully immunized	49,647	102.6	44,324	90.7		
29	Children who have received BCG	55,768	115.3	50,848	104.0		
30	Children who have received DPT1	292	0.6	48,469	99.2		
31	Children who have received DPT3	134	0.3	45,589	93.3		
32	Children who have received Measles	49,845	103.0	41,981	85.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	6,661		45,623			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	AHS (2012-13)	
34	Number of Vasectomies performed	33	34	Limiting	7
35	Number of Tubectomies performed	980	790	Spacing	11.8
36	Number of IUD insertion	11,453	9,113	Women using any method	49.6
37	Number of IUD removals	622	599	Women using modern method	34
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	311	282		
39	General OPD cases per 10,000 population ***	7,954	6,640		
40	Ayush OPD cases per 10,000 population ***	1,035	1071.2		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	15	166		
42	Up to 1 Weeks of Birth	131	NA		
43	Between 1 week & 4 weeks of birth	0	620		
44	Neonatal Death	146	786		
45	Between 1 month and 11 months	60	403		
46	Total reported infant deaths	206	1,189		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	2	1		
49	Due to Severe hypertension / fits	9	11		
50	Due to Bleeding	8	15		
51	Due to High fever	0	3		
52	Due to Other Causes (including causes not known)	29	37		
53	Total reported maternal deaths	48	67		

Dibrugarh Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,327,748					
2	Sex Ratio	952					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	231					
4	Primary Health Centers (PHC)	30					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	34,077		34,017			
9	Expected number of Delivery	31,753		31,697			
		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	25,716	75.5	24,991	73.5	Any ANC	97.3
11	Mothers registered in the first trimester	21,383	83.2	21,759	87.1	ANC Check up in first trimester	68.0
12	Mothers who had at least 3 Ante-Natal care check ups	22,620	88.0	19,194	76.8	3 or more ANC check up	84.8
13	PW who got TT 2 / Booster injection	22,907	89.1	23,028	92.1	Atleast 1 TT received	97.2
14	PW who consumed 100 IFA tablets	27,530	107.1	24,904	99.7	100 IFA tablets consumed	32.8
15	Home Delivery against expected delivery *	80	0.3	89	0.3	Full ANC	29.3
16	Institutional Delivery against expected delivery *	23,682	74.6	23,493	74.1	Home Delivery	18.6
17	Home Delivery against reported delivery **	80	0.3	89	0.4	Institutional Delivery	81.2
18	Institutional Delivery against reported delivery **	23,682	99.7	23,493	99.6	Home Delivery by SBA	36.4
19	Total reported Deliveries	23,762		23,582		PNC within 1 week of delivery	84.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	28	35.0	16	18.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	18,145	76.4	21,432	90.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	30,979		30,924			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
23	Total reported live births	23,333	75.3	23,262	75.2	Breastfed within 1 hour of birth	81.4

24	Total Still Birth	617	2.0	588	1.9	BCG	97.5
25	PC of newborn weighted at birth to live birth	23,321	99.9	23,250	99.9	3 dose of DPT	88
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,209	22.3	5,419	23.3	Measles	93.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	23,037	98.7	22,305	95.9	Full Immunization	82.3
28	Children fully immunized	21,155	68.3	19,539	63.2		
29	Children who have received BCG	22,732	73.4	23,211	75.1		
30	Children who have received DPT1	11	0.0	20,316	65.7		
31	Children who have received DPT3	8	0.0	19,421	62.8		
32	Children who have received Measles	21,187	68.4	19,524	63.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	4,930		19,050			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	AHS (2012-13)			
34	Number of Vasectomies performed	211	196	Limiting	9.2		
35	Number of Tubectomies performed	2,503	1,949	Spacing	6		
36	Number of IUD insertion	4,066	2,224	Women using any method	65.1		
37	Number of IUD removals	625	677	Women using modern method	43.9		
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)				
38	IPD cases per 10,000 population ***	720	693				
39	General OPD cases per 10,000 population ***	16,660	16,951				
40	Ayush OPD cases per 10,000 population ***	187	134.3				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)				
41	Neonatal death within 24 hours	2	92				
42	Up to 1 Weeks of Birth	114	NA				
43	Between 1 week & 4 weeks of birth	0	443				
44	Neonatal Death	116	535				
45	Between 1 month and 11 months	52	150				
46	Total reported infant deaths	168	685				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)				
47	Due to Abortion	0	2				
48	Due to Obstructed/prolonged labour	0	7				
49	Due to Severe hypertension / fits	3	12				
50	Due to Bleeding	0	10				
51	Due to High fever	0	1				
52	Due to Other Causes (including causes not known)	0	40				
53	Total reported maternal deaths	3	72				

Goalpara Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,008,959					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	151					
4	Primary Health Centers (PHC)	41					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	27,541		27,541			
9	Expected number of Delivery	25,440		25,663			
		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	28,301	102.8	26,115	94.8	Any ANC	94.8
11	Mothers registered in the first trimester	24,607	86.9	23,451	89.8	ANC Check up in first trimester	40.8
12	Mothers who had at least 3 Ante-Natal care check ups	24,892	88.0	20,642	79.0	3 or more ANC check up	65.4
13	PW who got TT 2 / Booster injection	26,147	92.4	23,994	91.9	Atleast 1 TT received	94.8
14	PW who consumed 100 IFA tablets	30,435	107.5	26,105	100.0	100 IFA tablets consumed	18.0
15	Home Delivery against expected delivery *	2,112	40.9	1,780	6.9	Full ANC	14.6
16	Institutional Delivery against expected delivery *	22,270	431.3	23,285	90.7	Home Delivery	44.2
17	Home Delivery against reported delivery **	2,112	8.7	1,780	7.1	Institutional Delivery	55.6
18	Institutional Delivery against reported delivery **	22,270	91.3	23,285	92.9	Home Delivery by SBA	36.0
19	Total reported Deliveries	24,382		25,065		PNC within 1 week of delivery	55.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,008	47.7	1,145	64.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	15,533	63.7	13,319	53.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	24,819		25,037			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
23	Total reported live births	24,929	100.4	24,891	99.4	Breastfed within 1 hour of birth	79.8

24	Total Still Birth	494	2.0	500	2.0	BCG	91.8
25	PC of newborn weighted at birth to live birth	24,879	99.8	24,888	100.0	3 dose of DPT	58.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	4,206	16.9	3,270	13.1	Measles	72.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	23,917	95.9	24,326	97.7	Full Immunization	46.6
28	Children fully immunized	24,271	-	22,574	90.2		
29	Children who have received BCG	26,750	-	26,827	107.1		
30	Children who have received DPT1	124	-	23,744	94.8		
31	Children who have received DPT3	67	-	22,640	90.4		
32	Children who have received Measles	24,346	-	20,160	80.5		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,693		23,016			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	AHS (2012-13)			
34	Number of Vasectomies performed	74	48	Limiting	6.1		
35	Number of Tubectomies performed	1,345	1,277	Spacing	6.6		
36	Number of IUD insertion	4,284	3,574	Women using any method	72.4		
37	Number of IUD removals	493	590	Women using modern method	45		
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)				
38	IPD cases per 10,000 population ***	281	561				
39	General OPD cases per 10,000 population ***	9,597	9,183				
40	Ayush OPD cases per 10,000 population ***	1,400	1808.3				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)				
41	Neonatal death within 24 hours	6	78				
42	Up to 1 Weeks of Birth	168	NA				
43	Between 1 week & 4 weeks of birth	2	271				
44	Neonatal Death	176	349				
45	Between 1 month and 11 months	130	141				
46	Total reported infant deaths	306	490				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)				
47	Due to Abortion	0	1				
48	Due to Obstructed/prolonged labour	1	0				
49	Due to Severe hypertension / fits	3	3				
50	Due to Bleeding	2	11				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	8	22				
53	Total reported maternal deaths	14	37				

Golaghat Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,058,674					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	144					
4	Primary Health Centers (PHC)	40					
5	Community Health Centers (CHC)	4					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	27,389		27,337			
9	Expected number of Delivery	25,522		25,473			
		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	19,577	71.5	18,441	67.5	Any ANC	96.1
11	Mothers registered in the first trimester	16,728	85.4	15,845	85.9	ANC Check up in first trimester	65.9
12	Mothers who had at least 3 Ante-Natal care check ups	16,627	84.9	12,782	69.3	3 or more ANC check up	75.0
13	PW who got TT 2 / Booster injection	17,759	90.7	16,776	91.0	Atleast 1 TT received	95.8
14	PW who consumed 100 IFA tablets	20,344	103.9	16,547	89.7	100 IFA tablets consumed	21.8
15	Home Delivery against expected delivery *	660	2.6	467	1.8	Full ANC	18.4
16	Institutional Delivery against expected delivery *	15,497	60.9	15,010	58.9	Home Delivery	26.6
17	Home Delivery against reported delivery **	660	4.1	467	3.0	Institutional Delivery	73.0
18	Institutional Delivery against reported delivery **	15,497	95.9	15,010	97.0	Home Delivery by SBA	43.9
19	Total reported Deliveries	16,157		15,477		PNC within 1 week of delivery	81.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	264	40.0	70	15.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,728	72.6	13,038	84.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	24,899		24,852			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
23	Total reported live births	15,852	63.7	15,236	61.3	Breastfed within 1 hour of birth	79

24	Total Still Birth	340	1.4	316	1.3	BCG	96.6
25	PC of newborn weighted at birth to live birth	15,805	99.7	14,999	98.4	3 dose of DPT	85.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,111	13.4	1,842	12.3	Measles	89.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	15,261	96.3	14,784	97.0	Full Immunization	69.4
28	Children fully immunized	17,452	70.3	16,472	66.3		
29	Children who have received BCG	18,328	73.8	16,533	66.5		
30	Children who have received DPT1	17	0.1	17,329	69.7		
31	Children who have received DPT3	6	0.0	16,310	65.6		
32	Children who have received Measles	17,476	70.4	16,671	67.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,829		16,630			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	AHS (2012-13)			
34	Number of Vasectomies performed	31	78	Limiting		12.6	
35	Number of Tubectomies performed	1,819	1,243	Spacing		5.1	
36	Number of IUD insertion	4,532	1,623	Women using any method		66	
37	Number of IUD removals	976	935	Women using modern method		40.3	
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)				
38	IPD cases per 10,000 population ***	428	558				
39	General OPD cases per 10,000 population ***	9,884	9,964				
40	Ayush OPD cases per 10,000 population ***	202	431.8				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)				
41	Neonatal death within 24 hours	1	73				
42	Up to 1 Weeks of Birth	102	NA				
43	Between 1 week & 4 weeks of birth	1	239				
44	Neonatal Death	104	312				
45	Between 1 month and 11 months	34	108				
46	Total reported infant deaths	138	420				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)				
47	Due to Abortion	0	2				
48	Due to Obstructed/prolonged labour	1	1				
49	Due to Severe hypertension / fits	0	5				
50	Due to Bleeding	2	4				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	11	39				
53	Total reported maternal deaths	14	51				

Hailakandi Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	659,260					
2	Sex Ratio	946					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	105					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	17,740		17,874			
9	Expected number of Delivery	16,531		16,655			
		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	18,689	105.3	18,345	102.6	Any ANC	93.8
11	Mothers registered in the first trimester	14,825	79.3	14,779	80.6	ANC Check up in first trimester	53.5
12	Mothers who had at least 3 Ante-Natal care check ups	15,752	84.3	10,917	59.5	3 or more ANC check up	64.0
13	PW who got TT 2 / Booster injection	16,991	90.9	16,374	89.3	Atleast 1 TT received	93.6
14	PW who consumed 100 IFA tablets	22,364	119.7	16,764	91.4	100 IFA tablets consumed	14.8
15	Home Delivery against expected delivery *	3,998	15.7	2,652	15.9	Full ANC	12.2
16	Institutional Delivery against expected delivery *	10,589	41.5	10,020	60.2	Home Delivery	57.8
17	Home Delivery against reported delivery **	3,998	27.4	2,652	20.9	Institutional Delivery	42.1
18	Institutional Delivery against reported delivery **	10,589	72.6	10,020	79.1	Home Delivery by SBA	24.4
19	Total reported Deliveries	14,587		12,672		PNC within 1 week of delivery	47.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	947	23.7	635	23.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,900	67.9	10,215	80.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	16,128		16,249			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	

23	Total reported live births	14,126	87.6	12,411	76.4	Breastfed within 1 hour of birth	62.4
24	Total Still Birth	416	2.6	355	2.2	BCG	89.3
25	PC of newborn weighted at birth to live birth	14,108	99.9	12,418	100.1	3 dose of DPT	75.3
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,650	11.7	1,301	10.5	Measles	78.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	14,079	99.7	12,402	99.9	Full Immunization	67.1
28	Children fully immunized	16,764	67.3	15,875	97.7		
29	Children who have received BCG	17,491	70.2	15,067	92.7		
30	Children who have received DPT1	9	0.0	16,070	98.9		
31	Children who have received DPT3	4	0.0	15,435	95.0		
32	Children who have received Measles	16,811	67.5	15,884	97.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,913		15,973			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
34	Number of Vasectomies performed	10		22		Limiting	9.8
35	Number of Tubectomies performed	532		541		Spacing	7.4
36	Number of IUD insertion	4,197		3,991		Women using any method	58.9
37	Number of IUD removals	336		389		Women using modern method	29.9
F) Service delivery		HMIS (2016-17)		HMIS (2017-18)			
38	IPD cases per 10,000 population ***	448		458			
39	General OPD cases per 10,000 population ***	5,506		5,447			
40	Ayush OPD cases per 10,000 population ***	37		42.2			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2016-17)		HMIS (2017-18)			
41	Neonatal death within 24 hours	3		105			
42	Up to 1 Weeks of Birth	130		NA			
43	Between 1 week & 4 weeks of birth	10		172			
44	Neonatal Death	143		277			
45	Between 1 month and 11 months	154		192			
46	Total reported infant deaths	297		469			
II) Maternal Mortality		HMIS (2016-17)		HMIS (2017-18)			
Maternal Deaths (In Numbers)		HMIS (2016-17)		HMIS (2017-18)			
47	Due to Abortion	0		2			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension / fits	2		2			
50	Due to Bleeding	3		3			
51	Due to High fever	2		0			
52	Due to Other Causes (including causes not known)	20		22			
53	Total reported maternal deaths	27		29			

Jorhat Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,091,295					
2	Sex Ratio	956					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	144					
4	Primary Health Centers (PHC)	44					
5	Community Health Centers (CHC)	5					
6	SDH	2					
7	DH	0					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	27,672		27,546			
9	Expected number of Delivery	25,786		25,668			
		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	21,806	122.9	22,667	82.3	Any ANC	97.6
11	Mothers registered in the first trimester	19,317	88.6	21,110	93.1	ANC Check up in first trimester	72.6
12	Mothers who had at least 3 Ante-Natal care check ups	17,919	82.2	17,781	78.4	3 or more ANC check up	82.3
13	PW who got TT 2 / Booster injection	18,767	86.1	20,879	92.1	Atleast 1 TT received	97.3
14	PW who consumed 100 IFA tablets	19,849	91.0	20,582	90.8	100 IFA tablets consumed	27.1
15	Home Delivery against expected delivery *	156	0.9	117	0.5	Full ANC	24.3
16	Institutional Delivery against expected delivery *	17,001	102.8	16,473	64.2	Home Delivery	18.4
17	Home Delivery against reported delivery **	156	0.9	117	0.7	Institutional Delivery	80.8
18	Institutional Delivery against reported delivery **	17,001	99.1	16,473	99.3	Home Delivery by SBA	39.8
19	Total reported Deliveries	17,157		16,590		PNC within 1 week of delivery	82.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	135	86.5	111	94.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,206	77.0	16,011	96.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	25,157		25,042			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
23	Total reported live births	16,963	105.2	16,229	64.8	Breastfed within 1 hour of birth	80

24	Total Still Birth	300	1.9	308	1.2	BCG	96.8
25	PC of newborn weighted at birth to live birth	16,475	97.1	16,054	98.9	3 dose of DPT	83.7
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	4,660	28.3	3,060	19.1	Measles	90.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	15,588	91.9	16,116	99.3	Full Immunization	70.9
28	Children fully immunized	18,173	112.7	17,542	70.0		
29	Children who have received BCG	16,882	104.7	16,385	65.4		
30	Children who have received DPT1	13	0.1	17,483	69.8		
31	Children who have received DPT3	1	0.0	16,985	67.8		
32	Children who have received Measles	18,190	112.8	16,712	66.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,676		17,561			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
34	Number of Vasectomies performed	60		88		Limiting	11.7
35	Number of Tubectomies performed	1,850		1,622		Spacing	4.1
36	Number of IUD insertion	2,533		2,656		Women using any method	66.2
37	Number of IUD removals	236		360		Women using modern method	34.5
F) Service delivery		HMIS (2016-17)		HMIS (2017-18)			
38	IPD cases per 10,000 population ***	476		521			
39	General OPD cases per 10,000 population ***	10,839		13,118			
40	Ayush OPD cases per 10,000 population ***	62		141.1			
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2016-17)		HMIS (2017-18)			
41	Neonatal death within 24 hours	1		29			
42	Up to 1 Weeks of Birth	7		NA			
43	Between 1 week & 4 weeks of birth	0		286			
44	Neonatal Death	8		315			
45	Between 1 month and 11 months	3		78			
46	Total reported infant deaths	11		393			
II) Maternal Mortality		HMIS (2016-17)		HMIS (2017-18)			
Maternal Deaths (In Numbers)		HMIS (2016-17)		HMIS (2017-18)			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		1			
49	Due to Severe hypertension / fits	0		0			
50	Due to Bleeding	2		1			
51	Due to High fever	6		0			
52	Due to Other Causes (including causes not known)	11		27			
53	Total reported maternal deaths	19		29			

Kamrup M Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,260,419					
2	Sex Ratio	922					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	51					
4	Primary Health Centers (PHC)	25					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	33,332		33,500			
9	Expected number of Delivery	31,059		31,216			
		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	36,424	131.6	31,905	95.2	Any ANC	98.5
11	Mothers registered in the first trimester	31,762	87.2	28,123	88.1	ANC Check up in first trimester	62.5
12	Mothers who had at least 3 Ante-Natal care check ups	31,524	86.5	26,940	84.4	3 or more ANC check up	81.7
13	PW who got TT 2 / Booster injection	32,344	88.8	30,915	96.9	Atleast 1 TT received	98.4
14	PW who consumed 100 IFA tablets	38,670	106.2	28,810	90.3	100 IFA tablets consumed	33.5
15	Home Delivery against expected delivery *	312	1.2	337	1.1	Full ANC	29.9
16	Institutional Delivery against expected delivery *	36,247	140.6	37,559	120.3	Home Delivery	15.1
17	Home Delivery against reported delivery **	312	0.9	337	0.9	Institutional Delivery	84.7
18	Institutional Delivery against reported delivery **	36,247	99.1	37,559	99.1	Home Delivery by SBA	26.6
19	Total reported Deliveries	36,559		37,896		PNC within 1 week of delivery	84.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	31	9.9	190	56.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	15,090	41.3	25,969	68.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	36,085		30,455			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
23	Total reported live births	35,610	141.6	36,823	120.9	Breastfed within 1 hour of birth	82.4

24	Total Still Birth	991	3.9	1,111	3.6	BCG	97.8
25	PC of newborn weighted at birth to live birth	35,706	100.3	36,331	98.7	3 dose of DPT	77.5
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	6,073	17.0	5,385	14.8	Measles	88.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	35,580	99.9	36,512	99.2	Full Immunization	64.6
28	Children fully immunized	22,504	89.5	18,856	52.2		
29	Children who have received BCG	31,960	127.0	31,965	88.4		
30	Children who have received DPT1	1,080	4.3	22,371	61.9		
31	Children who have received DPT3	664	2.6	22,186	61.4		
32	Children who have received Measles	23,535	93.6	18,768	51.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,202		20,277			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	AHS (2012-13)	
34	Number of Vasectomies performed	583	30	Limiting	2.1
35	Number of Tubectomies performed	4,014	3,473	Spacing	3.7
36	Number of IUD insertion	12,726	1,499	Women using any method	79
37	Number of IUD removals	1,044	1,004	Women using modern method	40.8

F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	807	908		
39	General OPD cases per 10,000 population ***	12,435	11,129		
40	Ayush OPD cases per 10,000 population ***	769	872.8		

G) Mortality Details

I) Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)			
41	Neonatal death within 24 hours	0	3		
42	Up to 1 Weeks of Birth	704	NA		
43	Between 1 week & 4 weeks of birth	152	28		
44	Neonatal Death	856	31		
45	Between 1 month and 11 months	138	24		
46	Total reported infant deaths	994	55		

II) Maternal Mortality	HMIS (2016-17)	HMIS (2017-18)			
47	Due to Abortion	3	0		
48	Due to Obstructed/prolonged labour	2	0		
49	Due to Severe hypertension / fits	22	0		
50	Due to Bleeding	2	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	105	141		
53	Total reported maternal deaths	134	141		

Kamrup R Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,517,202					
2	Sex Ratio	946					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	280					
4	Primary Health Centers (PHC)	71					
5	Community Health Centers (CHC)	11					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	39,693		39,766			
9	Expected number of Delivery	36,987		37,054			
		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	33,230	99.7	32,524	81.8	Any ANC	98.5
11	Mothers registered in the first trimester	29,908	90.0	30,166	92.7	ANC Check up in first trimester	62.5
12	Mothers who had at least 3 Ante-Natal care check ups	30,328	91.3	27,743	85.3	3 or more ANC check up	81.7
13	PW who got TT 2 / Booster injection	29,554	88.9	28,983	89.1	Atleast 1 TT received	98.4
14	PW who consumed 100 IFA tablets	33,646	101.3	29,631	91.1	100 IFA tablets consumed	33.5
15	Home Delivery against expected delivery *	779	2.5	472	1.3	Full ANC	29.9
16	Institutional Delivery against expected delivery *	20,674	66.6	20,322	54.8	Home Delivery	15.1
17	Home Delivery against reported delivery **	779	3.6	472	2.3	Institutional Delivery	84.7
18	Institutional Delivery against reported delivery **	20,674	96.4	20,322	97.7	Home Delivery by SBA	26.6
19	Total reported Deliveries	21,453		20,794		PNC within 1 week of delivery	84.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	333	42.7	318	67.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	17,299	80.6	18,146	87.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	30,301		36,151			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
23	Total reported live births	21,289	59.0	20,677	57.2	Breastfed within 1 hour of birth	82.4

24	Total Still Birth	259	0.7	213	0.6	BCG	97.8
25	PC of newborn weighted at birth to live birth	21,102	99.1	20,594	99.6	3 dose of DPT	77.5
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,654	17.3	3,504	17.0	Measles	88.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	21,161	99.4	20,622	99.7	Full Immunization	64.6
28	Children fully immunized	30,135	99.5	27,019	116.5		
29	Children who have received BCG	27,334	90.2	26,870	115.9		
30	Children who have received DPT1	1	0.0	29,349	126.6		
31	Children who have received DPT3	2	0.0	28,401	122.5		
32	Children who have received Measles	30,402	100.3	23,180	100.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,413		28,120			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
34	Number of Vasectomies performed	258		155		Limiting	2.1
35	Number of Tubectomies performed	2,370		1,750		Spacing	3.7
36	Number of IUD insertion	5,335		5,252		Women using any method	79
37	Number of IUD removals	810		658		Women using modern method	40.8
F) Service delivery		HMIS (2016-17)		HMIS (2017-18)			
38	IPD cases per 10,000 population ***	164		172			
39	General OPD cases per 10,000 population ***	9,039		8,001			
40	Ayush OPD cases per 10,000 population ***	501		2296.0			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2016-17)		HMIS (2017-18)			
41	Neonatal death within 24 hours	0		52			
42	Up to 1 Weeks of Birth	63		NA			
43	Between 1 week & 4 weeks of birth	0		192			
44	Neonatal Death	63		244			
45	Between 1 month and 11 months	36		137			
46	Total reported infant deaths	99		381			
II)	Maternal Mortality	HMIS (2016-17)		HMIS (2017-18)			
	Maternal Deaths (In Numbers)	HMIS (2016-17)		HMIS (2017-18)			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		1			
49	Due to Severe hypertension / fits	0		5			
50	Due to Bleeding	2		2			
51	Due to High fever	1		0			
52	Due to Other Causes (including causes not known)	1		16			
53	Total reported maternal deaths	4		24			

Karbi Anglong Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	965,280					
2	Sex Ratio	956					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	145					
4	Primary Health Centers (PHC)	46					
5	Community Health Centers (CHC)	5					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	25,388		25,510			
9	Expected number of Delivery	23,657		23,770			
		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	25,628	64.6	23,435	91.9	Any ANC	88.1
11	Mothers registered in the first trimester	17,219	67.2	17,643	75.3	ANC Check up in first trimester	49.3
12	Mothers who had at least 3 Ante-Natal care check ups	18,101	70.6	14,527	62.0	3 or more ANC check up	53.6
13	PW who got TT 2 / Booster injection	22,764	88.8	21,717	92.7	Atleast 1 TT received	87.7
14	PW who consumed 100 IFA tablets	23,885	93.2	22,889	97.7	100 IFA tablets consumed	10.5
15	Home Delivery against expected delivery *	2,637	7.1	2,847	12.0	Full ANC	7.2
16	Institutional Delivery against expected delivery *	16,351	44.2	14,838	62.4	Home Delivery	40.3
17	Home Delivery against reported delivery **	2,637	13.9	2,847	16.1	Institutional Delivery	59.5
18	Institutional Delivery against reported delivery **	16,351	86.1	14,838	83.9	Home Delivery by SBA	33.2
19	Total reported Deliveries	18,988		17,685		PNC within 1 week of delivery	63.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	694	26.3	826	29.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,130	58.6	13,086	74.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	23,080		23,191			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
23	Total reported live births	18,711	61.7	17,401	75.0	Breastfed within 1 hour of birth	74.3

24	Total Still Birth	417	1.4	359	1.5	BCG	91
25	PC of newborn weighted at birth to live birth	18,329	98.0	17,047	98.0	3 dose of DPT	79.4
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,741	9.5	1,257	7.4	Measles	85.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	17,775	95.0	16,681	95.9	Full Immunization	71.8
28	Children fully immunized	21,990	-	20,897	69.3		
29	Children who have received BCG	23,122	-	21,466	71.2		
30	Children who have received DPT1	142	-	20,966	69.5		
31	Children who have received DPT3	106	-	20,949	69.5		
32	Children who have received Measles	22,004	-	20,165	66.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,069		20,633			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
34	Number of Vasectomies performed	14		15		Limiting	6
35	Number of Tubectomies performed	204		269		Spacing	6.9
36	Number of IUD insertion	3,775		3,161		Women using any method	68.4
37	Number of IUD removals	435		559		Women using modern method	42.9
F) Service delivery		HMIS (2016-17)		HMIS (2017-18)			
38	IPD cases per 10,000 population ***	277		267			
39	General OPD cases per 10,000 population ***	5,435		4,922			
40	Ayush OPD cases per 10,000 population ***	374		528.2			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2016-17)		HMIS (2017-18)			
41	Neonatal death within 24 hours	17		27			
42	Up to 1 Weeks of Birth	61		NA			
43	Between 1 week & 4 weeks of birth	5		55			
44	Neonatal Death	83		82			
45	Between 1 month and 11 months	50		99			
46	Total reported infant deaths	133		181			
II)	Maternal Mortality	HMIS (2016-17)		HMIS (2017-18)			
	Maternal Deaths (In Numbers)	HMIS (2016-17)		HMIS (2017-18)			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	4		2			
49	Due to Severe hypertension / fits	1		2			
50	Due to Bleeding	4		3			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	15		15			
53	Total reported maternal deaths	24		22			

Karimganj Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,217,002					
2	Sex Ratio	961					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	218					
4	Primary Health Centers (PHC)	29					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	32,948		33,173			
9	Expected number of Delivery	30,702		30,911			
		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	34,006	133.9	32,926	99.3	Any ANC	92.2
11	Mothers registered in the first trimester	27,853	81.9	27,379	83.2	ANC Check up in first trimester	58.7
12	Mothers who had at least 3 Ante-Natal care check ups	29,536	86.9	25,464	77.3	3 or more ANC check up	61.6
13	PW who got TT 2 / Booster injection	33,221	97.7	32,088	97.5	Atleast 1 TT received	90.9
14	PW who consumed 100 IFA tablets	36,942	108.6	32,118	97.5	100 IFA tablets consumed	13.6
15	Home Delivery against expected delivery *	10,429	44.1	9,389	30.4	Full ANC	11.4
16	Institutional Delivery against expected delivery *	18,735	79.2	18,449	59.7	Home Delivery	61.6
17	Home Delivery against reported delivery **	10,429	35.8	9,389	33.7	Institutional Delivery	38.2
18	Institutional Delivery against reported delivery **	18,735	64.2	18,449	66.3	Home Delivery by SBA	24.5
19	Total reported Deliveries	29,164		27,838		PNC within 1 week of delivery	46.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	639	6.1	1,232	13.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	15,649	53.7	14,243	51.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	29,953		30,157			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
23	Total reported live births	28,590	123.9	27,070	89.8	Breastfed within 1 hour of birth	64.5

24	Total Still Birth	923	4.0	862	2.9	BCG	88.5
25	PC of newborn weighted at birth to live birth	28,107	98.3	26,814	99.1	3 dose of DPT	73.2
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,284	11.7	3,633	13.5	Measles	73.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	27,354	95.7	26,188	96.7	Full Immunization	65.4
28	Children fully immunized	28,978	125.6	27,379	137.9		
29	Children who have received BCG	33,271	144.2	31,941	160.8		
30	Children who have received DPT1	160	0.7	28,112	141.6		
31	Children who have received DPT3	159	0.7	25,922	130.5		
32	Children who have received Measles	29,653	128.5	25,241	127.1		
33	Diarrhoea and Dehydration reported in children below 5 years of age	5,986		27,841			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
34	Number of Vasectomies performed	1		10		Limiting	15
35	Number of Tubectomies performed	1,311		1,302		Spacing	13
36	Number of IUD insertion	2,425		1,689		Women using any method	49.4
37	Number of IUD removals	735		354		Women using modern method	21.7
F) Service delivery		HMIS (2016-17)		HMIS (2017-18)			
38	IPD cases per 10,000 population ***	276		288			
39	General OPD cases per 10,000 population ***	6,079		6,295			
40	Ayush OPD cases per 10,000 population ***	454		336.1			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2016-17)		HMIS (2017-18)			
41	Neonatal death within 24 hours	6		83			
42	Up to 1 Weeks of Birth	164		NA			
43	Between 1 week & 4 weeks of birth	1		426			
44	Neonatal Death	171		509			
45	Between 1 month and 11 months	160		536			
46	Total reported infant deaths	331		1,045			
II)	Maternal Mortality	HMIS (2016-17)		HMIS (2017-18)			
	Maternal Deaths (In Numbers)	HMIS (2016-17)		HMIS (2017-18)			
47	Due to Abortion	2		0			
48	Due to Obstructed/prolonged labour	2		8			
49	Due to Severe hypertension / fits	3		9			
50	Due to Bleeding	3		15			
51	Due to High fever	0		1			
52	Due to Other Causes (including causes not known)	32		65			
53	Total reported maternal deaths	42		98			

Kokrajhar Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	886,999					
2	Sex Ratio	958					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	161					
4	Primary Health Centers (PHC)	45					
5	Community Health Centers (CHC)	4					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	22,032		21,844			
9	Expected number of Delivery	20,530		20,355			
		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	19,897	60.4	18,429	84.4	Any ANC	93.8
11	Mothers registered in the first trimester	14,776	74.3	13,498	73.2	ANC Check up in first trimester	43.6
12	Mothers who had at least 3 Ante-Natal care check ups	15,938	80.1	11,712	63.6	3 or more ANC check up	55.6
13	PW who got TT 2 / Booster injection	17,624	88.6	16,866	91.5	Atleast 1 TT received	93.6
14	PW who consumed 100 IFA tablets	19,372	97.4	18,358	99.6	100 IFA tablets consumed	16.6
15	Home Delivery against expected delivery *	1,402	4.6	1,469	7.2	Full ANC	8.7
16	Institutional Delivery against expected delivery *	15,408	50.2	14,894	73.2	Home Delivery	41.2
17	Home Delivery against reported delivery **	1,402	8.3	1,469	9.0	Institutional Delivery	58.8
18	Institutional Delivery against reported delivery **	15,408	91.7	14,894	91.0	Home Delivery by SBA	40.0
19	Total reported Deliveries	16,810		16,363		PNC within 1 week of delivery	61.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	618	44.1	280	19.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,393	49.9	6,130	37.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	20,029		19,858			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
23	Total reported live births	16,669	55.7	16,316	82.2	Breastfed within 1 hour of birth	84.5

24	Total Still Birth	310	1.0	419	2.1	BCG	96.2
25	PC of newborn weighted at birth to live birth	16,003	96.0	15,615	95.7	3 dose of DPT	72.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	4,737	29.6	2,270	14.5	Measles	85.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	15,865	95.2	15,780	96.7	Full Immunization	59.2
28	Children fully immunized	16,797	56.1	15,666	78.9		
29	Children who have received BCG	20,247	67.6	18,255	91.9		
30	Children who have received DPT1	221	0.7	16,538	83.3		
31	Children who have received DPT3	288	1.0	15,735	79.2		
32	Children who have received Measles	16,848	56.2	15,623	78.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	966		15,696			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
34	Number of Vasectomies performed	6		2		Limiting	1.1
35	Number of Tubectomies performed	679		317		Spacing	6.6
36	Number of IUD insertion	1,916		1,750		Women using any method	73.8
37	Number of IUD removals	676		829		Women using modern method	43.5
F) Service delivery		HMIS (2016-17)		HMIS (2017-18)			
38	IPD cases per 10,000 population ***	330		324			
39	General OPD cases per 10,000 population ***	5,881		5,798			
40	Ayush OPD cases per 10,000 population ***	51		441.2			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2016-17)		HMIS (2017-18)			
41	Neonatal death within 24 hours	0		56			
42	Up to 1 Weeks of Birth	36		NA			
43	Between 1 week & 4 weeks of birth	0		178			
44	Neonatal Death	36		234			
45	Between 1 month and 11 months	12		192			
46	Total reported infant deaths	48		426			
II)	Maternal Mortality	HMIS (2016-17)		HMIS (2017-18)			
	Maternal Deaths (In Numbers)	HMIS (2016-17)		HMIS (2017-18)			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		4			
49	Due to Severe hypertension / fits	0		9			
50	Due to Bleeding	2		13			
51	Due to High fever	0		1			
52	Due to Other Causes (including causes not known)	5		32			
53	Total reported maternal deaths	7		59			

Lakhimpur Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,040,644					
2	Sex Ratio	965					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	156					
4	Primary Health Centers (PHC)	30					
5	Community Health Centers (CHC)	8					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	27,446		27,533			
9	Expected number of Delivery	25,574		25,656			
		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	22,774	103.4	22,074	80.2	Any ANC	98.2
11	Mothers registered in the first trimester	20,309	89.2	19,635	89.0	ANC Check up in first trimester	58.7
12	Mothers who had at least 3 Ante-Natal care check ups	19,972	87.7	17,732	80.3	3 or more ANC check up	69.9
13	PW who got TT 2 / Booster injection	20,217	88.8	19,038	86.2	Atleast 1 TT received	98.2
14	PW who consumed 100 IFA tablets	21,473	94.3	18,570	84.1	100 IFA tablets consumed	27.2
15	Home Delivery against expected delivery *	326	1.6	259	1.0	Full ANC	21.2
16	Institutional Delivery against expected delivery *	18,981	92.5	17,724	69.1	Home Delivery	14.0
17	Home Delivery against reported delivery **	326	1.7	259	1.4	Institutional Delivery	85.7
18	Institutional Delivery against reported delivery **	18,981	98.3	17,724	98.6	Home Delivery by SBA	17.5
19	Total reported Deliveries	19,307		17,983		PNC within 1 week of delivery	87.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	177	54.3	167	64.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	44,070	228.3	41,513	230.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	24,951		25,030			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
23	Total reported live births	18,977	94.7	17,679	70.6	Breastfed within 1 hour of birth	82.2

24	Total Still Birth	342	1.7	353	1.4	BCG	98.1
25	PC of newborn weighted at birth to live birth	18,941	99.8	17,653	99.9	3 dose of DPT	78.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	4,163	22.0	2,503	14.2	Measles	87.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	18,874	99.5	17,743	100.4	Full Immunization	64.2
28	Children fully immunized	21,367	106.7	20,172	80.6		
29	Children who have received BCG	20,140	100.6	19,953	79.7		
30	Children who have received DPT1	11	0.1	20,029	80.0		
31	Children who have received DPT3	10	0.0	18,927	75.6		
32	Children who have received Measles	21,409	106.9	19,568	78.2		
33	Diarrhoea and Dehydration reported in children below 5 years of age	4,516		19,903			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	AHS (2012-13)	
34	Number of Vasectomies performed	290	16	Limiting	5.1
35	Number of Tubectomies performed	2,259	1,395	Spacing	4.8
36	Number of IUD insertion	1,901	1,278	Women using any method	76
37	Number of IUD removals	101	146	Women using modern method	40

F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	478	503		
39	General OPD cases per 10,000 population ***	9,196	9,445		
40	Ayush OPD cases per 10,000 population ***	290	310.3		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	24	24		
42	Up to 1 Weeks of Birth	140	NA		
43	Between 1 week & 4 weeks of birth	0	182		
44	Neonatal Death	164	206		
45	Between 1 month and 11 months	77	42		
46	Total reported infant deaths	241	248		

II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension / fits	1	1		
50	Due to Bleeding	1	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	16	5		
53	Total reported maternal deaths	18	7		

Marigaon Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	957,853					
2	Sex Ratio	974					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	123					
4	Primary Health Centers (PHC)	36					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	26,009		26,254			
9	Expected number of Delivery	24,236		24,464			
		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	25,170	91.7	23,973	91.3	Any ANC	97.2
11	Mothers registered in the first trimester	21,099	83.8	19,228	80.2	ANC Check up in first trimester	52.2
12	Mothers who had at least 3 Ante-Natal care check ups	22,466	89.3	17,361	72.4	3 or more ANC check up	71.3
13	PW who got TT 2 / Booster injection	23,496	93.3	22,496	93.8	Atleast 1 TT received	97.1
14	PW who consumed 100 IFA tablets	25,149	99.9	23,825	99.4	100 IFA tablets consumed	32.9
15	Home Delivery against expected delivery *	2,708	10.6	2,944	12.0	Full ANC	25.4
16	Institutional Delivery against expected delivery *	16,846	65.9	15,622	63.9	Home Delivery	31.1
17	Home Delivery against reported delivery **	2,708	13.8	2,944	15.9	Institutional Delivery	68.3
18	Institutional Delivery against reported delivery **	16,846	86.2	15,622	84.1	Home Delivery by SBA	19.6
19	Total reported Deliveries	19,554		18,566		PNC within 1 week of delivery	60.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,275	47.1	1,027	34.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	18,433	94.3	16,609	89.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	23,645		23,868			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
23	Total reported live births	19,412	77.8	18,466	77.4	Breastfed within 1 hour of birth	78.9

24	Total Still Birth	209	0.8	162	0.7	BCG	93.8
25	PC of newborn weighted at birth to live birth	19,432	100.1	18,464	100.0	3 dose of DPT	84.6
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	4,606	23.7	2,998	16.2	Measles	82.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	19,141	98.6	18,205	98.6	Full Immunization	66.2
28	Children fully immunized	22,518	90.3	19,619	82.2		
29	Children who have received BCG	23,035	92.3	22,138	92.8		
30	Children who have received DPT1	0	0.0	21,674	90.8		
31	Children who have received DPT3	0	0.0	20,783	87.1		
32	Children who have received Measles	22,550	90.4	17,663	74.0		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,652		21,047			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	AHS (2012-13)			
34	Number of Vasectomies performed	134	63	Limiting	5		
35	Number of Tubectomies performed	604	345	Spacing	7.6		
36	Number of IUD insertion	2,134	2,187	Women using any method	70		
37	Number of IUD removals	156	221	Women using modern method	39.1		
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)				
38	IPD cases per 10,000 population ***	425	360				
39	General OPD cases per 10,000 population ***	10,236	9,262				
40	Ayush OPD cases per 10,000 population ***	48	797.8				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)				
41	Neonatal death within 24 hours	0	10				
42	Up to 1 Weeks of Birth	118	NA				
43	Between 1 week & 4 weeks of birth	7	99				
44	Neonatal Death	125	109				
45	Between 1 month and 11 months	87	83				
46	Total reported infant deaths	212	192				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)				
47	Due to Abortion	1	0				
48	Due to Obstructed/prolonged labour	2	3				
49	Due to Severe hypertension / fits	4	1				
50	Due to Bleeding	10	4				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	17	20				
53	Total reported maternal deaths	34	28				

Nagaon Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,826,006					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	354					
4	Primary Health Centers (PHC)	80					
5	Community Health Centers (CHC)	15					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	76,224		76,845			
9	Expected number of Delivery	71,027		71,606			
		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	70,232	270.0	67,596	88.0	Any ANC	92.6
11	Mothers registered in the first trimester	55,670	79.3	53,017	78.4	ANC Check up in first trimester	57.8
12	Mothers who had at least 3 Ante-Natal care check ups	68,838	98.0	55,156	81.6	3 or more ANC check up	57.0
13	PW who got TT 2 / Booster injection	66,199	94.3	62,001	91.7	Atleast 1 TT received	92.2
14	PW who consumed 100 IFA tablets	76,410	108.8	66,963	99.1	100 IFA tablets consumed	23.8
15	Home Delivery against expected delivery *	5,777	23.8	5,523	7.7	Full ANC	18.4
16	Institutional Delivery against expected delivery *	58,151	239.9	54,703	76.4	Home Delivery	41.9
17	Home Delivery against reported delivery **	5,777	9.0	5,523	9.2	Institutional Delivery	57.9
18	Institutional Delivery against reported delivery **	58,151	91.0	54,703	90.8	Home Delivery by SBA	35.1
19	Total reported Deliveries	63,928		60,226		PNC within 1 week of delivery	62.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	648	11.2	1,323	24.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	48,880	76.5	41,692	69.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	69,294		69,859			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
23	Total reported live births	62,660	265.0	59,085	84.6	Breastfed within 1 hour of birth	70.6

24	Total Still Birth	1,499	6.3	1,451	2.1	BCG	89.2
25	PC of newborn weighted at birth to live birth	62,514	99.8	58,464	98.9	3 dose of DPT	69.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	7,535	12.1	4,825	8.3	Measles	68.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	61,637	98.4	58,372	98.8	Full Immunization	52.5
28	Children fully immunized	63,212	267.3	57,651	82.5		
29	Children who have received BCG	73,335	310.2	65,240	93.4		
30	Children who have received DPT1	1,031	4.4	60,956	87.3		
31	Children who have received DPT3	471	2.0	59,262	84.8		
32	Children who have received Measles	64,083	271.0	57,758	82.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	7,877		58,804			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	AHS (2012-13)			
34	Number of Vasectomies performed	292	334	Limiting	11.3		
35	Number of Tubectomies performed	2,206	1,820	Spacing	7		
36	Number of IUD insertion	4,622	6,028	Women using any method	65.9		
37	Number of IUD removals	858	617	Women using modern method	32.3		
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)				
38	IPD cases per 10,000 population ***	234	270				
39	General OPD cases per 10,000 population ***	7,897	7,312				
40	Ayush OPD cases per 10,000 population ***	46	269.2				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)				
41	Neonatal death within 24 hours	2	79				
42	Up to 1 Weeks of Birth	101	NA				
43	Between 1 week & 4 weeks of birth	0	336				
44	Neonatal Death	103	415				
45	Between 1 month and 11 months	49	252				
46	Total reported infant deaths	152	667				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)				
47	Due to Abortion	0	2				
48	Due to Obstructed/prolonged labour	3	1				
49	Due to Severe hypertension / fits	2	14				
50	Due to Bleeding	6	17				
51	Due to High fever	0	1				
52	Due to Other Causes (including causes not known)	29	40				
53	Total reported maternal deaths	40	75				

Nalbari Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	769,919					
2	Sex Ratio	945					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	121					
4	Primary Health Centers (PHC)	47					
5	Community Health Centers (CHC)	9					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	19,796		19,755			
9	Expected number of Delivery	18,446		18,408			
		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	14,747	19.3	13,272	67.2	Any ANC	98.4
11	Mothers registered in the first trimester	13,864	94.0	12,367	93.2	ANC Check up in first trimester	60.6
12	Mothers who had at least 3 Ante-Natal care check ups	13,161	89.2	10,161	76.6	3 or more ANC check up	81.2
13	PW who got TT 2 / Booster injection	14,107	95.7	12,308	92.7	Atleast 1 TT received	98.3
14	PW who consumed 100 IFA tablets	14,731	99.9	12,054	90.8	100 IFA tablets consumed	26.7
15	Home Delivery against expected delivery *	594	0.8	524	2.8	Full ANC	24.9
16	Institutional Delivery against expected delivery *	13,174	18.5	12,542	68.1	Home Delivery	12.0
17	Home Delivery against reported delivery **	594	4.3	524	4.0	Institutional Delivery	87.4
18	Institutional Delivery against reported delivery **	13,174	95.7	12,542	96.0	Home Delivery by SBA	34.9
19	Total reported Deliveries	13,768		13,066		PNC within 1 week of delivery	88.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	487	82.0	440	84.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,938	94.0	15,744	120.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	17,996		17,959			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
23	Total reported live births	13,736	19.8	13,040	72.6	Breastfed within 1 hour of birth	74.7

24	Total Still Birth	149	0.2	117	0.7	BCG	98
25	PC of newborn weighted at birth to live birth	13,726	99.9	13,037	100.0	3 dose of DPT	87.8
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,063	15.0	2,014	15.4	Measles	88
27	PC of newborns breastfed within 1 hour to total reported live birth.	13,336	97.1	12,703	97.4	Full Immunization	68
28	Children fully immunized	14,694	21.2	13,644	76.0		
29	Children who have received BCG	13,819	19.9	13,595	75.7		
30	Children who have received DPT1	33	0.0	14,454	80.5		
31	Children who have received DPT3	25	0.0	13,721	76.4		
32	Children who have received Measles	14,709	21.2	13,280	73.9		
33	Diarrhoea and Dehydration reported in children below 5 years of age	5,703		13,087			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	AHS (2012-13)	
34	Number of Vasectomies performed	131	90	Limiting	5.6
35	Number of Tubectomies performed	1,531	1,222	Spacing	4.9
36	Number of IUD insertion	3,767	2,103	Women using any method	71.5
37	Number of IUD removals	506	470	Women using modern method	44
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	345	345		
39	General OPD cases per 10,000 population ***	11,045	10,087		
40	Ayush OPD cases per 10,000 population ***	2,206	1886.7		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	4	31		
42	Up to 1 Weeks of Birth	71	NA		
43	Between 1 week & 4 weeks of birth	2	103		
44	Neonatal Death	77	134		
45	Between 1 month and 11 months	19	71		
46	Total reported infant deaths	96	205		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	1	0		
48	Due to Obstructed/prolonged labour	0	1		
49	Due to Severe hypertension / fits	0	0		
50	Due to Bleeding	0	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	6		
53	Total reported maternal deaths	1	8		

North Cachar Hills (Dima Hasao) Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	213,529					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	65					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	5,541		5,540			
9	Expected number of Delivery	5,164		5,162			
		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	5,425	27.4	4,986	90.0	Any ANC	90.8
11	Mothers registered in the first trimester	3,360	61.9	3,370	67.6	ANC Check up in first trimester	54.5
12	Mothers who had at least 3 Ante-Natal care check ups	3,665	67.6	2,254	45.2	3 or more ANC check up	54.4
13	PW who got TT 2 / Booster injection	4,214	77.7	3,932	78.9	Atleast 1 TT received	89.4
14	PW who consumed 100 IFA tablets	4,044	74.5	2,905	58.3	100 IFA tablets consumed	24.1
15	Home Delivery against expected delivery *	1,463	7.9	1,258	24.4	Full ANC	15.7
16	Institutional Delivery against expected delivery *	2,696	14.6	2,633	51.0	Home Delivery	30.7
17	Home Delivery against reported delivery **	1,463	35.2	1,258	32.3	Institutional Delivery	69.3
18	Institutional Delivery against reported delivery **	2,696	64.8	2,633	67.7	Home Delivery by SBA	32.5
19	Total reported Deliveries	4,159		3,891		PNC within 1 week of delivery	71.5
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	355	24.3	359	28.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,554	61.4	1,643	42.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	5,038		5,036			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
23	Total reported live births	4,089	22.7	3,824	75.9	Breastfed within 1 hour of birth	80.4

24	Total Still Birth	101	0.6	73	1.4	BCG	91.6
25	PC of newborn weighted at birth to live birth	4,073	99.6	3,822	99.9	3 dose of DPT	64.8
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	326	8.0	294	7.7	Measles	75.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,073	99.6	3,825	100.0	Full Immunization	56.2
28	Children fully immunized	3,989	22.2	3,613	71.7		
29	Children who have received BCG	4,306	23.9	3,859	76.6		
30	Children who have received DPT1	33	0.2	3,927	78.0		
31	Children who have received DPT3	9	0.1	3,629	72.1		
32	Children who have received Measles	3,990	22.2	3,611	71.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,882		3,612			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	AHS (2012-13)			
34	Number of Vasectomies performed	0	0	Limiting		10.3	
35	Number of Tubectomies performed	146	6	Spacing		9	
36	Number of IUD insertion	657	470	Women using any method		56.5	
37	Number of IUD removals	115	159	Women using modern method		43.5	
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)				
38	IPD cases per 10,000 population ***	607	517				
39	General OPD cases per 10,000 population ***	10,209	8,531				
40	Ayush OPD cases per 10,000 population ***	397	966.5				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)				
41	Neonatal death within 24 hours	1	9				
42	Up to 1 Weeks of Birth	36	NA				
43	Between 1 week & 4 weeks of birth	0	27				
44	Neonatal Death	37	36				
45	Between 1 month and 11 months	30	39				
46	Total reported infant deaths	67	75				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	1				
49	Due to Severe hypertension / fits	0	0				
50	Due to Bleeding	2	1				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	8	8				
53	Total reported maternal deaths	10	10				

Sibsagar Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,150,253					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	219					
4	Primary Health Centers (PHC)	45					
5	Community Health Centers (CHC)	4					
6	SDH	2					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	29,185		29,057			
9	Expected number of Delivery	27,195		27,076			
		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	19,664	354.9	19,673	67.7	Any ANC	98.2
11	Mothers registered in the first trimester	16,984	86.4	17,672	89.8	ANC Check up in first trimester	73.3
12	Mothers who had at least 3 Ante-Natal care check ups	15,366	78.1	15,489	78.7	3 or more ANC check up	83.3
13	PW who got TT 2 / Booster injection	16,160	82.2	16,424	83.5	Atleast 1 TT received	98.1
14	PW who consumed 100 IFA tablets	19,899	101.2	19,751	100.4	100 IFA tablets consumed	21.8
15	Home Delivery against expected delivery *	278	1.0	217	0.8	Full ANC	19.5
16	Institutional Delivery against expected delivery *	13,786	50.7	13,673	50.5	Home Delivery	12.8
17	Home Delivery against reported delivery **	278	2.0	217	1.6	Institutional Delivery	87.0
18	Institutional Delivery against reported delivery **	13,786	98.0	13,673	98.4	Home Delivery by SBA	38.5
19	Total reported Deliveries	14,064		13,890		PNC within 1 week of delivery	90.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	144	51.8	188	86.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,181	79.5	15,722	113.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	26,532		26,415			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
23	Total reported live births	13,886	275.6	13,729	52.0	Breastfed within 1 hour of birth	83.1

24	Total Still Birth	255	5.1	245	0.9	BCG	98
25	PC of newborn weighted at birth to live birth	13,833	99.6	13,699	99.8	3 dose of DPT	92
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,765	20.0	2,491	18.2	Measles	93.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	13,378	96.3	13,414	97.7	Full Immunization	83.5
28	Children fully immunized	17,813	67.1	16,140	61.1		
29	Children who have received BCG	15,771	59.4	15,171	57.4		
30	Children who have received DPT1	0	0.0	16,688	63.2		
31	Children who have received DPT3	0	0.0	16,223	61.4		
32	Children who have received Measles	17,922	67.5	15,677	59.3		
33	Diarrhoea and Dehydration reported in children below 5 years of age	3,289		16,178			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	AHS (2012-13)			
34	Number of Vasectomies performed	288	99	Limiting	10.3		
35	Number of Tubectomies performed	2,543	1,675	Spacing	4.3		
36	Number of IUD insertion	4,882	2,164	Women using any method	64.7		
37	Number of IUD removals	297	427	Women using modern method	36.1		
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)				
38	IPD cases per 10,000 population ***	393	435				
39	General OPD cases per 10,000 population ***	13,099	13,970				
40	Ayush OPD cases per 10,000 population ***	145	238.6				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)				
41	Neonatal death within 24 hours	6	57				
42	Up to 1 Weeks of Birth	50	NA				
43	Between 1 week & 4 weeks of birth	0	192				
44	Neonatal Death	56	249				
45	Between 1 month and 11 months	28	81				
46	Total reported infant deaths	84	330				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension / fits	2	6				
50	Due to Bleeding	0	4				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	8	23				
53	Total reported maternal deaths	10	33				

Sonitpur Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,925,975					
2	Sex Ratio	946					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	275					
4	Primary Health Centers (PHC)	58					
5	Community Health Centers (CHC)	7					
6	SDH	2					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	50,328		50,419			
9	Expected number of Delivery	46,896		46,982			
		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	46,177	91.8	36,512	72.4	Any ANC	94.8
11	Mothers registered in the first trimester	39,172	84.8	32,917	90.2	ANC Check up in first trimester	48.9
12	Mothers who had at least 3 Ante-Natal care check ups	36,259	78.5	29,742	81.5	3 or more ANC check up	65.6
13	PW who got TT 2 / Booster injection	38,797	84.0	34,029	93.2	Atleast 1 TT received	94.7
14	PW who consumed 100 IFA tablets	43,672	94.6	34,914	95.6	100 IFA tablets consumed	25.1
15	Home Delivery against expected delivery *	4,087	8.7	3,730	7.9	Full ANC	19.2
16	Institutional Delivery against expected delivery *	33,509	71.5	30,968	65.9	Home Delivery	32.5
17	Home Delivery against reported delivery **	4,087	10.9	3,730	10.7	Institutional Delivery	63.6
18	Institutional Delivery against reported delivery **	33,509	89.1	30,968	89.3	Home Delivery by SBA	26.3
19	Total reported Deliveries	37,596		34,698		PNC within 1 week of delivery	71.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	458	11.2	537	14.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	22,394	59.6	21,221	61.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	45,753		45,836			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	

23	Total reported live births	34,548	75.5	32,298	70.5	Breastfed within 1 hour of birth	76.2
24	Total Still Birth	764	1.7	586	1.3	BCG	95.8
25	PC of newborn weighted at birth to live birth	34,132	98.8	31,685	98.1	3 dose of DPT	83.1
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	6,414	18.8	4,944	15.6	Measles	85
27	PC of newborns breastfed within 1 hour to total reported live birth.	32,413	93.8	27,993	86.7	Full Immunization	70.5
28	Children fully immunized	36,199	79.1	32,620	71.2		
29	Children who have received BCG	38,453	84.0	34,059	74.3		
30	Children who have received DPT1	1	0.0	33,810	73.8		
31	Children who have received DPT3	0	0.0	34,534	75.3		
32	Children who have received Measles	36,039	78.8	31,963	69.7		
33	Diarrhoea and Dehydration reported in children below 5 years of age	1,764		32,711			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	AHS (2012-13)			
34	Number of Vasectomies performed	618		266		Limiting	6
35	Number of Tubectomies performed	2,497		2,582		Spacing	7.4
36	Number of IUD insertion	3,574		2,994		Women using any method	68.8
37	Number of IUD removals	553		253		Women using modern method	42.1
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)				
38	IPD cases per 10,000 population ***	457		451			
39	General OPD cases per 10,000 population ***	13,435		14,624			
40	Ayush OPD cases per 10,000 population ***	203		450.6			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)				
41	Neonatal death within 24 hours	8		102			
42	Up to 1 Weeks of Birth	91		NA			
43	Between 1 week & 4 weeks of birth	4		253			
44	Neonatal Death	103		355			
45	Between 1 month and 11 months	87		175			
46	Total reported infant deaths	190		530			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)				
47	Due to Abortion	1		0			
48	Due to Obstructed/prolonged labour	1		2			
49	Due to Severe hypertension / fits	4		2			
50	Due to Bleeding	5		6			
51	Due to High fever	2		0			
52	Due to Other Causes (including causes not known)	23		50			
53	Total reported maternal deaths	36		60			

Tinsukia Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,316,948					
2	Sex Ratio	948					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	164					
4	Primary Health Centers (PHC)	23					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	34,536		34,559			
9	Expected number of Delivery	32,181		32,203			
		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	25,398	73.5	24,062	69.6	Any ANC	97.2
11	Mothers registered in the first trimester	19,760	77.8	19,304	80.2	ANC Check up in first trimester	71.9
12	Mothers who had at least 3 Ante-Natal care check ups	21,898	86.2	18,818	78.2	3 or more ANC check up	72.9
13	PW who got TT 2 / Booster injection	22,365	88.1	21,511	89.4	Atleast 1 TT received	97.0
14	PW who consumed 100 IFA tablets	29,640	116.7	23,651	98.3	100 IFA tablets consumed	21.7
15	Home Delivery against expected delivery *	1,198	3.7	954	3.0	Full ANC	18.4
16	Institutional Delivery against expected delivery *	21,589	67.1	20,092	62.4	Home Delivery	23.8
17	Home Delivery against reported delivery **	1,198	5.3	954	4.5	Institutional Delivery	75.9
18	Institutional Delivery against reported delivery **	21,589	94.7	20,092	95.5	Home Delivery by SBA	26.2
19	Total reported Deliveries	22,787		21,046		PNC within 1 week of delivery	80.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	246	20.5	221	23.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	15,590	68.4	19,288	91.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	31,396		31,418			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
23	Total reported live births	22,702	72.3	20,957	66.7	Breastfed within 1 hour of birth	80.1

24	Total Still Birth	269	0.9	277	0.9	BCG	98.4
25	PC of newborn weighted at birth to live birth	22,521	99.2	20,856	99.5	3 dose of DPT	88.9
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	4,255	18.9	3,972	19.0	Measles	91.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	22,428	98.8	20,585	98.2	Full Immunization	79
28	Children fully immunized	23,393	74.5	21,132	67.3		
29	Children who have received BCG	23,182	73.8	22,322	71.0		
30	Children who have received DPT1	0	0.0	21,713	69.1		
31	Children who have received DPT3	1	0.0	21,046	67.0		
32	Children who have received Measles	23,619	75.2	20,348	64.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	4,628		20,881			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	AHS (2012-13)			
34	Number of Vasectomies performed	615	294	Limiting	8		
35	Number of Tubectomies performed	2,737	2,898	Spacing	4.9		
36	Number of IUD insertion	6,160	1,680	Women using any method	67		
37	Number of IUD removals	333	419	Women using modern method	47		
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)				
38	IPD cases per 10,000 population ***	300	666				
39	General OPD cases per 10,000 population ***	13,303	13,611				
40	Ayush OPD cases per 10,000 population ***	58	184.7				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)				
41	Neonatal death within 24 hours	4	46				
42	Up to 1 Weeks of Birth	74	NA				
43	Between 1 week & 4 weeks of birth	0	134				
44	Neonatal Death	78	180				
45	Between 1 month and 11 months	27	91				
46	Total reported infant deaths	105	271				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	3	1				
49	Due to Severe hypertension / fits	6	3				
50	Due to Bleeding	3	2				
51	Due to High fever	1	0				
52	Due to Other Causes (including causes not known)	15	12				
53	Total reported maternal deaths	28	18				

Udalguri Factsheet

Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	832,769					
2	Sex Ratio	966					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	146					
4	Primary Health Centers (PHC)	24					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	21,128		21,043			
9	Expected number of Delivery	19,687		19,608			
		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	15,339	72.6	14,497	68.9	Any ANC	NA
11	Mothers registered in the first trimester	12,829	83.6	12,280	84.7	ANC Check up in first trimester	NA
12	Mothers who had at least 3 Ante-Natal care check ups	12,454	81.2	9,993	68.9	3 or more ANC check up	NA
13	PW who got TT 2 / Booster injection	13,883	90.5	12,783	88.2	Atleast 1 TT received	NA
14	PW who consumed 100 IFA tablets	14,762	96.2	12,085	83.4	100 IFA tablets consumed	NA
15	Home Delivery against expected delivery *	953	4.8	906	4.6	Full ANC	NA
16	Institutional Delivery against expected delivery *	9,148	46.5	8,498	43.3	Home Delivery	NA
17	Home Delivery against reported delivery **	953	9.4	906	9.6	Institutional Delivery	NA
18	Institutional Delivery against reported delivery **	9,148	90.6	8,498	90.4	Home Delivery by SBA	NA
19	Total reported Deliveries	10,101		9,404		PNC within 1 week of delivery	NA
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	359	37.7	282	31.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	6,393	63.3	6,558	69.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).							
22	Expected number of Live Birth	19,207		19,130			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		AHS (2012-13)	
23	Total reported live births	10,093	52.5	9,307	48.7	Breastfed within 1 hour of birth	NA

24	Total Still Birth	194	1.0	160	0.8	BCG	NA
25	PC of newborn weighted at birth to live birth	9,832	97.4	8,652	93.0	3 dose of DPT	NA
26	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,102	21.4	1,773	20.5	Measles	NA
27	PC of newborns breastfed within 1 hour to total reported live birth.	9,614	95.3	8,900	95.6	Full Immunization	NA
28	Children fully immunized	13,793	71.8	12,929	67.6		
29	Children who have received BCG	12,766	66.5	11,317	59.2		
30	Children who have received DPT1	27	0.1	13,200	69.0		
31	Children who have received DPT3	16	0.1	12,545	65.6		
32	Children who have received Measles	13,862	72.2	12,583	65.8		
33	Diarrhoea and Dehydration reported in children below 5 years of age	2,047		12,677			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	AHS (2012-13)			
34	Number of Vasectomies performed	62	28	Limiting	NA		
35	Number of Tubectomies performed	235	220	Spacing	NA		
36	Number of IUD insertion	1,864	2,084	Women using any method	NA		
37	Number of IUD removals	411	515	Women using modern method	NA		
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)				
38	IPD cases per 10,000 population ***	202	222				
39	General OPD cases per 10,000 population ***	10,584	10,419				
40	Ayush OPD cases per 10,000 population ***	148	239.4				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)				
41	Neonatal death within 24 hours	3	32				
42	Up to 1 Weeks of Birth	66	NA				
43	Between 1 week & 4 weeks of birth	4	94				
44	Neonatal Death	73	126				
45	Between 1 month and 11 months	81	124				
46	Total reported infant deaths	154	250				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	2	2				
49	Due to Severe hypertension / fits	2	4				
50	Due to Bleeding	6	2				
51	Due to High fever	1	0				
52	Due to Other Causes (including causes not known)	14	14				
53	Total reported maternal deaths	25	22				

