

Meghalaya Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,966,889					
2	Sex Ratio	986					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	428					
4	Primary Health Centers (PHC)	110					
5	Community Health Centers (CHC)	27					
6	SDH	1					
7	DH	12					
C) Maternal Health:		2016-17	2017-18				
8	Expected number of PW	90,385	91,357				
9	Expected number of Delivery	84,633	85,543				
		HMIS (2016-17)	HMIS (2017-18)		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
10	PW register for ANC	133,919	148.2	130,897	143.3	Any ANC	74.1
11	Mothers registered in the first trimester	45,160	33.7	44,757	34.2	ANC Check up in first trimester	38.3
12	Mothers who had at least 3 Ante-Natal care check ups	77,003	57.5	57,681	44.1	3 or more ANC check up	45.6
13	PW who got TT 2 / Booster injection	73,965	55.2	73,026	55.8	At least 1 TT received	69.1
14	PW who consumed 100 IFA tablets	61,767	46.1	45,909	35.1	100 IFA tablets consumed	32.4
15	Home Delivery against expected delivery *	39,149	46.3	36,953	43.2	Full ANC	21.4
16	Institutional Delivery Against expected delivery *	47,491	56.1	46,645	54.5	Home Delivery	52.2
17	Home Delivery against reported delivery **	39,149	45.2	36,953	44.2	Institutional Delivery	47.3
18	Institutional Delivery against reported delivery **	47,491	54.8	46,645	55.8	Home Delivery by SBA	22.1
19	Total reported Deliveries	86,640		83,598		PNC within 14 days of delivery	74.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,947	5.0	1,505	4.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	42,251	48.8	41,610	49.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	82,168		83,052			
D) Child Immunization :		HMIS (2016-17)	HMIS (2017-18)		DLHS-4 (2012-13)		
23	Total reported live births	85,308	103.8	82,402	99.2	Breastfed within 1 hour of birth	60.6

24	Total Still Birth	1,826	2.2	1,774	2.1	BCG	75.1
25	PC of newborn weighted at birth to live birth	79,578	93.3	78,957	95.8	3 dose of DPT	68.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5,936	7.5	6,852	8.7	Measles	62
27	PC of newborns breastfed within 1 hour to total reported live birth.	76,053	89.2	75,426	91.5	Full Immunization	48.9
28	Children fully immunized	67,293	81.9	56,389	67.9		
29	Children who have received BCG	85,725	104.3	80,183	96.5		
30	Children who have received DPT1	1,460	1.8	77,987	93.9		
31	Children who have received DPT3	4,847	5.9	70,380	84.7		
32	Children who have received Measles	71,431	86.9	56,339	67.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	75,170		66,952			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	16	9	Limiting	15.8
35	Number of Tubectomies performed	2,609	2,542	Spacing	39.7
36	Number of IUD insertion	4,568	3,310	Women using any method	18.7
37	Number of IUD removals	2,812	2,205	Women using modern method	14.3
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	941	941		
39	General OPD cases per 10,000 population ***	13057	11786		
40	Ayush OPD cases per 10,000 population ***	997	961		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	314	490		
42	Up to 1 Weeks of Birth	543	NA		
43	Between 1 week & 4 weeks of birth	86	741		
44	Neonatal Death	943	1,231		
45	Between 1 month and 11 months	1,486	1,231		
46	Total reported infant deaths	2,429	2,462		
II)	Maternal Mortality	HMIS (2016-17)	HMIS (2017-18)		
	Maternal Deaths (In Number)				
47	Due to Abortion	4	2		
48	Due to Obstructed/prolonged labour	21	13		
49	Due to Severe hypertension/fits	11	12		
50	Due to Bleeding	40	39		
51	Due to High fever	5	1		
52	Due to Other Causes (including causes not known)	118	134		
53	Total reported maternal deaths	199	201		

East Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	317,917					
2	Sex Ratio	968					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	39					
4	Primary Health Centers (PHC)	9					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	4,970		5,014			
9	Expected number of Delivery	4,654		4,695			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	7,877	158.5	7,523	150.1	Any ANC	48.9
11	Mothers registered in the first trimester	2,172	27.6	1,732	23.0	ANC Check up in first trimester	15.5
12	Mothers who had at least 3 Ante-Natal care check ups	4,989	63.3	3,569	47.4	3 or more ANC check up	29.9
13	PW who got TT 2 / Booster injection	3,909	49.6	4,057	53.9	At least 1 TT received	45.0
14	PW who consumed 100 IFA tablets	6,788	86.2	4,849	64.5	100 IFA tablets consumed	18.6
15	Home Delivery against expected delivery *	3,177	68.3	2,990	63.7	Full ANC	12.5
16	Institutional Delivery Against expected delivery *	1,567	33.7	1,502	32.0	Home Delivery	70.4
17	Home Delivery against reported delivery **	3,177	67.0	2,990	66.6	Institutional Delivery	28.7
18	Institutional Delivery against reported delivery **	1,567	33.0	1,502	33.4	Home Delivery by SBA	42.3
19	Total reported Deliveries	4,744		4,492		PNC within 14 days of delivery	77.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	309	9.7	216	7.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,311	69.8	3,050	67.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	4,518		4,558			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
23	Total reported live births	4,653	103.0	4,429	97.2	Breastfed within 1 hour of birth	90.7

24	Total Still Birth	92	2.0	69	1.5	BCG	45.2
25	PC of newborn weighted at birth to live birth	4,435	95.3	4,359	98.4	3 dose of DPT	47.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	232	5.2	245	5.6	Measles	36.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	4,273	91.8	4,335	97.9	Full Immunization	30.1
28	Children fully immunized	3,732	82.6	2,647	58.1		
29	Children who have received BCG	4,482	99.2	3,707	81.3		
30	Children who have received DPT1	86	1.9	4,118	90.3		
31	Children who have received DPT3	154	3.4	3,588	78.7		
32	Children who have received Measles	3,897	86.3	2,652	58.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	3,965		2,682			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	6.7
35	Number of Tubectomies performed	121	90	Spacing	61.8
36	Number of IUD insertion	404	339	Women using any method	16.9
37	Number of IUD removals	81	94	Women using modern method	12.2
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	1245	980		
39	General OPD cases per 10,000 population ***	8800	6770		
40	Ayush OPD cases per 10,000 population ***	377	641		
G) Mortality Details					
I) Infant Deaths (In Number)		HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	8	15		
42	Up to 1 Weeks of Birth	14	NA		
43	Between 1 week & 4 weeks of birth	2	25		
44	Neonatal Death	24	40		
45	Between 1 month and 11 months	69	38		
46	Total reported infant deaths	93	78		
II) Maternal Mortality					
Maternal Deaths (In Number)		HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	2	1		
48	Due to Obstructed/prolonged labour	4	0		
49	Due to Severe hypertension/fits	1	1		
50	Due to Bleeding	5	6		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	10	7		
53	Total reported maternal deaths	22	15		

East Jaintia Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	395,124					
2	Sex Ratio	1,008					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	34					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	4,183		4,243			
9	Expected number of Delivery	3,917		3,973			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	4,347	103.9	4,622	108.9	Any ANC	83.1
11	Mothers registered in the first trimester	1,366	31.4	1,491	32.3	ANC Check up in first trimester	49.6
12	Mothers who had at least 3 Ante-Natal care check ups	2,539	58.4	1,238	26.8	3 or more ANC check up	53.9
13	PW who got TT 2 / Booster injection	3,593	82.7	3,695	79.9	At least 1 TT received	75.8
14	PW who consumed 100 IFA tablets	2,714	62.4	1,627	35.2	100 IFA tablets consumed	33.2
15	Home Delivery against expected delivery *	2,113	53.9	1,799	45.3	Full ANC	23.9
16	Institutional Delivery Against expected delivery *	772	19.7	861	21.7	Home Delivery	59.6
17	Home Delivery against reported delivery **	2,113	73.2	1,799	67.6	Institutional Delivery	40.4
18	Institutional Delivery against reported delivery **	772	26.8	861	32.4	Home Delivery by SBA	12.0
19	Total reported Deliveries	2,885		2,660		PNC within 14 days of delivery	86.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	244	11.5	179	9.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,579	54.7	1,475	55.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,803		3,857			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
23	Total reported live births	2,850	74.9	2,629	68.2	Breastfed within 1 hour of birth	46.3

24	Total Still Birth	60	1.6	50	1.3	BCG	81.9
25	PC of newborn weighted at birth to live birth	2,537	89.0	2,261	86.0	3 dose of DPT	73.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	91	3.6	133	5.9	Measles	67.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,687	94.3	2,315	88.1	Full Immunization	57.1
28	Children fully immunized	4,184	110.0	3,475	90.1		
29	Children who have received BCG	3,691	97.1	3,176	82.3		
30	Children who have received DPT1	48	1.3	4,100	106.3		
31	Children who have received DPT3	330	8.7	3,961	102.7		
32	Children who have received Measles	4,268	112.2	3,492	90.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	8,291		4,361			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	18.1
35	Number of Tubectomies performed	0	0	Spacing	21.9
36	Number of IUD insertion	138	93	Women using any method	21.2
37	Number of IUD removals	73	34	Women using modern method	13.4
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	425	470		
39	General OPD cases per 10,000 population ***	11168	8582		
40	Ayush OPD cases per 10,000 population ***	877	1113		
G) Mortality Details					
I) Infant Deaths (In Number)		HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	2	11		
42	Up to 1 Weeks of Birth	14	NA		
43	Between 1 week & 4 weeks of birth	6	21		
44	Neonatal Death	22	32		
45	Between 1 month and 11 months	34	46		
46	Total reported infant deaths	56	78		
II) Maternal Mortality		HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	3	2		
51	Due to High fever	0	1		
52	Due to Other Causes (including causes not known)	2	1		
53	Total reported maternal deaths	5	4		

East Khasi Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	825,922						
2	Sex Ratio	1,008						
B) Infrastructure Details (RHS 2015)		Numbers						
3	Sub Centers (SC)	64						
4	Primary Health Centers (PHC)	26						
5	Community Health Centers (CHC)	6						
6	SDH	0						
7	DH	4						
C) Maternal Health:		2016-17	2017-18					
8	Expected number of PW	24,909	25,100					
9	Expected number of Delivery	23,324	23,503					
		HMIS (2016-17)	HMIS (2017-18)		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
10	PW register for ANC	55,522	222.9	53,465	213.0	Any ANC	88.4	
11	Mothers registered in the first trimester	18,775	33.8	18,645	34.9	ANC Check up in first trimester	56.0	
12	Mothers who had at least 3 Ante-Natal care check ups	28,533	51.4	24,199	45.3	3 or more ANC check up	58.8	
13	PW who got TT 2 / Booster injection	17,221	31.0	17,121	32.0	At least 1 TT received	83.1	
14	PW who consumed 100 IFA tablets	19,300	34.8	11,580	21.7	100 IFA tablets consumed	40.3	
15	Home Delivery against expected delivery *	5,910	25.3	5,470	23.3	Full ANC	26.0	
16	Institutional Delivery Against expected delivery *	20,860	89.4	18,979	80.8	Home Delivery	23.5	
17	Home Delivery against reported delivery **	5,910	22.1	5,470	22.4	Institutional Delivery	76.5	
18	Institutional Delivery against reported delivery **	20,860	77.9	18,979	77.6	Home Delivery by SBA	9.1	
19	Total reported Deliveries	26,770		24,449		PNC within 14 days of delivery	77.4	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	143	2.4	63	1.2			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,432	39.0	10,892	44.5			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
22	Expected number of Live Birth	22,644		22,818				
D) Child Immunization :		HMIS (2016-17)	HMIS (2017-18)		DLHS-4 (2012-13)			
23	Total reported live births	26,195	115.7	23,836	104.5	Breastfed within 1 hour of birth	47.1	

24	Total Still Birth	674	3.0	646	2.8	BCG	85.4
25	PC of newborn weighted at birth to live birth	24,733	94.4	23,345	97.9	3 dose of DPT	73.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2,723	11.0	3,315	14.2	Measles	69.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	21,574	82.4	19,704	82.7	Full Immunization	52.1
28	Children fully immunized	13,970	61.7	12,277	53.8		
29	Children who have received BCG	25,605	113.1	23,520	103.1		
30	Children who have received DPT1	478	2.1	18,154	79.6		
31	Children who have received DPT3	1,571	6.9	15,764	69.1		
32	Children who have received Measles	14,739	65.1	12,013	52.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	17,226		15,678			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	14	5	Limiting	11.3
35	Number of Tubectomies performed	1,497	1,221	Spacing	29.1
36	Number of IUD insertion	1,169	887	Women using any method	27.6
37	Number of IUD removals	1,019	867	Women using modern method	22.8
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	1644	1502		
39	General OPD cases per 10,000 population ***	20079	18971		
40	Ayush OPD cases per 10,000 population ***	864	943		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	152	161		
42	Up to 1 Weeks of Birth	247	NA		
43	Between 1 week & 4 weeks of birth	43	295		
44	Neonatal Death	442	456		
45	Between 1 month and 11 months	501	440		
46	Total reported infant deaths	943	896		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	1	3		
49	Due to Severe hypertension/fits	1	0		
50	Due to Bleeding	6	2		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	34	29		
53	Total reported maternal deaths	42	34		

North Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	317,917					
2	Sex Ratio	968					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	41					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	4,595		4,635			
9	Expected number of Delivery	4,302		4,340			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	5,202	113.2	4,950	106.8	Any ANC	48.9
11	Mothers registered in the first trimester	1,842	35.4	1,734	35.0	ANC Check up in first trimester	15.5
12	Mothers who had at least 3 Ante-Natal care check ups	3,398	65.3	2,567	51.9	3 or more ANC check up	29.9
13	PW who got TT 2 / Booster injection	3,801	73.1	4,102	82.9	At least 1 TT received	45.0
14	PW who consumed 100 IFA tablets	3,704	71.2	2,405	48.6	100 IFA tablets consumed	18.6
15	Home Delivery against expected delivery *	1,500	34.9	1,799	41.4	Full ANC	12.5
16	Institutional Delivery Against expected delivery *	1,411	32.8	1,541	35.5	Home Delivery	70.4
17	Home Delivery against reported delivery **	1,500	51.5	1,799	53.9	Institutional Delivery	28.7
18	Institutional Delivery against reported delivery **	1,411	48.5	1,541	46.1	Home Delivery by SBA	42.3
19	Total reported Deliveries	2,911		3,340		PNC within 14 days of delivery	77.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	239	15.9	282	15.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,913	65.7	1,932	57.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	4,177		4,214			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
23	Total reported live births	2,901	69.5	3,430	81.4	Breastfed within 1 hour of birth	90.7

24	Total Still Birth	46	1.1	54	1.3	BCG	45.2
25	PC of newborn weighted at birth to live birth	2,698	93.0	3,223	94.0	3 dose of DPT	47.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	97	3.6	144	4.5	Measles	36.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,718	93.7	3,283	95.7	Full Immunization	30.1
28	Children fully immunized	2,957	70.8	2,726	64.7		
29	Children who have received BCG	3,475	83.2	3,952	93.8		
30	Children who have received DPT1	201	4.8	4,303	102.1		
31	Children who have received DPT3	278	6.7	3,943	93.6		
32	Children who have received Measles	3,480	83.3	2,635	62.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,143		2,874			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	6.7
35	Number of Tubectomies performed	0	2	Spacing	61.8
36	Number of IUD insertion	102	114	Women using any method	16.9
37	Number of IUD removals	238	40	Women using modern method	12.2
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	456	516		
39	General OPD cases per 10,000 population ***	8411	7057		
40	Ayush OPD cases per 10,000 population ***	353	39		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	0	12		
42	Up to 1 Weeks of Birth	7	NA		
43	Between 1 week & 4 weeks of birth	1	26		
44	Neonatal Death	8	38		
45	Between 1 month and 11 months	32	57		
46	Total reported infant deaths	40	95		
II) Maternal Mortality					
	Maternal Deaths (In Number)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	1	1		
49	Due to Severe hypertension/fits	3	0		
50	Due to Bleeding	3	5		
51	Due to High fever	1	0		
52	Due to Other Causes (including causes not known)	4	6		
53	Total reported maternal deaths	12	12		

Ri Bhoi Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	258,840						
2	Sex Ratio	951						
B) Infrastructure Details (RHS 2015)		Numbers						
3	Sub Centers (SC)	27						
4	Primary Health Centers (PHC)	8						
5	Community Health Centers (CHC)	3						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2016-17	2017-18					
8	Expected number of PW	8,096	8,233					
9	Expected number of Delivery	7,581	7,709					
		HMIS (2016-17)	HMIS (2017-18)		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
10	PW register for ANC	8,889	109.8	8,527	103.6	Any ANC	86.3	
11	Mothers registered in the first trimester	3,274	36.8	3,558	41.7	ANC Check up in first trimester	51.5	
12	Mothers who had at least 3 Ante-Natal care check ups	6,207	69.8	4,514	52.9	3 or more ANC check up	60.3	
13	PW who got TT 2 / Booster injection	6,478	72.9	6,118	71.7	At least 1 TT received	83.4	
14	PW who consumed 100 IFA tablets	4,439	49.9	2,314	27.1	100 IFA tablets consumed	40.8	
15	Home Delivery against expected delivery *	3,743	49.4	3,189	41.4	Full ANC	31.7	
16	Institutional Delivery Against expected delivery *	2,315	30.5	2,503	32.5	Home Delivery	50.8	
17	Home Delivery against reported delivery **	3,743	61.8	3,189	56.0	Institutional Delivery	48.4	
18	Institutional Delivery against reported delivery **	2,315	38.2	2,503	44.0	Home Delivery by SBA	31.4	
19	Total reported Deliveries	6,058		5,692		PNC within 14 days of delivery	79.6	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	120	3.2	121	3.8			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,434	56.7	2,440	42.9			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
22	Expected number of Live Birth	7,360		7,484				
D) Child Immunization :		HMIS (2016-17)	HMIS (2017-18)		DLHS-4 (2012-13)			
23	Total reported live births	6,018	81.8	5,694	76.1	Breastfed within 1 hour of birth	56.5	

24	Total Still Birth	83	1.1	74	1.0	BCG	91.2
25	PC of newborn weighted at birth to live birth	5,425	90.1	5,392	94.7	3 dose of DPT	77.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	231	4.3	295	5.5	Measles	71.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,742	95.4	5,471	96.1	Full Immunization	54.9
28	Children fully immunized	5,580	75.8	4,120	55.0		
29	Children who have received BCG	5,699	77.4	5,123	68.4		
30	Children who have received DPT1	165	2.2	6,481	86.6		
31	Children who have received DPT3	284	3.9	5,796	77.4		
32	Children who have received Measles	6,580	89.4	4,220	56.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	7,079		5,776			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	19
35	Number of Tubectomies performed	45	53	Spacing	36.2
36	Number of IUD insertion	598	516	Women using any method	19.5
37	Number of IUD removals	244	203	Women using modern method	16.2
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	665	649		
39	General OPD cases per 10,000 population ***	12896	12423		
40	Ayush OPD cases per 10,000 population ***	1374	1365		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	12	30		
42	Up to 1 Weeks of Birth	32	NA		
43	Between 1 week & 4 weeks of birth	8	36		
44	Neonatal Death	52	66		
45	Between 1 month and 11 months	84	61		
46	Total reported infant deaths	136	127		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	3	0		
49	Due to Severe hypertension/fits	0	1		
50	Due to Bleeding	3	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	8	8		
53	Total reported maternal deaths	14	10		

South West Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	642,923					
2	Sex Ratio	979					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	17					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	1					
6	SDH	1					
7	DH	0					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW	4,428		4,471			
9	Expected number of Delivery	4,146		4,186			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	4,387	99.1	4,740	106.0	Any ANC	61.3
11	Mothers registered in the first trimester	2,042	46.5	2,269	47.9	ANC Check up in first trimester	18.2
12	Mothers who had at least 3 Ante-Natal care check ups	3,092	70.5	2,555	53.9	3 or more ANC check up	38.3
13	PW who got TT 2 / Booster injection	3,651	83.2	3,800	80.2	At least 1 TT received	53.5
14	PW who consumed 100 IFA tablets	2,788	63.6	2,920	61.6	100 IFA tablets consumed	26.6
15	Home Delivery against expected delivery *	1,862	44.9	1,812	43.3	Full ANC	15.0
16	Institutional Delivery Against expected delivery *	1,832	44.2	2,039	48.7	Home Delivery	52.6
17	Home Delivery against reported delivery **	1,862	50.4	1,812	47.1	Institutional Delivery	47.1
18	Institutional Delivery against reported delivery **	1,832	49.6	2,039	52.9	Home Delivery by SBA	17.0
19	Total reported Deliveries	3,694		3,851		PNC within 14 days of delivery	49.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	71	3.8	68	3.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,881	50.9	2,272	59.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	4,025		4,064			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
23	Total reported live births	3,646	90.6	3,787	93.2	Breastfed within 1 hour of birth	86

24	Total Still Birth	60	1.5	59	1.5	BCG	43.5
25	PC of newborn weighted at birth to live birth	3,627	99.5	3,777	99.7	3 dose of DPT	50
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	260	7.2	258	6.8	Measles	43.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,636	99.7	3,757	99.2	Full Immunization	34.8
28	Children fully immunized	3,783	94.0	3,044	74.9		
29	Children who have received BCG	3,693	91.7	3,650	89.8		
30	Children who have received DPT1	9	0.2	4,063	100.0		
31	Children who have received DPT3	162	4.0	3,737	91.9		
32	Children who have received Measles	3,811	94.7	3,060	75.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	3,370		3,145			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	2	Limiting	19.1
35	Number of Tubectomies performed	32	28	Spacing	57
36	Number of IUD insertion	297	181	Women using any method	9.2
37	Number of IUD removals	135	103	Women using modern method	5.4
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	431	451		
39	General OPD cases per 10,000 population ***	10054	8688		
40	Ayush OPD cases per 10,000 population ***	745	585		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	6	11		
42	Up to 1 Weeks of Birth	14	NA		
43	Between 1 week & 4 weeks of birth	0	31		
44	Neonatal Death	20	42		
45	Between 1 month and 11 months	119	51		
46	Total reported infant deaths	139	93		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	1		
49	Due to Severe hypertension/fits	1	0		
50	Due to Bleeding	1	2		
51	Due to High fever	1	0		
52	Due to Other Causes (including causes not known)	5	5		
53	Total reported maternal deaths	8	8		

South West Khasi Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	383,461						
2	Sex Ratio	981						
B) Infrastructure Details (RHS 2015)		Numbers						
3	Sub Centers (SC)	19						
4	Primary Health Centers (PHC)	3						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	0						
C) Maternal Health:		2016-17	2017-18					
8	Expected number of PW	2,939	2,978					
9	Expected number of Delivery	2,752	2,788					
		HMIS (2016-17)	HMIS (2017-18)		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
10	PW register for ANC	3,366	114.5	3,322	111.6	Any ANC	68.4	
11	Mothers registered in the first trimester	661	19.6	852	25.6	ANC Check up in first trimester	23.7	
12	Mothers who had at least 3 Ante-Natal care check ups	1,976	58.7	1,485	44.7	3 or more ANC check up	21.2	
13	PW who got TT 2 / Booster injection	2,468	73.3	2,584	77.8	At least 1 TT received	64.2	
14	PW who consumed 100 IFA tablets	1,433	42.6	1,771	53.3	100 IFA tablets consumed	24.3	
15	Home Delivery against expected delivery *	2,135	77.6	1,951	70.0	Full ANC	11.1	
16	Institutional Delivery Against expected delivery *	609	22.1	671	24.1	Home Delivery	66.7	
17	Home Delivery against reported delivery **	2,135	77.8	1,951	74.4	Institutional Delivery	32.3	
18	Institutional Delivery against reported delivery **	609	22.2	671	25.6	Home Delivery by SBA	19.1	
19	Total reported Deliveries	2,744		2,622		PNC within 14 days of delivery	45.9	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	16	0.7	14	0.7			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,636	59.6	1,175	44.8			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
22	Expected number of Live Birth	2,672		2,707				
D) Child Immunization :		HMIS (2016-17)	HMIS (2017-18)		DLHS-4 (2012-13)			
23	Total reported live births	2,718	101.7	2,571	95.0	Breastfed within 1 hour of birth	47.5	

24	Total Still Birth	50	1.9	57	2.1	BCG	79.6
25	PC of newborn weighted at birth to live birth	2,427	89.3	2,422	94.2	3 dose of DPT	70.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	107	4.4	123	5.1	Measles	70.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,177	80.1	2,369	92.1	Full Immunization	47.3
28	Children fully immunized	2,331	87.2	2,362	87.3		
29	Children who have received BCG	2,765	103.5	2,538	93.8		
30	Children who have received DPT1	61	2.3	2,902	107.2		
31	Children who have received DPT3	275	10.3	2,778	102.6		
32	Children who have received Measles	2,550	95.4	2,332	86.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,533		3,085			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	17.3
35	Number of Tubectomies performed	0	0	Spacing	29.1
36	Number of IUD insertion	26	21	Women using any method	17.4
37	Number of IUD removals	63	10	Women using modern method	14.6
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	496	481		
39	General OPD cases per 10,000 population ***	8538	7577		
40	Ayush OPD cases per 10,000 population ***	1182	923		
G) Mortality Details					
I) Infant Deaths (In Number)		HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	12	22		
42	Up to 1 Weeks of Birth	22	NA		
43	Between 1 week & 4 weeks of birth	2	26		
44	Neonatal Death	36	48		
45	Between 1 month and 11 months	86	78		
46	Total reported infant deaths	122	126		
II) Maternal Mortality					
Maternal Deaths (In Number)		HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	1	1		
50	Due to Bleeding	2	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	8	8		
53	Total reported maternal deaths	11	9		

South Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	142,334						
2	Sex Ratio	944						
B) Infrastructure Details (RHS 2015)		Numbers						
3	Sub Centers (SC)	21						
4	Primary Health Centers (PHC)	6						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2016-17	2017-18					
8	Expected number of PW	4,367	4,420					
9	Expected number of Delivery	4,089	4,139					
		HMIS (2016-17)	HMIS (2017-18)		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
10	PW register for ANC	3,830	87.7	4,143	93.7	Any ANC	40.0	
11	Mothers registered in the first trimester	1,536	40.1	1,400	33.8	ANC Check up in first trimester	2.2	
12	Mothers who had at least 3 Ante-Natal care check ups	2,476	64.6	2,092	50.5	3 or more ANC check up	4.4	
13	PW who got TT 2 / Booster injection	2,705	70.6	2,881	69.5	At least 1 TT received	31.8	
14	PW who consumed 100 IFA tablets	2,328	60.8	3,399	82.0	100 IFA tablets consumed	26.7	
15	Home Delivery against expected delivery *	1,908	46.7	1,793	43.3	Full ANC	4.4	
16	Institutional Delivery Against expected delivery *	823	20.1	860	20.8	Home Delivery	66.7	
17	Home Delivery against reported delivery **	1,908	69.9	1,793	67.6	Institutional Delivery	33.3	
18	Institutional Delivery against reported delivery **	823	30.1	860	32.4	Home Delivery by SBA	6.7	
19	Total reported Deliveries	2,731		2,653		PNC within 14 days of delivery	42.9	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	114	6.0	70	3.9			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,196	43.8	1,409	53.1			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
22	Expected number of Live Birth	3,970		4,019				
D) Child Immunization :		HMIS (2016-17)	HMIS (2017-18)		DLHS-4 (2012-13)			
23	Total reported live births	2,704	68.1	2,617	65.1	Breastfed within 1 hour of birth	NA	

24	Total Still Birth	38	1.0	42	1.0	BCG	70
25	PC of newborn weighted at birth to live birth	2,457	90.9	2,542	97.1	3 dose of DPT	70
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	116	4.7	121	4.8	Measles	50
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,550	94.3	2,517	96.2	Full Immunization	50
28	Children fully immunized	2,423	61.0	2,042	50.8		
29	Children who have received BCG	2,938	74.0	2,640	65.7		
30	Children who have received DPT1	79	2.0	3,081	76.7		
31	Children who have received DPT3	258	6.5	2,609	64.9		
32	Children who have received Measles	2,819	71.0	2,083	51.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,337		2,304			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	1	0	Limiting	29.2
35	Number of Tubectomies performed	0	0	Spacing	44.6
36	Number of IUD insertion	50	26	Women using any method	11.8
37	Number of IUD removals	41	25	Women using modern method	10.3
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	370	299		
39	General OPD cases per 10,000 population ***	6752	5287		
40	Ayush OPD cases per 10,000 population ***	975	722		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	4	16		
42	Up to 1 Weeks of Birth	18	NA		
43	Between 1 week & 4 weeks of birth	0	18		
44	Neonatal Death	22	34		
45	Between 1 month and 11 months	78	52		
46	Total reported infant deaths	100	86		
II) Maternal Mortality					
	Maternal Deaths (In Number)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	2	2		
49	Due to Severe hypertension/fits	2	2		
50	Due to Bleeding	2	5		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	4	9		
53	Total reported maternal deaths	10	18		

West Garo Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	642,923						
2	Sex Ratio	979						
B) Infrastructure Details (RHS 2015)		Numbers						
3	Sub Centers (SC)	72						
4	Primary Health Centers (PHC)	11						
5	Community Health Centers (CHC)	5						
6	SDH	0						
7	DH	2						
C) Maternal Health:		2016-17	2017-18					
8	Expected number of PW	15,020	15,166					
9	Expected number of Delivery	14,064	14,200					
		HMIS (2016-17)	HMIS (2017-18)		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
10	PW register for ANC	15,925	106.0	15,071	99.4	Any ANC	61.3	
11	Mothers registered in the first trimester	5,537	34.8	5,269	35.0	ANC Check up in first trimester	18.2	
12	Mothers who had at least 3 Ante-Natal care check ups	10,522	66.1	6,304	41.8	3 or more ANC check up	38.3	
13	PW who got TT 2 / Booster injection	11,964	75.1	11,810	78.4	At least 1 TT received	53.5	
14	PW who consumed 100 IFA tablets	9,412	59.1	8,025	53.2	100 IFA tablets consumed	26.6	
15	Home Delivery against expected delivery *	6,466	46.0	6,645	46.8	Full ANC	15.0	
16	Institutional Delivery Against expected delivery *	7,327	52.1	7,344	51.7	Home Delivery	52.6	
17	Home Delivery against reported delivery **	6,466	46.9	6,645	47.5	Institutional Delivery	47.1	
18	Institutional Delivery against reported delivery **	7,327	53.1	7,344	52.5	Home Delivery by SBA	17.0	
19	Total reported Deliveries	13,793		13,989		PNC within 14 days of delivery	49.3	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	184	2.8	87	1.3			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,541	54.7	8,773	62.7			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
22	Expected number of Live Birth	13,655		13,787				
D) Child Immunization :		HMIS (2016-17)	HMIS (2017-18)		DLHS-4 (2012-13)			
23	Total reported live births	13,580	99.5	13,800	100.1	Breastfed within 1 hour of birth	86	

24	Total Still Birth	286	2.1	263	1.9	BCG	43.5
25	PC of newborn weighted at birth to live birth	13,338	98.2	13,674	99.1	3 dose of DPT	50
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,048	7.9	1,033	7.6	Measles	43.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	13,382	98.5	13,623	98.7	Full Immunization	34.8
28	Children fully immunized	10,915	79.9	8,237	59.7		
29	Children who have received BCG	13,479	98.7	13,061	94.7		
30	Children who have received DPT1	117	0.9	11,749	85.2		
31	Children who have received DPT3	469	3.4	10,383	75.3		
32	Children who have received Measles	11,238	82.3	8,276	60.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	6,259		8,394			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	19.1
35	Number of Tubectomies performed	496	555	Spacing	57
36	Number of IUD insertion	1,144	657	Women using any method	9.2
37	Number of IUD removals	689	646	Women using modern method	5.4
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	513	491		
39	General OPD cases per 10,000 population ***	7979	7012		
40	Ayush OPD cases per 10,000 population ***	806	618		
G) Mortality Details					
I) Infant Deaths (In Number)		HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	51	68		
42	Up to 1 Weeks of Birth	49	NA		
43	Between 1 week & 4 weeks of birth	9	73		
44	Neonatal Death	109	141		
45	Between 1 month and 11 months	255	128		
46	Total reported infant deaths	364	269		
II) Maternal Mortality					
Maternal Deaths (In Number)		HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	1	0		
48	Due to Obstructed/prolonged labour	10	4		
49	Due to Severe hypertension/fits	1	2		
50	Due to Bleeding	7	8		
51	Due to High fever	2	0		
52	Due to Other Causes (including causes not known)	26	27		
53	Total reported maternal deaths	47	41		

West Jaintia Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	395,124						
2	Sex Ratio	1,008						
B) Infrastructure Details (RHS 2015)		Numbers						
3	Sub Centers (SC)	46						
4	Primary Health Centers (PHC)	12						
5	Community Health Centers (CHC)	3						
6	SDH	0						
7	DH	1						
C) Maternal Health:		2016-17	2017-18					
8	Expected number of PW	7,967	8,081					
9	Expected number of Delivery	7,460	7,566					
		HMIS (2016-17)	HMIS (2017-18)		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
10	PW register for ANC	12,462	156.4	13,245	163.9	Any ANC	83.1	
11	Mothers registered in the first trimester	4,150	33.3	4,162	31.4	ANC Check up in first trimester	49.6	
12	Mothers who had at least 3 Ante-Natal care check ups	4,467	35.8	2,596	19.6	3 or more ANC check up	53.9	
13	PW who got TT 2 / Booster injection	8,444	67.8	7,768	58.6	At least 1 TT received	75.8	
14	PW who consumed 100 IFA tablets	2,979	23.9	2,760	20.8	100 IFA tablets consumed	33.2	
15	Home Delivery against expected delivery *	4,488	60.2	4,049	53.5	Full ANC	23.9	
16	Institutional Delivery Against expected delivery *	5,637	75.6	6,049	79.9	Home Delivery	59.6	
17	Home Delivery against reported delivery **	4,488	44.3	4,049	40.1	Institutional Delivery	40.4	
18	Institutional Delivery against reported delivery **	5,637	55.7	6,049	59.9	Home Delivery by SBA	12.0	
19	Total reported Deliveries	10,125		10,098		PNC within 14 days of delivery	86.3	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	156	3.5	121	3.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,906	38.6	3,272	32.4			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
22	Expected number of Live Birth	7,243		7,346				
D) Child Immunization :		HMIS (2016-17)	HMIS (2017-18)		DLHS-4 (2012-13)			
23	Total reported live births	9,988	137.9	9,971	135.7	Breastfed within 1 hour of birth	46.3	

24	Total Still Birth	262	3.6	259	3.5	BCG	81.9
25	PC of newborn weighted at birth to live birth	8,939	89.5	9,083	91.1	3 dose of DPT	73.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	659	7.4	742	8.2	Measles	67.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	8,251	82.6	8,935	89.6	Full Immunization	57.1
28	Children fully immunized	7,802	107.7	6,985	95.1		
29	Children who have received BCG	9,599	132.5	9,557	130.1		
30	Children who have received DPT1	27	0.4	8,887	121.0		
31	Children who have received DPT3	352	4.9	8,469	115.3		
32	Children who have received Measles	8,055	111.2	7,024	95.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	13,350		9,454			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	1	0	Limiting	18.1
35	Number of Tubectomies performed	225	398	Spacing	21.9
36	Number of IUD insertion	338	276	Women using any method	21.2
37	Number of IUD removals	186	123	Women using modern method	13.4
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	1093	1820		
39	General OPD cases per 10,000 population ***	12938	11333		
40	Ayush OPD cases per 10,000 population ***	1344	1113		
G) Mortality Details					
I) Infant Deaths (In Number)		HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	32	88		
42	Up to 1 Weeks of Birth	97	NA		
43	Between 1 week & 4 weeks of birth	8	113		
44	Neonatal Death	137	201		
45	Between 1 month and 11 months	118	155		
46	Total reported infant deaths	255	356		
II) Maternal Mortality		HMIS (2016-17)	HMIS (2017-18)		
	Maternal Deaths (In Number)				
47	Due to Abortion	0	1		
48	Due to Obstructed/prolonged labour	0	2		
49	Due to Severe hypertension/fits	0	4		
50	Due to Bleeding	3	2		
51	Due to High fever	1	0		
52	Due to Other Causes (including causes not known)	8	24		
53	Total reported maternal deaths	12	33		

West Khasi Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	383,461						
2	Sex Ratio	981						
B) Infrastructure Details (RHS 2015)		Numbers						
3	Sub Centers (SC)	48						
4	Primary Health Centers (PHC)	15						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	2						
C) Maternal Health:		2016-17	2017-18					
8	Expected number of PW	8,927	9,045					
9	Expected number of Delivery	8,359	8,469					
		HMIS (2016-17)	HMIS (2017-18)		DLHS-4 (2012-13)			
		Number	PC	Number	PC			
10	PW register for ANC	12,112	135.7	11,289	124.8	Any ANC	68.4	
11	Mothers registered in the first trimester	3,805	31.4	3,645	32.3	ANC Check up in first trimester	23.7	
12	Mothers who had at least 3 Ante-Natal care check ups	8,804	72.7	6,562	58.1	3 or more ANC check up	21.2	
13	PW who got TT 2 / Booster injection	9,731	80.3	9,090	80.5	At least 1 TT received	64.2	
14	PW who consumed 100 IFA tablets	5,882	48.6	4,259	37.7	100 IFA tablets consumed	24.3	
15	Home Delivery against expected delivery *	5,847	69.9	5,456	64.4	Full ANC	11.1	
16	Institutional Delivery Against expected delivery *	4,338	51.9	4,296	50.7	Home Delivery	66.7	
17	Home Delivery against reported delivery **	5,847	57.4	5,456	55.9	Institutional Delivery	32.3	
18	Institutional Delivery against reported delivery **	4,338	42.6	4,296	44.1	Home Delivery by SBA	19.1	
19	Total reported Deliveries	10,185		9,752		PNC within 14 days of delivery	45.9	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	351	6.0	284	5.2			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,422	53.2	4,920	50.5			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
22	Expected number of Live Birth	8,116		8,223				
D) Child Immunization :		HMIS (2016-17)	HMIS (2017-18)		DLHS-4 (2012-13)			
23	Total reported live births	10,055	123.9	9,638	117.2	Breastfed within 1 hour of birth	47.5	

24	Total Still Birth	175	2.2	201	2.4	BCG	79.6
25	PC of newborn weighted at birth to live birth	8,962	89.1	8,879	92.1	3 dose of DPT	70.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	372	4.2	443	5.0	Measles	70.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	9,063	90.1	9,117	94.6	Full Immunization	47.3
28	Children fully immunized	9,616	118.5	8,474	103.1		
29	Children who have received BCG	10,299	126.9	9,259	112.6		
30	Children who have received DPT1	189	2.3	10,149	123.4		
31	Children who have received DPT3	714	8.8	9,352	113.7		
32	Children who have received Measles	9,994	123.1	8,552	104.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	10,617		9,199			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)
34	Number of Vasectomies performed	0	2	Limiting 17.3
35	Number of Tubectomies performed	193	195	Spacing 29.1
36	Number of IUD insertion	302	200	Women using any method 17.4
37	Number of IUD removals	43	60	Women using modern method 14.6
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)	
38	IPD cases per 10,000 population ***	801	733	
39	General OPD cases per 10,000 population ***	13867	12409	
40	Ayush OPD cases per 10,000 population ***	1858	1978	
G) Mortality Details				
I) Infant Deaths (In Number)		HMIS (2016-17)	HMIS (2017-18)	
41	Neonatal death within 24 hours	35	56	
42	Up to 1 Weeks of Birth	29	NA	
43	Between 1 week & 4 weeks of birth	7	77	
44	Neonatal Death	71	133	
45	Between 1 month and 11 months	110	125	
46	Total reported infant deaths	181	258	
II) Maternal Mortality				
Maternal Deaths (In Number)		HMIS (2016-17)	HMIS (2017-18)	
47	Due to Abortion	1	0	
48	Due to Obstructed/prolonged labour	0	0	
49	Due to Severe hypertension/fits	1	1	
50	Due to Bleeding	5	6	
51	Due to High fever	0	0	
52	Due to Other Causes (including causes not known)	9	10	
53	Total reported maternal deaths	16	17	

