

## Mizoram Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,097,206					
2	Sex Ratio	975					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	370					
4	Primary Health Centers (PHC)	57					
5	Community Health Centers (CHC)	9					
6	SDH	2					
7	DH	8					
<b>C) Maternal Health:</b>		<b>2016-17</b>		<b>2017-18</b>			
8	Expected number of PW	21,748		21,414			
9	Expected number of Delivery	20,008		19,701			
		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	21,976	101.0	23,567	110.1	Any ANC	83.3
11	Mothers registered in the first trimester	16,776	76.3	16,353	69.4	ANC Check up in first trimester	54.3
12	Mothers who had at least 3 Ante-Natal care check ups	15,273	69.5	8,835	37.5	3 or more ANC check up	61.6
13	PW who got TT 2 / Booster injection	19,153	87.2	19,596	83.2	At least 1 TT received	80.0
14	PW who consumed 100 IFA tablets	12,698	57.8	5,421	23.0	100 IFA tablets consumed	46.5
15	Home Delivery against expected delivery *	2,023	10.1	2,152	10.9	Full ANC	36.7
16	Institutional Delivery Against expected delivery *	17,201	86.0	15,022	76.2	Home Delivery	27.1
17	Reported Home Delivery **	2,023	10.5	2,152	12.5	Institutional Delivery	72.4
18	Reported institutional Delivery **	17,201	89.5	15,022	87.5	Home Delivery by SBA	7.2
19	Total reported Deliveries	19,224		17,174		PNC within 14 days of delivery	49.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	453	22.4	427	19.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	15,091	78.5	13,717	79.9		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
22	Expected number of Live Birth	19,771		19,468			
<b>D) Child Immunization :</b>		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	19,099	96.6	17,428	89.5	Breastfed within 1 hour of birth	84.5

24	Total Still Birth	179	0.9	163	0.8	BCG	88.4
25	PC of newborn weighted at birth to live birth	18,514	96.9	16,450	94.4	3 dose of DPT	82.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	866	4.7	769	4.7	Measles	79.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	18,399	96.3	16,301	93.5	Full Immunization	71.2
28	Children fully immunized	17,881	90.4	15,349	78.8		
29	Children who have received BCG	19,823	100.3	17,569	90.2		
30	Children who have received DPT1	225	1.1	17,983	92.4		
31	Children who have received DPT3	308	1.6	17,068	87.7		
32	Children who have received Measles	18,506	93.6	15,411	79.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	6,435		14,051			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	2.9
35	Number of Tubectomies performed	1,298	1,309	Spacing	18.5
36	Number of IUD insertion	2,392	1,565	Women using any method	59.8
37	Number of IUD removals	1,553	1,031	Women using modern method	59

F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	830	639		
39	General OPD cases per 10,000 population ***	11289	10020		
40	Ayush OPD cases per 10,000 population ***	374	325		

G) Mortality Details					
I) Infant Deaths (In Numbers)		HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	7	25		
42	Up to 1 Weeks of Birth	150	NA		
43	Between 1 week & 4 weeks of birth	14	150		
44	Neonatal Death	171	175		
45	Between 1 month and 11 months	184	206		
46	<b>Total reported infant deaths</b>	<b>355</b>	<b>381</b>		

II) Maternal Mortality					
Maternal Deaths (In Numbers)		HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	2	0		
48	Due to Obstructed/prolonged labour	2	0		
49	Due to Severe hypertension/fits	2	1		
50	Due to Bleeding	4	2		
51	Due to High fever	2	0		
52	Due to Other Causes (including causes not known)	6	11		
53	<b>Total reported maternal deaths</b>	<b>18</b>	<b>14</b>		

## Aizawl East Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	240,589					
2	Sex Ratio	1,009					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	40					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
<b>C) Maternal Health:</b>		<b>2016-17</b>		<b>2017-18</b>			
8	Expected number of PW	4,799		4,731			
9	Expected number of Delivery	4,415		4,353			
		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	4,689	97.7	5,117	108.2	Any ANC	97.7
11	Mothers registered in the first trimester	3,769	80.4	3,694	72.2	ANC Check up in first trimester	66.1
12	Mothers who had at least 3 Ante-Natal care check ups	3,674	78.4	2,370	46.3	3 or more ANC check up	76.1
13	PW who got TT 2 / Booster injection	3,947	84.2	3,949	77.2	At least 1 TT received	96.4
14	PW who consumed 100 IFA tablets	2,464	52.5	1,439	28.1	100 IFA tablets consumed	67.2
15	Home Delivery against expected delivery *	28	0.6	14	0.3	Full ANC	53.9
16	Institutional Delivery Against expected delivery *	3,255	73.7	887	20.4	Home Delivery	6.6
17	Reported Home Delivery **	28	0.9	14	1.6	Institutional Delivery	93.4
18	Reported institutional Delivery **	3,255	99.1	887	98.4	Home Delivery by SBA	2.9
19	Total reported Deliveries	3,283		901		PNC within 14 days of delivery	47.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	14	50.0	8	57.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,300	131.0	3,641	404.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
22	Expected number of Live Birth	4,363		4,301			
<b>D) Child Immunization :</b>		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	3,270	75.0	1,026	23.9	Breastfed within 1 hour of birth	87.7

24	Total Still Birth	15	0.3	4	0.1	BCG	98.6
25	PC of newborn weighted at birth to live birth	3,264	99.8	1,013	98.7	3 dose of DPT	94.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	171	5.2	33	3.3	Measles	90
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,250	99.4	1,007	98.1	Full Immunization	87
28	Children fully immunized	5,108	117.1	3,388	78.8		
29	Children who have received BCG	3,856	88.4	2,967	69.0		
30	Children who have received DPT1	6	0.1	3,605	83.8		
31	Children who have received DPT3	14	0.3	3,563	82.8		
32	Children who have received Measles	5,256	120.5	3,315	77.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	247		3,388			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	1.6
35	Number of Tubectomies performed	172	21	Spacing	14.4
36	Number of IUD insertion	565	186	Women using any method	64.6
37	Number of IUD removals	256	113	Women using modern method	63.5
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	1026	221		
39	General OPD cases per 10,000 population ***	8164	3896		
40	Ayush OPD cases per 10,000 population ***	103	139		
G) Mortality Details					
I) Infant Deaths (In Numbers)		HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	0	7		
42	Up to 1 Weeks of Birth	20	NA		
43	Between 1 week & 4 weeks of birth	3	16		
44	Neonatal Death	23	23		
45	Between 1 month and 11 months	13	17		
46	<b>Total reported infant deaths</b>	36	40		
II) Maternal Mortality					
Maternal Deaths (In Numbers)		HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	2		
53	<b>Total reported maternal deaths</b>	0	2		

## Aizawl West Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	159,720					
2	Sex Ratio	1,009					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	54					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	0					
6	SDH	1					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2016-17</b>		<b>2017-18</b>			
8	Expected number of PW	3,186		3,141			
9	Expected number of Delivery	2,931		2,890			
		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	3,386	106.3	4,806	153.0	Any ANC	97.7
11	Mothers registered in the first trimester	2,522	74.5	2,722	56.6	ANC Check up in first trimester	66.1
12	Mothers who had at least 3 Ante-Natal care check ups	2,341	69.1	1,238	25.8	3 or more ANC check up	76.1
13	PW who got TT 2 / Booster injection	2,943	86.9	2,885	60.0	At least 1 TT received	96.4
14	PW who consumed 100 IFA tablets	1,479	43.7	324	6.7	100 IFA tablets consumed	67.2
15	Home Delivery against expected delivery *	9	0.3	5	0.2	Full ANC	53.9
16	Institutional Delivery Against expected delivery *	5,859	199.9	5,846	202.3	Home Delivery	6.6
17	Reported Home Delivery **	9	0.2	5	0.1	Institutional Delivery	93.4
18	Reported institutional Delivery **	5,859	99.8	5,846	99.9	Home Delivery by SBA	2.9
19	Total reported Deliveries	5,868		5,851		PNC within 14 days of delivery	47.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	55.6	0	0.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,036	68.8	2,347	40.1		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
22	Expected number of Live Birth	2,896		4,302			
<b>D) Child Immunization :</b>		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	5,797	200.2	5,998	139.4	Breastfed within 1 hour of birth	87.7

24	Total Still Birth	71	2.5	64	1.5	BCG	98.6
25	PC of newborn weighted at birth to live birth	5,795	100.0	5,648	94.2	3 dose of DPT	94.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	323	5.6	359	6.4	Measles	90
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,787	99.8	5,595	93.3	Full Immunization	87
28	Children fully immunized	2,707	93.5	2,573	59.8		
29	Children who have received BCG	4,422	152.7	3,856	89.6		
30	Children who have received DPT1	0	0.0	2,637	61.3		
31	Children who have received DPT3	0	0.0	2,573	59.8		
32	Children who have received Measles	2,708	93.5	2,573	59.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	605		2,516			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	1.6
35	Number of Tubectomies performed	647	765	Spacing	14.4
36	Number of IUD insertion	600	437	Women using any method	64.6
37	Number of IUD removals	557	460	Women using modern method	63.5
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	1492	1425		
39	General OPD cases per 10,000 population ***	31496	29676		
40	Ayush OPD cases per 10,000 population ***	519	428		
G) Mortality Details					
I) Infant Deaths (In Numbers)		HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	1	2		
42	Up to 1 Weeks of Birth	87	NA		
43	Between 1 week & 4 weeks of birth	6	71		
44	Neonatal Death	94	73		
45	Between 1 month and 11 months	40	26		
46	<b>Total reported infant deaths</b>	134	99		
II) Maternal Mortality					
Maternal Deaths (In Numbers)		HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	2	0		
48	Due to Obstructed/prolonged labour	1	0		
49	Due to Severe hypertension/fits	0	1		
50	Due to Bleeding	0	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	2		
53	<b>Total reported maternal deaths</b>	4	4		

## Champhai Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	125,745					
2	Sex Ratio	981					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	59					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2016-17</b>		<b>2017-18</b>			
8	Expected number of PW	2,415		2,363			
9	Expected number of Delivery	2,221		2,174			
		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	2,696	111.7	2,594	109.8	Any ANC	91.3
11	Mothers registered in the first trimester	2,129	79.0	2,092	80.6	ANC Check up in first trimester	54.4
12	Mothers who had at least 3 Ante-Natal care check ups	1,995	74.0	1,154	44.5	3 or more ANC check up	66.0
13	PW who got TT 2 / Booster injection	2,429	90.1	2,383	91.9	At least 1 TT received	87.8
14	PW who consumed 100 IFA tablets	2,004	74.3	473	18.2	100 IFA tablets consumed	51.3
15	Home Delivery against expected delivery *	90	4.1	85	3.9	Full ANC	39.1
16	Institutional Delivery Against expected delivery *	1,744	78.5	1,692	77.8	Home Delivery	21.7
17	Reported Home Delivery **	90	4.9	85	4.8	Institutional Delivery	78.3
18	Reported institutional Delivery **	1,744	95.1	1,692	95.2	Home Delivery by SBA	8.7
19	Total reported Deliveries	1,834		1,777		PNC within 14 days of delivery	32.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	19	21.1	15	17.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,516	82.7	1,980	111.4		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
22	Expected number of Live Birth	2,195		4,303			
<b>D) Child Immunization :</b>		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,826	83.2	1,828	42.5	Breastfed within 1 hour of birth	91

24	Total Still Birth	13	0.6	32	0.7	BCG	95.1
25	PC of newborn weighted at birth to live birth	1,791	98.1	1,798	98.4	3 dose of DPT	90.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	110	6.1	70	3.9	Measles	89
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,776	97.3	1,748	95.6	Full Immunization	82.9
28	Children fully immunized	2,147	97.8	1,989	46.2		
29	Children who have received BCG	2,078	94.7	2,040	47.4		
30	Children who have received DPT1	36	1.6	2,162	50.2		
31	Children who have received DPT3	77	3.5	2,067	48.0		
32	Children who have received Measles	2,213	100.8	1,957	45.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,320		1,418			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	2.7
35	Number of Tubectomies performed	65	84	Spacing	19.7
36	Number of IUD insertion	361	243	Women using any method	59.4
37	Number of IUD removals	246	170	Women using modern method	59
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	638	641		
39	General OPD cases per 10,000 population ***	7077	7323		
40	Ayush OPD cases per 10,000 population ***	424	382		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	1	2		
42	Up to 1 Weeks of Birth	4	NA		
43	Between 1 week & 4 weeks of birth	2	18		
44	Neonatal Death	7	20		
45	Between 1 month and 11 months	16	24		
46	<b>Total reported infant deaths</b>	23	44		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	1	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	4		
53	<b>Total reported maternal deaths</b>	1	5		



## Kolasib Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	83,955					
2	Sex Ratio	956					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	30					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2016-17</b>		<b>2017-18</b>			
8	Expected number of PW	1,690		1,669			
9	Expected number of Delivery	1,555		1,535			
		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,806	106.9	1,749	104.8	Any ANC	95.1
11	Mothers registered in the first trimester	1,388	76.9	1,314	75.1	ANC Check up in first trimester	65.6
12	Mothers who had at least 3 Ante-Natal care check ups	1,358	75.2	835	47.7	3 or more ANC check up	70.8
13	PW who got TT 2 / Booster injection	1,647	91.2	1,634	93.4	At least 1 TT received	93.1
14	PW who consumed 100 IFA tablets	1,192	66.0	543	31.0	100 IFA tablets consumed	51.4
15	Home Delivery against expected delivery *	77	5.0	76	4.9	Full ANC	42.7
16	Institutional Delivery Against expected delivery *	1,104	71.0	1,062	69.2	Home Delivery	22.5
17	Reported Home Delivery **	77	6.5	76	6.7	Institutional Delivery	77.5
18	Reported institutional Delivery **	1,104	93.5	1,062	93.3	Home Delivery by SBA	6.9
19	Total reported Deliveries	1,181		1,138		PNC within 14 days of delivery	52.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	29	37.7	31	40.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,192	100.9	1,201	105.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
22	Expected number of Live Birth	1,536		4,304			
<b>D) Child Immunization :</b>		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,180	76.8	1,127	26.2	Breastfed within 1 hour of birth	82.2

24	Total Still Birth	13	0.8	12	0.3	BCG	99
25	PC of newborn weighted at birth to live birth	1,167	98.9	1,131	100.4	3 dose of DPT	96.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	50	4.3	47	4.2	Measles	90.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,150	97.5	1,128	100.1	Full Immunization	83.7
28	Children fully immunized	1,393	90.7	1,162	27.0		
29	Children who have received BCG	1,260	82.0	921	21.4		
30	Children who have received DPT1	0	0.0	1,441	33.5		
31	Children who have received DPT3	0	0.0	1,321	30.7		
32	Children who have received Measles	1,427	92.9	1,185	27.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,106		806			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	2.2
35	Number of Tubectomies performed	72	38	Spacing	18.2
36	Number of IUD insertion	91	24	Women using any method	57.3
37	Number of IUD removals	99	24	Women using modern method	56.7
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	715	679		
39	General OPD cases per 10,000 population ***	7721	7732		
40	Ayush OPD cases per 10,000 population ***	506	215		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	0	2		
42	Up to 1 Weeks of Birth	2	NA		
43	Between 1 week & 4 weeks of birth	2	3		
44	Neonatal Death	4	5		
45	Between 1 month and 11 months	20	24		
46	<b>Total reported infant deaths</b>	24	29		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	1	0		
50	Due to Bleeding	0	0		
51	Due to High fever	1	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	2	0		

## Lawngtlai Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	117,894						
2	Sex Ratio	945						
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	37						
4	Primary Health Centers (PHC)	6						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
<b>C) Maternal Health:</b>		<b>2016-17</b>	<b>2017-18</b>					
8	Expected number of PW	2,469	2,458					
9	Expected number of Delivery	2,271	2,261					
		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	2,505	101.5	2,428	98.8	Any ANC	37.9	
11	Mothers registered in the first trimester	1,798	71.8	1,639	67.5	ANC Check up in first trimester	21.5	
12	Mothers who had at least 3 Ante-Natal care check ups	1,379	55.0	914	37.6	3 or more ANC check up	26.4	
13	PW who got TT 2 / Booster injection	2,189	87.4	2,257	93.0	At least 1 TT received	35.1	
14	PW who consumed 100 IFA tablets	1,663	66.4	1,014	41.8	100 IFA tablets consumed	16.0	
15	Home Delivery against expected delivery *	636	28.0	677	29.9	Full ANC	12.3	
16	Institutional Delivery Against expected delivery *	900	39.6	1,129	49.9	Home Delivery	70.1	
17	Reported Home Delivery **	636	41.4	677	37.5	Institutional Delivery	27.7	
18	Reported institutional Delivery **	900	58.6	1,129	62.5	Home Delivery by SBA	3.5	
19	Total reported Deliveries	1,536		1,806		PNC within 14 days of delivery	74.1	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	83	13.1	68	10.0			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	386	25.1	407	22.5			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>								
22	Expected number of Live Birth	2,244		4,305				
<b>D) Child Immunization :</b>		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	1,540	68.6	1,791	41.6	Breastfed within 1 hour of birth	56.5	

24	Total Still Birth	19	0.8	16	0.4	BCG	40.8
25	PC of newborn weighted at birth to live birth	1,189	77.2	1,484	82.9	3 dose of DPT	44.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	42	3.5	63	4.2	Measles	35.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,195	77.6	1,480	82.6	Full Immunization	26.3
28	Children fully immunized	1,490	66.4	1,507	35.0		
29	Children who have received BCG	2,040	90.9	2,176	50.5		
30	Children who have received DPT1	161	7.2	2,176	50.5		
31	Children who have received DPT3	129	5.7	1,926	44.7		
32	Children who have received Measles	1,730	77.1	1,657	38.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	589		1,236			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>	<b>DLHS-4 (2012-13)</b>			
34	Number of Vasectomies performed	0	0	Limiting		6.3	
35	Number of Tubectomies performed	40	83	Spacing		23.6	
36	Number of IUD insertion	95	114	Women using any method		47.4	
37	Number of IUD removals	91	38	Women using modern method		46.2	
<b>F) Service delivery</b>		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>				
38	IPD cases per 10,000 population ***	394	435				
39	General OPD cases per 10,000 population ***	4657	5812				
40	Ayush OPD cases per 10,000 population ***	55	50				
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>				
41	Neonatal death within 24 hours	3	3				
42	Up to 1 Weeks of Birth	3	NA				
43	Between 1 week & 4 weeks of birth	0	5				
44	Neonatal Death	6	8				
45	Between 1 month and 11 months	29	40				
46	<b>Total reported infant deaths</b>	<b>35</b>	<b>48</b>				
<b>II) Maternal Mortality</b>							
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	1	0				
50	Due to Bleeding	1	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	1	0				
53	<b>Total reported maternal deaths</b>	<b>3</b>	<b>0</b>				

## Lunglei Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	161,428					
2	Sex Ratio	944					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	71					
4	Primary Health Centers (PHC)	9					
5	Community Health Centers (CHC)	1					
6	SDH	1					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2016-17</b>		<b>2017-18</b>			
8	Expected number of PW	3,039		2,962			
9	Expected number of Delivery	2,796		2,725			
		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	2,566	84.4	2,459	83.0	Any ANC	74.2
11	Mothers registered in the first trimester	1,996	77.8	1,839	74.8	ANC Check up in first trimester	41.0
12	Mothers who had at least 3 Ante-Natal care check ups	1,771	69.0	902	36.7	3 or more ANC check up	51.6
13	PW who got TT 2 / Booster injection	2,281	88.9	2,719	110.6	At least 1 TT received	67.1
14	PW who consumed 100 IFA tablets	1,120	43.6	363	14.8	100 IFA tablets consumed	33.2
15	Home Delivery against expected delivery *	405	14.5	480	17.6	Full ANC	24.0
16	Institutional Delivery Against expected delivery *	1,922	68.7	1,950	71.6	Home Delivery	38.5
17	Reported Home Delivery **	405	17.4	480	19.8	Institutional Delivery	61.2
18	Reported institutional Delivery **	1,922	82.6	1,950	80.2	Home Delivery by SBA	11.3
19	Total reported Deliveries	2,327		2,430		PNC within 14 days of delivery	53.4
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	85	21.0	123	25.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,030	87.2	2,333	96.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
22	Expected number of Live Birth	2,763		4,306			
<b>D) Child Immunization :</b>		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	2,307	83.5	2,473	57.4	Breastfed within 1 hour of birth	90.2

24	Total Still Birth	26	0.9	18	0.4	BCG	85.5
25	PC of newborn weighted at birth to live birth	2,266	98.2	2,415	97.7	3 dose of DPT	75
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	92	4.1	81	3.4	Measles	76.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,183	94.6	2,360	95.4	Full Immunization	59.2
28	Children fully immunized	1,878	68.0	1,838	42.7		
29	Children who have received BCG	2,396	86.7	1,854	43.1		
30	Children who have received DPT1	0	0.0	2,141	49.7		
31	Children who have received DPT3	21	0.8	2,087	48.5		
32	Children who have received Measles	1,915	69.3	1,822	42.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	759		1,772			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	1.8
35	Number of Tubectomies performed	180	183	Spacing	17.4
36	Number of IUD insertion	259	223	Women using any method	65.5
37	Number of IUD removals	124	99	Women using modern method	64.9
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	725	717		
39	General OPD cases per 10,000 population ***	10950	10509		
40	Ayush OPD cases per 10,000 population ***	440	377		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	0	3		
42	Up to 1 Weeks of Birth	13	NA		
43	Between 1 week & 4 weeks of birth	0	4		
44	Neonatal Death	13	7		
45	Between 1 month and 11 months	23	38		
46	<b>Total reported infant deaths</b>	36	45		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	1	0		
52	Due to Other Causes (including causes not known)	1	1		
53	<b>Total reported maternal deaths</b>	2	1		

## Mamit Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	86,364						
2	Sex Ratio	924						
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	29						
4	Primary Health Centers (PHC)	7						
5	Community Health Centers (CHC)	1						
6	SDH	0						
7	DH	1						
<b>C) Maternal Health:</b>		<b>2016-17</b>	<b>2017-18</b>					
8	Expected number of PW	1,831	1,827					
9	Expected number of Delivery	1,684	1,681					
		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	1,719	93.9	1,726	94.5	Any ANC	78.0	
11	Mothers registered in the first trimester	1,184	68.9	1,123	65.1	ANC Check up in first trimester	38.4	
12	Mothers who had at least 3 Ante-Natal care check ups	997	58.0	701	40.6	3 or more ANC check up	47.4	
13	PW who got TT 2 / Booster injection	1,518	88.3	1,548	89.7	At least 1 TT received	75.4	
14	PW who consumed 100 IFA tablets	1,086	63.2	680	39.4	100 IFA tablets consumed	37.8	
15	Home Delivery against expected delivery *	386	22.9	454	27.0	Full ANC	26.4	
16	Institutional Delivery Against expected delivery *	727	43.2	741	44.1	Home Delivery	37.7	
17	Reported Home Delivery **	386	34.7	454	38.0	Institutional Delivery	62.0	
18	Reported institutional Delivery **	727	65.3	741	62.0	Home Delivery by SBA	10.1	
19	Total reported Deliveries	1,113		1,195		PNC within 14 days of delivery	51.6	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	79	20.5	78	17.2			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	761	68.4	991	82.9			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>								
22	Expected number of Live Birth	1,664		4,307				
<b>D) Child Immunization :</b>		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	1,114	66.9	1,180	27.4	Breastfed within 1 hour of birth	91.6	

24	Total Still Birth	4	0.2	5	0.1	BCG	90.2
25	PC of newborn weighted at birth to live birth	1,008	90.5	991	84.0	3 dose of DPT	79.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	33	3.3	41	4.1	Measles	70.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,044	93.7	1,028	87.1	Full Immunization	59.8
28	Children fully immunized	1,175	70.6	1,067	24.8		
29	Children who have received BCG	1,415	85.0	1,570	36.5		
30	Children who have received DPT1	11	0.7	1,624	37.7		
31	Children who have received DPT3	29	1.7	1,408	32.7		
32	Children who have received Measles	1,216	73.1	1,061	24.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	870		1,034			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	2.3
35	Number of Tubectomies performed	24	7	Spacing	21.3
36	Number of IUD insertion	106	77	Women using any method	58.9
37	Number of IUD removals	35	39	Women using modern method	58.5
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	427	367		
39	General OPD cases per 10,000 population ***	7522	6034		
40	Ayush OPD cases per 10,000 population ***	182	196		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	9	NA		
43	Between 1 week & 4 weeks of birth	0	17		
44	Neonatal Death	9	17		
45	Between 1 month and 11 months	12	9		
46	<b>Total reported infant deaths</b>	21	26		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	1	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	0		
53	<b>Total reported maternal deaths</b>	2	0		



## Saiha Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	56,574					
2	Sex Ratio	978					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	24					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2016-17</b>		<b>2017-18</b>			
8	Expected number of PW	1,105		1,084			
9	Expected number of Delivery	1,016		998			
		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,409	127.6	1,486	137.0	Any ANC	73.9
11	Mothers registered in the first trimester	1,008	71.5	930	62.6	ANC Check up in first trimester	53.6
12	Mothers who had at least 3 Ante-Natal care check ups	938	66.6	281	18.9	3 or more ANC check up	51.0
13	PW who got TT 2 / Booster injection	1,131	80.3	1,139	76.6	At least 1 TT received	66.0
14	PW who consumed 100 IFA tablets	1,001	71.0	413	27.8	100 IFA tablets consumed	35.4
15	Home Delivery against expected delivery *	374	36.8	336	33.7	Full ANC	28.1
16	Institutional Delivery Against expected delivery *	953	93.8	990	99.2	Home Delivery	42.4
17	Reported Home Delivery **	374	28.2	336	25.3	Institutional Delivery	56.5
18	Reported institutional Delivery **	953	71.8	990	74.7	Home Delivery by SBA	17.2
19	Total reported Deliveries	1,327		1,326		PNC within 14 days of delivery	41.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	132	35.3	85	25.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	743	56.0	634	47.8		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
22	Expected number of Live Birth	1,004		4,308			
<b>D) Child Immunization :</b>		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,319	131.3	1,264	29.3	Breastfed within 1 hour of birth	92

24	Total Still Birth	9	0.9	6	0.1	BCG	80.6
25	PC of newborn weighted at birth to live birth	1,287	97.6	1,233	97.5	3 dose of DPT	72
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	34	2.6	57	4.6	Measles	73.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,269	96.2	1,222	96.7	Full Immunization	60.2
28	Children fully immunized	1,043	103.9	940	21.8		
29	Children who have received BCG	1,423	141.7	1,346	31.2		
30	Children who have received DPT1	11	1.1	1,210	28.1		
31	Children who have received DPT3	38	3.8	1,138	26.4		
32	Children who have received Measles	1,055	105.1	939	21.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	451		975			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	5.8
35	Number of Tubectomies performed	93	106	Spacing	22.2
36	Number of IUD insertion	223	178	Women using any method	54.3
37	Number of IUD removals	69	40	Women using modern method	53.6
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	893	832		
39	General OPD cases per 10,000 population ***	6412	5863		
40	Ayush OPD cases per 10,000 population ***	1476	1431		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	1	1		
42	Up to 1 Weeks of Birth	8	NA		
43	Between 1 week & 4 weeks of birth	0	11		
44	Neonatal Death	9	12		
45	Between 1 month and 11 months	25	21		
46	<b>Total reported infant deaths</b>	<b>34</b>	<b>33</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	2	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	2	1		
53	<b>Total reported maternal deaths</b>	<b>4</b>	<b>1</b>		

## Serchhip Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	64,937					
2	Sex Ratio	976					
<b>B) Infrastructure Details (RHS 2015)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	26					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2016-17</b>	<b>2017-18</b>				
8	Expected number of PW	1,264	1,240				
9	Expected number of Delivery	1,163	1,141				
		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,200	94.9	1,202	96.9	Any ANC	99.7
11	Mothers registered in the first trimester	982	81.8	1,000	83.2	ANC Check up in first trimester	69.6
12	Mothers who had at least 3 Ante-Natal care check ups	820	68.3	440	36.6	3 or more ANC check up	74.2
13	PW who got TT 2 / Booster injection	1,068	89.0	1,082	90.0	At least 1 TT received	98.4
14	PW who consumed 100 IFA tablets	689	57.4	172	14.3	100 IFA tablets consumed	49.7
15	Home Delivery against expected delivery *	18	1.5	25	2.2	Full ANC	38.7
16	Institutional Delivery Against expected delivery *	737	63.4	725	63.5	Home Delivery	16.3
17	Reported Home Delivery **	18	2.4	25	3.3	Institutional Delivery	83.1
18	Reported institutional Delivery **	737	97.6	725	96.7	Home Delivery by SBA	8.6
19	Total reported Deliveries	755		750		PNC within 14 days of delivery	49.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	7	38.9	19	76.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	127	16.8	183	24.4		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
22	Expected number of Live Birth	1,149		4,309			
<b>D) Child Immunization :</b>		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>		
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	746	64.9	741	17.2	Breastfed within 1 hour of birth	78.6

24	Total Still Birth	9	0.8	6	0.1	BCG	97.4
25	PC of newborn weighted at birth to live birth	747	100.1	737	99.5	3 dose of DPT	85.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	11	1.5	18	2.4	Measles	89.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	745	99.9	733	98.9	Full Immunization	82.3
28	Children fully immunized	940	81.8	885	20.5		
29	Children who have received BCG	933	81.2	839	19.5		
30	Children who have received DPT1	0	0.0	987	22.9		
31	Children who have received DPT3	0	0.0	985	22.9		
32	Children who have received Measles	986	85.8	902	20.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	488		906			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>	<b>DLHS-4 (2012-13)</b>			
34	Number of Vasectomies performed	0	0	Limiting	2.5		
35	Number of Tubectomies performed	5	22	Spacing	14.4		
36	Number of IUD insertion	92	83	Women using any method	66		
37	Number of IUD removals	76	48	Women using modern method	65		
<b>F) Service delivery</b>		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>				
38	IPD cases per 10,000 population ***	540	607				
39	General OPD cases per 10,000 population ***	8082	8011				
40	Ayush OPD cases per 10,000 population ***	534	435				
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>				
41	Neonatal death within 24 hours	1	5				
42	Up to 1 Weeks of Birth	4	NA				
43	Between 1 week & 4 weeks of birth	1	5				
44	Neonatal Death	6	10				
45	Between 1 month and 11 months	6	7				
46	<b>Total reported infant deaths</b>	12	17				
<b>II) Maternal Mortality</b>		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>				
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	1				
53	<b>Total reported maternal deaths</b>	0	1				

