

Sikkim Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	610,577					
2	Sex Ratio	889					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	147					
4	Primary Health Centers (PHC)	24					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	4					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW #	12,212		12,002			
9	Expected number of Delivery #	11,235		11,042			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	8,295	67.9	8,888	74.1	Any ANC	91.8
11	Mothers registered in the first trimester	6,637	80.0	6,839	76.9	ANC Check up in first trimester	68.5
12	Mothers who had at least 3 Ante-Natal care check ups	7,192	86.7	6,396	72.0	3 or more ANC check up	84.8
13	PW who got TT 2 / Booster injection	7,473	90.1	7,390	83.1	Atleast 1 TT received	91.3
14	PW who consumed 100 IFA tablets	6,847	82.5	5,922	66.6	100 IFA tablets consumed	74.8
15	Home Delivery against expected delivery *	117	1.0	90	0.8	Full ANC	70.3
16	Institutional Delivery against expected delivery *	6,753	60.1	7,216	65.4	Home Delivery	16.0
17	Home Delivery against reported delivery **	117	1.7	90	1.2	Institutional Delivery	82.7
18	Institutional Delivery against reported delivery **	6,753	98.3	7,216	98.8	Home Delivery by SBA	2.2
19	Total reported Deliveries	6,870		7,306		PNC within 14 days of delivery	84.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	47	40.2	39	43.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	6,750	98.3	6,455	88.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth #	12,212		10,911			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	6,599	54.0	7,259	66.5	Breastfed within 1 hour of birth	61.4
24	Total Still Birth	137	1.1	145	1.3	BCG	99.2

25	PC of newborn weighted at birth to live birth	6,581	99.7	7,255	99.9	3 dose of DPT	95.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	415	6.3	554	7.6	Measles	94.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,590	84.7	6,136	84.5	Full Immunization	85.2
28	Children fully immunized	7,731	63.3	7,461	68.4		
29	Children who have received BCG	6,676	54.7	7,156	65.6		
30	Children who have received DPT1	0	0.0	7,536	69.1		
31	Children who have received DPT3	11	0.1	7,638	70.0		
32	Children who have received Measles	7,843	64.2	7,419	68.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	7,909		7,292			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	21	5	Limiting	13.1
35	Number of Tubectomies performed	94	119	Spacing	7.1
36	Number of IUD insertion	1,041	572	Women using any method	64.1
37	Number of IUD removals	677	653	Women using modern method	53.8
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	680	623		
39	General OPD cases per 10,000 population ***	16515	16961		
40	Ayush OPD cases per 10,000 population ***	408	322		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	1	19		
42	Up to 1 Weeks of Birth	36	NA		
43	Between 1 week & 4 weeks of birth	0	46		
44	Neonatal Death	37	65		
45	Between 1 month and 11 months	38	42		
46	Total reported infant deaths	75	107		
II)	Maternal Mortality	HMIS (2016-17)	HMIS (2017-18)		
	Maternal Deaths (In Numbers)				
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	1		
50	Due to Bleeding	4	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	6	8		
53	Total reported maternal deaths	10	10		

East Sikkim Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	283,583					
2	Sex Ratio	872					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	48					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW #	5,741		5,655			
9	Expected number of Delivery #	5,282		5,203			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	3,969	69.1	4,669	82.6	Any ANC	94.0
11	Mothers registered in the first trimester	3,005	75.7	3,222	69.0	ANC Check up in first trimester	74.8
12	Mothers who had at least 3 Ante-Natal care check ups	3,374	85.0	2,882	61.7	3 or more ANC check up	81.1
13	PW who got TT 2 / Booster injection	3,367	84.8	3,380	72.4	Atleast 1 TT received	93.5
14	PW who consumed 100 IFA tablets	2,988	75.3	2,731	58.5	100 IFA tablets consumed	74.1
15	Home Delivery against expected delivery *	48	0.9	37	0.7	Full ANC	65.2
16	Institutional Delivery against expected delivery *	4,577	86.7	4,877	93.7	Home Delivery	6.9
17	Home Delivery against reported delivery **	48	1.0	37	0.8	Institutional Delivery	92.6
18	Institutional Delivery against reported delivery **	4,577	99.0	4,877	99.2	Home Delivery by SBA	1.0
19	Total reported Deliveries	4,625		4,914		PNC within 14 days of delivery	75.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	22	45.8	20	54.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,519	76.1	3,457	70.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth #	5,741		5,141			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	4,373	76.2	4,887	95.1	Breastfed within 1 hour of birth	57.5

24	Total Still Birth	103	1.8	103	2.0	BCG	100
25	PC of newborn weighted at birth to live birth	4,371	100.0	4,897	100.2	3 dose of DPT	97.6
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	323	7.4	440	9.0	Measles	97.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,548	81.1	3,857	78.9	Full Immunization	83.3
28	Children fully immunized	3,720	64.8	3,748	72.9		
29	Children who have received BCG	4,394	76.5	4,771	92.8		
30	Children who have received DPT1	0	0.0	3,759	73.1		
31	Children who have received DPT3	11	0.2	3,845	74.8		
32	Children who have received Measles	3,722	64.8	3,746	72.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	3,944		3,597			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	5	5	Limiting	22.1
35	Number of Tubectomies performed	31	64	Spacing	10.8
36	Number of IUD insertion	313	272	Women using any method	49.4
37	Number of IUD removals	113	172	Women using modern method	46.3
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	865	707		
39	General OPD cases per 10,000 population ***	18960	19705		
40	Ayush OPD cases per 10,000 population ***	414	287		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	0	11		
42	Up to 1 Weeks of Birth	26	NA		
43	Between 1 week & 4 weeks of birth	0	33		
44	Neonatal Death	26	44		
45	Between 1 month and 11 months	19	18		
46	Total reported infant deaths	45	62		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	1	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	6	7		
53	Total reported maternal deaths	7	8		

North Sikkim Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	43,709					
2	Sex Ratio	769					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	19					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW #	846		826			
9	Expected number of Delivery #	778		760			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	552	65.3	569	68.9	Any ANC	91.0
11	Mothers registered in the first trimester	468	84.8	507	89.1	ANC Check up in first trimester	70.3
12	Mothers who had at least 3 Ante-Natal care check ups	459	83.2	474	83.3	3 or more ANC check up	86.2
13	PW who got TT 2 / Booster injection	542	98.2	540	94.9	Atleast 1 TT received	91.0
14	PW who consumed 100 IFA tablets	469	85.0	477	83.8	100 IFA tablets consumed	79.0
15	Home Delivery against expected delivery *	10	1.3	5	0.7	Full ANC	75.5
16	Institutional Delivery against expected delivery *	172	22.1	191	25.1	Home Delivery	17.0
17	Home Delivery against reported delivery **	10	5.5	5	2.6	Institutional Delivery	82.0
18	Institutional Delivery against reported delivery **	172	94.5	191	97.4	Home Delivery by SBA	3.5
19	Total reported Deliveries	182		196		PNC within 14 days of delivery	86.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	6	60.0	2	40.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	312	171.4	365	186.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth #	846		751			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	181	21.4	200	26.6	Breastfed within 1 hour of birth	64.2

24	Total Still Birth	4	0.5	1	0.1	BCG	98.2
25	PC of newborn weighted at birth to live birth	180	99.4	199	99.5	3 dose of DPT	96.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5	2.8	16	8.0	Measles	94.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	178	98.3	198	99.0	Full Immunization	86
28	Children fully immunized	551	65.2	436	58.1		
29	Children who have received BCG	190	22.5	201	26.8		
30	Children who have received DPT1	0	0.0	475	63.3		
31	Children who have received DPT3	0	0.0	476	63.4		
32	Children who have received Measles	572	67.6	424	56.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	524		442			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	4.3
35	Number of Tubectomies performed	0	0	Spacing	6.1
36	Number of IUD insertion	51	29	Women using any method	73.5
37	Number of IUD removals	27	42	Women using modern method	65.2
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	465	342		
39	General OPD cases per 10,000 population ***	11188	12784		
40	Ayush OPD cases per 10,000 population ***	164	191		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	0	3		
42	Up to 1 Weeks of Birth	1	NA		
43	Between 1 week & 4 weeks of birth	0	1		
44	Neonatal Death	1	4		
45	Between 1 month and 11 months	0	4		
46	Total reported infant deaths	1	8		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	0		

South Sikkim Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	146,850					
2	Sex Ratio	914					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	39					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW #	2,926		2,873			
9	Expected number of Delivery #	2,692		2,643			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,857	63.5	1,786	62.2	Any ANC	94.3
11	Mothers registered in the first trimester	1,547	83.3	1,509	84.5	ANC Check up in first trimester	70.0
12	Mothers who had at least 3 Ante-Natal care check ups	1,695	91.3	1,562	87.5	3 or more ANC check up	91.5
13	PW who got TT 2 / Booster injection	1,721	92.7	1,668	93.4	Atleast 1 TT received	93.5
14	PW who consumed 100 IFA tablets	1,582	85.2	1,244	69.7	100 IFA tablets consumed	72.4
15	Home Delivery against expected delivery *	40	1.5	35	1.3	Full ANC	67.9
16	Institutional Delivery against expected delivery *	1,092	40.6	1,225	46.3	Home Delivery	17.9
17	Home Delivery against reported delivery **	40	3.5	35	2.8	Institutional Delivery	81.3
18	Institutional Delivery against reported delivery **	1,092	96.5	1,225	97.2	Home Delivery by SBA	2.0
19	Total reported Deliveries	1,132		1,260		PNC within 14 days of delivery	90.5
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	14	35.0	13	37.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,446	127.7	1,295	102.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth #	2,926		2,612			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,126	38.5	1,247	47.7	Breastfed within 1 hour of birth	65.4

24	Total Still Birth	13	0.4	20	0.8	BCG	98.1
25	PC of newborn weighted at birth to live birth	1,123	99.7	1,240	99.4	3 dose of DPT	94.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	49	4.4	52	4.2	Measles	90.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	965	85.7	1,173	94.1	Full Immunization	83.3
28	Children fully immunized	1,740	59.5	1,653	63.3		
29	Children who have received BCG	1,148	39.2	1,245	47.7		
30	Children who have received DPT1	0	0.0	1,626	62.3		
31	Children who have received DPT3	0	0.0	1,637	62.7		
32	Children who have received Measles	1,774	60.6	1,621	62.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,326		1,648			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	16	0	Limiting	13
35	Number of Tubectomies performed	63	55	Spacing	5.8
36	Number of IUD insertion	305	82	Women using any method	67.4
37	Number of IUD removals	286	201	Women using modern method	53
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	627	749		
39	General OPD cases per 10,000 population ***	17985	17418		
40	Ayush OPD cases per 10,000 population ***	435	443		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	0	2		
42	Up to 1 Weeks of Birth	2	NA		
43	Between 1 week & 4 weeks of birth	0	7		
44	Neonatal Death	2	9		
45	Between 1 month and 11 months	3	6		
46	Total reported infant deaths	5	15		
II)	Maternal Mortality	HMIS (2016-17)	HMIS (2017-18)		
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	1		
53	Total reported maternal deaths	0	1		

West Sikkim Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	136,435					
2	Sex Ratio	941					
B) Infrastructure Details (RHS 2015)		Numbers					
3	Sub Centers (SC)	41					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2016-17		2017-18			
8	Expected number of PW #	2,705		2,654			
9	Expected number of Delivery #	2,489		2,442			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,917	70.9	1,864	70.2	Any ANC	87.4
11	Mothers registered in the first trimester	1,617	84.4	1,601	85.9	ANC Check up in first trimester	56.1
12	Mothers who had at least 3 Ante-Natal care check ups	1,664	86.8	1,478	79.3	3 or more ANC check up	82.7
13	PW who got TT 2 / Booster injection	1,843	96.1	1,802	96.7	Atleast 1 TT received	87.0
14	PW who consumed 100 IFA tablets	1,808	94.3	1,470	78.9	100 IFA tablets consumed	71.8
15	Home Delivery against expected delivery *	19	0.8	13	0.5	Full ANC	69.7
16	Institutional Delivery against expected delivery *	912	36.6	923	37.8	Home Delivery	24.1
17	Home Delivery against reported delivery **	19	2.0	13	1.4	Institutional Delivery	73.7
18	Institutional Delivery against reported delivery **	912	98.0	923	98.6	Home Delivery by SBA	2.2
19	Total reported Deliveries	931		936		PNC within 14 days of delivery	83.4
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	26.3	4	30.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,473	158.2	1,338	142.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth #	2,705		2,413			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	919	34.0	925	38.3	Breastfed within 1 hour of birth	59.2

24	Total Still Birth	17	0.6	21	0.9	BCG	100
25	PC of newborn weighted at birth to live birth	907	98.7	919	99.4	3 dose of DPT	97.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	38	4.2	46	5.0	Measles	97.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	899	97.8	908	98.2	Full Immunization	88.4
28	Children fully immunized	1,720	63.6	1,624	67.3		
29	Children who have received BCG	944	34.9	939	38.9		
30	Children who have received DPT1	0	0.0	1,676	69.5		
31	Children who have received DPT3	0	0.0	1,680	69.6		
32	Children who have received Measles	1,775	65.6	1,628	67.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,115		1,605			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	8.5
35	Number of Tubectomies performed	0	0	Spacing	4.5
36	Number of IUD insertion	372	189	Women using any method	70.8
37	Number of IUD removals	251	238	Women using modern method	55.6
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
38	IPD cases per 10,000 population ***	409	395		
39	General OPD cases per 10,000 population ***	11370	11880		
40	Ayush OPD cases per 10,000 population ***	443	305		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
41	Neonatal death within 24 hours	1	3		
42	Up to 1 Weeks of Birth	7	NA		
43	Between 1 week & 4 weeks of birth	0	5		
44	Neonatal Death	8	8		
45	Between 1 month and 11 months	16	14		
46	Total reported infant deaths	24	22		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2016-17)	HMIS (2017-18)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	1		
50	Due to Bleeding	3	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	3	1		

