

## Tripura Factsheet

Key Indicators							
Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,673,917					
2	Sex Ratio	1,017					
B) Infrastructure Details (RHS 2014)		Numbers					
4	Sub Centers(SC)	1,017					
5	Primary Health Centers(PHC)	91					
6	Community Health Centers (CHC)	20					
7	SDH	11					
8	DH	6					
C) Maternal Health:		2016-17		2017-18			
9	Expected number of PW	64,811		61,293			
10	Expected number of Delivery	60,098		56,836			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	76,814	118.5	75,509	123.2	Any ANC	83.7
12	Mothers registered in the first trimester	48,465	63.1	46,015	60.9	ANC Check up in first trimester	66.6
13	Mothers who had at least 3 Ante-Natal care check ups	48,682	63.4	39,829	52.7	3 or more ANC check up	63.8
14	PW who got TT 2 / Booster injection	50,329	65.5	53,112	70.3	Atleast 1 TT received	80.0
15	PW who consumed 100 IFA tablets	58,815	76.6	29,430	39.0	100 IFA tablets consumed	36.9
16	Home Delivery against expected delivery *	4,813	8.0	3,993	7.0	Full ANC	27.3
17	Institutional Delivery against expected delivery *	44,690	74.4	47,712	83.9	Home Delivery	26.8
18	Home Delivery against reported delivery **	4,813	9.7	3,993	7.7	Institutional Delivery	72.7
19	Institutional Delivery against reported delivery **	44,690	90.3	47,712	92.3	Home Delivery by SBA	4.3
20	Total reported Deliveries	49,503		51,705		PNC within 14 days of delivery	61.6
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	16	0.3	11	0.3		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	36,909	74.6	36,628	70.8		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
23	Expected number of Live Birth	58,919		55,721			
D) Child Immunization :		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	48,827	82.9	51,007	91.5	Breastfed within 1 hour of birth	41.9
25	Total Still Birth	897	1.5	962	1.7	BCG	75.3

26	PC of newborn weighted at birth to live birth	48,108	98.5	50,051	98.1	3 dose of DPT	70.1
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5,746	11.9	6,781	13.5	Measles	61.2
28	PC of newborns breastfed within 1 hour to total reported live birth.	46,827	95.9	45,874	89.9	Full Immunization	48
29	Children fully immunized	46,398	78.7	45,460	81.6		
30	Children who have received BCG	51,358	87.2	51,110	91.7		
31	Children who have received DPT1	1,117	1.9	55,134	98.9		
32	Children who have received DPT3	3,465	5.9	49,259	88.4		
33	Children who have received Measles	49,978	84.8	46,143	82.8		
34	Diarrhoea and Dehydration cases reported in children below 5 years	26,904		41,741			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
36	Number of Vasectomies performed	43	13	Limiting	18.6
37	Number of Tubectomies performed	2,544	2,614	Spacing	8.1
38	Number of IUD insertion	2,202	787	Women using any method	61
39	Number of IUD removals	1,250	301	Women using modern method	41.1
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
40	IPD cases per 10,000 population ***	1079	1076		
41	General OPD cases per 10,000 population ***	10512	10095		
42	Ayush OPD cases per 10,000 population ***	755	807		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
43	Neonatal death within 24 hours	31	351		
44	Up to 1 Weeks of Birth	261	NA		
45	Between 1 week & 4 weeks of birth	4	360		
46	Neonatal Death	296	711		
47	Between 1 month and 11 months	276	354		
48	<b>Total reported infant deaths</b>	<b>572</b>	<b>1,065</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
49	Due to Abortion	4	0		
50	Due to Obstructed/prolonged labour	6	3		
51	Due to Severe hypertension/fits	12	4		
52	Due to Bleeding	7	8		
53	Due to High fever	0	0		
54	Due to Other Causes (including causes not known)	20	54		
55	<b>Total reported maternal deaths</b>	<b>49</b>	<b>69</b>		

## Dhalai Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	378,230					
2	Sex Ratio	945					
	B) Infrastructure Details (RHS 2014)	Numbers					
4	Sub Centers(SC)	131					
5	Primary Health Centers(PHC)	14					
6	Community Health Centers (CHC)	2					
7	SDH	3					
8	DH	1					
	C) Maternal Health:	2016-17		2017-18			
9	Expected number of PW	6,996		6,669			
10	Expected number of Delivery	6,488		6,184			
		HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	7,889	112.8	7,778	116.6	Any ANC	81.1
12	Mothers registered in the first trimester	5,127	65.0	4,587	59.0	ANC Check up in first trimester	64.2
13	Mothers who had at least 3 Ante-Natal care check ups	6,210	78.7	2,867	36.9	3 or more ANC check up	63.6
14	PW who got TT 2 / Booster injection	6,680	84.7	6,480	83.3	Atleast 1 TT received	78.1
15	PW who consumed 100 IFA tablets	9,386	119.0	5,128	65.9	100 IFA tablets consumed	27.9
16	Home Delivery against expected delivery *	561	8.6	469	7.6	Full ANC	20.6
17	Institutional Delivery against expected delivery *	4,950	76.3	4,916	79.5	Home Delivery	29.4
18	Home Delivery against reported delivery **	561	10.2	469	8.7	Institutional Delivery	70.6
19	Institutional Delivery against reported delivery **	4,950	89.8	4,916	91.3	Home Delivery by SBA	4.1
20	Total reported Deliveries	5,511		5,385		PNC within 14 days of delivery	58.8
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	1.8	0	0.0		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,885	70.5	2,220	41.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	6,360		6,063			
	D) Child Immunization :	HMIS (2016-17)		HMIS (2017-18)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	5,433	85.4	5,312	87.6	Breastfed within 1 hour of birth	43.3

25	Total Still Birth	105	1.7	93	1.5	BCG	76
26	PC of newborn weighted at birth to live birth	5,345	98.4	5,256	98.9	3 dose of DPT	66.7
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	639	12.0	583	11.1	Measles	61.3
28	PC of newborns breastfed within 1 hour to total reported live birth.	5,197	95.7	5,073	95.5	Full Immunization	51.4
29	Children fully immunized	5,549	87.2	5,044	83.2		
30	Children who have received BCG	5,829	91.6	5,586	92.1		
31	Children who have received DPT1	303	4.8	6,637	109.5		
32	Children who have received DPT3	660	10.4	5,575	92.0		
33	Children who have received Measles	5,665	89.1	5,155	85.0		
34	Diarrhoea and Dehydration cases reported in children below 5 years	4,353		4,945			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
36	Number of Vasectomies performed	0	0	Limiting	20.1
37	Number of Tubectomies performed	13	32	Spacing	8.3
38	Number of IUD insertion	120	100	Women using any method	58.9
39	Number of IUD removals	139	83	Women using modern method	39.1
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
40	IPD cases per 10,000 population ***	1038	970		
41	General OPD cases per 10,000 population ***	8126	8101		
42	Ayush OPD cases per 10,000 population ***	420	418		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
43	Neonatal death within 24 hours	3	12		
44	Up to 1 Weeks of Birth	46	NA		
45	Between 1 week & 4 weeks of birth	1	37		
46	Neonatal Death	50	49		
47	Between 1 month and 11 months	57	66		
48	<b>Total reported infant deaths</b>	107	115		
II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
49	Due to Abortion	0	0		
50	Due to Obstructed/prolonged labour	1	1		
51	Due to Severe hypertension/fits	2	0		
52	Due to Bleeding	3	1		
53	Due to High fever	0	0		
54	Due to Other Causes (including causes not known)	4	3		
55	<b>Total reported maternal deaths</b>	10	5		

## Gomati Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	436,868					
2	Sex Ratio	0					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
4	Sub Centers(SC)	151					
5	Primary Health Centers(PHC)	10					
6	Community Health Centers (CHC)	3					
7	SDH	2					
8	DH	1					
<b>C) Maternal Health:</b>		<b>2016-17</b>		<b>2017-18</b>			
9	Expected number of PW	7,680		7,258			
10	Expected number of Delivery	7,122		6,730			
		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
11	PW register for ANC	7,077	92.1	6,785	93.5	Any ANC	NA
12	Mothers registered in the first trimester	5,263	74.4	5,319	78.4	ANC Check up in first trimester	NA
13	Mothers who had at least 3 Ante-Natal care check ups	5,496	77.7	4,819	71.0	3 or more ANC check up	NA
14	PW who got TT 2 / Booster injection	5,881	83.1	6,315	93.1	Atleast 1 TT received	NA
15	PW who consumed 100 IFA tablets	5,045	71.3	4,847	71.4	100 IFA tablets consumed	NA
16	Home Delivery against expected delivery *	357	5.0	204	3.0	Full ANC	NA
17	Institutional Delivery against expected delivery *	5,628	79.0	5,842	86.8	Home Delivery	NA
18	Home Delivery against reported delivery **	357	6.0	204	3.4	Institutional Delivery	NA
19	Institutional Delivery against reported delivery **	5,628	94.0	5,842	96.6	Home Delivery by SBA	NA
20	Total reported Deliveries	5,985		6,046		PNC within 14 days of delivery	NA
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,182	86.6	5,767	95.4		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
23	Expected number of Live Birth	6,982		6,598			
<b>D) Child Immunization :</b>		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
24	Total reported live births	5,938	85.0	6,002	91.0	Breastfed within 1 hour of birth	NA

25	Total Still Birth	92	1.3	88	1.3	BCG	NA
26	PC of newborn weighted at birth to live birth	5,900	99.4	5,993	99.9	3 dose of DPT	NA
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	504	8.5	585	9.8	Measles	NA
28	PC of newborns breastfed within 1 hour to total reported live birth.	5,843	98.4	5,874	97.9	Full Immunization	NA
29	Children fully immunized	5,294	75.8	5,113	77.5		
30	Children who have received BCG	6,142	88.0	6,371	96.6		
31	Children who have received DPT1	61	0.9	6,311	95.6		
32	Children who have received DPT3	318	4.6	5,764	87.4		
33	Children who have received Measles	5,418	77.6	5,131	77.8		
34	Diarrhoea and Dehydration cases reported in children below 5 years	2,898		4,703			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
36	Number of Vasectomies performed	38	12	Limiting	NA
37	Number of Tubectomies performed	352	512	Spacing	NA
38	Number of IUD insertion	502	190	Women using any method	NA
39	Number of IUD removals	29	14	Women using modern method	NA
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
40	IPD cases per 10,000 population ***	1098	1058		
41	General OPD cases per 10,000 population ***	9460	9197		
42	Ayush OPD cases per 10,000 population ***	565	635		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
43	Neonatal death within 24 hours	1	11		
44	Up to 1 Weeks of Birth	14	NA		
45	Between 1 week & 4 weeks of birth	0	18		
46	Neonatal Death	15	29		
47	Between 1 month and 11 months	19	20		
48	<b>Total reported infant deaths</b>	<b>34</b>	<b>49</b>		
II)	Maternal Mortality	HMIS (2016-17)	HMIS (2017-18)		
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
49	Due to Abortion	0	0		
50	Due to Obstructed/prolonged labour	0	1		
51	Due to Severe hypertension/fits	0	0		
52	Due to Bleeding	0	3		
53	Due to High fever	0	0		
54	Due to Other Causes (including causes not known)	1	3		
55	<b>Total reported maternal deaths</b>	<b>1</b>	<b>7</b>		

## Khowai Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	327,391					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2014)		Numbers					
4	Sub Centers(SC)	109					
5	Primary Health Centers(PHC)	7					
6	Community Health Centers (CHC)	2					
7	SDH	0					
8	DH	1					
C) Maternal Health:		2016-17	2017-18				
9	Expected number of PW	5,704	5,382				
10	Expected number of Delivery	5,289	4,991				
		HMIS (2016-17)	HMIS (2017-18)		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
11	PW register for ANC	4,895	85.8	5,045	93.7	Any ANC	NA
12	Mothers registered in the first trimester	3,785	77.3	3,770	74.7	ANC Check up in first trimester	NA
13	Mothers who had at least 3 Ante-Natal care check ups	4,185	85.5	3,393	67.3	3 or more ANC check up	NA
14	PW who got TT 2 / Booster injection	4,110	84.0	4,492	89.0	Atleast 1 TT received	NA
15	PW who consumed 100 IFA tablets	4,613	94.2	2,659	52.7	100 IFA tablets consumed	NA
16	Home Delivery against expected delivery *	187	3.5	168	3.4	Full ANC	NA
17	Institutional Delivery against expected delivery *	2,556	48.3	2,748	55.1	Home Delivery	NA
18	Home Delivery against reported delivery **	187	6.8	168	5.8	Institutional Delivery	NA
19	Institutional Delivery against reported delivery **	2,556	93.2	2,748	94.2	Home Delivery by SBA	NA
20	Total reported Deliveries	2,743		2,916		PNC within 14 days of delivery	NA
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	0.5	1	0.6		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,699	61.9	1,196	41.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	5,185		4,893			
D) Child Immunization :		HMIS (2016-17)	HMIS (2017-18)		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
24	Total reported live births	2,709	52.2	2,903	59.3	Breastfed within 1 hour of birth	NA

25	Total Still Birth	37	0.7	37	0.8	BCG	NA
26	PC of newborn weighted at birth to live birth	2,664	98.3	2,832	97.6	3 dose of DPT	NA
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	228	8.6	329	11.6	Measles	NA
28	PC of newborns breastfed within 1 hour to total reported live birth.	2,553	94.2	2,731	94.1	Full Immunization	NA
29	Children fully immunized	4,370	84.3	4,428	90.5		
30	Children who have received BCG	3,158	60.9	3,449	70.5		
31	Children who have received DPT1	25	0.5	4,477	91.5		
32	Children who have received DPT3	177	3.4	4,007	81.9		
33	Children who have received Measles	4,406	85.0	4,434	90.6		
34	Diarrhoea and Dehydration cases reported in children below 5 years	956		3,628			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
36	Number of Vasectomies performed	0	0	Limiting	NA
37	Number of Tubectomies performed	0	89	Spacing	NA
38	Number of IUD insertion	46	52	Women using any method	NA
39	Number of IUD removals	86	4	Women using modern method	NA
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
40	IPD cases per 10,000 population ***	575	967		
41	General OPD cases per 10,000 population ***	8653	7675		
42	Ayush OPD cases per 10,000 population ***	797	864		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
43	Neonatal death within 24 hours	0	8		
44	Up to 1 Weeks of Birth	1	NA		
45	Between 1 week & 4 weeks of birth	1	51		
46	Neonatal Death	2	59		
47	Between 1 month and 11 months	19	28		
48	<b>Total reported infant deaths</b>	21	87		
II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
49	Due to Abortion	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits	1	0		
52	Due to Bleeding	0	0		
53	Due to High fever	0	0		
54	Due to Other Causes (including causes not known)	2	1		
55	<b>Total reported maternal deaths</b>	3	1		



## North Tripura Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	<b>415,946</b>					
2	Sex Ratio	<b>967</b>					
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>					
4	Sub Centers(SC)	<b>90</b>					
5	Primary Health Centers(PHC)	<b>14</b>					
6	Community Health Centers (CHC)	<b>2</b>					
7	SDH	<b>1</b>					
8	DH	<b>1</b>					
<b>C) Maternal Health:</b>		<b>2016-17</b>		<b>2017-18</b>			
9	Expected number of PW	7,456		7,069			
10	Expected number of Delivery	6,914		6,555			
		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
11	PW register for ANC	8,846	118.6	9,378	132.7	Any ANC	85.9
12	Mothers registered in the first trimester	5,016	56.7	5,270	56.2	ANC Check up in first trimester	62.4
13	Mothers who had at least 3 Ante-Natal care check ups	4,969	56.2	4,851	51.7	3 or more ANC check up	64.6
14	PW who got TT 2 / Booster injection	6,434	72.7	7,229	77.1	Atleast 1 TT received	83.1
15	PW who consumed 100 IFA tablets	5,352	60.5	3,014	32.1	100 IFA tablets consumed	39.9
16	Home Delivery against expected delivery *	1,520	22.0	1,559	23.8	Full ANC	28.7
17	Institutional Delivery against expected delivery *	3,753	54.3	4,661	71.1	Home Delivery	37.4
18	Home Delivery against reported delivery **	1,520	28.8	1,559	25.1	Institutional Delivery	62.6
19	Institutional Delivery against reported delivery **	3,753	71.2	4,661	74.9	Home Delivery by SBA	4.9
20	Total reported Deliveries	5,273		6,220		PNC within 14 days of delivery	62.1
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4	0.3	10	0.6		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,296	62.5	2,858	45.9		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
23	Expected number of Live Birth	6,778		6,426			
<b>D) Child Immunization :</b>		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
24	Total reported live births	5,198	76.7	6,133	95.4	Breastfed within 1 hour of birth	51.3

25	Total Still Birth	114	1.7	124	1.9	BCG	73.7
26	PC of newborn weighted at birth to live birth	5,039	96.9	5,996	97.8	3 dose of DPT	65.6
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	411	8.2	554	9.2	Measles	56.3
28	PC of newborns breastfed within 1 hour to total reported live birth.	5,038	96.9	6,002	97.9	Full Immunization	42.1
29	Children fully immunized	4,669	68.9	4,876	75.9		
30	Children who have received BCG	5,714	84.3	5,501	85.6		
31	Children who have received DPT1	136	2.0	7,250	112.8		
32	Children who have received DPT3	541	8.0	5,740	89.3		
33	Children who have received Measles	5,262	77.6	5,081	79.1		
34	Diarrhoea and Dehydration cases reported in children below 5 years	2,638		4,265			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
36	Number of Vasectomies performed	0	1	Limiting	14.6
37	Number of Tubectomies performed	37	79	Spacing	8
38	Number of IUD insertion	41	18	Women using any method	65.2
39	Number of IUD removals	139	9	Women using modern method	41.7
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
40	IPD cases per 10,000 population ***	970	999		
41	General OPD cases per 10,000 population ***	7160	7328		
42	Ayush OPD cases per 10,000 population ***	607	469		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
43	Neonatal death within 24 hours	1	15		
44	Up to 1 Weeks of Birth	33	NA		
45	Between 1 week & 4 weeks of birth	0	28		
46	Neonatal Death	34	43		
47	Between 1 month and 11 months	49	51		
48	<b>Total reported infant deaths</b>	<b>83</b>	<b>94</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
49	Due to Abortion	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits	0	1		
52	Due to Bleeding	2	3		
53	Due to High fever	0	0		
54	Due to Other Causes (including causes not known)	2	10		
55	<b>Total reported maternal deaths</b>	<b>4</b>	<b>14</b>		

## Sipahijala Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	484,233					
2	Sex Ratio	0					
	B) Infrastructure Details (RHS 2014)	Numbers					
4	Sub Centers(SC)	142					
5	Primary Health Centers(PHC)	12					
6	Community Health Centers (CHC)	4					
7	SDH	2					
8	DH	0					
	C) Maternal Health:	2016-17	2017-18				
9	Expected number of PW	8,436	7,960				
10	Expected number of Delivery	7,822	7,381				
		HMIS (2016-17)	HMIS (2017-18)		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
11	PW register for ANC	8,179	97.0	8,253	103.7	Any ANC	NA
12	Mothers registered in the first trimester	6,238	76.3	6,233	75.5	ANC Check up in first trimester	NA
13	Mothers who had at least 3 Ante-Natal care check ups	5,645	69.0	3,908	47.4	3 or more ANC check up	NA
14	PW who got TT 2 / Booster injection	6,775	82.8	7,125	86.3	Atleast 1 TT received	NA
15	PW who consumed 100 IFA tablets	6,206	75.9	3,303	40.0	100 IFA tablets consumed	NA
16	Home Delivery against expected delivery *	596	7.6	480	6.5	Full ANC	NA
17	Institutional Delivery against expected delivery *	3,098	39.6	3,436	46.5	Home Delivery	NA
18	Home Delivery against reported delivery **	596	16.1	480	12.3	Institutional Delivery	NA
19	Institutional Delivery against reported delivery **	3,098	83.9	3,436	87.7	Home Delivery by SBA	NA
20	Total reported Deliveries	3,694		3,916		PNC within 14 days of delivery	NA
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,338	90.4	2,937	75.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	7,669		7,237			
	D) Child Immunization :	HMIS (2016-17)	HMIS (2017-18)		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
24	Total reported live births	3,662	47.8	3,921	54.2	Breastfed within 1 hour of birth	NA

25	Total Still Birth	48	0.6	38	0.5	BCG	NA
26	PC of newborn weighted at birth to live birth	3,524	96.2	3,854	98.3	3 dose of DPT	NA
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	471	13.4	535	13.9	Measles	NA
28	PC of newborns breastfed within 1 hour to total reported live birth.	3,405	93.0	3,790	96.7	Full Immunization	NA
29	Children fully immunized	6,582	85.8	6,452	89.2		
30	Children who have received BCG	5,126	66.8	4,983	68.9		
31	Children who have received DPT1	37	0.5	7,530	104.1		
32	Children who have received DPT3	293	3.8	6,934	95.8		
33	Children who have received Measles	6,625	86.4	6,481	89.6		
34	Diarrhoea and Dehydration cases reported in children below 5 years	1,986		4,979			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
36	Number of Vasectomies performed	0	0	Limiting	NA
37	Number of Tubectomies performed	307	152	Spacing	NA
38	Number of IUD insertion	48	56	Women using any method	NA
39	Number of IUD removals	12	8	Women using modern method	NA
F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
40	IPD cases per 10,000 population ***	775	841		
41	General OPD cases per 10,000 population ***	10172	8984		
42	Ayush OPD cases per 10,000 population ***	1396	1335		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
43	Neonatal death within 24 hours	4	3		
44	Up to 1 Weeks of Birth	10	NA		
45	Between 1 week & 4 weeks of birth	0	8		
46	Neonatal Death	14	11		
47	Between 1 month and 11 months	24	11		
48	<b>Total reported infant deaths</b>	<b>38</b>	<b>22</b>		
II)	Maternal Mortality	HMIS (2016-17)	HMIS (2017-18)		
49	Due to Abortion	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits	0	0		
52	Due to Bleeding	1	0		
53	Due to High fever	0	0		
54	Due to Other Causes (including causes not known)	0	8		
55	<b>Total reported maternal deaths</b>	<b>1</b>	<b>8</b>		

## South Tripura Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	433,737						
2	Sex Ratio	957						
<b>B) Infrastructure Details (RHS 2014)</b>		<b>Numbers</b>						
4	Sub Centers(SC)	148						
5	Primary Health Centers(PHC)	16						
6	Community Health Centers (CHC)	4						
7	SDH	2						
8	DH	1						
<b>C) Maternal Health:</b>		<b>2016-17</b>	<b>2017-18</b>					
9	Expected number of PW	7,625	7,206					
10	Expected number of Delivery	7,071	6,682					
		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
11	PW register for ANC	7,355	96.5	7,161	99.4	Any ANC	77.0	
12	Mothers registered in the first trimester	6,046	82.2	5,521	77.1	ANC Check up in first trimester	62.0	
13	Mothers who had at least 3 Ante-Natal care check ups	5,936	80.7	4,444	62.1	3 or more ANC check up	61.2	
14	PW who got TT 2 / Booster injection	6,483	88.1	6,482	90.5	Atleast 1 TT received	74.3	
15	PW who consumed 100 IFA tablets	7,231	98.3	4,828	67.4	100 IFA tablets consumed	35.0	
16	Home Delivery against expected delivery *	339	4.8	209	3.1	Full ANC	27.0	
17	Institutional Delivery against expected delivery *	4,517	63.9	4,754	71.1	Home Delivery	28.6	
18	Home Delivery against reported delivery **	339	7.0	209	4.2	Institutional Delivery	69.1	
19	Institutional Delivery against reported delivery **	4,517	93.0	4,754	95.8	Home Delivery by SBA	5.0	
20	Total reported Deliveries	4,856		4,963		PNC within 14 days of delivery	47.1	
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0			
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,074	104.5	3,939	79.4			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>								
23	Expected number of Live Birth	6,932		6,551				
<b>D) Child Immunization :</b>		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
24	Total reported live births	4,823	69.6	4,904	74.9	Breastfed within 1 hour of birth	41.8	

25	Total Still Birth	42	0.6	54	0.8	BCG	71.2
26	PC of newborn weighted at birth to live birth	4,785	99.2	4,854	99.0	3 dose of DPT	69.5
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	474	9.9	481	9.9	Measles	61
28	PC of newborns breastfed within 1 hour to total reported live birth.	4,805	99.6	4,859	99.1	Full Immunization	55.9
29	Children fully immunized	5,653	81.6	5,546	84.7		
30	Children who have received BCG	5,275	76.1	5,118	78.1		
31	Children who have received DPT1	26	0.4	6,618	101.0		
32	Children who have received DPT3	380	5.5	6,323	96.5		
33	Children who have received Measles	5,910	85.3	5,615	85.7		
34	Diarrhoea and Dehydration cases reported in children below 5 years	1,830		5,799			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							

E) Family Planning		HMIS (2016-17)	HMIS (2017-18)	DLHS-4 (2012-13)	
36	Number of Vasectomies performed	1	0	Limiting	22.4
37	Number of Tubectomies performed	269	56	Spacing	9.2
38	Number of IUD insertion	246	177	Women using any method	59.9
39	Number of IUD removals	749	36	Women using modern method	42.6

F) Service delivery		HMIS (2016-17)	HMIS (2017-18)		
40	IPD cases per 10,000 population ***	1191	1005		
41	General OPD cases per 10,000 population ***	9430	9513		
42	Ayush OPD cases per 10,000 population ***	813	829		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
43	Neonatal death within 24 hours	0	7		
44	Up to 1 Weeks of Birth	9	NA		
45	Between 1 week & 4 weeks of birth	0	17		
46	Neonatal Death	9	24		
47	Between 1 month and 11 months	14	25		
48	<b>Total reported infant deaths</b>	<b>23</b>	<b>49</b>		

II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2016-17)	HMIS (2017-18)		
49	Due to Abortion	0	0		
50	Due to Obstructed/prolonged labour	0	1		
51	Due to Severe hypertension/fits	0	0		
52	Due to Bleeding	0	0		
53	Due to High fever	0	0		
54	Due to Other Causes (including causes not known)	2	2		
55	<b>Total reported maternal deaths</b>	<b>2</b>	<b>3</b>		

## Unakoti Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	277,335					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2014)		Numbers					
4	Sub Centers(SC)	75					
5	Primary Health Centers(PHC)	7					
6	Community Health Centers (CHC)	1					
7	SDH	1					
8	DH	1					
C) Maternal Health:		2016-17	2017-18				
9	Expected number of PW	4,971	4,713				
10	Expected number of Delivery	4,610	4,371				
		HMIS (2016-17)	HMIS (2017-18)		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
11	PW register for ANC	5,432	109.3	5,315	112.8	Any ANC	NA
12	Mothers registered in the first trimester	3,137	57.8	2,862	53.8	ANC Check up in first trimester	NA
13	Mothers who had at least 3 Ante-Natal care check ups	3,480	64.1	2,842	53.5	3 or more ANC check up	NA
14	PW who got TT 2 / Booster injection	4,203	77.4	4,288	80.7	Atleast 1 TT received	NA
15	PW who consumed 100 IFA tablets	4,004	73.7	1,243	23.4	100 IFA tablets consumed	NA
16	Home Delivery against expected delivery *	886	19.2	669	15.3	Full ANC	NA
17	Institutional Delivery against expected delivery *	3,292	71.4	3,107	71.1	Home Delivery	NA
18	Home Delivery against reported delivery **	886	21.2	669	17.7	Institutional Delivery	NA
19	Institutional Delivery against reported delivery **	3,292	78.8	3,107	82.3	Home Delivery by SBA	NA
20	Total reported Deliveries	4,178		3,776		PNC within 14 days of delivery	NA
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	0.1	0	0.0		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,738	65.5	3,343	88.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
23	Expected number of Live Birth	4,519		4,285			
D) Child Immunization :		HMIS (2016-17)	HMIS (2017-18)		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
24	Total reported live births	4,108	90.9	3,726	87.0	Breastfed within 1 hour of birth	NA

25	Total Still Birth	77	1.7	56	1.3	BCG	NA
26	PC of newborn weighted at birth to live birth	3,972	96.7	3,634	97.5	3 dose of DPT	NA
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	497	12.5	519	14.3	Measles	NA
28	PC of newborns breastfed within 1 hour to total reported live birth.	3,961	96.4	3,489	93.6	Full Immunization	NA
29	Children fully immunized	3,896	86.2	3,580	83.6		
30	Children who have received BCG	3,816	84.4	4,277	99.8		
31	Children who have received DPT1	82	1.8	4,816	112.4		
32	Children who have received DPT3	452	10.0	4,284	100.0		
33	Children who have received Measles	4,145	91.7	3,765	87.9		
34	Diarrhoea and Dehydration cases reported in children below 5 years	3,170		3,520			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>		<b>DLHS-4 (2012-13)</b>	
36	Number of Vasectomies performed	0		0		Limiting	NA
37	Number of Tubectomies performed	74		57		Spacing	NA
38	Number of IUD insertion	68		19		Women using any method	NA
39	Number of IUD removals	25		2		Women using modern method	NA
<b>F) Service delivery</b>		<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>			
40	IPD cases per 10,000 population ***	1231		833			
41	General OPD cases per 10,000 population ***	8336		6874			
42	Ayush OPD cases per 10,000 population ***	1621		1284			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>			
43	Neonatal death within 24 hours	2		5			
44	Up to 1 Weeks of Birth	20		NA			
45	Between 1 week & 4 weeks of birth	2		25			
46	Neonatal Death	24		30			
47	Between 1 month and 11 months	33		47			
48	<b>Total reported infant deaths</b>	57		77			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2016-17)</b>		<b>HMIS (2017-18)</b>			
49	Due to Abortion	0		0			
50	Due to Obstructed/prolonged labour	2		0			
51	Due to Severe hypertension/fits	2		1			
52	Due to Bleeding	1		1			
53	Due to High fever	0		0			
54	Due to Other Causes (including causes not known)	5		8			
55	<b>Total reported maternal deaths</b>	10		10			



## West Tripura Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	917,534					
2	Sex Ratio	964					
B) Infrastructure Details (RHS 2014)		Numbers					
4	Sub Centers(SC)	171					
5	Primary Health Centers(PHC)	11					
6	Community Health Centers (CHC)	2					
7	SDH	0					
8	DH	0					
C) Maternal Health:		2016-17	2017-18				
9	Expected number of PW	15,985	15,083				
10	Expected number of Delivery	14,822	13,987				
		HMIS (2016-17)	HMIS ( 2017-18)		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
11	PW register for ANC	27,141	169.8	25,794	171.0	Any ANC	86.1
12	Mothers registered in the first trimester	13,853	51.0	12,453	48.3	ANC Check up in first trimester	73.2
13	Mothers who had at least 3 Ante-Natal care check ups	12,761	47.0	12,705	49.3	3 or more ANC check up	58.6
14	PW who got TT 2 / Booster injection	9,763	36.0	10,701	41.5	Atleast 1 TT received	80.1
15	PW who consumed 100 IFA tablets	16,978	62.6	4,408	17.1	100 IFA tablets consumed	40.3
16	Home Delivery against expected delivery *	367	2.5	235	1.7	Full ANC	27.4
17	Institutional Delivery against expected delivery *	16,896	114.0	18,248	130.5	Home Delivery	15.6
18	Home Delivery against reported delivery **	367	2.1	235	1.3	Institutional Delivery	84.4
19	Institutional Delivery against reported delivery **	16,896	97.9	18,248	98.7	Home Delivery by SBA	4.8
20	Total reported Deliveries	17,263		18,483		PNC within 14 days of delivery	72.3
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,697	67.8	14,368	77.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	14,532		13,712			
D) Child Immunization :		HMIS (2016-17)	HMIS ( 2017-18)		DLHS-4 (2012-13)		
		Number	PC	Number	PC		
24	Total reported live births	16,956	116.7	18,106	132.0	Breastfed within 1 hour of birth	30.3

25	Total Still Birth	382	2.6	472	3.4	BCG	78.4
26	PC of newborn weighted at birth to live birth	16,879	99.5	17,632	97.4	3 dose of DPT	80.8
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2,522	14.9	3,195	18.1	Measles	64.7
28	PC of newborns breastfed within 1 hour to total reported live birth.	16,025	94.5	14,056	77.6	Full Immunization	38.5
29	Children fully immunized	10,385	71.5	10,421	76.0		
30	Children who have received BCG	16,298	112.2	15,825	115.4		
31	Children who have received DPT1	447	3.1	11,495	83.8		
32	Children who have received DPT3	644	4.4	10,632	77.5		
33	Children who have received Measles	12,547	86.3	10,481	76.4		
34	Diarrhoea and Dehydration cases reported in children below 5 years	9,073		9,902			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>	<b>DLHS-4 (2012-13)</b>			
36	Number of Vasectomies performed	4	0	Limiting	18.8		
37	Number of Tubectomies performed	1,492	1,637	Spacing	7.4		
38	Number of IUD insertion	1,131	175	Women using any method	58.8		
39	Number of IUD removals	71	145	Women using modern method	41.9		
<b>F) Service delivery</b>		<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>				
40	IPD cases per 10,000 population ***	1375	1436				
41	General OPD cases per 10,000 population ***	15617	15408				
42	Ayush OPD cases per 10,000 population ***	408	761				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>				
43	Neonatal death within 24 hours	20	290				
44	Up to 1 Weeks of Birth	128	NA				
45	Between 1 week & 4 weeks of birth	0	176				
46	Neonatal Death	148	466				
47	Between 1 month and 11 months	61	106				
48	<b>Total reported infant deaths</b>	209	572				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2016-17)</b>	<b>HMIS (2017-18)</b>				
49	Due to Abortion	4	0				
50	Due to Obstructed/prolonged labour	3	0				
51	Due to Severe hypertension/fits	7	2				
52	Due to Bleeding	0	0				
53	Due to High fever	0	0				
54	Due to Other Causes (including causes not known)	4	19				
55	<b>Total reported maternal deaths</b>	18	21				

