

Arunachal Pradesh Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	1,382,611					
2	Sex Ratio	920					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	312					
4	Primary Health Centers (PHC)	143					
5	Community Health Centers (CHC)	63					
6	SDH	0					
7	DH	18					
C) Maternal Health:		2017-18		2018-19			
8	Expected number of PW	33,543		34,412			
9	Expected number of Delivery	31,103		31,910			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	32,087	95.7	30,994	90.1	Any ANC	61.6
11	Mothers registered in the first trimester	11,669	36.4	12,057	38.9	ANC Check up in first trimester	34.8
12	Mothers who had at least 3 Ante-Natal care check ups	7,117	22.2	9,452	30.5	3 or more ANC check up	43.8
13	PW who got TT 2 / Booster injection	16,913	52.7	17,449	56.3	At least 1 TT received	59.1
14	PW who consumed 100 IFA tablets	11,439	35.6	15,363	49.6	100 IFA tablets consumed	17.4
15	Home Delivery against expected delivery *	1,812	5.8	1,849	5.8	Full ANC	13.5
16	Institutional Delivery against expected delivery *	15,816	50.9	16,317	51.1	Home Delivery	48.5
17	Home Delivery against reported delivery **	1,812	10.3	1,849	10.2	Institutional Delivery	49.5
18	Institutional Delivery against reported delivery **	15,816	89.7	16,317	89.8	Home Delivery by SBA	3.1
19	Total reported Deliveries	17,628		18,166		PNC within 14 days of delivery	48.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	783	43.2	752	40.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	7,101	40.3	5,065	27.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	30,493		31,284			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
23	Total reported live births	17,424	57.1	18,068	57.8	Breastfeed within 1 hour of birth	55.7
24	Total Still Birth	208	0.7	239	0.8	BCG	75.5
25	Newborn weighted at birth to live	16,725	96.0	17,510	96.9	3 dose of DPT	71.1

	birth						
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1,093	6.5	1,259	7.2	Measles	60.4
27	Newborns breastfed within 1 hour to total reported live birth.	15,267	87.6	15,344	84.9	Full Immunization	49.2
28	Fully immunized	16,677	54.7	18,506	59.2		
29	Children who have received BCG	20,230	66.3	20,114	64.3		
30	Children who have received DPT1	20,399	66.9	21,064	67.3		
31	Children who have received DPT3	18,136	59.5	19,565	62.5		
32	Children who have received Measles	16,045	52.6	19,309	61.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	11,884		8,469			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	1	4	Limiting	11.7
35	Number of Tubectomies performed	808	782	Spacing	20.4
36	Number of IUD insertion	2,258	1,942	Women using any method	48.4
37	Number of IUD removals	1,258	1,231	Women using modern method	43.9
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
38	IPD cases per 10,000 population ***	402	411		
39	General OPD cases per 10,000 population ***	8337	7696		
40	Ayush OPD cases per 10,000 population ***	543	775		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
41	Neonatal death within 24 hours	48	42		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	64	74		
44	Neonatal Death	112	116		
45	Between 1 month and 11 months	28	34		
46	Total reported infant deaths	140	150		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	1	1		
50	Due to Bleeding	2	0		
51	Due to High fever	0	1		
52	Due to Other Causes (including causes not known)	10	3		
53	Total reported maternal deaths	13	5		

Anjaw Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	21,089					
2	Sex Ratio	805					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	7					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2017-18		2018-19			
8	Expected number of PW	478		484			
9	Expected number of Delivery	443		449			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	398	83.3	437	90.2	Any ANC	52.1
11	Mothers registered in the first trimester	155	38.9	120	27.5	ANC Check up in first trimester	22.1
12	Mothers who had at least 3 Ante-Natal care check ups	40	10.1	45	10.3	3 or more ANC check up	32.6
13	PW who got TT 2 / Booster injection	187	47.0	214	49.0	At least 1 TT received	47.9
14	PW who consumed 100 IFA tablets	109	27.4	139	31.8	100 IFA tablets consumed	10.3
15	Home Delivery against expected delivery *	38	8.6	16	3.6	Full ANC	6.5
16	Institutional Delivery against expected delivery *	68	15.4	64	14.3	Home Delivery	62.0
17	Home Delivery against reported delivery **	38	35.8	16	20.0	Institutional Delivery	35.0
18	Institutional Delivery against reported delivery **	68	64.2	64	80.0	Home Delivery by SBA	4.9
19	Total reported Deliveries	106		80		PNC within 14 days of delivery	65.2
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	9	23.7	11	68.8		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	76	71.7	31	38.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	434		440			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
23	Total reported live births	106	24.4	78	17.7	Breastfeed within 1 hour of birth	53.8
24	Total Still Birth	0	0.0	2	0.5	BCG	65.5
25	Newborn weighted at birth to live	84	79.2	70	89.7	3 dose of DPT	58.2

	birth						
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	6	7.1	9	12.9	Measles	34.5
27	Newborns breastfed within 1 hour to total reported live birth.	99	93.4	74	94.9	Full Immunization	29.1
28	Fully immunized	133	30.6	294	66.8		
29	Children who have received BCG	147	33.8	155	35.2		
30	Children who have received DPT1	243	56.0	319	72.5		
31	Children who have received DPT3	270	62.2	296	67.2		
32	Children who have received Measles	108	24.9	316	71.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	502		430			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)			
34	Number of Vasectomies performed	0	0	Limiting	10.6		
35	Number of Tubectomies performed	0	0	Spacing	27.1		
36	Number of IUD insertion	16	23	Women using any method	44.4		
37	Number of IUD removals	7	21	Women using modern method	39.1		
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)				
38	IPD cases per 10,000 population ***	211	191				
39	General OPD cases per 10,000 population ***	9996	8506				
40	Ayush OPD cases per 10,000 population ***	1946	2070				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	NA	NA				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	0	0				
45	Between 1 month and 11 months	0	1				
46	Total reported infant deaths	0	1				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	0	0				

Changlang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	147,951					
2	Sex Ratio	914					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	22					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2017-18		2018-19			
8	Expected number of PW	3,429		3,491			
9	Expected number of Delivery	3,180		3,237			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	3,136	91.5	3,197	91.6	Any ANC	63.2
11	Mothers registered in the first trimester	930	29.7	1,091	34.1	ANC Check up in first trimester	34.3
12	Mothers who had at least 3 Ante-Natal care check ups	890	28.4	1,190	37.2	3 or more ANC check up	38.5
13	PW who got TT 2 / Booster injection	2,380	75.9	2,559	80.0	At least 1 TT received	60.5
14	PW who consumed 100 IFA tablets	494	15.8	1,128	35.3	100 IFA tablets consumed	7.1
15	Home Delivery against expected delivery *	408	12.8	469	14.5	Full ANC	4.6
16	Institutional Delivery against expected delivery *	1,219	38.3	1,206	37.3	Home Delivery	46.7
17	Home Delivery against reported delivery **	408	25.1	469	28.0	Institutional Delivery	52.2
18	Institutional Delivery against reported delivery **	1,219	74.9	1,206	72.0	Home Delivery by SBA	0.0
19	Total reported Deliveries	1,627		1,675		PNC within 14 days of delivery	45.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	114	27.9	179	38.2		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	413	25.4	350	20.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,117		3,173			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
23	Total reported live births	1,590	51.0	1,662	52.4	Breastfeed within 1 hour of birth	59.4
24	Total Still Birth	13	0.4	16	0.5	BCG	65.8
25	Newborn weighted at birth to live	1,518	95.5	1,641	98.7	3 dose of DPT	72.6

	birth						
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	86	5.7	106	6.5	Measles	47.9
27	Newborns breastfed within 1 hour to total reported live birth.	1,497	94.2	1,633	98.3	Full Immunization	36.1
28	Fully immunized	1,977	63.4	2,269	71.5		
29	Children who have received BCG	2,478	79.5	2,405	75.8		
30	Children who have received DPT1	2,599	83.4	2,809	88.5		
31	Children who have received DPT3	2,220	71.2	2,404	75.8		
32	Children who have received Measles	1,944	62.4	2,293	72.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	402		280			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)			
34	Number of Vasectomies performed	0	0	Limiting		13.2	
35	Number of Tubectomies performed	0	28	Spacing		24	
36	Number of IUD insertion	91	126	Women using any method		44.7	
37	Number of IUD removals	49	52	Women using modern method		38.5	
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)				
38	IPD cases per 10,000 population ***	261	268				
39	General OPD cases per 10,000 population ***	5927	5561				
40	Ayush OPD cases per 10,000 population ***	800	1133				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)				
41	Neonatal death within 24 hours	2	1				
42	Up to 1 Weeks of Birth	NA	NA				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	2	1				
45	Between 1 month and 11 months	5	2				
46	Total reported infant deaths	7	3				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	0	0				

Dibang Valley Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	7,948					
2	Sex Ratio	808					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	3					
4	Primary Health Centers (PHC)	1					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2017-18		2018-19			
8	Expected number of PW	176		178			
9	Expected number of Delivery	163		165			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	161	91.5	158	89.0	Any ANC	45.6
11	Mothers registered in the first trimester	72	44.7	47	29.7	ANC Check up in first trimester	25.0
12	Mothers who had at least 3 Ante-Natal care check ups	0	0.0	0	0.0	3 or more ANC check up	31.7
13	PW who got TT 2 / Booster injection	96	59.6	29	18.4	At least 1 TT received	45.6
14	PW who consumed 100 IFA tablets	84	52.2	32	20.3	100 IFA tablets consumed	12.8
15	Home Delivery against expected delivery *	2	1.2	5	3.0	Full ANC	9.5
16	Institutional Delivery against expected delivery *	22	13.5	38	23.1	Home Delivery	47.2
17	Home Delivery against reported delivery **	2	8.3	5	11.6	Institutional Delivery	52.5
18	Institutional Delivery against reported delivery **	22	91.7	38	88.4	Home Delivery by SBA	3.4
19	Total reported Deliveries	24		43		PNC within 14 days of delivery	55.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	50.0	5	100.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	39	162.5	27	62.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	160		161			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
23	Total reported live births	47	29.4	36	22.3	Breastfeed within 1 hour of birth	50.4
24	Total Still Birth	1	0.6	1	0.6	BCG	90.2
25	Newborn weighted at birth to live	15	31.9	23	63.9	3 dose of DPT	90.2

	birth						
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1	6.7	6	26.1	Measles	61
27	Newborns breastfed within 1 hour to total reported live birth.	12	25.5	14	38.9	Full Immunization	58.5
28	Fully immunized	51	31.9	115	71.3		
29	Children who have received BCG	42	26.3	31	19.2		
30	Children who have received DPT1	69	43.1	56	34.7		
31	Children who have received DPT3	70	43.8	70	43.4		
32	Children who have received Measles	39	24.4	111	68.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	80		76			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	10.2
35	Number of Tubectomies performed	0	0	Spacing	24.5
36	Number of IUD insertion	0	0	Women using any method	45.4
37	Number of IUD removals	0	0	Women using modern method	44.3
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
38	IPD cases per 10,000 population ***	73	128		
39	General OPD cases per 10,000 population ***	13301	11626		
40	Ayush OPD cases per 10,000 population ***	1856	1727		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	0	0		
46	Total reported infant deaths	0	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	0		

East Kameng Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	78,413					
2	Sex Ratio	1,012					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	26					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2017-18		2018-19			
8	Expected number of PW	2,036		2,112			
9	Expected number of Delivery	1,888		1,958			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,568	77.0	1,607	76.1	Any ANC	48.0
11	Mothers registered in the first trimester	486	31.0	1,001	62.3	ANC Check up in first trimester	28.9
12	Mothers who had at least 3 Ante-Natal care check ups	378	24.1	156	9.7	3 or more ANC check up	29.6
13	PW who got TT 2 / Booster injection	994	63.4	949	59.1	At least 1 TT received	44.4
14	PW who consumed 100 IFA tablets	385	24.6	366	22.8	100 IFA tablets consumed	12.1
15	Home Delivery against expected delivery *	108	5.7	49	2.5	Full ANC	7.5
16	Institutional Delivery against expected delivery *	701	37.1	638	32.6	Home Delivery	59.5
17	Home Delivery against reported delivery **	108	13.3	49	7.1	Institutional Delivery	34.1
18	Institutional Delivery against reported delivery **	701	86.7	638	92.9	Home Delivery by SBA	2.2
19	Total reported Deliveries	809		687		PNC within 14 days of delivery	52.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	73	67.6	35	71.4		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	69	8.5	124	18.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,851		1,920			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
23	Total reported live births	795	43.0	675	35.2	Breastfeed within 1 hour of birth	45.9
24	Total Still Birth	15	0.8	8	0.4	BCG	55.9
25	Newborn weighted at birth to live	740	93.1	580	85.9	3 dose of DPT	46.3

	birth						
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	32	4.3	38	6.6	Measles	40.3
27	Newborns breastfed within 1 hour to total reported live birth.	755	95.0	584	86.5	Full Immunization	18.2
28	Fully immunized	958	51.8	762	39.7		
29	Children who have received BCG	873	47.2	740	38.5		
30	Children who have received DPT1	1,039	56.1	1,036	54.0		
31	Children who have received DPT3	960	51.9	992	51.7		
32	Children who have received Measles	619	33.4	862	44.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,051		512			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)			
34	Number of Vasectomies performed	0	0	Limiting	10.4		
35	Number of Tubectomies performed	0	0	Spacing	24		
36	Number of IUD insertion	137	131	Women using any method	44.5		
37	Number of IUD removals	27	7	Women using modern method	38.7		
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)				
38	IPD cases per 10,000 population ***	370	230				
39	General OPD cases per 10,000 population ***	4467	3973				
40	Ayush OPD cases per 10,000 population ***	706	437				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)				
41	Neonatal death within 24 hours	3	0				
42	Up to 1 Weeks of Birth	NA	NA				
43	Between 1 week & 4 weeks of birth	7	0				
44	Neonatal Death	10	0				
45	Between 1 month and 11 months	3	6				
46	Total reported infant deaths	13	6				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	1				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	0	1				

East Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	99,019					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2018)							
		Numbers					
3	Sub Centers (SC)	22					
4	Primary Health Centers (PHC)	10					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:							
		2017-18		2018-19			
8	Expected number of PW	1,843		1,867			
9	Expected number of Delivery	1,709		1,731			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	2,112	114.6	2,097	112.3	Any ANC	63.1
11	Mothers registered in the first trimester	1,120	53.0	1,083	51.6	ANC Check up in first trimester	37.1
12	Mothers who had at least 3 Ante-Natal care check ups	627	29.7	645	30.8	3 or more ANC check up	50.2
13	PW who got TT 2 / Booster injection	1,445	68.4	1,483	70.7	At least 1 TT received	57.9
14	PW who consumed 100 IFA tablets	886	42.0	1,288	61.4	100 IFA tablets consumed	19.3
15	Home Delivery against expected delivery *	111	6.5	91	5.3	Full ANC	13.8
16	Institutional Delivery against expected delivery *	1,681	98.4	1,924	111.1	Home Delivery	48.9
17	Home Delivery against reported delivery **	111	6.2	91	4.5	Institutional Delivery	50.2
18	Institutional Delivery against reported delivery **	1,681	93.8	1,924	95.5	Home Delivery by SBA	2.1
19	Total reported Deliveries	1,792		2,015		PNC within 14 days of delivery	50.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	59	53.2	58	63.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	411	22.9	390	19.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,675		1,698			
D) Child Immunization :							
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
23	Total reported live births	1,764	105.3	1,987	117.1	Breastfeed within 1 hour of birth	53.3
24	Total Still Birth	40	2.4	27	1.6	BCG	69.8
25	Newborn weighted at birth to live	1,773	100.5	1,992	100.3	3 dose of DPT	73.6

	birth						
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	141	8.0	140	7.0	Measles	60.4
27	Newborns breastfed within 1 hour to total reported live birth.	1,730	98.1	1,893	95.3	Full Immunization	41.5
28	Fully immunized	1,116	66.6	1,496	88.1		
29	Children who have received BCG	1,854	110.7	2,174	128.1		
30	Children who have received DPT1	1,558	93.0	1,622	95.6		
31	Children who have received DPT3	1,484	88.6	1,573	92.7		
32	Children who have received Measles	1,114	66.5	1,595	94.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	502		351			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	1	4	Limiting	12.7
35	Number of Tubectomies performed	196	166	Spacing	18.3
36	Number of IUD insertion	150	184	Women using any method	55.3
37	Number of IUD removals	94	82	Women using modern method	50
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
38	IPD cases per 10,000 population ***	1114	1106		
39	General OPD cases per 10,000 population ***	15565	13729		
40	Ayush OPD cases per 10,000 population ***	360	502		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
41	Neonatal death within 24 hours	16	19		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	22	27		
44	Neonatal Death	38	46		
45	Between 1 month and 11 months	2	4		
46	Total reported infant deaths	40	50		
II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	1		
53	Total reported maternal deaths	0	1		

Kra Daadi Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	NA					
2	Sex Ratio	1,029					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	8					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2017-18		2018-19			
8	Expected number of PW	1,826		2,029			
9	Expected number of Delivery	1,693		1,881			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	270	14.8	201	9.9	Any ANC	46.9
11	Mothers registered in the first trimester	122	45.2	82	40.8	ANC Check up in first trimester	21.3
12	Mothers who had at least 3 Ante-Natal care check ups	49	18.1	21	10.4	3 or more ANC check up	23.9
13	PW who got TT 2 / Booster injection	143	53.0	123	61.2	At least 1 TT received	44.4
14	PW who consumed 100 IFA tablets	167	61.9	121	60.2	100 IFA tablets consumed	13.8
15	Home Delivery against expected delivery *	98	5.8	60	3.2	Full ANC	8.4
16	Institutional Delivery against expected delivery *	51	3.0	45	2.4	Home Delivery	66.4
17	Home Delivery against reported delivery **	98	65.8	60	57.1	Institutional Delivery	31.7
18	Institutional Delivery against reported delivery **	51	34.2	45	42.9	Home Delivery by SBA	4.2
19	Total reported Deliveries	149		105		PNC within 14 days of delivery	39.5
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	64	65.3	57	95.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	20	13.4	23	21.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,660		1,844			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
23	Total reported live births	157	9.5	98	5.3	Breastfeed within 1 hour of birth	67.7
24	Total Still Birth	0	0.0	0	0.0	BCG	77.6
25	Newborn weighted at birth to live	156	99.4	90	91.8	3 dose of DPT	76.1

	birth						
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	9	5.8	3	3.3	Measles	59.7
27	Newborns breastfed within 1 hour to total reported live birth.	150	95.5	90	91.8	Full Immunization	52.2
28	Fully immunized	105	6.3	127	6.9		
29	Children who have received BCG	154	9.3	84	4.6		
30	Children who have received DPT1	160	9.6	141	7.6		
31	Children who have received DPT3	152	9.2	141	7.6		
32	Children who have received Measles	116	7.0	171	9.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	247		142			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)			
34	Number of Vasectomies performed	0	0	Limiting	11.4		
35	Number of Tubectomies performed	8	8	Spacing	29		
36	Number of IUD insertion	33	8	Women using any method	34.1		
37	Number of IUD removals	10	9	Women using modern method	29.7		
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)				
38	IPD cases per 10,000 population ***	42	50				
39	General OPD cases per 10,000 population ***	553	462				
40	Ayush OPD cases per 10,000 population ***	20	39				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	NA	NA				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	0	0				
45	Between 1 month and 11 months	0	0				
46	Total reported infant deaths	0	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	0	0				

Kurung Kumey Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	89,717					
2	Sex Ratio	1,029					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	11					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2017-18		2018-19			
8	Expected number of PW	1,774		1,971			
9	Expected number of Delivery	1,645		1,828			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	901	50.8	836	42.4	Any ANC	46.9
11	Mothers registered in the first trimester	558	61.9	556	66.5	ANC Check up in first trimester	21.3
12	Mothers who had at least 3 Ante-Natal care check ups	460	51.1	493	59.0	3 or more ANC check up	23.9
13	PW who got TT 2 / Booster injection	373	41.4	342	40.9	At least 1 TT received	44.4
14	PW who consumed 100 IFA tablets	855	94.9	836	100.0	100 IFA tablets consumed	13.8
15	Home Delivery against expected delivery *	105	6.4	60	3.3	Full ANC	8.4
16	Institutional Delivery against expected delivery *	316	19.2	217	11.9	Home Delivery	66.4
17	Home Delivery against reported delivery **	105	24.9	60	21.7	Institutional Delivery	31.7
18	Institutional Delivery against reported delivery **	316	75.1	217	78.3	Home Delivery by SBA	4.2
19	Total reported Deliveries	421		277		PNC within 14 days of delivery	39.5
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	79	75.2	49	81.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	259	61.5	194	70.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,613		1,792			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
23	Total reported live births	419	26.0	277	15.5	Breastfeed within 1 hour of birth	67.7
24	Total Still Birth	2	0.1	2	0.1	BCG	77.6
25	Newborn weighted at birth to live	419	100.0	277	100.0	3 dose of DPT	76.1

	birth						
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	12	2.9	3	1.1	Measles	59.7
27	Newborns breastfed within 1 hour to total reported live birth.	418	99.8	275	99.3	Full Immunization	52.2
28	Fully immunized	646	40.1	556	31.0		
29	Children who have received BCG	693	43.0	565	31.5		
30	Children who have received DPT1	690	42.8	558	31.1		
31	Children who have received DPT3	656	40.7	528	29.5		
32	Children who have received Measles	573	35.5	556	31.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	341		333			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	11.4
35	Number of Tubectomies performed	0	0	Spacing	29
36	Number of IUD insertion	35	78	Women using any method	34.1
37	Number of IUD removals	15	16	Women using modern method	29.7
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
38	IPD cases per 10,000 population ***	124	190		
39	General OPD cases per 10,000 population ***	2199	2193		
40	Ayush OPD cases per 10,000 population ***	9	40		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	0	0		
46	Total reported infant deaths	0	0		
II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	0		

Lohit Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	145,538					
2	Sex Ratio	901					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	11					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2017-18		2018-19			
8	Expected number of PW	1,141		1,160			
9	Expected number of Delivery	1,058		1,076			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,785	156.4	1,401	120.8	Any ANC	62.8
11	Mothers registered in the first trimester	716	40.1	641	45.8	ANC Check up in first trimester	32.5
12	Mothers who had at least 3 Ante-Natal care check ups	1,002	56.1	959	68.5	3 or more ANC check up	45.8
13	PW who got TT 2 / Booster injection	1,107	62.0	704	50.2	At least 1 TT received	60.6
14	PW who consumed 100 IFA tablets	1,066	59.7	561	40.0	100 IFA tablets consumed	15.8
15	Home Delivery against expected delivery *	50	4.7	37	3.4	Full ANC	12.0
16	Institutional Delivery against expected delivery *	899	85.0	947	88.0	Home Delivery	49.5
17	Home Delivery against reported delivery **	50	5.3	37	3.8	Institutional Delivery	44.9
18	Institutional Delivery against reported delivery **	899	94.7	947	96.2	Home Delivery by SBA	6.4
19	Total reported Deliveries	949		984		PNC within 14 days of delivery	28.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	13	26.0	8	21.6		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	351	37.0	55	5.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,037		1,055			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
23	Total reported live births	1,037	100.0	970	92.0	Breastfeed within 1 hour of birth	49.3
24	Total Still Birth	19	1.8	25	2.4	BCG	67.4
25	Newborn weighted at birth to live	978	94.3	940	96.9	3 dose of DPT	69.8

	birth						
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	62	6.3	101	10.7	Measles	58.1
27	Newborns breastfed within 1 hour to total reported live birth.	960	92.6	892	92.0	Full Immunization	43
28	Fully immunized	1,049	101.1	780	74.0		
29	Children who have received BCG	1,202	115.9	1,014	96.2		
30	Children who have received DPT1	1,213	116.9	822	78.0		
31	Children who have received DPT3	1,115	107.5	768	72.8		
32	Children who have received Measles	1,052	101.4	789	74.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,317		1,007			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)			
34	Number of Vasectomies performed	0	0	Limiting		18.5	
35	Number of Tubectomies performed	90	31	Spacing		18.2	
36	Number of IUD insertion	126	71	Women using any method		43.7	
37	Number of IUD removals	40	47	Women using modern method		42	
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)				
38	IPD cases per 10,000 population ***	453	387				
39	General OPD cases per 10,000 population ***	13884	10398				
40	Ayush OPD cases per 10,000 population ***	1075	1030				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)				
41	Neonatal death within 24 hours	5	0				
42	Up to 1 Weeks of Birth	NA	NA				
43	Between 1 week & 4 weeks of birth	1	0				
44	Neonatal Death	6	0				
45	Between 1 month and 11 months	1	2				
46	Total reported infant deaths	7	2				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	0	0				

Longding Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	53,014					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	5					
4	Primary Health Centers (PHC)	3					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2017-18		2018-19			
8	Expected number of PW	1,269		1,284			
9	Expected number of Delivery	1,177		1,191			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	852	67.1	598	46.6	Any ANC	43.4
11	Mothers registered in the first trimester	324	38.0	207	34.6	ANC Check up in first trimester	22.5
12	Mothers who had at least 3 Ante-Natal care check ups	142	16.7	155	25.9	3 or more ANC check up	26.3
13	PW who got TT 2 / Booster injection	737	86.5	568	95.0	At least 1 TT received	43.1
14	PW who consumed 100 IFA tablets	417	48.9	266	44.5	100 IFA tablets consumed	17.9
15	Home Delivery against expected delivery *	300	25.5	285	23.9	Full ANC	13.3
16	Institutional Delivery against expected delivery *	328	27.9	180	15.1	Home Delivery	68.8
17	Home Delivery against reported delivery **	300	47.8	285	61.3	Institutional Delivery	29.9
18	Institutional Delivery against reported delivery **	328	52.2	180	38.7	Home Delivery by SBA	6.4
19	Total reported Deliveries	628		465		PNC within 14 days of delivery	42.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	78	26.0	84	29.5		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	18	2.9	51	11.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,154		1,167			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
23	Total reported live births	629	54.5	496	42.5	Breastfeed within 1 hour of birth	47.7
24	Total Still Birth	8	0.7	6	0.5	BCG	60.2
25	Newborn weighted at birth to live	580	92.2	457	92.1	3 dose of DPT	67

	birth						
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1	0.2	2	0.4	Measles	43.6
27	Newborns breastfed within 1 hour to total reported live birth.	630	100.2	455	91.7	Full Immunization	33.3
28	Fully immunized	542	47.0	263	22.5		
29	Children who have received BCG	820	71.1	582	49.9		
30	Children who have received DPT1	760	65.9	543	46.5		
31	Children who have received DPT3	596	51.7	506	43.4		
32	Children who have received Measles	567	49.1	368	31.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	406		562			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	11.6
35	Number of Tubectomies performed	1	0	Spacing	22.6
36	Number of IUD insertion	0	1	Women using any method	45.3
37	Number of IUD removals	2	0	Women using modern method	42.8
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
38	IPD cases per 10,000 population ***	91	52		
39	General OPD cases per 10,000 population ***	4159	2599		
40	Ayush OPD cases per 10,000 population ***	811	367		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	1	0		
46	Total reported infant deaths	1	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	9	0		
53	Total reported maternal deaths	9	0		

Lower Dibang Valley Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	53,986					
2	Sex Ratio	919					
B) Infrastructure Details (RHS 2018)							
		Numbers					
3	Sub Centers (SC)	11					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:							
		2017-18		2018-19			
8	Expected number of PW	1,172		1,181			
9	Expected number of Delivery	1,087		1,095			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,228	104.7	1,219	103.2	Any ANC	72.4
11	Mothers registered in the first trimester	450	36.6	387	31.7	ANC Check up in first trimester	35.4
12	Mothers who had at least 3 Ante-Natal care check ups	301	24.5	371	30.4	3 or more ANC check up	53.9
13	PW who got TT 2 / Booster injection	636	51.8	701	57.5	At least 1 TT received	70.0
14	PW who consumed 100 IFA tablets	181	14.7	177	14.5	100 IFA tablets consumed	13.2
15	Home Delivery against expected delivery *	12	1.1	36	3.3	Full ANC	6.2
16	Institutional Delivery against expected delivery *	622	57.2	580	53.0	Home Delivery	38.5
17	Home Delivery against reported delivery **	12	1.9	36	5.8	Institutional Delivery	60.3
18	Institutional Delivery against reported delivery **	622	98.1	580	94.2	Home Delivery by SBA	2.6
19	Total reported Deliveries	634		616		PNC within 14 days of delivery	41.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	9	75.0	33	91.7		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	145	22.9	109	17.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,066		1,073			
D) Child Immunization :							
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
23	Total reported live births	621	58.3	601	56.0	Breastfeed within 1 hour of birth	70.3
24	Total Still Birth	12	1.1	17	1.6	BCG	84.2
25	Newborn weighted at birth to live	628	101.1	598	99.5	3 dose of DPT	73.7

	birth						
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	52	8.3	73	12.2	Measles	73.7
27	Newborns breastfed within 1 hour to total reported live birth.	618	99.5	595	99.0	Full Immunization	64.9
28	Fully immunized	782	73.4	882	82.2		
29	Children who have received BCG	795	74.6	736	68.6		
30	Children who have received DPT1	900	84.4	877	81.7		
31	Children who have received DPT3	830	77.9	845	78.7		
32	Children who have received Measles	757	71.0	873	81.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	242		236			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	11.3
35	Number of Tubectomies performed	28	31	Spacing	20.1
36	Number of IUD insertion	57	40	Women using any method	51.7
37	Number of IUD removals	29	30	Women using modern method	40.1
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
38	IPD cases per 10,000 population ***	370	323		
39	General OPD cases per 10,000 population ***	11011	11168		
40	Ayush OPD cases per 10,000 population ***	709	508		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
41	Neonatal death within 24 hours	1	3		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	4	1		
44	Neonatal Death	5	4		
45	Between 1 month and 11 months	1	1		
46	Total reported infant deaths	6	5		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	0		

Lower Subansiri Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	82,839					
2	Sex Ratio	975					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	31					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2017-18		2018-19			
8	Expected number of PW	2,296		2,407			
9	Expected number of Delivery	2,129		2,232			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	952	41.5	1,038	43.1	Any ANC	79.3
11	Mothers registered in the first trimester	378	39.7	381	36.7	ANC Check up in first trimester	48.3
12	Mothers who had at least 3 Ante-Natal care check ups	211	22.2	295	28.4	3 or more ANC check up	60.1
13	PW who got TT 2 / Booster injection	615	64.6	594	57.2	At least 1 TT received	78.6
14	PW who consumed 100 IFA tablets	693	72.8	640	61.7	100 IFA tablets consumed	25.1
15	Home Delivery against expected delivery *	155	7.3	96	4.3	Full ANC	22.3
16	Institutional Delivery against expected delivery *	365	17.1	394	17.7	Home Delivery	33.2
17	Home Delivery against reported delivery **	155	29.8	96	19.6	Institutional Delivery	65.9
18	Institutional Delivery against reported delivery **	365	70.2	394	80.4	Home Delivery by SBA	4.3
19	Total reported Deliveries	520		490		PNC within 14 days of delivery	46.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	51	32.9	39	40.6		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	138	26.5	175	35.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,087		2,188			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
23	Total reported live births	488	23.4	490	22.4	Breastfeed within 1 hour of birth	69.2
24	Total Still Birth	4	0.2	5	0.2	BCG	89
25	Newborn weighted at birth to live	448	91.8	463	94.5	3 dose of DPT	83.6

	birth						
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	28	6.3	29	6.3	Measles	76.7
27	Newborns breastfed within 1 hour to total reported live birth.	397	81.4	396	80.8	Full Immunization	68.5
28	Fully immunized	640	30.7	676	30.9		
29	Children who have received BCG	466	22.3	518	23.7		
30	Children who have received DPT1	750	35.9	745	34.0		
31	Children who have received DPT3	730	35.0	729	33.3		
32	Children who have received Measles	594	28.5	680	31.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	502		338			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)			
34	Number of Vasectomies performed	0	0	Limiting	7.4		
35	Number of Tubectomies performed	4	3	Spacing	11.5		
36	Number of IUD insertion	150	96	Women using any method	57.4		
37	Number of IUD removals	67	95	Women using modern method	50.6		
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)				
38	IPD cases per 10,000 population ***	358	412				
39	General OPD cases per 10,000 population ***	4263	4485				
40	Ayush OPD cases per 10,000 population ***	688	1155				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)				
41	Neonatal death within 24 hours	3	6				
42	Up to 1 Weeks of Birth	NA	NA				
43	Between 1 week & 4 weeks of birth	0	4				
44	Neonatal Death	3	10				
45	Between 1 month and 11 months	2	5				
46	Total reported infant deaths	5	15				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	0	0				

Namsai Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	NA					
2	Sex Ratio	901					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	11					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2017-18		2018-19			
8	Expected number of PW	2,200		2,236			
9	Expected number of Delivery	2,040		2,073			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,633	74.2	2,078	92.9	Any ANC	62.8
11	Mothers registered in the first trimester	685	41.9	968	46.6	ANC Check up in first trimester	32.5
12	Mothers who had at least 3 Ante-Natal care check ups	579	35.5	785	37.8	3 or more ANC check up	45.8
13	PW who got TT 2 / Booster injection	1,318	80.7	1,789	86.1	At least 1 TT received	60.6
14	PW who consumed 100 IFA tablets	664	40.7	966	46.5	100 IFA tablets consumed	15.8
15	Home Delivery against expected delivery *	51	2.5	255	12.3	Full ANC	12.0
16	Institutional Delivery against expected delivery *	700	34.3	756	36.5	Home Delivery	49.5
17	Home Delivery against reported delivery **	51	6.8	255	25.2	Institutional Delivery	44.9
18	Institutional Delivery against reported delivery **	700	93.2	756	74.8	Home Delivery by SBA	6.4
19	Total reported Deliveries	751		1,011		PNC within 14 days of delivery	28.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	30	58.8	32	12.5		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	247	32.9	342	33.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,000		2,033			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
23	Total reported live births	727	36.4	989	48.7	Breastfeed within 1 hour of birth	49.3
24	Total Still Birth	6	0.3	18	0.9	BCG	67.4
25	Newborn weighted at birth to live	674	92.7	970	98.1	3 dose of DPT	69.8

	birth						
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	40	5.9	158	16.3	Measles	58.1
27	Newborns breastfed within 1 hour to total reported live birth.	698	96.0	968	97.9	Full Immunization	43
28	Fully immunized	882	44.1	1,665	81.9		
29	Children who have received BCG	1,221	61.1	1,765	86.8		
30	Children who have received DPT1	1,349	67.5	2,038	100.3		
31	Children who have received DPT3	1,069	53.5	2,004	98.6		
32	Children who have received Measles	971	48.6	1,649	81.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	156		201			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)			
34	Number of Vasectomies performed	0	0	Limiting		18.5	
35	Number of Tubectomies performed	0	0	Spacing		18.2	
36	Number of IUD insertion	77	51	Women using any method		43.7	
37	Number of IUD removals	45	35	Women using modern method		42	
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)				
38	IPD cases per 10,000 population ***	89	100				
39	General OPD cases per 10,000 population ***	8938	5292				
40	Ayush OPD cases per 10,000 population ***	349	651				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	NA	NA				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	0	0				
45	Between 1 month and 11 months	0	0				
46	Total reported infant deaths	0	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	0	0				

Papum Pare Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	176,385					
2	Sex Ratio	950					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	22					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	2					
C) Maternal Health:		2017-18		2018-19			
8	Expected number of PW	4,769		4,981			
9	Expected number of Delivery	4,422		4,619			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	9,226	193.5	7,803	156.6	Any ANC	78.0
11	Mothers registered in the first trimester	2,329	25.2	2,020	25.9	ANC Check up in first trimester	47.8
12	Mothers who had at least 3 Ante-Natal care check ups	172	1.9	2,098	26.9	3 or more ANC check up	55.2
13	PW who got TT 2 / Booster injection	2,357	25.5	2,615	33.5	At least 1 TT received	76.0
14	PW who consumed 100 IFA tablets	1,921	20.8	2,558	32.8	100 IFA tablets consumed	29.4
15	Home Delivery against expected delivery *	11	0.2	45	1.0	Full ANC	22.2
16	Institutional Delivery against expected delivery *	4,874	110.2	5,815	125.9	Home Delivery	22.7
17	Home Delivery against reported delivery **	11	0.2	45	0.8	Institutional Delivery	74.1
18	Institutional Delivery against reported delivery **	4,874	99.8	5,815	99.2	Home Delivery by SBA	0.9
19	Total reported Deliveries	4,885		5,860		PNC within 14 days of delivery	52.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	27.3	29	64.4		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,024	61.9	2,112	36.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	4,335		4,529			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
23	Total reported live births	4,730	109.1	5,840	129.0	Breastfeed within 1 hour of birth	44.9
24	Total Still Birth	39	0.9	58	1.3	BCG	93
25	Newborn weighted at birth to live	4,595	97.1	5,740	98.3	3 dose of DPT	72.7

	birth						
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	455	9.9	454	7.9	Measles	74.7
27	Newborns breastfed within 1 hour to total reported live birth.	3,364	71.1	3,913	67.0	Full Immunization	65.5
28	Fully immunized	2,738	63.2	2,953	65.2		
29	Children who have received BCG	4,579	105.6	4,367	96.4		
30	Children who have received DPT1	3,369	77.7	3,630	80.2		
31	Children who have received DPT3	2,772	63.9	2,979	65.8		
32	Children who have received Measles	2,351	54.2	3,162	69.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,688		857			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)			
34	Number of Vasectomies performed	0	0	Limiting	10.8		
35	Number of Tubectomies performed	405	355	Spacing	21.3		
36	Number of IUD insertion	510	274	Women using any method	49.3		
37	Number of IUD removals	227	217	Women using modern method	43.3		
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)				
38	IPD cases per 10,000 population ***	1031	1112				
39	General OPD cases per 10,000 population ***	15134	14168				
40	Ayush OPD cases per 10,000 population ***	281	1114				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)				
41	Neonatal death within 24 hours	10	11				
42	Up to 1 Weeks of Birth	NA	NA				
43	Between 1 week & 4 weeks of birth	13	36				
44	Neonatal Death	23	47				
45	Between 1 month and 11 months	13	10				
46	Total reported infant deaths	36	57				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	1				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	1	2				
53	Total reported maternal deaths	1	3				

Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	NA					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	20					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2017-18		2018-19			
8	Expected number of PW	718		728			
9	Expected number of Delivery	666		675			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	392	54.6	290	39.8	Any ANC	63.1
11	Mothers registered in the first trimester	80	20.4	68	23.4	ANC Check up in first trimester	37.1
12	Mothers who had at least 3 Ante-Natal care check ups	39	9.9	54	18.6	3 or more ANC check up	50.2
13	PW who got TT 2 / Booster injection	182	46.4	171	59.0	At least 1 TT received	57.9
14	PW who consumed 100 IFA tablets	156	39.8	118	40.7	100 IFA tablets consumed	19.3
15	Home Delivery against expected delivery *	62	9.3	26	3.9	Full ANC	13.8
16	Institutional Delivery against expected delivery *	132	19.8	83	12.3	Home Delivery	48.9
17	Home Delivery against reported delivery **	62	32.0	26	23.9	Institutional Delivery	50.2
18	Institutional Delivery against reported delivery **	132	68.0	83	76.1	Home Delivery by SBA	2.1
19	Total reported Deliveries	194		109		PNC within 14 days of delivery	50.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	39	62.9	21	80.8		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	76	39.2	17	15.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	653		662			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
23	Total reported live births	188	28.8	108	16.3	Breastfeed within 1 hour of birth	53.3
24	Total Still Birth	4	0.6	1	0.2	BCG	69.8
25	Newborn weighted at birth to live	189	100.5	105	97.2	3 dose of DPT	73.6

	birth						
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	24	12.7	3	2.9	Measles	60.4
27	Newborns breastfed within 1 hour to total reported live birth.	171	91.0	105	97.2	Full Immunization	41.5
28	Fully immunized	251	38.4	299	45.2		
29	Children who have received BCG	263	40.3	204	30.8		
30	Children who have received DPT1	348	53.3	342	51.7		
31	Children who have received DPT3	355	54.4	355	53.6		
32	Children who have received Measles	269	41.2	297	44.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	210		161			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	12.7
35	Number of Tubectomies performed	0	0	Spacing	18.3
36	Number of IUD insertion	17	20	Women using any method	55.3
37	Number of IUD removals	18	9	Women using modern method	50
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
38	IPD cases per 10,000 population ***	207	254		
39	General OPD cases per 10,000 population ***	5208	6110		
40	Ayush OPD cases per 10,000 population ***	336	256		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
41	Neonatal death within 24 hours	1	0		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	1	0		
45	Between 1 month and 11 months	0	0		
46	Total reported infant deaths	1	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	0	0		

Tawang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	49,950					
2	Sex Ratio	701					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	9					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2017-18		2018-19			
8	Expected number of PW	1,229		1,263			
9	Expected number of Delivery	1,139		1,172			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	929	75.6	926	73.3	Any ANC	61.5
11	Mothers registered in the first trimester	339	36.5	357	38.6	ANC Check up in first trimester	36.7
12	Mothers who had at least 3 Ante-Natal care check ups	320	34.4	219	23.7	3 or more ANC check up	42.7
13	PW who got TT 2 / Booster injection	534	57.5	583	63.0	At least 1 TT received	58.8
14	PW who consumed 100 IFA tablets	165	17.8	228	24.6	100 IFA tablets consumed	17.4
15	Home Delivery against expected delivery *	113	9.9	150	12.8	Full ANC	13.5
16	Institutional Delivery against expected delivery *	398	34.9	417	35.6	Home Delivery	62.3
17	Home Delivery against reported delivery **	113	22.1	150	26.5	Institutional Delivery	37.0
18	Institutional Delivery against reported delivery **	398	77.9	417	73.5	Home Delivery by SBA	4.2
19	Total reported Deliveries	511		567		PNC within 14 days of delivery	53.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	54	47.8	54	36.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	216	42.3	256	45.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,117		1,149			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
23	Total reported live births	497	44.5	583	50.8	Breastfeed within 1 hour of birth	62
24	Total Still Birth	15	1.3	11	1.0	BCG	83.3
25	Newborn weighted at birth to live	400	80.5	437	75.0	3 dose of DPT	76.4

	birth						
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	23	5.8	28	6.4	Measles	63.9
27	Newborns breastfed within 1 hour to total reported live birth.	427	85.9	511	87.7	Full Immunization	56.9
28	Fully immunized	594	53.2	797	69.4		
29	Children who have received BCG	668	59.8	736	64.1		
30	Children who have received DPT1	721	64.6	836	72.8		
31	Children who have received DPT3	634	56.8	836	72.8		
32	Children who have received Measles	601	53.8	816	71.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	710		583			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)			
34	Number of Vasectomies performed	0	0	Limiting	14.1		
35	Number of Tubectomies performed	0	0	Spacing	17.6		
36	Number of IUD insertion	107	92	Women using any method	47.1		
37	Number of IUD removals	19	20	Women using modern method	43.9		
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)				
38	IPD cases per 10,000 population ***	252	275				
39	General OPD cases per 10,000 population ***	10352	9864				
40	Ayush OPD cases per 10,000 population ***	687	950				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)				
41	Neonatal death within 24 hours	1	1				
42	Up to 1 Weeks of Birth	NA	NA				
43	Between 1 week & 4 weeks of birth	0	2				
44	Neonatal Death	1	3				
45	Between 1 month and 11 months	0	2				
46	Total reported infant deaths	1	5				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	1	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	1	0				

Tirap Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	58,961					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	7					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2017-18		2018-19			
8	Expected number of PW	1,226		1,240			
9	Expected number of Delivery	1,137		1,150			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	983	80.2	1,040	83.8	Any ANC	43.4
11	Mothers registered in the first trimester	393	40.0	423	40.7	ANC Check up in first trimester	22.5
12	Mothers who had at least 3 Ante-Natal care check ups	247	25.1	281	27.0	3 or more ANC check up	26.3
13	PW who got TT 2 / Booster injection	712	72.4	758	72.9	At least 1 TT received	43.1
14	PW who consumed 100 IFA tablets	58	5.9	225	21.6	100 IFA tablets consumed	17.9
15	Home Delivery against expected delivery *	65	5.7	86	7.5	Full ANC	13.3
16	Institutional Delivery against expected delivery *	440	38.7	383	33.3	Home Delivery	68.8
17	Home Delivery against reported delivery **	65	12.9	86	18.3	Institutional Delivery	29.9
18	Institutional Delivery against reported delivery **	440	87.1	383	81.7	Home Delivery by SBA	6.4
19	Total reported Deliveries	505		469		PNC within 14 days of delivery	42.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4	6.2	1	1.2		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	133	26.3	136	29.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,115		1,128			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
23	Total reported live births	503	45.1	463	41.1	Breastfeed within 1 hour of birth	47.7
24	Total Still Birth	2	0.2	3	0.3	BCG	60.2
25	Newborn weighted at birth to live	503	100.0	466	100.6	3 dose of DPT	67

	birth						
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	0	0.0	Measles	43.6
27	Newborns breastfed within 1 hour to total reported live birth.	503	100.0	466	100.6	Full Immunization	33.3
28	Fully immunized	695	62.4	775	68.7		
29	Children who have received BCG	842	75.5	760	67.4		
30	Children who have received DPT1	931	83.5	880	78.0		
31	Children who have received DPT3	774	69.4	837	74.2		
32	Children who have received Measles	902	80.9	815	72.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	411		442			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	11.6
35	Number of Tubectomies performed	0	6	Spacing	22.6
36	Number of IUD insertion	28	44	Women using any method	45.3
37	Number of IUD removals	24	38	Women using modern method	42.8
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
38	IPD cases per 10,000 population ***	269	234		
39	General OPD cases per 10,000 population ***	4502	5182		
40	Ayush OPD cases per 10,000 population ***	1108	1560		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	1	1		
44	Neonatal Death	1	1		
45	Between 1 month and 11 months	0	1		
46	Total reported infant deaths	1	2		
II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	1	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	1	0		

Upper Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	35,289					
2	Sex Ratio	891					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	13					
4	Primary Health Centers (PHC)	2					
5	Community Health Centers (CHC)	4					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2017-18		2018-19			
8	Expected number of PW	760		764			
9	Expected number of Delivery	705		709			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	626	82.4	640	83.7	Any ANC	28.4
11	Mothers registered in the first trimester	245	39.1	246	38.4	ANC Check up in first trimester	14.0
12	Mothers who had at least 3 Ante-Natal care check ups	220	35.1	202	31.6	3 or more ANC check up	16.6
13	PW who got TT 2 / Booster injection	403	64.4	399	62.3	At least 1 TT received	25.4
14	PW who consumed 100 IFA tablets	559	89.3	469	73.3	100 IFA tablets consumed	8.7
15	Home Delivery against expected delivery *	23	3.3	22	3.1	Full ANC	5.7
16	Institutional Delivery against expected delivery *	271	38.4	246	34.7	Home Delivery	66.4
17	Home Delivery against reported delivery **	23	7.8	22	8.2	Institutional Delivery	30.1
18	Institutional Delivery against reported delivery **	271	92.2	246	91.8	Home Delivery by SBA	4.4
19	Total reported Deliveries	294		268		PNC within 14 days of delivery	47.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	20	87.0	17	77.3		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	87	29.6	58	21.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	691		695			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
23	Total reported live births	292	42.3	268	38.6	Breastfeed within 1 hour of birth	70.4
24	Total Still Birth	2	0.3	4	0.6	BCG	60
25	Newborn weighted at birth to live	290	99.3	269	100.4	3 dose of DPT	50.9

	birth						
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	8	2.8	12	4.5	Measles	40
27	Newborns breastfed within 1 hour to total reported live birth.	282	96.6	268	100.0	Full Immunization	29.1
28	Fully immunized	425	61.5	476	68.5		
29	Children who have received BCG	286	41.4	292	42.0		
30	Children who have received DPT1	449	65.0	453	65.2		
31	Children who have received DPT3	485	70.2	451	64.9		
32	Children who have received Measles	403	58.3	477	68.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	397		454			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)			
34	Number of Vasectomies performed	0	0	Limiting	14.7		
35	Number of Tubectomies performed	24	26	Spacing	28.9		
36	Number of IUD insertion	50	39	Women using any method	41.7		
37	Number of IUD removals	53	53	Women using modern method	39.8		
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)				
38	IPD cases per 10,000 population ***	309	370				
39	General OPD cases per 10,000 population ***	8614	8806				
40	Ayush OPD cases per 10,000 population ***	818	940				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)				
41	Neonatal death within 24 hours	3	0				
42	Up to 1 Weeks of Birth	NA	NA				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	3	0				
45	Between 1 month and 11 months	0	0				
46	Total reported infant deaths	3	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	0	0				

Upper Subansiri Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	83,205					
2	Sex Ratio	982					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	32					
4	Primary Health Centers (PHC)	15					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2017-18		2018-19			
8	Expected number of PW	2,329		2,447			
9	Expected number of Delivery	2,160		2,269			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,093	46.9	1,402	57.3	Any ANC	56.2
11	Mothers registered in the first trimester	552	50.5	566	40.4	ANC Check up in first trimester	33.6
12	Mothers who had at least 3 Ante-Natal care check ups	33	3.0	245	17.5	3 or more ANC check up	39.0
13	PW who got TT 2 / Booster injection	590	54.0	492	35.1	At least 1 TT received	54.8
14	PW who consumed 100 IFA tablets	410	37.5	500	35.7	100 IFA tablets consumed	8.1
15	Home Delivery against expected delivery *	30	1.4	14	0.6	Full ANC	6.2
16	Institutional Delivery against expected delivery *	783	36.3	618	27.2	Home Delivery	56.2
17	Home Delivery against reported delivery **	30	3.7	14	2.2	Institutional Delivery	43.3
18	Institutional Delivery against reported delivery **	783	96.3	618	97.8	Home Delivery by SBA	0.6
19	Total reported Deliveries	813		632		PNC within 14 days of delivery	37.4
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	24	80.0	10	71.4		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	714	87.8	82	13.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,118		2,224			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
23	Total reported live births	834	39.4	625	28.1	Breastfeed within 1 hour of birth	54.4
24	Total Still Birth	3	0.1	11	0.5	BCG	77.9
25	Newborn weighted at birth to live	819	98.2	622	99.5	3 dose of DPT	81.2

	birth						
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	28	3.4	24	3.9	Measles	63.2
27	Newborns breastfed within 1 hour to total reported live birth.	813	97.5	622	99.5	Full Immunization	58
28	Fully immunized	782	36.9	648	29.1		
29	Children who have received BCG	752	35.5	731	32.9		
30	Children who have received DPT1	856	40.4	826	37.1		
31	Children who have received DPT3	781	36.9	718	32.3		
32	Children who have received Measles	746	35.2	672	30.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	617		241			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)			
34	Number of Vasectomies performed	0	0	Limiting	8.4		
35	Number of Tubectomies performed	0	0	Spacing	23		
36	Number of IUD insertion	222	88	Women using any method	47.3		
37	Number of IUD removals	152	141	Women using modern method	42.6		
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)				
38	IPD cases per 10,000 population ***	148	163				
39	General OPD cases per 10,000 population ***	3409	4711				
40	Ayush OPD cases per 10,000 population ***	307	358				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	NA	NA				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	0	0				
45	Between 1 month and 11 months	0	0				
46	Total reported infant deaths	0	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	0	0				

West Kameng Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	87,013					
2	Sex Ratio	755					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	18					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	5					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2017-18		2018-19			
8	Expected number of PW	1,927		1,959			
9	Expected number of Delivery	1,787		1,817			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,990	103.3	2,047	104.5	Any ANC	70.1
11	Mothers registered in the first trimester	1,226	61.6	1,168	57.1	ANC Check up in first trimester	45.7
12	Mothers who had at least 3 Ante-Natal care check ups	599	30.1	422	20.6	3 or more ANC check up	57.4
13	PW who got TT 2 / Booster injection	1,174	59.0	1,158	56.6	At least 1 TT received	68.0
14	PW who consumed 100 IFA tablets	1,335	67.1	1,485	72.5	100 IFA tablets consumed	16.2
15	Home Delivery against expected delivery *	32	1.8	16	0.9	Full ANC	14.7
16	Institutional Delivery against expected delivery *	871	48.7	706	38.9	Home Delivery	50.4
17	Home Delivery against reported delivery **	32	3.5	16	2.2	Institutional Delivery	49.3
18	Institutional Delivery against reported delivery **	871	96.5	706	97.8	Home Delivery by SBA	2.4
19	Total reported Deliveries	903		722		PNC within 14 days of delivery	64.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	31	96.9	12	75.0		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	552	61.1	470	65.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,752		1,781			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
23	Total reported live births	898	51.3	726	40.8	Breastfeed within 1 hour of birth	56.7
24	Total Still Birth	18	1.0	12	0.7	BCG	86.7
25	Newborn weighted at birth to live	879	97.9	717	98.8	3 dose of DPT	85.3

	birth						
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	39	4.4	40	5.6	Measles	75
27	Newborns breastfed within 1 hour to total reported live birth.	865	96.3	715	98.5	Full Immunization	61.8
28	Fully immunized	1,213	69.2	1,346	75.6		
29	Children who have received BCG	1,013	57.8	1,057	59.4		
30	Children who have received DPT1	1,137	64.9	1,180	66.3		
31	Children who have received DPT3	977	55.8	1,181	66.3		
32	Children who have received Measles	1,180	67.4	1,345	75.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,432		711			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	11.5
35	Number of Tubectomies performed	21	13	Spacing	15.8
36	Number of IUD insertion	222	333	Women using any method	55.4
37	Number of IUD removals	195	184	Women using modern method	49
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
38	IPD cases per 10,000 population ***	308	266		
39	General OPD cases per 10,000 population ***	10408	10265		
40	Ayush OPD cases per 10,000 population ***	274	518		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
41	Neonatal death within 24 hours	3	1		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	16	3		
44	Neonatal Death	19	4		
45	Between 1 month and 11 months	0	0		
46	Total reported infant deaths	19	4		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	1	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	Total reported maternal deaths	1	0		

West Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	112,272					
2	Sex Ratio	916					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	23					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	7					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2017-18		2018-19			
8	Expected number of PW	2,131		2,148			
9	Expected number of Delivery	1,976		1,992			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,852	86.9	1,979	92.1	Any ANC	71.5
11	Mothers registered in the first trimester	509	27.5	645	32.6	ANC Check up in first trimester	31.9
12	Mothers who had at least 3 Ante-Natal care check ups	808	43.6	816	41.2	3 or more ANC check up	58.6
13	PW who got TT 2 / Booster injection	930	50.2	1,218	61.5	At least 1 TT received	65.6
14	PW who consumed 100 IFA tablets	834	45.0	3,260	164.7	100 IFA tablets consumed	30.6
15	Home Delivery against expected delivery *	38	1.9	31	1.6	Full ANC	27.0
16	Institutional Delivery against expected delivery *	1,075	54.4	1,060	53.2	Home Delivery	40.7
17	Home Delivery against reported delivery **	38	3.4	31	2.8	Institutional Delivery	58.6
18	Institutional Delivery against reported delivery **	1,075	96.6	1,060	97.2	Home Delivery by SBA	0.7
19	Total reported Deliveries	1,113		1,091		PNC within 14 days of delivery	31.5
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	28	73.7	18	58.1		
21	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	113	10.2	63	5.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,937		1,953			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
23	Total reported live births	1,102	56.9	1,096	56.1	Breastfeed within 1 hour of birth	59.7
24	Total Still Birth	5	0.3	12	0.6	BCG	68.9
25	Newborn weighted at birth to live	1,037	94.1	1,053	96.1	3 dose of DPT	58.9

	birth						
26	Newborn having weight less than 2.5 kg to newborn weighted at birth.	46	4.4	30	2.8	Measles	66.2
27	Newborns breastfed within 1 hour to total reported live birth.	878	79.7	875	79.8	Full Immunization	50
28	Fully immunized	1,098	56.7	1,327	68.0		
29	Children who have received BCG	1,082	55.9	1,198	61.4		
30	Children who have received DPT1	1,258	64.9	1,351	69.2		
31	Children who have received DPT3	1,206	62.3	1,352	69.2		
32	Children who have received Measles	1,139	58.8	1,462	74.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	671		552			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)			
34	Number of Vasectomies performed	0	0	Limiting	11.1		
35	Number of Tubectomies performed	31	115	Spacing	13.6		
36	Number of IUD insertion	230	243	Women using any method	61.3		
37	Number of IUD removals	185	175	Women using modern method	55.2		
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)				
38	IPD cases per 10,000 population ***	197	171				
39	General OPD cases per 10,000 population ***	8138	7662				
40	Ayush OPD cases per 10,000 population ***	454	660				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	NA	NA				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	0	0				
45	Between 1 month and 11 months	0	0				
46	Total reported infant deaths	0	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	0				
53	Total reported maternal deaths	0	0				

