

## Assam Factsheet

### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)  |                       |           |                       |           |                                  |      |
|--|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| 1  | Population 2011  | 31,169,272            |           |                       |           |                                  |      |
| 2  | Sex Ratio  | 954                   |           |                       |           |                                  |      |
| <b>B) Infrastructure Details (RHS 2018)</b>  |  | <b>Numbers</b>        |           |                       |           |                                  |      |
| 3  | Sub Centers (SC)   | 4,644                 |           |                       |           |                                  |      |
| 4  | Primary Health Centers (PHC)   | 946                   |           |                       |           |                                  |      |
| 5  | Community Health Centers (CHC)   | 172                   |           |                       |           |                                  |      |
| 6  | SDH  | 14                    |           |                       |           |                                  |      |
| 7  | DH   | 25                    |           |                       |           |                                  |      |
| <b>C) Maternal Health:</b>   |  | <b>2017-18</b>        |           | <b>2018-19</b>        |           |                                  |      |
| 8  | Expected number of PW  | 823,817               |           | 837,765               |           |                                  |      |
| 9  | Expected number of Delivery  | 767,648               |           | 780,644               |           |                                  |      |
|  |  | <b>HMIS (2017-18)</b> |           | <b>HMIS (2018-19)</b> |           | <b>AHS (2012-13)</b>             |      |
|  |  | <b>Number</b>         | <b>PC</b> | <b>Number</b>         | <b>PC</b> |                                  |      |
| 10   | PW register for ANC  | 690,494               | 83.8      | 700,380               | 83.6      | Any ANC                          | 94.8 |
| 11   | Mothers registered in the first trimester  | 585,574               | 84.8      | 600,078               | 85.7      | ANC Check up in first trimester  | 54.8 |
| 12   | Mothers who had at least 3 Ante-Natal care check ups   | 538,463               | 78.0      | 566,034               | 80.8      | 3 or more ANC check up           | 66.2 |
| 13   | PW who got TT 2 / Booster injection  | 634,254               | 91.9      | 628,213               | 89.7      | Atleast 1 TT received            | 94.5 |
| 14   | PW who consumed 100 IFA tablets  | 651,449               | 94.3      | 686,357               | 98.0      | 100 IFA tablets consumed         | 23.1 |
| 15   | Home Delivery against expected delivery *  | 74,942                | 9.8       | 59,965                | 7.7       | Full ANC                         | 18.4 |
| 16   | Institutional Delivery against expected delivery *   | 526,561               | 68.6      | 532,024               | 68.2      | Home Delivery                    | 33.6 |
| 17   | Home Delivery against reported delivery **   | 74,942                | 12.5      | 59,965                | 10.1      | Institutional Delivery           | 65.9 |
| 18   | Institutional Delivery against reported delivery **  | 526,561               | 87.5      | 532,024               | 89.9      | Home Delivery by SBA             | 29.2 |
| 19   | Total reported Deliveries  | 601,503               |           | 591,989               |           | PNC within 1 week of delivery    | 69.4 |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 18,719                | 25.0      | 17,314                | 28.9      |                                  |      |
| 21   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 451,386               | 75.0      | 457,882               | 77.3      |                                  |      |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                       |           |                       |           |                                  |      |
| 22   | Expected number of Live Birth  | 748,925               |           | 761,604               |           |                                  |      |
| <b>D) Child Immunization :</b>   |  | <b>HMIS (2017-18)</b> |           | <b>HMIS (2018-19)</b> |           | <b>AHS (2012-13)</b>             |      |
| 23   | Total reported live births   | 590,751               | 78.9      | 583,945               | 76.7      | Breastfed within 1 hour of birth | 75.6 |
| 24   | Total Still Birth  | 12,706                | 1.7       | 12,235                | 1.6       | BCG                              | 94.1 |

|  |  |                       |                       |                           |      |                   |      |
|--|--|-----------------------|-----------------------|---------------------------|------|-------------------|------|
| 25   | PC of newborn weighted at birth to live birth                                | 583,762               | 98.8                  | 574,976                   | 98.5 | 3 dose of DPT     | 77.6 |
| 26   | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 84,567                | 14.5                  | 82,721                    | 14.4 | Measles           | 80.9 |
| 27   | PC of newborns breastfed within 1 hour to total reported live birth.         | 575,276               | 97.4                  | 568,414                   | 97.3 | Full Immunization | 64.4 |
| 28   | Children fully immunized   | 582,836               | 77.8                  | 593,297                   | 77.9 |                   |      |
| 29   | Children who have received BCG   | 641,565               | 85.7                  | 624,220                   | 82.0 |                   |      |
| 30   | Children who have received DPT1  | 613,684               | 81.9                  | 606,050                   | 79.6 |                   |      |
| 31   | Children who have received DPT3  | 592,261               | 79.1                  | 588,964                   | 77.3 |                   |      |
| 32   | Children who have received Measles   | 584,863               | 78.1                  | 599,549                   | 78.7 |                   |      |
| 33   | Diarrhoea and Dehydration reported in children below 5 years of age          | 104,306               |                       | 82,110                    |      |                   |      |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p> |  |                       |                       |                           |      |                   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> | <b>AHS (2012-13)</b>      |      |                   |      |
| 34   | Number of Vasectomies performed  | 2,610                 | 1,626                 | Limiting                  | 6.5  |                   |      |
| 35   | Number of Tubectomies performed  | 34,788                | 33,712                | Spacing                   | 6.6  |                   |      |
| 36   | Number of IUD insertion  | 78,510                | 70,721                | Women using any method    | 67.2 |                   |      |
| 37   | Number of IUD removals   | 13,186                | 14,410                | Women using modern method | 38.1 |                   |      |
| <b>F) Service delivery</b>   |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |      |                   |      |
| 38   | IPD cases per 10,000 population ***  | 395                   | 437                   |                           |      |                   |      |
| 39   | General OPD cases per 10,000 population ***                                  | 9,213                 | 9,542                 |                           |      |                   |      |
| 40   | Ayush OPD cases per 10,000 population ***                                    | 595                   | 673.1                 |                           |      |                   |      |
| <b>G) Mortality Details</b>  |  |                       |                       |                           |      |                   |      |
| <b>I)</b>  | <b>Infant Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |      |                   |      |
| 41   | Neonatal death within 24 hours   | 1,445                 | 1,650                 |                           |      |                   |      |
| 42   | Up to 1 Weeks of Birth   | NA                    | NA                    |                           |      |                   |      |
| 43   | Between 1 week & 4 weeks of birth  | 6,119                 | 6,423                 |                           |      |                   |      |
| 44   | Neonatal Death   | 7,564                 | 8,073                 |                           |      |                   |      |
| 45   | Between 1 month and 11 months  | 4,029                 | 3,613                 |                           |      |                   |      |
| 46   | <b>Total reported infant deaths</b>  | 11,593                | 11,686                |                           |      |                   |      |
| <b>II)</b>   | <b>Maternal Mortality</b>  |                       |                       |                           |      |                   |      |
|  | <b>Maternal Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |      |                   |      |
| 47   | Due to Abortion  | 12                    | 10                    |                           |      |                   |      |
| 48   | Due to Obstructed/prolonged labour   | 41                    | 30                    |                           |      |                   |      |
| 49   | Due to Severe hypertension / fits  | 104                   | 95                    |                           |      |                   |      |
| 50   | Due to Bleeding  | 130                   | 164                   |                           |      |                   |      |
| 51   | Due to High fever  | 9                     | 7                     |                           |      |                   |      |
| 52   | Due to Other Causes (including causes not known)                             | 872                   | 702                   |                           |      |                   |      |
| 53   | <b>Total reported maternal deaths</b>  | 1,168                 | 1,008                 |                           |      |                   |      |

## Baksa Factsheet

### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)  |                        |           |                        |           |                                  |    |
|--|--|------------------------|-----------|------------------------|-----------|----------------------------------|----|
| 1  | Population 2011  | 953,773                |           |                        |           |                                  |    |
| 2  | Sex Ratio  | 967                    |           |                        |           |                                  |    |
| <b>B) Infrastructure Details (RHS 2018)</b>  |  | <b>Numbers</b>         |           |                        |           |                                  |    |
| 3  | Sub Centers (SC)   | 157                    |           |                        |           |                                  |    |
| 4  | Primary Health Centers (PHC)   | 36                     |           |                        |           |                                  |    |
| 5  | Community Health Centers (CHC)   | 6                      |           |                        |           |                                  |    |
| 6  | SDH  | 0                      |           |                        |           |                                  |    |
| 7  | DH   | 1                      |           |                        |           |                                  |    |
| <b>C) Maternal Health:</b>   |  | <b>2017-18</b>         |           | <b>2018-19</b>         |           |                                  |    |
| 8  | Expected number of PW  | 24,241                 |           | 24,512                 |           |                                  |    |
| 9  | Expected number of Delivery  | 22,588                 |           | 22,841                 |           |                                  |    |
|  |  | <b>HMIS ( 2017-18)</b> |           | <b>HMIS ( 2018-19)</b> |           | <b>AHS (2012-13)</b>             |    |
|  |  | <b>Number</b>          | <b>PC</b> | <b>Number</b>          | <b>PC</b> |                                  |    |
| 10   | PW register for ANC  | 17,120                 | 70.6      | 16,755                 | 68.4      | Any ANC                          | NA |
| 11   | Mothers registered in the first trimester  | 15,048                 | 87.9      | 14,852                 | 88.6      | ANC Check up in first trimester  | NA |
| 12   | Mothers who had at least 3 Ante-Natal care check ups   | 13,774                 | 80.5      | 13,487                 | 80.5      | 3 or more ANC check up           | NA |
| 13   | PW who got TT 2 / Booster injection  | 15,404                 | 90.0      | 14,920                 | 89.0      | Atleast 1 TT received            | NA |
| 14   | PW who consumed 100 IFA tablets  | 18,165                 | 106.1     | 16,971                 | 101.3     | 100 IFA tablets consumed         | NA |
| 15   | Home Delivery against expected delivery *  | 801                    | 3.5       | 536                    | 2.3       | Full ANC                         | NA |
| 16   | Institutional Delivery against expected delivery *   | 8,508                  | 37.7      | 8,100                  | 35.5      | Home Delivery                    | NA |
| 17   | Home Delivery against reported delivery **   | 801                    | 8.6       | 536                    | 6.2       | Institutional Delivery           | NA |
| 18   | Institutional Delivery against reported delivery **  | 8,508                  | 91.4      | 8,100                  | 93.8      | Home Delivery by SBA             | NA |
| 19   | Total reported Deliveries  | 9,309                  |           | 8,636                  |           | PNC within 1 week of delivery    | NA |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 398                    | 49.7      | 315                    | 58.8      |                                  |    |
| 21   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 12,539                 | 134.7     | 11,683                 | 135.3     |                                  |    |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                        |           |                        |           |                                  |    |
| 22   | Expected number of Live Birth  | 22,038                 |           | 22,284                 |           |                                  |    |
| <b>D) Child Immunization :</b>   |  | <b>HMIS ( 2017-18)</b> |           | <b>HMIS ( 2018-19)</b> |           | <b>AHS (2012-13)</b>             |    |
| 23   | Total reported live births   | 9,146                  | 41.5      | 8,521                  | 38.2      | Breastfed within 1 hour of birth | NA |
| 24   | Total Still Birth  | 180                    | 0.8       | 148                    | 0.7       | BCG                              | NA |

|  |  |                        |       |                        |      |                           |    |
|--|--|------------------------|-------|------------------------|------|---------------------------|----|
| 25   | PC of newborn weighted at birth to live birth                                | 9,188                  | 100.5 | 8,440                  | 99.0 | 3 dose of DPT             | NA |
| 26   | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 1,126                  | 12.3  | 1,195                  | 14.2 | Measles                   | NA |
| 27   | PC of newborns breastfed within 1 hour to total reported live birth.         | 9,115                  | 99.7  | 8,501                  | 99.8 | Full Immunization         | NA |
| 28   | Children fully immunized   | 13,919                 | 63.2  | 14,979                 | 67.2 |                           |    |
| 29   | Children who have received BCG   | 13,721                 | 62.3  | 12,799                 | 57.4 |                           |    |
| 30   | Children who have received DPT1  | 15,069                 | 68.4  | 14,586                 | 65.5 |                           |    |
| 31   | Children who have received DPT3  | 14,664                 | 66.5  | 14,120                 | 63.4 |                           |    |
| 32   | Children who have received Measles   | 13,952                 | 63.3  | 15,057                 | 67.6 |                           |    |
| 33   | Diarrhoea and Dehydration reported in children below 5 years of age          | 1,218                  |       | 1,456                  |      |                           |    |
| <b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                        |       |                        |      |                           |    |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2017-18)</b> |       | <b>HMIS ( 2018-19)</b> |      | <b>AHS (2012-13)</b>      |    |
| 34   | Number of Vasectomies performed  | 37                     |       | 64                     |      | Limiting                  | NA |
| 35   | Number of Tubectomies performed  | 670                    |       | 763                    |      | Spacing                   | NA |
| 36   | Number of IUD insertion  | 1,571                  |       | 1,279                  |      | Women using any method    | NA |
| 37   | Number of IUD removals   | 286                    |       | 390                    |      | Women using modern method | NA |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2017-18)</b> |       | <b>HMIS ( 2018-19)</b> |      |                           |    |
| 38   | IPD cases per 10,000 population ***  | 164                    |       | 174                    |      |                           |    |
| 39   | General OPD cases per 10,000 population ***                                  | 5,597                  |       | 5,835                  |      |                           |    |
| 40   | Ayush OPD cases per 10,000 population ***                                    | 1,310                  |       | 1308.7                 |      |                           |    |
| <b>G) Mortality Details</b>  |  |                        |       |                        |      |                           |    |
| <b>I)</b>  | <b>Infant Deaths (In Numbers)</b>  | <b>HMIS ( 2017-18)</b> |       | <b>HMIS ( 2018-19)</b> |      |                           |    |
| 41   | Neonatal death within 24 hours   | 31                     |       | 36                     |      |                           |    |
| 42   | Up to 1 Weeks of Birth   | NA                     |       | NA                     |      |                           |    |
| 43   | Between 1 week & 4 weeks of birth  | 71                     |       | 91                     |      |                           |    |
| 44   | Neonatal Death   | 102                    |       | 127                    |      |                           |    |
| 45   | Between 1 month and 11 months  | 137                    |       | 175                    |      |                           |    |
| 46   | <b>Total reported infant deaths</b>  | 239                    |       | 302                    |      |                           |    |
| <b>II)</b>   | <b>Maternal Mortality</b>  |                        |       |                        |      |                           |    |
|  | <b>Maternal Deaths (In Numbers)</b>  | <b>HMIS ( 2017-18)</b> |       | <b>HMIS ( 2018-19)</b> |      |                           |    |
| 47   | Due to Abortion  | 0                      |       | 0                      |      |                           |    |
| 48   | Due to Obstructed/prolonged labour   | 0                      |       | 2                      |      |                           |    |
| 49   | Due to Severe hypertension / fits  | 0                      |       | 1                      |      |                           |    |
| 50   | Due to Bleeding  | 0                      |       | 2                      |      |                           |    |
| 51   | Due to High fever  | 0                      |       | 0                      |      |                           |    |
| 52   | Due to Other Causes (including causes not known)                             | 9                      |       | 11                     |      |                           |    |
| 53   | <b>Total reported maternal deaths</b>  | 9                      |       | 16                     |      |                           |    |

## Barpeta Factsheet

### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)  |                 |      |                 |      |                                  |      |
|--|--|-----------------|------|-----------------|------|----------------------------------|------|
| 1  | Population 2011  | 1,693,190       |      |                 |      |                                  |      |
| 2  | Sex Ratio  | 951             |      |                 |      |                                  |      |
| B) Infrastructure Details (RHS 2018)   |  | Numbers         |      |                 |      |                                  |      |
| 3  | Sub Centers (SC)   | 264             |      |                 |      |                                  |      |
| 4  | Primary Health Centers (PHC)   | 48              |      |                 |      |                                  |      |
| 5  | Community Health Centers (CHC)   | 9               |      |                 |      |                                  |      |
| 6  | SDH  | 1               |      |                 |      |                                  |      |
| 7  | DH   | 1               |      |                 |      |                                  |      |
| C) Maternal Health:  |  | 2017-18         |      | 2018-19         |      |                                  |      |
| 8  | Expected number of PW  | 45,903          |      | 46,886          |      |                                  |      |
| 9  | Expected number of Delivery  | 42,774          |      | 43,689          |      |                                  |      |
|  |  | HMIS ( 2017-18) |      | HMIS ( 2018-19) |      | AHS (2012-13)                    |      |
|  |  | Number          | PC   | Number          | PC   |                                  |      |
| 10   | PW register for ANC  | 40,813          | 88.9 | 41,168          | 87.8 | Any ANC                          | 94.0 |
| 11   | Mothers registered in the first trimester  | 34,913          | 85.5 | 35,682          | 86.7 | ANC Check up in first trimester  | 35.7 |
| 12   | Mothers who had at least 3 Ante-Natal care check ups   | 35,091          | 86.0 | 36,482          | 88.6 | 3 or more ANC check up           | 55.6 |
| 13   | PW who got TT 2 / Booster injection  | 36,909          | 90.4 | 35,798          | 87.0 | Atleast 1 TT received            | 94.0 |
| 14   | PW who consumed 100 IFA tablets  | 31,636          | 77.5 | 39,250          | 95.3 | 100 IFA tablets consumed         | 18.9 |
| 15   | Home Delivery against expected delivery *  | 8,368           | 19.6 | 6,875           | 15.7 | Full ANC                         | 14.0 |
| 16   | Institutional Delivery against expected delivery *   | 29,720          | 69.5 | 29,771          | 68.1 | Home Delivery                    | 47.4 |
| 17   | Home Delivery against reported delivery **   | 8,368           | 22.0 | 6,875           | 18.8 | Institutional Delivery           | 52.3 |
| 18   | Institutional Delivery against reported delivery **  | 29,720          | 78.0 | 29,771          | 81.2 | Home Delivery by SBA             | 19.8 |
| 19   | Total reported Deliveries  | 38,088          |      | 36,646          |      | PNC within 1 week of delivery    | 56.2 |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 3,631           | 43.4 | 3,607           | 52.5 |                                  |      |
| 21   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 24,363          | 64.0 | 19,920          | 54.4 |                                  |      |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                 |      |                 |      |                                  |      |
| 22   | Expected number of Live Birth  | 41,730          |      | 42,623          |      |                                  |      |
| D) Child Immunization :  |  | HMIS ( 2017-18) |      | HMIS ( 2018-19) |      | AHS (2012-13)                    |      |
| 23   | Total reported live births   | 37,780          | 90.5 | 36,191          | 84.9 | Breastfed within 1 hour of birth | 78.9 |
| 24   | Total Still Birth  | 959             | 2.3  | 832             | 2.0  | BCG                              | 93.5 |

|  |  |                       |                       |                           |      |                   |      |
|--|--|-----------------------|-----------------------|---------------------------|------|-------------------|------|
| 25   | PC of newborn weighted at birth to live birth                                | 37,321                | 98.8                  | 35,983                    | 99.4 | 3 dose of DPT     | 78.5 |
| 26   | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 5,555                 | 14.9                  | 5,398                     | 15.0 | Measles           | 76.3 |
| 27   | PC of newborns breastfed within 1 hour to total reported live birth.         | 37,068                | 98.1                  | 35,695                    | 98.6 | Full Immunization | 62.1 |
| 28   | Children fully immunized   | 34,215                | 82.0                  | 34,972                    | 82.0 |                   |      |
| 29   | Children who have received BCG   | 39,863                | 95.5                  | 39,317                    | 92.2 |                   |      |
| 30   | Children who have received DPT1  | 38,612                | 92.5                  | 37,158                    | 87.2 |                   |      |
| 31   | Children who have received DPT3  | 37,110                | 88.9                  | 36,601                    | 85.9 |                   |      |
| 32   | Children who have received Measles   | 34,408                | 82.5                  | 35,093                    | 82.3 |                   |      |
| 33   | Diarrhoea and Dehydration reported in children below 5 years of age          | 1,407                 |                       | 2,609                     |      |                   |      |
| <p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p> |  |                       |                       |                           |      |                   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> | <b>AHS (2012-13)</b>      |      |                   |      |
| 34   | Number of Vasectomies performed  | 273                   | 45                    | Limiting                  | 5.2  |                   |      |
| 35   | Number of Tubectomies performed  | 1,550                 | 1,583                 | Spacing                   | 7.2  |                   |      |
| 36   | Number of IUD insertion  | 4,722                 | 3,437                 | Women using any method    | 74.1 |                   |      |
| 37   | Number of IUD removals   | 269                   | 408                   | Women using modern method | 39   |                   |      |
| <b>F) Service delivery</b>   |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |      |                   |      |
| 38   | IPD cases per 10,000 population ***  | 277                   | 340                   |                           |      |                   |      |
| 39   | General OPD cases per 10,000 population ***                                  | 7,300                 | 7,732                 |                           |      |                   |      |
| 40   | Ayush OPD cases per 10,000 population ***                                    | 362                   | 524.8                 |                           |      |                   |      |
| <b>G) Mortality Details</b>  |  |                       |                       |                           |      |                   |      |
| <b>I)</b>  | <b>Infant Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |      |                   |      |
| 41   | Neonatal death within 24 hours   | 67                    | 137                   |                           |      |                   |      |
| 42   | Up to 1 Weeks of Birth   | NA                    | NA                    |                           |      |                   |      |
| 43   | Between 1 week & 4 weeks of birth  | 584                   | 448                   |                           |      |                   |      |
| 44   | Neonatal Death   | 651                   | 585                   |                           |      |                   |      |
| 45   | Between 1 month and 11 months  | 123                   | 143                   |                           |      |                   |      |
| 46   | <b>Total reported infant deaths</b>  | <b>774</b>            | <b>728</b>            |                           |      |                   |      |
| <b>II)</b>   | <b>Maternal Mortality</b>  |                       |                       |                           |      |                   |      |
|  | <b>Maternal Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |      |                   |      |
| 47   | Due to Abortion  | 1                     | 0                     |                           |      |                   |      |
| 48   | Due to Obstructed/prolonged labour   | 3                     | 0                     |                           |      |                   |      |
| 49   | Due to Severe hypertension / fits  | 2                     | 4                     |                           |      |                   |      |
| 50   | Due to Bleeding  | 6                     | 3                     |                           |      |                   |      |
| 51   | Due to High fever  | 0                     | 0                     |                           |      |                   |      |
| 52   | Due to Other Causes (including causes not known)                             | 32                    | 38                    |                           |      |                   |      |
| 53   | <b>Total reported maternal deaths</b>  | <b>44</b>             | <b>45</b>             |                           |      |                   |      |

## Bongaigaon Factsheet

### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)  |                        |           |                        |           |                                  |      |
|--|--|------------------------|-----------|------------------------|-----------|----------------------------------|------|
| 1  | Population 2011  | 732,639                |           |                        |           |                                  |      |
| 2  | Sex Ratio  | 961                    |           |                        |           |                                  |      |
| <b>B) Infrastructure Details (RHS 2018)</b>  |  | <b>Numbers</b>         |           |                        |           |                                  |      |
| 3  | Sub Centers (SC)   | 94                     |           |                        |           |                                  |      |
| 4  | Primary Health Centers (PHC)   | 28                     |           |                        |           |                                  |      |
| 5  | Community Health Centers (CHC)   | 4                      |           |                        |           |                                  |      |
| 6  | SDH  | 0                      |           |                        |           |                                  |      |
| 7  | DH   | 1                      |           |                        |           |                                  |      |
| <b>C) Maternal Health:</b>   |  | <b>2017-18</b>         |           | <b>2018-19</b>         |           |                                  |      |
| 8  | Expected number of PW  | 19,811                 |           | 20,199                 |           |                                  |      |
| 9  | Expected number of Delivery  | 18,460                 |           | 18,822                 |           |                                  |      |
|  |  | <b>HMIS ( 2017-18)</b> |           | <b>HMIS ( 2018-19)</b> |           | <b>AHS (2012-13)</b>             |      |
|  |  | <b>Number</b>          | <b>PC</b> | <b>Number</b>          | <b>PC</b> |                                  |      |
| 10   | PW register for ANC  | 15,297                 | 77.2      | 15,336                 | 75.9      | Any ANC                          | 92.6 |
| 11   | Mothers registered in the first trimester  | 13,257                 | 86.7      | 13,443                 | 87.7      | ANC Check up in first trimester  | 43.7 |
| 12   | Mothers who had at least 3 Ante-Natal care check ups   | 11,665                 | 76.3      | 12,208                 | 79.6      | 3 or more ANC check up           | 59.5 |
| 13   | PW who got TT 2 / Booster injection  | 14,351                 | 93.8      | 14,731                 | 96.1      | Atleast 1 TT received            | 92.5 |
| 14   | PW who consumed 100 IFA tablets  | 15,226                 | 99.5      | 15,272                 | 99.6      | 100 IFA tablets consumed         | 21.1 |
| 15   | Home Delivery against expected delivery *  | 1,702                  | 9.2       | 971                    | 5.2       | Full ANC                         | 16.3 |
| 16   | Institutional Delivery against expected delivery *   | 13,483                 | 73.0      | 13,366                 | 71.0      | Home Delivery                    | 45.1 |
| 17   | Home Delivery against reported delivery **   | 1,702                  | 11.2      | 971                    | 6.8       | Institutional Delivery           | 54.8 |
| 18   | Institutional Delivery against reported delivery **  | 13,483                 | 88.8      | 13,366                 | 93.2      | Home Delivery by SBA             | 34.8 |
| 19   | Total reported Deliveries  | 15,185                 |           | 14,337                 |           | PNC within 1 week of delivery    | 55.3 |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 118                    | 6.9       | 98                     | 10.1      |                                  |      |
| 21   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 13,822                 | 91.0      | 10,187                 | 71.1      |                                  |      |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                        |           |                        |           |                                  |      |
| 22   | Expected number of Live Birth  | 18,010                 |           | 18,363                 |           |                                  |      |
| <b>D) Child Immunization :</b>   |  | <b>HMIS ( 2017-18)</b> |           | <b>HMIS ( 2018-19)</b> |           | <b>AHS (2012-13)</b>             |      |
| 23   | Total reported live births   | 14,992                 | 83.2      | 14,120                 | 76.9      | Breastfed within 1 hour of birth | 72.8 |
| 24   | Total Still Birth  | 273                    | 1.5       | 265                    | 1.4       | BCG                              | 94.3 |

|    |  |        |      |        |       |                   |      |
|----|--|--------|------|--------|-------|-------------------|------|
| 25 | PC of newborn weighted at birth to live birth                                | 14,976 | 99.9 | 14,114 | 100.0 | 3 dose of DPT     | 66.6 |
| 26 | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 2,048  | 13.7 | 1,821  | 12.9  | Measles           | 79.4 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth.         | 14,409 | 96.1 | 13,951 | 98.8  | Full Immunization | 52.4 |
| 28 | Children fully immunized   | 14,130 | 78.5 | 14,134 | 77.0  |                   |      |
| 29 | Children who have received BCG   | 15,632 | 86.8 | 14,134 | 77.0  |                   |      |
| 30 | Children who have received DPT1  | 14,523 | 80.6 | 14,556 | 79.3  |                   |      |
| 31 | Children who have received DPT3  | 13,267 | 73.7 | 14,273 | 77.7  |                   |      |
| 32 | Children who have received Measles   | 14,165 | 78.7 | 14,150 | 77.1  |                   |      |
| 33 | Diarrhoea and Dehydration reported in children below 5 years of age          | 612    |      | 521    |       |                   |      |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

| E) Family Planning   |  | HMIS (2017-18) | HMIS (2018-19) | AHS (2012-13)             |      |
|----------------------|--|----------------|----------------|---------------------------|------|
| 34                   | Number of Vasectomies performed                  | 29             | 16             | Limiting                  | 5.2  |
| 35                   | Number of Tubectomies performed                  | 852            | 806            | Spacing                   | 6.6  |
| 36                   | Number of IUD insertion                          | 2,894          | 3,123          | Women using any method    | 70.5 |
| 37                   | Number of IUD removals                           | 324            | 331            | Women using modern method | 35.7 |
| F) Service delivery  |  | HMIS (2017-18) | HMIS (2018-19) |                           |      |
| 38                   | IPD cases per 10,000 population ***              | 219            | 231            |                           |      |
| 39                   | General OPD cases per 10,000 population ***      | 8,308          | 8,320          |                           |      |
| 40                   | Ayush OPD cases per 10,000 population ***        | 184            | 417.1          |                           |      |
| G) Mortality Details |  |                |                |                           |      |
| I)                   | Infant Deaths (In Numbers)                       | HMIS (2017-18) | HMIS (2018-19) |                           |      |
| 41                   | Neonatal death within 24 hours                   | 59             | 16             |                           |      |
| 42                   | Up to 1 Weeks of Birth                           | NA             | NA             |                           |      |
| 43                   | Between 1 week & 4 weeks of birth                | 218            | 150            |                           |      |
| 44                   | Neonatal Death                                   | 277            | 166            |                           |      |
| 45                   | Between 1 month and 11 months                    | 137            | 128            |                           |      |
| 46                   | <b>Total reported infant deaths</b>              | 414            | 294            |                           |      |
| II)                  | Maternal Mortality                               | HMIS (2017-18) | HMIS (2018-19) |                           |      |
| 47                   | Due to Abortion                                  | 1              | 0              |                           |      |
| 48                   | Due to Obstructed/prolonged labour               | 1              | 1              |                           |      |
| 49                   | Due to Severe hypertension / fits                | 3              | 2              |                           |      |
| 50                   | Due to Bleeding                                  | 0              | 4              |                           |      |
| 51                   | Due to High fever                                | 0              | 0              |                           |      |
| 52                   | Due to Other Causes (including causes not known) | 11             | 11             |                           |      |
| 53                   | <b>Total reported maternal deaths</b>            | 16             | 18             |                           |      |



## Cachar Factsheet

### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)  |                        |                        |               |                      |                                  |      |  |
|--|--|------------------------|------------------------|---------------|----------------------|----------------------------------|------|--|
| 1  | Population 2011  | 1,736,319              |                        |               |                      |                                  |      |  |
| 2  | Sex Ratio  | 958                    |                        |               |                      |                                  |      |  |
| <b>B) Infrastructure Details (RHS 2018)</b>  |  | <b>Numbers</b>         |                        |               |                      |                                  |      |  |
| 3  | Sub Centers (SC)   | 270                    |                        |               |                      |                                  |      |  |
| 4  | Primary Health Centers (PHC)   | 30                     |                        |               |                      |                                  |      |  |
| 5  | Community Health Centers (CHC)   | 4                      |                        |               |                      |                                  |      |  |
| 6  | SDH  | 0                      |                        |               |                      |                                  |      |  |
| 7  | DH   | 1                      |                        |               |                      |                                  |      |  |
| <b>C) Maternal Health:</b>   |  | <b>2017-18</b>         | <b>2018-19</b>         |               |                      |                                  |      |  |
| 8  | Expected number of PW  | 46,730                 | 47,672                 |               |                      |                                  |      |  |
| 9  | Expected number of Delivery  | 43,543                 | 44,422                 |               |                      |                                  |      |  |
|  |  | <b>HMIS ( 2017-18)</b> | <b>HMIS ( 2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
|  |  | <b>Number</b>          | <b>PC</b>              | <b>Number</b> | <b>PC</b>            |                                  |      |  |
| 10   | PW register for ANC  | 39,489                 | 84.5                   | 40,012        | 83.9                 | Any ANC                          | 95.6 |  |
| 11   | Mothers registered in the first trimester  | 34,635                 | 87.7                   | 35,489        | 88.7                 | ANC Check up in first trimester  | 57.8 |  |
| 12   | Mothers who had at least 3 Ante-Natal care check ups   | 33,576                 | 85.0                   | 34,282        | 85.7                 | 3 or more ANC check up           | 66.5 |  |
| 13   | PW who got TT 2 / Booster injection  | 37,689                 | 95.4                   | 37,756        | 94.4                 | Atleast 1 TT received            | 95.3 |  |
| 14   | PW who consumed 100 IFA tablets  | 38,422                 | 97.3                   | 39,841        | 99.6                 | 100 IFA tablets consumed         | 21.5 |  |
| 15   | Home Delivery against expected delivery *  | 1,881                  | 4.3                    | 1,341         | 3.0                  | Full ANC                         | 17.8 |  |
| 16   | Institutional Delivery against expected delivery *   | 40,672                 | 93.4                   | 41,348        | 93.1                 | Home Delivery                    | 34.9 |  |
| 17   | Home Delivery against reported delivery **   | 1,881                  | 4.4                    | 1,341         | 3.1                  | Institutional Delivery           | 64.8 |  |
| 18   | Institutional Delivery against reported delivery **  | 40,672                 | 95.6                   | 41,348        | 96.9                 | Home Delivery by SBA             | 35.7 |  |
| 19   | Total reported Deliveries  | 42,553                 |                        | 42,689        |                      | PNC within 1 week of delivery    | 69.7 |  |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 750                    | 39.9                   | 549           | 40.9                 |                                  |      |  |
| 21   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 19,370                 | 45.5                   | 22,581        | 52.9                 |                                  |      |  |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                        |                        |               |                      |                                  |      |  |
| 22   | Expected number of Live Birth  | 42,481                 |                        | 43,338        |                      |                                  |      |  |
| <b>D) Child Immunization :</b>   |  | <b>HMIS ( 2017-18)</b> | <b>HMIS ( 2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
| 23   | Total reported live births   | 41,658                 | 98.1                   | 41,678        | 96.2                 | Breastfed within 1 hour of birth | 63.3 |  |
| 24   | Total Still Birth  | 1,142                  | 2.7                    | 1,230         | 2.8                  | BCG                              | 94.2 |  |
| 25   | PC of newborn weighted at birth to live birth  | 40,713                 | 97.7                   | 41,678        | 100.0                | 3 dose of DPT                    | 77.1 |  |

|  |  |                       |                       |                      |       |                           |      |
|--|--|-----------------------|-----------------------|----------------------|-------|---------------------------|------|
| 26   | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 7,530                 | 18.5                  | 7,445                | 17.9  | Measles                   | 80.3 |
| 27   | PC of newborns breastfed within 1 hour to total reported live birth.         | 41,131                | 98.7                  | 41,483               | 99.5  | Full Immunization         | 64.5 |
| 28   | Children fully immunized   | 36,205                | 85.2                  | 39,690               | 91.6  |                           |      |
| 29   | Children who have received BCG   | 44,635                | 105.1                 | 47,169               | 108.8 |                           |      |
| 30   | Children who have received DPT1  | 36,806                | 86.6                  | 40,262               | 92.9  |                           |      |
| 31   | Children who have received DPT3  | 36,757                | 86.5                  | 39,924               | 92.1  |                           |      |
| 32   | Children who have received Measles   | 36,319                | 85.5                  | 40,068               | 92.5  |                           |      |
| 33   | Diarrhoea and Dehydration reported in children below 5 years of age          | 4,100                 |                       | 4,630                |       |                           |      |
| <b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                       |                       |                      |       |                           |      |
| <b>E) Family Planning</b>  |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> | <b>AHS (2012-13)</b> |       |                           |      |
| 34   | Number of Vasectomies performed  | 104                   |                       | 142                  |       | Limiting                  | 8.8  |
| 35   | Number of Tubectomies performed  | 2,751                 |                       | 2,578                |       | Spacing                   | 9.4  |
| 36   | Number of IUD insertion  | 2,625                 |                       | 2,748                |       | Women using any method    | 57   |
| 37   | Number of IUD removals   | 187                   |                       | 265                  |       | Women using modern method | 31.9 |
| <b>F) Service delivery</b>   |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                      |       |                           |      |
| 38   | IPD cases per 10,000 population ***  | 492                   |                       | 542                  |       |                           |      |
| 39   | General OPD cases per 10,000 population ***                                  | 8,694                 |                       | 9,202                |       |                           |      |
| 40   | Ayush OPD cases per 10,000 population ***                                    | 36                    |                       | 43.8                 |       |                           |      |
| <b>G) Mortality Details</b>  |  |                       |                       |                      |       |                           |      |
| <b>I)</b>  | <b>Infant Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                      |       |                           |      |
| 41   | Neonatal death within 24 hours   | 58                    |                       | 25                   |       |                           |      |
| 42   | Up to 1 Weeks of Birth   | NA                    |                       | NA                   |       |                           |      |
| 43   | Between 1 week & 4 weeks of birth  | 527                   |                       | 657                  |       |                           |      |
| 44   | Neonatal Death   | 585                   |                       | 682                  |       |                           |      |
| 45   | Between 1 month and 11 months  | 305                   |                       | 285                  |       |                           |      |
| 46   | <b>Total reported infant deaths</b>  | <b>890</b>            |                       | <b>967</b>           |       |                           |      |
| <b>II)</b>   | <b>Maternal Mortality</b>  |                       |                       |                      |       |                           |      |
|  | <b>Maternal Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                      |       |                           |      |
| 47   | Due to Abortion  | 0                     |                       | 0                    |       |                           |      |
| 48   | Due to Obstructed/prolonged labour   | 0                     |                       | 1                    |       |                           |      |
| 49   | Due to Severe hypertension / fits  | 5                     |                       | 2                    |       |                           |      |
| 50   | Due to Bleeding  | 3                     |                       | 2                    |       |                           |      |
| 51   | Due to High fever  | 0                     |                       | 1                    |       |                           |      |
| 52   | Due to Other Causes (including causes not known)                             | 157                   |                       | 148                  |       |                           |      |
| 53   | <b>Total reported maternal deaths</b>  | <b>165</b>            |                       | <b>154</b>           |       |                           |      |

## Chirang Factsheet

### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)  |                        |                        |               |                      |                                  |    |  |
|--|--|------------------------|------------------------|---------------|----------------------|----------------------------------|----|--|
| 1  | Population 2011  | 481,818                |                        |               |                      |                                  |    |  |
| 2  | Sex Ratio  | 969                    |                        |               |                      |                                  |    |  |
| <b>B) Infrastructure Details (RHS 2018)</b>  |  | <b>Numbers</b>         |                        |               |                      |                                  |    |  |
| 3  | Sub Centers (SC)   | 87                     |                        |               |                      |                                  |    |  |
| 4  | Primary Health Centers (PHC)   | 23                     |                        |               |                      |                                  |    |  |
| 5  | Community Health Centers (CHC)   | 3                      |                        |               |                      |                                  |    |  |
| 6  | SDH  | 0                      |                        |               |                      |                                  |    |  |
| 7  | DH   | 1                      |                        |               |                      |                                  |    |  |
| <b>C) Maternal Health:</b>   |  | <b>2017-18</b>         | <b>2018-19</b>         |               |                      |                                  |    |  |
| 8  | Expected number of PW  | 12,309                 | 12,448                 |               |                      |                                  |    |  |
| 9  | Expected number of Delivery  | 11,470                 | 11,599                 |               |                      |                                  |    |  |
|  |  | <b>HMIS ( 2017-18)</b> | <b>HMIS ( 2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |    |  |
|  |  | <b>Number</b>          | <b>PC</b>              | <b>Number</b> | <b>PC</b>            |                                  |    |  |
| 10   | PW register for ANC  | 9,906                  | 80.5                   | 9,835         | 79.0                 | Any ANC                          | NA |  |
| 11   | Mothers registered in the first trimester  | 7,783                  | 78.6                   | 7,755         | 78.9                 | ANC Check up in first trimester  | NA |  |
| 12   | Mothers who had at least 3 Ante-Natal care check ups   | 6,879                  | 69.4                   | 7,269         | 73.9                 | 3 or more ANC check up           | NA |  |
| 13   | PW who got TT 2 / Booster injection  | 9,139                  | 92.3                   | 8,855         | 90.0                 | Atleast 1 TT received            | NA |  |
| 14   | PW who consumed 100 IFA tablets  | 7,267                  | 73.4                   | 8,491         | 86.3                 | 100 IFA tablets consumed         | NA |  |
| 15   | Home Delivery against expected delivery *  | 1,557                  | 13.6                   | 1,405         | 12.1                 | Full ANC                         | NA |  |
| 16   | Institutional Delivery against expected delivery *   | 5,793                  | 50.5                   | 5,807         | 50.1                 | Home Delivery                    | NA |  |
| 17   | Home Delivery against reported delivery **   | 1,557                  | 21.2                   | 1,405         | 19.5                 | Institutional Delivery           | NA |  |
| 18   | Institutional Delivery against reported delivery **  | 5,793                  | 78.8                   | 5,807         | 80.5                 | Home Delivery by SBA             | NA |  |
| 19   | Total reported Deliveries  | 7,350                  |                        | 7,212         |                      | PNC within 1 week of delivery    | NA |  |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 221                    | 14.2                   | 144           | 10.2                 |                                  |    |  |
| 21   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 4,496                  | 61.2                   | 6,201         | 86.0                 |                                  |    |  |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                        |                        |               |                      |                                  |    |  |
| 22   | Expected number of Live Birth  | 11,190                 |                        | 11,316        |                      |                                  |    |  |
| <b>D) Child Immunization :</b>   |  | <b>HMIS ( 2017-18)</b> | <b>HMIS ( 2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |    |  |
| 23   | Total reported live births   | 7,278                  | 65.0                   | 7,187         | 63.5                 | Breastfed within 1 hour of birth | NA |  |
| 24   | Total Still Birth  | 122                    | 1.1                    | 113           | 1.0                  | BCG                              | NA |  |
| 25   | PC of newborn weighted at birth to live birth  | 7,261                  | 99.8                   | 7,158         | 99.6                 | 3 dose of DPT                    | NA |  |

|  |  |                       |      |                       |      |                           |    |
|--|--|-----------------------|------|-----------------------|------|---------------------------|----|
| 26   | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 1,442                 | 19.9 | 1,152                 | 16.1 | Measles                   | NA |
| 27   | PC of newborns breastfed within 1 hour to total reported live birth.         | 7,249                 | 99.6 | 7,090                 | 98.7 | Full Immunization         | NA |
| 28   | Children fully immunized   | 8,700                 | 77.7 | 8,264                 | 73.0 |                           |    |
| 29   | Children who have received BCG   | 9,118                 | 81.5 | 8,381                 | 74.1 |                           |    |
| 30   | Children who have received DPT1  | 8,973                 | 80.2 | 8,516                 | 75.3 |                           |    |
| 31   | Children who have received DPT3  | 8,494                 | 75.9 | 8,273                 | 73.1 |                           |    |
| 32   | Children who have received Measles   | 8,695                 | 77.7 | 8,401                 | 74.2 |                           |    |
| 33   | Diarrhoea and Dehydration reported in children below 5 years of age          | 1,091                 |      | 1,089                 |      |                           |    |
| <b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                       |      |                       |      |                           |    |
| <b>E) Family Planning</b>  |  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      | <b>AHS (2012-13)</b>      |    |
| 34   | Number of Vasectomies performed  | 0                     |      | 0                     |      | Limiting                  | NA |
| 35   | Number of Tubectomies performed  | 95                    |      | 77                    |      | Spacing                   | NA |
| 36   | Number of IUD insertion  | 1,540                 |      | 1,458                 |      | Women using any method    | NA |
| 37   | Number of IUD removals   | 460                   |      | 504                   |      | Women using modern method | NA |
| <b>F) Service delivery</b>   |  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      |                           |    |
| 38   | IPD cases per 10,000 population ***  | 129                   |      | 160                   |      |                           |    |
| 39   | General OPD cases per 10,000 population ***                                  | 6,878                 |      | 6,779                 |      |                           |    |
| 40   | Ayush OPD cases per 10,000 population ***                                    | 98                    |      | 52.6                  |      |                           |    |
| <b>G) Mortality Details</b>  |  |                       |      |                       |      |                           |    |
| <b>I)</b>  | <b>Infant Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      |                           |    |
| 41   | Neonatal death within 24 hours   | 18                    |      | 12                    |      |                           |    |
| 42   | Up to 1 Weeks of Birth   | NA                    |      | NA                    |      |                           |    |
| 43   | Between 1 week & 4 weeks of birth  | 43                    |      | 42                    |      |                           |    |
| 44   | Neonatal Death   | 61                    |      | 54                    |      |                           |    |
| 45   | Between 1 month and 11 months  | 110                   |      | 74                    |      |                           |    |
| 46   | <b>Total reported infant deaths</b>  | 171                   |      | 128                   |      |                           |    |
| <b>II)</b>   | <b>Maternal Mortality</b>  |                       |      |                       |      |                           |    |
|  | <b>Maternal Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      |                           |    |
| 47   | Due to Abortion  | 0                     |      | 0                     |      |                           |    |
| 48   | Due to Obstructed/prolonged labour   | 0                     |      | 0                     |      |                           |    |
| 49   | Due to Severe hypertension / fits  | 2                     |      | 3                     |      |                           |    |
| 50   | Due to Bleeding  | 0                     |      | 1                     |      |                           |    |
| 51   | Due to High fever  | 0                     |      | 0                     |      |                           |    |
| 52   | Due to Other Causes (including causes not known)                             | 9                     |      | 3                     |      |                           |    |
| 53   | <b>Total reported maternal deaths</b>  | 11                    |      | 7                     |      |                           |    |

## Darrang Factsheet

### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)  |                       |                       |               |                      |                                  |      |  |
|--|--|-----------------------|-----------------------|---------------|----------------------|----------------------------------|------|--|
| 1  | Population 2011  | 908,090               |                       |               |                      |                                  |      |  |
| 2  | Sex Ratio  | 923                   |                       |               |                      |                                  |      |  |
| <b>B) Infrastructure Details (RHS 2018)</b>  |  | <b>Numbers</b>        |                       |               |                      |                                  |      |  |
| 3  | Sub Centers (SC)   | 159                   |                       |               |                      |                                  |      |  |
| 4  | Primary Health Centers (PHC)   | 32                    |                       |               |                      |                                  |      |  |
| 5  | Community Health Centers (CHC)   | 7                     |                       |               |                      |                                  |      |  |
| 6  | SDH  | 0                     |                       |               |                      |                                  |      |  |
| 7  | DH   | 1                     |                       |               |                      |                                  |      |  |
| <b>C) Maternal Health:</b>   |  | <b>2017-18</b>        | <b>2018-19</b>        |               |                      |                                  |      |  |
| 8  | Expected number of PW  | 24,888                | 25,373                |               |                      |                                  |      |  |
| 9  | Expected number of Delivery  | 23,191                | 23,643                |               |                      |                                  |      |  |
|  |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
|  |  | <b>Number</b>         | <b>PC</b>             | <b>Number</b> | <b>PC</b>            |                                  |      |  |
| 10   | PW register for ANC  | 22,211                | 89.2                  | 21,769        | 85.8                 | Any ANC                          | 91.3 |  |
| 11   | Mothers registered in the first trimester  | 19,869                | 89.5                  | 19,826        | 91.1                 | ANC Check up in first trimester  | 39.9 |  |
| 12   | Mothers who had at least 3 Ante-Natal care check ups   | 18,895                | 85.1                  | 19,352        | 88.9                 | 3 or more ANC check up           | 51.9 |  |
| 13   | PW who got TT 2 / Booster injection  | 21,630                | 97.4                  | 20,593        | 94.6                 | Atleast 1 TT received            | 91.3 |  |
| 14   | PW who consumed 100 IFA tablets  | 24,909                | 112.1                 | 22,239        | 102.2                | 100 IFA tablets consumed         | 29.4 |  |
| 15   | Home Delivery against expected delivery *  | 2,827                 | 12.2                  | 1,765         | 7.5                  | Full ANC                         | 17.1 |  |
| 16   | Institutional Delivery against expected delivery *   | 14,537                | 62.7                  | 15,021        | 63.5                 | Home Delivery                    | 36.6 |  |
| 17   | Home Delivery against reported delivery **   | 2,827                 | 16.3                  | 1,765         | 10.5                 | Institutional Delivery           | 63.0 |  |
| 18   | Institutional Delivery against reported delivery **  | 14,537                | 83.7                  | 15,021        | 89.5                 | Home Delivery by SBA             | 24.0 |  |
| 19   | Total reported Deliveries  | 17,364                |                       | 16,786        |                      | PNC within 1 week of delivery    | 66.9 |  |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 1,203                 | 42.6                  | 681           | 38.6                 |                                  |      |  |
| 21   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 11,830                | 68.1                  | 15,443        | 92.0                 |                                  |      |  |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                       |                       |               |                      |                                  |      |  |
| 22   | Expected number of Live Birth  | 22,625                |                       | 23,067        |                      |                                  |      |  |
| <b>D) Child Immunization :</b>   |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
| 23   | Total reported live births   | 17,131                | 75.7                  | 16,629        | 72.1                 | Breastfed within 1 hour of birth | 73.6 |  |
| 24   | Total Still Birth  | 272                   | 1.2                   | 255           | 1.1                  | BCG                              | 93.2 |  |
| 25   | PC of newborn weighted at birth to live birth  | 16,853                | 98.4                  | 16,496        | 99.2                 | 3 dose of DPT                    | 70.8 |  |

|  |  |                        |      |                        |      |                           |      |
|--|--|------------------------|------|------------------------|------|---------------------------|------|
| 26   | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 2,031                  | 12.1 | 1,995                  | 12.1 | Measles                   | 71.6 |
| 27   | PC of newborns breastfed within 1 hour to total reported live birth.         | 16,297                 | 95.1 | 16,034                 | 96.4 | Full Immunization         | 56.4 |
| 28   | Children fully immunized   | 19,136                 | 84.6 | 19,455                 | 84.3 |                           |      |
| 29   | Children who have received BCG   | 18,572                 | 82.1 | 18,425                 | 79.9 |                           |      |
| 30   | Children who have received DPT1  | 19,801                 | 87.5 | 19,502                 | 84.5 |                           |      |
| 31   | Children who have received DPT3  | 19,360                 | 85.6 | 19,154                 | 83.0 |                           |      |
| 32   | Children who have received Measles   | 19,447                 | 86.0 | 19,600                 | 85.0 |                           |      |
| 33   | Diarrhoea and Dehydration reported in children below 5 years of age          | 3,319                  |      | 4,958                  |      |                           |      |
| <b>Note:</b> In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006). |  |                        |      |                        |      |                           |      |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2017-18)</b> |      | <b>HMIS ( 2018-19)</b> |      | <b>AHS (2012-13)</b>      |      |
| 34   | Number of Vasectomies performed  | 126                    |      | 68                     |      | Limiting                  | 6.2  |
| 35   | Number of Tubectomies performed  | 1,005                  |      | 988                    |      | Spacing                   | 8.2  |
| 36   | Number of IUD insertion  | 3,931                  |      | 3,968                  |      | Women using any method    | 68   |
| 37   | Number of IUD removals   | 556                    |      | 629                    |      | Women using modern method | 37.3 |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2017-18)</b> |      | <b>HMIS ( 2018-19)</b> |      |                           |      |
| 38   | IPD cases per 10,000 population ***  | 416                    |      | 544                    |      |                           |      |
| 39   | General OPD cases per 10,000 population ***                                  | 8,317                  |      | 9,528                  |      |                           |      |
| 40   | Ayush OPD cases per 10,000 population ***                                    | 539                    |      | 697.9                  |      |                           |      |
| <b>G) Mortality Details</b>  |  |                        |      |                        |      |                           |      |
| <b>I)</b>  | <b>Infant Deaths (In Numbers)</b>  | <b>HMIS ( 2017-18)</b> |      | <b>HMIS ( 2018-19)</b> |      |                           |      |
| 41   | Neonatal death within 24 hours   | 31                     |      | 17                     |      |                           |      |
| 42   | Up to 1 Weeks of Birth   | NA                     |      | NA                     |      |                           |      |
| 43   | Between 1 week & 4 weeks of birth  | 184                    |      | 142                    |      |                           |      |
| 44   | Neonatal Death   | 215                    |      | 159                    |      |                           |      |
| 45   | Between 1 month and 11 months  | 78                     |      | 53                     |      |                           |      |
| 46   | <b>Total reported infant deaths</b>  | 293                    |      | 212                    |      |                           |      |
| <b>II)</b>   | <b>Maternal Mortality</b>  |                        |      |                        |      |                           |      |
|  | <b>Maternal Deaths (In Numbers)</b>  | <b>HMIS ( 2017-18)</b> |      | <b>HMIS ( 2018-19)</b> |      |                           |      |
| 47   | Due to Abortion  | 1                      |      | 0                      |      |                           |      |
| 48   | Due to Obstructed/prolonged labour   | 1                      |      | 0                      |      |                           |      |
| 49   | Due to Severe hypertension / fits  | 1                      |      | 1                      |      |                           |      |
| 50   | Due to Bleeding  | 2                      |      | 2                      |      |                           |      |
| 51   | Due to High fever  | 1                      |      | 0                      |      |                           |      |
| 52   | Due to Other Causes (including causes not known)                             | 12                     |      | 15                     |      |                           |      |
| 53   | <b>Total reported maternal deaths</b>  | 18                     |      | 18                     |      |                           |      |

## Dhemaji Factsheet

### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)  |                        |                        |               |                      |                                  |      |  |
|--|--|------------------------|------------------------|---------------|----------------------|----------------------------------|------|--|
| 1  | Population 2011  | 688,077                |                        |               |                      |                                  |      |  |
| 2  | Sex Ratio  | 949                    |                        |               |                      |                                  |      |  |
| <b>B) Infrastructure Details (RHS 2018)</b>  |  | <b>Numbers</b>         |                        |               |                      |                                  |      |  |
| 3  | Sub Centers (SC)   | 98                     |                        |               |                      |                                  |      |  |
| 4  | Primary Health Centers (PHC)   | 20                     |                        |               |                      |                                  |      |  |
| 5  | Community Health Centers (CHC)   | 4                      |                        |               |                      |                                  |      |  |
| 6  | SDH  | 0                      |                        |               |                      |                                  |      |  |
| 7  | DH   | 1                      |                        |               |                      |                                  |      |  |
| <b>C) Maternal Health:</b>   |  | <b>2017-18</b>         | <b>2018-19</b>         |               |                      |                                  |      |  |
| 8  | Expected number of PW  | 18,477                 | 18,852                 |               |                      |                                  |      |  |
| 9  | Expected number of Delivery  | 17,217                 | 17,567                 |               |                      |                                  |      |  |
|  |  | <b>HMIS ( 2017-18)</b> | <b>HMIS ( 2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
|  |  | <b>Number</b>          | <b>PC</b>              | <b>Number</b> | <b>PC</b>            |                                  |      |  |
| 10   | PW register for ANC  | 14,599                 | 79.0                   | 14,630        | 77.6                 | Any ANC                          | 94.9 |  |
| 11   | Mothers registered in the first trimester  | 13,333                 | 91.3                   | 13,632        | 93.2                 | ANC Check up in first trimester  | 60.8 |  |
| 12   | Mothers who had at least 3 Ante-Natal care check ups   | 11,611                 | 79.5                   | 12,142        | 83.0                 | 3 or more ANC check up           | 66.9 |  |
| 13   | PW who got TT 2 / Booster injection  | 12,767                 | 87.5                   | 13,122        | 89.7                 | Atleast 1 TT received            | 94.7 |  |
| 14   | PW who consumed 100 IFA tablets  | 13,299                 | 91.1                   | 14,878        | 101.7                | 100 IFA tablets consumed         | 14.4 |  |
| 15   | Home Delivery against expected delivery *  | 97                     | 0.6                    | 34            | 0.2                  | Full ANC                         | 11.0 |  |
| 16   | Institutional Delivery against expected delivery *   | 14,784                 | 85.9                   | 14,939        | 85.0                 | Home Delivery                    | 27.1 |  |
| 17   | Home Delivery against reported delivery **   | 97                     | 0.7                    | 34            | 0.2                  | Institutional Delivery           | 72.3 |  |
| 18   | Institutional Delivery against reported delivery **  | 14,784                 | 99.3                   | 14,939        | 99.8                 | Home Delivery by SBA             | 24.9 |  |
| 19   | Total reported Deliveries  | 14,881                 |                        | 14,973        |                      | PNC within 1 week of delivery    | 70.7 |  |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 49                     | 50.5                   | 30            | 88.2                 |                                  |      |  |
| 21   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 6,972                  | 46.9                   | 10,422        | 69.6                 |                                  |      |  |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                        |                        |               |                      |                                  |      |  |
| 22   | Expected number of Live Birth  | 16,797                 |                        | 17,138        |                      |                                  |      |  |
| <b>D) Child Immunization :</b>   |  | <b>HMIS ( 2017-18)</b> | <b>HMIS ( 2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
| 23   | Total reported live births   | 14,747                 | 87.8                   | 14,841        | 86.6                 | Breastfed within 1 hour of birth | 82.9 |  |
| 24   | Total Still Birth  | 281                    | 1.7                    | 248           | 1.4                  | BCG                              | 91.5 |  |
| 25   | PC of newborn weighted at birth to live birth  | 14,054                 | 95.3                   | 14,787        | 99.6                 | 3 dose of DPT                    | 78   |  |

|  |  |                       |      |                       |      |                           |      |
|--|--|-----------------------|------|-----------------------|------|---------------------------|------|
| 26   | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 1,569                 | 11.2 | 1,558                 | 10.5 | Measles                   | 77.5 |
| 27   | PC of newborns breastfed within 1 hour to total reported live birth.         | 13,324                | 90.4 | 14,003                | 94.4 | Full Immunization         | 66.6 |
| 28   | Children fully immunized   | 12,868                | 76.6 | 12,225                | 71.3 |                           |      |
| 29   | Children who have received BCG   | 13,002                | 77.4 | 13,464                | 78.6 |                           |      |
| 30   | Children who have received DPT1  | 12,702                | 75.6 | 12,690                | 74.0 |                           |      |
| 31   | Children who have received DPT3  | 12,366                | 73.6 | 12,592                | 73.5 |                           |      |
| 32   | Children who have received Measles   | 12,635                | 75.2 | 12,463                | 72.7 |                           |      |
| 33   | Diarrhoea and Dehydration reported in children below 5 years of age          | 2,473                 |      | 2,082                 |      |                           |      |
| <b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                       |      |                       |      |                           |      |
| <b>E) Family Planning</b>  |  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      | <b>AHS (2012-13)</b>      |      |
| 34   | Number of Vasectomies performed  | 173                   |      | 16                    |      | Limiting                  | 6.1  |
| 35   | Number of Tubectomies performed  | 1,169                 |      | 1,548                 |      | Spacing                   | 6.1  |
| 36   | Number of IUD insertion  | 3,707                 |      | 2,731                 |      | Women using any method    | 75.2 |
| 37   | Number of IUD removals   | 923                   |      | 943                   |      | Women using modern method | 34.7 |
| <b>F) Service delivery</b>   |  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      |                           |      |
| 38   | IPD cases per 10,000 population ***  | 235                   |      | 240                   |      |                           |      |
| 39   | General OPD cases per 10,000 population ***                                  | 7,590                 |      | 7,946                 |      |                           |      |
| 40   | Ayush OPD cases per 10,000 population ***                                    | 653                   |      | 667.9                 |      |                           |      |
| <b>G) Mortality Details</b>  |  |                       |      |                       |      |                           |      |
| <b>I)</b>  | <b>Infant Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      |                           |      |
| 41   | Neonatal death within 24 hours   | 27                    |      | 55                    |      |                           |      |
| 42   | Up to 1 Weeks of Birth   | NA                    |      | NA                    |      |                           |      |
| 43   | Between 1 week & 4 weeks of birth  | 162                   |      | 174                   |      |                           |      |
| 44   | Neonatal Death   | 189                   |      | 229                   |      |                           |      |
| 45   | Between 1 month and 11 months  | 121                   |      | 79                    |      |                           |      |
| 46   | <b>Total reported infant deaths</b>  | 310                   |      | 308                   |      |                           |      |
| <b>II)</b>   | <b>Maternal Mortality</b>  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      |                           |      |
|  | <b>Maternal Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      |                           |      |
| 47   | Due to Abortion  | 0                     |      | 0                     |      |                           |      |
| 48   | Due to Obstructed/prolonged labour   | 0                     |      | 0                     |      |                           |      |
| 49   | Due to Severe hypertension / fits  | 2                     |      | 0                     |      |                           |      |
| 50   | Due to Bleeding  | 4                     |      | 4                     |      |                           |      |
| 51   | Due to High fever  | 1                     |      | 0                     |      |                           |      |
| 52   | Due to Other Causes (including causes not known)                             | 8                     |      | 7                     |      |                           |      |
| 53   | <b>Total reported maternal deaths</b>  | 15                    |      | 11                    |      |                           |      |



## Dhubri Factsheet

### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)  |                       |                       |               |                      |                                  |      |  |
|--|--|-----------------------|-----------------------|---------------|----------------------|----------------------------------|------|--|
| 1  | Population 2011  | 1,948,632             |                       |               |                      |                                  |      |  |
| 2  | Sex Ratio  | 952                   |                       |               |                      |                                  |      |  |
| <b>B) Infrastructure Details (RHS 2018)</b>  |  | <b>Numbers</b>        |                       |               |                      |                                  |      |  |
| 3  | Sub Centers (SC)   | 245                   |                       |               |                      |                                  |      |  |
| 4  | Primary Health Centers (PHC)   | 41                    |                       |               |                      |                                  |      |  |
| 5  | Community Health Centers (CHC)   | 8                     |                       |               |                      |                                  |      |  |
| 6  | SDH  | 2                     |                       |               |                      |                                  |      |  |
| 7  | DH   | 1                     |                       |               |                      |                                  |      |  |
| <b>C) Maternal Health:</b>   |  | <b>2017-18</b>        | <b>2018-19</b>        |               |                      |                                  |      |  |
| 8  | Expected number of PW  | 53,770                | 55,082                |               |                      |                                  |      |  |
| 9  | Expected number of Delivery  | 50,104                | 51,326                |               |                      |                                  |      |  |
|  |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
|  |  | <b>Number</b>         | <b>PC</b>             | <b>Number</b> | <b>PC</b>            |                                  |      |  |
| 10   | PW register for ANC  | 54,636                | 101.6                 | 56,757        | 103.0                | Any ANC                          | 88.7 |  |
| 11   | Mothers registered in the first trimester  | 43,193                | 79.1                  | 45,988        | 81.0                 | ANC Check up in first trimester  | 33.4 |  |
| 12   | Mothers who had at least 3 Ante-Natal care check ups   | 42,564                | 77.9                  | 44,035        | 77.6                 | 3 or more ANC check up           | 39.7 |  |
| 13   | PW who got TT 2 / Booster injection  | 50,223                | 91.9                  | 49,705        | 87.6                 | Atleast 1 TT received            | 88.6 |  |
| 14   | PW who consumed 100 IFA tablets  | 51,099                | 93.5                  | 55,451        | 97.7                 | 100 IFA tablets consumed         | 14.3 |  |
| 15   | Home Delivery against expected delivery *  | 21,775                | 43.5                  | 18,185        | 35.4                 | Full ANC                         | 7.6  |  |
| 16   | Institutional Delivery against expected delivery *   | 28,266                | 56.4                  | 28,437        | 55.4                 | Home Delivery                    | 57.3 |  |
| 17   | Home Delivery against reported delivery **   | 21,775                | 43.5                  | 18,185        | 39.0                 | Institutional Delivery           | 42.4 |  |
| 18   | Institutional Delivery against reported delivery **  | 28,266                | 56.5                  | 28,437        | 61.0                 | Home Delivery by SBA             | 23.0 |  |
| 19   | Total reported Deliveries  | 50,041                |                       | 46,622        |                      | PNC within 1 week of delivery    | 52.1 |  |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 2,982                 | 13.7                  | 2,394         | 13.2                 |                                  |      |  |
| 21   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 26,415                | 52.8                  | 27,099        | 58.1                 |                                  |      |  |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                       |                       |               |                      |                                  |      |  |
| 22   | Expected number of Live Birth  | 48,882                |                       | 50,074        |                      |                                  |      |  |
| <b>D) Child Immunization :</b>   |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
| 23   | Total reported live births   | 49,318                | 100.9                 | 45,993        | 91.8                 | Breastfed within 1 hour of birth | 65.5 |  |
| 24   | Total Still Birth  | 1,022                 | 2.1                   | 896           | 1.8                  | BCG                              | 89.9 |  |
| 25   | PC of newborn weighted at birth to live birth  | 49,054                | 99.5                  | 45,927        | 99.9                 | 3 dose of DPT                    | 69.4 |  |

|  |  |                       |                       |                           |      |                   |      |
|--|--|-----------------------|-----------------------|---------------------------|------|-------------------|------|
| 26   | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 6,511                 | 13.3                  | 7,113                     | 15.5 | Measles           | 62.3 |
| 27   | PC of newborns breastfed within 1 hour to total reported live birth.         | 49,227                | 99.8                  | 45,863                    | 99.7 | Full Immunization | 48.7 |
| 28   | Children fully immunized   | 44,324                | 90.7                  | 46,939                    | 93.7 |                   |      |
| 29   | Children who have received BCG   | 50,848                | 104.0                 | 47,913                    | 95.7 |                   |      |
| 30   | Children who have received DPT1  | 48,469                | 99.2                  | 47,318                    | 94.5 |                   |      |
| 31   | Children who have received DPT3  | 45,589                | 93.3                  | 45,496                    | 90.9 |                   |      |
| 32   | Children who have received Measles   | 44,444                | 90.9                  | 47,314                    | 94.5 |                   |      |
| 33   | Diarrhoea and Dehydration reported in children below 5 years of age          | 23,765                |                       | 6,822                     |      |                   |      |
| <b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                       |                       |                           |      |                   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> | <b>AHS (2012-13)</b>      |      |                   |      |
| 34   | Number of Vasectomies performed  | 34                    | 9                     | Limiting                  | 7    |                   |      |
| 35   | Number of Tubectomies performed  | 790                   | 768                   | Spacing                   | 11.8 |                   |      |
| 36   | Number of IUD insertion  | 9,113                 | 5,578                 | Women using any method    | 49.6 |                   |      |
| 37   | Number of IUD removals   | 599                   | 445                   | Women using modern method | 34   |                   |      |
| <b>F) Service delivery</b>   |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |      |                   |      |
| 38   | IPD cases per 10,000 population ***  | 276                   | 325                   |                           |      |                   |      |
| 39   | General OPD cases per 10,000 population ***                                  | 6,482                 | 7,082                 |                           |      |                   |      |
| 40   | Ayush OPD cases per 10,000 population ***                                    | 1,046                 | 1295.0                |                           |      |                   |      |
| <b>G) Mortality Details</b>  |  |                       |                       |                           |      |                   |      |
| <b>I)</b>  | <b>Infant Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |      |                   |      |
| 41   | Neonatal death within 24 hours   | 166                   | 142                   |                           |      |                   |      |
| 42   | Up to 1 Weeks of Birth   | NA                    | NA                    |                           |      |                   |      |
| 43   | Between 1 week & 4 weeks of birth  | 620                   | 437                   |                           |      |                   |      |
| 44   | Neonatal Death   | 786                   | 579                   |                           |      |                   |      |
| 45   | Between 1 month and 11 months  | 403                   | 175                   |                           |      |                   |      |
| 46   | <b>Total reported infant deaths</b>  | <b>1,189</b>          | <b>754</b>            |                           |      |                   |      |
| <b>II)</b>   | <b>Maternal Mortality</b>  |                       |                       |                           |      |                   |      |
|  | <b>Maternal Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |      |                   |      |
| 47   | Due to Abortion  | 0                     | 0                     |                           |      |                   |      |
| 48   | Due to Obstructed/prolonged labour   | 1                     | 1                     |                           |      |                   |      |
| 49   | Due to Severe hypertension / fits  | 11                    | 9                     |                           |      |                   |      |
| 50   | Due to Bleeding  | 15                    | 5                     |                           |      |                   |      |
| 51   | Due to High fever  | 3                     | 0                     |                           |      |                   |      |
| 52   | Due to Other Causes (including causes not known)                             | 37                    | 32                    |                           |      |                   |      |
| 53   | <b>Total reported maternal deaths</b>  | <b>67</b>             | <b>47</b>             |                           |      |                   |      |

## Dibrugarh Factsheet

### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)  |                       |                       |               |                      |                                  |      |  |
|--|--|-----------------------|-----------------------|---------------|----------------------|----------------------------------|------|--|
| 1  | Population 2011  | 1,327,748             |                       |               |                      |                                  |      |  |
| 2  | Sex Ratio  | 952                   |                       |               |                      |                                  |      |  |
| <b>B) Infrastructure Details (RHS 2018)</b>  |  | <b>Numbers</b>        |                       |               |                      |                                  |      |  |
| 3  | Sub Centers (SC)   | 234                   |                       |               |                      |                                  |      |  |
| 4  | Primary Health Centers (PHC)   | 30                    |                       |               |                      |                                  |      |  |
| 5  | Community Health Centers (CHC)   | 8                     |                       |               |                      |                                  |      |  |
| 6  | SDH  | 0                     |                       |               |                      |                                  |      |  |
| 7  | DH   | 0                     |                       |               |                      |                                  |      |  |
| <b>C) Maternal Health:</b>   |  | <b>2017-18</b>        | <b>2018-19</b>        |               |                      |                                  |      |  |
| 8  | Expected number of PW  | 34,017                | 34,426                |               |                      |                                  |      |  |
| 9  | Expected number of Delivery  | 31,697                | 32,079                |               |                      |                                  |      |  |
|  |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
|  |  | <b>Number</b>         | <b>PC</b>             | <b>Number</b> | <b>PC</b>            |                                  |      |  |
| 10   | PW register for ANC  | 24,991                | 73.5                  | 24,106        | 70.0                 | Any ANC                          | 97.3 |  |
| 11   | Mothers registered in the first trimester  | 21,759                | 87.1                  | 22,203        | 92.1                 | ANC Check up in first trimester  | 68.0 |  |
| 12   | Mothers who had at least 3 Ante-Natal care check ups   | 19,194                | 76.8                  | 21,636        | 89.8                 | 3 or more ANC check up           | 84.8 |  |
| 13   | PW who got TT 2 / Booster injection  | 23,028                | 92.1                  | 22,461        | 93.2                 | Atleast 1 TT received            | 97.2 |  |
| 14   | PW who consumed 100 IFA tablets  | 24,904                | 99.7                  | 24,073        | 99.9                 | 100 IFA tablets consumed         | 32.8 |  |
| 15   | Home Delivery against expected delivery *  | 89                    | 0.3                   | 58            | 0.2                  | Full ANC                         | 29.3 |  |
| 16   | Institutional Delivery against expected delivery *   | 23,493                | 74.1                  | 23,940        | 74.6                 | Home Delivery                    | 18.6 |  |
| 17   | Home Delivery against reported delivery **   | 89                    | 0.4                   | 58            | 0.2                  | Institutional Delivery           | 81.2 |  |
| 18   | Institutional Delivery against reported delivery **  | 23,493                | 99.6                  | 23,940        | 99.8                 | Home Delivery by SBA             | 36.4 |  |
| 19   | Total reported Deliveries  | 23,582                |                       | 23,998        |                      | PNC within 1 week of delivery    | 84.1 |  |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 16                    | 18.0                  | 3             | 5.2                  |                                  |      |  |
| 21   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 21,432                | 90.9                  | 18,493        | 77.1                 |                                  |      |  |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                       |                       |               |                      |                                  |      |  |
| 22   | Expected number of Live Birth  | 30,924                |                       | 31,297        |                      |                                  |      |  |
| <b>D) Child Immunization :</b>   |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
| 23   | Total reported live births   | 23,262                | 75.2                  | 23,644        | 75.5                 | Breastfed within 1 hour of birth | 81.4 |  |
| 24   | Total Still Birth  | 588                   | 1.9                   | 470           | 1.5                  | BCG                              | 97.5 |  |
| 25   | PC of newborn weighted at birth to live birth  | 23,250                | 99.9                  | 23,662        | 100.1                | 3 dose of DPT                    | 88   |  |

|  |  |                       |      |                       |      |                           |      |
|--|--|-----------------------|------|-----------------------|------|---------------------------|------|
| 26   | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 5,419                 | 23.3 | 5,219                 | 22.1 | Measles                   | 93.1 |
| 27   | PC of newborns breastfed within 1 hour to total reported live birth.         | 22,305                | 95.9 | 23,404                | 99.0 | Full Immunization         | 82.3 |
| 28   | Children fully immunized   | 19,539                | 63.2 | 19,109                | 61.1 |                           |      |
| 29   | Children who have received BCG   | 23,211                | 75.1 | 22,156                | 70.8 |                           |      |
| 30   | Children who have received DPT1  | 20,316                | 65.7 | 19,794                | 63.2 |                           |      |
| 31   | Children who have received DPT3  | 19,421                | 62.8 | 19,076                | 61.0 |                           |      |
| 32   | Children who have received Measles   | 19,564                | 63.3 | 19,415                | 62.0 |                           |      |
| 33   | Diarrhoea and Dehydration reported in children below 5 years of age          | 2,766                 |      | 3,541                 |      |                           |      |
| <b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                       |      |                       |      |                           |      |
| <b>E) Family Planning</b>  |  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      | <b>AHS (2012-13)</b>      |      |
| 34   | Number of Vasectomies performed  | 196                   |      | 125                   |      | Limiting                  | 9.2  |
| 35   | Number of Tubectomies performed  | 1,949                 |      | 2,178                 |      | Spacing                   | 6    |
| 36   | Number of IUD insertion  | 2,224                 |      | 2,456                 |      | Women using any method    | 65.1 |
| 37   | Number of IUD removals   | 677                   |      | 552                   |      | Women using modern method | 43.9 |
| <b>F) Service delivery</b>   |  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      |                           |      |
| 38   | IPD cases per 10,000 population ***  | 685                   |      | 748                   |      |                           |      |
| 39   | General OPD cases per 10,000 population ***                                  | 16,749                |      | 17,687                |      |                           |      |
| 40   | Ayush OPD cases per 10,000 population ***                                    | 133                   |      | 223.7                 |      |                           |      |
| <b>G) Mortality Details</b>  |  |                       |      |                       |      |                           |      |
| <b>I)</b>  | <b>Infant Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      |                           |      |
| 41   | Neonatal death within 24 hours   | 92                    |      | 167                   |      |                           |      |
| 42   | Up to 1 Weeks of Birth   | NA                    |      | NA                    |      |                           |      |
| 43   | Between 1 week & 4 weeks of birth  | 443                   |      | 330                   |      |                           |      |
| 44   | Neonatal Death   | 535                   |      | 497                   |      |                           |      |
| 45   | Between 1 month and 11 months  | 150                   |      | 103                   |      |                           |      |
| 46   | <b>Total reported infant deaths</b>  | 685                   |      | 600                   |      |                           |      |
| <b>II)</b>   | <b>Maternal Mortality</b>  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      |                           |      |
|  | <b>Maternal Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      |                           |      |
| 47   | Due to Abortion  | 2                     |      | 0                     |      |                           |      |
| 48   | Due to Obstructed/prolonged labour   | 7                     |      | 8                     |      |                           |      |
| 49   | Due to Severe hypertension / fits  | 12                    |      | 13                    |      |                           |      |
| 50   | Due to Bleeding  | 10                    |      | 7                     |      |                           |      |
| 51   | Due to High fever  | 1                     |      | 1                     |      |                           |      |
| 52   | Due to Other Causes (including causes not known)                             | 40                    |      | 35                    |      |                           |      |
| 53   | <b>Total reported maternal deaths</b>  | 72                    |      | 64                    |      |                           |      |

## Goalpara Factsheet

### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)  |                       |                       |               |                      |                                  |      |  |
|--|--|-----------------------|-----------------------|---------------|----------------------|----------------------------------|------|--|
| 1  | Population 2011  | 1,008,959             |                       |               |                      |                                  |      |  |
| 2  | Sex Ratio  | 962                   |                       |               |                      |                                  |      |  |
| <b>B) Infrastructure Details (RHS 2018)</b>  |  | <b>Numbers</b>        |                       |               |                      |                                  |      |  |
| 3  | Sub Centers (SC)   | 154                   |                       |               |                      |                                  |      |  |
| 4  | Primary Health Centers (PHC)   | 37                    |                       |               |                      |                                  |      |  |
| 5  | Community Health Centers (CHC)   | 6                     |                       |               |                      |                                  |      |  |
| 6  | SDH  | 0                     |                       |               |                      |                                  |      |  |
| 7  | DH   | 1                     |                       |               |                      |                                  |      |  |
| <b>C) Maternal Health:</b>   |  | <b>2017-18</b>        | <b>2018-19</b>        |               |                      |                                  |      |  |
| 8  | Expected number of PW  | 27,541                | 28,168                |               |                      |                                  |      |  |
| 9  | Expected number of Delivery  | 25,663                | 26,247                |               |                      |                                  |      |  |
|  |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
|  |  | <b>Number</b>         | <b>PC</b>             | <b>Number</b> | <b>PC</b>            |                                  |      |  |
| 10   | PW register for ANC  | 26,115                | 94.8                  | 26,202        | 93.0                 | Any ANC                          | 94.8 |  |
| 11   | Mothers registered in the first trimester  | 23,451                | 89.8                  | 24,438        | 93.3                 | ANC Check up in first trimester  | 40.8 |  |
| 12   | Mothers who had at least 3 Ante-Natal care check ups   | 20,642                | 79.0                  | 21,709        | 82.9                 | 3 or more ANC check up           | 65.4 |  |
| 13   | PW who got TT 2 / Booster injection  | 23,994                | 91.9                  | 24,391        | 93.1                 | Atleast 1 TT received            | 94.8 |  |
| 14   | PW who consumed 100 IFA tablets  | 26,105                | 100.0                 | 26,184        | 99.9                 | 100 IFA tablets consumed         | 18.0 |  |
| 15   | Home Delivery against expected delivery *  | 1,780                 | 6.9                   | 1,108         | 4.2                  | Full ANC                         | 14.6 |  |
| 16   | Institutional Delivery against expected delivery *   | 23,285                | 90.7                  | 23,315        | 88.8                 | Home Delivery                    | 44.2 |  |
| 17   | Home Delivery against reported delivery **   | 1,780                 | 7.1                   | 1,108         | 4.5                  | Institutional Delivery           | 55.6 |  |
| 18   | Institutional Delivery against reported delivery **  | 23,285                | 92.9                  | 23,315        | 95.5                 | Home Delivery by SBA             | 36.0 |  |
| 19   | Total reported Deliveries  | 25,065                |                       | 24,423        |                      | PNC within 1 week of delivery    | 55.9 |  |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 1,145                 | 64.3                  | 866           | 78.2                 |                                  |      |  |
| 21   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 13,319                | 53.1                  | 12,990        | 53.2                 |                                  |      |  |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                       |                       |               |                      |                                  |      |  |
| 22   | Expected number of Live Birth  | 25,037                |                       | 25,607        |                      |                                  |      |  |
| <b>D) Child Immunization :</b>   |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
| 23   | Total reported live births   | 24,891                | 99.4                  | 24,088        | 94.1                 | Breastfed within 1 hour of birth | 79.8 |  |
| 24   | Total Still Birth  | 500                   | 2.0                   | 626           | 2.4                  | BCG                              | 91.8 |  |
| 25   | PC of newborn weighted at birth to live birth  | 24,888                | 100.0                 | 24,063        | 99.9                 | 3 dose of DPT                    | 58.1 |  |

|  |  |                       |                       |                           |      |                   |      |
|--|--|-----------------------|-----------------------|---------------------------|------|-------------------|------|
| 26   | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 3,270                 | 13.1                  | 3,126                     | 13.0 | Measles           | 72.2 |
| 27   | PC of newborns breastfed within 1 hour to total reported live birth.         | 24,326                | 97.7                  | 23,614                    | 98.0 | Full Immunization | 46.6 |
| 28   | Children fully immunized   | 22,574                | 90.2                  | 22,548                    | 88.1 |                   |      |
| 29   | Children who have received BCG   | 26,827                | 107.1                 | 24,510                    | 95.7 |                   |      |
| 30   | Children who have received DPT1  | 23,744                | 94.8                  | 22,646                    | 88.4 |                   |      |
| 31   | Children who have received DPT3  | 22,640                | 90.4                  | 22,511                    | 87.9 |                   |      |
| 32   | Children who have received Measles   | 22,729                | 90.8                  | 22,669                    | 88.5 |                   |      |
| 33   | Diarrhoea and Dehydration reported in children below 5 years of age          | 1,572                 |                       | 1,740                     |      |                   |      |
| <b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                       |                       |                           |      |                   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> | <b>AHS (2012-13)</b>      |      |                   |      |
| 34   | Number of Vasectomies performed  | 48                    | 95                    | Limiting                  | 6.1  |                   |      |
| 35   | Number of Tubectomies performed  | 1,277                 | 1,205                 | Spacing                   | 6.6  |                   |      |
| 36   | Number of IUD insertion  | 3,574                 | 3,419                 | Women using any method    | 72.4 |                   |      |
| 37   | Number of IUD removals   | 590                   | 752                   | Women using modern method | 45   |                   |      |
| <b>F) Service delivery</b>   |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |      |                   |      |
| 38   | IPD cases per 10,000 population ***  | 548                   | 605                   |                           |      |                   |      |
| 39   | General OPD cases per 10,000 population ***                                  | 8,979                 | 8,963                 |                           |      |                   |      |
| 40   | Ayush OPD cases per 10,000 population ***                                    | 1,768                 | 2070.6                |                           |      |                   |      |
| <b>G) Mortality Details</b>  |  |                       |                       |                           |      |                   |      |
| <b>I)</b>  | <b>Infant Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |      |                   |      |
| 41   | Neonatal death within 24 hours   | 78                    | 69                    |                           |      |                   |      |
| 42   | Up to 1 Weeks of Birth   | NA                    | NA                    |                           |      |                   |      |
| 43   | Between 1 week & 4 weeks of birth  | 271                   | 337                   |                           |      |                   |      |
| 44   | Neonatal Death   | 349                   | 406                   |                           |      |                   |      |
| 45   | Between 1 month and 11 months  | 141                   | 196                   |                           |      |                   |      |
| 46   | <b>Total reported infant deaths</b>  | 490                   | 602                   |                           |      |                   |      |
| <b>II)</b>   | <b>Maternal Mortality</b>  |                       |                       |                           |      |                   |      |
|  | <b>Maternal Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |      |                   |      |
| 47   | Due to Abortion  | 1                     | 0                     |                           |      |                   |      |
| 48   | Due to Obstructed/prolonged labour   | 0                     | 2                     |                           |      |                   |      |
| 49   | Due to Severe hypertension / fits  | 3                     | 3                     |                           |      |                   |      |
| 50   | Due to Bleeding  | 11                    | 15                    |                           |      |                   |      |
| 51   | Due to High fever  | 0                     | 0                     |                           |      |                   |      |
| 52   | Due to Other Causes (including causes not known)                             | 22                    | 24                    |                           |      |                   |      |
| 53   | <b>Total reported maternal deaths</b>  | 37                    | 44                    |                           |      |                   |      |

## Golaghat Factsheet

### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)  |                 |                 |                 |               |                                  |      |  |
|--|--|-----------------|-----------------|-----------------|---------------|----------------------------------|------|--|
| 1  | Population 2011  | 1,058,674       |                 |                 |               |                                  |      |  |
| 2  | Sex Ratio  | 961             |                 |                 |               |                                  |      |  |
| B) Infrastructure Details (RHS 2018)   |  | Numbers         |                 |                 |               |                                  |      |  |
| 3  | Sub Centers (SC)   | 144             |                 |                 |               |                                  |      |  |
| 4  | Primary Health Centers (PHC)   | 40              |                 |                 |               |                                  |      |  |
| 5  | Community Health Centers (CHC)   | 4               |                 |                 |               |                                  |      |  |
| 6  | SDH  | 1               |                 |                 |               |                                  |      |  |
| 7  | DH   | 1               |                 |                 |               |                                  |      |  |
| C) Maternal Health:  |  | 2017-18         | 2018-19         |                 |               |                                  |      |  |
| 8  | Expected number of PW  | 27,337          | 27,661          |                 |               |                                  |      |  |
| 9  | Expected number of Delivery  | 25,473          | 25,775          |                 |               |                                  |      |  |
|  |  | HMIS ( 2017-18) |                 | HMIS ( 2018-19) |               | AHS (2012-13)                    |      |  |
|  |  | Number          | PC              | Number          | PC            |                                  |      |  |
| 10   | PW register for ANC  | 18,441          | 67.5            | 19,727          | 71.3          | Any ANC                          | 96.1 |  |
| 11   | Mothers registered in the first trimester  | 15,845          | 85.9            | 17,024          | 86.3          | ANC Check up in first trimester  | 65.9 |  |
| 12   | Mothers who had at least 3 Ante-Natal care check ups   | 12,782          | 69.3            | 14,339          | 72.7          | 3 or more ANC check up           | 75.0 |  |
| 13   | PW who got TT 2 / Booster injection  | 16,776          | 91.0            | 17,476          | 88.6          | Atleast 1 TT received            | 95.8 |  |
| 14   | PW who consumed 100 IFA tablets  | 16,547          | 89.7            | 17,491          | 88.7          | 100 IFA tablets consumed         | 21.8 |  |
| 15   | Home Delivery against expected delivery *  | 467             | 1.8             | 299             | 1.2           | Full ANC                         | 18.4 |  |
| 16   | Institutional Delivery against expected delivery *   | 15,010          | 58.9            | 14,357          | 55.7          | Home Delivery                    | 26.6 |  |
| 17   | Home Delivery against reported delivery **   | 467             | 3.0             | 299             | 2.0           | Institutional Delivery           | 73.0 |  |
| 18   | Institutional Delivery against reported delivery **  | 15,010          | 97.0            | 14,357          | 98.0          | Home Delivery by SBA             | 43.9 |  |
| 19   | Total reported Deliveries  | 15,477          |                 | 14,656          |               | PNC within 1 week of delivery    | 81.9 |  |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 70              | 15.0            | 72              | 24.1          |                                  |      |  |
| 21   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 13,038          | 84.2            | 13,163          | 89.8          |                                  |      |  |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                 |                 |                 |               |                                  |      |  |
| 22   | Expected number of Live Birth  | 24,852          |                 | 25,147          |               |                                  |      |  |
| D) Child Immunization :  |  | HMIS ( 2017-18) | HMIS ( 2018-19) |                 | AHS (2012-13) |                                  |      |  |
| 23   | Total reported live births   | 15,236          | 61.3            | 14,423          | 57.4          | Breastfed within 1 hour of birth | 79   |  |
| 24   | Total Still Birth  | 316             | 1.3             | 289             | 1.1           | BCG                              | 96.6 |  |
| 25   | PC of newborn weighted at birth to live birth  | 14,999          | 98.4            | 14,346          | 99.5          | 3 dose of DPT                    | 85.1 |  |

|  |  |                       |      |                       |      |                           |      |
|--|--|-----------------------|------|-----------------------|------|---------------------------|------|
| 26   | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 1,842                 | 12.3 | 1,639                 | 11.4 | Measles                   | 89.3 |
| 27   | PC of newborns breastfed within 1 hour to total reported live birth.         | 14,784                | 97.0 | 13,390                | 92.8 | Full Immunization         | 69.4 |
| 28   | Children fully immunized   | 16,472                | 66.3 | 16,611                | 66.1 |                           |      |
| 29   | Children who have received BCG   | 16,533                | 66.5 | 14,524                | 57.8 |                           |      |
| 30   | Children who have received DPT1  | 17,329                | 69.7 | 17,044                | 67.8 |                           |      |
| 31   | Children who have received DPT3  | 16,310                | 65.6 | 16,139                | 64.2 |                           |      |
| 32   | Children who have received Measles   | 16,676                | 67.1 | 16,696                | 66.4 |                           |      |
| 33   | Diarrhoea and Dehydration reported in children below 5 years of age          | 1,425                 |      | 1,016                 |      |                           |      |
| <b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                       |      |                       |      |                           |      |
| <b>E) Family Planning</b>  |  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      | <b>AHS (2012-13)</b>      |      |
| 34   | Number of Vasectomies performed  | 78                    |      | 23                    |      | Limiting                  | 12.6 |
| 35   | Number of Tubectomies performed  | 1,243                 |      | 1,067                 |      | Spacing                   | 5.1  |
| 36   | Number of IUD insertion  | 1,623                 |      | 1,177                 |      | Women using any method    | 66   |
| 37   | Number of IUD removals   | 935                   |      | 709                   |      | Women using modern method | 40.3 |
| <b>F) Service delivery</b>   |  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      |                           |      |
| 38   | IPD cases per 10,000 population ***  | 551                   |      | 567                   |      |                           |      |
| 39   | General OPD cases per 10,000 population ***                                  | 9,847                 |      | 10,748                |      |                           |      |
| 40   | Ayush OPD cases per 10,000 population ***                                    | 427                   |      | 425.6                 |      |                           |      |
| <b>G) Mortality Details</b>  |  |                       |      |                       |      |                           |      |
| <b>I)</b>  | <b>Infant Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      |                           |      |
| 41   | Neonatal death within 24 hours   | 73                    |      | 63                    |      |                           |      |
| 42   | Up to 1 Weeks of Birth   | NA                    |      | NA                    |      |                           |      |
| 43   | Between 1 week & 4 weeks of birth  | 239                   |      | 252                   |      |                           |      |
| 44   | Neonatal Death   | 312                   |      | 315                   |      |                           |      |
| 45   | Between 1 month and 11 months  | 108                   |      | 104                   |      |                           |      |
| 46   | <b>Total reported infant deaths</b>  | 420                   |      | 419                   |      |                           |      |
| <b>II)</b>   | <b>Maternal Mortality</b>  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      |                           |      |
|  | <b>Maternal Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      |                           |      |
| 47   | Due to Abortion  | 2                     |      | 2                     |      |                           |      |
| 48   | Due to Obstructed/prolonged labour   | 1                     |      | 1                     |      |                           |      |
| 49   | Due to Severe hypertension / fits  | 5                     |      | 1                     |      |                           |      |
| 50   | Due to Bleeding  | 4                     |      | 1                     |      |                           |      |
| 51   | Due to High fever  | 0                     |      | 0                     |      |                           |      |
| 52   | Due to Other Causes (including causes not known)                             | 39                    |      | 27                    |      |                           |      |
| 53   | <b>Total reported maternal deaths</b>  | 51                    |      | 32                    |      |                           |      |



## Hailakandi Factsheet

### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)  |                        |                        |               |                      |                                  |      |  |
|--|--|------------------------|------------------------|---------------|----------------------|----------------------------------|------|--|
| 1  | Population 2011  | 659,260                |                        |               |                      |                                  |      |  |
| 2  | Sex Ratio  | 946                    |                        |               |                      |                                  |      |  |
| <b>B) Infrastructure Details (RHS 2018)</b>  |  | <b>Numbers</b>         |                        |               |                      |                                  |      |  |
| 3  | Sub Centers (SC)   | 107                    |                        |               |                      |                                  |      |  |
| 4  | Primary Health Centers (PHC)   | 13                     |                        |               |                      |                                  |      |  |
| 5  | Community Health Centers (CHC)   | 3                      |                        |               |                      |                                  |      |  |
| 6  | SDH  | 0                      |                        |               |                      |                                  |      |  |
| 7  | DH   | 1                      |                        |               |                      |                                  |      |  |
| <b>C) Maternal Health:</b>   |  | <b>2017-18</b>         | <b>2018-19</b>         |               |                      |                                  |      |  |
| 8  | Expected number of PW  | 17,874                 | 18,257                 |               |                      |                                  |      |  |
| 9  | Expected number of Delivery  | 16,655                 | 17,012                 |               |                      |                                  |      |  |
|  |  | <b>HMIS ( 2017-18)</b> | <b>HMIS ( 2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
|  |  | <b>Number</b>          | <b>PC</b>              | <b>Number</b> | <b>PC</b>            |                                  |      |  |
| 10   | PW register for ANC  | 18,345                 | 102.6                  | 18,659        | 102.2                | Any ANC                          | 93.8 |  |
| 11   | Mothers registered in the first trimester  | 14,779                 | 80.6                   | 15,615        | 83.7                 | ANC Check up in first trimester  | 53.5 |  |
| 12   | Mothers who had at least 3 Ante-Natal care check ups   | 10,917                 | 59.5                   | 14,430        | 77.3                 | 3 or more ANC check up           | 64.0 |  |
| 13   | PW who got TT 2 / Booster injection  | 16,374                 | 89.3                   | 16,886        | 90.5                 | Atleast 1 TT received            | 93.6 |  |
| 14   | PW who consumed 100 IFA tablets  | 16,764                 | 91.4                   | 18,597        | 99.7                 | 100 IFA tablets consumed         | 14.8 |  |
| 15   | Home Delivery against expected delivery *  | 2,652                  | 15.9                   | 1,944         | 11.4                 | Full ANC                         | 12.2 |  |
| 16   | Institutional Delivery against expected delivery *   | 10,020                 | 60.2                   | 11,521        | 67.7                 | Home Delivery                    | 57.8 |  |
| 17   | Home Delivery against reported delivery **   | 2,652                  | 20.9                   | 1,944         | 14.4                 | Institutional Delivery           | 42.1 |  |
| 18   | Institutional Delivery against reported delivery **  | 10,020                 | 79.1                   | 11,521        | 85.6                 | Home Delivery by SBA             | 24.4 |  |
| 19   | Total reported Deliveries  | 12,672                 |                        | 13,465        |                      | PNC within 1 week of delivery    | 47.9 |  |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 635                    | 23.9                   | 574           | 29.5                 |                                  |      |  |
| 21   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 10,215                 | 80.6                   | 10,387        | 77.1                 |                                  |      |  |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                        |                        |               |                      |                                  |      |  |
| 22   | Expected number of Live Birth  | 16,249                 |                        | 16,597        |                      |                                  |      |  |
| <b>D) Child Immunization :</b>   |  | <b>HMIS ( 2017-18)</b> | <b>HMIS ( 2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
| 23   | Total reported live births   | 12,411                 | 76.4                   | 13,213        | 79.6                 | Breastfed within 1 hour of birth | 62.4 |  |
| 24   | Total Still Birth  | 355                    | 2.2                    | 338           | 2.0                  | BCG                              | 89.3 |  |
| 25   | PC of newborn weighted at birth to live birth  | 12,418                 | 100.1                  | 13,212        | 100.0                | 3 dose of DPT                    | 75.3 |  |

|  |  |                        |      |                        |      |                           |      |
|--|--|------------------------|------|------------------------|------|---------------------------|------|
| 26   | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 1,301                  | 10.5 | 1,533                  | 11.6 | Measles                   | 78.6 |
| 27   | PC of newborns breastfed within 1 hour to total reported live birth.         | 12,402                 | 99.9 | 13,127                 | 99.3 | Full Immunization         | 67.1 |
| 28   | Children fully immunized   | 15,875                 | 97.7 | 15,788                 | 95.1 |                           |      |
| 29   | Children who have received BCG   | 15,067                 | 92.7 | 14,808                 | 89.2 |                           |      |
| 30   | Children who have received DPT1  | 16,070                 | 98.9 | 16,195                 | 97.6 |                           |      |
| 31   | Children who have received DPT3  | 15,435                 | 95.0 | 15,429                 | 93.0 |                           |      |
| 32   | Children who have received Measles   | 15,884                 | 97.8 | 15,798                 | 95.2 |                           |      |
| 33   | Diarrhoea and Dehydration reported in children below 5 years of age          | 5,726                  |      | 7,727                  |      |                           |      |
| <b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                        |      |                        |      |                           |      |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2017-18)</b> |      | <b>HMIS ( 2018-19)</b> |      | <b>AHS (2012-13)</b>      |      |
| 34   | Number of Vasectomies performed  | 22                     |      | 33                     |      | Limiting                  | 9.8  |
| 35   | Number of Tubectomies performed  | 541                    |      | 374                    |      | Spacing                   | 7.4  |
| 36   | Number of IUD insertion  | 3,991                  |      | 5,177                  |      | Women using any method    | 58.9 |
| 37   | Number of IUD removals   | 389                    |      | 589                    |      | Women using modern method | 29.9 |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2017-18)</b> |      | <b>HMIS ( 2018-19)</b> |      |                           |      |
| 38   | IPD cases per 10,000 population ***  | 449                    |      | 493                    |      |                           |      |
| 39   | General OPD cases per 10,000 population ***                                  | 5,333                  |      | 5,454                  |      |                           |      |
| 40   | Ayush OPD cases per 10,000 population ***                                    | 41                     |      | 161.7                  |      |                           |      |
| <b>G) Mortality Details</b>  |  |                        |      |                        |      |                           |      |
| <b>I)</b>  | <b>Infant Deaths (In Numbers)</b>  | <b>HMIS ( 2017-18)</b> |      | <b>HMIS ( 2018-19)</b> |      |                           |      |
| 41   | Neonatal death within 24 hours   | 105                    |      | 81                     |      |                           |      |
| 42   | Up to 1 Weeks of Birth   | NA                     |      | NA                     |      |                           |      |
| 43   | Between 1 week & 4 weeks of birth  | 172                    |      | 116                    |      |                           |      |
| 44   | Neonatal Death   | 277                    |      | 197                    |      |                           |      |
| 45   | Between 1 month and 11 months  | 192                    |      | 177                    |      |                           |      |
| 46   | <b>Total reported infant deaths</b>  | 469                    |      | 374                    |      |                           |      |
| <b>II)</b>   | <b>Maternal Mortality</b>  |                        |      |                        |      |                           |      |
|  | <b>Maternal Deaths (In Numbers)</b>  | <b>HMIS ( 2017-18)</b> |      | <b>HMIS ( 2018-19)</b> |      |                           |      |
| 47   | Due to Abortion  | 2                      |      | 1                      |      |                           |      |
| 48   | Due to Obstructed/prolonged labour   | 0                      |      | 1                      |      |                           |      |
| 49   | Due to Severe hypertension / fits  | 2                      |      | 0                      |      |                           |      |
| 50   | Due to Bleeding  | 3                      |      | 2                      |      |                           |      |
| 51   | Due to High fever  | 0                      |      | 0                      |      |                           |      |
| 52   | Due to Other Causes (including causes not known)                             | 22                     |      | 26                     |      |                           |      |
| 53   | <b>Total reported maternal deaths</b>  | 29                     |      | 30                     |      |                           |      |

## Jorhat Factsheet

### Key Indicators

| SL No   | A) Demographic Indicators (Census 2011)  |                |         |                |       |                                  |      |  |
|---|--|----------------|---------|----------------|-------|----------------------------------|------|--|
| 1   | Population 2011  | 1,091,295      |         |                |       |                                  |      |  |
| 2   | Sex Ratio  | 956            |         |                |       |                                  |      |  |
| B) Infrastructure Details (RHS 2018)  |  | Numbers        |         |                |       |                                  |      |  |
| 3   | Sub Centers (SC)   | 144            |         |                |       |                                  |      |  |
| 4   | Primary Health Centers (PHC)   | 40             |         |                |       |                                  |      |  |
| 5   | Community Health Centers (CHC)   | 6              |         |                |       |                                  |      |  |
| 6   | SDH  | 2              |         |                |       |                                  |      |  |
| 7   | DH   | 0              |         |                |       |                                  |      |  |
| C) Maternal Health:   |  | 2017-18        | 2018-19 |                |       |                                  |      |  |
| 8   | Expected number of PW  | 27,546         | 27,800  |                |       |                                  |      |  |
| 9   | Expected number of Delivery  | 25,668         | 25,905  |                |       |                                  |      |  |
|   |  | HMIS (2017-18) |         | HMIS (2018-19) |       | AHS (2012-13)                    |      |  |
|   |  | Number         | PC      | Number         | PC    |                                  |      |  |
| 10  | PW register for ANC  | 22,667         | 82.3    | 22,911         | 82.4  | Any ANC                          | 97.6 |  |
| 11  | Mothers registered in the first trimester  | 21,110         | 93.1    | 21,301         | 93.0  | ANC Check up in first trimester  | 72.6 |  |
| 12  | Mothers who had at least 3 Ante-Natal care check ups   | 17,781         | 78.4    | 19,521         | 85.2  | 3 or more ANC check up           | 82.3 |  |
| 13  | PW who got TT 2 / Booster injection  | 20,879         | 92.1    | 21,702         | 94.7  | Atleast 1 TT received            | 97.3 |  |
| 14  | PW who consumed 100 IFA tablets  | 20,582         | 90.8    | 22,377         | 97.7  | 100 IFA tablets consumed         | 27.1 |  |
| 15  | Home Delivery against expected delivery *  | 117            | 0.5     | 87             | 0.3   | Full ANC                         | 24.3 |  |
| 16  | Institutional Delivery against expected delivery *   | 16,473         | 64.2    | 16,761         | 64.7  | Home Delivery                    | 18.4 |  |
| 17  | Home Delivery against reported delivery **   | 117            | 0.7     | 87             | 0.5   | Institutional Delivery           | 80.8 |  |
| 18  | Institutional Delivery against reported delivery **  | 16,473         | 99.3    | 16,761         | 99.5  | Home Delivery by SBA             | 39.8 |  |
| 19  | Total reported Deliveries  | 16,590         |         | 16,848         |       | PNC within 1 week of delivery    | 82.6 |  |
| 20  | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 111            | 94.9    | 87             | 100.0 |                                  |      |  |
| 21  | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 16,011         | 96.5    | 19,238         | 114.2 |                                  |      |  |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006). |  |                |         |                |       |                                  |      |  |
| 22  | Expected number of Live Birth  | 25,042         |         | 25,273         |       |                                  |      |  |
| D) Child Immunization :   |  | HMIS (2017-18) |         | HMIS (2018-19) |       | AHS (2012-13)                    |      |  |
| 23  | Total reported live births   | 16,229         | 64.8    | 16,502         | 65.3  | Breastfed within 1 hour of birth | 80   |  |
| 24  | Total Still Birth  | 308            | 1.2     | 271            | 1.1   | BCG                              | 96.8 |  |
| 25  | PC of newborn weighted at birth to live birth  | 16,054         | 98.9    | 16,367         | 99.2  | 3 dose of DPT                    | 83.7 |  |

|  |  |                       |      |                       |      |                           |      |
|--|--|-----------------------|------|-----------------------|------|---------------------------|------|
| 26   | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 3,060                 | 19.1 | 1,843                 | 11.3 | Measles                   | 90.3 |
| 27   | PC of newborns breastfed within 1 hour to total reported live birth.         | 16,116                | 99.3 | 15,358                | 93.1 | Full Immunization         | 70.9 |
| 28   | Children fully immunized   | 17,542                | 70.0 | 19,420                | 76.8 |                           |      |
| 29   | Children who have received BCG   | 16,385                | 65.4 | 17,063                | 67.5 |                           |      |
| 30   | Children who have received DPT1  | 17,483                | 69.8 | 19,878                | 78.7 |                           |      |
| 31   | Children who have received DPT3  | 16,985                | 67.8 | 19,317                | 76.4 |                           |      |
| 32   | Children who have received Measles   | 17,574                | 70.2 | 20,055                | 79.4 |                           |      |
| 33   | Diarrhoea and Dehydration reported in children below 5 years of age          | 2,080                 |      | 1,934                 |      |                           |      |
| <b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                       |      |                       |      |                           |      |
| <b>E) Family Planning</b>  |  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      | <b>AHS (2012-13)</b>      |      |
| 34   | Number of Vasectomies performed  | 88                    |      | 81                    |      | Limiting                  | 11.7 |
| 35   | Number of Tubectomies performed  | 1,622                 |      | 1,581                 |      | Spacing                   | 4.1  |
| 36   | Number of IUD insertion  | 2,656                 |      | 2,698                 |      | Women using any method    | 66.2 |
| 37   | Number of IUD removals   | 360                   |      | 403                   |      | Women using modern method | 34.5 |
| <b>F) Service delivery</b>   |  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      |                           |      |
| 38   | IPD cases per 10,000 population ***  | 516                   |      | 533                   |      |                           |      |
| 39   | General OPD cases per 10,000 population ***                                  | 12,998                |      | 14,124                |      |                           |      |
| 40   | Ayush OPD cases per 10,000 population ***                                    | 140                   |      | 227.7                 |      |                           |      |
| <b>G) Mortality Details</b>  |  |                       |      |                       |      |                           |      |
| <b>I)</b>  | <b>Infant Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      |                           |      |
| 41   | Neonatal death within 24 hours   | 29                    |      | 46                    |      |                           |      |
| 42   | Up to 1 Weeks of Birth   | NA                    |      | NA                    |      |                           |      |
| 43   | Between 1 week & 4 weeks of birth  | 286                   |      | 408                   |      |                           |      |
| 44   | Neonatal Death   | 315                   |      | 454                   |      |                           |      |
| 45   | Between 1 month and 11 months  | 78                    |      | 110                   |      |                           |      |
| 46   | <b>Total reported infant deaths</b>  | 393                   |      | 564                   |      |                           |      |
| <b>II)</b>   | <b>Maternal Mortality</b>  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      |                           |      |
|  | <b>Maternal Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      |                           |      |
| 47   | Due to Abortion  | 0                     |      | 0                     |      |                           |      |
| 48   | Due to Obstructed/prolonged labour   | 1                     |      | 0                     |      |                           |      |
| 49   | Due to Severe hypertension / fits  | 0                     |      | 0                     |      |                           |      |
| 50   | Due to Bleeding  | 1                     |      | 1                     |      |                           |      |
| 51   | Due to High fever  | 0                     |      | 0                     |      |                           |      |
| 52   | Due to Other Causes (including causes not known)                             | 27                    |      | 18                    |      |                           |      |
| 53   | <b>Total reported maternal deaths</b>  | 29                    |      | 19                    |      |                           |      |

## Kamrup M Factsheet

### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)  |                        |                        |               |                      |                                  |      |  |
|--|--|------------------------|------------------------|---------------|----------------------|----------------------------------|------|--|
| 1  | Population 2011  | 1,260,419              |                        |               |                      |                                  |      |  |
| 2  | Sex Ratio  | 922                    |                        |               |                      |                                  |      |  |
| <b>B) Infrastructure Details (RHS 2018)</b>  |  | <b>Numbers</b>         |                        |               |                      |                                  |      |  |
| 3  | Sub Centers (SC)   | 48                     |                        |               |                      |                                  |      |  |
| 4  | Primary Health Centers (PHC)   | 25                     |                        |               |                      |                                  |      |  |
| 5  | Community Health Centers (CHC)   | 3                      |                        |               |                      |                                  |      |  |
| 6  | SDH  | 0                      |                        |               |                      |                                  |      |  |
| 7  | DH   | 1                      |                        |               |                      |                                  |      |  |
| <b>C) Maternal Health:</b>   |  | <b>2017-18</b>         | <b>2018-19</b>         |               |                      |                                  |      |  |
| 8  | Expected number of PW  | 33,500                 | 34,135                 |               |                      |                                  |      |  |
| 9  | Expected number of Delivery  | 31,216                 | 31,808                 |               |                      |                                  |      |  |
|  |  | <b>HMIS ( 2017-18)</b> | <b>HMIS ( 2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
|  |  | <b>Number</b>          | <b>PC</b>              | <b>Number</b> | <b>PC</b>            |                                  |      |  |
| 10   | PW register for ANC  | 31,905                 | 95.2                   | 33,649        | 98.6                 | Any ANC                          | 98.5 |  |
| 11   | Mothers registered in the first trimester  | 28,123                 | 88.1                   | 28,586        | 85.0                 | ANC Check up in first trimester  | 62.5 |  |
| 12   | Mothers who had at least 3 Ante-Natal care check ups   | 26,940                 | 84.4                   | 27,737        | 82.4                 | 3 or more ANC check up           | 81.7 |  |
| 13   | PW who got TT 2 / Booster injection  | 30,915                 | 96.9                   | 31,571        | 93.8                 | Atleast 1 TT received            | 98.4 |  |
| 14   | PW who consumed 100 IFA tablets  | 28,810                 | 90.3                   | 32,021        | 95.2                 | 100 IFA tablets consumed         | 33.5 |  |
| 15   | Home Delivery against expected delivery *  | 337                    | 1.1                    | 249           | 0.8                  | Full ANC                         | 29.9 |  |
| 16   | Institutional Delivery against expected delivery *   | 37,559                 | 120.3                  | 37,482        | 117.8                | Home Delivery                    | 15.1 |  |
| 17   | Home Delivery against reported delivery **   | 337                    | 0.9                    | 249           | 0.7                  | Institutional Delivery           | 84.7 |  |
| 18   | Institutional Delivery against reported delivery **  | 37,559                 | 99.1                   | 37,482        | 99.3                 | Home Delivery by SBA             | 26.6 |  |
| 19   | Total reported Deliveries  | 37,896                 |                        | 37,731        |                      | PNC within 1 week of delivery    | 84.2 |  |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 190                    | 56.4                   | 68            | 27.3                 |                                  |      |  |
| 21   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 25,969                 | 68.5                   | 28,272        | 74.9                 |                                  |      |  |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                        |                        |               |                      |                                  |      |  |
| 22   | Expected number of Live Birth  | 30,455                 |                        | 31,032        |                      |                                  |      |  |
| <b>D) Child Immunization :</b>   |  | <b>HMIS ( 2017-18)</b> | <b>HMIS ( 2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
| 23   | Total reported live births   | 36,823                 | 120.9                  | 36,676        | 118.2                | Breastfed within 1 hour of birth | 82.4 |  |
| 24   | Total Still Birth  | 1,111                  | 3.6                    | 1,112         | 3.6                  | BCG                              | 97.8 |  |
| 25   | PC of newborn weighted at birth to live birth  | 36,331                 | 98.7                   | 34,824        | 95.0                 | 3 dose of DPT                    | 77.5 |  |

|  |  |                       |                       |                           |       |                   |      |
|--|--|-----------------------|-----------------------|---------------------------|-------|-------------------|------|
| 26   | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 5,385                 | 14.8                  | 5,596                     | 16.1  | Measles           | 88.4 |
| 27   | PC of newborns breastfed within 1 hour to total reported live birth.         | 36,512                | 99.2                  | 36,591                    | 99.8  | Full Immunization | 64.6 |
| 28   | Children fully immunized   | 18,856                | 61.9                  | 22,336                    | 60.8  |                   |      |
| 29   | Children who have received BCG   | 31,965                | 105.0                 | 38,740                    | 105.5 |                   |      |
| 30   | Children who have received DPT1  | 22,371                | 73.5                  | 23,126                    | 63.0  |                   |      |
| 31   | Children who have received DPT3  | 22,186                | 72.8                  | 22,972                    | 62.6  |                   |      |
| 32   | Children who have received Measles   | 19,222                | 63.1                  | 22,847                    | 62.2  |                   |      |
| 33   | Diarrhoea and Dehydration reported in children below 5 years of age          | 2,373                 |                       | 3,438                     |       |                   |      |
| <b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                       |                       |                           |       |                   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> | <b>AHS (2012-13)</b>      |       |                   |      |
| 34   | Number of Vasectomies performed  | 30                    | 9                     | Limiting                  | 2.1   |                   |      |
| 35   | Number of Tubectomies performed  | 3,473                 | 3,451                 | Spacing                   | 3.7   |                   |      |
| 36   | Number of IUD insertion  | 1,499                 | 812                   | Women using any method    | 79    |                   |      |
| 37   | Number of IUD removals   | 1,004                 | 1,013                 | Women using modern method | 40.8  |                   |      |
| <b>F) Service delivery</b>   |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |       |                   |      |
| 38   | IPD cases per 10,000 population ***  | 891                   | 926                   |                           |       |                   |      |
| 39   | General OPD cases per 10,000 population ***                                  | 10,922                | 10,938                |                           |       |                   |      |
| 40   | Ayush OPD cases per 10,000 population ***                                    | 857                   | 1223.3                |                           |       |                   |      |
| <b>G) Mortality Details</b>  |  |                       |                       |                           |       |                   |      |
| <b>I)</b>  | <b>Infant Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |       |                   |      |
| 41   | Neonatal death within 24 hours   | 3                     | 198                   |                           |       |                   |      |
| 42   | Up to 1 Weeks of Birth   | NA                    | NA                    |                           |       |                   |      |
| 43   | Between 1 week & 4 weeks of birth  | 28                    | 968                   |                           |       |                   |      |
| 44   | Neonatal Death   | 31                    | 1,166                 |                           |       |                   |      |
| 45   | Between 1 month and 11 months  | 24                    | 266                   |                           |       |                   |      |
| 46   | <b>Total reported infant deaths</b>  | <b>55</b>             | <b>1,432</b>          |                           |       |                   |      |
| <b>II)</b>   | <b>Maternal Mortality</b>  |                       |                       |                           |       |                   |      |
|  | <b>Maternal Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |       |                   |      |
| 47   | Due to Abortion  | 0                     | 4                     |                           |       |                   |      |
| 48   | Due to Obstructed/prolonged labour   | 0                     | 2                     |                           |       |                   |      |
| 49   | Due to Severe hypertension / fits  | 0                     | 15                    |                           |       |                   |      |
| 50   | Due to Bleeding  | 0                     | 46                    |                           |       |                   |      |
| 51   | Due to High fever  | 0                     | 2                     |                           |       |                   |      |
| 52   | Due to Other Causes (including causes not known)                             | 141                   | 52                    |                           |       |                   |      |
| 53   | <b>Total reported maternal deaths</b>  | <b>141</b>            | <b>121</b>            |                           |       |                   |      |

## Kamrup R Factsheet

### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)  |                       |                       |               |                      |                                  |      |  |
|--|--|-----------------------|-----------------------|---------------|----------------------|----------------------------------|------|--|
| 1  | Population 2011  | 1,517,202             |                       |               |                      |                                  |      |  |
| 2  | Sex Ratio  | 946                   |                       |               |                      |                                  |      |  |
| <b>B) Infrastructure Details (RHS 2018)</b>  |  | <b>Numbers</b>        |                       |               |                      |                                  |      |  |
| 3  | Sub Centers (SC)   | 279                   |                       |               |                      |                                  |      |  |
| 4  | Primary Health Centers (PHC)   | 66                    |                       |               |                      |                                  |      |  |
| 5  | Community Health Centers (CHC)   | 11                    |                       |               |                      |                                  |      |  |
| 6  | SDH  | 1                     |                       |               |                      |                                  |      |  |
| 7  | DH   | 1                     |                       |               |                      |                                  |      |  |
| <b>C) Maternal Health:</b>   |  | <b>2017-18</b>        | <b>2018-19</b>        |               |                      |                                  |      |  |
| 8  | Expected number of PW  | 39,766                | 40,389                |               |                      |                                  |      |  |
| 9  | Expected number of Delivery  | 37,054                | 37,635                |               |                      |                                  |      |  |
|  |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
|  |  | <b>Number</b>         | <b>PC</b>             | <b>Number</b> | <b>PC</b>            |                                  |      |  |
| 10   | PW register for ANC  | 32,524                | 81.8                  | 32,305        | 80.0                 | Any ANC                          | 98.5 |  |
| 11   | Mothers registered in the first trimester  | 30,166                | 92.7                  | 29,272        | 90.6                 | ANC Check up in first trimester  | 62.5 |  |
| 12   | Mothers who had at least 3 Ante-Natal care check ups   | 27,743                | 85.3                  | 26,468        | 81.9                 | 3 or more ANC check up           | 81.7 |  |
| 13   | PW who got TT 2 / Booster injection  | 28,983                | 89.1                  | 27,745        | 85.9                 | Atleast 1 TT received            | 98.4 |  |
| 14   | PW who consumed 100 IFA tablets  | 29,631                | 91.1                  | 30,908        | 95.7                 | 100 IFA tablets consumed         | 33.5 |  |
| 15   | Home Delivery against expected delivery *  | 472                   | 1.3                   | 415           | 1.1                  | Full ANC                         | 29.9 |  |
| 16   | Institutional Delivery against expected delivery *   | 20,322                | 54.8                  | 19,575        | 52.0                 | Home Delivery                    | 15.1 |  |
| 17   | Home Delivery against reported delivery **   | 472                   | 2.3                   | 415           | 2.1                  | Institutional Delivery           | 84.7 |  |
| 18   | Institutional Delivery against reported delivery **  | 20,322                | 97.7                  | 19,575        | 97.9                 | Home Delivery by SBA             | 26.6 |  |
| 19   | Total reported Deliveries  | 20,794                |                       | 19,990        |                      | PNC within 1 week of delivery    | 84.2 |  |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 318                   | 67.4                  | 216           | 52.0                 |                                  |      |  |
| 21   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 18,146                | 87.3                  | 16,136        | 80.7                 |                                  |      |  |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                       |                       |               |                      |                                  |      |  |
| 22   | Expected number of Live Birth  | 36,151                |                       | 36,717        |                      |                                  |      |  |
| <b>D) Child Immunization :</b>   |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
| 23   | Total reported live births   | 20,677                | 57.2                  | 19,815        | 54.0                 | Breastfed within 1 hour of birth | 82.4 |  |
| 24   | Total Still Birth  | 213                   | 0.6                   | 241           | 0.7                  | BCG                              | 97.8 |  |
| 25   | PC of newborn weighted at birth to live birth  | 20,594                | 99.6                  | 19,787        | 99.9                 | 3 dose of DPT                    | 77.5 |  |

|  |  |                       |      |                       |       |                           |      |
|--|--|-----------------------|------|-----------------------|-------|---------------------------|------|
| 26   | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 3,504                 | 17.0 | 2,976                 | 15.0  | Measles                   | 88.4 |
| 27   | PC of newborns breastfed within 1 hour to total reported live birth.         | 20,622                | 99.7 | 19,779                | 99.8  | Full Immunization         | 64.6 |
| 28   | Children fully immunized   | 27,019                | 74.7 | 27,696                | 117.2 |                           |      |
| 29   | Children who have received BCG   | 26,870                | 74.3 | 21,944                | 92.9  |                           |      |
| 30   | Children who have received DPT1  | 29,349                | 81.2 | 27,694                | 117.2 |                           |      |
| 31   | Children who have received DPT3  | 28,401                | 78.6 | 27,207                | 115.2 |                           |      |
| 32   | Children who have received Measles   | 27,095                | 75.0 | 27,755                | 117.5 |                           |      |
| 33   | Diarrhoea and Dehydration reported in children below 5 years of age          | 2,352                 |      | 2,587                 |       |                           |      |
| <b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                       |      |                       |       |                           |      |
| <b>E) Family Planning</b>  |  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |       | <b>AHS (2012-13)</b>      |      |
| 34   | Number of Vasectomies performed  | 155                   |      | 111                   |       | Limiting                  | 2.1  |
| 35   | Number of Tubectomies performed  | 1,750                 |      | 1,654                 |       | Spacing                   | 3.7  |
| 36   | Number of IUD insertion  | 5,252                 |      | 3,133                 |       | Women using any method    | 79   |
| 37   | Number of IUD removals   | 658                   |      | 694                   |       | Women using modern method | 40.8 |
| <b>F) Service delivery</b>   |  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |       |                           |      |
| 38   | IPD cases per 10,000 population ***  | 169                   |      | 162                   |       |                           |      |
| 39   | General OPD cases per 10,000 population ***                                  | 7,878                 |      | 7,602                 |       |                           |      |
| 40   | Ayush OPD cases per 10,000 population ***                                    | 2,261                 |      | 1909.7                |       |                           |      |
| <b>G) Mortality Details</b>  |  |                       |      |                       |       |                           |      |
| <b>I)</b>  | <b>Infant Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |       |                           |      |
| 41   | Neonatal death within 24 hours   | 52                    |      | 25                    |       |                           |      |
| 42   | Up to 1 Weeks of Birth   | NA                    |      | NA                    |       |                           |      |
| 43   | Between 1 week & 4 weeks of birth  | 192                   |      | 101                   |       |                           |      |
| 44   | Neonatal Death   | 244                   |      | 126                   |       |                           |      |
| 45   | Between 1 month and 11 months  | 137                   |      | 111                   |       |                           |      |
| 46   | <b>Total reported infant deaths</b>  | 381                   |      | 237                   |       |                           |      |
| <b>II)</b>   | <b>Maternal Mortality</b>  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |       |                           |      |
|  | <b>Maternal Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |       |                           |      |
| 47   | Due to Abortion  | 0                     |      | 0                     |       |                           |      |
| 48   | Due to Obstructed/prolonged labour   | 1                     |      | 0                     |       |                           |      |
| 49   | Due to Severe hypertension / fits  | 5                     |      | 4                     |       |                           |      |
| 50   | Due to Bleeding  | 2                     |      | 2                     |       |                           |      |
| 51   | Due to High fever  | 0                     |      | 0                     |       |                           |      |
| 52   | Due to Other Causes (including causes not known)                             | 16                    |      | 13                    |       |                           |      |
| 53   | <b>Total reported maternal deaths</b>  | 24                    |      | 19                    |       |                           |      |



## Karbi Anglong Factsheet

### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)  |                        |                        |               |                      |                                  |      |  |
|--|--|------------------------|------------------------|---------------|----------------------|----------------------------------|------|--|
| 1  | Population 2011  | 965,280                |                        |               |                      |                                  |      |  |
| 2  | Sex Ratio  | 956                    |                        |               |                      |                                  |      |  |
| <b>B) Infrastructure Details (RHS 2018)</b>  |  | <b>Numbers</b>         |                        |               |                      |                                  |      |  |
| 3  | Sub Centers (SC)   | 145                    |                        |               |                      |                                  |      |  |
| 4  | Primary Health Centers (PHC)   | 42                     |                        |               |                      |                                  |      |  |
| 5  | Community Health Centers (CHC)   | 6                      |                        |               |                      |                                  |      |  |
| 6  | SDH  | 1                      |                        |               |                      |                                  |      |  |
| 7  | DH   | 1                      |                        |               |                      |                                  |      |  |
| <b>C) Maternal Health:</b>   |  | <b>2017-18</b>         | <b>2018-19</b>         |               |                      |                                  |      |  |
| 8  | Expected number of PW  | 25,510                 | 25,986                 |               |                      |                                  |      |  |
| 9  | Expected number of Delivery  | 23,770                 | 24,215                 |               |                      |                                  |      |  |
|  |  | <b>HMIS ( 2017-18)</b> | <b>HMIS ( 2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
|  |  | <b>Number</b>          | <b>PC</b>              | <b>Number</b> | <b>PC</b>            |                                  |      |  |
| 10   | PW register for ANC  | 23,435                 | 91.9                   | 24,227        | 93.2                 | Any ANC                          | 88.1 |  |
| 11   | Mothers registered in the first trimester  | 17,643                 | 75.3                   | 18,564        | 76.6                 | ANC Check up in first trimester  | 49.3 |  |
| 12   | Mothers who had at least 3 Ante-Natal care check ups   | 14,527                 | 62.0                   | 15,272        | 63.0                 | 3 or more ANC check up           | 53.6 |  |
| 13   | PW who got TT 2 / Booster injection  | 21,717                 | 92.7                   | 21,785        | 89.9                 | Atleast 1 TT received            | 87.7 |  |
| 14   | PW who consumed 100 IFA tablets  | 22,889                 | 97.7                   | 23,755        | 98.1                 | 100 IFA tablets consumed         | 10.5 |  |
| 15   | Home Delivery against expected delivery *  | 2,847                  | 12.0                   | 2,829         | 11.7                 | Full ANC                         | 7.2  |  |
| 16   | Institutional Delivery against expected delivery *   | 14,838                 | 62.4                   | 14,649        | 60.5                 | Home Delivery                    | 40.3 |  |
| 17   | Home Delivery against reported delivery **   | 2,847                  | 16.1                   | 2,829         | 16.2                 | Institutional Delivery           | 59.5 |  |
| 18   | Institutional Delivery against reported delivery **  | 14,838                 | 83.9                   | 14,649        | 83.8                 | Home Delivery by SBA             | 33.2 |  |
| 19   | Total reported Deliveries  | 17,685                 |                        | 17,478        |                      | PNC within 1 week of delivery    | 63.3 |  |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 826                    | 29.0                   | 988           | 34.9                 |                                  |      |  |
| 21   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 13,086                 | 74.0                   | 12,564        | 71.9                 |                                  |      |  |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                        |                        |               |                      |                                  |      |  |
| 22   | Expected number of Live Birth  | 23,191                 |                        | 23,624        |                      |                                  |      |  |
| <b>D) Child Immunization :</b>   |  | <b>HMIS ( 2017-18)</b> | <b>HMIS ( 2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
| 23   | Total reported live births   | 17,401                 | 75.0                   | 17,266        | 73.1                 | Breastfed within 1 hour of birth | 74.3 |  |
| 24   | Total Still Birth  | 359                    | 1.5                    | 329           | 1.4                  | BCG                              | 91   |  |
| 25   | PC of newborn weighted at birth to live birth  | 17,047                 | 98.0                   | 17,075        | 98.9                 | 3 dose of DPT                    | 79.4 |  |

|  |  |                       |                       |                           |      |                   |      |
|--|--|-----------------------|-----------------------|---------------------------|------|-------------------|------|
| 26   | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 1,257                 | 7.4                   | 1,049                     | 6.1  | Measles           | 85.2 |
| 27   | PC of newborns breastfed within 1 hour to total reported live birth.         | 16,681                | 95.9                  | 17,090                    | 99.0 | Full Immunization | 71.8 |
| 28   | Children fully immunized   | 20,897                | 90.1                  | 20,310                    | 66.0 |                   |      |
| 29   | Children who have received BCG   | 21,466                | 92.6                  | 20,193                    | 65.6 |                   |      |
| 30   | Children who have received DPT1  | 20,966                | 90.4                  | 20,120                    | 65.4 |                   |      |
| 31   | Children who have received DPT3  | 20,949                | 90.3                  | 19,820                    | 64.4 |                   |      |
| 32   | Children who have received Measles   | 20,918                | 90.2                  | 20,271                    | 65.9 |                   |      |
| 33   | Diarrhoea and Dehydration reported in children below 5 years of age          | 2,391                 |                       | 2,051                     |      |                   |      |
| <b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                       |                       |                           |      |                   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> | <b>AHS (2012-13)</b>      |      |                   |      |
| 34   | Number of Vasectomies performed  | 15                    | 6                     | Limiting                  | 6    |                   |      |
| 35   | Number of Tubectomies performed  | 269                   | 129                   | Spacing                   | 6.9  |                   |      |
| 36   | Number of IUD insertion  | 3,161                 | 3,385                 | Women using any method    | 68.4 |                   |      |
| 37   | Number of IUD removals   | 559                   | 603                   | Women using modern method | 42.9 |                   |      |
| <b>F) Service delivery</b>   |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |      |                   |      |
| 38   | IPD cases per 10,000 population ***  | 262                   | 269                   |                           |      |                   |      |
| 39   | General OPD cases per 10,000 population ***                                  | 4,831                 | 4,529                 |                           |      |                   |      |
| 40   | Ayush OPD cases per 10,000 population ***                                    | 519                   | 666.4                 |                           |      |                   |      |
| <b>G) Mortality Details</b>  |  |                       |                       |                           |      |                   |      |
| <b>I)</b>  | <b>Infant Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |      |                   |      |
| 41   | Neonatal death within 24 hours   | 27                    | 38                    |                           |      |                   |      |
| 42   | Up to 1 Weeks of Birth   | NA                    | NA                    |                           |      |                   |      |
| 43   | Between 1 week & 4 weeks of birth  | 55                    | 54                    |                           |      |                   |      |
| 44   | Neonatal Death   | 82                    | 92                    |                           |      |                   |      |
| 45   | Between 1 month and 11 months  | 99                    | 78                    |                           |      |                   |      |
| 46   | <b>Total reported infant deaths</b>  | 181                   | 170                   |                           |      |                   |      |
| <b>II)</b>   | <b>Maternal Mortality</b>  |                       |                       |                           |      |                   |      |
|  | <b>Maternal Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |      |                   |      |
| 47   | Due to Abortion  | 0                     | 0                     |                           |      |                   |      |
| 48   | Due to Obstructed/prolonged labour   | 2                     | 0                     |                           |      |                   |      |
| 49   | Due to Severe hypertension / fits  | 2                     | 4                     |                           |      |                   |      |
| 50   | Due to Bleeding  | 3                     | 5                     |                           |      |                   |      |
| 51   | Due to High fever  | 0                     | 1                     |                           |      |                   |      |
| 52   | Due to Other Causes (including causes not known)                             | 15                    | 23                    |                           |      |                   |      |
| 53   | <b>Total reported maternal deaths</b>  | 22                    | 33                    |                           |      |                   |      |

## Karimganj Factsheet

### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)  |                       |                       |               |                      |                                  |      |  |
|--|--|-----------------------|-----------------------|---------------|----------------------|----------------------------------|------|--|
| 1  | Population 2011  | 1,217,002             |                       |               |                      |                                  |      |  |
| 2  | Sex Ratio  | 961                   |                       |               |                      |                                  |      |  |
| <b>B) Infrastructure Details (RHS 2018)</b>  |  | <b>Numbers</b>        |                       |               |                      |                                  |      |  |
| 3  | Sub Centers (SC)   | 222                   |                       |               |                      |                                  |      |  |
| 4  | Primary Health Centers (PHC)   | 29                    |                       |               |                      |                                  |      |  |
| 5  | Community Health Centers (CHC)   | 7                     |                       |               |                      |                                  |      |  |
| 6  | SDH  | 0                     |                       |               |                      |                                  |      |  |
| 7  | DH   | 1                     |                       |               |                      |                                  |      |  |
| <b>C) Maternal Health:</b>   |  | <b>2017-18</b>        | <b>2018-19</b>        |               |                      |                                  |      |  |
| 8  | Expected number of PW  | 33,173                | 33,861                |               |                      |                                  |      |  |
| 9  | Expected number of Delivery  | 30,911                | 31,552                |               |                      |                                  |      |  |
|  |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
|  |  | <b>Number</b>         | <b>PC</b>             | <b>Number</b> | <b>PC</b>            |                                  |      |  |
| 10   | PW register for ANC  | 32,926                | 99.3                  | 34,304        | 101.3                | Any ANC                          | 92.2 |  |
| 11   | Mothers registered in the first trimester  | 27,379                | 83.2                  | 29,605        | 86.3                 | ANC Check up in first trimester  | 58.7 |  |
| 12   | Mothers who had at least 3 Ante-Natal care check ups   | 25,464                | 77.3                  | 28,242        | 82.3                 | 3 or more ANC check up           | 61.6 |  |
| 13   | PW who got TT 2 / Booster injection  | 32,088                | 97.5                  | 31,954        | 93.1                 | Atleast 1 TT received            | 90.9 |  |
| 14   | PW who consumed 100 IFA tablets  | 32,118                | 97.5                  | 34,421        | 100.3                | 100 IFA tablets consumed         | 13.6 |  |
| 15   | Home Delivery against expected delivery *  | 9,389                 | 30.4                  | 7,816         | 24.8                 | Full ANC                         | 11.4 |  |
| 16   | Institutional Delivery against expected delivery *   | 18,449                | 59.7                  | 20,910        | 66.3                 | Home Delivery                    | 61.6 |  |
| 17   | Home Delivery against reported delivery **   | 9,389                 | 33.7                  | 7,816         | 27.2                 | Institutional Delivery           | 38.2 |  |
| 18   | Institutional Delivery against reported delivery **  | 18,449                | 66.3                  | 20,910        | 72.8                 | Home Delivery by SBA             | 24.5 |  |
| 19   | Total reported Deliveries  | 27,838                |                       | 28,726        |                      | PNC within 1 week of delivery    | 46.1 |  |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 1,232                 | 13.1                  | 2,213         | 28.3                 |                                  |      |  |
| 21   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 14,243                | 51.2                  | 16,842        | 58.6                 |                                  |      |  |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                       |                       |               |                      |                                  |      |  |
| 22   | Expected number of Live Birth  | 30,157                |                       | 30,783        |                      |                                  |      |  |
| <b>D) Child Immunization :</b>   |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
| 23   | Total reported live births   | 27,070                | 89.8                  | 27,919        | 90.7                 | Breastfed within 1 hour of birth | 64.5 |  |
| 24   | Total Still Birth  | 862                   | 2.9                   | 978           | 3.2                  | BCG                              | 88.5 |  |
| 25   | PC of newborn weighted at birth to live birth  | 26,814                | 99.1                  | 27,681        | 99.1                 | 3 dose of DPT                    | 73.2 |  |

|  |  |                       |                       |                           |       |                   |      |
|--|--|-----------------------|-----------------------|---------------------------|-------|-------------------|------|
| 26   | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 3,633                 | 13.5                  | 3,124                     | 11.3  | Measles           | 73.8 |
| 27   | PC of newborns breastfed within 1 hour to total reported live birth.         | 26,188                | 96.7                  | 27,196                    | 97.4  | Full Immunization | 65.4 |
| 28   | Children fully immunized   | 27,379                | 90.8                  | 27,937                    | 140.0 |                   |      |
| 29   | Children who have received BCG   | 31,941                | 105.9                 | 31,691                    | 158.8 |                   |      |
| 30   | Children who have received DPT1  | 28,112                | 93.2                  | 29,215                    | 146.4 |                   |      |
| 31   | Children who have received DPT3  | 25,922                | 86.0                  | 27,483                    | 137.7 |                   |      |
| 32   | Children who have received Measles   | 27,346                | 90.7                  | 27,985                    | 140.2 |                   |      |
| 33   | Diarrhoea and Dehydration reported in children below 5 years of age          | 8,738                 |                       | 6,825                     |       |                   |      |
| <b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                       |                       |                           |       |                   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> | <b>AHS (2012-13)</b>      |       |                   |      |
| 34   | Number of Vasectomies performed  | 10                    | 3                     | Limiting                  | 15    |                   |      |
| 35   | Number of Tubectomies performed  | 1,302                 | 1,120                 | Spacing                   | 13    |                   |      |
| 36   | Number of IUD insertion  | 1,689                 | 2,458                 | Women using any method    | 49.4  |                   |      |
| 37   | Number of IUD removals   | 354                   | 485                   | Women using modern method | 21.7  |                   |      |
| <b>F) Service delivery</b>   |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |       |                   |      |
| 38   | IPD cases per 10,000 population ***  | 282                   | 305                   |                           |       |                   |      |
| 39   | General OPD cases per 10,000 population ***                                  | 6,167                 | 6,345                 |                           |       |                   |      |
| 40   | Ayush OPD cases per 10,000 population ***                                    | 329                   | 211.0                 |                           |       |                   |      |
| <b>G) Mortality Details</b>  |  |                       |                       |                           |       |                   |      |
| <b>I)</b>  | <b>Infant Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |       |                   |      |
| 41   | Neonatal death within 24 hours   | 83                    | 88                    |                           |       |                   |      |
| 42   | Up to 1 Weeks of Birth   | NA                    | NA                    |                           |       |                   |      |
| 43   | Between 1 week & 4 weeks of birth  | 426                   | 373                   |                           |       |                   |      |
| 44   | Neonatal Death   | 509                   | 461                   |                           |       |                   |      |
| 45   | Between 1 month and 11 months  | 536                   | 369                   |                           |       |                   |      |
| 46   | <b>Total reported infant deaths</b>  | <b>1,045</b>          | <b>830</b>            |                           |       |                   |      |
| <b>II)</b>   | <b>Maternal Mortality</b>  |                       |                       |                           |       |                   |      |
|  | <b>Maternal Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |       |                   |      |
| 47   | Due to Abortion  | 0                     | 0                     |                           |       |                   |      |
| 48   | Due to Obstructed/prolonged labour   | 8                     | 0                     |                           |       |                   |      |
| 49   | Due to Severe hypertension / fits  | 9                     | 7                     |                           |       |                   |      |
| 50   | Due to Bleeding  | 15                    | 13                    |                           |       |                   |      |
| 51   | Due to High fever  | 1                     | 0                     |                           |       |                   |      |
| 52   | Due to Other Causes (including causes not known)                             | 65                    | 39                    |                           |       |                   |      |
| 53   | <b>Total reported maternal deaths</b>  | <b>98</b>             | <b>59</b>             |                           |       |                   |      |

## Kokrajhar Factsheet

### Key Indicators

| SL No   | A) Demographic Indicators (Census 2011)  |                        |                        |               |                      |                                  |      |  |
|---|--|------------------------|------------------------|---------------|----------------------|----------------------------------|------|--|
| 1   | Population 2011  | 886,999                |                        |               |                      |                                  |      |  |
| 2   | Sex Ratio  | 958                    |                        |               |                      |                                  |      |  |
| <b>B) Infrastructure Details (RHS 2018)</b>   |  | <b>Numbers</b>         |                        |               |                      |                                  |      |  |
| 3   | Sub Centers (SC)   | 161                    |                        |               |                      |                                  |      |  |
| 4   | Primary Health Centers (PHC)   | 43                     |                        |               |                      |                                  |      |  |
| 5   | Community Health Centers (CHC)   | 4                      |                        |               |                      |                                  |      |  |
| 6   | SDH  | 1                      |                        |               |                      |                                  |      |  |
| 7   | DH   | 1                      |                        |               |                      |                                  |      |  |
| <b>C) Maternal Health:</b>  |  | <b>2017-18</b>         | <b>2018-19</b>         |               |                      |                                  |      |  |
| 8   | Expected number of PW  | 21,844                 | 21,957                 |               |                      |                                  |      |  |
| 9   | Expected number of Delivery  | 20,355                 | 20,460                 |               |                      |                                  |      |  |
|   |  | <b>HMIS ( 2017-18)</b> | <b>HMIS ( 2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
|   |  | <b>Number</b>          | <b>PC</b>              | <b>Number</b> | <b>PC</b>            |                                  |      |  |
| 10  | PW register for ANC  | 18,429                 | 84.4                   | 18,276        | 83.2                 | Any ANC                          | 93.8 |  |
| 11  | Mothers registered in the first trimester  | 13,498                 | 73.2                   | 13,747        | 75.2                 | ANC Check up in first trimester  | 43.6 |  |
| 12  | Mothers who had at least 3 Ante-Natal care check ups   | 11,712                 | 63.6                   | 12,091        | 66.2                 | 3 or more ANC check up           | 55.6 |  |
| 13  | PW who got TT 2 / Booster injection  | 16,866                 | 91.5                   | 16,449        | 90.0                 | Atleast 1 TT received            | 93.6 |  |
| 14  | PW who consumed 100 IFA tablets  | 18,358                 | 99.6                   | 15,794        | 86.4                 | 100 IFA tablets consumed         | 16.6 |  |
| 15  | Home Delivery against expected delivery *  | 1,469                  | 7.2                    | 1,231         | 6.0                  | Full ANC                         | 8.7  |  |
| 16  | Institutional Delivery against expected delivery *   | 14,894                 | 73.2                   | 14,384        | 70.3                 | Home Delivery                    | 41.2 |  |
| 17  | Home Delivery against reported delivery **   | 1,469                  | 9.0                    | 1,231         | 7.9                  | Institutional Delivery           | 58.8 |  |
| 18  | Institutional Delivery against reported delivery **  | 14,894                 | 91.0                   | 14,384        | 92.1                 | Home Delivery by SBA             | 40.0 |  |
| 19  | Total reported Deliveries  | 16,363                 |                        | 15,615        |                      | PNC within 1 week of delivery    | 61.9 |  |
| 20  | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 280                    | 19.1                   | 204           | 16.6                 |                                  |      |  |
| 21  | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 6,130                  | 37.5                   | 4,516         | 28.9                 |                                  |      |  |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006). |  |                        |                        |               |                      |                                  |      |  |
| 22  | Expected number of Live Birth  | 19,858                 |                        | 19,961        |                      |                                  |      |  |
| <b>D) Child Immunization :</b>  |  | <b>HMIS ( 2017-18)</b> | <b>HMIS ( 2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
| 23  | Total reported live births   | 16,316                 | 82.2                   | 15,454        | 77.4                 | Breastfed within 1 hour of birth | 84.5 |  |
| 24  | Total Still Birth  | 419                    | 2.1                    | 313           | 1.6                  | BCG                              | 96.2 |  |
| 25  | PC of newborn weighted at birth to live birth  | 15,615                 | 95.7                   | 14,858        | 96.1                 | 3 dose of DPT                    | 72.9 |  |

|  |  |                       |      |                       |      |                           |      |
|--|--|-----------------------|------|-----------------------|------|---------------------------|------|
| 26   | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 2,270                 | 14.5 | 1,968                 | 13.2 | Measles                   | 85.3 |
| 27   | PC of newborns breastfed within 1 hour to total reported live birth.         | 15,780                | 96.7 | 14,598                | 94.5 | Full Immunization         | 59.2 |
| 28   | Children fully immunized   | 15,666                | 78.9 | 14,839                | 74.3 |                           |      |
| 29   | Children who have received BCG   | 18,255                | 91.9 | 17,095                | 85.6 |                           |      |
| 30   | Children who have received DPT1  | 16,538                | 83.3 | 15,762                | 79.0 |                           |      |
| 31   | Children who have received DPT3  | 15,735                | 79.2 | 15,456                | 77.4 |                           |      |
| 32   | Children who have received Measles   | 15,748                | 79.3 | 14,743                | 73.9 |                           |      |
| 33   | Diarrhoea and Dehydration reported in children below 5 years of age          | 1,324                 |      | 1,377                 |      |                           |      |
| <b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                       |      |                       |      |                           |      |
| <b>E) Family Planning</b>  |  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      | <b>AHS (2012-13)</b>      |      |
| 34   | Number of Vasectomies performed  | 2                     |      | 4                     |      | Limiting                  | 1.1  |
| 35   | Number of Tubectomies performed  | 317                   |      | 387                   |      | Spacing                   | 6.6  |
| 36   | Number of IUD insertion  | 1,750                 |      | 1,483                 |      | Women using any method    | 73.8 |
| 37   | Number of IUD removals   | 829                   |      | 886                   |      | Women using modern method | 43.5 |
| <b>F) Service delivery</b>   |  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      |                           |      |
| 38   | IPD cases per 10,000 population ***  | 322                   |      | 333                   |      |                           |      |
| 39   | General OPD cases per 10,000 population ***                                  | 5,768                 |      | 6,139                 |      |                           |      |
| 40   | Ayush OPD cases per 10,000 population ***                                    | 439                   |      | 467.7                 |      |                           |      |
| <b>G) Mortality Details</b>  |  |                       |      |                       |      |                           |      |
| <b>I)</b>  | <b>Infant Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      |                           |      |
| 41   | Neonatal death within 24 hours   | 56                    |      | 70                    |      |                           |      |
| 42   | Up to 1 Weeks of Birth   | NA                    |      | NA                    |      |                           |      |
| 43   | Between 1 week & 4 weeks of birth  | 178                   |      | 170                   |      |                           |      |
| 44   | Neonatal Death   | 234                   |      | 240                   |      |                           |      |
| 45   | Between 1 month and 11 months  | 192                   |      | 166                   |      |                           |      |
| 46   | <b>Total reported infant deaths</b>  | 426                   |      | 406                   |      |                           |      |
| <b>II)</b>   | <b>Maternal Mortality</b>  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      |                           |      |
|  | <b>Maternal Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      |                           |      |
| 47   | Due to Abortion  | 0                     |      | 0                     |      |                           |      |
| 48   | Due to Obstructed/prolonged labour   | 4                     |      | 4                     |      |                           |      |
| 49   | Due to Severe hypertension / fits  | 9                     |      | 2                     |      |                           |      |
| 50   | Due to Bleeding  | 13                    |      | 8                     |      |                           |      |
| 51   | Due to High fever  | 1                     |      | 0                     |      |                           |      |
| 52   | Due to Other Causes (including causes not known)                             | 32                    |      | 29                    |      |                           |      |
| 53   | <b>Total reported maternal deaths</b>  | 59                    |      | 43                    |      |                           |      |

## Lakhimpur Factsheet

### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)  |                       |                       |               |                      |                                  |      |  |
|--|--|-----------------------|-----------------------|---------------|----------------------|----------------------------------|------|--|
| 1  | Population 2011  | 1,040,644             |                       |               |                      |                                  |      |  |
| 2  | Sex Ratio  | 965                   |                       |               |                      |                                  |      |  |
| <b>B) Infrastructure Details (RHS 2018)</b>  |  | <b>Numbers</b>        |                       |               |                      |                                  |      |  |
| 3  | Sub Centers (SC)   | 156                   |                       |               |                      |                                  |      |  |
| 4  | Primary Health Centers (PHC)   | 25                    |                       |               |                      |                                  |      |  |
| 5  | Community Health Centers (CHC)   | 8                     |                       |               |                      |                                  |      |  |
| 6  | SDH  | 1                     |                       |               |                      |                                  |      |  |
| 7  | DH   | 1                     |                       |               |                      |                                  |      |  |
| <b>C) Maternal Health:</b>   |  | <b>2017-18</b>        | <b>2018-19</b>        |               |                      |                                  |      |  |
| 8  | Expected number of PW  | 27,533                | 28,003                |               |                      |                                  |      |  |
| 9  | Expected number of Delivery  | 25,656                | 26,094                |               |                      |                                  |      |  |
|  |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
|  |  | <b>Number</b>         | <b>PC</b>             | <b>Number</b> | <b>PC</b>            |                                  |      |  |
| 10   | PW register for ANC  | 22,074                | 80.2                  | 22,880        | 81.7                 | Any ANC                          | 98.2 |  |
| 11   | Mothers registered in the first trimester  | 19,635                | 89.0                  | 20,079        | 87.8                 | ANC Check up in first trimester  | 58.7 |  |
| 12   | Mothers who had at least 3 Ante-Natal care check ups   | 17,732                | 80.3                  | 17,876        | 78.1                 | 3 or more ANC check up           | 69.9 |  |
| 13   | PW who got TT 2 / Booster injection  | 19,038                | 86.2                  | 19,736        | 86.3                 | Atleast 1 TT received            | 98.2 |  |
| 14   | PW who consumed 100 IFA tablets  | 18,570                | 84.1                  | 23,470        | 102.6                | 100 IFA tablets consumed         | 27.2 |  |
| 15   | Home Delivery against expected delivery *  | 259                   | 1.0                   | 268           | 1.0                  | Full ANC                         | 21.2 |  |
| 16   | Institutional Delivery against expected delivery *   | 17,724                | 69.1                  | 17,176        | 65.8                 | Home Delivery                    | 14.0 |  |
| 17   | Home Delivery against reported delivery **   | 259                   | 1.4                   | 268           | 1.5                  | Institutional Delivery           | 85.7 |  |
| 18   | Institutional Delivery against reported delivery **  | 17,724                | 98.6                  | 17,176        | 98.5                 | Home Delivery by SBA             | 17.5 |  |
| 19   | Total reported Deliveries  | 17,983                |                       | 17,444        |                      | PNC within 1 week of delivery    | 87.1 |  |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 167                   | 64.5                  | 205           | 76.5                 |                                  |      |  |
| 21   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 41,513                | 230.8                 | 38,585        | 221.2                |                                  |      |  |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                       |                       |               |                      |                                  |      |  |
| 22   | Expected number of Live Birth  | 25,030                |                       | 25,457        |                      |                                  |      |  |
| <b>D) Child Immunization :</b>   |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
| 23   | Total reported live births   | 17,679                | 70.6                  | 17,747        | 69.7                 | Breastfed within 1 hour of birth | 82.2 |  |
| 24   | Total Still Birth  | 353                   | 1.4                   | 296           | 1.2                  | BCG                              | 98.1 |  |
| 25   | PC of newborn weighted at birth to live birth  | 17,653                | 99.9                  | 17,016        | 95.9                 | 3 dose of DPT                    | 78.1 |  |

|  |  |                       |                       |                           |      |                   |      |
|--|--|-----------------------|-----------------------|---------------------------|------|-------------------|------|
| 26   | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 2,503                 | 14.2                  | 2,513                     | 14.8 | Measles           | 87.6 |
| 27   | PC of newborns breastfed within 1 hour to total reported live birth.         | 17,743                | 100.4                 | 16,964                    | 95.6 | Full Immunization | 64.2 |
| 28   | Children fully immunized   | 20,172                | 80.6                  | 19,439                    | 76.4 |                   |      |
| 29   | Children who have received BCG   | 19,953                | 79.7                  | 22,068                    | 86.7 |                   |      |
| 30   | Children who have received DPT1  | 20,029                | 80.0                  | 19,680                    | 77.3 |                   |      |
| 31   | Children who have received DPT3  | 18,927                | 75.6                  | 18,901                    | 74.2 |                   |      |
| 32   | Children who have received Measles   | 20,240                | 80.9                  | 20,230                    | 79.5 |                   |      |
| 33   | Diarrhoea and Dehydration reported in children below 5 years of age          | 5,174                 |                       | 4,598                     |      |                   |      |
| <b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                       |                       |                           |      |                   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> | <b>AHS (2012-13)</b>      |      |                   |      |
| 34   | Number of Vasectomies performed  | 16                    | 39                    | Limiting                  | 5.1  |                   |      |
| 35   | Number of Tubectomies performed  | 1,395                 | 1,953                 | Spacing                   | 4.8  |                   |      |
| 36   | Number of IUD insertion  | 1,278                 | 2,118                 | Women using any method    | 76   |                   |      |
| 37   | Number of IUD removals   | 146                   | 261                   | Women using modern method | 40   |                   |      |
| <b>F) Service delivery</b>   |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |      |                   |      |
| 38   | IPD cases per 10,000 population ***  | 495                   | 532                   |                           |      |                   |      |
| 39   | General OPD cases per 10,000 population ***                                  | 9,287                 | 9,494                 |                           |      |                   |      |
| 40   | Ayush OPD cases per 10,000 population ***                                    | 305                   | 282.6                 |                           |      |                   |      |
| <b>G) Mortality Details</b>  |  |                       |                       |                           |      |                   |      |
| <b>I)</b>  | <b>Infant Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |      |                   |      |
| 41   | Neonatal death within 24 hours   | 24                    | 31                    |                           |      |                   |      |
| 42   | Up to 1 Weeks of Birth   | NA                    | NA                    |                           |      |                   |      |
| 43   | Between 1 week & 4 weeks of birth  | 182                   | 168                   |                           |      |                   |      |
| 44   | Neonatal Death   | 206                   | 199                   |                           |      |                   |      |
| 45   | Between 1 month and 11 months  | 42                    | 55                    |                           |      |                   |      |
| 46   | <b>Total reported infant deaths</b>  | <b>248</b>            | <b>254</b>            |                           |      |                   |      |
| <b>II)</b>   | <b>Maternal Mortality</b>  |                       |                       |                           |      |                   |      |
|  | <b>Maternal Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |      |                   |      |
| 47   | Due to Abortion  | 0                     | 0                     |                           |      |                   |      |
| 48   | Due to Obstructed/prolonged labour   | 0                     | 0                     |                           |      |                   |      |
| 49   | Due to Severe hypertension / fits  | 1                     | 0                     |                           |      |                   |      |
| 50   | Due to Bleeding  | 1                     | 2                     |                           |      |                   |      |
| 51   | Due to High fever  | 0                     | 0                     |                           |      |                   |      |
| 52   | Due to Other Causes (including causes not known)                             | 5                     | 12                    |                           |      |                   |      |
| 53   | <b>Total reported maternal deaths</b>  | <b>7</b>              | <b>14</b>             |                           |      |                   |      |



## Marigaon Factsheet

### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)  |                       |                       |               |                      |                                  |      |  |
|--|--|-----------------------|-----------------------|---------------|----------------------|----------------------------------|------|--|
| 1  | Population 2011  | 957,853               |                       |               |                      |                                  |      |  |
| 2  | Sex Ratio  | 974                   |                       |               |                      |                                  |      |  |
| <b>B) Infrastructure Details (RHS 2018)</b>  |  | <b>Numbers</b>        |                       |               |                      |                                  |      |  |
| 3  | Sub Centers (SC)   | 123                   |                       |               |                      |                                  |      |  |
| 4  | Primary Health Centers (PHC)   | 33                    |                       |               |                      |                                  |      |  |
| 5  | Community Health Centers (CHC)   | 6                     |                       |               |                      |                                  |      |  |
| 6  | SDH  | 0                     |                       |               |                      |                                  |      |  |
| 7  | DH   | 1                     |                       |               |                      |                                  |      |  |
| <b>C) Maternal Health:</b>   |  | <b>2017-18</b>        | <b>2018-19</b>        |               |                      |                                  |      |  |
| 8  | Expected number of PW  | 26,254                | 26,869                |               |                      |                                  |      |  |
| 9  | Expected number of Delivery  | 24,464                | 25,037                |               |                      |                                  |      |  |
|  |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
|  |  | <b>Number</b>         | <b>PC</b>             | <b>Number</b> | <b>PC</b>            |                                  |      |  |
| 10   | PW register for ANC  | 23,973                | 91.3                  | 23,574        | 87.7                 | Any ANC                          | 97.2 |  |
| 11   | Mothers registered in the first trimester  | 19,228                | 80.2                  | 20,638        | 87.5                 | ANC Check up in first trimester  | 52.2 |  |
| 12   | Mothers who had at least 3 Ante-Natal care check ups   | 17,361                | 72.4                  | 19,454        | 82.5                 | 3 or more ANC check up           | 71.3 |  |
| 13   | PW who got TT 2 / Booster injection  | 22,496                | 93.8                  | 22,048        | 93.5                 | Atleast 1 TT received            | 97.1 |  |
| 14   | PW who consumed 100 IFA tablets  | 23,825                | 99.4                  | 23,533        | 99.8                 | 100 IFA tablets consumed         | 32.9 |  |
| 15   | Home Delivery against expected delivery *  | 2,944                 | 12.0                  | 2,077         | 8.3                  | Full ANC                         | 25.4 |  |
| 16   | Institutional Delivery against expected delivery *   | 15,622                | 63.9                  | 16,187        | 64.7                 | Home Delivery                    | 31.1 |  |
| 17   | Home Delivery against reported delivery **   | 2,944                 | 15.9                  | 2,077         | 11.4                 | Institutional Delivery           | 68.3 |  |
| 18   | Institutional Delivery against reported delivery **  | 15,622                | 84.1                  | 16,187        | 88.6                 | Home Delivery by SBA             | 19.6 |  |
| 19   | Total reported Deliveries  | 18,566                |                       | 18,264        |                      | PNC within 1 week of delivery    | 60.7 |  |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 1,027                 | 34.9                  | 1,177         | 56.7                 |                                  |      |  |
| 21   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 16,609                | 89.5                  | 17,511        | 95.9                 |                                  |      |  |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                       |                       |               |                      |                                  |      |  |
| 22   | Expected number of Live Birth  | 23,868                |                       | 24,426        |                      |                                  |      |  |
| <b>D) Child Immunization :</b>   |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
| 23   | Total reported live births   | 18,466                | 77.4                  | 18,144        | 74.3                 | Breastfed within 1 hour of birth | 78.9 |  |
| 24   | Total Still Birth  | 162                   | 0.7                   | 193           | 0.8                  | BCG                              | 93.8 |  |
| 25   | PC of newborn weighted at birth to live birth  | 18,464                | 100.0                 | 18,144        | 100.0                | 3 dose of DPT                    | 84.6 |  |

|  |  |                        |      |                        |      |                           |      |
|--|--|------------------------|------|------------------------|------|---------------------------|------|
| 26   | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 2,998                  | 16.2 | 2,600                  | 14.3 | Measles                   | 82.8 |
| 27   | PC of newborns breastfed within 1 hour to total reported live birth.         | 18,205                 | 98.6 | 17,136                 | 94.4 | Full Immunization         | 66.2 |
| 28   | Children fully immunized   | 19,619                 | 82.2 | 21,131                 | 86.5 |                           |      |
| 29   | Children who have received BCG   | 22,138                 | 92.8 | 21,366                 | 87.5 |                           |      |
| 30   | Children who have received DPT1  | 21,674                 | 90.8 | 21,155                 | 86.6 |                           |      |
| 31   | Children who have received DPT3  | 20,783                 | 87.1 | 20,468                 | 83.8 |                           |      |
| 32   | Children who have received Measles   | 19,645                 | 82.3 | 21,257                 | 87.0 |                           |      |
| 33   | Diarrhoea and Dehydration reported in children below 5 years of age          | 2,437                  |      | 2,946                  |      |                           |      |
| <b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                        |      |                        |      |                           |      |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2017-18)</b> |      | <b>HMIS ( 2018-19)</b> |      | <b>AHS (2012-13)</b>      |      |
| 34   | Number of Vasectomies performed  | 63                     |      | 48                     |      | Limiting                  | 5    |
| 35   | Number of Tubectomies performed  | 345                    |      | 300                    |      | Spacing                   | 7.6  |
| 36   | Number of IUD insertion  | 2,187                  |      | 3,690                  |      | Women using any method    | 70   |
| 37   | Number of IUD removals   | 221                    |      | 329                    |      | Women using modern method | 39.1 |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2017-18)</b> |      | <b>HMIS ( 2018-19)</b> |      |                           |      |
| 38   | IPD cases per 10,000 population ***  | 352                    |      | 362                    |      |                           |      |
| 39   | General OPD cases per 10,000 population ***                                  | 9,050                  |      | 8,995                  |      |                           |      |
| 40   | Ayush OPD cases per 10,000 population ***                                    | 780                    |      | 633.4                  |      |                           |      |
| <b>G) Mortality Details</b>  |  |                        |      |                        |      |                           |      |
| <b>I)</b>  | <b>Infant Deaths (In Numbers)</b>  | <b>HMIS ( 2017-18)</b> |      | <b>HMIS ( 2018-19)</b> |      |                           |      |
| 41   | Neonatal death within 24 hours   | 10                     |      | 11                     |      |                           |      |
| 42   | Up to 1 Weeks of Birth   | NA                     |      | NA                     |      |                           |      |
| 43   | Between 1 week & 4 weeks of birth  | 99                     |      | 82                     |      |                           |      |
| 44   | Neonatal Death   | 109                    |      | 93                     |      |                           |      |
| 45   | Between 1 month and 11 months  | 83                     |      | 72                     |      |                           |      |
| 46   | <b>Total reported infant deaths</b>  | 192                    |      | 165                    |      |                           |      |
| <b>II)</b>   | <b>Maternal Mortality</b>  | <b>HMIS ( 2017-18)</b> |      | <b>HMIS ( 2018-19)</b> |      |                           |      |
|  | <b>Maternal Deaths (In Numbers)</b>  | <b>HMIS ( 2017-18)</b> |      | <b>HMIS ( 2018-19)</b> |      |                           |      |
| 47   | Due to Abortion  | 0                      |      | 2                      |      |                           |      |
| 48   | Due to Obstructed/prolonged labour   | 3                      |      | 1                      |      |                           |      |
| 49   | Due to Severe hypertension / fits  | 1                      |      | 3                      |      |                           |      |
| 50   | Due to Bleeding  | 4                      |      | 3                      |      |                           |      |
| 51   | Due to High fever  | 0                      |      | 0                      |      |                           |      |
| 52   | Due to Other Causes (including causes not known)                             | 20                     |      | 12                     |      |                           |      |
| 53   | <b>Total reported maternal deaths</b>  | 28                     |      | 21                     |      |                           |      |

## Nagaon Factsheet

### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)  |                 |                 |                 |               |                                  |      |  |
|--|--|-----------------|-----------------|-----------------|---------------|----------------------------------|------|--|
| 1  | Population 2011  | 2,826,006       |                 |                 |               |                                  |      |  |
| 2  | Sex Ratio  | 962             |                 |                 |               |                                  |      |  |
| B) Infrastructure Details (RHS 2018)   |  | Numbers         |                 |                 |               |                                  |      |  |
| 3  | Sub Centers (SC)   | 351             |                 |                 |               |                                  |      |  |
| 4  | Primary Health Centers (PHC)   | 75              |                 |                 |               |                                  |      |  |
| 5  | Community Health Centers (CHC)   | 17              |                 |                 |               |                                  |      |  |
| 6  | SDH  | 0               |                 |                 |               |                                  |      |  |
| 7  | DH   | 1               |                 |                 |               |                                  |      |  |
| C) Maternal Health:  |  | 2017-18         | 2018-19         |                 |               |                                  |      |  |
| 8  | Expected number of PW  | 76,845          | 78,543          |                 |               |                                  |      |  |
| 9  | Expected number of Delivery  | 71,606          | 73,187          |                 |               |                                  |      |  |
|  |  | HMIS ( 2017-18) |                 | HMIS ( 2018-19) |               | AHS (2012-13)                    |      |  |
|  |  | Number          | PC              | Number          | PC            |                                  |      |  |
| 10   | PW register for ANC  | 67,596          | 88.0            | 67,767          | 86.3          | Any ANC                          | 92.6 |  |
| 11   | Mothers registered in the first trimester  | 53,017          | 78.4            | 51,464          | 75.9          | ANC Check up in first trimester  | 57.8 |  |
| 12   | Mothers who had at least 3 Ante-Natal care check ups   | 55,156          | 81.6            | 56,037          | 82.7          | 3 or more ANC check up           | 57.0 |  |
| 13   | PW who got TT 2 / Booster injection  | 62,001          | 91.7            | 57,402          | 84.7          | Atleast 1 TT received            | 92.2 |  |
| 14   | PW who consumed 100 IFA tablets  | 66,963          | 99.1            | 70,390          | 103.9         | 100 IFA tablets consumed         | 23.8 |  |
| 15   | Home Delivery against expected delivery *  | 5,523           | 7.7             | 4,539           | 6.2           | Full ANC                         | 18.4 |  |
| 16   | Institutional Delivery against expected delivery *   | 54,703          | 76.4            | 55,156          | 75.4          | Home Delivery                    | 41.9 |  |
| 17   | Home Delivery against reported delivery **   | 5,523           | 9.2             | 4,539           | 7.6           | Institutional Delivery           | 57.9 |  |
| 18   | Institutional Delivery against reported delivery **  | 54,703          | 90.8            | 55,156          | 92.4          | Home Delivery by SBA             | 35.1 |  |
| 19   | Total reported Deliveries  | 60,226          |                 | 59,695          |               | PNC within 1 week of delivery    | 62.6 |  |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 1,323           | 24.0            | 970             | 21.4          |                                  |      |  |
| 21   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 41,692          | 69.2            | 40,167          | 67.3          |                                  |      |  |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                 |                 |                 |               |                                  |      |  |
| 22   | Expected number of Live Birth  | 69,859          |                 | 71,402          |               |                                  |      |  |
| D) Child Immunization :  |  | HMIS ( 2017-18) | HMIS ( 2018-19) |                 | AHS (2012-13) |                                  |      |  |
| 23   | Total reported live births   | 59,085          | 84.6            | 58,668          | 82.2          | Breastfed within 1 hour of birth | 70.6 |  |
| 24   | Total Still Birth  | 1,451           | 2.1             | 1,394           | 2.0           | BCG                              | 89.2 |  |
| 25   | PC of newborn weighted at birth to live birth  | 58,464          | 98.9            | 57,616          | 98.2          | 3 dose of DPT                    | 69.1 |  |

|  |  |                       |                       |                           |      |                   |      |
|--|--|-----------------------|-----------------------|---------------------------|------|-------------------|------|
| 26   | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 4,825                 | 8.3                   | 5,654                     | 9.8  | Measles           | 68.5 |
| 27   | PC of newborns breastfed within 1 hour to total reported live birth.         | 58,372                | 98.8                  | 56,846                    | 96.9 | Full Immunization | 52.5 |
| 28   | Children fully immunized   | 57,651                | 82.5                  | 58,012                    | 81.2 |                   |      |
| 29   | Children who have received BCG   | 65,240                | 93.4                  | 55,915                    | 78.3 |                   |      |
| 30   | Children who have received DPT1  | 60,956                | 87.3                  | 56,930                    | 79.7 |                   |      |
| 31   | Children who have received DPT3  | 59,262                | 84.8                  | 55,675                    | 78.0 |                   |      |
| 32   | Children who have received Measles   | 57,923                | 82.9                  | 59,375                    | 83.2 |                   |      |
| 33   | Diarrhoea and Dehydration reported in children below 5 years of age          | 11,723                |                       | 5,152                     |      |                   |      |
| <b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                       |                       |                           |      |                   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> | <b>AHS (2012-13)</b>      |      |                   |      |
| 34   | Number of Vasectomies performed  | 334                   | 64                    | Limiting                  | 11.3 |                   |      |
| 35   | Number of Tubectomies performed  | 1,820                 | 1,517                 | Spacing                   | 7    |                   |      |
| 36   | Number of IUD insertion  | 6,028                 | 5,234                 | Women using any method    | 65.9 |                   |      |
| 37   | Number of IUD removals   | 617                   | 617                   | Women using modern method | 32.3 |                   |      |
| <b>F) Service delivery</b>   |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |      |                   |      |
| 38   | IPD cases per 10,000 population ***  | 264                   | 278                   |                           |      |                   |      |
| 39   | General OPD cases per 10,000 population ***                                  | 7,154                 | 7,097                 |                           |      |                   |      |
| 40   | Ayush OPD cases per 10,000 population ***                                    | 263                   | 308.4                 |                           |      |                   |      |
| <b>G) Mortality Details</b>  |  |                       |                       |                           |      |                   |      |
| <b>I)</b>  | <b>Infant Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |      |                   |      |
| 41   | Neonatal death within 24 hours   | 79                    | 46                    |                           |      |                   |      |
| 42   | Up to 1 Weeks of Birth   | NA                    | NA                    |                           |      |                   |      |
| 43   | Between 1 week & 4 weeks of birth  | 336                   | 250                   |                           |      |                   |      |
| 44   | Neonatal Death   | 415                   | 296                   |                           |      |                   |      |
| 45   | Between 1 month and 11 months  | 252                   | 229                   |                           |      |                   |      |
| 46   | <b>Total reported infant deaths</b>  | <b>667</b>            | <b>525</b>            |                           |      |                   |      |
| <b>II)</b>   | <b>Maternal Mortality</b>  |                       |                       |                           |      |                   |      |
|  | <b>Maternal Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |      |                   |      |
| 47   | Due to Abortion  | 2                     | 1                     |                           |      |                   |      |
| 48   | Due to Obstructed/prolonged labour   | 1                     | 3                     |                           |      |                   |      |
| 49   | Due to Severe hypertension / fits  | 14                    | 12                    |                           |      |                   |      |
| 50   | Due to Bleeding  | 17                    | 15                    |                           |      |                   |      |
| 51   | Due to High fever  | 1                     | 1                     |                           |      |                   |      |
| 52   | Due to Other Causes (including causes not known)                             | 40                    | 37                    |                           |      |                   |      |
| 53   | <b>Total reported maternal deaths</b>  | <b>75</b>             | <b>69</b>             |                           |      |                   |      |

## Nalbari Factsheet

### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)  |                       |                       |               |                      |                                  |      |  |
|--|--|-----------------------|-----------------------|---------------|----------------------|----------------------------------|------|--|
| 1  | Population 2011  | 769,919               |                       |               |                      |                                  |      |  |
| 2  | Sex Ratio  | 945                   |                       |               |                      |                                  |      |  |
| <b>B) Infrastructure Details (RHS 2018)</b>  |  | <b>Numbers</b>        |                       |               |                      |                                  |      |  |
| 3  | Sub Centers (SC)   | 121                   |                       |               |                      |                                  |      |  |
| 4  | Primary Health Centers (PHC)   | 42                    |                       |               |                      |                                  |      |  |
| 5  | Community Health Centers (CHC)   | 11                    |                       |               |                      |                                  |      |  |
| 6  | SDH  | 0                     |                       |               |                      |                                  |      |  |
| 7  | DH   | 1                     |                       |               |                      |                                  |      |  |
| <b>C) Maternal Health:</b>   |  | <b>2017-18</b>        | <b>2018-19</b>        |               |                      |                                  |      |  |
| 8  | Expected number of PW  | 19,755                | 19,987                |               |                      |                                  |      |  |
| 9  | Expected number of Delivery  | 18,408                | 18,624                |               |                      |                                  |      |  |
|  |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
|  |  | <b>Number</b>         | <b>PC</b>             | <b>Number</b> | <b>PC</b>            |                                  |      |  |
| 10   | PW register for ANC  | 13,272                | 67.2                  | 13,820        | 69.1                 | Any ANC                          | 98.4 |  |
| 11   | Mothers registered in the first trimester  | 12,367                | 93.2                  | 12,942        | 93.6                 | ANC Check up in first trimester  | 60.6 |  |
| 12   | Mothers who had at least 3 Ante-Natal care check ups   | 10,161                | 76.6                  | 11,241        | 81.3                 | 3 or more ANC check up           | 81.2 |  |
| 13   | PW who got TT 2 / Booster injection  | 12,308                | 92.7                  | 12,894        | 93.3                 | Atleast 1 TT received            | 98.3 |  |
| 14   | PW who consumed 100 IFA tablets  | 12,054                | 90.8                  | 13,693        | 99.1                 | 100 IFA tablets consumed         | 26.7 |  |
| 15   | Home Delivery against expected delivery *  | 524                   | 2.8                   | 427           | 2.3                  | Full ANC                         | 24.9 |  |
| 16   | Institutional Delivery against expected delivery *   | 12,542                | 68.1                  | 11,990        | 64.4                 | Home Delivery                    | 12.0 |  |
| 17   | Home Delivery against reported delivery **   | 524                   | 4.0                   | 427           | 3.4                  | Institutional Delivery           | 87.4 |  |
| 18   | Institutional Delivery against reported delivery **  | 12,542                | 96.0                  | 11,990        | 96.6                 | Home Delivery by SBA             | 34.9 |  |
| 19   | Total reported Deliveries  | 13,066                |                       | 12,417        |                      | PNC within 1 week of delivery    | 88.2 |  |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 440                   | 84.0                  | 393           | 92.0                 |                                  |      |  |
| 21   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 15,744                | 120.5                 | 16,002        | 128.9                |                                  |      |  |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                       |                       |               |                      |                                  |      |  |
| 22   | Expected number of Live Birth  | 17,959                |                       | 18,170        |                      |                                  |      |  |
| <b>D) Child Immunization :</b>   |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
| 23   | Total reported live births   | 13,040                | 72.6                  | 12,396        | 68.2                 | Breastfed within 1 hour of birth | 74.7 |  |
| 24   | Total Still Birth  | 117                   | 0.7                   | 95            | 0.5                  | BCG                              | 98   |  |
| 25   | PC of newborn weighted at birth to live birth  | 13,037                | 100.0                 | 12,393        | 100.0                | 3 dose of DPT                    | 87.8 |  |

|  |  |                        |      |                        |      |                           |      |
|--|--|------------------------|------|------------------------|------|---------------------------|------|
| 26   | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 2,014                  | 15.4 | 1,859                  | 15.0 | Measles                   | 88   |
| 27   | PC of newborns breastfed within 1 hour to total reported live birth.         | 12,703                 | 97.4 | 11,982                 | 96.7 | Full Immunization         | 68   |
| 28   | Children fully immunized   | 13,644                 | 76.0 | 13,145                 | 72.3 |                           |      |
| 29   | Children who have received BCG   | 13,595                 | 75.7 | 12,588                 | 69.3 |                           |      |
| 30   | Children who have received DPT1  | 14,454                 | 80.5 | 14,166                 | 78.0 |                           |      |
| 31   | Children who have received DPT3  | 13,721                 | 76.4 | 13,389                 | 73.7 |                           |      |
| 32   | Children who have received Measles   | 13,658                 | 76.1 | 13,465                 | 74.1 |                           |      |
| 33   | Diarrhoea and Dehydration reported in children below 5 years of age          | 4,860                  |      | 4,006                  |      |                           |      |
| <b>Note:</b> In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006). |  |                        |      |                        |      |                           |      |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2017-18)</b> |      | <b>HMIS ( 2018-19)</b> |      | <b>AHS (2012-13)</b>      |      |
| 34   | Number of Vasectomies performed  | 90                     |      | 56                     |      | Limiting                  | 5.6  |
| 35   | Number of Tubectomies performed  | 1,222                  |      | 1,179                  |      | Spacing                   | 4.9  |
| 36   | Number of IUD insertion  | 2,103                  |      | 1,983                  |      | Women using any method    | 71.5 |
| 37   | Number of IUD removals   | 470                    |      | 505                    |      | Women using modern method | 44   |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2017-18)</b> |      | <b>HMIS ( 2018-19)</b> |      |                           |      |
| 38   | IPD cases per 10,000 population ***  | 341                    |      | 307                    |      |                           |      |
| 39   | General OPD cases per 10,000 population ***                                  | 9,970                  |      | 9,637                  |      |                           |      |
| 40   | Ayush OPD cases per 10,000 population ***                                    | 1,865                  |      | 2043.8                 |      |                           |      |
| <b>G) Mortality Details</b>  |  |                        |      |                        |      |                           |      |
| <b>I)</b>  | <b>Infant Deaths (In Numbers)</b>  | <b>HMIS ( 2017-18)</b> |      | <b>HMIS ( 2018-19)</b> |      |                           |      |
| 41   | Neonatal death within 24 hours   | 31                     |      | 50                     |      |                           |      |
| 42   | Up to 1 Weeks of Birth   | NA                     |      | NA                     |      |                           |      |
| 43   | Between 1 week & 4 weeks of birth  | 103                    |      | 106                    |      |                           |      |
| 44   | Neonatal Death   | 134                    |      | 156                    |      |                           |      |
| 45   | Between 1 month and 11 months  | 71                     |      | 76                     |      |                           |      |
| 46   | <b>Total reported infant deaths</b>  | 205                    |      | 232                    |      |                           |      |
| <b>II)</b>   | <b>Maternal Mortality</b>  |                        |      |                        |      |                           |      |
|  | <b>Maternal Deaths (In Numbers)</b>  | <b>HMIS ( 2017-18)</b> |      | <b>HMIS ( 2018-19)</b> |      |                           |      |
| 47   | Due to Abortion  | 0                      |      | 0                      |      |                           |      |
| 48   | Due to Obstructed/prolonged labour   | 1                      |      | 0                      |      |                           |      |
| 49   | Due to Severe hypertension / fits  | 0                      |      | 1                      |      |                           |      |
| 50   | Due to Bleeding  | 1                      |      | 1                      |      |                           |      |
| 51   | Due to High fever  | 0                      |      | 0                      |      |                           |      |
| 52   | Due to Other Causes (including causes not known)                             | 6                      |      | 9                      |      |                           |      |
| 53   | <b>Total reported maternal deaths</b>  | 8                      |      | 11                     |      |                           |      |

## North Cachar Hills (Dima Hasao ) Factsheet

### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)  |                        |           |                        |           |                                  |      |
|--|--|------------------------|-----------|------------------------|-----------|----------------------------------|------|
| 1  | Population 2011  | 213,529                |           |                        |           |                                  |      |
| 2  | Sex Ratio  | 931                    |           |                        |           |                                  |      |
| <b>B) Infrastructure Details (RHS 2018)</b>  |  | <b>Numbers</b>         |           |                        |           |                                  |      |
| 3  | Sub Centers (SC)   | 72                     |           |                        |           |                                  |      |
| 4  | Primary Health Centers (PHC)   | 11                     |           |                        |           |                                  |      |
| 5  | Community Health Centers (CHC)   | 2                      |           |                        |           |                                  |      |
| 6  | SDH  | 0                      |           |                        |           |                                  |      |
| 7  | DH   | 1                      |           |                        |           |                                  |      |
| <b>C) Maternal Health:</b>   |  | <b>2017-18</b>         |           | <b>2018-19</b>         |           |                                  |      |
| 8  | Expected number of PW  | 5,540                  |           | 5,615                  |           |                                  |      |
| 9  | Expected number of Delivery  | 5,162                  |           | 5,232                  |           |                                  |      |
|  |  | <b>HMIS ( 2017-18)</b> |           | <b>HMIS ( 2018-19)</b> |           | <b>AHS (2012-13)</b>             |      |
|  |  | <b>Number</b>          | <b>PC</b> | <b>Number</b>          | <b>PC</b> |                                  |      |
| 10   | PW register for ANC  | 4,986                  | 90.0      | 4,760                  | 84.8      | Any ANC                          | 90.8 |
| 11   | Mothers registered in the first trimester  | 3,370                  | 67.6      | 3,225                  | 67.8      | ANC Check up in first trimester  | 54.5 |
| 12   | Mothers who had at least 3 Ante-Natal care check ups   | 2,254                  | 45.2      | 2,393                  | 50.3      | 3 or more ANC check up           | 54.4 |
| 13   | PW who got TT 2 / Booster injection  | 3,932                  | 78.9      | 3,716                  | 78.1      | Atleast 1 TT received            | 89.4 |
| 14   | PW who consumed 100 IFA tablets  | 2,905                  | 58.3      | 3,897                  | 81.9      | 100 IFA tablets consumed         | 24.1 |
| 15   | Home Delivery against expected delivery *  | 1,258                  | 24.4      | 1,166                  | 22.3      | Full ANC                         | 15.7 |
| 16   | Institutional Delivery against expected delivery *   | 2,633                  | 51.0      | 2,574                  | 49.2      | Home Delivery                    | 30.7 |
| 17   | Home Delivery against reported delivery **   | 1,258                  | 32.3      | 1,166                  | 31.2      | Institutional Delivery           | 69.3 |
| 18   | Institutional Delivery against reported delivery **  | 2,633                  | 67.7      | 2,574                  | 68.8      | Home Delivery by SBA             | 32.5 |
| 19   | Total reported Deliveries  | 3,891                  |           | 3,740                  |           | PNC within 1 week of delivery    | 71.5 |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 359                    | 28.5      | 502                    | 43.1      |                                  |      |
| 21   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 1,643                  | 42.2      | 1,243                  | 33.2      |                                  |      |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                        |           |                        |           |                                  |      |
| 22   | Expected number of Live Birth  | 5,036                  |           | 5,104                  |           |                                  |      |
| <b>D) Child Immunization :</b>   |  | <b>HMIS ( 2017-18)</b> |           | <b>HMIS ( 2018-19)</b> |           | <b>AHS (2012-13)</b>             |      |
| 23   | Total reported live births   | 3,824                  | 75.9      | 3,716                  | 72.8      | Breastfed within 1 hour of birth | 80.4 |
| 24   | Total Still Birth  | 73                     | 1.4       | 75                     | 1.5       | BCG                              | 91.6 |

|    |  |       |       |       |       |                   |      |
|----|--|-------|-------|-------|-------|-------------------|------|
| 25 | PC of newborn weighted at birth to live birth                                | 3,822 | 99.9  | 3,715 | 100.0 | 3 dose of DPT     | 64.8 |
| 26 | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 294   | 7.7   | 265   | 7.1   | Measles           | 75.5 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth.         | 3,825 | 100.0 | 3,714 | 99.9  | Full Immunization | 56.2 |
| 28 | Children fully immunized   | 3,613 | 71.7  | 3,266 | 64.0  |                   |      |
| 29 | Children who have received BCG   | 3,859 | 76.6  | 3,760 | 73.7  |                   |      |
| 30 | Children who have received DPT1  | 3,927 | 78.0  | 3,581 | 70.2  |                   |      |
| 31 | Children who have received DPT3  | 3,629 | 72.1  | 3,282 | 64.3  |                   |      |
| 32 | Children who have received Measles   | 3,611 | 71.7  | 3,300 | 64.7  |                   |      |
| 33 | Diarrhoea and Dehydration reported in children below 5 years of age          | 2,419 |       | 1,815 |       |                   |      |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

| E) Family Planning   |  | HMIS (2017-18) | HMIS (2018-19) | AHS (2012-13)             |      |
|----------------------|--|----------------|----------------|---------------------------|------|
| 34                   | Number of Vasectomies performed                  | 0              | 0              | Limiting                  | 10.3 |
| 35                   | Number of Tubectomies performed                  | 6              | 105            | Spacing                   | 9    |
| 36                   | Number of IUD insertion                          | 470            | 370            | Women using any method    | 56.5 |
| 37                   | Number of IUD removals                           | 159            | 106            | Women using modern method | 43.5 |
| F) Service delivery  |  | HMIS (2017-18) | HMIS (2018-19) |                           |      |
| 38                   | IPD cases per 10,000 population ***              | 510            | 561            |                           |      |
| 39                   | General OPD cases per 10,000 population ***      | 8,417          | 8,105          |                           |      |
| 40                   | Ayush OPD cases per 10,000 population ***        | 954            | 818.0          |                           |      |
| G) Mortality Details |  |                |                |                           |      |
| I)                   | Infant Deaths (In Numbers)                       | HMIS (2017-18) | HMIS (2018-19) |                           |      |
| 41                   | Neonatal death within 24 hours                   | 9              | 9              |                           |      |
| 42                   | Up to 1 Weeks of Birth                           | NA             | NA             |                           |      |
| 43                   | Between 1 week & 4 weeks of birth                | 27             | 26             |                           |      |
| 44                   | Neonatal Death                                   | 36             | 35             |                           |      |
| 45                   | Between 1 month and 11 months                    | 39             | 26             |                           |      |
| 46                   | <b>Total reported infant deaths</b>              | <b>75</b>      | <b>61</b>      |                           |      |
| II)                  | Maternal Mortality                               |                |                |                           |      |
|                      | Maternal Deaths (In Numbers)                     | HMIS (2017-18) | HMIS (2018-19) |                           |      |
| 47                   | Due to Abortion                                  | 0              | 0              |                           |      |
| 48                   | Due to Obstructed/prolonged labour               | 1              | 0              |                           |      |
| 49                   | Due to Severe hypertension / fits                | 0              | 1              |                           |      |
| 50                   | Due to Bleeding                                  | 1              | 1              |                           |      |
| 51                   | Due to High fever                                | 0              | 0              |                           |      |
| 52                   | Due to Other Causes (including causes not known) | 8              | 5              |                           |      |
| 53                   | <b>Total reported maternal deaths</b>            | <b>10</b>      | <b>7</b>       |                           |      |



## Sibsagar Factsheet

### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)  |                       |                       |               |                      |                                  |      |  |
|--|--|-----------------------|-----------------------|---------------|----------------------|----------------------------------|------|--|
| 1  | Population 2011  | 1,150,253             |                       |               |                      |                                  |      |  |
| 2  | Sex Ratio  | 951                   |                       |               |                      |                                  |      |  |
| <b>B) Infrastructure Details (RHS 2018)</b>  |  | <b>Numbers</b>        |                       |               |                      |                                  |      |  |
| 3  | Sub Centers (SC)   | 220                   |                       |               |                      |                                  |      |  |
| 4  | Primary Health Centers (PHC)   | 43                    |                       |               |                      |                                  |      |  |
| 5  | Community Health Centers (CHC)   | 4                     |                       |               |                      |                                  |      |  |
| 6  | SDH  | 2                     |                       |               |                      |                                  |      |  |
| 7  | DH   | 1                     |                       |               |                      |                                  |      |  |
| <b>C) Maternal Health:</b>   |  | <b>2017-18</b>        | <b>2018-19</b>        |               |                      |                                  |      |  |
| 8  | Expected number of PW  | 29,057                | 29,329                |               |                      |                                  |      |  |
| 9  | Expected number of Delivery  | 27,076                | 27,329                |               |                      |                                  |      |  |
|  |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
|  |  | <b>Number</b>         | <b>PC</b>             | <b>Number</b> | <b>PC</b>            |                                  |      |  |
| 10   | PW register for ANC  | 19,673                | 67.7                  | 20,723        | 70.7                 | Any ANC                          | 98.2 |  |
| 11   | Mothers registered in the first trimester  | 17,672                | 89.8                  | 18,756        | 90.5                 | ANC Check up in first trimester  | 73.3 |  |
| 12   | Mothers who had at least 3 Ante-Natal care check ups   | 15,489                | 78.7                  | 16,651        | 80.4                 | 3 or more ANC check up           | 83.3 |  |
| 13   | PW who got TT 2 / Booster injection  | 16,424                | 83.5                  | 17,496        | 84.4                 | Atleast 1 TT received            | 98.1 |  |
| 14   | PW who consumed 100 IFA tablets  | 19,751                | 100.4                 | 20,730        | 100.0                | 100 IFA tablets consumed         | 21.8 |  |
| 15   | Home Delivery against expected delivery *  | 217                   | 0.8                   | 150           | 0.5                  | Full ANC                         | 19.5 |  |
| 16   | Institutional Delivery against expected delivery *   | 13,673                | 50.5                  | 13,757        | 50.3                 | Home Delivery                    | 12.8 |  |
| 17   | Home Delivery against reported delivery **   | 217                   | 1.6                   | 150           | 1.1                  | Institutional Delivery           | 87.0 |  |
| 18   | Institutional Delivery against reported delivery **  | 13,673                | 98.4                  | 13,757        | 98.9                 | Home Delivery by SBA             | 38.5 |  |
| 19   | Total reported Deliveries  | 13,890                |                       | 13,907        |                      | PNC within 1 week of delivery    | 90.1 |  |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 188                   | 86.6                  | 149           | 99.3                 |                                  |      |  |
| 21   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 15,722                | 113.2                 | 16,753        | 120.5                |                                  |      |  |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                       |                       |               |                      |                                  |      |  |
| 22   | Expected number of Live Birth  | 26,415                |                       | 26,663        |                      |                                  |      |  |
| <b>D) Child Immunization :</b>   |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
| 23   | Total reported live births   | 13,729                | 52.0                  | 13,770        | 51.6                 | Breastfed within 1 hour of birth | 83.1 |  |
| 24   | Total Still Birth  | 245                   | 0.9                   | 203           | 0.8                  | BCG                              | 98   |  |
| 25   | PC of newborn weighted at birth to live birth  | 13,699                | 99.8                  | 13,712        | 99.6                 | 3 dose of DPT                    | 92   |  |

|  |  |                       |                       |                           |      |                   |      |
|--|--|-----------------------|-----------------------|---------------------------|------|-------------------|------|
| 26   | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 2,491                 | 18.2                  | 2,271                     | 16.6 | Measles           | 93.4 |
| 27   | PC of newborns breastfed within 1 hour to total reported live birth.         | 13,414                | 97.7                  | 13,459                    | 97.7 | Full Immunization | 83.5 |
| 28   | Children fully immunized   | 16,140                | 61.1                  | 16,945                    | 63.6 |                   |      |
| 29   | Children who have received BCG   | 15,171                | 57.4                  | 14,643                    | 54.9 |                   |      |
| 30   | Children who have received DPT1  | 16,688                | 63.2                  | 16,933                    | 63.5 |                   |      |
| 31   | Children who have received DPT3  | 16,223                | 61.4                  | 16,318                    | 61.2 |                   |      |
| 32   | Children who have received Measles   | 16,175                | 61.2                  | 17,037                    | 63.9 |                   |      |
| 33   | Diarrhoea and Dehydration reported in children below 5 years of age          | 3,321                 |                       | 2,658                     |      |                   |      |
| <b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                       |                       |                           |      |                   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> | <b>AHS (2012-13)</b>      |      |                   |      |
| 34   | Number of Vasectomies performed  | 99                    | 65                    | Limiting                  | 10.3 |                   |      |
| 35   | Number of Tubectomies performed  | 1,675                 | 1,429                 | Spacing                   | 4.3  |                   |      |
| 36   | Number of IUD insertion  | 2,164                 | 1,897                 | Women using any method    | 64.7 |                   |      |
| 37   | Number of IUD removals   | 427                   | 502                   | Women using modern method | 36.1 |                   |      |
| <b>F) Service delivery</b>   |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |      |                   |      |
| 38   | IPD cases per 10,000 population ***  | 431                   | 470                   |                           |      |                   |      |
| 39   | General OPD cases per 10,000 population ***                                  | 13,840                | 14,051                |                           |      |                   |      |
| 40   | Ayush OPD cases per 10,000 population ***                                    | 236                   | 147.6                 |                           |      |                   |      |
| <b>G) Mortality Details</b>  |  |                       |                       |                           |      |                   |      |
| <b>I)</b>  | <b>Infant Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |      |                   |      |
| 41   | Neonatal death within 24 hours   | 57                    | 58                    |                           |      |                   |      |
| 42   | Up to 1 Weeks of Birth   | NA                    | NA                    |                           |      |                   |      |
| 43   | Between 1 week & 4 weeks of birth  | 192                   | 79                    |                           |      |                   |      |
| 44   | Neonatal Death   | 249                   | 137                   |                           |      |                   |      |
| 45   | Between 1 month and 11 months  | 81                    | 30                    |                           |      |                   |      |
| 46   | <b>Total reported infant deaths</b>  | <b>330</b>            | <b>167</b>            |                           |      |                   |      |
| <b>II)</b>   | <b>Maternal Mortality</b>  |                       |                       |                           |      |                   |      |
|  | <b>Maternal Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |      |                   |      |
| 47   | Due to Abortion  | 0                     | 0                     |                           |      |                   |      |
| 48   | Due to Obstructed/prolonged labour   | 0                     | 0                     |                           |      |                   |      |
| 49   | Due to Severe hypertension / fits  | 6                     | 2                     |                           |      |                   |      |
| 50   | Due to Bleeding  | 4                     | 4                     |                           |      |                   |      |
| 51   | Due to High fever  | 0                     | 0                     |                           |      |                   |      |
| 52   | Due to Other Causes (including causes not known)                             | 23                    | 9                     |                           |      |                   |      |
| 53   | <b>Total reported maternal deaths</b>  | <b>33</b>             | <b>15</b>             |                           |      |                   |      |

## Sonitpur Factsheet

### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)  |                |         |                |      |                                  |      |  |
|--|--|----------------|---------|----------------|------|----------------------------------|------|--|
| 1  | Population 2011  | 1,925,975      |         |                |      |                                  |      |  |
| 2  | Sex Ratio  | 946            |         |                |      |                                  |      |  |
| B) Infrastructure Details (RHS 2018)   |  | Numbers        |         |                |      |                                  |      |  |
| 3  | Sub Centers (SC)   | 279            |         |                |      |                                  |      |  |
| 4  | Primary Health Centers (PHC)   | 53             |         |                |      |                                  |      |  |
| 5  | Community Health Centers (CHC)   | 9              |         |                |      |                                  |      |  |
| 6  | SDH  | 2              |         |                |      |                                  |      |  |
| 7  | DH   | 1              |         |                |      |                                  |      |  |
| C) Maternal Health:  |  | 2017-18        | 2018-19 |                |      |                                  |      |  |
| 8  | Expected number of PW  | 50,419         | 51,210  |                |      |                                  |      |  |
| 9  | Expected number of Delivery  | 46,982         | 47,718  |                |      |                                  |      |  |
|  |  | HMIS (2017-18) |         | HMIS (2018-19) |      | AHS (2012-13)                    |      |  |
|  |  | Number         | PC      | Number         | PC   |                                  |      |  |
| 10   | PW register for ANC  | 36,512         | 72.4    | 35,513         | 69.3 | Any ANC                          | 94.8 |  |
| 11   | Mothers registered in the first trimester  | 32,917         | 90.2    | 31,623         | 89.0 | ANC Check up in first trimester  | 48.9 |  |
| 12   | Mothers who had at least 3 Ante-Natal care check ups   | 29,742         | 81.5    | 29,683         | 83.6 | 3 or more ANC check up           | 65.6 |  |
| 13   | PW who got TT 2 / Booster injection  | 34,029         | 93.2    | 31,930         | 89.9 | Atleast 1 TT received            | 94.7 |  |
| 14   | PW who consumed 100 IFA tablets  | 34,914         | 95.6    | 34,815         | 98.0 | 100 IFA tablets consumed         | 25.1 |  |
| 15   | Home Delivery against expected delivery *  | 3,730          | 7.9     | 2,916          | 6.1  | Full ANC                         | 19.2 |  |
| 16   | Institutional Delivery against expected delivery *   | 30,968         | 65.9    | 31,951         | 67.0 | Home Delivery                    | 32.5 |  |
| 17   | Home Delivery against reported delivery **   | 3,730          | 10.7    | 2,916          | 8.4  | Institutional Delivery           | 63.6 |  |
| 18   | Institutional Delivery against reported delivery **  | 30,968         | 89.3    | 31,951         | 91.6 | Home Delivery by SBA             | 26.3 |  |
| 19   | Total reported Deliveries  | 34,698         |         | 34,867         |      | PNC within 1 week of delivery    | 71.2 |  |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 537            | 14.4    | 328            | 11.2 |                                  |      |  |
| 21   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 21,221         | 61.2    | 20,678         | 59.3 |                                  |      |  |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                |         |                |      |                                  |      |  |
| 22   | Expected number of Live Birth  | 45,836         |         | 46,554         |      |                                  |      |  |
| D) Child Immunization :  |  | HMIS (2017-18) |         | HMIS (2018-19) |      | AHS (2012-13)                    |      |  |
| 23   | Total reported live births   | 32,298         | 70.5    | 34,633         | 74.4 | Breastfed within 1 hour of birth | 76.2 |  |
| 24   | Total Still Birth  | 586            | 1.3     | 680            | 1.5  | BCG                              | 95.8 |  |
| 25   | PC of newborn weighted at birth to live birth  | 31,685         | 98.1    | 31,679         | 91.5 | 3 dose of DPT                    | 83.1 |  |

|  |  |                       |      |                       |      |                           |      |
|--|--|-----------------------|------|-----------------------|------|---------------------------|------|
| 26   | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 4,944                 | 15.6 | 6,466                 | 20.4 | Measles                   | 85   |
| 27   | PC of newborns breastfed within 1 hour to total reported live birth.         | 27,993                | 86.7 | 31,366                | 90.6 | Full Immunization         | 70.5 |
| 28   | Children fully immunized   | 32,620                | 71.2 | 31,472                | 67.6 |                           |      |
| 29   | Children who have received BCG   | 34,059                | 74.3 | 37,580                | 80.7 |                           |      |
| 30   | Children who have received DPT1  | 33,810                | 73.8 | 32,705                | 70.3 |                           |      |
| 31   | Children who have received DPT3  | 34,534                | 75.3 | 31,760                | 68.2 |                           |      |
| 32   | Children who have received Measles   | 32,783                | 71.5 | 31,647                | 68.0 |                           |      |
| 33   | Diarrhoea and Dehydration reported in children below 5 years of age          | 1,269                 |      | 1,331                 |      |                           |      |
| <b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                       |      |                       |      |                           |      |
| <b>E) Family Planning</b>  |  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      | <b>AHS (2012-13)</b>      |      |
| 34   | Number of Vasectomies performed  | 266                   |      | 87                    |      | Limiting                  | 6    |
| 35   | Number of Tubectomies performed  | 2,582                 |      | 2,073                 |      | Spacing                   | 7.4  |
| 36   | Number of IUD insertion  | 2,994                 |      | 1,796                 |      | Women using any method    | 68.8 |
| 37   | Number of IUD removals   | 253                   |      | 476                   |      | Women using modern method | 42.1 |
| <b>F) Service delivery</b>   |  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      |                           |      |
| 38   | IPD cases per 10,000 population ***  | 444                   |      | 628                   |      |                           |      |
| 39   | General OPD cases per 10,000 population ***                                  | 14,398                |      | 16,266                |      |                           |      |
| 40   | Ayush OPD cases per 10,000 population ***                                    | 444                   |      | 534.5                 |      |                           |      |
| <b>G) Mortality Details</b>  |  |                       |      |                       |      |                           |      |
| <b>I)</b>  | <b>Infant Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      |                           |      |
| 41   | Neonatal death within 24 hours   | 102                   |      | 113                   |      |                           |      |
| 42   | Up to 1 Weeks of Birth   | NA                    |      | NA                    |      |                           |      |
| 43   | Between 1 week & 4 weeks of birth  | 253                   |      | 310                   |      |                           |      |
| 44   | Neonatal Death   | 355                   |      | 423                   |      |                           |      |
| 45   | Between 1 month and 11 months  | 175                   |      | 151                   |      |                           |      |
| 46   | <b>Total reported infant deaths</b>  | 530                   |      | 574                   |      |                           |      |
| <b>II)</b>   | <b>Maternal Mortality</b>  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      |                           |      |
|  | <b>Maternal Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> |      | <b>HMIS (2018-19)</b> |      |                           |      |
| 47   | Due to Abortion  | 0                     |      | 0                     |      |                           |      |
| 48   | Due to Obstructed/prolonged labour   | 2                     |      | 3                     |      |                           |      |
| 49   | Due to Severe hypertension / fits  | 2                     |      | 2                     |      |                           |      |
| 50   | Due to Bleeding  | 6                     |      | 11                    |      |                           |      |
| 51   | Due to High fever  | 0                     |      | 0                     |      |                           |      |
| 52   | Due to Other Causes (including causes not known)                             | 50                    |      | 43                    |      |                           |      |
| 53   | <b>Total reported maternal deaths</b>  | 60                    |      | 59                    |      |                           |      |

## Tinsukia Factsheet

### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)  |                        |                        |               |                      |                                  |      |  |
|--|--|------------------------|------------------------|---------------|----------------------|----------------------------------|------|--|
| 1  | Population 2011  | 1,316,948              |                        |               |                      |                                  |      |  |
| 2  | Sex Ratio  | 948                    |                        |               |                      |                                  |      |  |
| <b>B) Infrastructure Details (RHS 2018)</b>  |  | <b>Numbers</b>         |                        |               |                      |                                  |      |  |
| 3  | Sub Centers (SC)   | 164                    |                        |               |                      |                                  |      |  |
| 4  | Primary Health Centers (PHC)   | 20                     |                        |               |                      |                                  |      |  |
| 5  | Community Health Centers (CHC)   | 7                      |                        |               |                      |                                  |      |  |
| 6  | SDH  | 0                      |                        |               |                      |                                  |      |  |
| 7  | DH   | 1                      |                        |               |                      |                                  |      |  |
| <b>C) Maternal Health:</b>   |  | <b>2017-18</b>         | <b>2018-19</b>         |               |                      |                                  |      |  |
| 8  | Expected number of PW  | 34,559                 | 35,061                 |               |                      |                                  |      |  |
| 9  | Expected number of Delivery  | 32,203                 | 32,670                 |               |                      |                                  |      |  |
|  |  | <b>HMIS ( 2017-18)</b> | <b>HMIS ( 2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
|  |  | <b>Number</b>          | <b>PC</b>              | <b>Number</b> | <b>PC</b>            |                                  |      |  |
| 10   | PW register for ANC  | 24,062                 | 69.6                   | 25,409        | 72.5                 | Any ANC                          | 97.2 |  |
| 11   | Mothers registered in the first trimester  | 19,304                 | 80.2                   | 21,337        | 84.0                 | ANC Check up in first trimester  | 71.9 |  |
| 12   | Mothers who had at least 3 Ante-Natal care check ups   | 18,818                 | 78.2                   | 20,887        | 82.2                 | 3 or more ANC check up           | 72.9 |  |
| 13   | PW who got TT 2 / Booster injection  | 21,511                 | 89.4                   | 21,704        | 85.4                 | Atleast 1 TT received            | 97.0 |  |
| 14   | PW who consumed 100 IFA tablets  | 23,651                 | 98.3                   | 24,807        | 97.6                 | 100 IFA tablets consumed         | 21.7 |  |
| 15   | Home Delivery against expected delivery *  | 954                    | 3.0                    | 677           | 2.1                  | Full ANC                         | 18.4 |  |
| 16   | Institutional Delivery against expected delivery *   | 20,092                 | 62.4                   | 21,786        | 66.7                 | Home Delivery                    | 23.8 |  |
| 17   | Home Delivery against reported delivery **   | 954                    | 4.5                    | 677           | 3.0                  | Institutional Delivery           | 75.9 |  |
| 18   | Institutional Delivery against reported delivery **  | 20,092                 | 95.5                   | 21,786        | 97.0                 | Home Delivery by SBA             | 26.2 |  |
| 19   | Total reported Deliveries  | 21,046                 |                        | 22,463        |                      | PNC within 1 week of delivery    | 80.2 |  |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 221                    | 23.2                   | 159           | 23.5                 |                                  |      |  |
| 21   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 19,288                 | 91.6                   | 23,895        | 106.4                |                                  |      |  |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                        |                        |               |                      |                                  |      |  |
| 22   | Expected number of Live Birth  | 31,418                 |                        | 31,873        |                      |                                  |      |  |
| <b>D) Child Immunization :</b>   |  | <b>HMIS ( 2017-18)</b> | <b>HMIS ( 2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |      |  |
| 23   | Total reported live births   | 20,957                 | 66.7                   | 22,326        | 70.0                 | Breastfed within 1 hour of birth | 80.1 |  |
| 24   | Total Still Birth  | 277                    | 0.9                    | 212           | 0.7                  | BCG                              | 98.4 |  |
| 25   | PC of newborn weighted at birth to live birth  | 20,856                 | 99.5                   | 22,146        | 99.2                 | 3 dose of DPT                    | 88.9 |  |

|  |  |                       |                       |                           |      |                   |      |
|--|--|-----------------------|-----------------------|---------------------------|------|-------------------|------|
| 26   | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 3,972                 | 19.0                  | 3,789                     | 17.1 | Measles           | 91.1 |
| 27   | PC of newborns breastfed within 1 hour to total reported live birth.         | 20,585                | 98.2                  | 21,989                    | 98.5 | Full Immunization | 79   |
| 28   | Children fully immunized   | 21,132                | 67.3                  | 20,052                    | 62.9 |                   |      |
| 29   | Children who have received BCG   | 22,322                | 71.0                  | 20,980                    | 65.8 |                   |      |
| 30   | Children who have received DPT1  | 21,713                | 69.1                  | 21,832                    | 68.5 |                   |      |
| 31   | Children who have received DPT3  | 21,046                | 67.0                  | 20,730                    | 65.0 |                   |      |
| 32   | Children who have received Measles   | 21,012                | 66.9                  | 20,179                    | 63.3 |                   |      |
| 33   | Diarrhoea and Dehydration reported in children below 5 years of age          | 3,095                 |                       | 2,432                     |      |                   |      |
| <b>Note:</b> In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006). |  |                       |                       |                           |      |                   |      |
| <b>E) Family Planning</b>  |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> | <b>AHS (2012-13)</b>      |      |                   |      |
| 34   | Number of Vasectomies performed  | 294                   | 383                   | Limiting                  | 8    |                   |      |
| 35   | Number of Tubectomies performed  | 2,898                 | 2,816                 | Spacing                   | 4.9  |                   |      |
| 36   | Number of IUD insertion  | 1,680                 | 1,912                 | Women using any method    | 67   |                   |      |
| 37   | Number of IUD removals   | 419                   | 353                   | Women using modern method | 47   |                   |      |
| <b>F) Service delivery</b>   |  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |      |                   |      |
| 38   | IPD cases per 10,000 population ***  | 657                   | 731                   |                           |      |                   |      |
| 39   | General OPD cases per 10,000 population ***                                  | 13,417                | 13,019                |                           |      |                   |      |
| 40   | Ayush OPD cases per 10,000 population ***                                    | 182                   | 149.8                 |                           |      |                   |      |
| <b>G) Mortality Details</b>  |  |                       |                       |                           |      |                   |      |
| <b>I)</b>  | <b>Infant Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |      |                   |      |
| 41   | Neonatal death within 24 hours   | 46                    | 23                    |                           |      |                   |      |
| 42   | Up to 1 Weeks of Birth   | NA                    | NA                    |                           |      |                   |      |
| 43   | Between 1 week & 4 weeks of birth  | 134                   | 103                   |                           |      |                   |      |
| 44   | Neonatal Death   | 180                   | 126                   |                           |      |                   |      |
| 45   | Between 1 month and 11 months  | 91                    | 71                    |                           |      |                   |      |
| 46   | <b>Total reported infant deaths</b>  | <b>271</b>            | <b>197</b>            |                           |      |                   |      |
| <b>II)</b>   | <b>Maternal Mortality</b>  |                       |                       |                           |      |                   |      |
|  | <b>Maternal Deaths (In Numbers)</b>  | <b>HMIS (2017-18)</b> | <b>HMIS (2018-19)</b> |                           |      |                   |      |
| 47   | Due to Abortion  | 0                     | 0                     |                           |      |                   |      |
| 48   | Due to Obstructed/prolonged labour   | 1                     | 0                     |                           |      |                   |      |
| 49   | Due to Severe hypertension / fits  | 3                     | 1                     |                           |      |                   |      |
| 50   | Due to Bleeding  | 2                     | 3                     |                           |      |                   |      |
| 51   | Due to High fever  | 0                     | 0                     |                           |      |                   |      |
| 52   | Due to Other Causes (including causes not known)                             | 12                    | 13                    |                           |      |                   |      |
| 53   | <b>Total reported maternal deaths</b>  | <b>18</b>             | <b>17</b>             |                           |      |                   |      |

## Udalguri Factsheet

### Key Indicators

| SL No  | A) Demographic Indicators (Census 2011)  |                        |                        |               |                      |                                  |    |  |
|--|--|------------------------|------------------------|---------------|----------------------|----------------------------------|----|--|
| 1  | Population 2011  | 832,769                |                        |               |                      |                                  |    |  |
| 2  | Sex Ratio  | 966                    |                        |               |                      |                                  |    |  |
| <b>B) Infrastructure Details (RHS 2018)</b>  |  | <b>Numbers</b>         |                        |               |                      |                                  |    |  |
| 3  | Sub Centers (SC)   | 146                    |                        |               |                      |                                  |    |  |
| 4  | Primary Health Centers (PHC)   | 21                     |                        |               |                      |                                  |    |  |
| 5  | Community Health Centers (CHC)   | 5                      |                        |               |                      |                                  |    |  |
| 6  | SDH  | 0                      |                        |               |                      |                                  |    |  |
| 7  | DH   | 1                      |                        |               |                      |                                  |    |  |
| <b>C) Maternal Health:</b>   |  | <b>2017-18</b>         | <b>2018-19</b>         |               |                      |                                  |    |  |
| 8  | Expected number of PW  | 21,043                 | 21,249                 |               |                      |                                  |    |  |
| 9  | Expected number of Delivery  | 19,608                 | 19,800                 |               |                      |                                  |    |  |
|  |  | <b>HMIS ( 2017-18)</b> | <b>HMIS ( 2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |    |  |
|  |  | <b>Number</b>          | <b>PC</b>              | <b>Number</b> | <b>PC</b>            |                                  |    |  |
| 10   | PW register for ANC  | 14,497                 | 68.9                   | 15,306        | 72.0                 | Any ANC                          | NA |  |
| 11   | Mothers registered in the first trimester  | 12,280                 | 84.7                   | 12,992        | 84.9                 | ANC Check up in first trimester  | NA |  |
| 12   | Mothers who had at least 3 Ante-Natal care check ups   | 9,993                  | 68.9                   | 11,110        | 72.6                 | 3 or more ANC check up           | NA |  |
| 13   | PW who got TT 2 / Booster injection  | 12,783                 | 88.2                   | 13,387        | 87.5                 | Atleast 1 TT received            | NA |  |
| 14   | PW who consumed 100 IFA tablets  | 12,085                 | 83.4                   | 13,008        | 85.0                 | 100 IFA tablets consumed         | NA |  |
| 15   | Home Delivery against expected delivery *  | 906                    | 4.6                    | 597           | 3.0                  | Full ANC                         | NA |  |
| 16   | Institutional Delivery against expected delivery *   | 8,498                  | 43.3                   | 7,764         | 39.2                 | Home Delivery                    | NA |  |
| 17   | Home Delivery against reported delivery **   | 906                    | 9.6                    | 597           | 7.1                  | Institutional Delivery           | NA |  |
| 18   | Institutional Delivery against reported delivery **  | 8,498                  | 90.4                   | 7,764         | 92.9                 | Home Delivery by SBA             | NA |  |
| 19   | Total reported Deliveries  | 9,404                  |                        | 8,361         |                      | PNC within 1 week of delivery    | NA |  |
| 20   | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)                                   | 282                    | 31.1                   | 322           | 53.9                 |                                  |    |  |
| 21   | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 6,558                  | 69.7                   | 6,911         | 82.7                 |                                  |    |  |
| <b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                        |                        |               |                      |                                  |    |  |
| 22   | Expected number of Live Birth  | 19,130                 |                        | 19,317        |                      |                                  |    |  |
| <b>D) Child Immunization :</b>   |  | <b>HMIS ( 2017-18)</b> | <b>HMIS ( 2018-19)</b> |               | <b>AHS (2012-13)</b> |                                  |    |  |
| 23   | Total reported live births   | 9,307                  | 48.7                   | 8,385         | 43.4                 | Breastfed within 1 hour of birth | NA |  |
| 24   | Total Still Birth  | 160                    | 0.8                    | 133           | 0.7                  | BCG                              | NA |  |
| 25   | PC of newborn weighted at birth to live birth  | 8,652                  | 93.0                   | 8,097         | 96.6                 | 3 dose of DPT                    | NA |  |

|  |  |                        |      |                        |      |                           |    |
|--|--|------------------------|------|------------------------|------|---------------------------|----|
| 26   | PC of newborn having weighted less than 2.5 kg to newborn weighted at birth. | 1,773                  | 20.5 | 1,554                  | 19.2 | Measles                   | NA |
| 27   | PC of newborns breastfed within 1 hour to total reported live birth.         | 8,900                  | 95.6 | 8,191                  | 97.7 | Full Immunization         | NA |
| 28   | Children fully immunized   | 12,929                 | 67.6 | 12,583                 | 65.1 |                           |    |
| 29   | Children who have received BCG   | 11,317                 | 59.2 | 10,994                 | 56.9 |                           |    |
| 30   | Children who have received DPT1  | 13,200                 | 69.0 | 13,006                 | 67.3 |                           |    |
| 31   | Children who have received DPT3  | 12,545                 | 65.6 | 12,598                 | 65.2 |                           |    |
| 32   | Children who have received Measles   | 12,995                 | 67.9 | 12,679                 | 65.6 |                           |    |
| 33   | Diarrhoea and Dehydration reported in children below 5 years of age          | 1,276                  |      | 769                    |      |                           |    |
| <b>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</b> |  |                        |      |                        |      |                           |    |
| <b>E) Family Planning</b>  |  | <b>HMIS ( 2017-18)</b> |      | <b>HMIS ( 2018-19)</b> |      | <b>AHS (2012-13)</b>      |    |
| 34   | Number of Vasectomies performed  | 28                     |      | 34                     |      | Limiting                  | NA |
| 35   | Number of Tubectomies performed  | 220                    |      | 83                     |      | Spacing                   | NA |
| 36   | Number of IUD insertion  | 2,084                  |      | 1,201                  |      | Women using any method    | NA |
| 37   | Number of IUD removals   | 515                    |      | 660                    |      | Women using modern method | NA |
| <b>F) Service delivery</b>   |  | <b>HMIS ( 2017-18)</b> |      | <b>HMIS ( 2018-19)</b> |      |                           |    |
| 38   | IPD cases per 10,000 population ***  | 220                    |      | 222                    |      |                           |    |
| 39   | General OPD cases per 10,000 population ***                                  | 10,318                 |      | 10,014                 |      |                           |    |
| 40   | Ayush OPD cases per 10,000 population ***                                    | 237                    |      | 1042.8                 |      |                           |    |
| <b>G) Mortality Details</b>  |  |                        |      |                        |      |                           |    |
| <b>I)</b>  | <b>Infant Deaths (In Numbers)</b>  | <b>HMIS ( 2017-18)</b> |      | <b>HMIS ( 2018-19)</b> |      |                           |    |
| 41   | Neonatal death within 24 hours   | 32                     |      | 24                     |      |                           |    |
| 42   | Up to 1 Weeks of Birth   | NA                     |      | NA                     |      |                           |    |
| 43   | Between 1 week & 4 weeks of birth  | 94                     |      | 49                     |      |                           |    |
| 44   | Neonatal Death   | 126                    |      | 73                     |      |                           |    |
| 45   | Between 1 month and 11 months  | 124                    |      | 111                    |      |                           |    |
| 46   | <b>Total reported infant deaths</b>  | <b>250</b>             |      | <b>184</b>             |      |                           |    |
| <b>II)</b>   | <b>Maternal Mortality</b>  | <b>HMIS ( 2017-18)</b> |      | <b>HMIS ( 2018-19)</b> |      |                           |    |
|  | <b>Maternal Deaths (In Numbers)</b>  | <b>HMIS ( 2017-18)</b> |      | <b>HMIS ( 2018-19)</b> |      |                           |    |
| 47   | Due to Abortion  | 0                      |      | 0                      |      |                           |    |
| 48   | Due to Obstructed/prolonged labour   | 2                      |      | 0                      |      |                           |    |
| 49   | Due to Severe hypertension / fits  | 4                      |      | 2                      |      |                           |    |
| 50   | Due to Bleeding  | 2                      |      | 1                      |      |                           |    |
| 51   | Due to High fever  | 0                      |      | 1                      |      |                           |    |
| 52   | Due to Other Causes (including causes not known)                             | 14                     |      | 11                     |      |                           |    |
| 53   | <b>Total reported maternal deaths</b>  | <b>22</b>              |      | <b>15</b>              |      |                           |    |