

## Manipur Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,855,794					
2	Sex Ratio	987					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	429					
4	Primary Health Centers (PHC)	91					
5	Community Health Centers (CHC)	23					
6	SDH	1					
7	DH	8					
C) Maternal Health:		2017-18		2018-19			
8	Expected number of PW	45,275		46,119			
9	Expected number of Delivery	41,653		42,430			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	55,802	123.3	57,477	124.6	Any ANC	75.8
11	Mothers registered in the first trimester	34,056	61.0	34,337	59.7	ANC Check up in first trimester	55.1
12	Mothers who had at least 3 Ante-Natal care check ups	26,419	47.3	29,077	50.6	3 or more ANC check up	61.3
13	PW who got TT 2 / Booster injection	35,930	64.4	34,137	59.4	At least 1 TT received	73.9
14	PW who consumed 100 IFA tablets	25,506	45.7	22,150	38.5	100 IFA tablets consumed	31.9
15	Home Delivery against expected delivery *	6,960	16.7	6,527	15.4	Full ANC	28.3
16	Institutional Delivery against expected delivery *	31,601	75.9	31,299	73.8	Home Delivery	37.4
17	Home Delivery against reported delivery **	6,960	18.0	6,527	17.3	Institutional Delivery	61.1
18	Institutional Delivery against reported delivery **	31,601	82.0	31,299	82.7	Home Delivery by SBA	12.4
19	Total reported Deliveries	38,561		37,826		PNC within 14 days of delivery	78.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4,501	64.7	4,075	62.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	19,916	51.6	18,273	48.3		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	41,159		41,927			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	38,556	93.7	37,821	90.2	Breastfed within 1 hour of birth	43.4
24	Total Still Birth	181	0.4	192	0.5	BCG	85.5

25	PC of newborn weighted at birth to live birth	37,605	97.5	36,888	97.5	3 dose of DPT	75.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,677	4.5	1,567	4.2	Measles	69
27	PC of newborns breastfed within 1 hour to total reported live birth.	36,035	93.5	33,423	88.4	Full Immunization	54.1
28	Children fully immunized	39,360	95.6	34,831	83.1		
29	Children who have received BCG	44,337	107.7	41,785	99.7		
30	Children who have received DPT1	43,237	105.0	42,023	100.2		
31	Children who have received DPT3	41,153	100.0	37,839	90.3		
32	Children who have received Measles	40,128	97.5	36,055	86.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	14,672		13,523			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	70	80	Limiting	25.7
35	Number of Tubectomies performed	669	935	Spacing	28.8
36	Number of IUD insertion	3,530	3,272	Women using any method	20.5
37	Number of IUD removals	2,014	1,937	Women using modern method	11.3
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
38	IPD cases per 10,000 population ***	263	282		
39	General OPD cases per 10,000 population ***	4062	3899		
40	Ayush OPD cases per 10,000 population ***	356	322		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
41	Neonatal death within 24 hours	22	26		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	54	33		
44	Neonatal Death	76	59		
45	Between 1 month and 11 months	66	28		
46	<b>Total reported infant deaths</b>	142	87		
II)	Maternal Mortality	HMIS (2017-18)	HMIS (2018-19)		
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	1	1		
49	Due to Severe hypertension/fits	1	1		
50	Due to Bleeding	4	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	10	9		
53	<b>Total reported maternal deaths</b>	16	12		

## Bishnupur Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	237,399					
2	Sex Ratio	1,000					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	33					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2017-18		2018-19			
8	Expected number of PW	3,691		3,748			
9	Expected number of Delivery	3,396		3,448			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	4,566	123.7	4,567	121.9	Any ANC	92.5
11	Mothers registered in the first trimester	3,189	69.8	3,377	73.9	ANC Check up in first trimester	68.4
12	Mothers who had at least 3 Ante-Natal care check ups	4,935	108.1	4,779	104.6	3 or more ANC check up	79.2
13	PW who got TT 2 / Booster injection	3,223	70.6	3,440	75.3	At least 1 TT received	86.6
14	PW who consumed 100 IFA tablets	2,286	50.1	1,629	35.7	100 IFA tablets consumed	46.2
15	Home Delivery against expected delivery *	60	1.8	37	1.1	Full ANC	40.3
16	Institutional Delivery against expected delivery *	1,047	30.8	916	26.6	Home Delivery	16.0
17	Home Delivery against reported delivery **	60	5.4	37	3.9	Institutional Delivery	83.7
18	Institutional Delivery against reported delivery **	1,047	94.6	916	96.1	Home Delivery by SBA	6.8
19	Total reported Deliveries	1,107		953		PNC within 14 days of delivery	82.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	38	63.3	26	70.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	402	36.3	257	27.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	3,356		3,407			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	1,103	32.9	949	27.9	Breastfed within 1 hour of birth	58.3
24	Total Still Birth	6	0.2	7	0.2	BCG	92.8

25	PC of newborn weighted at birth to live birth	1,097	99.5	942	99.3	3 dose of DPT	73.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	33	3.0	14	1.5	Measles	79.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,093	99.1	946	99.7	Full Immunization	58
28	Children fully immunized	3,705	110.4	3,248	95.3		
29	Children who have received BCG	3,774	112.5	3,547	104.1		
30	Children who have received DPT1	3,944	117.5	3,798	111.5		
31	Children who have received DPT3	3,602	107.3	3,530	103.6		
32	Children who have received Measles	3,713	110.6	3,280	96.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,712		1,393			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>	<b>DLHS-4 (2012-13)</b>			
34	Number of Vasectomies performed	0	0	Limiting	22.9		
35	Number of Tubectomies performed	20	1	Spacing	25.3		
36	Number of IUD insertion	295	258	Women using any method	30.2		
37	Number of IUD removals	228	179	Women using modern method	18.6		
<b>F) Service delivery</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>				
38	IPD cases per 10,000 population ***	305	241				
39	General OPD cases per 10,000 population ***	8007	7445				
40	Ayush OPD cases per 10,000 population ***	957	733				
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>				
41	Neonatal death within 24 hours	0	0				
42	Up to 1 Weeks of Birth	NA	NA				
43	Between 1 week & 4 weeks of birth	2	0				
44	Neonatal Death	2	0				
45	Between 1 month and 11 months	6	2				
46	<b>Total reported infant deaths</b>	<b>8</b>	<b>2</b>				
<b>II) Maternal Mortality</b>							
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	2	0				
53	<b>Total reported maternal deaths</b>	<b>2</b>	<b>0</b>				

## Chandel Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	144,182					
2	Sex Ratio	932					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	28					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2017-18		2018-19			
8	Expected number of PW	2,327		2,378			
9	Expected number of Delivery	2,141		2,188			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	1,680	72.2	2,027	85.2	Any ANC	62.3
11	Mothers registered in the first trimester	991	59.0	1,101	54.3	ANC Check up in first trimester	47.7
12	Mothers who had at least 3 Ante-Natal care check ups	413	24.6	597	29.5	3 or more ANC check up	43.7
13	PW who got TT 2 / Booster injection	1,242	73.9	1,249	61.6	At least 1 TT received	60.6
14	PW who consumed 100 IFA tablets	1,085	64.6	1,039	51.3	100 IFA tablets consumed	14.3
15	Home Delivery against expected delivery *	613	28.6	572	26.1	Full ANC	11.0
16	Institutional Delivery against expected delivery *	205	9.6	318	14.5	Home Delivery	59.4
17	Home Delivery against reported delivery **	613	74.9	572	64.3	Institutional Delivery	36.2
18	Institutional Delivery against reported delivery **	205	25.1	318	35.7	Home Delivery by SBA	14.9
19	Total reported Deliveries	818		890		PNC within 14 days of delivery	57.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	236	38.5	374	65.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	468	57.2	394	44.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,116		2,162			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	819	38.7	890	41.2	Breastfed within 1 hour of birth	42.9
24	Total Still Birth	3	0.1	2	0.1	BCG	86

25	PC of newborn weighted at birth to live birth	627	76.6	752	84.5	3 dose of DPT	79.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	9	1.4	13	1.7	Measles	72.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	754	92.1	844	94.8	Full Immunization	52.3
28	Children fully immunized	1,058	50.0	980	45.3		
29	Children who have received BCG	1,217	57.5	1,271	58.8		
30	Children who have received DPT1	1,249	59.0	1,303	60.3		
31	Children who have received DPT3	1,179	55.7	1,011	46.8		
32	Children who have received Measles	1,133	53.5	1,004	46.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,099		1,250			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS ( 2017-18)</b>		<b>HMIS ( 2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
34	Number of Vasectomies performed	9		0		Limiting	33.9
35	Number of Tubectomies performed	7		0		Spacing	32.1
36	Number of IUD insertion	61		57		Women using any method	8.3
37	Number of IUD removals	21		30		Women using modern method	5.4
<b>F) Service delivery</b>		<b>HMIS ( 2017-18)</b>		<b>HMIS ( 2018-19)</b>			
38	IPD cases per 10,000 population ***	185		155			
39	General OPD cases per 10,000 population ***	2326		2247			
40	Ayush OPD cases per 10,000 population ***	339		288			
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS ( 2017-18)</b>		<b>HMIS ( 2018-19)</b>			
41	Neonatal death within 24 hours	0		1			
42	Up to 1 Weeks of Birth	NA		NA			
43	Between 1 week & 4 weeks of birth	0		1			
44	Neonatal Death	0		2			
45	Between 1 month and 11 months	2		2			
46	<b>Total reported infant deaths</b>	2		4			
<b>II) Maternal Mortality</b>							
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS ( 2017-18)</b>		<b>HMIS ( 2018-19)</b>			
47	Due to Abortion	0		0			
48	Due to Obstructed/prolonged labour	0		0			
49	Due to Severe hypertension/fits	0		0			
50	Due to Bleeding	0		0			
51	Due to High fever	0		0			
52	Due to Other Causes (including causes not known)	0		1			
53	<b>Total reported maternal deaths</b>	0		1			

## Churachandpur Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	274,143					
2	Sex Ratio	969					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	67					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2017-18</b>		<b>2018-19</b>			
8	Expected number of PW	4,356		4,439			
9	Expected number of Delivery	4,007		4,084			
		<b>HMIS (2017-18)</b>		<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	6,033	138.5	5,511	124.2	Any ANC	51.3
11	Mothers registered in the first trimester	3,772	62.5	3,925	71.2	ANC Check up in first trimester	26.5
12	Mothers who had at least 3 Ante-Natal care check ups	1,398	23.2	1,576	28.6	3 or more ANC check up	31.0
13	PW who got TT 2 / Booster injection	3,488	57.8	3,211	58.3	At least 1 TT received	51.0
14	PW who consumed 100 IFA tablets	3,242	53.7	4,115	74.7	100 IFA tablets consumed	12.6
15	Home Delivery against expected delivery *	598	14.9	501	12.3	Full ANC	7.6
16	Institutional Delivery against expected delivery *	3,664	91.4	3,656	89.5	Home Delivery	45.6
17	Home Delivery against reported delivery **	598	14.0	501	12.1	Institutional Delivery	51.0
18	Institutional Delivery against reported delivery **	3,664	86.0	3,656	87.9	Home Delivery by SBA	14.6
19	Total reported Deliveries	4,262		4,157		PNC within 14 days of delivery	82.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	250	41.8	158	31.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,471	81.4	3,686	88.7		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	3,960		4,035			
<b>D) Child Immunization :</b>		<b>HMIS (2017-18)</b>		<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	4,240	107.1	4,126	102.2	Breastfed within 1 hour of birth	44.6
24	Total Still Birth	22	0.6	34	0.8	BCG	64.6

25	PC of newborn weighted at birth to live birth	4,176	98.5	4,093	99.2	3 dose of DPT	62.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	172	4.1	139	3.4	Measles	39.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,838	90.5	3,651	88.5	Full Immunization	18.8
28	Children fully immunized	3,640	91.9	3,203	79.4		
29	Children who have received BCG	4,137	104.5	3,697	91.6		
30	Children who have received DPT1	4,223	106.6	4,012	99.4		
31	Children who have received DPT3	4,041	102.0	3,338	82.7		
32	Children who have received Measles	3,697	93.4	3,439	85.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	5,347		4,796			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>	<b>DLHS-4 (2012-13)</b>			
34	Number of Vasectomies performed	7	68	Limiting	24.4		
35	Number of Tubectomies performed	99	134	Spacing	36.2		
36	Number of IUD insertion	760	749	Women using any method	22.6		
37	Number of IUD removals	434	369	Women using modern method	14.6		
<b>F) Service delivery</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>				
38	IPD cases per 10,000 population ***	444	461				
39	General OPD cases per 10,000 population ***	5476	4486				
40	Ayush OPD cases per 10,000 population ***	172	118				
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>				
41	Neonatal death within 24 hours	7	18				
42	Up to 1 Weeks of Birth	NA	NA				
43	Between 1 week & 4 weeks of birth	42	20				
44	Neonatal Death	49	38				
45	Between 1 month and 11 months	24	14				
46	<b>Total reported infant deaths</b>	<b>73</b>	<b>52</b>				
<b>II) Maternal Mortality</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>				
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	1	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	2	2				
53	<b>Total reported maternal deaths</b>	<b>3</b>	<b>2</b>				

## Imphal East Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	456,113					
2	Sex Ratio	1,011					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	54					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2017-18</b>		<b>2018-19</b>			
8	Expected number of PW	7,062		7,165			
9	Expected number of Delivery	6,497		6,592			
		<b>HMIS (2017-18)</b>		<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	8,309	117.7	8,174	114.1	Any ANC	87.9
11	Mothers registered in the first trimester	6,348	76.4	6,192	75.8	ANC Check up in first trimester	63.0
12	Mothers who had at least 3 Ante-Natal care check ups	3,223	38.8	3,331	40.8	3 or more ANC check up	75.0
13	PW who got TT 2 / Booster injection	6,532	78.6	6,422	78.6	At least 1 TT received	86.8
14	PW who consumed 100 IFA tablets	2,968	35.7	3,042	37.2	100 IFA tablets consumed	41.5
15	Home Delivery against expected delivery *	88	1.4	61	0.9	Full ANC	37.8
16	Institutional Delivery against expected delivery *	7,891	121.5	7,892	119.7	Home Delivery	23.9
17	Home Delivery against reported delivery **	88	1.1	61	0.8	Institutional Delivery	75.6
18	Institutional Delivery against reported delivery **	7,891	98.9	7,892	99.2	Home Delivery by SBA	12.6
19	Total reported Deliveries	7,979		7,953		PNC within 14 days of delivery	84.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	42	47.7	37	60.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,030	113.2	8,969	112.8		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	6,420		6,514			
<b>D) Child Immunization :</b>		<b>HMIS (2017-18)</b>		<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	7,967	124.1	7,922	121.6	Breastfed within 1 hour of birth	40.2
24	Total Still Birth	12	0.2	31	0.5	BCG	90.4

25	PC of newborn weighted at birth to live birth	7,943	99.7	7,893	99.6	3 dose of DPT	69.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	40	0.5	58	0.7	Measles	78.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	7,925	99.5	7,795	98.4	Full Immunization	55.9
28	Children fully immunized	6,905	107.6	6,547	100.5		
29	Children who have received BCG	8,605	134.0	7,114	109.2		
30	Children who have received DPT1	7,203	112.2	7,131	109.5		
31	Children who have received DPT3	6,657	103.7	6,573	100.9		
32	Children who have received Measles	7,125	111.0	6,699	102.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	568		613			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>	<b>DLHS-4 (2012-13)</b>			
34	Number of Vasectomies performed	0	0	Limiting	26.4		
35	Number of Tubectomies performed	110	302	Spacing	24.2		
36	Number of IUD insertion	509	430	Women using any method	22.4		
37	Number of IUD removals	310	395	Women using modern method	12.6		
<b>F) Service delivery</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>				
38	IPD cases per 10,000 population ***	185	99				
39	General OPD cases per 10,000 population ***	3329	2087				
40	Ayush OPD cases per 10,000 population ***	286	289				
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>				
41	Neonatal death within 24 hours	3	1				
42	Up to 1 Weeks of Birth	NA	NA				
43	Between 1 week & 4 weeks of birth	1	0				
44	Neonatal Death	4	1				
45	Between 1 month and 11 months	0	0				
46	<b>Total reported infant deaths</b>	4	1				
<b>II) Maternal Mortality</b>							
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	1	0				
53	<b>Total reported maternal deaths</b>	1	0				

## Imphal West Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	517,992					
2	Sex Ratio	1,029					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	51					
4	Primary Health Centers (PHC)	9					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
<b>C) Maternal Health:</b>		<b>2017-18</b>		<b>2018-19</b>			
8	Expected number of PW	8,076		8,204			
9	Expected number of Delivery	7,430		7,548			
		<b>HMIS (2017-18)</b>		<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	9,360	115.9	9,945	121.2	Any ANC	91.6
11	Mothers registered in the first trimester	6,825	72.9	7,271	73.1	ANC Check up in first trimester	75.4
12	Mothers who had at least 3 Ante-Natal care check ups	9,033	96.5	11,827	118.9	3 or more ANC check up	82.2
13	PW who got TT 2 / Booster injection	7,002	74.8	6,921	69.6	At least 1 TT received	89.2
14	PW who consumed 100 IFA tablets	3,047	32.6	2,304	23.2	100 IFA tablets consumed	53.4
15	Home Delivery against expected delivery *	155	2.1	148	2.0	Full ANC	50.0
16	Institutional Delivery against expected delivery *	12,642	170.1	12,662	167.8	Home Delivery	13.5
17	Home Delivery against reported delivery **	155	1.2	148	1.2	Institutional Delivery	85.5
18	Institutional Delivery against reported delivery **	12,642	98.8	12,662	98.8	Home Delivery by SBA	5.4
19	Total reported Deliveries	12,797		12,810		PNC within 14 days of delivery	81.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	126	81.3	121	81.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,850	14.5	329	2.6		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	7,342		7,458			
<b>D) Child Immunization :</b>		<b>HMIS (2017-18)</b>		<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	12,851	175.0	12,882	172.7	Breastfed within 1 hour of birth	38.6
24	Total Still Birth	108	1.5	82	1.1	BCG	97.7

25	PC of newborn weighted at birth to live birth	12,829	99.8	12,861	99.8	3 dose of DPT	93
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,305	10.2	1,201	9.3	Measles	88.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	11,414	88.8	10,068	78.2	Full Immunization	79.1
28	Children fully immunized	8,084	110.1	7,153	95.9		
29	Children who have received BCG	8,794	119.8	8,929	119.7		
30	Children who have received DPT1	8,080	110.1	8,093	108.5		
31	Children who have received DPT3	8,058	109.8	7,463	100.1		
32	Children who have received Measles	8,226	112.0	7,356	98.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,127		2,174			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>	<b>DLHS-4 (2012-13)</b>			
34	Number of Vasectomies performed	35	12	Limiting	25.3		
35	Number of Tubectomies performed	331	472	Spacing	28.9		
36	Number of IUD insertion	685	533	Women using any method	22.8		
37	Number of IUD removals	353	376	Women using modern method	12.5		
<b>F) Service delivery</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>				
38	IPD cases per 10,000 population ***	533	770				
39	General OPD cases per 10,000 population ***	5110	6627				
40	Ayush OPD cases per 10,000 population ***	354	479				
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>				
41	Neonatal death within 24 hours	3	1				
42	Up to 1 Weeks of Birth	NA	NA				
43	Between 1 week & 4 weeks of birth	5	6				
44	Neonatal Death	8	7				
45	Between 1 month and 11 months	9	3				
46	<b>Total reported infant deaths</b>	<b>17</b>	<b>10</b>				
<b>II) Maternal Mortality</b>							
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	1				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	2	3				
53	<b>Total reported maternal deaths</b>	<b>2</b>	<b>4</b>				

## Senapati Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	479,148					
2	Sex Ratio	939					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	68					
4	Primary Health Centers (PHC)	15					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2017-18		2018-19			
8	Expected number of PW	7,892		8,091			
9	Expected number of Delivery	7,261		7,444			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
10	PW register for ANC	11,371	144.1	12,165	150.4	Any ANC	63.1
11	Mothers registered in the first trimester	4,558	40.1	3,867	31.8	ANC Check up in first trimester	42.4
12	Mothers who had at least 3 Ante-Natal care check ups	3,220	28.3	3,361	27.6	3 or more ANC check up	47.9
13	PW who got TT 2 / Booster injection	7,318	64.4	6,261	51.5	At least 1 TT received	61.0
14	PW who consumed 100 IFA tablets	5,297	46.6	4,038	33.2	100 IFA tablets consumed	14.1
15	Home Delivery against expected delivery *	4,024	55.4	3,919	52.6	Full ANC	12.8
16	Institutional Delivery against expected delivery *	1,898	26.1	1,938	26.0	Home Delivery	66.6
17	Home Delivery against reported delivery **	4,024	68.0	3,919	66.9	Institutional Delivery	32.6
18	Institutional Delivery against reported delivery **	1,898	32.0	1,938	33.1	Home Delivery by SBA	23.1
19	Total reported Deliveries	5,922		5,857		PNC within 14 days of delivery	78.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3,091	76.8	2,719	69.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,135	36.1	3,139	53.6		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	7,175		7,355			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
23	Total reported live births	5,879	81.9	5,845	79.5	Breastfed within 1 hour of birth	47.7
24	Total Still Birth	6	0.1	10	0.1	BCG	87.7

25	PC of newborn weighted at birth to live birth	5,429	92.3	5,345	91.4	3 dose of DPT	66.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	21	0.4	39	0.7	Measles	64.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,728	97.4	5,680	97.2	Full Immunization	47.7
28	Children fully immunized	6,359	88.6	5,682	77.3		
29	Children who have received BCG	6,821	95.1	7,038	95.7		
30	Children who have received DPT1	6,985	97.4	7,001	95.2		
31	Children who have received DPT3	6,796	94.7	6,574	89.4		
32	Children who have received Measles	6,427	89.6	5,952	80.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,298		1,354			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>	<b>DLHS-4 (2012-13)</b>			
34	Number of Vasectomies performed	0	0	Limiting	24.3		
35	Number of Tubectomies performed	36	0	Spacing	26		
36	Number of IUD insertion	383	349	Women using any method	24.4		
37	Number of IUD removals	196	157	Women using modern method	9.8		
<b>F) Service delivery</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>				
38	IPD cases per 10,000 population ***	73	73				
39	General OPD cases per 10,000 population ***	1995	1868				
40	Ayush OPD cases per 10,000 population ***	266	180				
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>				
41	Neonatal death within 24 hours	1	2				
42	Up to 1 Weeks of Birth	NA	NA				
43	Between 1 week & 4 weeks of birth	1	1				
44	Neonatal Death	2	3				
45	Between 1 month and 11 months	5	1				
46	<b>Total reported infant deaths</b>	<b>7</b>	<b>4</b>				
<b>II) Maternal Mortality</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>				
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	1	1				
50	Due to Bleeding	1	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	1				
53	<b>Total reported maternal deaths</b>	<b>2</b>	<b>2</b>				

## Tamenglong Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	140,651						
2	Sex Ratio	953						
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	30						
4	Primary Health Centers (PHC)	6						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	1						
<b>C) Maternal Health:</b>		<b>2017-18</b>	<b>2018-19</b>					
8	Expected number of PW	2,324	2,384					
9	Expected number of Delivery	2,138	2,193					
		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	2,577	110.9	2,824	118.5	Any ANC	60.3	
11	Mothers registered in the first trimester	1,338	51.9	1,468	52.0	ANC Check up in first trimester	34.3	
12	Mothers who had at least 3 Ante-Natal care check ups	571	22.2	645	22.8	3 or more ANC check up	41.9	
13	PW who got TT 2 / Booster injection	1,345	52.2	1,296	45.9	At least 1 TT received	56.8	
14	PW who consumed 100 IFA tablets	833	32.3	924	32.7	100 IFA tablets consumed	17.1	
15	Home Delivery against expected delivery *	407	19.0	410	18.7	Full ANC	13.7	
16	Institutional Delivery against expected delivery *	703	32.9	717	32.7	Home Delivery	60.8	
17	Home Delivery against reported delivery **	407	36.7	410	36.4	Institutional Delivery	38.7	
18	Institutional Delivery against reported delivery **	703	63.3	717	63.6	Home Delivery by SBA	11.6	
19	Total reported Deliveries	1,110		1,127		PNC within 14 days of delivery	62.3	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	155	38.1	183	44.6			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	199	17.9	186	16.5			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>								
22	Expected number of Live Birth	2,113		2,167				
<b>D) Child Immunization :</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	1,133	53.6	1,117	51.5	Breastfed within 1 hour of birth	61.2	
24	Total Still Birth	7	0.3	10	0.5	BCG	76.3	

25	PC of newborn weighted at birth to live birth	1,077	95.1	1,049	93.9	3 dose of DPT	56.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	16	1.5	15	1.4	Measles	54.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,077	95.1	1,069	95.7	Full Immunization	29.7
28	Children fully immunized	1,409	66.7	1,286	59.3		
29	Children who have received BCG	1,858	87.9	1,760	81.2		
30	Children who have received DPT1	1,991	94.2	1,850	85.4		
31	Children who have received DPT3	1,801	85.2	1,611	74.3		
32	Children who have received Measles	1,464	69.3	1,370	63.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	609		521			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>	<b>DLHS-4 (2012-13)</b>			
34	Number of Vasectomies performed	0	0	Limiting	31.6		
35	Number of Tubectomies performed	39	17	Spacing	36.2		
36	Number of IUD insertion	415	462	Women using any method	8		
37	Number of IUD removals	170	191	Women using modern method	4.5		
<b>F) Service delivery</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>				
38	IPD cases per 10,000 population ***	150	113				
39	General OPD cases per 10,000 population ***	2440	2024				
40	Ayush OPD cases per 10,000 population ***	61	69				
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>				
41	Neonatal death within 24 hours	2	1				
42	Up to 1 Weeks of Birth	NA	NA				
43	Between 1 week & 4 weeks of birth	1	0				
44	Neonatal Death	3	1				
45	Between 1 month and 11 months	12	5				
46	<b>Total reported infant deaths</b>	15	6				
<b>II) Maternal Mortality</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>				
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	1	1				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	0	1				
53	<b>Total reported maternal deaths</b>	1	2				

## Thoubal Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	422,168					
2	Sex Ratio	1,006					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	57					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2017-18</b>		<b>2018-19</b>			
8	Expected number of PW	6,569		6,671			
9	Expected number of Delivery	6,043		6,137			
		<b>HMIS (2017-18)</b>		<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	8,367	127.4	8,645	129.6	Any ANC	92.0
11	Mothers registered in the first trimester	5,856	70.0	6,195	71.7	ANC Check up in first trimester	80.1
12	Mothers who had at least 3 Ante-Natal care check ups	2,412	28.8	1,986	23.0	3 or more ANC check up	78.2
13	PW who got TT 2 / Booster injection	4,433	53.0	4,197	48.5	At least 1 TT received	90.8
14	PW who consumed 100 IFA tablets	4,803	57.4	3,923	45.4	100 IFA tablets consumed	46.2
15	Home Delivery against expected delivery *	306	5.1	263	4.3	Full ANC	42.2
16	Institutional Delivery against expected delivery *	2,298	38.0	2,060	33.6	Home Delivery	24.6
17	Home Delivery against reported delivery **	306	11.8	263	11.3	Institutional Delivery	74.2
18	Institutional Delivery against reported delivery **	2,298	88.2	2,060	88.7	Home Delivery by SBA	12.0
19	Total reported Deliveries	2,604		2,323		PNC within 14 days of delivery	75.5
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	195	63.7	146	55.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,640	63.0	859	37.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	5,972		6,064			
<b>D) Child Immunization :</b>		<b>HMIS (2017-18)</b>		<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	2,602	43.6	2,329	38.4	Breastfed within 1 hour of birth	26.3
24	Total Still Birth	8	0.1	4	0.1	BCG	88.2

25	PC of newborn weighted at birth to live birth	2,578	99.1	2,293	98.5	3 dose of DPT	84
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	44	1.7	46	2.0	Measles	66.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,571	98.8	1,927	82.7	Full Immunization	59.1
28	Children fully immunized	6,631	111.0	5,302	87.4		
29	Children who have received BCG	6,886	115.3	6,333	104.4		
30	Children who have received DPT1	7,367	123.4	6,891	113.6		
31	Children who have received DPT3	7,068	118.4	5,940	98.0		
32	Children who have received Measles	6,670	111.7	5,534	91.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,715		1,338			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>	<b>DLHS-4 (2012-13)</b>			
34	Number of Vasectomies performed	19	0	Limiting	24.5		
35	Number of Tubectomies performed	19	0	Spacing	25		
36	Number of IUD insertion	378	341	Women using any method	18.6		
37	Number of IUD removals	230	151	Women using modern method	10.1		
<b>F) Service delivery</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>				
38	IPD cases per 10,000 population ***	226	217				
39	General OPD cases per 10,000 population ***	4930	4497				
40	Ayush OPD cases per 10,000 population ***	514	419				
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>				
41	Neonatal death within 24 hours	3	0				
42	Up to 1 Weeks of Birth	NA	NA				
43	Between 1 week & 4 weeks of birth	0	0				
44	Neonatal Death	3	0				
45	Between 1 month and 11 months	2	0				
46	<b>Total reported infant deaths</b>	<b>5</b>	<b>0</b>				
<b>II) Maternal Mortality</b>							
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	0	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	2	0				
53	<b>Total reported maternal deaths</b>	<b>2</b>	<b>0</b>				

## Ukhrul Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	183,998					
2	Sex Ratio	948					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	41					
4	Primary Health Centers (PHC)	9					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2017-18</b>		<b>2018-19</b>			
8	Expected number of PW	3,119		3,213			
9	Expected number of Delivery	2,869		2,956			
		<b>HMIS (2017-18)</b>		<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	3,539	113.5	3,619	112.6	Any ANC	49.0
11	Mothers registered in the first trimester	1,179	33.3	941	26.0	ANC Check up in first trimester	25.8
12	Mothers who had at least 3 Ante-Natal care check ups	1,214	34.3	975	26.9	3 or more ANC check up	34.2
13	PW who got TT 2 / Booster injection	1,347	38.1	1,140	31.5	At least 1 TT received	46.6
14	PW who consumed 100 IFA tablets	1,945	55.0	1,136	31.4	100 IFA tablets consumed	10.1
15	Home Delivery against expected delivery *	709	24.7	616	20.8	Full ANC	8.5
16	Institutional Delivery against expected delivery *	1,253	43.7	1,140	38.6	Home Delivery	64.2
17	Home Delivery against reported delivery **	709	36.1	616	35.1	Institutional Delivery	32.7
18	Institutional Delivery against reported delivery **	1,253	63.9	1,140	64.9	Home Delivery by SBA	12.4
19	Total reported Deliveries	1,962		1,756		PNC within 14 days of delivery	64.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	368	51.9	311	50.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	721	36.7	454	25.9		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</b>							
22	Expected number of Live Birth	2,835		2,921			
<b>D) Child Immunization :</b>		<b>HMIS (2017-18)</b>		<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,962	69.2	1,761	60.3	Breastfed within 1 hour of birth	41.5
24	Total Still Birth	9	0.3	12	0.4	BCG	62.1

25	PC of newborn weighted at birth to live birth	1,849	94.2	1,660	94.3	3 dose of DPT	61.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	37	2.0	42	2.5	Measles	42.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,635	83.3	1,443	81.9	Full Immunization	33.8
28	Children fully immunized	1,569	55.3	1,430	49.0		
29	Children who have received BCG	2,245	79.2	2,096	71.8		
30	Children who have received DPT1	2,195	77.4	1,944	66.6		
31	Children who have received DPT3	1,951	68.8	1,799	61.6		
32	Children who have received Measles	1,673	59.0	1,421	48.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	197		84			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>	<b>DLHS-4 (2012-13)</b>			
34	Number of Vasectomies performed	0	0	Limiting	26.7		
35	Number of Tubectomies performed	8	9	Spacing	33.8		
36	Number of IUD insertion	44	93	Women using any method	15.7		
37	Number of IUD removals	72	89	Women using modern method	7.2		
<b>F) Service delivery</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>				
38	IPD cases per 10,000 population ***	132	103				
39	General OPD cases per 10,000 population ***	2081	2298				
40	Ayush OPD cases per 10,000 population ***	184	145				
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>				
41	Neonatal death within 24 hours	3	2				
42	Up to 1 Weeks of Birth	NA	NA				
43	Between 1 week & 4 weeks of birth	2	5				
44	Neonatal Death	5	7				
45	Between 1 month and 11 months	6	1				
46	<b>Total reported infant deaths</b>	11	8				
<b>II) Maternal Mortality</b>							
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>				
47	Due to Abortion	0	0				
48	Due to Obstructed/prolonged labour	0	0				
49	Due to Severe hypertension/fits	0	0				
50	Due to Bleeding	2	0				
51	Due to High fever	0	0				
52	Due to Other Causes (including causes not known)	1	1				
53	<b>Total reported maternal deaths</b>	3	1				