

Meghalaya Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|---|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| 1 | Population 2011 | 2,966,889 | | | | | |
| 2 | Sex Ratio | 986 | | | | | |
| B) Infrastructure Details (RHS 2018) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 443 | | | | | |
| 4 | Primary Health Centers (PHC) | 108 | | | | | |
| 5 | Community Health Centers (CHC) | 28 | | | | | |
| 6 | SDH | 1 | | | | | |
| 7 | DH | 12 | | | | | |
| C) Maternal Health: | | 2017-18 | | 2018-19 | | | |
| 8 | Expected number of PW | 91,357 | | 93,899 | | | |
| 9 | Expected number of Delivery | 85,543 | | 87,923 | | | |
| | | HMIS (2017-18) | | HMIS (2018-19) | | DLHS-4 (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 130,897 | 143.3 | 140,864 | 150.0 | Any ANC | 74.1 |
| 11 | Mothers registered in the first trimester | 44,757 | 34.2 | 43,477 | 30.9 | ANC Check up in first trimester | 38.3 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 57,681 | 44.1 | 51,843 | 36.8 | 3 or more ANC check up | 45.6 |
| 13 | PW who got TT 2 / Booster injection | 73,026 | 55.8 | 72,476 | 51.5 | At least 1 TT received | 69.1 |
| 14 | PW who consumed 100 IFA tablets | 45,909 | 35.1 | 47,048 | 33.4 | 100 IFA tablets consumed | 32.4 |
| 15 | Home Delivery against expected delivery * | 36,953 | 43.2 | 35,333 | 40.2 | Full ANC | 21.4 |
| 16 | Institutional Delivery Against expected delivery * | 46,645 | 54.5 | 48,588 | 55.3 | Home Delivery | 52.2 |
| 17 | Home Delivery against reported delivery ** | 36,953 | 44.2 | 35,333 | 42.1 | Institutional Delivery | 47.3 |
| 18 | Institutional Delivery against reported delivery ** | 46,645 | 55.8 | 48,588 | 57.9 | Home Delivery by SBA | 22.1 |
| 19 | Total reported Deliveries | 83,598 | | 83,921 | | PNC within 14 days of delivery | 74.0 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 1,505 | 4.1 | 1,268 | 3.6 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 41,610 | 49.8 | 36,361 | 43.3 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date). | | | | | | | |
| 22 | Expected number of Live Birth | 83,052 | | 85,362 | | | |
| D) Child Immunization : | | HMIS (2017-18) | | HMIS (2018-19) | | DLHS-4 (2012-13) | |
| 23 | Total reported live births | 82,402 | 99.2 | 82,993 | 97.2 | Breastfed within 1 hour of birth | 60.6 |
| 24 | Total Still Birth | 1,774 | 2.1 | 1,748 | 2.0 | BCG | 75.1 |

| | | | | | | | |
|----|--|--------|------|--------|------|-------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 78,957 | 95.8 | 78,404 | 94.5 | 3 dose of DPT | 68.1 |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 6,852 | 8.7 | 5,970 | 7.6 | Measles | 62 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 75,426 | 91.5 | 74,558 | 89.8 | Full Immunization | 48.9 |
| 28 | Children fully immunized | 56,389 | 67.9 | 43,008 | 50.4 | | |
| 29 | Children who have received BCG | 80,183 | 96.5 | 79,186 | 92.8 | | |
| 30 | Children who have received DPT1 | 77,987 | 93.9 | 78,392 | 91.8 | | |
| 31 | Children who have received DPT3 | 70,380 | 84.7 | 66,858 | 78.3 | | |
| 32 | Children who have received Measles | 56,339 | 67.8 | 43,162 | 50.6 | | |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years | 66,952 | | 42,284 | | | |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

| E) Family Planning | | HMIS (2017-18) | HMIS (2018-19) | DLHS-4 (2012-13) | |
|----------------------|--|----------------|----------------|---------------------------|------|
| 34 | Number of Vasectomies performed | 9 | 4 | Limiting | 15.8 |
| 35 | Number of Tubectomies performed | 2,542 | 2,370 | Spacing | 39.7 |
| 36 | Number of IUD insertion | 3,310 | 2,622 | Women using any method | 18.7 |
| 37 | Number of IUD removals | 2,205 | 2,356 | Women using modern method | 14.3 |
| F) Service delivery | | HMIS (2017-18) | HMIS (2018-19) | | |
| 38 | IPD cases per 10,000 population *** | 915 | 825 | | |
| 39 | General OPD cases per 10,000 population *** | 11467 | 10817 | | |
| 40 | Ayush OPD cases per 10,000 population *** | 935 | 786 | | |
| G) Mortality Details | | | | | |
| I) | Infant Deaths (In Number) | HMIS (2017-18) | HMIS (2018-19) | | |
| 41 | Neonatal death within 24 hours | 490 | 380 | | |
| 42 | Up to 1 Weeks of Birth | NA | NA | | |
| 43 | Between 1 week & 4 weeks of birth | 741 | 716 | | |
| 44 | Neonatal Death | 1,231 | 1,096 | | |
| 45 | Between 1 month and 11 months | 1,231 | 973 | | |
| 46 | Total reported infant deaths | 2,462 | 2,069 | | |
| II) | Maternal Mortality | | | | |
| | Maternal Deaths (In Number) | HMIS (2017-18) | HMIS (2018-19) | | |
| 47 | Due to Abortion | 2 | 1 | | |
| 48 | Due to Obstructed/prolonged labour | 13 | 11 | | |
| 49 | Due to Severe hypertension/fits | 12 | 16 | | |
| 50 | Due to Bleeding | 39 | 37 | | |
| 51 | Due to High fever | 1 | 1 | | |
| 52 | Due to Other Causes (including causes not known) | 134 | 94 | | |
| 53 | Total reported maternal deaths | 201 | 160 | | |

East Garo Hills Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|--|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| 1 | Population 2011 | 317,917 | | | | | |
| 2 | Sex Ratio | 968 | | | | | |
| B) Infrastructure Details (RHS 2018) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 31 | | | | | |
| 4 | Primary Health Centers (PHC) | 7 | | | | | |
| 5 | Community Health Centers (CHC) | 1 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 1 | | | | | |
| C) Maternal Health: | | 2017-18 | | 2018-19 | | | |
| 8 | Expected number of PW | 5,014 | | 5,143 | | | |
| 9 | Expected number of Delivery | 4,695 | | 4,816 | | | |
| | | HMIS (2017-18) | | HMIS (2018-19) | | DLHS-4 (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 7,523 | 150.1 | 5,507 | 107.1 | Any ANC | 48.9 |
| 11 | Mothers registered in the first trimester | 1,732 | 23.0 | 1,659 | 30.1 | ANC Check up in first trimester | 15.5 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 3,569 | 47.4 | 2,778 | 50.4 | 3 or more ANC check up | 29.9 |
| 13 | PW who got TT 2 / Booster injection | 4,057 | 53.9 | 3,788 | 68.8 | At least 1 TT received | 45.0 |
| 14 | PW who consumed 100 IFA tablets | 4,849 | 64.5 | 3,705 | 67.3 | 100 IFA tablets consumed | 18.6 |
| 15 | Home Delivery against expected delivery * | 2,990 | 63.7 | 2,676 | 55.6 | Full ANC | 12.5 |
| 16 | Institutional Delivery Against expected delivery * | 1,502 | 32.0 | 1,706 | 35.4 | Home Delivery | 70.4 |
| 17 | Home Delivery against reported delivery ** | 2,990 | 66.6 | 2,676 | 61.1 | Institutional Delivery | 28.7 |
| 18 | Institutional Delivery against reported delivery ** | 1,502 | 33.4 | 1,706 | 38.9 | Home Delivery by SBA | 42.3 |
| 19 | Total reported Deliveries | 4,492 | | 4,382 | | PNC within 14 days of delivery | 77.7 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 216 | 7.2 | 170 | 6.4 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 3,050 | 67.9 | 3,272 | 74.7 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date). | | | | | | | |
| 22 | Expected number of Live Birth | 4,558 | | 4,676 | | | |
| D) Child Immunization : | | HMIS (2017-18) | | HMIS (2018-19) | | DLHS-4 (2012-13) | |
| 23 | Total reported live births | 4,429 | 97.2 | 4,318 | 92.4 | Breastfed within 1 hour of birth | 90.7 |
| 24 | Total Still Birth | 69 | 1.5 | 65 | 1.4 | BCG | 45.2 |

| | | | | | | | |
|----|--|-------|------|-------|------|-------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 4,359 | 98.4 | 4,273 | 99.0 | 3 dose of DPT | 47.6 |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 245 | 5.6 | 245 | 5.7 | Measles | 36.1 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 4,335 | 97.9 | 4,261 | 98.7 | Full Immunization | 30.1 |
| 28 | Children fully immunized | 2,647 | 58.1 | 3,862 | 82.6 | | |
| 29 | Children who have received BCG | 3,707 | 81.3 | 3,949 | 84.5 | | |
| 30 | Children who have received DPT1 | 4,118 | 90.3 | 4,051 | 86.6 | | |
| 31 | Children who have received DPT3 | 3,588 | 78.7 | 3,463 | 74.1 | | |
| 32 | Children who have received Measles | 2,652 | 58.2 | 4,255 | 91.0 | | |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years | 2,682 | | 2,691 | | | |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

| E) Family Planning | | HMIS (2017-18) | HMIS (2018-19) | DLHS-4 (2012-13) | |
|----------------------|--|----------------|----------------|---------------------------|------|
| 34 | Number of Vasectomies performed | 0 | 0 | Limiting | 6.7 |
| 35 | Number of Tubectomies performed | 90 | 93 | Spacing | 61.8 |
| 36 | Number of IUD insertion | 339 | 235 | Women using any method | 16.9 |
| 37 | Number of IUD removals | 94 | 96 | Women using modern method | 12.2 |
| F) Service delivery | | HMIS (2017-18) | HMIS (2018-19) | | |
| 38 | IPD cases per 10,000 population *** | 955 | 441 | | |
| 39 | General OPD cases per 10,000 population *** | 6600 | 5970 | | |
| 40 | Ayush OPD cases per 10,000 population *** | 624 | 393 | | |
| G) Mortality Details | | | | | |
| I) | Infant Deaths (In Number) | HMIS (2017-18) | HMIS (2018-19) | | |
| 41 | Neonatal death within 24 hours | 15 | 3 | | |
| 42 | Up to 1 Weeks of Birth | NA | NA | | |
| 43 | Between 1 week & 4 weeks of birth | 25 | 11 | | |
| 44 | Neonatal Death | 40 | 14 | | |
| 45 | Between 1 month and 11 months | 38 | 43 | | |
| 46 | Total reported infant deaths | 78 | 57 | | |
| II) | Maternal Mortality | | | | |
| | Maternal Deaths (In Number) | HMIS (2017-18) | HMIS (2018-19) | | |
| 47 | Due to Abortion | 1 | 0 | | |
| 48 | Due to Obstructed/prolonged labour | 0 | 3 | | |
| 49 | Due to Severe hypertension/fits | 1 | 1 | | |
| 50 | Due to Bleeding | 6 | 3 | | |
| 51 | Due to High fever | 0 | 0 | | |
| 52 | Due to Other Causes (including causes not known) | 7 | 3 | | |
| 53 | Total reported maternal deaths | 15 | 10 | | |

East Jaintia Hills Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|--|--|----------------|-------|----------------|-------|----------------------------------|------|
| 1 | Population 2011 | 395,124 | | | | | |
| 2 | Sex Ratio | 1,008 | | | | | |
| B) Infrastructure Details (RHS 2018) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 35 | | | | | |
| 4 | Primary Health Centers (PHC) | 6 | | | | | |
| 5 | Community Health Centers (CHC) | 2 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 0 | | | | | |
| C) Maternal Health: | | 2017-18 | | 2018-19 | | | |
| 8 | Expected number of PW | 4,243 | 4,376 | | | | |
| 9 | Expected number of Delivery | 3,973 | 4,097 | | | | |
| | | HMIS (2017-18) | | HMIS (2018-19) | | DLHS-4 (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 4,622 | 108.9 | 4,504 | 102.9 | Any ANC | 83.1 |
| 11 | Mothers registered in the first trimester | 1,491 | 32.3 | 1,362 | 30.2 | ANC Check up in first trimester | 49.6 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 1,238 | 26.8 | 1,063 | 23.6 | 3 or more ANC check up | 53.9 |
| 13 | PW who got TT 2 / Booster injection | 3,695 | 79.9 | 3,655 | 81.2 | At least 1 TT received | 75.8 |
| 14 | PW who consumed 100 IFA tablets | 1,627 | 35.2 | 1,226 | 27.2 | 100 IFA tablets consumed | 33.2 |
| 15 | Home Delivery against expected delivery * | 1,799 | 45.3 | 1,506 | 36.8 | Full ANC | 23.9 |
| 16 | Institutional Delivery Against expected delivery * | 861 | 21.7 | 1,000 | 24.4 | Home Delivery | 59.6 |
| 17 | Home Delivery against reported delivery ** | 1,799 | 67.6 | 1,506 | 60.1 | Institutional Delivery | 40.4 |
| 18 | Institutional Delivery against reported delivery ** | 861 | 32.4 | 1,000 | 39.9 | Home Delivery by SBA | 12.0 |
| 19 | Total reported Deliveries | 2,660 | | 2,506 | | PNC within 14 days of delivery | 86.3 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 179 | 9.9 | 106 | 7.0 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 1,475 | 55.5 | 1,439 | 57.4 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date). | | | | | | | |
| 22 | Expected number of Live Birth | 3,857 | | 3,978 | | | |
| D) Child Immunization : | | HMIS (2017-18) | | HMIS (2018-19) | | DLHS-4 (2012-13) | |
| 23 | Total reported live births | 2,629 | 68.2 | 2,484 | 62.4 | Breastfed within 1 hour of birth | 46.3 |
| 24 | Total Still Birth | 50 | 1.3 | 51 | 1.3 | BCG | 81.9 |

| | | | | | | | |
|----|--|-------|-------|-------|-------|-------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 2,261 | 86.0 | 2,165 | 87.2 | 3 dose of DPT | 73.3 |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 133 | 5.9 | 127 | 5.9 | Measles | 67.6 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 2,315 | 88.1 | 2,185 | 88.0 | Full Immunization | 57.1 |
| 28 | Children fully immunized | 3,475 | 90.1 | 2,454 | 61.7 | | |
| 29 | Children who have received BCG | 3,176 | 82.3 | 2,763 | 69.5 | | |
| 30 | Children who have received DPT1 | 4,100 | 106.3 | 4,339 | 109.1 | | |
| 31 | Children who have received DPT3 | 3,961 | 102.7 | 3,888 | 97.7 | | |
| 32 | Children who have received Measles | 3,492 | 90.5 | 2,534 | 63.7 | | |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years | 4,361 | | 2,833 | | | |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

| E) Family Planning | | HMIS (2017-18) | HMIS (2018-19) | DLHS-4 (2012-13) | |
|----------------------|--|----------------|----------------|---------------------------|------|
| 34 | Number of Vasectomies performed | 0 | 0 | Limiting | 18.1 |
| 35 | Number of Tubectomies performed | 0 | 4 | Spacing | 21.9 |
| 36 | Number of IUD insertion | 93 | 55 | Women using any method | 21.2 |
| 37 | Number of IUD removals | 34 | 23 | Women using modern method | 13.4 |
| F) Service delivery | | HMIS (2017-18) | HMIS (2018-19) | | |
| 38 | IPD cases per 10,000 population *** | 456 | 427 | | |
| 39 | General OPD cases per 10,000 population *** | 8322 | 7524 | | |
| 40 | Ayush OPD cases per 10,000 population *** | 1079 | 1241 | | |
| G) Mortality Details | | | | | |
| I) | Infant Deaths (In Number) | HMIS (2017-18) | HMIS (2018-19) | | |
| 41 | Neonatal death within 24 hours | 11 | 6 | | |
| 42 | Up to 1 Weeks of Birth | NA | NA | | |
| 43 | Between 1 week & 4 weeks of birth | 21 | 11 | | |
| 44 | Neonatal Death | 32 | 17 | | |
| 45 | Between 1 month and 11 months | 46 | 34 | | |
| 46 | Total reported infant deaths | 78 | 51 | | |
| II) | Maternal Mortality | | | | |
| | Maternal Deaths (In Number) | HMIS (2017-18) | HMIS (2018-19) | | |
| 47 | Due to Abortion | 0 | 0 | | |
| 48 | Due to Obstructed/prolonged labour | 0 | 0 | | |
| 49 | Due to Severe hypertension/fits | 0 | 0 | | |
| 50 | Due to Bleeding | 2 | 0 | | |
| 51 | Due to High fever | 1 | 0 | | |
| 52 | Due to Other Causes (including causes not known) | 1 | 1 | | |
| 53 | Total reported maternal deaths | 4 | 1 | | |

East Khasi Hills Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|--|--|----------------|--------|----------------|-------|----------------------------------|------|
| 1 | Population 2011 | 825,922 | | | | | |
| 2 | Sex Ratio | 1,008 | | | | | |
| B) Infrastructure Details (RHS 2018) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 72 | | | | | |
| 4 | Primary Health Centers (PHC) | 25 | | | | | |
| 5 | Community Health Centers (CHC) | 7 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 4 | | | | | |
| C) Maternal Health: | | 2017-18 | | 2018-19 | | | |
| 8 | Expected number of PW | 25,100 | 25,719 | | | | |
| 9 | Expected number of Delivery | 23,503 | 24,083 | | | | |
| | | HMIS (2017-18) | | HMIS (2018-19) | | DLHS-4 (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 53,465 | 213.0 | 61,344 | 238.5 | Any ANC | 88.4 |
| 11 | Mothers registered in the first trimester | 18,645 | 34.9 | 16,815 | 27.4 | ANC Check up in first trimester | 56.0 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 24,199 | 45.3 | 19,490 | 31.8 | 3 or more ANC check up | 58.8 |
| 13 | PW who got TT 2 / Booster injection | 17,121 | 32.0 | 15,833 | 25.8 | At least 1 TT received | 83.1 |
| 14 | PW who consumed 100 IFA tablets | 11,580 | 21.7 | 15,020 | 24.5 | 100 IFA tablets consumed | 40.3 |
| 15 | Home Delivery against expected delivery * | 5,470 | 23.3 | 5,274 | 21.9 | Full ANC | 26.0 |
| 16 | Institutional Delivery Against expected delivery * | 18,979 | 80.8 | 19,501 | 81.0 | Home Delivery | 23.5 |
| 17 | Home Delivery against reported delivery ** | 5,470 | 22.4 | 5,274 | 21.3 | Institutional Delivery | 76.5 |
| 18 | Institutional Delivery against reported delivery ** | 18,979 | 77.6 | 19,501 | 78.7 | Home Delivery by SBA | 9.1 |
| 19 | Total reported Deliveries | 24,449 | | 24,775 | | PNC within 14 days of delivery | 77.4 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 63 | 1.2 | 50 | 0.9 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 10,892 | 44.5 | 8,906 | 35.9 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date). | | | | | | | |
| 22 | Expected number of Live Birth | 22,818 | | 23,381 | | | |
| D) Child Immunization : | | HMIS (2017-18) | | HMIS (2018-19) | | DLHS-4 (2012-13) | |
| 23 | Total reported live births | 23,836 | 104.5 | 24,440 | 104.5 | Breastfed within 1 hour of birth | 47.1 |
| 24 | Total Still Birth | 646 | 2.8 | 638 | 2.7 | BCG | 85.4 |

| | | | | | | | |
|----|--|--------|-------|--------|------|-------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 23,345 | 97.9 | 23,329 | 95.5 | 3 dose of DPT | 73.5 |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 3,315 | 14.2 | 2,421 | 10.4 | Measles | 69.4 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 19,704 | 82.7 | 19,289 | 78.9 | Full Immunization | 52.1 |
| 28 | Children fully immunized | 12,277 | 53.8 | 8,427 | 36.0 | | |
| 29 | Children who have received BCG | 23,520 | 103.1 | 22,785 | 97.4 | | |
| 30 | Children who have received DPT1 | 18,154 | 79.6 | 17,368 | 74.3 | | |
| 31 | Children who have received DPT3 | 15,764 | 69.1 | 14,293 | 61.1 | | |
| 32 | Children who have received Measles | 12,013 | 52.6 | 7,221 | 30.9 | | |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years | 15,678 | | 9,544 | | | |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

| E) Family Planning | | HMIS (2017-18) | HMIS (2018-19) | DLHS-4 (2012-13) | |
|----------------------|--|----------------|----------------|---------------------------|------|
| 34 | Number of Vasectomies performed | 5 | 3 | Limiting | 11.3 |
| 35 | Number of Tubectomies performed | 1,221 | 1,167 | Spacing | 29.1 |
| 36 | Number of IUD insertion | 887 | 808 | Women using any method | 27.6 |
| 37 | Number of IUD removals | 867 | 948 | Women using modern method | 22.8 |
| F) Service delivery | | HMIS (2017-18) | HMIS (2018-19) | | |
| 38 | IPD cases per 10,000 population *** | 1466 | 1363 | | |
| 39 | General OPD cases per 10,000 population *** | 18514 | 18316 | | |
| 40 | Ayush OPD cases per 10,000 population *** | 920 | 733 | | |
| G) Mortality Details | | | | | |
| I) | Infant Deaths (In Number) | HMIS (2017-18) | HMIS (2018-19) | | |
| 41 | Neonatal death within 24 hours | 161 | 142 | | |
| 42 | Up to 1 Weeks of Birth | NA | NA | | |
| 43 | Between 1 week & 4 weeks of birth | 295 | 332 | | |
| 44 | Neonatal Death | 456 | 474 | | |
| 45 | Between 1 month and 11 months | 440 | 371 | | |
| 46 | Total reported infant deaths | 896 | 845 | | |
| II) | Maternal Mortality | | | | |
| | Maternal Deaths (In Number) | HMIS (2017-18) | HMIS (2018-19) | | |
| 47 | Due to Abortion | 0 | 0 | | |
| 48 | Due to Obstructed/prolonged labour | 3 | 0 | | |
| 49 | Due to Severe hypertension/fits | 0 | 2 | | |
| 50 | Due to Bleeding | 2 | 8 | | |
| 51 | Due to High fever | 0 | 1 | | |
| 52 | Due to Other Causes (including causes not known) | 29 | 22 | | |
| 53 | Total reported maternal deaths | 34 | 33 | | |

North Garo Hills Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|--|--|----------------|-------|----------------|-------|----------------------------------|------|
| 1 | Population 2011 | 317,917 | | | | | |
| 2 | Sex Ratio | 968 | | | | | |
| B) Infrastructure Details (RHS 2018) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 50 | | | | | |
| 4 | Primary Health Centers (PHC) | 9 | | | | | |
| 5 | Community Health Centers (CHC) | 1 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 0 | | | | | |
| C) Maternal Health: | | 2017-18 | | 2018-19 | | | |
| 8 | Expected number of PW | 4,635 | | 4,755 | | | |
| 9 | Expected number of Delivery | 4,340 | | 4,452 | | | |
| | | HMIS (2017-18) | | HMIS (2018-19) | | DLHS-4 (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 4,950 | 106.8 | 4,807 | 101.1 | Any ANC | 48.9 |
| 11 | Mothers registered in the first trimester | 1,734 | 35.0 | 1,647 | 34.3 | ANC Check up in first trimester | 15.5 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 2,567 | 51.9 | 2,461 | 51.2 | 3 or more ANC check up | 29.9 |
| 13 | PW who got TT 2 / Booster injection | 4,102 | 82.9 | 4,064 | 84.5 | At least 1 TT received | 45.0 |
| 14 | PW who consumed 100 IFA tablets | 2,405 | 48.6 | 2,312 | 48.1 | 100 IFA tablets consumed | 18.6 |
| 15 | Home Delivery against expected delivery * | 1,799 | 41.4 | 1,641 | 36.9 | Full ANC | 12.5 |
| 16 | Institutional Delivery Against expected delivery * | 1,541 | 35.5 | 1,526 | 34.3 | Home Delivery | 70.4 |
| 17 | Home Delivery against reported delivery ** | 1,799 | 53.9 | 1,641 | 51.8 | Institutional Delivery | 28.7 |
| 18 | Institutional Delivery against reported delivery ** | 1,541 | 46.1 | 1,526 | 48.2 | Home Delivery by SBA | 42.3 |
| 19 | Total reported Deliveries | 3,340 | | 3,167 | | PNC within 14 days of delivery | 77.7 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 282 | 15.7 | 204 | 12.4 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 1,932 | 57.8 | 1,513 | 47.8 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date). | | | | | | | |
| 22 | Expected number of Live Birth | 4,214 | | 4,323 | | | |
| D) Child Immunization : | | HMIS (2017-18) | | HMIS (2018-19) | | DLHS-4 (2012-13) | |
| 23 | Total reported live births | 3,430 | 81.4 | 3,268 | 75.6 | Breastfed within 1 hour of birth | 90.7 |
| 24 | Total Still Birth | 54 | 1.3 | 71 | 1.6 | BCG | 45.2 |

| | | | | | | | |
|----|--|-------|-------|-------|------|-------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 3,223 | 94.0 | 2,971 | 90.9 | 3 dose of DPT | 47.6 |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 144 | 4.5 | 90 | 3.0 | Measles | 36.1 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 3,283 | 95.7 | 3,004 | 91.9 | Full Immunization | 30.1 |
| 28 | Children fully immunized | 2,726 | 64.7 | 2,056 | 47.6 | | |
| 29 | Children who have received BCG | 3,952 | 93.8 | 3,341 | 77.3 | | |
| 30 | Children who have received DPT1 | 4,303 | 102.1 | 3,912 | 90.5 | | |
| 31 | Children who have received DPT3 | 3,943 | 93.6 | 3,274 | 75.7 | | |
| 32 | Children who have received Measles | 2,635 | 62.5 | 2,042 | 47.2 | | |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years | 2,874 | | 1,628 | | | |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

| E) Family Planning | | HMIS (2017-18) | HMIS (2018-19) | DLHS-4 (2012-13) | |
|----------------------|--|----------------|----------------|---------------------------|------|
| 34 | Number of Vasectomies performed | 0 | 0 | Limiting | 6.7 |
| 35 | Number of Tubectomies performed | 2 | 5 | Spacing | 61.8 |
| 36 | Number of IUD insertion | 114 | 58 | Women using any method | 16.9 |
| 37 | Number of IUD removals | 40 | 58 | Women using modern method | 12.2 |
| F) Service delivery | | HMIS (2017-18) | HMIS (2018-19) | | |
| 38 | IPD cases per 10,000 population *** | 503 | 512 | | |
| 39 | General OPD cases per 10,000 population *** | 6879 | 5621 | | |
| 40 | Ayush OPD cases per 10,000 population *** | 38 | 139 | | |
| G) Mortality Details | | | | | |
| I) | Infant Deaths (In Number) | HMIS (2017-18) | HMIS (2018-19) | | |
| 41 | Neonatal death within 24 hours | 12 | 14 | | |
| 42 | Up to 1 Weeks of Birth | NA | NA | | |
| 43 | Between 1 week & 4 weeks of birth | 26 | 19 | | |
| 44 | Neonatal Death | 38 | 33 | | |
| 45 | Between 1 month and 11 months | 57 | 35 | | |
| 46 | Total reported infant deaths | 95 | 68 | | |
| II) | Maternal Mortality | | | | |
| | Maternal Deaths (In Number) | HMIS (2017-18) | HMIS (2018-19) | | |
| 47 | Due to Abortion | 0 | 0 | | |
| 48 | Due to Obstructed/prolonged labour | 1 | 1 | | |
| 49 | Due to Severe hypertension/fits | 0 | 0 | | |
| 50 | Due to Bleeding | 5 | 1 | | |
| 51 | Due to High fever | 0 | 0 | | |
| 52 | Due to Other Causes (including causes not known) | 6 | 3 | | |
| 53 | Total reported maternal deaths | 12 | 5 | | |

Ri Bhoi Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|--|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| 1 | Population 2011 | 258,840 | | | | | |
| 2 | Sex Ratio | 951 | | | | | |
| B) Infrastructure Details (RHS 2018) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 32 | | | | | |
| 4 | Primary Health Centers (PHC) | 8 | | | | | |
| 5 | Community Health Centers (CHC) | 3 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 1 | | | | | |
| C) Maternal Health: | | 2017-18 | | 2018-19 | | | |
| 8 | Expected number of PW | 8,233 | | 8,513 | | | |
| 9 | Expected number of Delivery | 7,709 | | 7,971 | | | |
| | | HMIS (2017-18) | | HMIS (2018-19) | | DLHS-4 (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 8,527 | 103.6 | 9,297 | 109.2 | Any ANC | 86.3 |
| 11 | Mothers registered in the first trimester | 3,558 | 41.7 | 3,580 | 38.5 | ANC Check up in first trimester | 51.5 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 4,514 | 52.9 | 4,360 | 46.9 | 3 or more ANC check up | 60.3 |
| 13 | PW who got TT 2 / Booster injection | 6,118 | 71.7 | 6,261 | 67.3 | At least 1 TT received | 83.4 |
| 14 | PW who consumed 100 IFA tablets | 2,314 | 27.1 | 1,869 | 20.1 | 100 IFA tablets consumed | 40.8 |
| 15 | Home Delivery against expected delivery * | 3,189 | 41.4 | 3,103 | 38.9 | Full ANC | 31.7 |
| 16 | Institutional Delivery Against expected delivery * | 2,503 | 32.5 | 2,735 | 34.3 | Home Delivery | 50.8 |
| 17 | Home Delivery against reported delivery ** | 3,189 | 56.0 | 3,103 | 53.2 | Institutional Delivery | 48.4 |
| 18 | Institutional Delivery against reported delivery ** | 2,503 | 44.0 | 2,735 | 46.8 | Home Delivery by SBA | 31.4 |
| 19 | Total reported Deliveries | 5,692 | | 5,838 | | PNC within 14 days of delivery | 79.6 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 121 | 3.8 | 103 | 3.3 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 2,440 | 42.9 | 2,172 | 37.2 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date). | | | | | | | |
| 22 | Expected number of Live Birth | 7,484 | | 7,739 | | | |
| D) Child Immunization : | | HMIS (2017-18) | | HMIS (2018-19) | | DLHS-4 (2012-13) | |
| 23 | Total reported live births | 5,694 | 76.1 | 5,824 | 75.3 | Breastfed within 1 hour of birth | 56.5 |
| 24 | Total Still Birth | 74 | 1.0 | 70 | 0.9 | BCG | 91.2 |

| | | | | | | | |
|----|--|-------|------|-------|------|-------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 5,392 | 94.7 | 5,308 | 91.1 | 3 dose of DPT | 77.5 |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 295 | 5.5 | 344 | 6.5 | Measles | 71.6 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 5,471 | 96.1 | 5,518 | 94.7 | Full Immunization | 54.9 |
| 28 | Children fully immunized | 4,120 | 55.0 | 2,717 | 35.1 | | |
| 29 | Children who have received BCG | 5,123 | 68.4 | 5,760 | 74.4 | | |
| 30 | Children who have received DPT1 | 6,481 | 86.6 | 7,099 | 91.7 | | |
| 31 | Children who have received DPT3 | 5,796 | 77.4 | 6,330 | 81.8 | | |
| 32 | Children who have received Measles | 4,220 | 56.4 | 2,928 | 37.8 | | |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years | 5,776 | | 5,014 | | | |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

| E) Family Planning | | HMIS (2017-18) | HMIS (2018-19) | DLHS-4 (2012-13) | |
|------------------------|--|----------------|----------------|---------------------------|------|
| 34 | Number of Vasectomies performed | 0 | 0 | Limiting | 19 |
| 35 | Number of Tubectomies performed | 53 | 20 | Spacing | 36.2 |
| 36 | Number of IUD insertion | 516 | 404 | Women using any method | 19.5 |
| 37 | Number of IUD removals | 203 | 262 | Women using modern method | 16.2 |
| F) Service delivery | | HMIS (2017-18) | HMIS (2018-19) | | |
| 38 | IPD cases per 10,000 population *** | 628 | 607 | | |
| 39 | General OPD cases per 10,000 population *** | 12014 | 10512 | | |
| 40 | Ayush OPD cases per 10,000 population *** | 1320 | 1162 | | |
| G) Mortality Details | | | | | |
| I) | Infant Deaths (In Number) | HMIS (2017-18) | HMIS (2018-19) | | |
| 41 | Neonatal death within 24 hours | 30 | 17 | | |
| 42 | Up to 1 Weeks of Birth | NA | NA | | |
| 43 | Between 1 week & 4 weeks of birth | 36 | 13 | | |
| 44 | Neonatal Death | 66 | 30 | | |
| 45 | Between 1 month and 11 months | 61 | 60 | | |
| 46 | Total reported infant deaths | 127 | 90 | | |
| II) Maternal Mortality | | | | | |
| | Maternal Deaths (In Number) | HMIS (2017-18) | HMIS (2018-19) | | |
| 47 | Due to Abortion | 0 | 0 | | |
| 48 | Due to Obstructed/prolonged labour | 0 | 0 | | |
| 49 | Due to Severe hypertension/fits | 1 | 0 | | |
| 50 | Due to Bleeding | 1 | 0 | | |
| 51 | Due to High fever | 0 | 0 | | |
| 52 | Due to Other Causes (including causes not known) | 8 | 9 | | |
| 53 | Total reported maternal deaths | 10 | 9 | | |

South Garo Hills Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|---|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| 1 | Population 2011 | 142,334 | | | | | |
| 2 | Sex Ratio | 944 | | | | | |
| B) Infrastructure Details (RHS 2018) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 21 | | | | | |
| 4 | Primary Health Centers (PHC) | 6 | | | | | |
| 5 | Community Health Centers (CHC) | 1 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 1 | | | | | |
| C) Maternal Health: | | 2017-18 | | 2018-19 | | | |
| 8 | Expected number of PW | 4,420 | | 4,550 | | | |
| 9 | Expected number of Delivery | 4,139 | | 4,261 | | | |
| | | HMIS (2017-18) | | HMIS (2018-19) | | DLHS-4 (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 4,143 | 93.7 | 4,342 | 95.4 | Any ANC | 40.0 |
| 11 | Mothers registered in the first trimester | 1,400 | 33.8 | 1,472 | 33.9 | ANC Check up in first trimester | 2.2 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 2,092 | 50.5 | 1,811 | 41.7 | 3 or more ANC check up | 4.4 |
| 13 | PW who got TT 2 / Booster injection | 2,881 | 69.5 | 2,818 | 64.9 | At least 1 TT received | 31.8 |
| 14 | PW who consumed 100 IFA tablets | 3,399 | 82.0 | 3,383 | 77.9 | 100 IFA tablets consumed | 26.7 |
| 15 | Home Delivery against expected delivery * | 1,793 | 43.3 | 1,839 | 43.2 | Full ANC | 4.4 |
| 16 | Institutional Delivery Against expected delivery * | 860 | 20.8 | 831 | 19.5 | Home Delivery | 66.7 |
| 17 | Home Delivery against reported delivery ** | 1,793 | 67.6 | 1,839 | 68.9 | Institutional Delivery | 33.3 |
| 18 | Institutional Delivery against reported delivery ** | 860 | 32.4 | 831 | 31.1 | Home Delivery by SBA | 6.7 |
| 19 | Total reported Deliveries | 2,653 | | 2,670 | | PNC within 14 days of delivery | 42.9 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 70 | 3.9 | 59 | 3.2 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 1,409 | 53.1 | 1,381 | 51.7 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date). | | | | | | | |
| 22 | Expected number of Live Birth | 4,019 | | 4,136 | | | |
| D) Child Immunization : | | HMIS (2017-18) | | HMIS (2018-19) | | DLHS-4 (2012-13) | |
| 23 | Total reported live births | 2,617 | 65.1 | 2,615 | 63.2 | Breastfed within 1 hour of birth | NA |
| 24 | Total Still Birth | 42 | 1.0 | 45 | 1.1 | BCG | 70 |

| | | | | | | | |
|----|--|-------|------|-------|------|-------------------|----|
| 25 | PC of newborn weighted at birth to live birth | 2,542 | 97.1 | 2,560 | 97.9 | 3 dose of DPT | 70 |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 121 | 4.8 | 142 | 5.5 | Measles | 50 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 2,517 | 96.2 | 2,553 | 97.6 | Full Immunization | 50 |
| 28 | Children fully immunized | 2,042 | 50.8 | 1,555 | 37.6 | | |
| 29 | Children who have received BCG | 2,640 | 65.7 | 2,574 | 62.2 | | |
| 30 | Children who have received DPT1 | 3,081 | 76.7 | 3,385 | 81.8 | | |
| 31 | Children who have received DPT3 | 2,609 | 64.9 | 2,639 | 63.8 | | |
| 32 | Children who have received Measles | 2,083 | 51.8 | 1,619 | 39.1 | | |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years | 2,304 | | 1,488 | | | |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

| E) Family Planning | | HMIS (2017-18) | HMIS (2018-19) | DLHS-4 (2012-13) | |
|----------------------|--|----------------|----------------|---------------------------|------|
| 34 | Number of Vasectomies performed | 0 | 0 | Limiting | 29.2 |
| 35 | Number of Tubectomies performed | 0 | 0 | Spacing | 44.6 |
| 36 | Number of IUD insertion | 26 | 17 | Women using any method | 11.8 |
| 37 | Number of IUD removals | 25 | 15 | Women using modern method | 10.3 |
| F) Service delivery | | HMIS (2017-18) | HMIS (2018-19) | | |
| 38 | IPD cases per 10,000 population *** | 290 | 244 | | |
| 39 | General OPD cases per 10,000 population *** | 5137 | 4594 | | |
| 40 | Ayush OPD cases per 10,000 population *** | 701 | 575 | | |
| G) Mortality Details | | | | | |
| I) | Infant Deaths (In Number) | HMIS (2017-18) | HMIS (2018-19) | | |
| 41 | Neonatal death within 24 hours | 16 | 15 | | |
| 42 | Up to 1 Weeks of Birth | NA | NA | | |
| 43 | Between 1 week & 4 weeks of birth | 18 | 16 | | |
| 44 | Neonatal Death | 34 | 31 | | |
| 45 | Between 1 month and 11 months | 52 | 44 | | |
| 46 | Total reported infant deaths | 86 | 75 | | |
| II) | Maternal Mortality | | | | |
| | Maternal Deaths (In Number) | HMIS (2017-18) | HMIS (2018-19) | | |
| 47 | Due to Abortion | 0 | 0 | | |
| 48 | Due to Obstructed/prolonged labour | 2 | 2 | | |
| 49 | Due to Severe hypertension/fits | 2 | 0 | | |
| 50 | Due to Bleeding | 5 | 0 | | |
| 51 | Due to High fever | 0 | 0 | | |
| 52 | Due to Other Causes (including causes not known) | 9 | 5 | | |
| 53 | Total reported maternal deaths | 18 | 7 | | |

South West Garo Hills Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|--|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| 1 | Population 2011 | 642,923 | | | | | |
| 2 | Sex Ratio | 979 | | | | | |
| B) Infrastructure Details (RHS 2018) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 27 | | | | | |
| 4 | Primary Health Centers (PHC) | 9 | | | | | |
| 5 | Community Health Centers (CHC) | 1 | | | | | |
| 6 | SDH | 1 | | | | | |
| 7 | DH | 0 | | | | | |
| C) Maternal Health: | | 2017-18 | | 2018-19 | | | |
| 8 | Expected number of PW | 4,471 | | 4,590 | | | |
| 9 | Expected number of Delivery | 4,186 | | 4,298 | | | |
| | | HMIS (2017-18) | | HMIS (2018-19) | | DLHS-4 (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 4,740 | 106.0 | 5,346 | 116.5 | Any ANC | 61.3 |
| 11 | Mothers registered in the first trimester | 2,269 | 47.9 | 2,405 | 45.0 | ANC Check up in first trimester | 18.2 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 2,555 | 53.9 | 2,830 | 52.9 | 3 or more ANC check up | 38.3 |
| 13 | PW who got TT 2 / Booster injection | 3,800 | 80.2 | 4,376 | 81.9 | At least 1 TT received | 53.5 |
| 14 | PW who consumed 100 IFA tablets | 2,920 | 61.6 | 2,855 | 53.4 | 100 IFA tablets consumed | 26.6 |
| 15 | Home Delivery against expected delivery * | 1,812 | 43.3 | 1,741 | 40.5 | Full ANC | 15.0 |
| 16 | Institutional Delivery Against expected delivery * | 2,039 | 48.7 | 2,237 | 52.0 | Home Delivery | 52.6 |
| 17 | Home Delivery against reported delivery ** | 1,812 | 47.1 | 1,741 | 43.8 | Institutional Delivery | 47.1 |
| 18 | Institutional Delivery against reported delivery ** | 2,039 | 52.9 | 2,237 | 56.2 | Home Delivery by SBA | 17.0 |
| 19 | Total reported Deliveries | 3,851 | | 3,978 | | PNC within 14 days of delivery | 49.3 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 68 | 3.8 | 73 | 4.2 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 2,272 | 59.0 | 2,157 | 54.2 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date). | | | | | | | |
| 22 | Expected number of Live Birth | 4,064 | | 4,173 | | | |
| D) Child Immunization : | | HMIS (2017-18) | | HMIS (2018-19) | | DLHS-4 (2012-13) | |
| 23 | Total reported live births | 3,787 | 93.2 | 3,939 | 94.4 | Breastfed within 1 hour of birth | 86 |
| 24 | Total Still Birth | 59 | 1.5 | 40 | 1.0 | BCG | 43.5 |

| | | | | | | | |
|----|--|-------|-------|-------|-------|-------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 3,777 | 99.7 | 3,935 | 99.9 | 3 dose of DPT | 50 |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 258 | 6.8 | 242 | 6.1 | Measles | 43.5 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 3,757 | 99.2 | 3,935 | 99.9 | Full Immunization | 34.8 |
| 28 | Children fully immunized | 3,044 | 74.9 | 3,346 | 80.2 | | |
| 29 | Children who have received BCG | 3,650 | 89.8 | 3,908 | 93.7 | | |
| 30 | Children who have received DPT1 | 4,063 | 100.0 | 4,690 | 112.4 | | |
| 31 | Children who have received DPT3 | 3,737 | 91.9 | 4,172 | 100.0 | | |
| 32 | Children who have received Measles | 3,060 | 75.3 | 3,358 | 80.5 | | |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years | 3,145 | | 71 | | | |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

| E) Family Planning | | HMIS (2017-18) | HMIS (2018-19) | DLHS-4 (2012-13) | |
|----------------------|--|----------------|----------------|---------------------------|------|
| 34 | Number of Vasectomies performed | 2 | 0 | Limiting | 19.1 |
| 35 | Number of Tubectomies performed | 28 | 43 | Spacing | 57 |
| 36 | Number of IUD insertion | 181 | 198 | Women using any method | 9.2 |
| 37 | Number of IUD removals | 103 | 151 | Women using modern method | 5.4 |
| F) Service delivery | | HMIS (2017-18) | HMIS (2018-19) | | |
| 38 | IPD cases per 10,000 population *** | 440 | 460 | | |
| 39 | General OPD cases per 10,000 population *** | 8462 | 8772 | | |
| 40 | Ayush OPD cases per 10,000 population *** | 570 | 615 | | |
| G) Mortality Details | | | | | |
| I) | Infant Deaths (In Number) | HMIS (2017-18) | HMIS (2018-19) | | |
| 41 | Neonatal death within 24 hours | 11 | 7 | | |
| 42 | Up to 1 Weeks of Birth | NA | NA | | |
| 43 | Between 1 week & 4 weeks of birth | 31 | 18 | | |
| 44 | Neonatal Death | 42 | 25 | | |
| 45 | Between 1 month and 11 months | 51 | 49 | | |
| 46 | Total reported infant deaths | 93 | 74 | | |
| II) | Maternal Mortality | | | | |
| | Maternal Deaths (In Number) | HMIS (2017-18) | HMIS (2018-19) | | |
| 47 | Due to Abortion | 0 | 0 | | |
| 48 | Due to Obstructed/prolonged labour | 1 | 1 | | |
| 49 | Due to Severe hypertension/fits | 0 | 0 | | |
| 50 | Due to Bleeding | 2 | 1 | | |
| 51 | Due to High fever | 0 | 0 | | |
| 52 | Due to Other Causes (including causes not known) | 5 | 4 | | |
| 53 | Total reported maternal deaths | 8 | 6 | | |

South West Khasi Hills Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|--|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| 1 | Population 2011 | 383,461 | | | | | |
| 2 | Sex Ratio | 981 | | | | | |
| B) Infrastructure Details (RHS 2018) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 19 | | | | | |
| 4 | Primary Health Centers (PHC) | 2 | | | | | |
| 5 | Community Health Centers (CHC) | 2 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 0 | | | | | |
| C) Maternal Health: | | 2017-18 | | 2018-19 | | | |
| 8 | Expected number of PW | 2,978 | | 3,068 | | | |
| 9 | Expected number of Delivery | 2,788 | | 2,873 | | | |
| | | HMIS (2017-18) | | HMIS (2018-19) | | DLHS-4 (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 3,322 | 111.6 | 3,654 | 119.1 | Any ANC | 68.4 |
| 11 | Mothers registered in the first trimester | 852 | 25.6 | 832 | 22.8 | ANC Check up in first trimester | 23.7 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 1,485 | 44.7 | 1,646 | 45.0 | 3 or more ANC check up | 21.2 |
| 13 | PW who got TT 2 / Booster injection | 2,584 | 77.8 | 2,557 | 70.0 | At least 1 TT received | 64.2 |
| 14 | PW who consumed 100 IFA tablets | 1,771 | 53.3 | 2,245 | 61.4 | 100 IFA tablets consumed | 24.3 |
| 15 | Home Delivery against expected delivery * | 1,951 | 70.0 | 2,043 | 71.1 | Full ANC | 11.1 |
| 16 | Institutional Delivery Against expected delivery * | 671 | 24.1 | 647 | 22.5 | Home Delivery | 66.7 |
| 17 | Home Delivery against reported delivery ** | 1,951 | 74.4 | 2,043 | 75.9 | Institutional Delivery | 32.3 |
| 18 | Institutional Delivery against reported delivery ** | 671 | 25.6 | 647 | 24.1 | Home Delivery by SBA | 19.1 |
| 19 | Total reported Deliveries | 2,622 | | 2,690 | | PNC within 14 days of delivery | 45.9 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 14 | 0.7 | 10 | 0.5 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 1,175 | 44.8 | 1,350 | 50.2 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date). | | | | | | | |
| 22 | Expected number of Live Birth | 2,707 | | 2,789 | | | |
| D) Child Immunization : | | HMIS (2017-18) | | HMIS (2018-19) | | DLHS-4 (2012-13) | |
| 23 | Total reported live births | 2,571 | 95.0 | 2,679 | 96.1 | Breastfed within 1 hour of birth | 47.5 |
| 24 | Total Still Birth | 57 | 2.1 | 59 | 2.1 | BCG | 79.6 |

| | | | | | | | |
|----|--|-------|-------|-------|-------|-------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 2,422 | 94.2 | 2,523 | 94.2 | 3 dose of DPT | 70.4 |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 123 | 5.1 | 148 | 5.9 | Measles | 70.9 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 2,369 | 92.1 | 2,540 | 94.8 | Full Immunization | 47.3 |
| 28 | Children fully immunized | 2,362 | 87.3 | 1,265 | 45.4 | | |
| 29 | Children who have received BCG | 2,538 | 93.8 | 2,944 | 105.6 | | |
| 30 | Children who have received DPT1 | 2,902 | 107.2 | 3,329 | 119.4 | | |
| 31 | Children who have received DPT3 | 2,778 | 102.6 | 2,744 | 98.4 | | |
| 32 | Children who have received Measles | 2,332 | 86.1 | 1,291 | 46.3 | | |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years | 3,085 | | 1,443 | | | |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

| E) Family Planning | | HMIS (2017-18) | HMIS (2018-19) | DLHS-4 (2012-13) | |
|----------------------|--|----------------|----------------|---------------------------|------|
| 34 | Number of Vasectomies performed | 0 | 0 | Limiting | 17.3 |
| 35 | Number of Tubectomies performed | 0 | 0 | Spacing | 29.1 |
| 36 | Number of IUD insertion | 21 | 28 | Women using any method | 17.4 |
| 37 | Number of IUD removals | 10 | 9 | Women using modern method | 14.6 |
| F) Service delivery | | HMIS (2017-18) | HMIS (2018-19) | | |
| 38 | IPD cases per 10,000 population *** | 467 | 406 | | |
| 39 | General OPD cases per 10,000 population *** | 7354 | 7057 | | |
| 40 | Ayush OPD cases per 10,000 population *** | 895 | 825 | | |
| G) Mortality Details | | | | | |
| I) | Infant Deaths (In Number) | HMIS (2017-18) | HMIS (2018-19) | | |
| 41 | Neonatal death within 24 hours | 22 | 20 | | |
| 42 | Up to 1 Weeks of Birth | NA | NA | | |
| 43 | Between 1 week & 4 weeks of birth | 26 | 25 | | |
| 44 | Neonatal Death | 48 | 45 | | |
| 45 | Between 1 month and 11 months | 78 | 42 | | |
| 46 | Total reported infant deaths | 126 | 87 | | |
| II) | Maternal Mortality | | | | |
| | Maternal Deaths (In Number) | HMIS (2017-18) | HMIS (2018-19) | | |
| 47 | Due to Abortion | 0 | 0 | | |
| 48 | Due to Obstructed/prolonged labour | 0 | 0 | | |
| 49 | Due to Severe hypertension/fits | 1 | 0 | | |
| 50 | Due to Bleeding | 0 | 0 | | |
| 51 | Due to High fever | 0 | 0 | | |
| 52 | Due to Other Causes (including causes not known) | 8 | 3 | | |
| 53 | Total reported maternal deaths | 9 | 3 | | |

West Garo Hills Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|--|--|----------------|--------|----------------|-------|----------------------------------|------|
| 1 | Population 2011 | 642,923 | | | | | |
| 2 | Sex Ratio | 979 | | | | | |
| B) Infrastructure Details (RHS 2018) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 64 | | | | | |
| 4 | Primary Health Centers (PHC) | 9 | | | | | |
| 5 | Community Health Centers (CHC) | 5 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 2 | | | | | |
| C) Maternal Health: | | 2017-18 | | 2018-19 | | | |
| 8 | Expected number of PW | 15,166 | 15,571 | | | | |
| 9 | Expected number of Delivery | 14,200 | 14,580 | | | | |
| | | HMIS (2017-18) | | HMIS (2018-19) | | DLHS-4 (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 15,071 | 99.4 | 15,802 | 101.5 | Any ANC | 61.3 |
| 11 | Mothers registered in the first trimester | 5,269 | 35.0 | 5,263 | 33.3 | ANC Check up in first trimester | 18.2 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 6,304 | 41.8 | 6,692 | 42.3 | 3 or more ANC check up | 38.3 |
| 13 | PW who got TT 2 / Booster injection | 11,810 | 78.4 | 11,531 | 73.0 | At least 1 TT received | 53.5 |
| 14 | PW who consumed 100 IFA tablets | 8,025 | 53.2 | 7,951 | 50.3 | 100 IFA tablets consumed | 26.6 |
| 15 | Home Delivery against expected delivery * | 6,645 | 46.8 | 6,503 | 44.6 | Full ANC | 15.0 |
| 16 | Institutional Delivery Against expected delivery * | 7,344 | 51.7 | 7,645 | 52.4 | Home Delivery | 52.6 |
| 17 | Home Delivery against reported delivery ** | 6,645 | 47.5 | 6,503 | 46.0 | Institutional Delivery | 47.1 |
| 18 | Institutional Delivery against reported delivery ** | 7,344 | 52.5 | 7,645 | 54.0 | Home Delivery by SBA | 17.0 |
| 19 | Total reported Deliveries | 13,989 | | 14,148 | | PNC within 14 days of delivery | 49.3 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 87 | 1.3 | 79 | 1.2 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 8,773 | 62.7 | 8,816 | 62.3 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date). | | | | | | | |
| 22 | Expected number of Live Birth | 13,787 | | 14,155 | | | |
| D) Child Immunization : | | HMIS (2017-18) | | HMIS (2018-19) | | DLHS-4 (2012-13) | |
| 23 | Total reported live births | 13,800 | 100.1 | 13,941 | 98.5 | Breastfed within 1 hour of birth | 86 |
| 24 | Total Still Birth | 263 | 1.9 | 267 | 1.9 | BCG | 43.5 |

| | | | | | | | |
|----|--|--------|------|--------|------|-------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 13,674 | 99.1 | 13,751 | 98.6 | 3 dose of DPT | 50 |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 1,033 | 7.6 | 1,159 | 8.4 | Measles | 43.5 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 13,623 | 98.7 | 13,705 | 98.3 | Full Immunization | 34.8 |
| 28 | Children fully immunized | 8,237 | 59.7 | 8,359 | 59.1 | | |
| 29 | Children who have received BCG | 13,061 | 94.7 | 12,383 | 87.5 | | |
| 30 | Children who have received DPT1 | 11,749 | 85.2 | 11,937 | 84.3 | | |
| 31 | Children who have received DPT3 | 10,383 | 75.3 | 9,677 | 68.4 | | |
| 32 | Children who have received Measles | 8,276 | 60.0 | 8,485 | 59.9 | | |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years | 8,394 | | 7,067 | | | |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

| E) Family Planning | | HMIS (2017-18) | HMIS (2018-19) | DLHS-4 (2012-13) | |
|----------------------|--|----------------|----------------|---------------------------|------|
| 34 | Number of Vasectomies performed | 0 | 0 | Limiting | 19.1 |
| 35 | Number of Tubectomies performed | 555 | 534 | Spacing | 57 |
| 36 | Number of IUD insertion | 657 | 422 | Women using any method | 9.2 |
| 37 | Number of IUD removals | 646 | 603 | Women using modern method | 5.4 |
| F) Service delivery | | HMIS (2017-18) | HMIS (2018-19) | | |
| 38 | IPD cases per 10,000 population *** | 478 | 480 | | |
| 39 | General OPD cases per 10,000 population *** | 6829 | 6723 | | |
| 40 | Ayush OPD cases per 10,000 population *** | 602 | 474 | | |
| G) Mortality Details | | | | | |
| I) | Infant Deaths (In Number) | HMIS (2017-18) | HMIS (2018-19) | | |
| 41 | Neonatal death within 24 hours | 68 | 45 | | |
| 42 | Up to 1 Weeks of Birth | NA | NA | | |
| 43 | Between 1 week & 4 weeks of birth | 73 | 119 | | |
| 44 | Neonatal Death | 141 | 164 | | |
| 45 | Between 1 month and 11 months | 128 | 129 | | |
| 46 | Total reported infant deaths | 269 | 293 | | |
| II) | Maternal Mortality | | | | |
| | Maternal Deaths (In Number) | HMIS (2017-18) | HMIS (2018-19) | | |
| 47 | Due to Abortion | 0 | 1 | | |
| 48 | Due to Obstructed/prolonged labour | 4 | 2 | | |
| 49 | Due to Severe hypertension/fits | 2 | 3 | | |
| 50 | Due to Bleeding | 8 | 16 | | |
| 51 | Due to High fever | 0 | 0 | | |
| 52 | Due to Other Causes (including causes not known) | 27 | 23 | | |
| 53 | Total reported maternal deaths | 41 | 45 | | |

West Jaintia Hills Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|--|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| 1 | Population 2011 | 395,124 | | | | | |
| 2 | Sex Ratio | 1,008 | | | | | |
| B) Infrastructure Details (RHS 2018) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 46 | | | | | |
| 4 | Primary Health Centers (PHC) | 12 | | | | | |
| 5 | Community Health Centers (CHC) | 3 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 1 | | | | | |
| C) Maternal Health: | | 2017-18 | | 2018-19 | | | |
| 8 | Expected number of PW | 8,081 | | 8,334 | | | |
| 9 | Expected number of Delivery | 7,566 | | 7,804 | | | |
| | | HMIS (2017-18) | | HMIS (2018-19) | | DLHS-4 (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 13,245 | 163.9 | 14,316 | 171.8 | Any ANC | 83.1 |
| 11 | Mothers registered in the first trimester | 4,162 | 31.4 | 4,441 | 31.0 | ANC Check up in first trimester | 49.6 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 2,596 | 19.6 | 2,654 | 18.5 | 3 or more ANC check up | 53.9 |
| 13 | PW who got TT 2 / Booster injection | 7,768 | 58.6 | 8,186 | 57.2 | At least 1 TT received | 75.8 |
| 14 | PW who consumed 100 IFA tablets | 2,760 | 20.8 | 2,816 | 19.7 | 100 IFA tablets consumed | 33.2 |
| 15 | Home Delivery against expected delivery * | 4,049 | 53.5 | 3,790 | 48.6 | Full ANC | 23.9 |
| 16 | Institutional Delivery Against expected delivery * | 6,049 | 79.9 | 6,217 | 79.7 | Home Delivery | 59.6 |
| 17 | Home Delivery against reported delivery ** | 4,049 | 40.1 | 3,790 | 37.9 | Institutional Delivery | 40.4 |
| 18 | Institutional Delivery against reported delivery ** | 6,049 | 59.9 | 6,217 | 62.1 | Home Delivery by SBA | 12.0 |
| 19 | Total reported Deliveries | 10,098 | | 10,007 | | PNC within 14 days of delivery | 86.3 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 121 | 3.0 | 56 | 1.5 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 3,272 | 32.4 | 2,659 | 26.6 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date). | | | | | | | |
| 22 | Expected number of Live Birth | 7,346 | | 7,576 | | | |
| D) Child Immunization : | | HMIS (2017-18) | | HMIS (2018-19) | | DLHS-4 (2012-13) | |
| 23 | Total reported live births | 9,971 | 135.7 | 9,900 | 130.7 | Breastfed within 1 hour of birth | 46.3 |
| 24 | Total Still Birth | 259 | 3.5 | 229 | 3.0 | BCG | 81.9 |

| | | | | | | | |
|----|--|-------|-------|-------|-------|-------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 9,083 | 91.1 | 8,652 | 87.4 | 3 dose of DPT | 73.3 |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 742 | 8.2 | 651 | 7.5 | Measles | 67.6 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 8,935 | 89.6 | 8,449 | 85.3 | Full Immunization | 57.1 |
| 28 | Children fully immunized | 6,985 | 95.1 | 4,911 | 64.8 | | |
| 29 | Children who have received BCG | 9,557 | 130.1 | 9,797 | 129.3 | | |
| 30 | Children who have received DPT1 | 8,887 | 121.0 | 8,759 | 115.6 | | |
| 31 | Children who have received DPT3 | 8,469 | 115.3 | 7,928 | 104.6 | | |
| 32 | Children who have received Measles | 7,024 | 95.6 | 5,067 | 66.9 | | |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years | 9,454 | | 6,865 | | | |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

| E) Family Planning | | HMIS (2017-18) | HMIS (2018-19) | DLHS-4 (2012-13) | |
|----------------------|--|----------------|----------------|---------------------------|------|
| 34 | Number of Vasectomies performed | 0 | 0 | Limiting | 18.1 |
| 35 | Number of Tubectomies performed | 398 | 341 | Spacing | 21.9 |
| 36 | Number of IUD insertion | 276 | 177 | Women using any method | 21.2 |
| 37 | Number of IUD removals | 123 | 127 | Women using modern method | 13.4 |
| F) Service delivery | | HMIS (2017-18) | HMIS (2018-19) | | |
| 38 | IPD cases per 10,000 population *** | 1765 | 1490 | | |
| 39 | General OPD cases per 10,000 population *** | 10988 | 9960 | | |
| 40 | Ayush OPD cases per 10,000 population *** | 1079 | 678 | | |
| G) Mortality Details | | | | | |
| I) | Infant Deaths (In Number) | HMIS (2017-18) | HMIS (2018-19) | | |
| 41 | Neonatal death within 24 hours | 88 | 63 | | |
| 42 | Up to 1 Weeks of Birth | NA | NA | | |
| 43 | Between 1 week & 4 weeks of birth | 113 | 105 | | |
| 44 | Neonatal Death | 201 | 168 | | |
| 45 | Between 1 month and 11 months | 155 | 92 | | |
| 46 | Total reported infant deaths | 356 | 260 | | |
| II) | Maternal Mortality | | | | |
| | Maternal Deaths (In Number) | HMIS (2017-18) | HMIS (2018-19) | | |
| 47 | Due to Abortion | 1 | 0 | | |
| 48 | Due to Obstructed/prolonged labour | 2 | 0 | | |
| 49 | Due to Severe hypertension/fits | 4 | 6 | | |
| 50 | Due to Bleeding | 2 | 4 | | |
| 51 | Due to High fever | 0 | 0 | | |
| 52 | Due to Other Causes (including causes not known) | 24 | 8 | | |
| 53 | Total reported maternal deaths | 33 | 18 | | |

West Khasi Hills Factsheet

Key Indicators

| SL No | A) Demographic Indicators (Census 2011) | | | | | | |
|--|--|-----------------------|-----------|-----------------------|-----------|----------------------------------|------|
| 1 | Population 2011 | 383,461 | | | | | |
| 2 | Sex Ratio | 981 | | | | | |
| B) Infrastructure Details (RHS 2018) | | Numbers | | | | | |
| 3 | Sub Centers (SC) | 46 | | | | | |
| 4 | Primary Health Centers (PHC) | 15 | | | | | |
| 5 | Community Health Centers (CHC) | 2 | | | | | |
| 6 | SDH | 0 | | | | | |
| 7 | DH | 2 | | | | | |
| C) Maternal Health: | | 2017-18 | | 2018-19 | | | |
| 8 | Expected number of PW | 9,045 | | 9,318 | | | |
| 9 | Expected number of Delivery | 8,469 | | 8,725 | | | |
| | | HMIS (2017-18) | | HMIS (2018-19) | | DLHS-4 (2012-13) | |
| | | Number | PC | Number | PC | | |
| 10 | PW register for ANC | 11,289 | 124.8 | 11,945 | 128.2 | Any ANC | 68.4 |
| 11 | Mothers registered in the first trimester | 3,645 | 32.3 | 4,001 | 33.5 | ANC Check up in first trimester | 23.7 |
| 12 | Mothers who had at least 3 Ante-Natal care check ups | 6,562 | 58.1 | 6,058 | 50.7 | 3 or more ANC check up | 21.2 |
| 13 | PW who got TT 2 / Booster injection | 9,090 | 80.5 | 9,407 | 78.8 | At least 1 TT received | 64.2 |
| 14 | PW who consumed 100 IFA tablets | 4,259 | 37.7 | 3,666 | 30.7 | 100 IFA tablets consumed | 24.3 |
| 15 | Home Delivery against expected delivery * | 5,456 | 64.4 | 5,217 | 59.8 | Full ANC | 11.1 |
| 16 | Institutional Delivery Against expected delivery * | 4,296 | 50.7 | 4,543 | 52.1 | Home Delivery | 66.7 |
| 17 | Home Delivery against reported delivery ** | 5,456 | 55.9 | 5,217 | 53.5 | Institutional Delivery | 32.3 |
| 18 | Institutional Delivery against reported delivery ** | 4,296 | 44.1 | 4,543 | 46.5 | Home Delivery by SBA | 19.1 |
| 19 | Total reported Deliveries | 9,752 | | 9,760 | | PNC within 14 days of delivery | 45.9 |
| 20 | Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%) | 284 | 5.2 | 358 | 6.9 | | |
| 21 | PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries | 4,920 | 50.5 | 2,696 | 27.6 | | |
| Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date). | | | | | | | |
| 22 | Expected number of Live Birth | 8,223 | | 8,471 | | | |
| D) Child Immunization : | | HMIS (2017-18) | | HMIS (2018-19) | | DLHS-4 (2012-13) | |
| 23 | Total reported live births | 9,638 | 117.2 | 9,585 | 113.1 | Breastfed within 1 hour of birth | 47.5 |
| 24 | Total Still Birth | 201 | 2.4 | 213 | 2.5 | BCG | 79.6 |

| | | | | | | | |
|----|--|--------|-------|-------|-------|-------------------|------|
| 25 | PC of newborn weighted at birth to live birth | 8,879 | 92.1 | 8,937 | 93.2 | 3 dose of DPT | 70.4 |
| 26 | PC of newborn having weight less than 2.5 kg to newborn weighted at birth. | 443 | 5.0 | 401 | 4.5 | Measles | 70.9 |
| 27 | PC of newborns breastfed within 1 hour to total reported live birth. | 9,117 | 94.6 | 9,119 | 95.1 | Full Immunization | 47.3 |
| 28 | Children fully immunized | 8,474 | 103.1 | 4,056 | 47.9 | | |
| 29 | Children who have received BCG | 9,259 | 112.6 | 8,982 | 106.0 | | |
| 30 | Children who have received DPT1 | 10,149 | 123.4 | 9,523 | 112.4 | | |
| 31 | Children who have received DPT3 | 9,352 | 113.7 | 8,450 | 99.7 | | |
| 32 | Children who have received Measles | 8,552 | 104.0 | 4,362 | 51.5 | | |
| 33 | Diarrhoea and Dehydration cases reported in children below 5 years | 9,199 | | 3,640 | | | |

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

| E) Family Planning | | HMIS (2017-18) | HMIS (2018-19) | DLHS-4 (2012-13) | |
|----------------------|--|----------------|----------------|---------------------------|------|
| 34 | Number of Vasectomies performed | 2 | 1 | Limiting | 17.3 |
| 35 | Number of Tubectomies performed | 195 | 163 | Spacing | 29.1 |
| 36 | Number of IUD insertion | 200 | 220 | Women using any method | 17.4 |
| 37 | Number of IUD removals | 60 | 64 | Women using modern method | 14.6 |
| F) Service delivery | | HMIS (2017-18) | HMIS (2018-19) | | |
| 38 | IPD cases per 10,000 population *** | 712 | 676 | | |
| 39 | General OPD cases per 10,000 population *** | 12044 | 10115 | | |
| 40 | Ayush OPD cases per 10,000 population *** | 1920 | 1713 | | |
| G) Mortality Details | | | | | |
| I) | Infant Deaths (In Number) | HMIS (2017-18) | HMIS (2018-19) | | |
| 41 | Neonatal death within 24 hours | 56 | 48 | | |
| 42 | Up to 1 Weeks of Birth | NA | NA | | |
| 43 | Between 1 week & 4 weeks of birth | 77 | 47 | | |
| 44 | Neonatal Death | 133 | 95 | | |
| 45 | Between 1 month and 11 months | 125 | 74 | | |
| 46 | Total reported infant deaths | 258 | 169 | | |
| II) | Maternal Mortality | | | | |
| | Maternal Deaths (In Number) | HMIS (2017-18) | HMIS (2018-19) | | |
| 47 | Due to Abortion | 0 | 0 | | |
| 48 | Due to Obstructed/prolonged labour | 0 | 2 | | |
| 49 | Due to Severe hypertension/fits | 1 | 4 | | |
| 50 | Due to Bleeding | 6 | 4 | | |
| 51 | Due to High fever | 0 | 0 | | |
| 52 | Due to Other Causes (including causes not known) | 10 | 13 | | |
| 53 | Total reported maternal deaths | 17 | 23 | | |