

## Mizoram Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,097,206					
2	Sex Ratio	975					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	370					
4	Primary Health Centers (PHC)	57					
5	Community Health Centers (CHC)	9					
6	SDH	2					
7	DH	9					
<b>C) Maternal Health:</b>		<b>2017-18</b>		<b>2018-19</b>			
8	Expected number of PW	21,414		21,902			
9	Expected number of Delivery	19,701		20,150			
		<b>HMIS (2017-18)</b>		<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	23,567	110.1	23,047	105.2	Any ANC	83.3
11	Mothers registered in the first trimester	16,353	69.4	16,801	72.9	ANC Check up in first trimester	54.3
12	Mothers who had at least 3 Ante-Natal care check ups	8,835	37.5	14,767	64.1	3 or more ANC check up	61.6
13	PW who got TT 2 / Booster injection	19,596	83.2	19,032	82.6	At least 1 TT received	80.0
14	PW who consumed 100 IFA tablets	5,421	23.0	9,055	39.3	100 IFA tablets consumed	46.5
15	Home Delivery against expected delivery *	2,152	10.9	2,243	11.1	Full ANC	36.7
16	Institutional Delivery Against expected delivery *	15,022	76.2	15,657	77.7	Home Delivery	27.1
17	Reported Home Delivery **	2,152	12.5	2,243	12.5	Institutional Delivery	72.4
18	Reported institutional Delivery **	15,022	87.5	15,657	87.5	Home Delivery by SBA	7.2
19	Total reported Deliveries	17,174		17,900		PNC within 14 days of delivery	49.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	427	19.8	571	25.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,717	79.9	12,850	71.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth	19,468		19,911			
<b>D) Child Immunization :</b>		<b>HMIS (2017-18)</b>		<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	17,428	89.5	17,764	89.2	Breastfed within 1 hour of birth	84.5
24	Total Still Birth	163	0.8	204	1.0	BCG	88.4

25	PC of newborn weighted at birth to live birth	16,450	94.4	17,066	96.1	3 dose of DPT	82.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	769	4.7	858	5.0	Measles	79.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	16,301	93.5	18,754	105.6	Full Immunization	71.2
28	Children fully immunized	15,349	78.8	15,357	77.1		
29	Children who have received BCG	17,569	90.2	18,061	90.7		
30	Children who have received DPT1	17,983	92.4	18,914	95.0		
31	Children who have received DPT3	17,068	87.7	18,306	91.9		
32	Children who have received Measles	15,411	79.2	15,399	77.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	7,649		6,471			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	2.9
35	Number of Tubectomies performed	1,309	1,391	Spacing	18.5
36	Number of IUD insertion	1,565	1,407	Women using any method	59.8
37	Number of IUD removals	1,031	1,093	Women using modern method	59
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
38	IPD cases per 10,000 population ***	639	633		
39	General OPD cases per 10,000 population ***	10020	11004		
40	Ayush OPD cases per 10,000 population ***	325	323		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
41	Neonatal death within 24 hours	25	44		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	150	108		
44	Neonatal Death	175	152		
45	Between 1 month and 11 months	206	174		
46	<b>Total reported infant deaths</b>	<b>381</b>	<b>326</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
47	Due to Abortion	0	1		
48	Due to Obstructed/prolonged labour	0	2		
49	Due to Severe hypertension/fits	1	0		
50	Due to Bleeding	2	5		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	11	17		
53	<b>Total reported maternal deaths</b>	<b>14</b>	<b>25</b>		

## Aizawl East Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	240,589					
2	Sex Ratio	1,009					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	57					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2017-18</b>		<b>2018-19</b>			
8	Expected number of PW	4,731		4,845			
9	Expected number of Delivery	4,353		4,458			
		<b>HMIS ( 2017-18)</b>		<b>HMIS ( 2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	5,117	108.2	5,013	103.5	Any ANC	97.7
11	Mothers registered in the first trimester	3,694	72.2	3,618	72.2	ANC Check up in first trimester	66.1
12	Mothers who had at least 3 Ante-Natal care check ups	2,370	46.3	3,574	71.3	3 or more ANC check up	76.1
13	PW who got TT 2 / Booster injection	3,949	77.2	3,708	74.0	At least 1 TT received	96.4
14	PW who consumed 100 IFA tablets	1,439	28.1	2,924	58.3	100 IFA tablets consumed	67.2
15	Home Delivery against expected delivery *	14	0.3	19	0.4	Full ANC	53.9
16	Institutional Delivery Against expected delivery *	887	20.4	2,295	51.5	Home Delivery	6.6
17	Reported Home Delivery **	14	1.6	19	0.8	Institutional Delivery	93.4
18	Reported institutional Delivery **	887	98.4	2,295	99.2	Home Delivery by SBA	2.9
19	Total reported Deliveries	901		2,314		PNC within 14 days of delivery	47.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	8	57.1	17	89.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,641	404.1	3,677	158.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth	4,301		4,405			
<b>D) Child Immunization :</b>		<b>HMIS ( 2017-18)</b>		<b>HMIS ( 2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,026	23.9	2,293	52.1	Breastfed within 1 hour of birth	87.7
24	Total Still Birth	4	0.1	22	0.5	BCG	98.6

25	PC of newborn weighted at birth to live birth	1,013	98.7	2,310	100.7	3 dose of DPT	94.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	33	3.3	122	5.3	Measles	90
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,007	98.1	4,099	178.8	Full Immunization	87
28	Children fully immunized	3,388	78.8	3,668	83.3		
29	Children who have received BCG	2,967	69.0	2,751	62.5		
30	Children who have received DPT1	3,605	83.8	4,162	94.5		
31	Children who have received DPT3	3,563	82.8	3,988	90.5		
32	Children who have received Measles	3,315	77.1	3,505	79.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	667		712			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2017-18)	HMIS ( 2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	1.6
35	Number of Tubectomies performed	21	0	Spacing	14.4
36	Number of IUD insertion	186	207	Women using any method	64.6
37	Number of IUD removals	113	134	Women using modern method	63.5
F) Service delivery		HMIS ( 2017-18)	HMIS ( 2018-19)		
38	IPD cases per 10,000 population ***	221	372		
39	General OPD cases per 10,000 population ***	3896	4906		
40	Ayush OPD cases per 10,000 population ***	139	117		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2017-18)	HMIS ( 2018-19)		
41	Neonatal death within 24 hours	7	3		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	16	26		
44	Neonatal Death	23	29		
45	Between 1 month and 11 months	17	27		
46	<b>Total reported infant deaths</b>	<b>40</b>	<b>56</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2017-18)	HMIS ( 2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	2	2		
53	<b>Total reported maternal deaths</b>	<b>2</b>	<b>3</b>		

## Aizawl West Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	159,720					
2	Sex Ratio	1,009					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	37					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	0					
6	SDH	1					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2017-18</b>		<b>2018-19</b>			
8	Expected number of PW	3,141		3,217			
9	Expected number of Delivery	2,890		2,959			
		<b>HMIS ( 2017-18)</b>		<b>HMIS ( 2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	4,806	153.0	3,376	105.0	Any ANC	97.7
11	Mothers registered in the first trimester	2,722	56.6	2,643	78.3	ANC Check up in first trimester	66.1
12	Mothers who had at least 3 Ante-Natal care check ups	1,238	25.8	5,177	153.3	3 or more ANC check up	76.1
13	PW who got TT 2 / Booster injection	2,885	60.0	2,924	86.6	At least 1 TT received	96.4
14	PW who consumed 100 IFA tablets	324	6.7	550	16.3	100 IFA tablets consumed	67.2
15	Home Delivery against expected delivery *	5	0.2	6	0.2	Full ANC	53.9
16	Institutional Delivery Against expected delivery *	5,846	202.3	5,405	182.6	Home Delivery	6.6
17	Reported Home Delivery **	5	0.1	6	0.1	Institutional Delivery	93.4
18	Reported institutional Delivery **	5,846	99.9	5,405	99.9	Home Delivery by SBA	2.9
19	Total reported Deliveries	5,851		5,411		PNC within 14 days of delivery	47.7
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	2	33.3		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,347	40.1	1,683	31.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth	4,302		2,924			
<b>D) Child Immunization :</b>		<b>HMIS ( 2017-18)</b>		<b>HMIS ( 2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	5,998	139.4	5,357	183.2	Breastfed within 1 hour of birth	87.7
24	Total Still Birth	64	1.5	92	3.1	BCG	98.6

25	PC of newborn weighted at birth to live birth	5,648	94.2	5,345	99.8	3 dose of DPT	94.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	359	6.4	324	6.1	Measles	90
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,595	93.3	5,254	98.1	Full Immunization	87
28	Children fully immunized	2,573	59.8	2,286	78.2		
29	Children who have received BCG	3,856	89.6	4,439	151.8		
30	Children who have received DPT1	2,637	61.3	2,752	94.1		
31	Children who have received DPT3	2,573	59.8	2,749	94.0		
32	Children who have received Measles	2,573	59.8	2,286	78.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,154		938			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2017-18)	HMIS ( 2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	1.6
35	Number of Tubectomies performed	765	892	Spacing	14.4
36	Number of IUD insertion	437	407	Women using any method	64.6
37	Number of IUD removals	460	441	Women using modern method	63.5
F) Service delivery		HMIS ( 2017-18)	HMIS ( 2018-19)		
38	IPD cases per 10,000 population ***	1425	1403		
39	General OPD cases per 10,000 population ***	29676	28974		
40	Ayush OPD cases per 10,000 population ***	428	275		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2017-18)	HMIS ( 2018-19)		
41	Neonatal death within 24 hours	2	3		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	71	17		
44	Neonatal Death	73	20		
45	Between 1 month and 11 months	26	22		
46	<b>Total reported infant deaths</b>	99	42		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2017-18)	HMIS ( 2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	1	0		
50	Due to Bleeding	1	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	2	3		
53	<b>Total reported maternal deaths</b>	4	3		

## Champhai Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	125,745					
2	Sex Ratio	981					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	59					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2017-18</b>		<b>2018-19</b>			
8	Expected number of PW	2,363		2,401			
9	Expected number of Delivery	2,174		2,209			
		<b>HMIS ( 2017-18)</b>		<b>HMIS ( 2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	2,594	109.8	2,690	112.0	Any ANC	91.3
11	Mothers registered in the first trimester	2,092	80.6	2,274	84.5	ANC Check up in first trimester	54.4
12	Mothers who had at least 3 Ante-Natal care check ups	1,154	44.5	1,027	38.2	3 or more ANC check up	66.0
13	PW who got TT 2 / Booster injection	2,383	91.9	2,437	90.6	At least 1 TT received	87.8
14	PW who consumed 100 IFA tablets	473	18.2	561	20.9	100 IFA tablets consumed	51.3
15	Home Delivery against expected delivery *	85	3.9	78	3.5	Full ANC	39.1
16	Institutional Delivery Against expected delivery *	1,692	77.8	1,718	77.8	Home Delivery	21.7
17	Reported Home Delivery **	85	4.8	78	4.3	Institutional Delivery	78.3
18	Reported institutional Delivery **	1,692	95.2	1,718	95.7	Home Delivery by SBA	8.7
19	Total reported Deliveries	1,777		1,796		PNC within 14 days of delivery	32.0
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	15	17.6	20	25.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,980	111.4	1,600	89.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth	4,303		2,183			
<b>D) Child Immunization :</b>		<b>HMIS ( 2017-18)</b>		<b>HMIS ( 2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,828	42.5	1,783	81.7	Breastfed within 1 hour of birth	91
24	Total Still Birth	32	0.7	15	0.7	BCG	95.1



25	PC of newborn weighted at birth to live birth	1,798	98.4	1,768	99.2	3 dose of DPT	90.1
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	70	3.9	104	5.9	Measles	89
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,748	95.6	1,738	97.5	Full Immunization	82.9
28	Children fully immunized	1,989	46.2	1,786	81.8		
29	Children who have received BCG	2,040	47.4	1,987	91.0		
30	Children who have received DPT1	2,162	50.2	2,196	100.6		
31	Children who have received DPT3	2,067	48.0	2,196	100.6		
32	Children who have received Measles	1,957	45.5	1,841	84.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,125		783			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2017-18)	HMIS ( 2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	2.7
35	Number of Tubectomies performed	84	49	Spacing	19.7
36	Number of IUD insertion	243	191	Women using any method	59.4
37	Number of IUD removals	170	189	Women using modern method	59
F) Service delivery		HMIS ( 2017-18)	HMIS ( 2018-19)		
38	IPD cases per 10,000 population ***	641	579		
39	General OPD cases per 10,000 population ***	7323	7385		
40	Ayush OPD cases per 10,000 population ***	382	370		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2017-18)	HMIS ( 2018-19)		
41	Neonatal death within 24 hours	2	12		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	18	12		
44	Neonatal Death	20	24		
45	Between 1 month and 11 months	24	37		
46	<b>Total reported infant deaths</b>	<b>44</b>	<b>61</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2017-18)	HMIS ( 2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	1	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	4	4		
53	<b>Total reported maternal deaths</b>	<b>5</b>	<b>5</b>		



## Kolasib Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	83,955					
2	Sex Ratio	956					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	26					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2017-18</b>		<b>2018-19</b>			
8	Expected number of PW	1,669		1,712			
9	Expected number of Delivery	1,535		1,575			
		<b>HMIS ( 2017-18)</b>		<b>HMIS ( 2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,749	104.8	1,813	105.9	Any ANC	95.1
11	Mothers registered in the first trimester	1,314	75.1	1,340	73.9	ANC Check up in first trimester	65.6
12	Mothers who had at least 3 Ante-Natal care check ups	835	47.7	973	53.7	3 or more ANC check up	70.8
13	PW who got TT 2 / Booster injection	1,634	93.4	1,530	84.4	At least 1 TT received	93.1
14	PW who consumed 100 IFA tablets	543	31.0	570	31.4	100 IFA tablets consumed	51.4
15	Home Delivery against expected delivery *	76	4.9	81	5.1	Full ANC	42.7
16	Institutional Delivery Against expected delivery *	1,062	69.2	959	60.9	Home Delivery	22.5
17	Reported Home Delivery **	76	6.7	81	7.8	Institutional Delivery	77.5
18	Reported institutional Delivery **	1,062	93.3	959	92.2	Home Delivery by SBA	6.9
19	Total reported Deliveries	1,138		1,040		PNC within 14 days of delivery	52.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	31	40.8	45	55.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,201	105.5	1,815	174.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth	4,304		1,557			
<b>D) Child Immunization :</b>		<b>HMIS ( 2017-18)</b>		<b>HMIS ( 2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,127	26.2	1,028	66.0	Breastfed within 1 hour of birth	82.2
24	Total Still Birth	12	0.3	12	0.8	BCG	99

25	PC of newborn weighted at birth to live birth	1,131	100.4	1,029	100.1	3 dose of DPT	96.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	47	4.2	79	7.7	Measles	90.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,128	100.1	1,028	100.0	Full Immunization	83.7
28	Children fully immunized	1,162	27.0	1,202	77.2		
29	Children who have received BCG	921	21.4	1,255	80.6		
30	Children who have received DPT1	1,441	33.5	1,506	96.8		
31	Children who have received DPT3	1,321	30.7	1,396	89.7		
32	Children who have received Measles	1,185	27.5	1,201	77.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	938		891			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2017-18)	HMIS ( 2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	2.2
35	Number of Tubectomies performed	38	124	Spacing	18.2
36	Number of IUD insertion	24	43	Women using any method	57.3
37	Number of IUD removals	24	35	Women using modern method	56.7
F) Service delivery		HMIS ( 2017-18)	HMIS ( 2018-19)		
38	IPD cases per 10,000 population ***	679	648		
39	General OPD cases per 10,000 population ***	7732	7872		
40	Ayush OPD cases per 10,000 population ***	215	417		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2017-18)	HMIS ( 2018-19)		
41	Neonatal death within 24 hours	2	8		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	3	7		
44	Neonatal Death	5	15		
45	Between 1 month and 11 months	24	16		
46	<b>Total reported infant deaths</b>	<b>29</b>	<b>31</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2017-18)	HMIS ( 2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	1		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>1</b>		

## Lawngtlai Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	117,894					
2	Sex Ratio	945					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	37					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2017-18</b>		<b>2018-19</b>			
8	Expected number of PW	2,458		2,542			
9	Expected number of Delivery	2,261		2,338			
		<b>HMIS ( 2017-18)</b>		<b>HMIS ( 2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	2,428	98.8	2,716	106.9	Any ANC	37.9
11	Mothers registered in the first trimester	1,639	67.5	1,536	56.6	ANC Check up in first trimester	21.5
12	Mothers who had at least 3 Ante-Natal care check ups	914	37.6	1,111	40.9	3 or more ANC check up	26.4
13	PW who got TT 2 / Booster injection	2,257	93.0	2,075	76.4	At least 1 TT received	35.1
14	PW who consumed 100 IFA tablets	1,014	41.8	1,460	53.8	100 IFA tablets consumed	16.0
15	Home Delivery against expected delivery *	677	29.9	830	35.5	Full ANC	12.3
16	Institutional Delivery Against expected delivery *	1,129	49.9	1,119	47.9	Home Delivery	70.1
17	Reported Home Delivery **	677	37.5	830	42.6	Institutional Delivery	27.7
18	Reported institutional Delivery **	1,129	62.5	1,119	57.4	Home Delivery by SBA	3.5
19	Total reported Deliveries	1,806		1,949		PNC within 14 days of delivery	74.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	68	10.0	96	11.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	407	22.5	298	15.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth	4,305		2,310			
<b>D) Child Immunization :</b>		<b>HMIS ( 2017-18)</b>		<b>HMIS ( 2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,791	41.6	1,938	83.9	Breastfed within 1 hour of birth	56.5
24	Total Still Birth	16	0.4	20	0.9	BCG	40.8

25	PC of newborn weighted at birth to live birth	1,484	82.9	1,477	76.2	3 dose of DPT	44.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	63	4.2	57	3.9	Measles	35.5
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,480	82.6	1,634	84.3	Full Immunization	26.3
28	Children fully immunized	1,507	35.0	1,512	65.4		
29	Children who have received BCG	2,176	50.5	2,044	88.5		
30	Children who have received DPT1	2,176	50.5	2,192	94.9		
31	Children who have received DPT3	1,926	44.7	2,007	86.9		
32	Children who have received Measles	1,657	38.5	1,591	68.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	920		933			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2017-18)	HMIS ( 2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	6.3
35	Number of Tubectomies performed	83	46	Spacing	23.6
36	Number of IUD insertion	114	66	Women using any method	47.4
37	Number of IUD removals	38	54	Women using modern method	46.2
F) Service delivery		HMIS ( 2017-18)	HMIS ( 2018-19)		
38	IPD cases per 10,000 population ***	435	397		
39	General OPD cases per 10,000 population ***	5812	5795		
40	Ayush OPD cases per 10,000 population ***	50	17		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2017-18)	HMIS ( 2018-19)		
41	Neonatal death within 24 hours	3	2		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	5	6		
44	Neonatal Death	8	8		
45	Between 1 month and 11 months	40	16		
46	<b>Total reported infant deaths</b>	<b>48</b>	<b>24</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2017-18)	HMIS ( 2018-19)		
47	Due to Abortion	0	1		
48	Due to Obstructed/prolonged labour	0	1		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	2		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	2		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>6</b>		

## Lunglei Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	161,428					
2	Sex Ratio	944					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	70					
4	Primary Health Centers (PHC)	9					
5	Community Health Centers (CHC)	1					
6	SDH	1					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2017-18</b>		<b>2018-19</b>			
8	Expected number of PW	2,962		2,998			
9	Expected number of Delivery	2,725		2,758			
		<b>HMIS ( 2017-18)</b>		<b>HMIS ( 2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	2,459	83.0	2,652	88.5	Any ANC	74.2
11	Mothers registered in the first trimester	1,839	74.8	1,897	71.5	ANC Check up in first trimester	41.0
12	Mothers who had at least 3 Ante-Natal care check ups	902	36.7	1,253	47.2	3 or more ANC check up	51.6
13	PW who got TT 2 / Booster injection	2,719	110.6	2,380	89.7	At least 1 TT received	67.1
14	PW who consumed 100 IFA tablets	363	14.8	1,036	39.1	100 IFA tablets consumed	33.2
15	Home Delivery against expected delivery *	480	17.6	428	15.5	Full ANC	24.0
16	Institutional Delivery Against expected delivery *	1,950	71.6	1,941	70.4	Home Delivery	38.5
17	Reported Home Delivery **	480	19.8	428	18.1	Institutional Delivery	61.2
18	Reported institutional Delivery **	1,950	80.2	1,941	81.9	Home Delivery by SBA	11.3
19	Total reported Deliveries	2,430		2,369		PNC within 14 days of delivery	53.4
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	123	25.6	145	33.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,333	96.0	2,074	87.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth	4,306		2,725			
<b>D) Child Immunization :</b>		<b>HMIS ( 2017-18)</b>		<b>HMIS ( 2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	2,473	57.4	2,371	87.0	Breastfed within 1 hour of birth	90.2
24	Total Still Birth	18	0.4	22	0.8	BCG	85.5

25	PC of newborn weighted at birth to live birth	2,415	97.7	2,281	96.2	3 dose of DPT	75
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	81	3.4	77	3.4	Measles	76.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,360	95.4	2,204	93.0	Full Immunization	59.2
28	Children fully immunized	1,838	42.7	1,715	62.9		
29	Children who have received BCG	1,854	43.1	2,279	83.6		
30	Children who have received DPT1	2,141	49.7	2,301	84.4		
31	Children who have received DPT3	2,087	48.5	2,290	84.0		
32	Children who have received Measles	1,822	42.3	1,754	64.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	782		539			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2017-18)	HMIS ( 2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	1.8
35	Number of Tubectomies performed	183	169	Spacing	17.4
36	Number of IUD insertion	223	200	Women using any method	65.5
37	Number of IUD removals	99	84	Women using modern method	64.9
F) Service delivery		HMIS ( 2017-18)	HMIS ( 2018-19)		
38	IPD cases per 10,000 population ***	717	650		
39	General OPD cases per 10,000 population ***	10509	15934		
40	Ayush OPD cases per 10,000 population ***	377	785		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2017-18)	HMIS ( 2018-19)		
41	Neonatal death within 24 hours	3	10		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	4	23		
44	Neonatal Death	7	33		
45	Between 1 month and 11 months	38	28		
46	<b>Total reported infant deaths</b>	<b>45</b>	<b>61</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2017-18)	HMIS ( 2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	1		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	1		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	1		
53	<b>Total reported maternal deaths</b>	<b>1</b>	<b>3</b>		

## Mamit Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	86,364					
2	Sex Ratio	924					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	33					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2017-18</b>		<b>2018-19</b>			
8	Expected number of PW	1,827		1,894			
9	Expected number of Delivery	1,681		1,742			
		<b>HMIS ( 2017-18)</b>		<b>HMIS ( 2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,726	94.5	1,904	100.5	Any ANC	78.0
11	Mothers registered in the first trimester	1,123	65.1	1,260	66.2	ANC Check up in first trimester	38.4
12	Mothers who had at least 3 Ante-Natal care check ups	701	40.6	718	37.7	3 or more ANC check up	47.4
13	PW who got TT 2 / Booster injection	1,548	89.7	1,581	83.0	At least 1 TT received	75.4
14	PW who consumed 100 IFA tablets	680	39.4	966	50.7	100 IFA tablets consumed	37.8
15	Home Delivery against expected delivery *	454	27.0	456	26.2	Full ANC	26.4
16	Institutional Delivery Against expected delivery *	741	44.1	581	33.3	Home Delivery	37.7
17	Reported Home Delivery **	454	38.0	456	44.0	Institutional Delivery	62.0
18	Reported institutional Delivery **	741	62.0	581	56.0	Home Delivery by SBA	10.1
19	Total reported Deliveries	1,195		1,037		PNC within 14 days of delivery	51.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	78	17.2	95	20.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	991	82.9	988	95.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth	4,307		1,722			
<b>D) Child Immunization :</b>		<b>HMIS ( 2017-18)</b>		<b>HMIS ( 2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,180	27.4	1,027	59.7	Breastfed within 1 hour of birth	91.6
24	Total Still Birth	5	0.1	8	0.5	BCG	90.2



25	PC of newborn weighted at birth to live birth	991	84.0	893	87.0	3 dose of DPT	79.5
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	41	4.1	29	3.2	Measles	70.7
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,028	87.1	932	90.7	Full Immunization	59.8
28	Children fully immunized	1,067	24.8	1,230	71.4		
29	Children who have received BCG	1,570	36.5	1,398	81.2		
30	Children who have received DPT1	1,624	37.7	1,548	89.9		
31	Children who have received DPT3	1,408	32.7	1,466	85.2		
32	Children who have received Measles	1,061	24.6	1,251	72.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	947		751			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2017-18)	HMIS ( 2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	2.3
35	Number of Tubectomies performed	7	12	Spacing	21.3
36	Number of IUD insertion	77	26	Women using any method	58.9
37	Number of IUD removals	39	34	Women using modern method	58.5
F) Service delivery		HMIS ( 2017-18)	HMIS ( 2018-19)		
38	IPD cases per 10,000 population ***	367	329		
39	General OPD cases per 10,000 population ***	6034	6136		
40	Ayush OPD cases per 10,000 population ***	196	55		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2017-18)	HMIS ( 2018-19)		
41	Neonatal death within 24 hours	0	3		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	17	0		
44	Neonatal Death	17	3		
45	Between 1 month and 11 months	9	10		
46	<b>Total reported infant deaths</b>	<b>26</b>	<b>13</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2017-18)	HMIS ( 2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	<b>0</b>	<b>0</b>		

## Saiha Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	56,574					
2	Sex Ratio	978					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	24					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	0					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2017-18</b>		<b>2018-19</b>			
8	Expected number of PW	1,084		1,106			
9	Expected number of Delivery	998		1,017			
		<b>HMIS ( 2017-18)</b>		<b>HMIS ( 2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,486	137.0	1,643	148.6	Any ANC	73.9
11	Mothers registered in the first trimester	930	62.6	1,195	72.7	ANC Check up in first trimester	53.6
12	Mothers who had at least 3 Ante-Natal care check ups	281	18.9	539	32.8	3 or more ANC check up	51.0
13	PW who got TT 2 / Booster injection	1,139	76.6	1,290	78.5	At least 1 TT received	66.0
14	PW who consumed 100 IFA tablets	413	27.8	763	46.4	100 IFA tablets consumed	35.4
15	Home Delivery against expected delivery *	336	33.7	324	31.8	Full ANC	28.1
16	Institutional Delivery Against expected delivery *	990	99.2	950	93.4	Home Delivery	42.4
17	Reported Home Delivery **	336	25.3	324	25.4	Institutional Delivery	56.5
18	Reported institutional Delivery **	990	74.7	950	74.6	Home Delivery by SBA	17.2
19	Total reported Deliveries	1,326		1,274		PNC within 14 days of delivery	41.3
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	85	25.3	136	42.0		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	634	47.8	470	36.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth	4,308		1,005			
<b>D) Child Immunization :</b>		<b>HMIS ( 2017-18)</b>		<b>HMIS ( 2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,264	29.3	1,258	125.1	Breastfed within 1 hour of birth	92
24	Total Still Birth	6	0.1	12	1.2	BCG	80.6

25	PC of newborn weighted at birth to live birth	1,233	97.5	1,261	100.2	3 dose of DPT	72
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	57	4.6	51	4.0	Measles	73.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,222	96.7	1,257	99.9	Full Immunization	60.2
28	Children fully immunized	940	21.8	1,041	103.6		
29	Children who have received BCG	1,346	31.2	1,074	106.8		
30	Children who have received DPT1	1,210	28.1	1,239	123.2		
31	Children who have received DPT3	1,138	26.4	1,164	115.8		
32	Children who have received Measles	939	21.8	1,015	101.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	378		324			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2017-18)	HMIS ( 2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	5.8
35	Number of Tubectomies performed	106	93	Spacing	22.2
36	Number of IUD insertion	178	193	Women using any method	54.3
37	Number of IUD removals	40	61	Women using modern method	53.6
F) Service delivery		HMIS ( 2017-18)	HMIS ( 2018-19)		
38	IPD cases per 10,000 population ***	832	607		
39	General OPD cases per 10,000 population ***	5863	6287		
40	Ayush OPD cases per 10,000 population ***	1431	838		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2017-18)	HMIS ( 2018-19)		
41	Neonatal death within 24 hours	1	2		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	11	14		
44	Neonatal Death	12	16		
45	Between 1 month and 11 months	21	16		
46	<b>Total reported infant deaths</b>	<b>33</b>	<b>32</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2017-18)	HMIS ( 2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	4		
53	<b>Total reported maternal deaths</b>	<b>1</b>	<b>4</b>		

## Serchhip Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	64,937					
2	Sex Ratio	976					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	27					
4	Primary Health Centers (PHC)	5					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2017-18</b>		<b>2018-19</b>			
8	Expected number of PW	1,240		1,264			
9	Expected number of Delivery	1,141		1,163			
		<b>HMIS ( 2017-18)</b>		<b>HMIS ( 2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,202	96.9	1,240	98.1	Any ANC	99.7
11	Mothers registered in the first trimester	1,000	83.2	1,038	83.7	ANC Check up in first trimester	69.6
12	Mothers who had at least 3 Ante-Natal care check ups	440	36.6	395	31.9	3 or more ANC check up	74.2
13	PW who got TT 2 / Booster injection	1,082	90.0	1,107	89.3	At least 1 TT received	98.4
14	PW who consumed 100 IFA tablets	172	14.3	225	18.1	100 IFA tablets consumed	49.7
15	Home Delivery against expected delivery *	25	2.2	21	1.8	Full ANC	38.7
16	Institutional Delivery Against expected delivery *	725	63.5	689	59.2	Home Delivery	16.3
17	Reported Home Delivery **	25	3.3	21	3.0	Institutional Delivery	83.1
18	Reported institutional Delivery **	725	96.7	689	97.0	Home Delivery by SBA	8.6
19	Total reported Deliveries	750		710		PNC within 14 days of delivery	49.8
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	19	76.0	15	71.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	183	24.4	245	34.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).							
22	Expected number of Live Birth	4,309		1,149			
<b>D) Child Immunization :</b>		<b>HMIS ( 2017-18)</b>		<b>HMIS ( 2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	741	17.2	709	61.7	Breastfed within 1 hour of birth	78.6
24	Total Still Birth	6	0.1	1	0.1	BCG	97.4

25	PC of newborn weighted at birth to live birth	737	99.5	702	99.0	3 dose of DPT	85.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	18	2.4	15	2.1	Measles	89.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	733	98.9	608	85.8	Full Immunization	82.3
28	Children fully immunized	885	20.5	917	79.8		
29	Children who have received BCG	839	19.5	834	72.6		
30	Children who have received DPT1	987	22.9	1,018	88.6		
31	Children who have received DPT3	985	22.9	1,050	91.4		
32	Children who have received Measles	902	20.9	955	83.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	738		600			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS ( 2017-18)	HMIS ( 2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	2.5
35	Number of Tubectomies performed	22	6	Spacing	14.4
36	Number of IUD insertion	83	74	Women using any method	66
37	Number of IUD removals	48	61	Women using modern method	65
F) Service delivery		HMIS ( 2017-18)	HMIS ( 2018-19)		
38	IPD cases per 10,000 population ***	607	624		
39	General OPD cases per 10,000 population ***	8011	9307		
40	Ayush OPD cases per 10,000 population ***	435	469		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS ( 2017-18)	HMIS ( 2018-19)		
41	Neonatal death within 24 hours	5	1		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	5	3		
44	Neonatal Death	10	4		
45	Between 1 month and 11 months	7	2		
46	<b>Total reported infant deaths</b>	17	6		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS ( 2017-18)	HMIS ( 2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	0		
53	<b>Total reported maternal deaths</b>	1	0		