

## Nagaland Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,978,502					
2	Sex Ratio	931					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	396					
4	Primary Health Centers (PHC)	126					
5	Community Health Centers (CHC)	21					
6	SDH	0					
7	DH	11					
<b>C) Maternal Health:</b>		<b>2017-18</b>		<b>2018-19</b>			
8	Expected number of PW	32,210		30,469			
9	Expected number of Delivery	29,633		28,031			
		<b>HMIS (2017-18)</b>		<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	37,089	115.1	37,026	121.5	Any ANC	41.8
11	Mothers registered in the first trimester	11,059	29.8	10,368	28.0	ANC Check up in first trimester	23.8
12	Mothers who had at least 3 Ante-Natal care check ups	6,870	18.5	7,488	20.2	3 or more ANC check up	26.5
13	PW who got TT 2 / Booster injection	14,812	39.9	14,241	38.5	Atleast 1 TT received	39.4
14	PW who consumed 100 IFA tablets	3,320	9.0	6,192	16.7	100 IFA tablets consumed	12
15	Home Delivery against expected delivery *	3,706	12.5	3,533	12.6	Full ANC	9.7
16	Institutional Delivery against expected delivery *	16,145	54.5	15,716	56.1	Home Delivery	66.1
17	Home Delivery against reported delivery **	3,706	18.7	3,533	18.4	Institutional Delivery	30.1
18	Institutional Delivery against reported delivery **	16,145	81.3	15,716	60.3	Home Delivery by SBA	17.5
19	Total reported Deliveries	19,851		19,249		PNC within 48 hrs of delivery	63.9
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,934	52.2	2,042	57.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	9,129	46.0	8,731	45.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	29,282		27,699			
<b>D) Child Immunization :</b>		<b>HMIS (2017-18)</b>		<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	19,625	67.0	19,167	69.2	Breastfed within 1 hour of birth	44.5
24	Total Still Birth	349	1.2	301	1.1	BCG	61.2

25	PC of newborn weighted at birth to live birth	19,243	98.1	18,814	98.2	3 dose of DPT	66
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	792	4.1	785	4.2	Measles	49
27	PC of newborns breastfed within 1 hour to total reported live birth.	16,882	86.0	16,122	84.1	Full Immunization	35.6
28	Children fully immunized	17,002	58.1	13,758	49.7		
29	Children who have received BCG	23,265	79.5	20,706	74.8		
30	Children who have received DPT1	22,948	78.4	21,676	78.3		
31	Children who have received DPT3	20,218	69.0	18,802	67.9		
32	Children who have received Measles	18,976	64.8	15,237	55.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	18,799		16,166			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	8	4	Limiting	23
35	Number of Tubectomies performed	1,556	1,185	Spacing	18.6
36	Number of IUD insertion	4,237	3,349	Women using any method	33.1
37	Number of IUD removals	1,755	1,469	Women using modern method	23.9
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
38	IPD cases per 10,000 population ***	431	518		
39	General OPD cases per 10,000 population ***	5384	5789		
40	Ayush OPD cases per 10,000 population ***	182	158		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
41	Neonatal death within 24 hours	26	31		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	103	97		
44	Neonatal Death	129	128		
45	Between 1 month and 11 months	90	79		
46	<b>Total reported infant deaths</b>	219	207		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	2		
49	Due to Severe hypertension/fits	2	3		
50	Due to Bleeding	1	4		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	27	9		
53	<b>Total reported maternal deaths</b>	30	18		

## Dimapur Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	378,811					
2	Sex Ratio	916					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	47					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2017-18</b>		<b>2018-19</b>			
8	Expected number of PW	6,167		5,834			
9	Expected number of Delivery	5,674		5,367			
		<b>HMIS (2017-18)</b>		<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	20,976	340.1	20,299	348.0	Any ANC	57.1
11	Mothers registered in the first trimester	7,029	33.5	6,180	30.4	ANC Check up in first trimester	37.8
12	Mothers who had at least 3 Ante-Natal care check ups	3,573	17.0	3,772	18.6	3 or more ANC check up	38
13	PW who got TT 2 / Booster injection	5,608	26.7	5,009	24.7	Atleast 1 TT received	53
14	PW who consumed 100 IFA tablets	1,712	8.2	1,099	5.4	100 IFA tablets consumed	16.9
15	Home Delivery against expected delivery *	429	7.6	382	7.1	Full ANC	12.8
16	Institutional Delivery against expected delivery *	7,301	128.7	7,048	131.3	Home Delivery	47.7
17	Home Delivery against reported delivery **	429	5.5	382	5.1	Institutional Delivery	52
18	Institutional Delivery against reported delivery **	7,301	94.5	7,048	89.7	Home Delivery by SBA	65.6
19	Total reported Deliveries	7,730		7,430		PNC within 48 hrs of delivery	68.1
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	325	75.8	247	64.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,739	35.4	2,508	33.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	5,606		5,303			
<b>D) Child Immunization :</b>		<b>HMIS (2017-18)</b>		<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	7,621	135.9	7,314	137.9	Breastfed within 1 hour of birth	45.8
24	Total Still Birth	196	3.5	174	3.3	BCG	71.4

25	PC of newborn weighted at birth to live birth	7,591	99.6	7,243	99.0	3 dose of DPT	68.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	504	6.6	497	6.9	Measles	50.8
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,693	74.7	5,223	71.4	Full Immunization	38.1
28	Children fully immunized	4,930	87.9	3,841	72.4		
29	Children who have received BCG	8,293	147.9	6,659	125.6		
30	Children who have received DPT1	8,093	144.4	6,997	131.9		
31	Children who have received DPT3	6,799	121.3	5,766	108.7		
32	Children who have received Measles	6,083	108.5	2,673	50.4		
33	Diarrhoea and Dehydration cases reported in children below 5 years	5,787		4,557			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	7	0	Limiting	23
35	Number of Tubectomies performed	424	399	Spacing	12.7
36	Number of IUD insertion	585	490	Women using any method	36.2
37	Number of IUD removals	535	409	Women using modern method	28.3
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
38	IPD cases per 10,000 population ***	1083	1668		
39	General OPD cases per 10,000 population ***	11834	13853		
40	Ayush OPD cases per 10,000 population ***	190	197		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
41	Neonatal death within 24 hours	15	21		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	55	48		
44	Neonatal Death	70	69		
45	Between 1 month and 11 months	50	46		
46	<b>Total reported infant deaths</b>	120	115		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	1		
49	Due to Severe hypertension/fits	1	2		
50	Due to Bleeding	0	4		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	15	6		
53	<b>Total reported maternal deaths</b>	16	13		

## Kiphrie Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	74,004					
2	Sex Ratio	961					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	19					
4	Primary Health Centers (PHC)	4					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2017-18</b>		<b>2018-19</b>			
8	Expected number of PW	1,205		1,140			
9	Expected number of Delivery	1,108		1,048			
		<b>HMIS (2017-18)</b>		<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	963	79.9	988	86.7	Any ANC	14.7
11	Mothers registered in the first trimester	130	13.5	245	24.8	ANC Check up in first trimester	2.9
12	Mothers who had at least 3 Ante-Natal care check ups	70	7.3	149	15.1	3 or more ANC check up	5.9
13	PW who got TT 2 / Booster injection	578	60.0	745	75.4	Atleast 1 TT received	11.8
14	PW who consumed 100 IFA tablets	5	0.5	121	12.2	100 IFA tablets consumed	5.9
15	Home Delivery against expected delivery *	208	18.8	231	22.0	Full ANC	2.9
16	Institutional Delivery against expected delivery *	443	40.0	489	46.6	Home Delivery	58.8
17	Home Delivery against reported delivery **	208	32.0	231	32.1	Institutional Delivery	32.4
18	Institutional Delivery against reported delivery **	443	68.0	489	62.2	Home Delivery by SBA	35.3
19	Total reported Deliveries	651		720		PNC within 48 hrs of delivery	63.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	113	54.3	83	35.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	184	28.3	261	36.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,095		1,036			
<b>D) Child Immunization :</b>		<b>HMIS (2017-18)</b>		<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	646	59.0	713	68.8	Breastfed within 1 hour of birth	88.2
24	Total Still Birth	7	0.6	11	1.1	BCG	60

25	PC of newborn weighted at birth to live birth	580	89.8	690	96.8	3 dose of DPT	40
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	4	0.7	11	1.6	Measles	20
27	PC of newborns breastfed within 1 hour to total reported live birth.	639	98.9	709	99.4	Full Immunization	20
28	Children fully immunized	737	67.3	759	73.3		
29	Children who have received BCG	903	82.4	1,029	99.3		
30	Children who have received DPT1	932	85.1	970	93.6		
31	Children who have received DPT3	844	77.1	825	79.6		
32	Children who have received Measles	768	70.1	817	78.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	784		847			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	39.4
35	Number of Tubectomies performed	26	9	Spacing	11.6
36	Number of IUD insertion	240	225	Women using any method	35.1
37	Number of IUD removals	78	80	Women using modern method	26.1
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
38	IPD cases per 10,000 population ***	251	283		
39	General OPD cases per 10,000 population ***	3889	4176		
40	Ayush OPD cases per 10,000 population ***	123	132		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
41	Neonatal death within 24 hours	3	4		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	2	8		
44	Neonatal Death	5	12		
45	Between 1 month and 11 months	8	5		
46	<b>Total reported infant deaths</b>	13	17		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	2	0		
53	<b>Total reported maternal deaths</b>	2	0		

## Kohima Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	267,988					
2	Sex Ratio	927					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	40					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2017-18</b>		<b>2018-19</b>			
8	Expected number of PW	4,363		4,127			
9	Expected number of Delivery	4,014		3,797			
		<b>HMIS (2017-18)</b>		<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	3,393	77.8	3,010	72.9	Any ANC	72.4
11	Mothers registered in the first trimester	919	27.1	701	23.3	ANC Check up in first trimester	45.2
12	Mothers who had at least 3 Ante-Natal care check ups	2,271	66.9	2,381	79.1	3 or more ANC check up	42.4
13	PW who got TT 2 / Booster injection	1,535	45.2	1,234	41.0	Atleast 1 TT received	67.7
14	PW who consumed 100 IFA tablets	84	2.5	482	16.0	100 IFA tablets consumed	17.7
15	Home Delivery against expected delivery *	139	3.5	133	3.5	Full ANC	14.5
16	Institutional Delivery against expected delivery *	2,539	63.3	2,143	56.4	Home Delivery	50
17	Home Delivery against reported delivery **	139	5.2	133	5.8	Institutional Delivery	44.4
18	Institutional Delivery against reported delivery **	2,539	94.8	2,143	78.3	Home Delivery by SBA	15.3
19	Total reported Deliveries	2,678		2,276		PNC within 48 hrs of delivery	53.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	88	63.3	82	61.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	956	35.7	881	38.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,966		3,752			
<b>D) Child Immunization :</b>		<b>HMIS (2017-18)</b>		<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	2,639	66.5	2,253	60.1	Breastfed within 1 hour of birth	46
24	Total Still Birth	41	1.0	23	0.6	BCG	63.9

25	PC of newborn weighted at birth to live birth	2,534	96.0	2,170	96.3	3 dose of DPT	69.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	168	6.6	140	6.5	Measles	58.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,216	84.0	1,793	79.6	Full Immunization	38.9
28	Children fully immunized	2,516	63.4	1,852	49.4		
29	Children who have received BCG	3,254	82.0	2,828	75.4		
30	Children who have received DPT1	2,826	71.3	2,447	65.2		
31	Children who have received DPT3	2,660	67.1	2,307	61.5		
32	Children who have received Measles	2,621	66.1	1,544	41.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,807		1,987			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	4	Limiting	20.5
35	Number of Tubectomies performed	208	84	Spacing	15.7
36	Number of IUD insertion	964	607	Women using any method	44.4
37	Number of IUD removals	258	171	Women using modern method	25.2
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
38	IPD cases per 10,000 population ***	446	336		
39	General OPD cases per 10,000 population ***	7196	7324		
40	Ayush OPD cases per 10,000 population ***	105	113		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	20	23		
44	Neonatal Death	20	23		
45	Between 1 month and 11 months	7	14		
46	<b>Total reported infant deaths</b>	<b>27</b>	<b>37</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	3	0		
53	<b>Total reported maternal deaths</b>	<b>3</b>	<b>0</b>		



## Longleng Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)							
1	Population 2011	50,484						
2	Sex Ratio	903						
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	8						
4	Primary Health Centers (PHC)	3						
5	Community Health Centers (CHC)	0						
6	SDH	0						
7	DH	1						
<b>C) Maternal Health:</b>		<b>2017-18</b>	<b>2018-19</b>		<b>DLHS-4 (2012-13)</b>			
8	Expected number of PW	822	777					
9	Expected number of Delivery	756	715					
		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>					
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	641	78.0	771	99.2	Any ANC	18.8	
11	Mothers registered in the first trimester	123	19.2	205	26.6	ANC Check up in first trimester	7.2	
12	Mothers who had at least 3 Ante-Natal care check ups	44	6.9	102	13.2	3 or more ANC check up	11.4	
13	PW who got TT 2 / Booster injection	270	42.1	343	44.5	Atleast 1 TT received	17.4	
14	PW who consumed 100 IFA tablets	7	1.1	225	29.2	100 IFA tablets consumed	7.2	
15	Home Delivery against expected delivery *	134	17.7	110	15.4	Full ANC	7.2	
16	Institutional Delivery against expected delivery *	300	39.7	349	48.8	Home Delivery	82.6	
17	Home Delivery against reported delivery **	134	30.9	110	24.0	Institutional Delivery	17.4	
18	Institutional Delivery against reported delivery **	300	69.1	349	82.7	Home Delivery by SBA	12.9	
19	Total reported Deliveries	434		459		PNC within 48 hrs of delivery	83.3	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	107	79.9	62	56.4			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	169	38.9	73	15.9			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
22	Expected number of Live Birth	747		707				
<b>D) Child Immunization :</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	430	57.6	464	65.7	Breastfed within 1 hour of birth	80	
24	Total Still Birth	6	0.8	5	0.7	BCG	55.6	

25	PC of newborn weighted at birth to live birth	415	96.5	397	85.6	3 dose of DPT	66.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	8	1.9	5	1.3	Measles	33.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	405	94.2	418	90.1	Full Immunization	22.2
28	Children fully immunized	434	58.1	399	56.5		
29	Children who have received BCG	430	57.6	432	61.1		
30	Children who have received DPT1	521	69.7	559	79.1		
31	Children who have received DPT3	554	74.1	505	71.5		
32	Children who have received Measles	498	66.7	393	55.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	374		404			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	24.2
35	Number of Tubectomies performed	0	0	Spacing	10.6
36	Number of IUD insertion	144	128	Women using any method	31.3
37	Number of IUD removals	79	58	Women using modern method	22.3
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
38	IPD cases per 10,000 population ***	230	257		
39	General OPD cases per 10,000 population ***	5790	5753		
40	Ayush OPD cases per 10,000 population ***	323	278		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	1	0		
44	Neonatal Death	1	0		
45	Between 1 month and 11 months	0	2		
46	<b>Total reported infant deaths</b>	1	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	1		
53	<b>Total reported maternal deaths</b>	0	1		

## Mokokchung Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	194,622					
2	Sex Ratio	927					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	51					
4	Primary Health Centers (PHC)	14					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2017-18</b>		<b>2018-19</b>			
8	Expected number of PW	3,168		2,997			
9	Expected number of Delivery	2,915		2,757			
		<b>HMIS (2017-18)</b>		<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,377	43.5	1,475	49.2	Any ANC	74.6
11	Mothers registered in the first trimester	464	33.7	562	38.1	ANC Check up in first trimester	27.6
12	Mothers who had at least 3 Ante-Natal care check ups	55	4.0	61	4.1	3 or more ANC check up	46.6
13	PW who got TT 2 / Booster injection	576	41.8	621	42.1	Atleast 1 TT received	72.4
14	PW who consumed 100 IFA tablets	14	1.0	52	3.5	100 IFA tablets consumed	26.1
15	Home Delivery against expected delivery *	127	4.4	119	4.3	Full ANC	21.6
16	Institutional Delivery against expected delivery *	881	30.2	874	31.7	Home Delivery	56.4
17	Home Delivery against reported delivery **	127	12.6	119	12.0	Institutional Delivery	42.9
18	Institutional Delivery against reported delivery **	881	87.4	874	72.4	Home Delivery by SBA	35.8
19	Total reported Deliveries	1,008		993		PNC within 48 hrs of delivery	59.6
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	111	87.4	74	62.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	913	90.6	836	84.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,880		2,725			
<b>D) Child Immunization :</b>		<b>HMIS (2017-18)</b>		<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,001	34.8	984	36.1	Breastfed within 1 hour of birth	34.7
24	Total Still Birth	15	0.5	16	0.6	BCG	89.1

25	PC of newborn weighted at birth to live birth	1,010	100.9	981	99.7	3 dose of DPT	80.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	23	2.3	30	3.1	Measles	78.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	970	96.9	981	99.7	Full Immunization	60.9
28	Children fully immunized	1,093	37.9	882	32.4		
29	Children who have received BCG	1,120	38.9	1,161	42.6		
30	Children who have received DPT1	1,081	37.5	1,237	45.4		
31	Children who have received DPT3	952	33.1	1,160	42.6		
32	Children who have received Measles	1,137	39.5	598	21.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,125		1,062			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	22
35	Number of Tubectomies performed	201	155	Spacing	11.3
36	Number of IUD insertion	211	216	Women using any method	51.7
37	Number of IUD removals	84	93	Women using modern method	34.3
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
38	IPD cases per 10,000 population ***	457	393		
39	General OPD cases per 10,000 population ***	4736	4901		
40	Ayush OPD cases per 10,000 population ***	364	222		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
41	Neonatal death within 24 hours	1	0		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	13	8		
44	Neonatal Death	14	8		
45	Between 1 month and 11 months	8	0		
46	<b>Total reported infant deaths</b>	22	8		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	1	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	0		
53	<b>Total reported maternal deaths</b>	2	0		

## Mon Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	250,260					
2	Sex Ratio	898					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	50					
4	Primary Health Centers (PHC)	15					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2017-18</b>		<b>2018-19</b>			
8	Expected number of PW	4,074		3,854			
9	Expected number of Delivery	3,748		3,546			
		<b>HMIS (2017-18)</b>		<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	2,774	68.1	3,200	83.0	Any ANC	25.6
11	Mothers registered in the first trimester	594	21.4	673	21.0	ANC Check up in first trimester	10.5
12	Mothers who had at least 3 Ante-Natal care check ups	153	5.5	186	5.8	3 or more ANC check up	9.7
13	PW who got TT 2 / Booster injection	1,928	69.5	2,117	66.2	Atleast 1 TT received	25.6
14	PW who consumed 100 IFA tablets	607	21.9	1,802	56.3	100 IFA tablets consumed	4.8
15	Home Delivery against expected delivery *	941	25.1	959	27.0	Full ANC	3.2
16	Institutional Delivery against expected delivery *	1,189	31.7	1,356	38.2	Home Delivery	84
17	Home Delivery against reported delivery **	941	44.2	959	41.4	Institutional Delivery	16
18	Institutional Delivery against reported delivery **	1,189	55.8	1,356	76.9	Home Delivery by SBA	24
19	Total reported Deliveries	2,130		2,315		PNC within 48 hrs of delivery	75
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	294	31.2	350	36.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,280	60.1	1,656	71.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,704		3,504			
<b>D) Child Immunization :</b>		<b>HMIS (2017-18)</b>		<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	2,105	56.8	2,301	65.7	Breastfed within 1 hour of birth	22.1
24	Total Still Birth	20	0.5	20	0.6	BCG	42.9

25	PC of newborn weighted at birth to live birth	2,092	99.4	2,287	99.4	3 dose of DPT	65
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	39	1.9	44	1.9	Measles	33.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	2,034	96.6	2,240	97.3	Full Immunization	20
28	Children fully immunized	2,382	64.3	1,725	49.2		
29	Children who have received BCG	2,804	75.7	2,818	80.4		
30	Children who have received DPT1	2,819	76.1	2,930	83.6		
31	Children who have received DPT3	2,610	70.5	2,424	69.2		
32	Children who have received Measles	2,408	65.0	1,526	43.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,364		1,997			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	19.3
35	Number of Tubectomies performed	204	99	Spacing	33.8
36	Number of IUD insertion	758	525	Women using any method	30.9
37	Number of IUD removals	259	207	Women using modern method	28
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
38	IPD cases per 10,000 population ***	135	125		
39	General OPD cases per 10,000 population ***	2352	2212		
40	Ayush OPD cases per 10,000 population ***	77	121		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
41	Neonatal death within 24 hours	4	2		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	10	4		
44	Neonatal Death	14	6		
45	Between 1 month and 11 months	3	6		
46	<b>Total reported infant deaths</b>	17	12		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	2	0		
53	<b>Total reported maternal deaths</b>	2	0		

## Phek Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	163,418					
2	Sex Ratio	951					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	43					
4	Primary Health Centers (PHC)	23					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2017-18</b>		<b>2018-19</b>			
8	Expected number of PW	2,660		2,517			
9	Expected number of Delivery	2,448		2,315			
		<b>HMIS (2017-18)</b>		<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,505	56.6	1,793	71.2	Any ANC	51.9
11	Mothers registered in the first trimester	469	22.7	501	27.9	ANC Check up in first trimester	37
12	Mothers who had at least 3 Ante-Natal care check ups	76	15.4	203	11.3	3 or more ANC check up	40.7
13	PW who got TT 2 / Booster injection	865	61.5	857	47.8	Atleast 1 TT received	51.9
14	PW who consumed 100 IFA tablets	139	0.2	1,280	71.4	100 IFA tablets consumed	18.5
15	Home Delivery against expected delivery *	557	22.8	512	22.1	Full ANC	18.5
16	Institutional Delivery against expected delivery *	586	23.9	549	23.7	Home Delivery	66.7
17	Home Delivery against reported delivery **	557	48.7	512	48.3	Institutional Delivery	33.3
18	Institutional Delivery against reported delivery **	586	51.3	549	95.8	Home Delivery by SBA	29.6
19	Total reported Deliveries	1,143		1,061		PNC within 48 hrs of delivery	44.4
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	483	10.4	428	83.6		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	542	38.1	576	54.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,419		2,288			
<b>D) Child Immunization :</b>		<b>HMIS (2017-18)</b>		<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	1,136	47.0	1,064	46.5	Breastfed within 1 hour of birth	40
24	Total Still Birth	9	0.8	12	0.5	BCG	42.9

25	PC of newborn weighted at birth to live birth	1,093	96.2	1,046	98.3	3 dose of DPT	42.9
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5	0.5	2	0.2	Measles	14.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,111	97.8	1,044	98.1	Full Immunization	0
28	Children fully immunized	1,240	51.3	1,034	45.2		
29	Children who have received BCG	1,382	57.1	1,262	55.2		
30	Children who have received DPT1	1,234	51.0	1,450	63.4		
31	Children who have received DPT3	1,074	44.4	1,354	59.2		
32	Children who have received Measles	1,241	51.3	729	31.9		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,210		1,140			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	1	0	Limiting	19.3
35	Number of Tubectomies performed	49	0	Spacing	25.9
36	Number of IUD insertion	236	271	Women using any method	21.4
37	Number of IUD removals	135	124	Women using modern method	11.1
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
38	IPD cases per 10,000 population ***	432	353		
39	General OPD cases per 10,000 population ***	3427	3424		
40	Ayush OPD cases per 10,000 population ***	205	167		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
41	Neonatal death within 24 hours	1	0		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	0	1		
44	Neonatal Death	1	1		
45	Between 1 month and 11 months	1	0		
46	<b>Total reported infant deaths</b>	<b>2</b>	<b>1</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	1		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	1	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	0		
53	<b>Total reported maternal deaths</b>	<b>1</b>	<b>1</b>		



## Pheren Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	95,219					
2	Sex Ratio	917					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	16					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	1					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2017-18</b>		<b>2018-19</b>			
8	Expected number of PW	1,550		1,466			
9	Expected number of Delivery	1,426		1,349			
		<b>HMIS (2017-18)</b>		<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,406	56.6	1,326	90.5	Any ANC	34.7
11	Mothers registered in the first trimester	319	31.2	290	21.9	ANC Check up in first trimester	15.3
12	Mothers who had at least 3 Ante-Natal care check ups	216	5.0	218	16.4	3 or more ANC check up	16.3
13	PW who got TT 2 / Booster injection	789	52.4	740	55.8	Atleast 1 TT received	33.7
14	PW who consumed 100 IFA tablets	3	9.2	69	5.2	100 IFA tablets consumed	5.1
15	Home Delivery against expected delivery *	226	15.8	153	11.3	Full ANC	3
16	Institutional Delivery against expected delivery *	666	46.7	600	44.5	Home Delivery	78.8
17	Home Delivery against reported delivery **	226	25.3	153	20.3	Institutional Delivery	21.2
18	Institutional Delivery against reported delivery **	666	74.7	600	55.2	Home Delivery by SBA	12.2
19	Total reported Deliveries	892		753		PNC within 48 hrs of delivery	19
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	58	213.7	46	30.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	436	60.8	248	32.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	1,409		1,333			
<b>D) Child Immunization :</b>		<b>HMIS (2017-18)</b>		<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	874	62.0	811	60.8	Breastfed within 1 hour of birth	45.2
24	Total Still Birth	19	0.6	6	0.5	BCG	63.2

25	PC of newborn weighted at birth to live birth	827	94.6	778	95.9	3 dose of DPT	84.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	12	1.5	12	1.5	Measles	57.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	784	89.7	666	82.1	Full Immunization	52.6
28	Children fully immunized	756	53.7	627	47.0		
29	Children who have received BCG	1,067	75.7	858	64.4		
30	Children who have received DPT1	1,156	82.0	1,113	83.5		
31	Children who have received DPT3	909	64.5	919	68.9		
32	Children who have received Measles	848	60.2	415	31.1		
33	Diarrhoea and Dehydration cases reported in children below 5 years	890		709			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	8.7
35	Number of Tubectomies performed	39	33	Spacing	41.5
36	Number of IUD insertion	149	98	Women using any method	12.5
37	Number of IUD removals	78	98	Women using modern method	8.7
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
38	IPD cases per 10,000 population ***	140	141		
39	General OPD cases per 10,000 population ***	2746	2826		
40	Ayush OPD cases per 10,000 population ***	314	239		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
41	Neonatal death within 24 hours	0	4		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	0	2		
44	Neonatal Death	0	6		
45	Between 1 month and 11 months	0	3		
46	<b>Total reported infant deaths</b>	0	9		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	0		
53	<b>Total reported maternal deaths</b>	1	0		

## Tuensang Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)							
1	Population 2011	196,596						
2	Sex Ratio	930						
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	38						
4	Primary Health Centers (PHC)	12						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	1						
<b>C) Maternal Health:</b>		<b>2017-18</b>	<b>2018-19</b>					
8	Expected number of PW	3,201	3,028					
9	Expected number of Delivery	2,945	2,785					
		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	2,031	63.5	2,189	72.3	Any ANC	19.6	
11	Mothers registered in the first trimester	255	12.6	296	13.5	ANC Check up in first trimester	9.1	
12	Mothers who had at least 3 Ante-Natal care check ups	97	4.8	71	3.2	3 or more ANC check up	10.5	
13	PW who got TT 2 / Booster injection	1,120	55.1	1,082	49.4	Atleast 1 TT received	15.8	
14	PW who consumed 100 IFA tablets	585	28.8	521	23.8	100 IFA tablets consumed	4.9	
15	Home Delivery against expected delivery *	472	16.0	557	20.0	Full ANC	4.2	
16	Institutional Delivery against expected delivery *	975	33.1	969	34.8	Home Delivery	75.2	
17	Home Delivery against reported delivery **	472	32.6	557	36.5	Institutional Delivery	10.5	
18	Institutional Delivery against reported delivery **	975	67.4	969	98.6	Home Delivery by SBA	3.9	
19	Total reported Deliveries	1,447		1,526		PNC within 48 hrs of delivery	50	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	90	19.1	456	81.9			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	555	38.4	597	39.1			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
22	Expected number of Live Birth	2,910		2,752				
<b>D) Child Immunization :</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	1,433	49.3	1,555	56.5	Breastfed within 1 hour of birth	53.2	
24	Total Still Birth	24	0.8	19	0.7	BCG	50.6	

25	PC of newborn weighted at birth to live birth	1,391	97.1	1,523	97.9	3 dose of DPT	68.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	16	1.2	30	2.0	Measles	44.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,400	97.7	1,484	95.4	Full Immunization	34.2
28	Children fully immunized	1,404	48.3	1,358	49.3		
29	Children who have received BCG	1,928	66.3	1,717	62.4		
30	Children who have received DPT1	2,122	72.9	2,046	74.3		
31	Children who have received DPT3	1,897	65.2	1,690	61.4		
32	Children who have received Measles	1,579	54.3	953	34.6		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,755		1,904			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	30.6
35	Number of Tubectomies performed	116	155	Spacing	21.1
36	Number of IUD insertion	297	234	Women using any method	37.6
37	Number of IUD removals	78	84	Women using modern method	29.6
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
38	IPD cases per 10,000 population ***	237	232		
39	General OPD cases per 10,000 population ***	2048	1959		
40	Ayush OPD cases per 10,000 population ***	267	145		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
41	Neonatal death within 24 hours	2	0		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	2	1		
44	Neonatal Death	4	1		
45	Between 1 month and 11 months	12	3		
46	<b>Total reported infant deaths</b>	16	4		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	1		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	0	1		
53	<b>Total reported maternal deaths</b>	0	2		

## Wokha Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)							
1	Population 2011	166,343						
2	Sex Ratio	969						
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	37						
4	Primary Health Centers (PHC)	12						
5	Community Health Centers (CHC)	2						
6	SDH	0						
7	DH	1						
<b>C) Maternal Health:</b>		<b>2017-18</b>	<b>2018-19</b>					
8	Expected number of PW	2,708	2,562					
9	Expected number of Delivery	2,491	2,357					
		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
10	PW register for ANC	948	35.0	1,104	43.1	Any ANC	30.1	
11	Mothers registered in the first trimester	426	44.9	436	39.5	ANC Check up in first trimester	25.4	
12	Mothers who had at least 3 Ante-Natal care check ups	252	26.6	228	20.7	3 or more ANC check up	25.6	
13	PW who got TT 2 / Booster injection	938	98.9	986	89.3	Atleast 1 TT received	30.1	
14	PW who consumed 100 IFA tablets	156	16.5	504	45.7	100 IFA tablets consumed	6	
15	Home Delivery against expected delivery *	196	7.9	175	7.4	Full ANC	6	
16	Institutional Delivery against expected delivery *	683	27.4	646	27.4	Home Delivery	81.8	
17	Home Delivery against reported delivery **	196	22.3	175	21.3	Institutional Delivery	18.2	
18	Institutional Delivery against reported delivery **	683	77.7	646	84.9	Home Delivery by SBA	35.3	
19	Total reported Deliveries	879		821		PNC within 48 hrs of delivery	64	
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	42	21.4	53	30.3			
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	818	93.1	720	87.7			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
22	Expected number of Live Birth	2,462		2,329				
<b>D) Child Immunization :</b>		<b>HMIS (2017-18)</b>	<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
23	Total reported live births	878	35.7	820	35.2	Breastfed within 1 hour of birth	33.7	
24	Total Still Birth	7	0.3	7	0.3	BCG	41.7	

25	PC of newborn weighted at birth to live birth	852	97.0	818	99.8	3 dose of DPT	37.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	10	1.2	9	1.1	Measles	21.6
27	PC of newborns breastfed within 1 hour to total reported live birth.	867	98.7	818	99.8	Full Immunization	13.5
28	Children fully immunized	701	28.5	621	26.7		
29	Children who have received BCG	1,007	40.9	1,041	44.7		
30	Children who have received DPT1	1,043	42.4	977	42.0		
31	Children who have received DPT3	958	38.9	970	41.7		
32	Children who have received Measles	841	34.2	559	24.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	821		781			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	22
35	Number of Tubectomies performed	184	170	Spacing	14
36	Number of IUD insertion	257	158	Women using any method	33.6
37	Number of IUD removals	20	24	Women using modern method	25.2
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
38	IPD cases per 10,000 population ***	145	131		
39	General OPD cases per 10,000 population ***	2884	2671		
40	Ayush OPD cases per 10,000 population ***	93	93		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	0	2		
44	Neonatal Death	0	2		
45	Between 1 month and 11 months	0	0		
46	<b>Total reported infant deaths</b>	0	2		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	2	1		
53	<b>Total reported maternal deaths</b>	2	1		

## Zunheboto Factsheet

### Key Indicators

SL NO	A) Demographic Indicators (Census 2011)						
1	Population 2011	140,757					
2	Sex Ratio	981					
<b>B) Infrastructure Details (RHS 2018)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	47					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
<b>C) Maternal Health:</b>		<b>2017-18</b>		<b>2018-19</b>			
8	Expected number of PW	2,292		2,168			
9	Expected number of Delivery	2,108		1,994			
		<b>HMIS (2017-18)</b>		<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
10	PW register for ANC	1,075	46.9	871	40.2	Any ANC	38.6
11	Mothers registered in the first trimester	331	30.8	279	32.0	ANC Check up in first trimester	18.6
12	Mothers who had at least 3 Ante-Natal care check ups	63	5.9	117	13.4	3 or more ANC check up	31.8
13	PW who got TT 2 / Booster injection	605	56.3	507	58.2	Atleast 1 TT received	36.4
14	PW who consumed 100 IFA tablets	8	0.7	37	4.2	100 IFA tablets consumed	15.9
15	Home Delivery against expected delivery *	277	13.1	202	10.1	Full ANC	13.6
16	Institutional Delivery against expected delivery *	582	27.6	693	34.7	Home Delivery	75
17	Home Delivery against reported delivery **	277	32.2	202	22.6	Institutional Delivery	20.7
18	Institutional Delivery against reported delivery **	582	67.8	693	92.8	Home Delivery by SBA	27.3
19	Total reported Deliveries	859		895		PNC within 48 hrs of delivery	70
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	223	80.5	161	79.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	537	62.5	375	41.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,083		1,971			
<b>D) Child Immunization :</b>		<b>HMIS (2017-18)</b>		<b>HMIS (2018-19)</b>		<b>DLHS-4 (2012-13)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
23	Total reported live births	862	41.4	888	45.1	Breastfed within 1 hour of birth	44.4
24	Total Still Birth	5	0.2	8	0.4	BCG	62.5

25	PC of newborn weighted at birth to live birth	858	99.5	881	99.2	3 dose of DPT	50
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	3	0.3	5	0.6	Measles	75
27	PC of newborns breastfed within 1 hour to total reported live birth.	763	88.5	746	84.0	Full Immunization	25
28	Children fully immunized	809	38.8	660	33.5		
29	Children who have received BCG	1,077	51.7	901	45.7		
30	Children who have received DPT1	1,121	53.8	950	48.2		
31	Children who have received DPT3	961	46.1	882	44.8		
32	Children who have received Measles	952	45.7	615	31.2		
33	Diarrhoea and Dehydration cases reported in children below 5 years	882		778			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
34	Number of Vasectomies performed	0	0	Limiting	19.5
35	Number of Tubectomies performed	105	81	Spacing	15.2
36	Number of IUD insertion	396	397	Women using any method	26.7
37	Number of IUD removals	151	121	Women using modern method	19
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
38	IPD cases per 10,000 population ***	117	163		
39	General OPD cases per 10,000 population ***	3177	3401		
40	Ayush OPD cases per 10,000 population ***	87	113		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
41	Neonatal death within 24 hours	0	0		
42	Up to 1 Weeks of Birth	NA	NA		
43	Between 1 week & 4 weeks of birth	0	0		
44	Neonatal Death	0	0		
45	Between 1 month and 11 months	1	0		
46	<b>Total reported infant deaths</b>	1	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
47	Due to Abortion	0	0		
48	Due to Obstructed/prolonged labour	0	0		
49	Due to Severe hypertension/fits	0	0		
50	Due to Bleeding	0	0		
51	Due to High fever	0	0		
52	Due to Other Causes (including causes not known)	1	0		
53	<b>Total reported maternal deaths</b>	1	0		