

Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	3,673,917					
2	Sex Ratio	1,017					
B) Infrastructure Details (RHS 2018)		Numbers					
4	Sub Centers(SC)	1,020					
5	Primary Health Centers(PHC)	108					
6	Community Health Centers (CHC)	22					
7	SDH	12					
8	DH	7					
C) Maternal Health:		2017-18		2018-19			
9	Expected number of PW	61,293		62,197			
10	Expected number of Delivery	56,836		57,674			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	75,509	123.2	72,180	117.8	Any ANC	83.7
12	Mothers registered in the first trimester	46,015	60.9	46,701	64.7	ANC Check up in first trimester	66.6
13	Mothers who had at least 3 Ante-Natal care check ups	39,829	52.7	41,082	56.9	3 or more ANC check up	63.8
14	PW who got TT 2 / Booster injection	53,112	70.3	52,897	73.3	Atleast 1 TT received	80.0
15	PW who consumed 100 IFA tablets	29,430	39.0	41,187	57.1	100 IFA tablets consumed	36.9
16	Home Delivery against expected delivery *	3,993	7.0	3,326	5.8	Full ANC	27.3
17	Institutional Delivery against expected delivery *	47,712	83.9	46,619	80.8	Home Delivery	26.8
18	Home Delivery against reported delivery **	3,993	1107.7	3,326	6.7	Institutional Delivery	72.7
19	Institutional Delivery against reported delivery **	47,712	92.3	46,619	93.3	Home Delivery by SBA	4.3
20	Total reported Deliveries	51,705		49,945		PNC within 14 days of delivery	61.6
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	11	0.3	35	1.1		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	36,628	70.8	32,294	64.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	55,721		56,543			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	51,007	91.5	49,514	87.6	Breastfed within 1 hour of birth	41.9
25	Total Still Birth	962	1.9	859	1.5	BCG	75.3

26	PC of newborn weighted at birth to live birth	50,051	98.1	48,974	98.9	3 dose of DPT	70.1
27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	6,781	13.5	6,856	14.0	Measles	61.2
28	PC of newborns breastfed within 1 hour to total reported live birth.	45,874	89.9	43,189	87.2	Full Immunization	48
29	Children fully immunized	45,460	81.6	47,675	84.3		
30	Children who have received BCG	51,110	71.5	48,383	85.6		
31	Children who have received DPT1	55,134	98.9	54,460	96.3		
32	Children who have received DPT3	49,259	88.4	49,953	88.3		
33	Children who have received Measles	46,143	82.8	48,489	85.8		
34	Diarrhoea and Dehydration cases reported in children below 5 years	41,741		37,855			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
36	Number of Vasectomies performed	13	54	Limiting	18.6
37	Number of Tubectomies performed	2,614	2,497	Spacing	8.1
38	Number of IUD insertion	787	469	Women using any method	61
39	Number of IUD removals	301	281	Women using modern method	41.1
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
40	IPD cases per 10,000 population ***	1076	1065		
41	General OPD cases per 10,000 population ***	10095	10640		
42	Ayush OPD cases per 10,000 population ***	807	736		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
43	Neonatal death within 24 hours	351	184		
44	Up to 1 Weeks of Birth	NA	NA		
45	Between 1 week & 4 weeks of birth	360	328		
46	Neonatal Death	711	512		
47	Between 1 month and 11 months	354	316		
48	Total reported infant deaths	1,065	828		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
49	Due to Abortion	0	0		
50	Due to Obstructed/prolonged labour	3	1		
51	Due to Severe hypertension/fits	4	4		
52	Due to Bleeding	8	4		
53	Due to High fever	0	1		
54	Due to Other Causes (including causes not known)	54	38		
55	Total reported maternal deaths	69	48		

Dhalai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	378,230					
2	Sex Ratio	945					
B) Infrastructure Details (RHS 2018)		Numbers					
4	Sub Centers(SC)	131					
5	Primary Health Centers(PHC)	16					
6	Community Health Centers (CHC)	2					
7	SDH	3					
8	DH	1					
C) Maternal Health:		2017-18		2018-19			
9	Expected number of PW	6,669		6,821			
10	Expected number of Delivery	6,184		6,325			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	7,778	116.6	7,960	119.4	Any ANC	81.1
12	Mothers registered in the first trimester	4,587	59.0	5,196	65.3	ANC Check up in first trimester	64.2
13	Mothers who had at least 3 Ante-Natal care check ups	2,867	36.9	3,393	42.6	3 or more ANC check up	63.6
14	PW who got TT 2 / Booster injection	6,480	83.3	6,668	83.8	Atleast 1 TT received	78.1
15	PW who consumed 100 IFA tablets	5,128	65.9	6,383	80.2	100 IFA tablets consumed	27.9
16	Home Delivery against expected delivery *	469	7.6	359	5.7	Full ANC	20.6
17	Institutional Delivery against expected delivery *	4,916	79.5	5,266	83.3	Home Delivery	29.4
18	Home Delivery against reported delivery **	469	8.7	359	6.4	Institutional Delivery	70.6
19	Institutional Delivery against reported delivery **	4,916	91.3	5,266	93.6	Home Delivery by SBA	4.1
20	Total reported Deliveries	5,385		5,625		PNC within 14 days of delivery	58.8
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	10	2.8		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,220	41.2	1,673	29.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	6,063		6,201			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	5,312	87.6	5,553	89.6	Breastfed within 1 hour of birth	43.3
25	Total Still Birth	93	1.8	87	1.4	BCG	76
26	PC of newborn weighted at birth to live birth	5,256	98.9	5,569	100.3	3 dose of DPT	66.7

27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	583	11.1	696	12.5	Measles	61.3
28	PC of newborns breastfed within 1 hour to total reported live birth.	5,073	95.5	5,116	92.1	Full Immunization	51.4
29	Children fully immunized	5,044	83.2	6,511	105.0		
30	Children who have received BCG	5,586	92.1	5,416	87.3		
31	Children who have received DPT1	6,637	109.5	6,702	108.1		
32	Children who have received DPT3	5,575	92.0	5,672	91.5		
33	Children who have received Measles	5,155	85.0	6,609	106.6		
34	Diarrhoea and Dehydration cases reported in children below 5 years	4,945		3,885			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
36	Number of Vasectomies performed	0		0		Limiting	20.1
37	Number of Tubectomies performed	32		0		Spacing	8.3
38	Number of IUD insertion	100		91		Women using any method	58.9
39	Number of IUD removals	83		93		Women using modern method	39.1
F) Service delivery		HMIS (2017-18)		HMIS (2018-19)			
40	IPD cases per 10,000 population ***	970		1077			
41	General OPD cases per 10,000 population ***	8101		8938			
42	Ayush OPD cases per 10,000 population ***	418		424			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2017-18)		HMIS (2018-19)			
43	Neonatal death within 24 hours	12		15			
44	Up to 1 Weeks of Birth	NA		NA			
45	Between 1 week & 4 weeks of birth	37		14			
46	Neonatal Death	49		29			
47	Between 1 month and 11 months	66		54			
48	Total reported infant deaths	115		83			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2017-18)		HMIS (2018-19)			
49	Due to Abortion	0		0			
50	Due to Obstructed/prolonged labour	1		1			
51	Due to Severe hypertension/fits	0		1			
52	Due to Bleeding	1		1			
53	Due to High fever	0		0			
54	Due to Other Causes (including causes not known)	3		1			
55	Total reported maternal deaths	5		4			

Gomati Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	436,868					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2018)		Numbers					
4	Sub Centers(SC)	147					
5	Primary Health Centers(PHC)	12					
6	Community Health Centers (CHC)	3					
7	SDH	2					
8	DH	1					
C) Maternal Health:		2017-18		2018-19			
9	Expected number of PW	7,258		7,360			
10	Expected number of Delivery	6,730		6,825			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	6,785	93.5	6,885	94.9	Any ANC	NA
12	Mothers registered in the first trimester	5,319	78.4	5,667	82.3	ANC Check up in first trimester	NA
13	Mothers who had at least 3 Ante-Natal care check ups	4,819	71.0	4,010	58.2	3 or more ANC check up	NA
14	PW who got TT 2 / Booster injection	6,315	93.1	6,164	89.5	Atleast 1 TT received	NA
15	PW who consumed 100 IFA tablets	4,847	71.4	5,099	74.1	100 IFA tablets consumed	NA
16	Home Delivery against expected delivery *	204	3.0	130	1.9	Full ANC	NA
17	Institutional Delivery against expected delivery *	5,842	86.8	5,579	81.7	Home Delivery	NA
18	Home Delivery against reported delivery **	204	3.4	130	2.3	Institutional Delivery	NA
19	Institutional Delivery against reported delivery **	5,842	96.6	5,579	97.7	Home Delivery by SBA	NA
20	Total reported Deliveries	6,046		5,709		PNC within 14 days of delivery	NA
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	3	2.3		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,767	95.4	4,278	74.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	6,598		6,691			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	6,002	91.0	5,810	86.8	Breastfed within 1 hour of birth	NA
25	Total Still Birth	88	1.5	77	1.2	BCG	NA
26	PC of newborn weighted at birth to live birth	5,993	99.9	5,742	98.8	3 dose of DPT	NA

27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	585	9.8	1,047	18.2	Measles	NA
28	PC of newborns breastfed within 1 hour to total reported live birth.	5,874	97.9	5,571	95.9	Full Immunization	NA
29	Children fully immunized	5,113	77.5	5,337	79.8		
30	Children who have received BCG	6,371	72.5	5,798	86.7		
31	Children who have received DPT1	6,311	95.6	6,454	96.5		
32	Children who have received DPT3	5,764	87.4	5,954	89.0		
33	Children who have received Measles	5,131	77.8	5,399	80.7		
34	Diarrhoea and Dehydration cases reported in children below 5 years	4,703		4,268			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
36	Number of Vasectomies performed	12		37		Limiting	NA
37	Number of Tubectomies performed	512		354		Spacing	NA
38	Number of IUD insertion	190		34		Women using any method	NA
39	Number of IUD removals	14		7		Women using modern method	NA
F) Service delivery		HMIS (2017-18)		HMIS (2018-19)			
40	IPD cases per 10,000 population ***	1058		1016			
41	General OPD cases per 10,000 population ***	9197		9803			
42	Ayush OPD cases per 10,000 population ***	635		600			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2017-18)		HMIS (2018-19)			
43	Neonatal death within 24 hours	11		30			
44	Up to 1 Weeks of Birth	NA		NA			
45	Between 1 week & 4 weeks of birth	18		34			
46	Neonatal Death	29		64			
47	Between 1 month and 11 months	20		18			
48	Total reported infant deaths	49		82			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2017-18)		HMIS (2018-19)			
49	Due to Abortion	0		0			
50	Due to Obstructed/prolonged labour	1		0			
51	Due to Severe hypertension/fits	0		0			
52	Due to Bleeding	3		1			
53	Due to High fever	0		1			
54	Due to Other Causes (including causes not known)	3		3			
55	Total reported maternal deaths	7		5			

Khowai Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	327,391					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2018)		Numbers					
4	Sub Centers(SC)	104					
5	Primary Health Centers(PHC)	9					
6	Community Health Centers (CHC)	1					
7	SDH	1					
8	DH	1					
C) Maternal Health:		2017-18		2018-19			
9	Expected number of PW	5,382		5,449			
10	Expected number of Delivery	4,991		5,053			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	5,045	93.7	4,758	88.4	Any ANC	NA
12	Mothers registered in the first trimester	3,770	74.7	3,325	69.9	ANC Check up in first trimester	NA
13	Mothers who had at least 3 Ante-Natal care check ups	3,393	67.3	2,948	62.0	3 or more ANC check up	NA
14	PW who got TT 2 / Booster injection	4,492	89.0	4,140	87.0	Atleast 1 TT received	NA
15	PW who consumed 100 IFA tablets	2,659	52.7	3,081	64.8	100 IFA tablets consumed	NA
16	Home Delivery against expected delivery *	168	3.4	119	2.4	Full ANC	NA
17	Institutional Delivery against expected delivery *	2,748	55.1	2,680	53.0	Home Delivery	NA
18	Home Delivery against reported delivery **	168	105.7	119	4.3	Institutional Delivery	NA
19	Institutional Delivery against reported delivery **	2,748	94.2	2,680	95.7	Home Delivery by SBA	NA
20	Total reported Deliveries	2,916		2,799		PNC within 14 days of delivery	NA
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1	0.6	2	1.7		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,196	41.0	1,187	42.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	4,893		4,954			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	2,903	59.3	2,772	56.0	Breastfed within 1 hour of birth	NA
25	Total Still Birth	37	1.3	42	0.8	BCG	NA
26	PC of newborn weighted at birth to live birth	2,832	97.6	2,734	98.6	3 dose of DPT	NA

27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	329	11.6	409	15.0	Measles	NA
28	PC of newborns breastfed within 1 hour to total reported live birth.	2,731	94.1	2,195	79.2	Full Immunization	NA
29	Children fully immunized	4,428	90.5	4,480	90.4		
30	Children who have received BCG	3,449	74.3	2,872	58.0		
31	Children who have received DPT1	4,477	91.5	4,246	85.7		
32	Children who have received DPT3	4,007	81.9	3,962	80.0		
33	Children who have received Measles	4,434	90.6	4,502	90.9		
34	Diarrhoea and Dehydration cases reported in children below 5 years	3,628		3,159			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
36	Number of Vasectomies performed	0		0		Limiting	NA
37	Number of Tubectomies performed	89		34		Spacing	NA
38	Number of IUD insertion	52		5		Women using any method	NA
39	Number of IUD removals	4		5		Women using modern method	NA
F) Service delivery		HMIS (2017-18)		HMIS (2018-19)			
40	IPD cases per 10,000 population ***	967		1015			
41	General OPD cases per 10,000 population ***	7675		7954			
42	Ayush OPD cases per 10,000 population ***	864		619			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2017-18)		HMIS (2018-19)			
43	Neonatal death within 24 hours	8		1			
44	Up to 1 Weeks of Birth	NA		NA			
45	Between 1 week & 4 weeks of birth	51		10			
46	Neonatal Death	59		11			
47	Between 1 month and 11 months	28		17			
48	Total reported infant deaths	87		28			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2017-18)		HMIS (2018-19)			
49	Due to Abortion	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits	0		0			
52	Due to Bleeding	0		0			
53	Due to High fever	0		0			
54	Due to Other Causes (including causes not known)	1		13			
55	Total reported maternal deaths	1		13			

North Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	415,946					
2	Sex Ratio	967					
B) Infrastructure Details (RHS 2018)		Numbers					
4	Sub Centers(SC)	96					
5	Primary Health Centers(PHC)	14					
6	Community Health Centers (CHC)	3					
7	SDH	1					
8	DH	1					
C) Maternal Health:		2017-18		2018-19			
9	Expected number of PW	7,069		7,191			
10	Expected number of Delivery	6,555		6,668			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	9,378	132.7	9,148	129.4	Any ANC	85.9
12	Mothers registered in the first trimester	5,270	56.2	5,288	57.8	ANC Check up in first trimester	62.4
13	Mothers who had at least 3 Ante-Natal care check ups	4,851	51.7	4,574	50.0	3 or more ANC check up	64.6
14	PW who got TT 2 / Booster injection	7,229	77.1	7,319	80.0	Atleast 1 TT received	83.1
15	PW who consumed 100 IFA tablets	3,014	32.1	4,093	44.7	100 IFA tablets consumed	39.9
16	Home Delivery against expected delivery *	1,559	23.8	1,417	21.2	Full ANC	28.7
17	Institutional Delivery against expected delivery *	4,661	71.1	4,368	65.5	Home Delivery	37.4
18	Home Delivery against reported delivery **	1,559	1024.9	1,417	24.5	Institutional Delivery	62.6
19	Institutional Delivery against reported delivery **	4,661	74.9	4,368	75.5	Home Delivery by SBA	4.9
20	Total reported Deliveries	6,220		5,785		PNC within 14 days of delivery	62.1
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	0.6	17	1.2		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,858	45.9	3,219	55.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	6,426		6,538			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	6,133	95.4	5,764	88.2	Breastfed within 1 hour of birth	51.3
25	Total Still Birth	124	2.0	58	0.9	BCG	73.7
26	PC of newborn weighted at birth to live birth	5,996	97.8	5,639	97.8	3 dose of DPT	65.6

27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	554	9.2	476	8.4	Measles	56.3
28	PC of newborns breastfed within 1 hour to total reported live birth.	6,002	97.9	5,624	97.6	Full Immunization	42.1
29	Children fully immunized	4,876	75.9	5,084	77.8		
30	Children who have received BCG	5,501	74.1	5,047	77.2		
31	Children who have received DPT1	7,250	112.8	7,263	111.1		
32	Children who have received DPT3	5,740	89.3	5,955	91.1		
33	Children who have received Measles	5,081	79.1	5,189	79.4		
34	Diarrhoea and Dehydration cases reported in children below 5 years	4,265		3,716			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
36	Number of Vasectomies performed	1	0	Limiting	14.6
37	Number of Tubectomies performed	79	79	Spacing	8
38	Number of IUD insertion	18	4	Women using any method	65.2
39	Number of IUD removals	9	1	Women using modern method	41.7

F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
40	IPD cases per 10,000 population ***	999	903		
41	General OPD cases per 10,000 population ***	7328	8828		
42	Ayush OPD cases per 10,000 population ***	469	421		

G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
43	Neonatal death within 24 hours	15	5		
44	Up to 1 Weeks of Birth	NA	NA		
45	Between 1 week & 4 weeks of birth	28	23		
46	Neonatal Death	43	28		
47	Between 1 month and 11 months	51	36		
48	Total reported infant deaths	94	64		

II) Maternal Mortality					
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
49	Due to Abortion	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits	1	3		
52	Due to Bleeding	3	1		
53	Due to High fever	0	0		
54	Due to Other Causes (including causes not known)	10	3		
55	Total reported maternal deaths	14	7		

Sipahijala Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	484,233					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2018)		Numbers					
4	Sub Centers(SC)	146					
5	Primary Health Centers(PHC)	15					
6	Community Health Centers (CHC)	4					
7	SDH	2					
8	DH	0					
C) Maternal Health:		2017-18		2018-19			
9	Expected number of PW	7,960		8,060			
10	Expected number of Delivery	7,381		7,474			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	8,253	103.7	8,399	105.5	Any ANC	NA
12	Mothers registered in the first trimester	6,233	75.5	6,197	73.8	ANC Check up in first trimester	NA
13	Mothers who had at least 3 Ante-Natal care check ups	3,908	47.4	4,350	51.8	3 or more ANC check up	NA
14	PW who got TT 2 / Booster injection	7,125	86.3	7,235	86.1	Atleast 1 TT received	NA
15	PW who consumed 100 IFA tablets	3,303	40.0	6,124	72.9	100 IFA tablets consumed	NA
16	Home Delivery against expected delivery *	480	6.5	343	4.6	Full ANC	NA
17	Institutional Delivery against expected delivery *	3,436	46.5	3,045	40.7	Home Delivery	NA
18	Home Delivery against reported delivery **	480	12.3	343	10.1	Institutional Delivery	NA
19	Institutional Delivery against reported delivery **	3,436	87.7	3,045	89.9	Home Delivery by SBA	NA
20	Total reported Deliveries	3,916		3,388		PNC within 14 days of delivery	NA
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	2	0.6		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,937	75.0	4,080	120.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	7,237		7,327			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	3,921	54.2	3,406	46.5	Breastfed within 1 hour of birth	NA
25	Total Still Birth	38	1.0	30	0.4	BCG	NA
26	PC of newborn weighted at birth to live birth	3,854	98.3	3,347	98.3	3 dose of DPT	NA

27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	535	13.9	472	14.1	Measles	NA
28	PC of newborns breastfed within 1 hour to total reported live birth.	3,790	96.7	3,345	98.2	Full Immunization	NA
29	Children fully immunized	6,452	89.2	6,594	90.0		
30	Children who have received BCG	4,983	74.8	4,478	61.1		
31	Children who have received DPT1	7,530	104.1	7,464	101.9		
32	Children who have received DPT3	6,934	95.8	7,260	99.1		
33	Children who have received Measles	6,481	89.6	6,612	90.2		
34	Diarrhoea and Dehydration cases reported in children below 5 years	4,979		5,292			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
36	Number of Vasectomies performed	0		8		Limiting	NA
37	Number of Tubectomies performed	152		194		Spacing	NA
38	Number of IUD insertion	56		3		Women using any method	NA
39	Number of IUD removals	8		4		Women using modern method	NA
F) Service delivery		HMIS (2017-18)		HMIS (2018-19)			
40	IPD cases per 10,000 population ***	841		763			
41	General OPD cases per 10,000 population ***	8984		9338			
42	Ayush OPD cases per 10,000 population ***	1335		1231			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2017-18)		HMIS (2018-19)			
43	Neonatal death within 24 hours	3		4			
44	Up to 1 Weeks of Birth	NA		NA			
45	Between 1 week & 4 weeks of birth	8		11			
46	Neonatal Death	11		15			
47	Between 1 month and 11 months	11		11			
48	Total reported infant deaths	22		26			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2017-18)		HMIS (2018-19)			
49	Due to Abortion	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits	0		0			
52	Due to Bleeding	0		0			
53	Due to High fever	0		0			
54	Due to Other Causes (including causes not known)	8		0			
55	Total reported maternal deaths	8		0			

South Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	433,737					
2	Sex Ratio	957					
B) Infrastructure Details (RHS 2018)		Numbers					
4	Sub Centers(SC)	151					
5	Primary Health Centers(PHC)	18					
6	Community Health Centers (CHC)	5					
7	SDH	2					
8	DH	1					
C) Maternal Health:		2017-18		2018-19			
9	Expected number of PW	7,206		7,307			
10	Expected number of Delivery	6,682		6,776			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	7,161	99.4	7,559	104.9	Any ANC	77.0
12	Mothers registered in the first trimester	5,521	77.1	5,267	69.7	ANC Check up in first trimester	62.0
13	Mothers who had at least 3 Ante-Natal care check ups	4,444	62.1	4,536	60.0	3 or more ANC check up	61.2
14	PW who got TT 2 / Booster injection	6,482	90.5	6,316	83.6	Atleast 1 TT received	74.3
15	PW who consumed 100 IFA tablets	4,828	67.4	5,778	76.4	100 IFA tablets consumed	35.0
16	Home Delivery against expected delivery *	209	3.1	146	2.2	Full ANC	27.0
17	Institutional Delivery against expected delivery *	4,754	71.1	4,511	66.6	Home Delivery	28.6
18	Home Delivery against reported delivery **	209	4.2	146	3.1	Institutional Delivery	69.1
19	Institutional Delivery against reported delivery **	4,754	95.8	4,511	96.9	Home Delivery by SBA	5.0
20	Total reported Deliveries	4,963		4,657		PNC within 14 days of delivery	47.1
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,939	79.4	3,419	73.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	6,551		6,643			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	4,904	74.9	4,666	70.2	Breastfed within 1 hour of birth	41.8
25	Total Still Birth	54	1.1	55	0.8	BCG	71.2
26	PC of newborn weighted at birth to live birth	4,854	99.0	4,601	98.6	3 dose of DPT	69.5

27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	481	9.9	592	12.9	Measles	61
28	PC of newborns breastfed within 1 hour to total reported live birth.	4,859	99.1	4,558	97.7	Full Immunization	55.9
29	Children fully immunized	5,546	84.7	5,149	77.5		
30	Children who have received BCG	5,118	76.2	4,746	71.4		
31	Children who have received DPT1	6,618	101.0	6,583	99.1		
32	Children who have received DPT3	6,323	96.5	6,252	94.1		
33	Children who have received Measles	5,615	85.7	5,314	80.0		
34	Diarrhoea and Dehydration cases reported in children below 5 years	5,799		5,405			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
36	Number of Vasectomies performed	0	0	Limiting	22.4
37	Number of Tubectomies performed	56	84	Spacing	9.2
38	Number of IUD insertion	177	221	Women using any method	59.9
39	Number of IUD removals	36	80	Women using modern method	42.6
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
40	IPD cases per 10,000 population ***	1005	1051		
41	General OPD cases per 10,000 population ***	9513	10009		
42	Ayush OPD cases per 10,000 population ***	829	744		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
43	Neonatal death within 24 hours	7	5		
44	Up to 1 Weeks of Birth	NA	NA		
45	Between 1 week & 4 weeks of birth	17	4		
46	Neonatal Death	24	9		
47	Between 1 month and 11 months	25	14		
48	Total reported infant deaths	49	23		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
49	Due to Abortion	0	0		
50	Due to Obstructed/prolonged labour	1	0		
51	Due to Severe hypertension/fits	0	0		
52	Due to Bleeding	0	1		
53	Due to High fever	0	0		
54	Due to Other Causes (including causes not known)	2	0		
55	Total reported maternal deaths	3	1		

Unakoti Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	277,335					
2	Sex Ratio	0					
B) Infrastructure Details (RHS 2018)		Numbers					
4	Sub Centers(SC)	70					
5	Primary Health Centers(PHC)	11					
6	Community Health Centers (CHC)	1					
7	SDH	1					
8	DH	1					
C) Maternal Health:		2017-18		2018-19			
9	Expected number of PW	4,713		4,795			
10	Expected number of Delivery	4,371		4,446			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	5,315	112.8	5,030	106.7	Any ANC	NA
12	Mothers registered in the first trimester	2,862	53.8	2,918	58.0	ANC Check up in first trimester	NA
13	Mothers who had at least 3 Ante-Natal care check ups	2,842	53.5	2,860	56.9	3 or more ANC check up	NA
14	PW who got TT 2 / Booster injection	4,288	80.7	4,127	82.0	Atleast 1 TT received	NA
15	PW who consumed 100 IFA tablets	1,243	23.4	2,456	48.8	100 IFA tablets consumed	NA
16	Home Delivery against expected delivery *	669	15.3	669	15.0	Full ANC	NA
17	Institutional Delivery against expected delivery *	3,107	71.1	2,885	64.9	Home Delivery	NA
18	Home Delivery against reported delivery **	669	17.7	669	18.8	Institutional Delivery	NA
19	Institutional Delivery against reported delivery **	3,107	82.3	2,885	81.2	Home Delivery by SBA	NA
20	Total reported Deliveries	3,776		3,554		PNC within 14 days of delivery	NA
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	0	0.0		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,343	88.5	2,165	60.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	4,285		4,359			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	3,726	87.0	3,495	80.2	Breastfed within 1 hour of birth	NA
25	Total Still Birth	56	1.5	66	1.5	BCG	NA
26	PC of newborn weighted at birth to live birth	3,634	97.5	3,368	96.4	3 dose of DPT	NA

27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	519	14.3	477	14.2	Measles	NA
28	PC of newborns breastfed within 1 hour to total reported live birth.	3,489	93.6	2,983	85.4	Full Immunization	NA
29	Children fully immunized	3,580	83.6	3,505	80.4		
30	Children who have received BCG	4,277	70.2	3,730	85.6		
31	Children who have received DPT1	4,816	112.4	4,340	99.6		
32	Children who have received DPT3	4,284	100.0	3,890	89.2		
33	Children who have received Measles	3,765	87.9	3,563	81.7		
34	Diarrhoea and Dehydration cases reported in children below 5 years	3,520		2,966			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
36	Number of Vasectomies performed	0		5		Limiting	NA
37	Number of Tubectomies performed	57		160		Spacing	NA
38	Number of IUD insertion	19		5		Women using any method	NA
39	Number of IUD removals	2		1		Women using modern method	NA
F) Service delivery		HMIS (2017-18)		HMIS (2018-19)			
40	IPD cases per 10,000 population ***	833		871			
41	General OPD cases per 10,000 population ***	6874		8720			
42	Ayush OPD cases per 10,000 population ***	1284		1096			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2017-18)		HMIS (2018-19)			
43	Neonatal death within 24 hours	5		24			
44	Up to 1 Weeks of Birth	NA		NA			
45	Between 1 week & 4 weeks of birth	25		19			
46	Neonatal Death	30		43			
47	Between 1 month and 11 months	47		37			
48	Total reported infant deaths	77		80			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2017-18)		HMIS (2018-19)			
49	Due to Abortion	0		0			
50	Due to Obstructed/prolonged labour	0		0			
51	Due to Severe hypertension/fits	1		0			
52	Due to Bleeding	1		0			
53	Due to High fever	0		0			
54	Due to Other Causes (including causes not known)	8		6			
55	Total reported maternal deaths	10		6			

West Tripura Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	917,534					
2	Sex Ratio	964					
B) Infrastructure Details (RHS 2018)		Numbers					
4	Sub Centers(SC)	175					
5	Primary Health Centers(PHC)	13					
6	Community Health Centers (CHC)	3					
7	SDH	0					
8	DH	1					
C) Maternal Health:		2017-18		2018-19			
9	Expected number of PW	15,083		15,272			
10	Expected number of Delivery	13,987		14,161			
		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
11	PW register for ANC	25,794	171.0	22,441	148.8	Any ANC	86.1
12	Mothers registered in the first trimester	12,453	48.3	12,843	57.2	ANC Check up in first trimester	73.2
13	Mothers who had at least 3 Ante-Natal care check ups	12,705	49.3	14,411	64.2	3 or more ANC check up	58.6
14	PW who got TT 2 / Booster injection	10,701	41.5	10,928	48.7	Atleast 1 TT received	80.1
15	PW who consumed 100 IFA tablets	4,408	17.1	8,173	36.4	100 IFA tablets consumed	40.3
16	Home Delivery against expected delivery *	235	1.7	143	1.0	Full ANC	27.4
17	Institutional Delivery against expected delivery *	18,248	130.5	18,285	129.1	Home Delivery	15.6
18	Home Delivery against reported delivery **	235	1.3	143	0.8	Institutional Delivery	84.4
19	Institutional Delivery against reported delivery **	18,248	98.7	18,285	99.2	Home Delivery by SBA	4.8
20	Total reported Deliveries	18,483		18,428		PNC within 14 days of delivery	72.3
21	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	0	0.0	1	0.7		
22	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	14,368	77.7	12,273	66.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
23	Expected number of Live Birth	13,712		13,884			
D) Child Immunization :		HMIS (2017-18)		HMIS (2018-19)		DLHS-4 (2012-13)	
		Number	PC	Number	PC		
24	Total reported live births	18,106	132.0	18,048	130.0	Breastfed within 1 hour of birth	30.3
25	Total Still Birth	472	2.6	444	3.2	BCG	78.4
26	PC of newborn weighted at birth to live birth	17,632	97.4	17,974	99.6	3 dose of DPT	80.8

27	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	3,195	18.1	2,687	14.9	Measles	64.7
28	PC of newborns breastfed within 1 hour to total reported live birth.	14,056	77.6	13,797	76.4	Full Immunization	38.5
29	Children fully immunized	10,421	76.0	11,015	79.3		
30	Children who have received BCG	15,825	69.7	16,296	117.4		
31	Children who have received DPT1	11,495	83.8	11,408	82.2		
32	Children who have received DPT3	10,632	77.5	11,008	79.3		
33	Children who have received Measles	10,481	76.4	11,301	81.4		
34	Diarrhoea and Dehydration cases reported in children below 5 years	9,902		9,164			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2017-18)	HMIS (2018-19)	DLHS-4 (2012-13)	
36	Number of Vasectomies performed	0	4	Limiting	18.8
37	Number of Tubectomies performed	1,637	1,592	Spacing	7.4
38	Number of IUD insertion	175	106	Women using any method	58.8
39	Number of IUD removals	145	90	Women using modern method	41.9
F) Service delivery		HMIS (2017-18)	HMIS (2018-19)		
40	IPD cases per 10,000 population ***	1436	1401		
41	General OPD cases per 10,000 population ***	15408	15165		
42	Ayush OPD cases per 10,000 population ***	761	751		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
43	Neonatal death within 24 hours	290	100		
44	Up to 1 Weeks of Birth	NA	NA		
45	Between 1 week & 4 weeks of birth	176	213		
46	Neonatal Death	466	313		
47	Between 1 month and 11 months	106	129		
48	Total reported infant deaths	572	442		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2017-18)	HMIS (2018-19)		
49	Due to Abortion	0	0		
50	Due to Obstructed/prolonged labour	0	0		
51	Due to Severe hypertension/fits	2	0		
52	Due to Bleeding	0	0		
53	Due to High fever	0	0		
54	Due to Other Causes (including causes not known)	19	12		
55	Total reported maternal deaths	21	12		