

Arunachal Pradesh Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	1,382,611					
2	Sex Ratio	920					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	307					
4	Sub Centers (SC)- HWC	78					
5	Primary Health Centers(PHC)	105					
6	Primary Health Centers (PHC)-HWC	42					
7	Community Health Centers (CHC)	63					
8	SDH	0					
9	DH	17					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW	34,412		34,184			
11	Expected number of Delivery	31,910		31,697			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	30,994	90.1	30,162	88.2	ANC Check up in first trimester	37.0
13	Mothers registered in the first trimester	12,057	38.9	11,083	36.7	At least 4ANC check up	26.8
14	Mothers who had at least 3 Ante-Natal care check ups	9,452	30.5	10,846	36.0	Neonatal tetanus received	64.1
15	PW who got TT 2 / Booster injection	17,449	56.3	17,693	58.7	100 IFA tablets consumed	8.3
16	PW who consumed 100 IFA tablets	15,363	49.6	17,527	58.1	Full ANC	3.6
17	Home Delivery against expected delivery *	1,849	5.8	2,114	6.7	Home Delivery	47.7
18	Institutional Delivery against expected delivery *	16,317	51.1	18,718	59.1	Institutional Delivery	52.3
19	Home Delivery against reported delivery **	1,849	10.2	2,114	10.1	Home Delivery by SBA(out of Total Deliveries)	2.1
20	Institutional Delivery against reported delivery **	16,317	89.8	18,718	89.9	PNC within 2days of delivery	28.9
21	Total reported Deliveries	18,166		20,832			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	752	40.7	758	35.9		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	5,065	27.9	4,306	20.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	31,284		31,076			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
25	Total reported live births	18,068	57.8	20,668	66.5	Breastfeed within 1 hour of birth	58.7
26	Total Still Birth	239	0.8	250	0.8	BCG	70.9
27	Newborn weighted at birth to live	17,510	96.9	20,219	97.8	3 dose of DPT	52.3

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	1,259	7.2	1,128	5.6	Measles	54.6
29	Newborns breastfed within 1 hour to total reported live birth.	15,344	84.9	17,416	84.3	Full Immunization	38.2
30	Fully immunized	18,506	59.2	19,410	62.5		
31	Children who have received BCG	20,114	64.3	21,185	68.2		
32	Children who have received DPT1	21,064	67.3	22,403	72.1		
33	Children who have received DPT3	19,565	62.5	19,966	64.2		
34	Children who have received Measles	19,309	61.7	19,638	63.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	8,469		7,920			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)			
36	Number of Vasectomies performed	4	2	Total unmet need	21.6		
37	Number of Tubectomies performed	782	1,108	Spacing	12.7		
38	Number of IUD insertion	1,942	2,162	Women using any method	31.7		
39	Number of IUD removals	1,231	1,406	Women using modern method	26.6		
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)				
40	IPD cases per 10,000 population ***	411	433				
41	General OPD cases per 10,000 population ***	7696	9029				
42	Ayush OPD cases per 10,000 population ***	775	939				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)				
43	Neonatal deaths within 24 hours	42	38				
44	Neonatal Deaths up to 4 weeks of birth	74	23				
45	Total Neonatal Death	116	61				
46	Deaths between (1 - 11) months	34	24				
47	Total reported infant deaths	150	85				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)				
48	Due to Abortion	0	1				
49	Due to Obstructed/prolonged labour	0	1				
50	Due to Severe hypertension/fits	1	0				
51	Due to Bleeding	0	3				
52	Due to High fever	1	0				
53	Due to Other Causes (including causes not known)	3	8				
54	Total reported maternal deaths	5	13				

Anjaw Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	21,089					
2	Sex Ratio	805					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	9					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	7					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	5					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW	484		475			
11	Expected number of Delivery	449		441			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	437	90.2	414	87.1	ANC Check up in first trimester	28.8
13	Mothers registered in the first trimester	120	27.5	100	24.2	At least 4 ANC check up	20.2
14	Mothers who had at least 3 Ante-Natal care check ups	45	10.3	60	14.5	Neonatal tetanus received	73.5
15	PW who got TT 2 / Booster injection	214	49.0	255	61.6	100 IFA tablets consumed	4.5
16	PW who consumed 100 IFA tablets	139	31.8	346	83.6	Full ANC	2.0
17	Home Delivery against expected delivery *	16	3.6	24	5.4	Home Delivery	48.6
18	Institutional Delivery against expected delivery *	64	14.3	105	23.8	Institutional Delivery	51.4
19	Home Delivery against reported delivery **	16	20.0	24	18.6	Home Delivery by SBA(out of Total Deliveries)	6.8
20	Institutional Delivery against reported delivery **	64	80.0	105	81.4	PNC within 2days of delivery	21.3
21	Total reported Deliveries	80		129			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	11	68.8	17	70.8		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	31	38.8	89	69.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	440		432			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
25	Total reported live births	78	17.7	128	29.6	Breastfeed within 1 hour of birth	53.9
26	Total Still Birth	2	0.5	3	0.7	BCG	75.4
27	Newborn weighted at birth to live	70	89.7	127	99.2	3 dose of DPT	52.8

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	9	12.9	8	6.3	Measles	56.8
29	Newborns breastfed within 1 hour to total reported live birth.	74	94.9	127	99.2	Full Immunization	35.8
30	Fully immunized	294	66.8	245	56.7		
31	Children who have received BCG	155	35.2	197	45.6		
32	Children who have received DPT1	319	72.5	362	83.8		
33	Children who have received DPT3	296	67.2	345	79.8		
34	Children who have received Measles	316	71.8	269	62.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	430		515			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)			
36	Number of Vasectomies performed	0	0	Total unmet need	25.1		
37	Number of Tubectomies performed	0	19	Spacing	14.7		
38	Number of IUD insertion	23	4	Women using any method	24.5		
39	Number of IUD removals	21	10	Women using modern method	23.7		
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)				
40	IPD cases per 10,000 population ***	191	221				
41	General OPD cases per 10,000 population ***	8506	7817				
42	Ayush OPD cases per 10,000 population ***	2070	2671				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)				
43	Neonatal deaths within 24 hours	0	0				
44	Neonatal Deaths up to 4 weeks of birth	0	1				
45	Total Neonatal Death	0	1				
46	Deaths between (1 - 11) months	1	1				
47	Total reported infant deaths	1	2				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	0	0				
54	Total reported maternal deaths	0	0				

Changlang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	147,951					
2	Sex Ratio	914					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	35					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	7					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	5					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW	3,491		3,441			
11	Expected number of Delivery	3,237		3,190			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	3,197	91.6	3,051	88.7	ANC Check up in first trimester	48.2
13	Mothers registered in the first trimester	1,091	34.1	1,059	34.7	At least 4ANC check up	38.9
14	Mothers who had at least 3 Ante-Natal care check ups	1,190	37.2	1,052	34.5	Neonatal tetanus received	83.8
15	PW who got TT 2 / Booster injection	2,559	80.0	2,596	85.1	100 IFA tablets consumed	11.1
16	PW who consumed 100 IFA tablets	1,128	35.3	1,337	43.8	Full ANC	7.2
17	Home Delivery against expected delivery *	469	14.5	396	12.4	Home Delivery	48.5
18	Institutional Delivery against expected delivery *	1,206	37.3	1,403	44.0	Institutional Delivery	51.5
19	Home Delivery against reported delivery **	469	28.0	396	22.0	Home Delivery by SBA(out of Total Deliveries)	1.1
20	Institutional Delivery against reported delivery **	1,206	72.0	1,403	78.0	PNC within 2days of delivery	44.9
21	Total reported Deliveries	1,675		1,799			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	179	38.2	106	26.8		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	350	20.9	521	29.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	3,173		3,128			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
25	Total reported live births	1,662	52.4	1,794	57.4	Breastfeed within 1 hour of birth	68.6
26	Total Still Birth	16	0.5	6	0.2	BCG	93.8
27	Newborn weighted at birth to live	1,641	98.7	1,780	99.2	3 dose of DPT	83.7

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	106	6.5	104	5.8	Measles	83.7
29	Newborns breastfed within 1 hour to total reported live birth.	1,633	98.3	1,775	98.9	Full Immunization	79.5
30	Fully immunized	2,269	71.5	2,049	65.5		
31	Children who have received BCG	2,405	75.8	2,292	73.3		
32	Children who have received DPT1	2,809	88.5	2,558	81.8		
33	Children who have received DPT3	2,404	75.8	2,072	66.2		
34	Children who have received Measles	2,293	72.3	2,065	66.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	280		248			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)			
36	Number of Vasectomies performed	0	0	Total unmet need	10.7		
37	Number of Tubectomies performed	28	0	Spacing	5.6		
38	Number of IUD insertion	126	70	Women using any method	62.6		
39	Number of IUD removals	52	35	Women using modern method	47.7		
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)				
40	IPD cases per 10,000 population ***	268	254				
41	General OPD cases per 10,000 population ***	5561	4919				
42	Ayush OPD cases per 10,000 population ***	1133	1431				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)				
43	Neonatal deaths within 24 hours	1	3				
44	Neonatal Deaths up to 4 weeks of birth	0	0				
45	Total Neonatal Death	1	3				
46	Deaths between (1 - 11) months	2	1				
47	Total reported infant deaths	3	4				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	0	0				
54	Total reported maternal deaths	0	0				

Dibang Valley Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	7,948					
2	Sex Ratio	808					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	10					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	1					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW	178		173			
11	Expected number of Delivery	165		161			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	158	89.0	122	70.3	ANC Check up in first trimester	44.7
13	Mothers registered in the first trimester	47	29.7	58	47.5	At least 4ANC check up	20.3
14	Mothers who had at least 3 Ante-Natal care check ups	0	0.0	31	25.4	Neonatal tetanus received	58.7
15	PW who got TT 2 / Booster injection	29	18.4	70	57.4	100 IFA tablets consumed	24.0
16	PW who consumed 100 IFA tablets	32	20.3	98	80.3	Full ANC	7.3
17	Home Delivery against expected delivery *	5	3.0	6	3.7	Home Delivery	48.1
18	Institutional Delivery against expected delivery *	38	23.1	32	19.9	Institutional Delivery	51.9
19	Home Delivery against reported delivery **	5	11.6	6	15.8	Home Delivery by SBA(out of Total Deliveries)	1.4
20	Institutional Delivery against reported delivery **	38	88.4	32	84.2	PNC within 2days of delivery	35.3
21	Total reported Deliveries	43		38			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	5	100.0	5	83.3		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	27	62.8	35	92.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	161		158			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
25	Total reported live births	36	22.3	36	22.8	Breastfeed within 1 hour of birth	66.1

26	Total Still Birth	1	0.6	2	1.3	BCG	84.4
27	Newborn weighted at birth to live birth	23	63.9	35	97.2	3 dose of DPT	73.3
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	6	26.1	0	0.0	Measles	70.4
29	Newborns breastfed within 1 hour to total reported live birth.	14	38.9	35	97.2	Full Immunization	40.8
30	Fully immunized	115	71.3	97	61.5		
31	Children who have received BCG	31	19.2	74	46.9		
32	Children who have received DPT1	56	34.7	65	41.2		
33	Children who have received DPT3	70	43.4	72	45.6		
34	Children who have received Measles	111	68.8	97	61.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	76		87			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	15.4
37	Number of Tubectomies performed	0		0		Spacing	12.6
38	Number of IUD insertion	0		0		Women using any method	44.4
39	Number of IUD removals	0		0		Women using modern method	44.4
F) Service delivery		HMIS (2018-19)		HMIS (2019-20)			
40	IPD cases per 10,000 population ***	128		113			
41	General OPD cases per 10,000 population ***	11626		10147			
42	Ayush OPD cases per 10,000 population ***	1727		368			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2018-19)		HMIS (2019-20)			
43	Neonatal deaths within 24 hours	0		0			
44	Neonatal Deaths up to 4 weeks of birth	0		0			
45	Total Neonatal Death	0		0			
46	Deaths between (1 - 11) months	0		0			
47	Total reported infant deaths	0		0			
II)	Maternal Mortality	HMIS (2018-19)		HMIS (2019-20)			
	Maternal Deaths (In Numbers)	HMIS (2018-19)		HMIS (2019-20)			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		0			
51	Due to Bleeding	0		0			
52	Due to High fever	0		0			
53	Due to Other Causes (including causes not known)	0		0			
54	Total reported maternal deaths	0		0			

East Kameng Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	78,413					
2	Sex Ratio	1,012					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	23					
4	Sub Centers (SC)- HWC	5					
5	Primary Health Centers(PHC)	5					
6	Primary Health Centers (PHC)-HWC	6					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW	2,112		2,121			
11	Expected number of Delivery	1,958		1,966			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,607	76.1	1,236	58.3	ANC Check up in first trimester	4.1
13	Mothers registered in the first trimester	1,001	62.3	778	62.9	At least 4ANC check up	0.8
14	Mothers who had at least 3 Ante-Natal care check ups	156	9.7	237	19.2	Neonatal tetanus received	33.4
15	PW who got TT 2 / Booster injection	949	59.1	809	65.5	100 IFA tablets consumed	1.8
16	PW who consumed 100 IFA tablets	366	22.8	749	60.6	Full ANC	0.0
17	Home Delivery against expected delivery *	49	2.5	73	3.7	Home Delivery	66.2
18	Institutional Delivery against expected delivery *	638	32.6	911	46.3	Institutional Delivery	33.8
19	Home Delivery against reported delivery **	49	7.1	73	7.4	Home Delivery by SBA(out of Total Deliveries)	3.4
20	Institutional Delivery against reported delivery **	638	92.9	911	92.6	PNC within 2days of delivery	6.1
21	Total reported Deliveries	687		984			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	35	71.4	15	20.5		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	124	18.0	27	2.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	1,920		1,928			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
25	Total reported live births	675	35.2	975	50.6	Breastfeed within 1 hour of birth	54.3
26	Total Still Birth	8	0.4	8	0.4	BCG	37.2
27	Newborn weighted at birth to live	580	85.9	959	98.4	3 dose of DPT	17.4

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	38	6.6	1	0.1	Measles	17.4
29	Newborns breastfed within 1 hour to total reported live birth.	584	86.5	963	98.8	Full Immunization	11.9
30	Fully immunized	762	39.7	878	45.5		
31	Children who have received BCG	740	38.5	968	50.2		
32	Children who have received DPT1	1,036	54.0	994	51.6		
33	Children who have received DPT3	992	51.7	809	42.0		
34	Children who have received Measles	862	44.9	872	45.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	512		303			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)			
36	Number of Vasectomies performed	0	0	Total unmet need	30.7		
37	Number of Tubectomies performed	0	0	Spacing	18.2		
38	Number of IUD insertion	131	70	Women using any method	5.2		
39	Number of IUD removals	7	2	Women using modern method	5		
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)				
40	IPD cases per 10,000 population ***	230	160				
41	General OPD cases per 10,000 population ***	3973	4224				
42	Ayush OPD cases per 10,000 population ***	437	447				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)				
43	Neonatal deaths within 24 hours	0	0				
44	Neonatal Deaths up to 4 weeks of birth	0	0				
45	Total Neonatal Death	0	0				
46	Deaths between (1 - 11) months	6	0				
47	Total reported infant deaths	6	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	0				
52	Due to High fever	1	0				
53	Due to Other Causes (including causes not known)	0	0				
54	Total reported maternal deaths	1	0				

East Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)

1	Population 2011	99,019
2	Sex Ratio	962

B) Infrastructure Details (RHS 2018-19)

		Numbers
3	Sub Centers (SC)	1
4	Sub Centers (SC)- HWC	15
5	Primary Health Centers (PHC)	1
6	Primary Health Centers (PHC)-HWC	9
7	Community Health Centers (CHC)	2
8	SDH	0
9	DH	1

C) Maternal Health:

		2018-19		2019-20			
10	Expected number of PW	1,867		1,832			
11	Expected number of Delivery	1,731		1,699			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	2,097	112.3	2,194	119.8	ANC Check up in first trimester	38.4
13	Mothers registered in the first trimester	1,083	51.6	1,126	51.3	At least 4 ANC check up	35.0
14	Mothers who had at least 3 Ante-Natal care check ups	645	30.8	678	30.9	Neonatal tetanus received	76.3
15	PW who got TT 2 / Booster injection	1,483	70.7	1,519	69.2	100 IFA tablets consumed	6.8
16	PW who consumed 100 IFA tablets	1,288	61.4	1,280	58.3	Full ANC	4.6
17	Home Delivery against expected delivery *	91	5.3	68	4.0	Home Delivery	31.4
18	Institutional Delivery against expected delivery *	1,924	111.1	2,166	127.5	Institutional Delivery	68.6
19	Home Delivery against reported delivery **	91	4.5	68	3.0	Home Delivery by SBA(out of Total Deliveries)	3.3
20	Institutional Delivery against reported delivery **	1,924	95.5	2,166	97.0	PNC within 2days of delivery	31.0
21	Total reported Deliveries	2,015		2,234			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	58	63.7	37	54.4		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	390	19.4	351	15.7		

Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

24	Expected number of Live Birth	1,698		1,665			
----	-------------------------------	-------	--	-------	--	--	--

D) Child Immunization :

		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
25	Total reported live births	1,987	117.1	2,204	132.3	Breastfeed within 1 hour of birth	41
26	Total Still Birth	27	1.6	38	2.3	BCG	83.6
27	Newborn weighted at birth to live	1,992	100.3	2,203	100.0	3 dose of DPT	57.1

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	140	7.0	147	6.7	Measles	78.8
29	Newborns breastfed within 1 hour to total reported live birth.	1,893	95.3	2,055	93.2	Full Immunization	45.5
30	Fully immunized	1,496	88.1	1,380	82.9		
31	Children who have received BCG	2,174	128.1	2,236	134.3		
32	Children who have received DPT1	1,622	95.6	1,650	99.1		
33	Children who have received DPT3	1,573	92.7	1,550	93.1		
34	Children who have received Measles	1,595	94.0	1,394	83.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	351		174			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	4		2		Total unmet need	19.6
37	Number of Tubectomies performed	166		173		Spacing	14.8
38	Number of IUD insertion	184		170		Women using any method	32.5
39	Number of IUD removals	82		97		Women using modern method	31.2
F) Service delivery		HMIS (2018-19)		HMIS (2019-20)			
40	IPD cases per 10,000 population ***	1106		1231			
41	General OPD cases per 10,000 population ***	13729		15611			
42	Ayush OPD cases per 10,000 population ***	502		542			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2018-19)		HMIS (2019-20)			
43	Neonatal deaths within 24 hours	19		21			
44	Neonatal Deaths up to 4 weeks of birth	27		13			
45	Total Neonatal Death	46		34			
46	Deaths between (1 - 11) months	4		3			
47	Total reported infant deaths	50		37			
II)	Maternal Mortality	HMIS (2018-19)		HMIS (2019-20)			
	Maternal Deaths (In Numbers)	HMIS (2018-19)		HMIS (2019-20)			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		0			
51	Due to Bleeding	0		0			
52	Due to High fever	0		0			
53	Due to Other Causes (including causes not known)	1		3			
54	Total reported maternal deaths	1		3			

KraDaadi Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	NA					
2	Sex Ratio	1,029					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	9					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	7					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW	2,029		2,182			
11	Expected number of Delivery	1,881		2,024			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	201	9.9	163	7.5	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	82	40.8	40	24.5	At least 4 ANC check up	NA
14	Mothers who had at least 3 Ante-Natal care check ups	21	10.4	27	16.6	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	123	61.2	97	59.5	100 IFA tablets consumed	NA
16	PW who consumed 100 IFA tablets	121	60.2	151	92.6	Full ANC	NA
17	Home Delivery against expected delivery *	60	3.2	29	1.4	Home Delivery	NA
18	Institutional Delivery against expected delivery *	45	2.4	30	1.5	Institutional Delivery	NA
19	Home Delivery against reported delivery **	60	57.1	29	49.2	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	45	42.9	30	50.8	PNC within 2days of delivery	NA
21	Total reported Deliveries	105		59			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	57	95.0	27	93.1		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	23	21.9	1	1.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	1,844		1,984			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
25	Total reported live births	98	5.3	58	2.9	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	0	0.0	0	0.0	BCG	NA
27	Newborn weighted at birth to live	90	91.8	51	87.9	3 dose of DPT	NA

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	3	3.3	2	3.9	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	90	91.8	50	86.2	Full Immunization	NA
30	Fully immunized	127	6.9	118	5.9		
31	Children who have received BCG	84	4.6	52	2.6		
32	Children who have received DPT1	141	7.6	102	5.1		
33	Children who have received DPT3	141	7.6	107	5.4		
34	Children who have received Measles	171	9.3	116	5.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	142		48			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)			
36	Number of Vasectomies performed	0	0	Total unmet need	NA		
37	Number of Tubectomies performed	8	0	Spacing	NA		
38	Number of IUD insertion	8	9	Women using any method	NA		
39	Number of IUD removals	9	19	Women using modern method	NA		
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)				
40	IPD cases per 10,000 population ***	50	56				
41	General OPD cases per 10,000 population ***	462	649				
42	Ayush OPD cases per 10,000 population ***	39	29				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)				
43	Neonatal deaths within 24 hours	0	0				
44	Neonatal Deaths up to 4 weeks of birth	0	0				
45	Total Neonatal Death	0	0				
46	Deaths between (1 - 11) months	0	0				
47	Total reported infant deaths	0	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	0	0				
54	Total reported maternal deaths	0	0				

KurungKumey Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	89,717					
2	Sex Ratio	1,029					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	16					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	3					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW	1,971		2,120			
11	Expected number of Delivery	1,828		1,966			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	836	42.4	599	28.3	ANC Check up in first trimester	17.9
13	Mothers registered in the first trimester	556	66.5	349	58.3	At least 4ANC check up	7.9
14	Mothers who had at least 3 Ante-Natal care check ups	493	59.0	347	57.9	Neonatal tetanus received	38.6
15	PW who got TT 2 / Booster injection	342	40.9	276	46.1	100 IFA tablets consumed	2.6
16	PW who consumed 100 IFA tablets	836	100.0	593	99.0	Full ANC	0.4
17	Home Delivery against expected delivery *	60	3.3	58	3.0	Home Delivery	70.4
18	Institutional Delivery against expected delivery *	217	11.9	197	10.0	Institutional Delivery	29.6
19	Home Delivery against reported delivery **	60	21.7	58	22.7	Home Delivery by SBA(out of Total Deliveries)	2.0
20	Institutional Delivery against reported delivery **	217	78.3	197	77.3	PNC within 2days of delivery	17.0
21	Total reported Deliveries	277		255			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	49	81.7	48	82.8		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	194	70.0	50	19.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	1,792		1,927			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
25	Total reported live births	277	15.5	255	13.2	Breastfeed within 1 hour of birth	53.8
26	Total Still Birth	2	0.1	0	0.0	BCG	49.2
27	Newborn weighted at birth to live	277	100.0	249	97.6	3 dose of DPT	28.6

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	3	1.1	1	0.4	Measles	28.2
29	Newborns breastfed within 1 hour to total reported live birth.	275	99.3	249	97.6	Full Immunization	17.4
30	Fully immunized	556	31.0	400	20.8		
31	Children who have received BCG	565	31.5	449	23.3		
32	Children who have received DPT1	558	31.1	466	24.2		
33	Children who have received DPT3	528	29.5	426	22.1		
34	Children who have received Measles	556	31.0	401	20.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	333		749			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	21.3
37	Number of Tubectomies performed	0		0		Spacing	14.1
38	Number of IUD insertion	78		109		Women using any method	12.9
39	Number of IUD removals	16		32		Women using modern method	11.9
F) Service delivery		HMIS (2018-19)		HMIS (2019-20)			
40	IPD cases per 10,000 population ***	190		154			
41	General OPD cases per 10,000 population ***	2193		2306			
42	Ayush OPD cases per 10,000 population ***	40		25			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2018-19)		HMIS (2019-20)			
43	Neonatal deaths within 24 hours	0		0			
44	Neonatal Deaths up to 4 weeks of birth	0		0			
45	Total Neonatal Death	0		0			
46	Deaths between (1 - 11) months	0		0			
47	Total reported infant deaths	0		0			
II)	Maternal Mortality	HMIS (2018-19)		HMIS (2019-20)			
	Maternal Deaths (In Numbers)	HMIS (2018-19)		HMIS (2019-20)			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		0			
51	Due to Bleeding	0		0			
52	Due to High fever	0		0			
53	Due to Other Causes (including causes not known)	0		0			
54	Total reported maternal deaths	0		0			

Lohit Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	145,538					
2	Sex Ratio	901					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	16					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	4					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW	1,160		1,142			
11	Expected number of Delivery	1,076		1,059			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,401	120.8	1,123	98.4	ANC Check up in first trimester	62.9
13	Mothers registered in the first trimester	641	45.8	566	50.4	At least 4 ANC check up	49.2
14	Mothers who had at least 3 Ante-Natal care check ups	959	68.5	1,013	90.2	Neonatal tetanus received	81.9
15	PW who got TT 2 / Booster injection	704	50.2	666	59.3	100 IFA tablets consumed	14.1
16	PW who consumed 100 IFA tablets	561	40.0	598	53.3	Full ANC	7.6
17	Home Delivery against expected delivery *	37	3.4	21	2.0	Home Delivery	53.0
18	Institutional Delivery against expected delivery *	947	88.0	1,026	96.9	Institutional Delivery	47.0
19	Home Delivery against reported delivery **	37	3.8	21	2.0	Home Delivery by SBA(out of Total Deliveries)	1.7
20	Institutional Delivery against reported delivery **	947	96.2	1,026	98.0	PNC within 2days of delivery	39.4
21	Total reported Deliveries	984		1,047			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	8	21.6	1	4.8		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	55	5.6	62	5.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	1,055		1,038			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
25	Total reported live births	970	92.0	1,031	99.3	Breastfeed within 1 hour of birth	80.2
26	Total Still Birth	25	2.4	22	2.1	BCG	84.5
27	Newborn weighted at birth to live	940	96.9	1,022	99.1	3 dose of DPT	72.3

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	101	10.7	87	8.5	Measles	66
29	Newborns breastfed within 1 hour to total reported live birth.	892	92.0	956	92.7	Full Immunization	56.5
30	Fully immunized	780	74.0	874	84.2		
31	Children who have received BCG	1,014	96.2	1,113	107.2		
32	Children who have received DPT1	822	78.0	984	94.8		
33	Children who have received DPT3	768	72.8	944	91.0		
34	Children who have received Measles	789	74.8	878	84.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,007		1,030			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)			
36	Number of Vasectomies performed	0	0	Total unmet need	10.6		
37	Number of Tubectomies performed	31	76	Spacing	4.3		
38	Number of IUD insertion	71	59	Women using any method	66		
39	Number of IUD removals	47	38	Women using modern method	51.8		
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)				
40	IPD cases per 10,000 population ***	387	648				
41	General OPD cases per 10,000 population ***	10398	11202				
42	Ayush OPD cases per 10,000 population ***	1030	1072				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)				
43	Neonatal deaths within 24 hours	0	0				
44	Neonatal Deaths up to 4 weeks of birth	0	0				
45	Total Neonatal Death	0	0				
46	Deaths between (1 - 11) months	2	1				
47	Total reported infant deaths	2	1				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	1				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	0	1				
54	Total reported maternal deaths	0	2				

Longding Factsheet

Longding Factsheet								
Key Indicators								
A) Demographic Indicators (Census 2011)								
1	Population 2011	53,014						
2	Sex Ratio	931						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	6						
4	Sub Centers (SC)- HWC	0						
5	Primary Health Centers(PHC)	3						
6	Primary Health Centers (PHC)-HWC	0						
7	Community Health Centers (CHC)	3						
8	SDH	0						
9	DH	0						
C) Maternal Health:			2018-19		2019-20			
10	Expected number of PW	1,284	1,258					
11	Expected number of Delivery	1,191	1,166					
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)		
		Number	PC	Number	PC			
12	PW register for ANC	598	46.6	1,098	87.3	ANC Check up in first trimester	NA	
13	Mothers registered in the first trimester	207	34.6	362	33.0	At least 4ANC check up	NA	
14	Mothers who had at least 3 Ante-Natal care check ups	155	25.9	242	22.0	Neonatal tetanus received	NA	
15	PW who got TT 2 / Booster injection	568	95.0	891	81.1	100 IFA tablets consumed	NA	
16	PW who consumed 100 IFA tablets	266	44.5	592	53.9	Full ANC	NA	
17	Home Delivery against expected delivery *	285	23.9	339	29.1	Home Delivery	NA	
18	Institutional Delivery against expected delivery *	180	15.1	361	31.0	Institutional Delivery	NA	
19	Home Delivery against reported delivery **	285	61.3	339	48.4	Home Delivery by SBA(out of Total Deliveries)	NA	
20	Institutional Delivery against reported delivery **	180	38.7	361	51.6	PNC within 2days of delivery	NA	
21	Total reported Deliveries	465	700					
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	84	29.5	106	31.3			
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	51	11.0	102	14.6			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
24	Expected number of Live Birth	1,167	1,143					
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)		
25	Total reported live births	496	42.5	689	60.3	Breastfeed within 1 hour of birth	NA	
26	Total Still Birth	6	0.5	4	0.3	BCG	NA	
27	Newborn weighted at birth to live	457	92.1	629	91.3	3 dose of DPT	NA	

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	2	0.4	1	0.2	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	455	91.7	686	99.6	Full Immunization	NA
30	Fully immunized	263	22.5	730	63.9		
31	Children who have received BCG	582	49.9	964	84.3		
32	Children who have received DPT1	543	46.5	989	86.5		
33	Children who have received DPT3	506	43.4	823	72.0		
34	Children who have received Measles	368	31.5	774	67.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	562		432			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)			
36	Number of Vasectomies performed	0	0	Total unmet need	NA		
37	Number of Tubectomies performed	0	0	Spacing	NA		
38	Number of IUD insertion	1	8	Women using any method	NA		
39	Number of IUD removals	0	4	Women using modern method	NA		
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)				
40	IPD cases per 10,000 population ***	52	97				
41	General OPD cases per 10,000 population ***	2599	3614				
42	Ayush OPD cases per 10,000 population ***	367	1213				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)				
43	Neonatal deaths within 24 hours	0	0				
44	Neonatal Deaths up to 4 weeks of birth	0	0				
45	Total Neonatal Death	0	0				
46	Deaths between (1 - 11) months	0	0				
47	Total reported infant deaths	0	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	0	0				
54	Total reported maternal deaths	0	0				

Lower Dibang Valley Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	53,986					
2	Sex Ratio	919					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	14					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	3					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	4					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW	1,181		1,151			
11	Expected number of Delivery	1,095		1,068			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,219	103.2	1,008	87.6	ANC Check up in first trimester	27.7
13	Mothers registered in the first trimester	387	31.7	313	31.1	At least 4ANC check up	23.6
14	Mothers who had at least 3 Ante-Natal care check ups	371	30.4	512	50.8	Neonatal tetanus received	64.7
15	PW who got TT 2 / Booster injection	701	57.5	652	64.7	100 IFA tablets consumed	10.9
16	PW who consumed 100 IFA tablets	177	14.5	150	14.9	Full ANC	2.0
17	Home Delivery against expected delivery *	36	3.3	84	7.9	Home Delivery	41.0
18	Institutional Delivery against expected delivery *	580	53.0	489	45.8	Institutional Delivery	59.0
19	Home Delivery against reported delivery **	36	5.8	84	14.7	Home Delivery by SBA(out of Total Deliveries)	0.7
20	Institutional Delivery against reported delivery **	580	94.2	489	85.3	PNC within 2days of delivery	24.1
21	Total reported Deliveries	616		573			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	33	91.7	71	84.5		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	109	17.7	152	26.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	1,073		1,047			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
25	Total reported live births	601	56.0	563	53.8	Breastfeed within 1 hour of birth	45.7
26	Total Still Birth	17	1.6	10	1.0	BCG	74.4
27	Newborn weighted at birth to live	598	99.5	563	100.0	3 dose of DPT	53

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	73	12.2	56	9.9	Measles	57.2
29	Newborns breastfed within 1 hour to total reported live birth.	595	99.0	556	98.8	Full Immunization	37.3
30	Fully immunized	882	82.2	861	82.3		
31	Children who have received BCG	736	68.6	714	68.2		
32	Children who have received DPT1	877	81.7	933	89.1		
33	Children who have received DPT3	845	78.7	833	79.6		
34	Children who have received Measles	873	81.3	872	83.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	236		216			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	17.2
37	Number of Tubectomies performed	31		34		Spacing	10.3
38	Number of IUD insertion	40		18		Women using any method	31
39	Number of IUD removals	30		28		Women using modern method	28.2
F) Service delivery		HMIS (2018-19)		HMIS (2019-20)			
40	IPD cases per 10,000 population ***	323		315			
41	General OPD cases per 10,000 population ***	11168		11352			
42	Ayush OPD cases per 10,000 population ***	508		560			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2018-19)		HMIS (2019-20)			
43	Neonatal deaths within 24 hours	3		4			
44	Neonatal Deaths up to 4 weeks of birth	1		1			
45	Total Neonatal Death	4		5			
46	Deaths between (1 - 11) months	1		1			
47	Total reported infant deaths	5		6			
II)	Maternal Mortality	HMIS (2018-19)		HMIS (2019-20)			
	Maternal Deaths (In Numbers)	HMIS (2018-19)		HMIS (2019-20)			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		0			
51	Due to Bleeding	0		0			
52	Due to High fever	0		0			
53	Due to Other Causes (including causes not known)	0		1			
54	Total reported maternal deaths	0		1			

Lower Subansiri Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	82,839					
2	Sex Ratio	975					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	23					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	8					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW	2,407		2,444			
11	Expected number of Delivery	2,232		2,266			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,038	43.1	906	37.1	ANC Check up in first trimester	33.6
13	Mothers registered in the first trimester	381	36.7	362	40.0	At least 4ANC check up	22.7
14	Mothers who had at least 3 Ante-Natal care check ups	295	28.4	270	29.8	Neonatal tetanus received	44.0
15	PW who got TT 2 / Booster injection	594	57.2	608	67.1	100 IFA tablets consumed	9.6
16	PW who consumed 100 IFA tablets	640	61.7	517	57.1	Full ANC	3.0
17	Home Delivery against expected delivery *	96	4.3	62	2.7	Home Delivery	39.5
18	Institutional Delivery against expected delivery *	394	17.7	382	16.9	Institutional Delivery	60.5
19	Home Delivery against reported delivery **	96	19.6	62	14.0	Home Delivery by SBA(out of Total Deliveries)	4.2
20	Institutional Delivery against reported delivery **	394	80.4	382	86.0	PNC within 2days of delivery	17.6
21	Total reported Deliveries	490		444			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	39	40.6	8	12.9		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	175	35.7	252	56.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	2,188		2,222			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
25	Total reported live births	490	22.4	436	19.6	Breastfeed within 1 hour of birth	55.7
26	Total Still Birth	5	0.2	9	0.4	BCG	68.8
27	Newborn weighted at birth to live	463	94.5	429	98.4	3 dose of DPT	56.1

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	29	6.3	30	7.0	Measles	53
29	Newborns breastfed within 1 hour to total reported live birth.	396	80.8	372	85.3	Full Immunization	40.1
30	Fully immunized	676	30.9	715	32.2		
31	Children who have received BCG	518	23.7	507	22.8		
32	Children who have received DPT1	745	34.0	730	32.9		
33	Children who have received DPT3	729	33.3	784	35.3		
34	Children who have received Measles	680	31.1	716	32.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	338		366			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)			
36	Number of Vasectomies performed	0	0	Total unmet need	22.8		
37	Number of Tubectomies performed	3	0	Spacing	12.3		
38	Number of IUD insertion	96	78	Women using any method	10.6		
39	Number of IUD removals	95	93	Women using modern method	10		
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)				
40	IPD cases per 10,000 population ***	412	288				
41	General OPD cases per 10,000 population ***	4485	4798				
42	Ayush OPD cases per 10,000 population ***	1155	924				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)				
43	Neonatal deaths within 24 hours	6	3				
44	Neonatal Deaths up to 4 weeks of birth	4	0				
45	Total Neonatal Death	10	3				
46	Deaths between (1 - 11) months	5	0				
47	Total reported infant deaths	15	3				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	0	0				
54	Total reported maternal deaths	0	0				

Namsai Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	NA					
2	Sex Ratio	901					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	0					
4	Sub Centers (SC)- HWC	15					
5	Primary Health Centers(PHC)	0					
6	Primary Health Centers (PHC)-HWC	4					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW	2,236		2,201			
11	Expected number of Delivery	2,073		2,041			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	2,078	92.9	2,569	116.7	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	968	46.6	1,332	51.8	At least 4ANC check up	NA
14	Mothers who had at least 3 Ante-Natal care check ups	785	37.8	1,623	63.2	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	1,789	86.1	2,125	82.7	100 IFA tablets consumed	NA
16	PW who consumed 100 IFA tablets	966	46.5	2,084	81.1	Full ANC	NA
17	Home Delivery against expected delivery *	255	12.3	468	22.9	Home Delivery	NA
18	Institutional Delivery against expected delivery *	756	36.5	1,286	63.0	Institutional Delivery	NA
19	Home Delivery against reported delivery **	255	25.2	468	26.7	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	756	74.8	1,286	73.3	PNC within 2days of delivery	NA
21	Total reported Deliveries	1,011		1,754			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	32	12.5	26	5.6		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	342	33.8	402	22.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	2,033		2,001			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
25	Total reported live births	989	48.7	1,760	88.0	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	18	0.9	31	1.5	BCG	NA
27	Newborn weighted at birth to live	970	98.1	1,643	93.4	3 dose of DPT	NA

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	158	16.3	82	5.0	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	968	97.9	1,628	92.5	Full Immunization	NA
30	Fully immunized	1,665	81.9	1,858	92.9		
31	Children who have received BCG	1,765	86.8	2,034	101.7		
32	Children who have received DPT1	2,038	100.3	2,254	112.7		
33	Children who have received DPT3	2,004	98.6	2,082	104.1		
34	Children who have received Measles	1,649	81.1	1,889	94.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	201		113			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)			
36	Number of Vasectomies performed	0	0	Total unmet need	NA		
37	Number of Tubectomies performed	0	200	Spacing	NA		
38	Number of IUD insertion	51	216	Women using any method	NA		
39	Number of IUD removals	35	72	Women using modern method	NA		
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)				
40	IPD cases per 10,000 population ***	100	249				
41	General OPD cases per 10,000 population ***	5292	7034				
42	Ayush OPD cases per 10,000 population ***	651	992				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)				
43	Neonatal deaths within 24 hours	0	0				
44	Neonatal Deaths up to 4 weeks of birth	0	2				
45	Total Neonatal Death	0	2				
46	Deaths between (1 - 11) months	0	4				
47	Total reported infant deaths	0	6				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	0	0				
54	Total reported maternal deaths	0	0				

Papum Pare Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	176,385					
2	Sex Ratio	950					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	8					
4	Sub Centers (SC)- HWC	26					
5	Primary Health Centers(PHC)	8					
6	Primary Health Centers (PHC)-HWC	12					
7	Community Health Centers (CHC)	4					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW	4,981		5,038			
11	Expected number of Delivery	4,619		4,672			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	7,803	156.6	7,741	153.6	ANC Check up in first trimester	33.4
13	Mothers registered in the first trimester	2,020	25.9	1,051	13.6	At least 4ANC check up	26.2
14	Mothers who had at least 3 Ante-Natal care check ups	2,098	26.9	2,171	28.0	Neonatal tetanus received	74.1
15	PW who got TT 2 / Booster injection	2,615	33.5	2,442	31.5	100 IFA tablets consumed	11.8
16	PW who consumed 100 IFA tablets	2,558	32.8	3,291	42.5	Full ANC	2.3
17	Home Delivery against expected delivery *	45	1.0	38	0.8	Home Delivery	19.4
18	Institutional Delivery against expected delivery *	5,815	125.9	6,485	138.8	Institutional Delivery	80.6
19	Home Delivery against reported delivery **	45	0.8	38	0.6	Home Delivery by SBA(out of Total Deliveries)	1.7
20	Institutional Delivery against reported delivery **	5,815	99.2	6,485	99.4	PNC within 2days of delivery	35.9
21	Total reported Deliveries	5,860		6,523			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	29	64.4	28	73.7		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,112	36.0	501	7.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	4,529		4,580			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
25	Total reported live births	5,840	129.0	6,504	142.0	Breastfeed within 1 hour of birth	37.4
26	Total Still Birth	58	1.3	61	1.3	BCG	80.1
27	Newborn weighted at birth to live	5,740	98.3	6,476	99.6	3 dose of DPT	59.4

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	454	7.9	440	6.8	Measles	56.9
29	Newborns breastfed within 1 hour to total reported live birth.	3,913	67.0	4,044	62.2	Full Immunization	34.9
30	Fully immunized	2,953	65.2	3,302	72.1		
31	Children who have received BCG	4,367	96.4	5,108	111.5		
32	Children who have received DPT1	3,630	80.2	4,095	89.4		
33	Children who have received DPT3	2,979	65.8	3,597	78.5		
34	Children who have received Measles	3,162	69.8	3,366	73.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	857		928			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)			
36	Number of Vasectomies performed	0	0	Total unmet need	32.6		
37	Number of Tubectomies performed	355	413	Spacing	20.4		
38	Number of IUD insertion	274	478	Women using any method	12.8		
39	Number of IUD removals	217	364	Women using modern method	12.6		
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)				
40	IPD cases per 10,000 population ***	1112	1091				
41	General OPD cases per 10,000 population ***	14168	22740				
42	Ayush OPD cases per 10,000 population ***	1114	1162				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)				
43	Neonatal deaths within 24 hours	11	3				
44	Neonatal Deaths up to 4 weeks of birth	36	5				
45	Total Neonatal Death	47	8				
46	Deaths between (1 - 11) months	10	10				
47	Total reported infant deaths	57	18				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)				
48	Due to Abortion	0	1				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	1	0				
51	Due to Bleeding	0	3				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	2	2				
54	Total reported maternal deaths	3	6				

Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	NA					
2	Sex Ratio	962					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	28					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	8					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW	728		714			
11	Expected number of Delivery	675		662			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	290	39.8	324	45.4	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	68	23.4	80	24.7	At least 4 ANC check up	NA
14	Mothers who had at least 3 Ante-Natal care check ups	54	18.6	57	17.6	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	171	59.0	148	45.7	100 IFA tablets consumed	NA
16	PW who consumed 100 IFA tablets	118	40.7	132	40.7	Full ANC	NA
17	Home Delivery against expected delivery *	26	3.9	55	8.3	Home Delivery	NA
18	Institutional Delivery against expected delivery *	83	12.3	79	11.9	Institutional Delivery	NA
19	Home Delivery against reported delivery **	26	23.9	55	41.0	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	83	76.1	79	59.0	PNC within 2days of delivery	NA
21	Total reported Deliveries	109		134			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	21	80.8	51	92.7		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	17	15.6	5	3.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	662		649			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
25	Total reported live births	108	16.3	133	20.5	Breastfeed within 1 hour of birth	NA
26	Total Still Birth	1	0.2	1	0.2	BCG	NA
27	Newborn weighted at birth to live	105	97.2	132	99.2	3 dose of DPT	NA

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	3	2.9	3	2.3	Measles	NA
29	Newborns breastfed within 1 hour to total reported live birth.	105	97.2	132	99.2	Full Immunization	NA
30	Fully immunized	299	45.2	338	52.1		
31	Children who have received BCG	204	30.8	156	24.0		
32	Children who have received DPT1	342	51.7	308	47.4		
33	Children who have received DPT3	355	53.6	323	49.7		
34	Children who have received Measles	297	44.9	338	52.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	161		76			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)			
36	Number of Vasectomies performed	0	0	Total unmet need	NA		
37	Number of Tubectomies performed	0	0	Spacing	NA		
38	Number of IUD insertion	20	9	Women using any method	NA		
39	Number of IUD removals	9	9	Women using modern method	NA		
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)				
40	IPD cases per 10,000 population ***	254	277				
41	General OPD cases per 10,000 population ***	6110	5443				
42	Ayush OPD cases per 10,000 population ***	256	159				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)				
43	Neonatal deaths within 24 hours	0	0				
44	Neonatal Deaths up to 4 weeks of birth	0	0				
45	Total Neonatal Death	0	0				
46	Deaths between (1 - 11) months	0	0				
47	Total reported infant deaths	0	0				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	0	0				
54	Total reported maternal deaths	0	0				

Tawang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	49,950					
2	Sex Ratio	701					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	0					
4	Sub Centers (SC)- HWC	12					
5	Primary Health Centers (PHC)	0					
6	Primary Health Centers (PHC)-HWC	6					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW	1,263		1,258			
11	Expected number of Delivery	1,172		1,166			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	926	73.3	772	61.4	ANC Check up in first trimester	29.5
13	Mothers registered in the first trimester	357	38.6	299	38.7	At least 4ANC check up	14.1
14	Mothers who had at least 3 Ante-Natal care check ups	219	23.7	201	26.0	Neonatal tetanus received	39.4
15	PW who got TT 2 / Booster injection	583	63.0	552	71.5	100 IFA tablets consumed	8.6
16	PW who consumed 100 IFA tablets	228	24.6	257	33.3	Full ANC	2.6
17	Home Delivery against expected delivery *	150	12.8	180	15.4	Home Delivery	69.7
18	Institutional Delivery against expected delivery *	417	35.6	413	35.4	Institutional Delivery	30.3
19	Home Delivery against reported delivery **	150	26.5	180	30.4	Home Delivery by SBA(out of Total Deliveries)	4.1
20	Institutional Delivery against reported delivery **	417	73.5	413	69.6	PNC within 2days of delivery	9.6
21	Total reported Deliveries	567		593			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	54	36.0	105	58.3		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	256	45.1	213	35.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	1,149		1,144			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
25	Total reported live births	583	50.8	574	50.2	Breastfeed within 1 hour of birth	48.7
26	Total Still Birth	11	1.0	16	1.4	BCG	65.3
27	Newborn weighted at birth to live	437	75.0	417	72.6	3 dose of DPT	38.8

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	28	6.4	5	1.2	Measles	46.8
29	Newborns breastfed within 1 hour to total reported live birth.	511	87.7	473	82.4	Full Immunization	27.8
30	Fully immunized	797	69.4	657	57.5		
31	Children who have received BCG	736	64.1	679	59.4		
32	Children who have received DPT1	836	72.8	788	68.9		
33	Children who have received DPT3	836	72.8	708	61.9		
34	Children who have received Measles	816	71.0	664	58.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	583		475			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)			
36	Number of Vasectomies performed	0	0	Total unmet need	31.8		
37	Number of Tubectomies performed	0	0	Spacing	16.9		
38	Number of IUD insertion	92	67	Women using any method	22.3		
39	Number of IUD removals	20	32	Women using modern method	21.9		
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)				
40	IPD cases per 10,000 population ***	275	220				
41	General OPD cases per 10,000 population ***	9864	7828				
42	Ayush OPD cases per 10,000 population ***	950	2559				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)				
43	Neonatal deaths within 24 hours	1	1				
44	Neonatal Deaths up to 4 weeks of birth	2	1				
45	Total Neonatal Death	3	2				
46	Deaths between (1 - 11) months	2	0				
47	Total reported infant deaths	5	2				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	0	0				
54	Total reported maternal deaths	0	0				

Tirap Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	58,961					
2	Sex Ratio	931					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	3					
4	Sub Centers (SC)- HWC	2					
5	Primary Health Centers (PHC)	4					
6	Primary Health Centers (PHC)-HWC	4					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW	1,240		1,215			
11	Expected number of Delivery	1,150		1,127			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,040	83.8	1,064	87.6	ANC Check up in first trimester	37.9
13	Mothers registered in the first trimester	423	40.7	611	57.4	At least 4 ANC check up	29.8
14	Mothers who had at least 3 Ante-Natal care check ups	281	27.0	454	42.7	Neonatal tetanus received	65.9
15	PW who got TT 2 / Booster injection	758	72.9	878	82.5	100 IFA tablets consumed	9.3
16	PW who consumed 100 IFA tablets	225	21.6	696	65.4	Full ANC	5.2
17	Home Delivery against expected delivery *	86	7.5	156	13.8	Home Delivery	65.5
18	Institutional Delivery against expected delivery *	383	33.3	518	46.0	Institutional Delivery	34.5
19	Home Delivery against reported delivery **	86	18.3	156	23.1	Home Delivery by SBA(out of Total Deliveries)	0.3
20	Institutional Delivery against reported delivery **	383	81.7	518	76.9	PNC within 2days of delivery	35.3
21	Total reported Deliveries	469		674			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1		62		39.7	
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	136		533		79.1	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	1,128		1,105			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
25	Total reported live births	463		669		Breastfeed within 1 hour of birth	73.9
26	Total Still Birth	3		5		BCG	63
27	Newborn weighted at birth to live	466		669		3 dose of DPT	63.4

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	0	0.0	11	1.6	Measles	63
29	Newborns breastfed within 1 hour to total reported live birth.	466	100.6	669	100.0	Full Immunization	45.3
30	Fully immunized	775	68.7	720	65.2		
31	Children who have received BCG	760	67.4	809	73.2		
32	Children who have received DPT1	880	78.0	944	85.5		
33	Children who have received DPT3	837	74.2	846	76.6		
34	Children who have received Measles	815	72.3	720	65.2		
35	Diarrhoea and Dehydration cases reported in children below 5 years	442		365			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	10.6
37	Number of Tubectomies performed	6		40		Spacing	5
38	Number of IUD insertion	44		79		Women using any method	57.8
39	Number of IUD removals	38		34		Women using modern method	44
F) Service delivery		HMIS (2018-19)		HMIS (2019-20)			
40	IPD cases per 10,000 population ***	234		250			
41	General OPD cases per 10,000 population ***	5182		5308			
42	Ayush OPD cases per 10,000 population ***	1560		1490			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2018-19)		HMIS (2019-20)			
43	Neonatal deaths within 24 hours	0		1			
44	Neonatal Deaths up to 4 weeks of birth	1		0			
45	Total Neonatal Death	1		1			
46	Deaths between (1 - 11) months	1		1			
47	Total reported infant deaths	2		2			
II)	Maternal Mortality	HMIS (2018-19)		HMIS (2019-20)			
	Maternal Deaths (In Numbers)	HMIS (2018-19)		HMIS (2019-20)			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		0			
51	Due to Bleeding	0		0			
52	Due to High fever	0		0			
53	Due to Other Causes (including causes not known)	0		0			
54	Total reported maternal deaths	0		0			

Upper Siang Factsheet

Key Indicators							
A) Demographic Indicators (Census 2011)							
1	Population 2011	35,289					
2	Sex Ratio	891					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	10					
4	Sub Centers (SC)- HWC	3					
5	Primary Health Centers (PHC)	1					
6	Primary Health Centers (PHC)-HWC	1					
7	Community Health Centers (CHC)	4					
8	SDH	0					
9	DH	1					
C) Maternal Health:			2018-19		2019-20		
10	Expected number of PW	764	744				
11	Expected number of Delivery	709	690				
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	640	83.7	560	75.2	ANC Check up in first trimester	41.6
13	Mothers registered in the first trimester	246	38.4	230	41.1	At least 4 ANC check up	29.2
14	Mothers who had at least 3 Ante-Natal care check ups	202	31.6	200	35.7	Neonatal tetanus received	72.0
15	PW who got TT 2 / Booster injection	399	62.3	417	74.5	100 IFA tablets consumed	8.5
16	PW who consumed 100 IFA tablets	469	73.3	311	55.5	Full ANC	6.1
17	Home Delivery against expected delivery *	22	3.1	9	1.3	Home Delivery	33.6
18	Institutional Delivery against expected delivery *	246	34.7	265	38.4	Institutional Delivery	66.4
19	Home Delivery against reported delivery **	22	8.2	9	3.3	Home Delivery by SBA(out of Total Deliveries)	2.7
20	Institutional Delivery against reported delivery **	246	91.8	265	96.7	PNC within 2days of delivery	43.1
21	Total reported Deliveries	268		274			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	17	77.3	6	66.7		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	58	21.6	91	33.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	695		677			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
25	Total reported live births	268	38.6	270	39.9	Breastfeed within 1 hour of birth	48.5
26	Total Still Birth	4	0.6	8	1.2	BCG	*
27	Newborn weighted at birth to live	269	100.4	269	99.6	3 dose of DPT	*

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	12	4.5	6	2.2	Measles	*
29	Newborns breastfed within 1 hour to total reported live birth.	268	100.0	269	99.6	Full Immunization	*
30	Fully immunized	476	68.5	444	65.6		
31	Children who have received BCG	292	42.0	262	38.7		
32	Children who have received DPT1	453	65.2	455	67.2		
33	Children who have received DPT3	451	64.9	446	65.9		
34	Children who have received Measles	477	68.6	445	65.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	454		460			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	13.3
37	Number of Tubectomies performed	26		25		Spacing	8.2
38	Number of IUD insertion	39		100		Women using any method	38.9
39	Number of IUD removals	53		69		Women using modern method	38.2
F) Service delivery		HMIS (2018-19)		HMIS (2019-20)			
40	IPD cases per 10,000 population ***	370		493			
41	General OPD cases per 10,000 population ***	8806		8783			
42	Ayush OPD cases per 10,000 population ***	940		1327			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2018-19)		HMIS (2019-20)			
43	Neonatal deaths within 24 hours	0		0			
44	Neonatal Deaths up to 4 weeks of birth	0		0			
45	Total Neonatal Death	0		0			
46	Deaths between (1 - 11) months	0		0			
47	Total reported infant deaths	0		0			
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2018-19)		HMIS (2019-20)			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		0			
51	Due to Bleeding	0		0			
52	Due to High fever	0		0			
53	Due to Other Causes (including causes not known)	0		0			
54	Total reported maternal deaths	0		0			

Upper Subansiri Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	83,205					
2	Sex Ratio	982					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	32					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers(PHC)	15					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	5					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW	2,447		2,488			
11	Expected number of Delivery	2,269		2,307			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,402	57.3	1,640	65.9	ANC Check up in first trimester	22.1
13	Mothers registered in the first trimester	566	40.4	579	35.3	At least 4ANC check up	15.1
14	Mothers who had at least 3 Ante-Natal care check ups	245	17.5	262	16.0	Neonatal tetanus received	60.0
15	PW who got TT 2 / Booster injection	492	35.1	581	35.4	100 IFA tablets consumed	1.7
16	PW who consumed 100 IFA tablets	500	35.7	859	52.4	Full ANC	0.0
17	Home Delivery against expected delivery *	14	0.6	3	0.1	Home Delivery	55.3
18	Institutional Delivery against expected delivery *	618	27.2	756	32.8	Institutional Delivery	44.7
19	Home Delivery against reported delivery **	14	2.2	3	0.4	Home Delivery by SBA(out of Total Deliveries)	3.5
20	Institutional Delivery against reported delivery **	618	97.8	756	99.6	PNC within 2days of delivery	16.8
21	Total reported Deliveries	632		759			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	71.4	3	100.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	82	13.0	11	1.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	2,224		2,262			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
25	Total reported live births	625	28.1	744	32.9	Breastfeed within 1 hour of birth	61
26	Total Still Birth	11	0.5	15	0.7	BCG	60.4
27	Newborn weighted at birth to live	622	99.5	743	99.9	3 dose of DPT	31.1

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	24	3.9	30	4.0	Measles	41.9
29	Newborns breastfed within 1 hour to total reported live birth.	622	99.5	738	99.2	Full Immunization	21.9
30	Fully immunized	648	29.1	887	39.2		
31	Children who have received BCG	731	32.9	721	31.9		
32	Children who have received DPT1	826	37.1	1,025	45.3		
33	Children who have received DPT3	718	32.3	740	32.7		
34	Children who have received Measles	672	30.2	904	40.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	241		208			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)			
36	Number of Vasectomies performed	0	0	Total unmet need	24.4		
37	Number of Tubectomies performed	0	0	Spacing	15.3		
38	Number of IUD insertion	88	100	Women using any method	18		
39	Number of IUD removals	141	76	Women using modern method	17.6		
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)				
40	IPD cases per 10,000 population ***	163	251				
41	General OPD cases per 10,000 population ***	4711	2878				
42	Ayush OPD cases per 10,000 population ***	358	507				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)				
43	Neonatal deaths within 24 hours	0	1				
44	Neonatal Deaths up to 4 weeks of birth	0	0				
45	Total Neonatal Death	0	1				
46	Deaths between (1 - 11) months	0	2				
47	Total reported infant deaths	0	3				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	0	1				
54	Total reported maternal deaths	0	1				

West Kameng Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	87,013					
2	Sex Ratio	755					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	22					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	5					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	5					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW	1,959		1,928			
11	Expected number of Delivery	1,817		1,788			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	2,047	104.5	1,758	91.2	ANC Check up in first trimester	58.7
13	Mothers registered in the first trimester	1,168	57.1	1,219	69.3	At least 4 ANC check up	33.3
14	Mothers who had at least 3 Ante-Natal care check ups	422	20.6	512	29.1	Neonatal tetanus received	53.2
15	PW who got TT 2 / Booster injection	1,158	56.6	1,141	64.9	100 IFA tablets consumed	6.8
16	PW who consumed 100 IFA tablets	1,485	72.5	1,205	68.5	Full ANC	4.2
17	Home Delivery against expected delivery *	16	0.9	14	0.8	Home Delivery	43.0
18	Institutional Delivery against expected delivery *	706	38.9	697	39.0	Institutional Delivery	57.0
19	Home Delivery against reported delivery **	16	2.2	14	2.0	Home Delivery by SBA(out of Total Deliveries)	2.2
20	Institutional Delivery against reported delivery **	706	97.8	697	98.0	PNC within 2days of delivery	22.9
21	Total reported Deliveries	722		711			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	12	75.0	14	100.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	470	65.1	376	52.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	1,781		1,753			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
25	Total reported live births	726	40.8	705	40.2	Breastfeed within 1 hour of birth	67.9
26	Total Still Birth	12	0.7	5	0.3	BCG	67.7
27	Newborn weighted at birth to live	717	98.8	703	99.7	3 dose of DPT	43.6

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	40	5.6	52	7.4	Measles	47.8
29	Newborns breastfed within 1 hour to total reported live birth.	715	98.5	687	97.4	Full Immunization	25
30	Fully immunized	1,346	75.6	1,489	84.9		
31	Children who have received BCG	1,057	59.4	702	40.0		
32	Children who have received DPT1	1,180	66.3	1,157	66.0		
33	Children who have received DPT3	1,181	66.3	1,064	60.7		
34	Children who have received Measles	1,345	75.5	1,497	85.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	711		636			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)			
36	Number of Vasectomies performed	0	0	Total unmet need	35.7		
37	Number of Tubectomies performed	13	2	Spacing	18.6		
38	Number of IUD insertion	333	203	Women using any method	18.9		
39	Number of IUD removals	184	188	Women using modern method	18.5		
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)				
40	IPD cases per 10,000 population ***	266	241				
41	General OPD cases per 10,000 population ***	10265	8872				
42	Ayush OPD cases per 10,000 population ***	518	576				
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)				
43	Neonatal deaths within 24 hours	1	1				
44	Neonatal Deaths up to 4 weeks of birth	3	0				
45	Total Neonatal Death	4	1				
46	Deaths between (1 - 11) months	0	0				
47	Total reported infant deaths	4	1				
II)	Maternal Mortality						
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension/fits	0	0				
51	Due to Bleeding	0	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	0	0				
54	Total reported maternal deaths	0	0				

West Siang Factsheet

Key Indicators

A) Demographic Indicators (Census 2011)							
1	Population 2011	112,272					
2	Sex Ratio	916					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	14					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	8					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW	2,148		2,097			
11	Expected number of Delivery	1,992		1,944			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,979	92.1	1,820	86.8	ANC Check up in first trimester	34.2
13	Mothers registered in the first trimester	645	32.6	569	31.3	At least 4 ANC check up	18.0
14	Mothers who had at least 3 Ante-Natal care check ups	816	41.2	897	49.3	Neonatal tetanus received	51.3
15	PW who got TT 2 / Booster injection	1,218	61.5	970	53.3	100 IFA tablets consumed	1.3
16	PW who consumed 100 IFA tablets	3,260	164.7	2,281	125.3	Full ANC	1.3
17	Home Delivery against expected delivery *	31	1.6	31	1.6	Home Delivery	49.8
18	Institutional Delivery against expected delivery *	1,060	53.2	1,117	57.5	Institutional Delivery	50.2
19	Home Delivery against reported delivery **	31	2.8	31	2.7	Home Delivery by SBA(out of Total Deliveries)	2.2
20	Institutional Delivery against reported delivery **	1,060	97.2	1,117	97.3	PNC within 2days of delivery	24.6
21	Total reported Deliveries	1,091		1,148			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	18	58.1	22	71.0		
23	Woman getting post partum check up between 48 hours and 14 days to total reported deliveries	63	5.8	532	46.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	1,953		1,906			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
25	Total reported live births	1,096	56.1	1,140	59.8	Breastfeed within 1 hour of birth	66
26	Total Still Birth	12	0.6	6	0.3	BCG	74.4
27	Newborn weighted at birth to live	1,053	96.1	1,120	98.2	3 dose of DPT	44

	birth						
28	Newborn having weight less than 2.5 kg to newborn weighted at birth.	30	2.8	62	5.5	Measles	70.8
29	Newborns breastfed within 1 hour to total reported live birth.	875	79.8	952	83.5	Full Immunization	34.4
30	Fully immunized	1,327	68.0	1,368	71.8		
31	Children who have received BCG	1,198	61.4	1,148	60.2		
32	Children who have received DPT1	1,351	69.2	1,544	81.0		
33	Children who have received DPT3	1,352	69.2	1,395	73.2		
34	Children who have received Measles	1,462	74.9	1,361	71.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	552		491			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0		0		Total unmet need	27.6
37	Number of Tubectomies performed	115		126		Spacing	17.5
38	Number of IUD insertion	243		315		Women using any method	9.3
39	Number of IUD removals	175		204		Women using modern method	9.3
F) Service delivery		HMIS (2018-19)		HMIS (2019-20)			
40	IPD cases per 10,000 population ***	171		263			
41	General OPD cases per 10,000 population ***	7662		9164			
42	Ayush OPD cases per 10,000 population ***	660		761			
G) Mortality Details							
I)	Infant Deaths (In Numbers)	HMIS (2018-19)		HMIS (2019-20)			
43	Neonatal deaths within 24 hours	0		0			
44	Neonatal Deaths up to 4 weeks of birth	0		0			
45	Total Neonatal Death	0		0			
46	Deaths between (1 - 11) months	0		0			
47	Total reported infant deaths	0		0			
II)	Maternal Mortality	HMIS (2018-19)		HMIS (2019-20)			
	Maternal Deaths (In Numbers)	HMIS (2018-19)		HMIS (2019-20)			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		0			
51	Due to Bleeding	0		0			
52	Due to High fever	0		0			
53	Due to Other Causes (including causes not known)	0		0			
54	Total reported maternal deaths	0		0			

* Against Expected Delivery for the 2018-19 & 2019-20

** Against Reported Delivery for the 2018-19 & 2019-20

*** Against Estimated Population for 2018-19 & 2019-20