

## Assam Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	31,169,272						
2	Sex Ratio	954						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	4,034						
4	Sub Centres (SC)- HWC	628						
5	Primary Health Centers (PHC)	704						
6	Primary Health Centres (PHC)-HWC	297						
7	Community Health Centers (CHC)	179						
8	SDH	14						
9	DH	25						
C) Maternal Health:		2018-19	2019-20					
10	Expected number of PW	837,765	832,318					
11	Expected number of Delivery	780,644	775,569					
		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
		Number	PC	Number	PC			
12	PW register for ANC	700,380	83.6	685,229	82.3	ANC Check up in first trimester	55.1	
13	Mothers registered in the first trimester	600,078	85.7	603,179	88.0	At least 4ANC check up	46.5	
14	Mothers who had at least 3 Ante-Natal care check ups	566,034	80.8	584,592	85.3	Neonatal tetanus received	89.9	
15	PW who got TT 2 / Booster injection	628,213	89.7	630,473	92.0	100 IFA tablets consumed	32.0	
16	PW who consumed 100 IFA tablets	686,357	98.0	673,833	98.3	Full ANC	18.1	
17	Home Delivery against expected delivery *	59,965	7.7	53,589	6.9	Home Delivery	29.4	
18	Institutional Delivery against expected delivery *	532,024	68.2	554,567	71.5	Institutional Delivery	70.6	
19	Home Delivery against reported delivery **	59,965	10.1	53,589	8.8	Home Delivery by SBA(out of Total Deliveries)	3.9	
20	Institutional Delivery against reported delivery **	532,024	89.9	554,567	91.2	PNC within 2days of delivery	54.0	
21	Total reported Deliveries	591,989		608,156				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	17,314	28.9	16,737	31.2			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	457,882	77.3	530,184	87.2			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with reference to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
24	Expected number of Live Birth	761,604		756,653				
D) Child Immunization :		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
25	Total reported live births	583,945	76.7	600,797	79.4	Breastfed within 1 hour of birth	64.4	

26	Total Still Birth	12,235	1.6	12,692	1.7	BCG	82.3
27	PC of newborn weighted at birth to live birth	574,976	98.5	591,026	98.4	3 dose of DPT	66.5
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	82,721	14.4	83,603	14.1	Measles	71.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	568,414	97.3	580,216	96.6	Full Immunization	47.1
30	Children fully immunized	593,297	77.9	598,636	79.1		
31	Children who have received BCG	624,220	82.0	666,512	88.1		
32	Children who have received DPT1	606,050	79.6	610,937	80.7		
33	Children who have received DPT3	588,964	77.3	596,848	78.9		
34	Children who have received Measles	599,549	78.7	598,620	79.1		
35	Diarrhoea and Dehydration reported in children below 5 years of age	82,110		103,732			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	1,626	2,262	Total unmet need	14.2
37	Number of Tubectomies performed	33,712	32,653	Spacing	5.8
38	Number of IUD insertion	70,721	64,160	Women using any method	52.4
39	Number of IUD removals	14,410	15,880	Women using modern method	37
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	437	471		
41	General OPD cases per 10,000 population ***	9,542	9,687		
42	Ayush OPD cases per 10,000 population ***	673	840		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	1,650	1,916		
44	Neonatal Deaths up to 4 weeks of birth	6,423	7,137		
45	<b>Total Neonatal Death</b>	<b>8,073</b>	<b>9,053</b>		
46	Deaths between (1 - 11) months	3,613	3,365		
47	<b>Total reported infant deaths</b>	<b>11,686</b>	<b>12,418</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	10	21		
49	Due to Obstructed/prolonged labour	30	29		
50	Due to Severe hypertension / fits	95	129		
51	Due to Bleeding	164	109		
52	Due to High fever	7	22		
53	Due to Other Causes (including causes not known)	702	699		
54	<b>Total reported maternal deaths</b>	<b>1,008</b>	<b>1,009</b>		

## Baksa Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	953,773						
2	Sex Ratio	967						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	136						
4	Sub Centres (SC)- HWC	21						
5	Primary Health Centers (PHC)	25						
6	Primary Health Centres (PHC)-HWC	11						
7	Community Health Centers (CHC)	6						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2018-19	2019-20					
10	Expected number of PW	24,512	24,215					
11	Expected number of Delivery	22,841	22,564					
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)		
		Number	PC	Number	PC			
12	PW register for ANC	16,755	68.4	16,257	67.1	ANC Check up in first trimester	60.6	
13	Mothers registered in the first trimester	14,852	88.6	14,244	87.6	At least 4ANC check up	49.8	
14	Mothers who had at least 3 Ante-Natal care check ups	13,487	80.5	13,198	81.2	Neonatal tetanus received	92.6	
15	PW who got TT 2 / Booster injection	14,920	89.0	14,297	87.9	100 IFA tablets consumed	39.7	
16	PW who consumed 100 IFA tablets	16,971	101.3	15,441	95.0	Full ANC	21.4	
17	Home Delivery against expected delivery *	536	2.3	347	1.5	Home Delivery	12.2	
18	Institutional Delivery against expected delivery *	8,100	35.5	7,980	35.4	Institutional Delivery	87.8	
19	Home Delivery against reported delivery **	536	6.2	347	4.2	Home Delivery by SBA(out of Total Deliveries)	1.5	
20	Institutional Delivery against reported delivery **	8,100	93.8	7,980	95.8	PNC within 2days of delivery	70.1	
21	Total reported Deliveries	8,636		8,327				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	315	58.8	260	74.9			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	11,683	135.3	13,418	161.1			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with reference to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
24	Expected number of Live Birth	22,284		22,013				
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)		
25	Total reported live births	8,521	38.2	8,222	37.3	Breastfed within 1 hour of birth	74.3	

26	Total Still Birth	148	0.7	158	0.7	BCG	91.6
27	PC of newborn weighted at birth to live birth	8,440	99.0	8,213	99.9	3 dose of DPT	82.6
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,195	14.2	971	11.8	Measles	81.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	8,501	99.8	8,211	99.9	Full Immunization	59.1
30	Children fully immunized	14,979	67.2	14,548	66.1		
31	Children who have received BCG	12,799	57.4	13,620	61.9		
32	Children who have received DPT1	14,586	65.5	14,362	65.2		
33	Children who have received DPT3	14,120	63.4	14,383	65.3		
34	Children who have received Measles	15,057	67.6	14,499	65.9		
35	Diarrhoea and Dehydration reported in children below 5 years of age	1,456		2,140			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	64	75	Total unmet need	12.4
37	Number of Tubectomies performed	763	424	Spacing	6.8
38	Number of IUD insertion	1,279	1,640	Women using any method	58.1
39	Number of IUD removals	390	650	Women using modern method	38.5
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	174	181		
41	General OPD cases per 10,000 population ***	5,835	5,782		
42	Ayush OPD cases per 10,000 population ***	1,309	2167		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	36	17		
44	Neonatal Deaths up to 4 weeks of birth	91	63		
45	<b>Total Neonatal Death</b>	<b>127</b>	<b>80</b>		
46	Deaths between (1 - 11) months	175	92		
47	<b>Total reported infant deaths</b>	<b>302</b>	<b>172</b>		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	2	0		
50	Due to Severe hypertension / fits	1	2		
51	Due to Bleeding	2	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	11	8		
54	<b>Total reported maternal deaths</b>	<b>16</b>	<b>10</b>		

## Barpeta Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	1,693,190						
2	Sex Ratio	951						
<b>B) Infrastructure Details RHS 2018-19)</b>		<b>Numbers</b>						
3	Sub Centers (SC)	231						
4	Sub Centres (SC)- HWC	33						
5	Primary Health Centers (PHC)	33						
6	Primary Health Centres (PHC)-HWC	15						
7	Community Health Centers (CHC)	11						
8	SDH	1						
9	DH	1						
<b>C) Maternal Health:</b>		<b>2018-19</b>	<b>2019-20</b>					
10	Expected number of PW	46,886	46,786					
11	Expected number of Delivery	43,689	43,596					
		<b>HMIS ( 2018-19)</b>	<b>HMIS ( 2019-20)</b>		<b>NFSH-4 (2015-16)</b>			
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>			
12	PW register for ANC	41,168	87.8	42,427	90.7	ANC Check up in first trimester	64.3	
13	Mothers registered in the first trimester	35,682	86.7	37,576	88.6	At least 4ANC check up	47.5	
14	Mothers who had at least 3 Ante-Natal care check ups	36,482	88.6	37,968	89.5	Neonatal tetanus received	86.8	
15	PW who got TT 2 / Booster injection	35,798	87.0	37,060	87.4	100 IFA tablets consumed	18.6	
16	PW who consumed 100 IFA tablets	39,250	95.3	44,064	103.9	Full ANC	10.2	
17	Home Delivery against expected delivery *	6,875	15.7	5,501	12.6	Home Delivery	48.1	
18	Institutional Delivery against expected delivery *	29,771	68.1	32,920	75.5	Institutional Delivery	51.9	
19	Home Delivery against reported delivery **	6,875	18.8	5,501	14.3	Home Delivery by SBA(out of Total Deliveries)	12.3	
20	Institutional Delivery against reported delivery **	29,771	81.2	32,920	85.7	PNC within 2days of delivery	36.6	
21	Total reported Deliveries	36,646		38,421				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3,607	52.5	3,301	60.0			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	19,920	54.4	32,971	85.8			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
24	Expected number of Live Birth	42,623		42,532				
<b>D) Child Immunization :</b>		<b>HMIS ( 2018-19)</b>	<b>HMIS ( 2019-20)</b>		<b>NFSH-4 (2015-16)</b>			
25	Total reported live births	36,191	84.9	37,875	89.0	Breastfed within 1 hour of birth	68	

26	Total Still Birth	832	2.0	935	2.2	BCG	67.4
27	PC of newborn weighted at birth to live birth	35,983	99.4	37,077	97.9	3 dose of DPT	54.7
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,398	15.0	5,954	16.1	Measles	66
29	PC of newborns breastfed within 1 hour to total reported live birth.	35,695	98.6	37,476	98.9	Full Immunization	34.1
30	Children fully immunized	34,972	82.0	36,307	85.4		
31	Children who have received BCG	39,317	92.2	43,819	103.0		
32	Children who have received DPT1	37,158	87.2	37,531	88.2		
33	Children who have received DPT3	36,601	85.9	36,641	86.1		
34	Children who have received Measles	35,093	82.3	36,238	85.2		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,609		3,385			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	45	354	Total unmet need	10.1
37	Number of Tubectomies performed	1,583	1,677	Spacing	4.7
38	Number of IUD insertion	3,437	3,605	Women using any method	56.7
39	Number of IUD removals	408	474	Women using modern method	40.2
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	340	351		
41	General OPD cases per 10,000 population ***	7,732	6,742		
42	Ayush OPD cases per 10,000 population ***	525	1330		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	137	97		
44	Neonatal Deaths up to 4 weeks of birth	448	650		
45	<b>Total Neonatal Death</b>	<b>585</b>	<b>747</b>		
46	Deaths between (1 - 11) months	143	120		
47	<b>Total reported infant deaths</b>	<b>728</b>	<b>867</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	1		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	4	17		
51	Due to Bleeding	3	6		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	38	39		
54	<b>Total reported maternal deaths</b>	<b>45</b>	<b>63</b>		

## Bongaigaon Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	732,639						
2	Sex Ratio	961						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	85						
4	Sub Centres (SC)- HWC	23						
5	Primary Health Centers (PHC)	16						
6	Primary Health Centres (PHC)-HWC	13						
7	Community Health Centers (CHC)	4						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2018-19	2019-20					
10	Expected number of PW	20,199	20,120					
11	Expected number of Delivery	18,822	18,748					
		HMIS ( 2018-19)		HMIS ( 2019-20)		NFSH-4 ( 2015-16)		
		Number	PC	Number	PC			
12	PW register for ANC	15,336	75.9	14,969	74.4	ANC Check up in first trimester	54.6	
13	Mothers registered in the first trimester	13,443	87.7	13,463	89.9	At least 4ANC check up	24.2	
14	Mothers who had at least 3 Ante-Natal care check ups	12,208	79.6	12,004	80.2	Neonatal tetanus received	87.9	
15	PW who got TT 2 / Booster injection	14,731	96.1	13,735	91.8	100 IFA tablets consumed	35.5	
16	PW who consumed 100 IFA tablets	15,272	99.6	14,807	98.9	Full ANC	12.5	
17	Home Delivery against expected delivery *	971	5.2	704	3.8	Home Delivery	33.0	
18	Institutional Delivery against expected delivery *	13,366	71.0	13,586	72.5	Institutional Delivery	67.0	
19	Home Delivery against reported delivery **	971	6.8	704	4.9	Home Delivery by SBA(out of Total Deliveries)	3.7	
20	Institutional Delivery against reported delivery **	13,366	93.2	13,586	95.1	PNC within 2days of delivery	47.5	
21	Total reported Deliveries	14,337		14,290				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	98	10.1	152	21.6			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,187	71.1	8,845	61.9			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
24	Expected number of Live Birth	18,363		18,291				
D) Child Immunization :		HMIS ( 2018-19)	HMIS ( 2019-20)		NFSH-4 ( 2015-16)			
25	Total reported live births	14,120	76.9	14,116	77.2	Breastfed within 1 hour of birth	70	



26	Total Still Birth	265	1.4	270	1.5	BCG	84.7
27	PC of newborn weighted at birth to live birth	14,114	100.0	14,102	99.9	3 dose of DPT	70.6
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,821	12.9	1,677	11.9	Measles	79.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	13,951	98.8	13,960	98.9	Full Immunization	42.4
30	Children fully immunized	14,134	77.0	13,240	72.4		
31	Children who have received BCG	14,134	77.0	13,781	75.3		
32	Children who have received DPT1	14,556	79.3	13,882	75.9		
33	Children who have received DPT3	14,273	77.7	13,309	72.8		
34	Children who have received Measles	14,150	77.1	13,302	72.7		
35	Diarrhoea and Dehydration reported in children below 5 years of age	521		580			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	16	6	Total unmet need	9.9
37	Number of Tubectomies performed	806	739	Spacing	4.5
38	Number of IUD insertion	3,123	3,373	Women using any method	59.4
39	Number of IUD removals	331	400	Women using modern method	38.9
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	231	262		
41	General OPD cases per 10,000 population ***	8,320	8,844		
42	Ayush OPD cases per 10,000 population ***	417	621		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	16	33		
44	Neonatal Deaths up to 4 weeks of birth	150	157		
45	<b>Total Neonatal Death</b>	<b>166</b>	<b>190</b>		
46	Deaths between (1 - 11) months	128	65		
47	<b>Total reported infant deaths</b>	<b>294</b>	<b>255</b>		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	1		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension / fits	2	0		
51	Due to Bleeding	4	6		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	11	9		
54	<b>Total reported maternal deaths</b>	<b>18</b>	<b>16</b>		



## Cachar Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	1,736,319						
2	Sex Ratio	958						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	255						
4	Sub Centres (SC)- HWC	15						
5	Primary Health Centers (PHC)	20						
6	Primary Health Centres (PHC)-HWC	12						
7	Community Health Centers (CHC)	6						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2018-19	2019-20					
10	Expected number of PW	47,672	47,513					
11	Expected number of Delivery	44,422	44,274					
		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
		Number	PC	Number	PC			
12	PW register for ANC	40,012	83.9	40,421	85.1	ANC Check up in first trimester	37.6	
13	Mothers registered in the first trimester	35,489	88.7	35,932	88.9	At least 4ANC check up	51.3	
14	Mothers who had at least 3 Ante-Natal care check ups	34,282	85.7	35,492	87.8	Neonatal tetanus received	89.1	
15	PW who got TT 2 / Booster injection	37,756	94.4	39,124	96.8	100 IFA tablets consumed	18.9	
16	PW who consumed 100 IFA tablets	39,841	99.6	40,197	99.4	Full ANC	12.3	
17	Home Delivery against expected delivery *	1,341	3.0	1,227	2.8	Home Delivery	28.7	
18	Institutional Delivery against expected delivery *	41,348	93.1	44,137	99.7	Institutional Delivery	71.3	
19	Home Delivery against reported delivery **	1,341	3.1	1,227	2.7	Home Delivery by SBA(out of Total Deliveries)	5.2	
20	Institutional Delivery against reported delivery **	41,348	96.9	44,137	97.3	PNC within 2days of delivery	63.3	
21	Total reported Deliveries	42,689		45,364				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	549	40.9	677	55.2			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	22,581	52.9	25,458	56.1			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with reference to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
24	Expected number of Live Birth	43,338		43,194				
D) Child Immunization :		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
25	Total reported live births	41,678	96.2	44,317	102.6	Breastfed within 1 hour of birth	31.5	

26	Total Still Birth	1,230	2.8	1,427	3.3	BCG	82.2
27	PC of newborn weighted at birth to live birth	41,678	100.0	44,317	100.0	3 dose of DPT	71.9
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	7,445	17.9	7,511	16.9	Measles	68.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	41,483	99.5	44,146	99.6	Full Immunization	45.4
30	Children fully immunized	39,690	91.6	39,759	92.0		
31	Children who have received BCG	47,169	108.8	50,363	116.6		
32	Children who have received DPT1	40,262	92.9	41,118	95.2		
33	Children who have received DPT3	39,924	92.1	39,906	92.4		
34	Children who have received Measles	40,068	92.5	39,906	92.4		
35	Diarrhoea and Dehydration reported in children below 5 years of age	4,630		5,284			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	142	249	Total unmet need	12.9
37	Number of Tubectomies performed	2,578	3,116	Spacing	8
38	Number of IUD insertion	2,748	2,329	Women using any method	54.4
39	Number of IUD removals	265	215	Women using modern method	29.1
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	542	581		
41	General OPD cases per 10,000 population ***	9,202	10,809		
42	Ayush OPD cases per 10,000 population ***	44	51		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	25	241		
44	Neonatal Deaths up to 4 weeks of birth	657	286		
45	<b>Total Neonatal Death</b>	<b>682</b>	<b>527</b>		
46	Deaths between (1 - 11) months	285	155		
47	<b>Total reported infant deaths</b>	<b>967</b>	<b>682</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	1	5		
50	Due to Severe hypertension / fits	2	12		
51	Due to Bleeding	2	4		
52	Due to High fever	1	9		
53	Due to Other Causes (including causes not known)	148	108		
54	<b>Total reported maternal deaths</b>	<b>154</b>	<b>138</b>		

## Chirang Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	481,818						
2	Sex Ratio	969						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	78						
4	Sub Centres (SC)- HWC	9						
5	Primary Health Centers (PHC)	19						
6	Primary Health Centres (PHC)-HWC	5						
7	Community Health Centers (CHC)	3						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2018-19	2019-20					
10	Expected number of PW	12,448	12,298					
11	Expected number of Delivery	11,599	11,459					
		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
		Number	PC	Number	PC			
12	PW register for ANC	9,835	79.0	9,556	77.7	ANC Check up in first trimester	61.9	
13	Mothers registered in the first trimester	7,755	78.9	7,877	82.4	At least 4ANC check up	41.2	
14	Mothers who had at least 3 Ante-Natal care check ups	7,269	73.9	7,112	74.4	Neonatal tetanus received	86.3	
15	PW who got TT 2 / Booster injection	8,855	90.0	8,763	91.7	100 IFA tablets consumed	34.3	
16	PW who consumed 100 IFA tablets	8,491	86.3	8,421	88.1	Full ANC	10.9	
17	Home Delivery against expected delivery *	1,405	12.1	1,359	11.9	Home Delivery	40.6	
18	Institutional Delivery against expected delivery *	5,807	50.1	6,112	53.3	Institutional Delivery	59.4	
19	Home Delivery against reported delivery **	1,405	19.5	1,359	18.2	Home Delivery by SBA(out of Total Deliveries)	3.5	
20	Institutional Delivery against reported delivery **	5,807	80.5	6,112	81.8	PNC within 2days of delivery	36.6	
21	Total reported Deliveries	7,212		7,471				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	144	10.2	125	9.2			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	6,201	86.0	7,057	94.5			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with reference to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
24	Expected number of Live Birth	11,316		11,180				
D) Child Immunization :		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
25	Total reported live births	7,187	63.5	7,372	65.9	Breastfed within 1 hour of birth	77.4	

26	Total Still Birth	113	1.0	155	1.4	BCG	77.7
27	PC of newborn weighted at birth to live birth	7,158	99.6	7,360	99.8	3 dose of DPT	60.1
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,152	16.1	939	12.8	Measles	68.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	7,090	98.7	7,310	99.2	Full Immunization	40.4
30	Children fully immunized	8,264	73.0	7,934	71.0		
31	Children who have received BCG	8,381	74.1	8,674	77.6		
32	Children who have received DPT1	8,516	75.3	8,358	74.8		
33	Children who have received DPT3	8,273	73.1	8,045	72.0		
34	Children who have received Measles	8,401	74.2	7,943	71.0		
35	Diarrhoea and Dehydration reported in children below 5 years of age	1,089		1,214			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	2	Total unmet need	7.9
37	Number of Tubectomies performed	77	98	Spacing	3.1
38	Number of IUD insertion	1,458	1,539	Women using any method	62.6
39	Number of IUD removals	504	574	Women using modern method	30.7
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	160	341		
41	General OPD cases per 10,000 population ***	6,779	8,770		
42	Ayush OPD cases per 10,000 population ***	53	755		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	12	24		
44	Neonatal Deaths up to 4 weeks of birth	42	34		
45	<b>Total Neonatal Death</b>	<b>54</b>	<b>58</b>		
46	Deaths between (1 - 11) months	74	97		
47	<b>Total reported infant deaths</b>	<b>128</b>	<b>155</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	3	1		
51	Due to Bleeding	1	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	3	10		
54	<b>Total reported maternal deaths</b>	<b>7</b>	<b>11</b>		

## Darrang Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	908,090						
2	Sex Ratio	923						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	138						
4	Sub Centres (SC)- HWC	21						
5	Primary Health Centers (PHC)	29						
6	Primary Health Centres (PHC)-HWC	4						
7	Community Health Centers (CHC)	7						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2018-19	2019-20					
10	Expected number of PW	25,373	25,272					
11	Expected number of Delivery	23,643	23,549					
		HMIS ( 2018-19)		HMIS ( 2019-20)		NFSH-4 ( 2015-16)		
		Number	PC	Number	PC			
12	PW register for ANC	21,769	85.8	22,207	87.9	ANC Check up in first trimester	61.5	
13	Mothers registered in the first trimester	19,826	91.1	21,360	96.2	At least 4ANC check up	39.9	
14	Mothers who had at least 3 Ante-Natal care check ups	19,352	88.9	20,668	93.1	Neonatal tetanus received	95.7	
15	PW who got TT 2 / Booster injection	20,593	94.6	20,640	92.9	100 IFA tablets consumed	25.1	
16	PW who consumed 100 IFA tablets	22,239	102.2	22,508	101.4	Full ANC	11.7	
17	Home Delivery against expected delivery *	1,765	7.5	539	2.3	Home Delivery	33.9	
18	Institutional Delivery against expected delivery *	15,021	63.5	18,456	78.4	Institutional Delivery	66.1	
19	Home Delivery against reported delivery **	1,765	10.5	539	2.8	Home Delivery by SBA(out of Total Deliveries)	3.1	
20	Institutional Delivery against reported delivery **	15,021	89.5	18,456	97.2	PNC within 2days of delivery	40.8	
21	Total reported Deliveries	16,786		18,995				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	681	38.6	287	53.2			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	15,443	92.0	20,842	109.7			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
24	Expected number of Live Birth	23,067		22,975				
D) Child Immunization :		HMIS ( 2018-19)	HMIS ( 2019-20)		NFSH-4 ( 2015-16)			
25	Total reported live births	16,629	72.1	18,835	82.0	Breastfed within 1 hour of birth	69.1	

26	Total Still Birth	255	1.1	290	1.3	BCG	81.2
27	PC of newborn weighted at birth to live birth	16,496	99.2	18,705	99.3	3 dose of DPT	63.3
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,995	12.1	2,014	10.8	Measles	61.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	16,034	96.4	18,454	98.0	Full Immunization	40.6
30	Children fully immunized	19,455	84.3	19,834	86.3		
31	Children who have received BCG	18,425	79.9	20,571	89.5		
32	Children who have received DPT1	19,502	84.5	20,221	88.0		
33	Children who have received DPT3	19,154	83.0	20,249	88.1		
34	Children who have received Measles	19,600	85.0	19,926	86.7		
35	Diarrhoea and Dehydration reported in children below 5 years of age	4,958		6,876			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	68	26	Total unmet need	6.3
37	Number of Tubectomies performed	988	828	Spacing	3.1
38	Number of IUD insertion	3,968	3,207	Women using any method	65.7
39	Number of IUD removals	629	785	Women using modern method	44.4
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	544	628		
41	General OPD cases per 10,000 population ***	9,528	11,797		
42	Ayush OPD cases per 10,000 population ***	698	831		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	17	57		
44	Neonatal Deaths up to 4 weeks of birth	142	139		
45	<b>Total Neonatal Death</b>	<b>159</b>	<b>196</b>		
46	Deaths between (1 - 11) months	53	59		
47	<b>Total reported infant deaths</b>	<b>212</b>	<b>255</b>		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	1	2		
51	Due to Bleeding	2	6		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	15	13		
54	<b>Total reported maternal deaths</b>	<b>18</b>	<b>21</b>		

## Dhemaji Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	688,077						
2	Sex Ratio	949						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	78						
4	Sub Centres (SC)- HWC	20						
5	Primary Health Centers (PHC)	15						
6	Primary Health Centres (PHC)-HWC	8						
7	Community Health Centers (CHC)	4						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2018-19	2019-20					
10	Expected number of PW	18,852	18,791					
11	Expected number of Delivery	17,567	17,510					
		HMIS ( 2018-19)		HMIS ( 2019-20)		NFSH-4 ( 2015-16)		
		Number	PC	Number	PC			
12	PW register for ANC	14,630	77.6	14,553	77.4	ANC Check up in first trimester	58.6	
13	Mothers registered in the first trimester	13,632	93.2	13,634	93.7	At least 4ANC check up	49.1	
14	Mothers who had at least 3 Ante-Natal care check ups	12,142	83.0	12,563	86.3	Neonatal tetanus received	94.5	
15	PW who got TT 2 / Booster injection	13,122	89.7	12,976	89.2	100 IFA tablets consumed	34.9	
16	PW who consumed 100 IFA tablets	14,878	101.7	14,772	101.5	Full ANC	22.5	
17	Home Delivery against expected delivery *	34	0.2	43	0.2	Home Delivery	23.9	
18	Institutional Delivery against expected delivery *	14,939	85.0	14,505	82.8	Institutional Delivery	76.1	
19	Home Delivery against reported delivery **	34	0.2	43	0.3	Home Delivery by SBA(out of Total Deliveries)	3.9	
20	Institutional Delivery against reported delivery **	14,939	99.8	14,505	99.7	PNC within 2days of delivery	65.9	
21	Total reported Deliveries	14,973		14,548				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	30	88.2	24	55.8			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,422	69.6	13,708	94.2			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with reference to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
24	Expected number of Live Birth	17,138		17,083				
D) Child Immunization :		HMIS ( 2018-19)		HMIS ( 2019-20)		NFSH-4 ( 2015-16)		
25	Total reported live births	14,841	86.6	14,398	84.3	Breastfed within 1 hour of birth	67.9	



26	Total Still Birth	248	1.4	262	1.5	BCG	96.4
27	PC of newborn weighted at birth to live birth	14,787	99.6	13,996	97.2	3 dose of DPT	80.7
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,558	10.5	1,319	9.4	Measles	79.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	14,003	94.4	14,001	97.2	Full Immunization	47
30	Children fully immunized	12,225	71.3	12,668	74.2		
31	Children who have received BCG	13,464	78.6	13,859	81.1		
32	Children who have received DPT1	12,690	74.0	12,772	74.8		
33	Children who have received DPT3	12,592	73.5	12,705	74.4		
34	Children who have received Measles	12,463	72.7	12,601	73.8		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,082		2,922			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	16	61	Total unmet need	17.9
37	Number of Tubectomies performed	1,548	1,109	Spacing	7.2
38	Number of IUD insertion	2,731	2,475	Women using any method	54.8
39	Number of IUD removals	943	1,143	Women using modern method	34
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	240	270		
41	General OPD cases per 10,000 population ***	7,946	10,170		
42	Ayush OPD cases per 10,000 population ***	668	641		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	55	53		
44	Neonatal Deaths up to 4 weeks of birth	174	137		
45	<b>Total Neonatal Death</b>	<b>229</b>	<b>190</b>		
46	Deaths between (1 - 11) months	79	83		
47	<b>Total reported infant deaths</b>	<b>308</b>	<b>273</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	0	2		
51	Due to Bleeding	4	4		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	7	8		
54	<b>Total reported maternal deaths</b>	<b>11</b>	<b>14</b>		

## Dhubri Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	1,948,632						
2	Sex Ratio	952						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	184						
4	Sub Centres (SC)- HWC	47						
5	Primary Health Centers (PHC)	25						
6	Primary Health Centres (PHC)-HWC	19						
7	Community Health Centers (CHC)	6						
8	SDH	2						
9	DH	1						
C) Maternal Health:		2018-19	2019-20					
10	Expected number of PW	55,082	55,126					
11	Expected number of Delivery	51,326	51,367					
		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
		Number	PC	Number	PC			
12	PW register for ANC	56,757	103.0	57,127	103.6	ANC Check up in first trimester	36.3	
13	Mothers registered in the first trimester	45,988	81.0	49,538	86.7	At least 4ANC check up	26.0	
14	Mothers who had at least 3 Ante-Natal care check ups	44,035	77.6	50,960	89.2	Neonatal tetanus received	71.4	
15	PW who got TT 2 / Booster injection	49,705	87.6	57,861	101.3	100 IFA tablets consumed	13.0	
16	PW who consumed 100 IFA tablets	55,451	97.7	56,234	98.4	Full ANC	5.5	
17	Home Delivery against expected delivery *	18,185	35.4	18,317	35.7	Home Delivery	56.4	
18	Institutional Delivery against expected delivery *	28,437	55.4	28,829	56.1	Institutional Delivery	43.6	
19	Home Delivery against reported delivery **	18,185	39.0	18,317	38.9	Home Delivery by SBA(out of Total Deliveries)	12.3	
20	Institutional Delivery against reported delivery **	28,437	61.0	28,829	61.1	PNC within 2days of delivery	22.1	
21	Total reported Deliveries	46,622		47,146				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,394	13.2	3,924	21.4			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	27,099	58.1	33,508	71.1			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
24	Expected number of Live Birth	50,074		50,114				
D) Child Immunization :		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
25	Total reported live births	45,993	91.8	46,474	92.7	Breastfed within 1 hour of birth	61.6	

26	Total Still Birth	896	1.8	1,038	2.1	BCG	62.8
27	PC of newborn weighted at birth to live birth	45,927	99.9	46,475	100.0	3 dose of DPT	30.7
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	7,113	15.5	6,371	13.7	Measles	38.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	45,863	99.7	46,211	99.4	Full Immunization	20.1
30	Children fully immunized	46,939	93.7	47,411	94.6		
31	Children who have received BCG	47,913	95.7	51,200	102.2		
32	Children who have received DPT1	47,318	94.5	48,558	96.9		
33	Children who have received DPT3	45,496	90.9	47,288	94.4		
34	Children who have received Measles	47,314	94.5	47,449	94.7		
35	Diarrhoea and Dehydration reported in children below 5 years of age	6,822		8,734			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	9	22	Total unmet need	21.9
37	Number of Tubectomies performed	768	676	Spacing	4.9
38	Number of IUD insertion	5,578	5,579	Women using any method	34.2
39	Number of IUD removals	445	499	Women using modern method	28.5
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	325	345		
41	General OPD cases per 10,000 population ***	7,082	6,842		
42	Ayush OPD cases per 10,000 population ***	1,295	1152		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	142	199		
44	Neonatal Deaths up to 4 weeks of birth	437	667		
45	<b>Total Neonatal Death</b>	<b>579</b>	<b>866</b>		
46	Deaths between (1 - 11) months	175	217		
47	<b>Total reported infant deaths</b>	<b>754</b>	<b>1,083</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	1		
49	Due to Obstructed/prolonged labour	1	5		
50	Due to Severe hypertension / fits	9	4		
51	Due to Bleeding	5	11		
52	Due to High fever	0	2		
53	Due to Other Causes (including causes not known)	32	71		
54	<b>Total reported maternal deaths</b>	<b>47</b>	<b>94</b>		

## Dibrugarh Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	1,327,748						
2	Sex Ratio	952						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	214						
4	Sub Centres (SC)- HWC	20						
5	Primary Health Centers (PHC)	21						
6	Primary Health Centres (PHC)-HWC	9						
7	Community Health Centers (CHC)	9						
8	SDH	0						
9	DH	0						
C) Maternal Health:		2018-19	2019-20					
10	Expected number of PW	34,426	34,038					
11	Expected number of Delivery	32,079	31,717					
		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
		Number	PC	Number	PC			
12	PW register for ANC	24,106	70.0	23,867	70.1	ANC Check up in first trimester	71.3	
13	Mothers registered in the first trimester	22,203	92.1	21,298	89.2	At least 4ANC check up	67.6	
14	Mothers who had at least 3 Ante-Natal care check ups	21,636	89.8	19,939	83.5	Neonatal tetanus received	92.8	
15	PW who got TT 2 / Booster injection	22,461	93.2	21,597	90.5	100 IFA tablets consumed	55.2	
16	PW who consumed 100 IFA tablets	24,073	99.9	23,776	99.6	Full ANC	39.3	
17	Home Delivery against expected delivery *	58	0.2	47	0.1	Home Delivery	11.5	
18	Institutional Delivery against expected delivery *	23,940	74.6	25,266	79.7	Institutional Delivery	88.5	
19	Home Delivery against reported delivery **	58	0.2	47	0.2	Home Delivery by SBA(out of Total Deliveries)	1.5	
20	Institutional Delivery against reported delivery **	23,940	99.8	25,266	99.8	PNC within 2days of delivery	71.1	
21	Total reported Deliveries	23,998		25,313				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	3	5.2	5	10.6			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	18,493	77.1	27,210	107.5			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
24	Expected number of Live Birth	31,297		30,944				
D) Child Immunization :		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
25	Total reported live births	23,644	75.5	24,912	80.5	Breastfed within 1 hour of birth	66.9	

26	Total Still Birth	470	1.5	640	2.1	BCG	100
27	PC of newborn weighted at birth to live birth	23,662	100.1	24,854	99.8	3 dose of DPT	82.1
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,219	22.1	5,469	22.0	Measles	92.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	23,404	99.0	24,528	98.5	Full Immunization	71.1
30	Children fully immunized	19,109	61.1	20,551	66.4		
31	Children who have received BCG	22,156	70.8	23,711	76.6		
32	Children who have received DPT1	19,794	63.2	20,525	66.3		
33	Children who have received DPT3	19,076	61.0	19,911	64.3		
34	Children who have received Measles	19,415	62.0	20,522	66.3		
35	Diarrhoea and Dehydration reported in children below 5 years of age	3,541		5,444			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
<b>E) Family Planning</b>		<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>	<b>NFSH-4 (2015-16)</b>			
36	Number of Vasectomies performed	125	238	Total unmet need		13.7	
37	Number of Tubectomies performed	2,178	2,399	Spacing		6.6	
38	Number of IUD insertion	2,456	1,663	Women using any method		53.8	
39	Number of IUD removals	552	704	Women using modern method		37.7	
<b>F) Service delivery</b>		<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>				
40	IPD cases per 10,000 population ***	748	802				
41	General OPD cases per 10,000 population ***	17,687	19,459				
42	Ayush OPD cases per 10,000 population ***	224	461				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>				
43	Neonatal death within 24 hours	167	73				
44	Neonatal Deaths up to 4 weeks of birth	330	361				
45	<b>Total Neonatal Death</b>	<b>497</b>	<b>434</b>				
46	Deaths between (1 - 11) months	103	117				
47	<b>Total reported infant deaths</b>	<b>600</b>	<b>551</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>				
48	Due to Abortion	0	6				
49	Due to Obstructed/prolonged labour	8	7				
50	Due to Severe hypertension / fits	13	17				
51	Due to Bleeding	7	3				
52	Due to High fever	1	6				
53	Due to Other Causes (including causes not known)	35	50				
54	<b>Total reported maternal deaths</b>	<b>64</b>	<b>89</b>				

## Goalpara Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	1,008,959						
2	Sex Ratio	962						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	120						
4	Sub Centres (SC)- HWC	35						
5	Primary Health Centers (PHC)	19						
6	Primary Health Centres (PHC)-HWC	19						
7	Community Health Centers (CHC)	6						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2018-19	2019-20					
10	Expected number of PW	28,168	28,144					
11	Expected number of Delivery	26,247	26,225					
		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
		Number	PC	Number	PC			
12	PW register for ANC	26,202	93.0	26,194	93.1	ANC Check up in first trimester	57.5	
13	Mothers registered in the first trimester	24,438	93.3	25,447	97.1	At least 4ANC check up	42.1	
14	Mothers who had at least 3 Ante-Natal care check ups	21,709	82.9	22,713	86.7	Neonatal tetanus received	83.4	
15	PW who got TT 2 / Booster injection	24,391	93.1	23,809	90.9	100 IFA tablets consumed	31.6	
16	PW who consumed 100 IFA tablets	26,184	99.9	25,735	98.2	Full ANC	16.4	
17	Home Delivery against expected delivery *	1,108	4.2	986	3.8	Home Delivery	28.8	
18	Institutional Delivery against expected delivery *	23,315	88.8	24,764	94.4	Institutional Delivery	71.2	
19	Home Delivery against reported delivery **	1,108	4.5	986	3.8	Home Delivery by SBA(out of Total Deliveries)	6.5	
20	Institutional Delivery against reported delivery **	23,315	95.5	24,764	96.2	PNC within 2days of delivery	58.8	
21	Total reported Deliveries	24,423		25,750				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	866	78.2	964	97.8			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,990	53.2	18,141	70.5			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with reference to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
24	Expected number of Live Birth	25,607		25,586				
D) Child Immunization :		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
25	Total reported live births	24,088	94.1	25,352	99.1	Breastfed within 1 hour of birth	80.5	

26	Total Still Birth	626	2.4	612	2.4	BCG	83
27	PC of newborn weighted at birth to live birth	24,063	99.9	25,353	100.0	3 dose of DPT	64.4
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,126	13.0	2,840	11.2	Measles	71.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	23,614	98.0	25,291	99.8	Full Immunization	43.7
30	Children fully immunized	22,548	88.1	22,142	86.5		
31	Children who have received BCG	24,510	95.7	26,377	103.1		
32	Children who have received DPT1	22,646	88.4	22,398	87.5		
33	Children who have received DPT3	22,511	87.9	22,042	86.1		
34	Children who have received Measles	22,669	88.5	22,147	86.6		
35	Diarrhoea and Dehydration reported in children below 5 years of age	1,740		2,962			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
<b>E) Family Planning</b>		<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>	<b>NFSH-4 (2015-16)</b>			
36	Number of Vasectomies performed	95	54	Total unmet need		17.7	
37	Number of Tubectomies performed	1,205	1,423	Spacing		8.3	
38	Number of IUD insertion	3,419	2,718	Women using any method		43.7	
39	Number of IUD removals	752	572	Women using modern method		33.9	
<b>F) Service delivery</b>		<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>				
40	IPD cases per 10,000 population ***	605	654				
41	General OPD cases per 10,000 population ***	8,963	10,172				
42	Ayush OPD cases per 10,000 population ***	2,071	1635				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>				
43	Neonatal death within 24 hours	69	75				
44	Neonatal Deaths up to 4 weeks of birth	337	296				
45	<b>Total Neonatal Death</b>	<b>406</b>	<b>371</b>				
46	Deaths between (1 - 11) months	196	110				
47	<b>Total reported infant deaths</b>	<b>602</b>	<b>481</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	2	0				
50	Due to Severe hypertension / fits	3	3				
51	Due to Bleeding	15	5				
52	Due to High fever	0	1				
53	Due to Other Causes (including causes not known)	24	24				
54	<b>Total reported maternal deaths</b>	<b>44</b>	<b>33</b>				



## Golaghat Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	1,058,674						
2	Sex Ratio	961						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	133						
4	Sub Centres (SC)- HWC	11						
5	Primary Health Centers (PHC)	35						
6	Primary Health Centres (PHC)-HWC	6						
7	Community Health Centers (CHC)	4						
8	SDH	1						
9	DH	1						
C) Maternal Health:		2018-19	2019-20					
10	Expected number of PW	27,661	27,345					
11	Expected number of Delivery	25,775	25,481					
		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
		Number	PC	Number	PC			
12	PW register for ANC	19,727	71.3	19,365	70.8	ANC Check up in first trimester	52.9	
13	Mothers registered in the first trimester	17,024	86.3	17,045	88.0	At least 4ANC check up	62.5	
14	Mothers who had at least 3 Ante-Natal care check ups	14,339	72.7	14,560	75.2	Neonatal tetanus received	94.2	
15	PW who got TT 2 / Booster injection	17,476	88.6	17,126	88.4	100 IFA tablets consumed	44.6	
16	PW who consumed 100 IFA tablets	17,491	88.7	16,673	86.1	Full ANC	30.5	
17	Home Delivery against expected delivery *	299	1.2	168	0.7	Home Delivery	11.6	
18	Institutional Delivery against expected delivery *	14,357	55.7	15,117	59.3	Institutional Delivery	88.4	
19	Home Delivery against reported delivery **	299	2.0	168	1.1	Home Delivery by SBA(out of Total Deliveries)	1.5	
20	Institutional Delivery against reported delivery **	14,357	98.0	15,117	98.9	PNC within 2days of delivery	78.3	
21	Total reported Deliveries	14,656		15,285				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	72	24.1	69	41.1			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	13,163	89.8	13,449	88.0			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with reference to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
24	Expected number of Live Birth	25,147		24,859				
D) Child Immunization :		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
25	Total reported live births	14,423	57.4	15,396	61.9	Breastfed within 1 hour of birth	80.4	

26	Total Still Birth	289	1.1	284	1.1	BCG	90.9
27	PC of newborn weighted at birth to live birth	14,346	99.5	15,037	97.7	3 dose of DPT	83.7
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,639	11.4	1,787	11.9	Measles	91
29	PC of newborns breastfed within 1 hour to total reported live birth.	13,390	92.8	14,569	94.6	Full Immunization	67.9
30	Children fully immunized	16,611	66.1	15,904	64.0		
31	Children who have received BCG	14,524	57.8	14,670	59.0		
32	Children who have received DPT1	17,044	67.8	17,153	69.0		
33	Children who have received DPT3	16,139	64.2	16,316	65.6		
34	Children who have received Measles	16,696	66.4	15,941	64.1		
35	Diarrhoea and Dehydration reported in children below 5 years of age	1,016		1,458			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
<b>E) Family Planning</b>		<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>	<b>NFSH-4 (2015-16)</b>			
36	Number of Vasectomies performed	23	73	Total unmet need		16.3	
37	Number of Tubectomies performed	1,067	1,112	Spacing		6.6	
38	Number of IUD insertion	1,177	1,143	Women using any method		46	
39	Number of IUD removals	709	881	Women using modern method		32	
<b>F) Service delivery</b>		<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>				
40	IPD cases per 10,000 population ***	567	592				
41	General OPD cases per 10,000 population ***	10,748	9,651				
42	Ayush OPD cases per 10,000 population ***	426	316				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>				
43	Neonatal death within 24 hours	63	107				
44	Neonatal Deaths up to 4 weeks of birth	252	187				
45	<b>Total Neonatal Death</b>	<b>315</b>	<b>294</b>				
46	Deaths between (1 - 11) months	104	93				
47	<b>Total reported infant deaths</b>	<b>419</b>	<b>387</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>				
48	Due to Abortion	2	0				
49	Due to Obstructed/prolonged labour	1	0				
50	Due to Severe hypertension / fits	1	7				
51	Due to Bleeding	1	1				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	27	20				
54	<b>Total reported maternal deaths</b>	<b>32</b>	<b>28</b>				

## Hailakandi Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	659,260						
2	Sex Ratio	946						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	82						
4	Sub Centres (SC)- HWC	25						
5	Primary Health Centers (PHC)	11						
6	Primary Health Centres (PHC)-HWC	3						
7	Community Health Centers (CHC)	3						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2018-19	2019-20					
10	Expected number of PW	18,257	18,218					
11	Expected number of Delivery	17,012	16,976					
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)		
		Number	PC	Number	PC			
12	PW register for ANC	18,659	102.2	18,862	103.5	ANC Check up in first trimester	49.6	
13	Mothers registered in the first trimester	15,615	83.7	16,648	88.3	At least 4ANC check up	34.5	
14	Mothers who had at least 3 Ante-Natal care check ups	14,430	77.3	15,504	82.2	Neonatal tetanus received	96.6	
15	PW who got TT 2 / Booster injection	16,886	90.5	17,190	91.1	100 IFA tablets consumed	24.3	
16	PW who consumed 100 IFA tablets	18,597	99.7	18,566	98.4	Full ANC	9.7	
17	Home Delivery against expected delivery *	1,944	11.4	1,281	7.5	Home Delivery	43.5	
18	Institutional Delivery against expected delivery *	11,521	67.7	12,473	73.5	Institutional Delivery	56.5	
19	Home Delivery against reported delivery **	1,944	14.4	1,281	9.3	Home Delivery by SBA(out of Total Deliveries)	0.5	
20	Institutional Delivery against reported delivery **	11,521	85.6	12,473	90.7	PNC within 2days of delivery	39.3	
21	Total reported Deliveries	13,465		13,754				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	574	29.5	631	49.3			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	10,387	77.1	12,378	90.0			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
24	Expected number of Live Birth	16,597		16,562				
D) Child Immunization :		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
25	Total reported live births	13,213	79.6	13,507	81.6	Breastfed within 1 hour of birth	31.1	

26	Total Still Birth	338	2.0	322	1.9	BCG	68.3
27	PC of newborn weighted at birth to live birth	13,212	100.0	13,503	100.0	3 dose of DPT	59.5
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,533	11.6	1,071	7.9	Measles	59.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	13,127	99.3	13,379	99.1	Full Immunization	39.2
30	Children fully immunized	15,788	95.1	16,146	97.5		
31	Children who have received BCG	14,808	89.2	16,196	97.8		
32	Children who have received DPT1	16,195	97.6	16,816	101.5		
33	Children who have received DPT3	15,429	93.0	16,329	98.6		
34	Children who have received Measles	15,798	95.2	16,160	97.6		
35	Diarrhoea and Dehydration reported in children below 5 years of age	7,727		7,239			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	33	83	Total unmet need	16.6
37	Number of Tubectomies performed	374	414	Spacing	4.4
38	Number of IUD insertion	5,177	4,702	Women using any method	54.2
39	Number of IUD removals	589	565	Women using modern method	34
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	493	582		
41	General OPD cases per 10,000 population ***	5,454	8,149		
42	Ayush OPD cases per 10,000 population ***	162	386		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	81	79		
44	Neonatal Deaths up to 4 weeks of birth	116	84		
45	<b>Total Neonatal Death</b>	<b>197</b>	<b>163</b>		
46	Deaths between (1 - 11) months	177	108		
47	<b>Total reported infant deaths</b>	<b>374</b>	<b>271</b>		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	1	0		
49	Due to Obstructed/prolonged labour	1	1		
50	Due to Severe hypertension / fits	0	1		
51	Due to Bleeding	2	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	26	6		
54	<b>Total reported maternal deaths</b>	<b>30</b>	<b>8</b>		

## Jorhat Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	1,091,295						
2	Sex Ratio	956						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	110						
4	Sub Centres (SC)- HWC	35						
5	Primary Health Centers (PHC)	24						
6	Primary Health Centres (PHC)-HWC	18						
7	Community Health Centers (CHC)	6						
8	SDH	2						
9	DH	0						
C) Maternal Health:		2018-19	2019-20					
10	Expected number of PW	27,800	27,410					
11	Expected number of Delivery	25,905	25,541					
		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
		Number	PC	Number	PC			
12	PW register for ANC	22,911	82.4	20,400	74.4	ANC Check up in first trimester	82.0	
13	Mothers registered in the first trimester	21,301	93.0	19,269	94.5	At least 4ANC check up	75.8	
14	Mothers who had at least 3 Ante-Natal care check ups	19,521	85.2	17,440	85.5	Neonatal tetanus received	95.2	
15	PW who got TT 2 / Booster injection	21,702	94.7	18,901	92.7	100 IFA tablets consumed	63.3	
16	PW who consumed 100 IFA tablets	22,377	97.7	19,935	97.7	Full ANC	48.0	
17	Home Delivery against expected delivery *	87	0.3	69	0.3	Home Delivery	4.1	
18	Institutional Delivery against expected delivery *	16,761	64.7	16,877	66.1	Institutional Delivery	95.9	
19	Home Delivery against reported delivery **	87	0.5	69	0.4	Home Delivery by SBA(out of Total Deliveries)	1.2	
20	Institutional Delivery against reported delivery **	16,761	99.5	16,877	99.6	PNC within 2days of delivery	77.1	
21	Total reported Deliveries	16,848		16,946				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	87	100.0	55	79.7			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	19,238	114.2	23,121	136.4			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with reference to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
24	Expected number of Live Birth	25,273		24,918				
D) Child Immunization :		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
25	Total reported live births	16,502	65.3	16,827	67.5	Breastfed within 1 hour of birth	67.3	

26	Total Still Birth	271	1.1	312	1.3	BCG	92.2
27	PC of newborn weighted at birth to live birth	16,367	99.2	16,817	99.9	3 dose of DPT	84
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,843	11.3	2,301	13.7	Measles	91.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	15,358	93.1	16,493	98.0	Full Immunization	64.8
30	Children fully immunized	19,420	76.8	18,052	72.4		
31	Children who have received BCG	17,063	67.5	16,717	67.1		
32	Children who have received DPT1	19,878	78.7	18,105	72.7		
33	Children who have received DPT3	19,317	76.4	17,511	70.3		
34	Children who have received Measles	20,055	79.4	18,288	73.4		
35	Diarrhoea and Dehydration reported in children below 5 years of age	1,934		1,906			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	81	107	Total unmet need	11.4
37	Number of Tubectomies performed	1,581	1,170	Spacing	5.7
38	Number of IUD insertion	2,698	1,844	Women using any method	53
39	Number of IUD removals	403	331	Women using modern method	33.9
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	533	515		
41	General OPD cases per 10,000 population ***	14,124	14,567		
42	Ayush OPD cases per 10,000 population ***	228	191		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	46	26		
44	Neonatal Deaths up to 4 weeks of birth	408	477		
45	<b>Total Neonatal Death</b>	<b>454</b>	<b>503</b>		
46	Deaths between (1 - 11) months	110	128		
47	<b>Total reported infant deaths</b>	<b>564</b>	<b>631</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	0	7		
51	Due to Bleeding	1	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	18	14		
54	<b>Total reported maternal deaths</b>	<b>19</b>	<b>22</b>		

## Kamrup M Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	1,260,419						
2	Sex Ratio	922						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	48						
4	Sub Centres (SC)- HWC	3						
5	Primary Health Centers (PHC)	11						
6	Primary Health Centres (PHC)-HWC	34						
7	Community Health Centers (CHC)	3						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2018-19	2019-20					
10	Expected number of PW	34,135	33,980					
11	Expected number of Delivery	31,808	31,663					
		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
		Number	PC	Number	PC			
12	PW register for ANC	33,649	98.6	24,094	70.9	ANC Check up in first trimester	65.3	
13	Mothers registered in the first trimester	28,586	85.0	20,392	84.6	At least 4ANC check up	56.9	
14	Mothers who had at least 3 Ante-Natal care check ups	27,737	82.4	29,130	120.9	Neonatal tetanus received	86.3	
15	PW who got TT 2 / Booster injection	31,571	93.8	23,483	97.5	100 IFA tablets consumed	46.1	
16	PW who consumed 100 IFA tablets	32,021	95.2	24,118	100.1	Full ANC	28.1	
17	Home Delivery against expected delivery *	249	0.8	159	0.5	Home Delivery	6.7	
18	Institutional Delivery against expected delivery *	37,482	117.8	36,150	114.2	Institutional Delivery	93.3	
19	Home Delivery against reported delivery **	249	0.7	159	0.4	Home Delivery by SBA(out of Total Deliveries)	0.0	
20	Institutional Delivery against reported delivery **	37,482	99.3	36,150	99.6	PNC within 2days of delivery	71.8	
21	Total reported Deliveries	37,731		36,309				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	68	27.3	57	35.8			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	28,272	74.9	18,162	50.0			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
24	Expected number of Live Birth	31,032		30,891				
D) Child Immunization :		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
25	Total reported live births	36,676	118.2	35,745	115.7	Breastfed within 1 hour of birth	58.8	



26	Total Still Birth	1,112	3.6	1,052	3.4	BCG	93.7
27	PC of newborn weighted at birth to live birth	34,824	95.0	35,722	99.9	3 dose of DPT	85.5
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,596	16.1	7,532	21.1	Measles	91.5
29	PC of newborns breastfed within 1 hour to total reported live birth.	36,591	99.8	35,063	98.1	Full Immunization	72.8
30	Children fully immunized	22,336	72.0	24,180	66.4		
31	Children who have received BCG	38,740	124.8	45,028	123.6		
32	Children who have received DPT1	23,126	74.5	22,931	62.9		
33	Children who have received DPT3	22,972	74.0	23,371	64.1		
34	Children who have received Measles	22,847	73.6	23,848	65.5		
35	Diarrhoea and Dehydration reported in children below 5 years of age	3,438		3,658			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	9	15	Total unmet need	17.8
37	Number of Tubectomies performed	3,451	3,263	Spacing	6.9
38	Number of IUD insertion	812	517	Women using any method	46.3
39	Number of IUD removals	1,013	842	Women using modern method	36
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	926	923		
41	General OPD cases per 10,000 population ***	10,938	11,902		
42	Ayush OPD cases per 10,000 population ***	1,223	1387		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	198	167		
44	Neonatal Deaths up to 4 weeks of birth	968	1,253		
45	<b>Total Neonatal Death</b>	<b>1,166</b>	<b>1,420</b>		
46	Deaths between (1 - 11) months	266	237		
47	<b>Total reported infant deaths</b>	<b>1,432</b>	<b>1,657</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	4	7		
49	Due to Obstructed/prolonged labour	2	1		
50	Due to Severe hypertension / fits	15	27		
51	Due to Bleeding	46	9		
52	Due to High fever	2	0		
53	Due to Other Causes (including causes not known)	52	60		
54	<b>Total reported maternal deaths</b>	<b>121</b>	<b>104</b>		

## Kamrup R Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	1,517,202						
2	Sex Ratio	946						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	253						
4	Sub Centres (SC)- HWC	26						
5	Primary Health Centers (PHC)	55						
6	Primary Health Centres (PHC)-HWC	10						
7	Community Health Centers (CHC)	13						
8	SDH	1						
9	DH	1						
C) Maternal Health:		2018-19	2019-20					
10	Expected number of PW	40,389	40,077					
11	Expected number of Delivery	37,635	37,344					
		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
		Number	PC	Number	PC			
12	PW register for ANC	32,305	80.0	31,960	79.7	ANC Check up in first trimester	49.0	
13	Mothers registered in the first trimester	29,272	90.6	29,019	90.8	At least 4ANC check up	40.4	
14	Mothers who had at least 3 Ante-Natal care check ups	26,468	81.9	26,456	82.8	Neonatal tetanus received	80.1	
15	PW who got TT 2 / Booster injection	27,745	85.9	28,108	87.9	100 IFA tablets consumed	23.5	
16	PW who consumed 100 IFA tablets	30,908	95.7	29,967	93.8	Full ANC	11.5	
17	Home Delivery against expected delivery *	415	1.1	374	1.0	Home Delivery	16.2	
18	Institutional Delivery against expected delivery *	19,575	52.0	20,382	54.6	Institutional Delivery	83.8	
19	Home Delivery against reported delivery **	415	2.1	374	1.8	Home Delivery by SBA(out of Total Deliveries)	4.6	
20	Institutional Delivery against reported delivery **	19,575	97.9	20,382	98.2	PNC within 2days of delivery	61.3	
21	Total reported Deliveries	19,990		20,756				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	216	52.0	142	38.0			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	16,136	80.7	21,049	101.4			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with reference to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
24	Expected number of Live Birth	36,717		36,433				
D) Child Immunization :		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
25	Total reported live births	19,815	54.0	20,612	56.6	Breastfed within 1 hour of birth	60.7	

26	Total Still Birth	241	0.7	196	0.5	BCG	72.2
27	PC of newborn weighted at birth to live birth	19,787	99.9	20,544	99.7	3 dose of DPT	56.3
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,976	15.0	2,393	11.6	Measles	57.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	19,779	99.8	20,542	99.7	Full Immunization	35.7
30	Children fully immunized	27,696	75.4	27,619	117.5		
31	Children who have received BCG	21,944	59.8	22,330	95.0		
32	Children who have received DPT1	27,694	75.4	27,998	119.1		
33	Children who have received DPT3	27,207	74.1	27,771	118.1		
34	Children who have received Measles	27,755	75.6	27,618	117.5		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,587		3,226			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	111	132	Total unmet need	19.7
37	Number of Tubectomies performed	1,654	1,652	Spacing	5.9
38	Number of IUD insertion	3,133	2,907	Women using any method	35.9
39	Number of IUD removals	694	905	Women using modern method	29.6
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	162	185		
41	General OPD cases per 10,000 population ***	7,602	9,535		
42	Ayush OPD cases per 10,000 population ***	1,910	2094		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	25	27		
44	Neonatal Deaths up to 4 weeks of birth	101	155		
45	<b>Total Neonatal Death</b>	<b>126</b>	<b>182</b>		
46	Deaths between (1 - 11) months	111	104		
47	<b>Total reported infant deaths</b>	<b>237</b>	<b>286</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	1		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	4	0		
51	Due to Bleeding	2	3		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	13	29		
54	<b>Total reported maternal deaths</b>	<b>19</b>	<b>33</b>		

## KarbiAnglong Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	965,280					
2	Sex Ratio	956					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	124					
4	Sub Centres (SC)- HWC	30					
5	Primary Health Centers (PHC)	26					
6	Primary Health Centres (PHC)-HWC	15					
7	Community Health Centers (CHC)	8					
8	SDH	1					
9	DH	1					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW	25,986	25,862				
11	Expected number of Delivery	24,215	24,099				
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	24,227	93.2	23,519	90.9	ANC Check up in first trimester	47.4
13	Mothers registered in the first trimester	18,564	76.6	18,356	78.0	At least 4ANC check up	38.1
14	Mothers who had at least 3 Ante-Natal care check ups	15,272	63.0	15,901	67.6	Neonatal tetanus received	87.2
15	PW who got TT 2 / Booster injection	21,785	89.9	21,951	93.3	100 IFA tablets consumed	25.1
16	PW who consumed 100 IFA tablets	23,755	98.1	23,173	98.5	Full ANC	11.6
17	Home Delivery against expected delivery *	2,829	11.7	2,723	11.3	Home Delivery	49.8
18	Institutional Delivery against expected delivery *	14,649	60.5	15,247	63.3	Institutional Delivery	50.2
19	Home Delivery against reported delivery **	2,829	16.2	2,723	15.2	Home Delivery by SBA(out of Total Deliveries)	5.9
20	Institutional Delivery against reported delivery **	14,649	83.8	15,247	84.8	PNC within 2days of delivery	40.5
21	Total reported Deliveries	17,478		17,970			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	988	34.9	783	28.8		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,564	71.9	14,991	83.4		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
24	Expected number of Live Birth	23,624		23,511			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
25	Total reported live births	17,266	73.1	17,754	75.5	Breastfed within 1 hour of birth	79.7

26	Total Still Birth	329	1.4	293	1.2	BCG	68.5
27	PC of newborn weighted at birth to live birth	17,075	98.9	17,342	97.7	3 dose of DPT	46.6
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,049	6.1	1,149	6.6	Measles	53.1
29	PC of newborns breastfed within 1 hour to total reported live birth.	17,090	99.0	17,471	98.4	Full Immunization	23.6
30	Children fully immunized	20,310	86.0	19,863	64.7		
31	Children who have received BCG	20,193	85.5	20,765	67.6		
32	Children who have received DPT1	20,120	85.2	20,264	66.0		
33	Children who have received DPT3	19,820	83.9	20,138	65.6		
34	Children who have received Measles	20,271	85.8	19,865	64.7		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,051		2,730			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	6	17	Total unmet need	13.6
37	Number of Tubectomies performed	129	237	Spacing	6.6
38	Number of IUD insertion	3,385	3,303	Women using any method	53.3
39	Number of IUD removals	603	587	Women using modern method	42.9
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	269	298		
41	General OPD cases per 10,000 population ***	4,529	5,225		
42	Ayush OPD cases per 10,000 population ***	666	659		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	38	56		
44	Neonatal Deaths up to 4 weeks of birth	54	66		
45	<b>Total Neonatal Death</b>	<b>92</b>	<b>122</b>		
46	Deaths between (1 - 11) months	78	86		
47	<b>Total reported infant deaths</b>	<b>170</b>	<b>208</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	4	3		
51	Due to Bleeding	5	1		
52	Due to High fever	1	2		
53	Due to Other Causes (including causes not known)	23	20		
54	<b>Total reported maternal deaths</b>	<b>33</b>	<b>26</b>		

## Karimganj Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	1,217,002						
2	Sex Ratio	961						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	185						
4	Sub Centres (SC)- HWC	37						
5	Primary Health Centers (PHC)	22						
6	Primary Health Centres (PHC)-HWC	8						
7	Community Health Centers (CHC)	7						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2018-19	2019-20					
10	Expected number of PW	33,861	33,767					
11	Expected number of Delivery	31,552	31,465					
		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
		Number	PC	Number	PC			
12	PW register for ANC	34,304	101.3	34,156	101.2	ANC Check up in first trimester	47.3	
13	Mothers registered in the first trimester	29,605	86.3	30,528	89.4	At least 4ANC check up	37.1	
14	Mothers who had at least 3 Ante-Natal care check ups	28,242	82.3	30,921	90.5	Neonatal tetanus received	96.9	
15	PW who got TT 2 / Booster injection	31,954	93.1	32,747	95.9	100 IFA tablets consumed	18.2	
16	PW who consumed 100 IFA tablets	34,421	100.3	34,102	99.8	Full ANC	5.2	
17	Home Delivery against expected delivery *	7,816	24.8	6,605	21.0	Home Delivery	52.0	
18	Institutional Delivery against expected delivery *	20,910	66.3	22,796	72.4	Institutional Delivery	48.0	
19	Home Delivery against reported delivery **	7,816	27.2	6,605	22.5	Home Delivery by SBA(out of Total Deliveries)	1.3	
20	Institutional Delivery against reported delivery **	20,910	72.8	22,796	77.5	PNC within 2days of delivery	36.1	
21	Total reported Deliveries	28,726		29,401				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,213	28.3	2,249	34.0			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	16,842	58.6	19,430	66.1			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with reference to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
24	Expected number of Live Birth	30,783		30,697				
D) Child Immunization :		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
25	Total reported live births	27,919	90.7	28,796	93.8	Breastfed within 1 hour of birth	29.8	

26	Total Still Birth	978	3.2	771	2.5	BCG	80.5
27	PC of newborn weighted at birth to live birth	27,681	99.1	28,773	99.9	3 dose of DPT	72.1
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,124	11.3	3,691	12.8	Measles	66.1
29	PC of newborns breastfed within 1 hour to total reported live birth.	27,196	97.4	28,064	97.5	Full Immunization	53.9
30	Children fully immunized	27,937	90.8	28,672	146.3		
31	Children who have received BCG	31,691	103.0	35,773	182.5		
32	Children who have received DPT1	29,215	94.9	30,032	153.2		
33	Children who have received DPT3	27,483	89.3	28,804	146.9		
34	Children who have received Measles	27,985	90.9	28,700	146.4		
35	Diarrhoea and Dehydration reported in children below 5 years of age	6,825		9,399			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	3	32	Total unmet need	14.6
37	Number of Tubectomies performed	1,120	1,352	Spacing	7.5
38	Number of IUD insertion	2,458	2,704	Women using any method	52.1
39	Number of IUD removals	485	528	Women using modern method	34.3
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	305	317		
41	General OPD cases per 10,000 population ***	6,345	7,357		
42	Ayush OPD cases per 10,000 population ***	211	245		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	88	96		
44	Neonatal Deaths up to 4 weeks of birth	373	378		
45	<b>Total Neonatal Death</b>	<b>461</b>	<b>474</b>		
46	Deaths between (1 - 11) months	369	423		
47	<b>Total reported infant deaths</b>	<b>830</b>	<b>897</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	3		
50	Due to Severe hypertension / fits	7	3		
51	Due to Bleeding	13	9		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	39	29		
54	<b>Total reported maternal deaths</b>	<b>59</b>	<b>44</b>		



## Kokrajhar Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	886,999					
2	Sex Ratio	958					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	135					
4	Sub Centres (SC)- HWC	27					
5	Primary Health Centers (PHC)	38					
6	Primary Health Centres (PHC)-HWC	8					
7	Community Health Centers (CHC)	2					
8	SDH	1					
9	DH	1					
C) Maternal Health:		2018-19	2019-20				
10	Expected number of PW	21,957	21,563				
11	Expected number of Delivery	20,460	20,093				
		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)		
		Number	PC	Number	PC		
12	PW register for ANC	18,276	83.2	18,652	86.5	ANC Check up in first trimester	46.7
13	Mothers registered in the first trimester	13,747	75.2	14,682	78.7	At least 4ANC check up	39.1
14	Mothers who had at least 3 Ante-Natal care check ups	12,091	66.2	13,521	72.5	Neonatal tetanus received	86.9
15	PW who got TT 2 / Booster injection	16,449	90.0	16,201	86.9	100 IFA tablets consumed	26.7
16	PW who consumed 100 IFA tablets	15,794	86.4	17,185	92.1	Full ANC	16.8
17	Home Delivery against expected delivery *	1,231	6.0	1,083	5.4	Home Delivery	33.3
18	Institutional Delivery against expected delivery *	14,384	70.3	15,142	75.4	Institutional Delivery	66.7
19	Home Delivery against reported delivery **	1,231	7.9	1,083	6.7	Home Delivery by SBA(out of Total Deliveries)	6.1
20	Institutional Delivery against reported delivery **	14,384	92.1	15,142	93.3	PNC within 2days of delivery	57.8
21	Total reported Deliveries	15,615		16,225			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	204	16.6	176	16.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	4,516	28.9	10,193	62.8		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
24	Expected number of Live Birth	19,961		19,603			
D) Child Immunization :		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)		
25	Total reported live births	15,454	77.4	16,192	82.6	Breastfed within 1 hour of birth	74.8

26	Total Still Birth	313	1.6	296	1.5	BCG	82.1
27	PC of newborn weighted at birth to live birth	14,858	96.1	13,263	81.9	3 dose of DPT	67.7
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,968	13.2	1,483	11.2	Measles	66.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	14,598	94.5	15,417	95.2	Full Immunization	42.1
30	Children fully immunized	14,839	74.3	15,265	77.9		
31	Children who have received BCG	17,095	85.6	17,204	87.8		
32	Children who have received DPT1	15,762	79.0	15,959	81.4		
33	Children who have received DPT3	15,456	77.4	15,799	80.6		
34	Children who have received Measles	14,743	73.9	15,298	78.0		
35	Diarrhoea and Dehydration reported in children below 5 years of age	1,377		2,074			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	4	11	Total unmet need	11.6
37	Number of Tubectomies performed	387	462	Spacing	5.3
38	Number of IUD insertion	1,483	1,170	Women using any method	56.7
39	Number of IUD removals	886	884	Women using modern method	36
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	333	384		
41	General OPD cases per 10,000 population ***	6,139	6,008		
42	Ayush OPD cases per 10,000 population ***	468	1349		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	70	75		
44	Neonatal Deaths up to 4 weeks of birth	170	242		
45	<b>Total Neonatal Death</b>	<b>240</b>	<b>317</b>		
46	Deaths between (1 - 11) months	166	221		
47	<b>Total reported infant deaths</b>	<b>406</b>	<b>538</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	4	2		
50	Due to Severe hypertension / fits	2	9		
51	Due to Bleeding	8	5		
52	Due to High fever	0	1		
53	Due to Other Causes (including causes not known)	29	26		
54	<b>Total reported maternal deaths</b>	<b>43</b>	<b>43</b>		

## Lakhimpur Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	1,040,644						
2	Sex Ratio	965						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	137						
4	Sub Centres (SC)- HWC	19						
5	Primary Health Centers (PHC)	17						
6	Primary Health Centres (PHC)-HWC	9						
7	Community Health Centers (CHC)	8						
8	SDH	1						
9	DH	1						
C) Maternal Health:		2018-19	2019-20					
10	Expected number of PW	28,003	27,824					
11	Expected number of Delivery	26,094	25,927					
		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
		Number	PC	Number	PC			
12	PW register for ANC	22,880	81.7	21,510	77.3	ANC Check up in first trimester	68.8	
13	Mothers registered in the first trimester	20,079	87.8	19,993	92.9	At least 4ANC check up	59.0	
14	Mothers who had at least 3 Ante-Natal care check ups	17,876	78.1	18,521	86.1	Neonatal tetanus received	94.5	
15	PW who got TT 2 / Booster injection	19,736	86.3	19,977	92.9	100 IFA tablets consumed	43.9	
16	PW who consumed 100 IFA tablets	23,470	102.6	19,829	92.2	Full ANC	27.1	
17	Home Delivery against expected delivery *	268	1.0	146	0.6	Home Delivery	17.3	
18	Institutional Delivery against expected delivery *	17,176	65.8	18,361	70.8	Institutional Delivery	82.7	
19	Home Delivery against reported delivery **	268	1.5	146	0.8	Home Delivery by SBA(out of Total Deliveries)	3.0	
20	Institutional Delivery against reported delivery **	17,176	98.5	18,361	99.2	PNC within 2days of delivery	67.8	
21	Total reported Deliveries	17,444		18,507				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	205	76.5	93	63.7			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	38,585	221.2	27,216	147.1			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with reference to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
24	Expected number of Live Birth	25,457		25,295				
D) Child Immunization :		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
25	Total reported live births	17,747	69.7	18,244	72.1	Breastfed within 1 hour of birth	75.6	

26	Total Still Birth	296	1.2	334	1.3	BCG	89.3
27	PC of newborn weighted at birth to live birth	17,016	95.9	18,059	99.0	3 dose of DPT	80.1
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,513	14.8	2,688	14.9	Measles	78.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	16,964	95.6	17,228	94.4	Full Immunization	54
30	Children fully immunized	19,439	76.4	20,273	80.1		
31	Children who have received BCG	22,068	86.7	18,546	73.3		
32	Children who have received DPT1	19,680	77.3	19,645	77.7		
33	Children who have received DPT3	18,901	74.2	19,558	77.3		
34	Children who have received Measles	20,230	79.5	20,268	80.1		
35	Diarrhoea and Dehydration reported in children below 5 years of age	4,598		4,628			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	39	59	Total unmet need	20.1
37	Number of Tubectomies performed	1,953	1,240	Spacing	9.2
38	Number of IUD insertion	2,118	1,424	Women using any method	49.1
39	Number of IUD removals	261	364	Women using modern method	36
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	532	511		
41	General OPD cases per 10,000 population ***	9,494	7,499		
42	Ayush OPD cases per 10,000 population ***	283	174		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	31	42		
44	Neonatal Deaths up to 4 weeks of birth	168	160		
45	<b>Total Neonatal Death</b>	<b>199</b>	<b>202</b>		
46	Deaths between (1 - 11) months	55	44		
47	<b>Total reported infant deaths</b>	<b>254</b>	<b>246</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	1		
50	Due to Severe hypertension / fits	0	0		
51	Due to Bleeding	2	4		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	12	7		
54	<b>Total reported maternal deaths</b>	<b>14</b>	<b>12</b>		

## Marigaon Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	957,853						
2	Sex Ratio	974						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	104						
4	Sub Centres (SC)- HWC	18						
5	Primary Health Centers (PHC)	30						
6	Primary Health Centres (PHC)-HWC	5						
7	Community Health Centers (CHC)	5						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2018-19	2019-20					
10	Expected number of PW	26,869	26,863					
11	Expected number of Delivery	25,037	25,032					
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)		
		Number	PC	Number	PC			
12	PW register for ANC	23,574	87.7	23,079	85.9	ANC Check up in first trimester	48.9	
13	Mothers registered in the first trimester	20,638	87.5	19,958	86.5	At least 4ANC check up	43.1	
14	Mothers who had at least 3 Ante-Natal care check ups	19,454	82.5	18,146	78.6	Neonatal tetanus received	94.2	
15	PW who got TT 2 / Booster injection	22,048	93.5	21,446	92.9	100 IFA tablets consumed	37.9	
16	PW who consumed 100 IFA tablets	23,533	99.8	22,977	99.6	Full ANC	22.6	
17	Home Delivery against expected delivery *	2,077	8.3	1,836	7.3	Home Delivery	27.8	
18	Institutional Delivery against expected delivery *	16,187	64.7	15,552	62.1	Institutional Delivery	72.2	
19	Home Delivery against reported delivery **	2,077	11.4	1,836	10.6	Home Delivery by SBA(out of Total Deliveries)	1.4	
20	Institutional Delivery against reported delivery **	16,187	88.6	15,552	89.4	PNC within 2days of delivery	53.9	
21	Total reported Deliveries	18,264		17,388				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,177	56.7	774	42.2			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	17,511	95.9	19,921	114.6			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with reference to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
24	Expected number of Live Birth	24,426		24,421				
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)		
25	Total reported live births	18,144	74.3	17,207	70.5	Breastfed within 1 hour of birth	66.2	

26	Total Still Birth	193	0.8	266	1.1	BCG	92.2
27	PC of newborn weighted at birth to live birth	18,144	100.0	17,209	100.0	3 dose of DPT	67.5
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,600	14.3	2,414	14.0	Measles	79.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	17,136	94.4	16,350	95.0	Full Immunization	44.4
30	Children fully immunized	21,131	86.5	19,828	81.2		
31	Children who have received BCG	21,366	87.5	21,501	88.0		
32	Children who have received DPT1	21,155	86.6	20,548	84.1		
33	Children who have received DPT3	20,468	83.8	19,735	80.8		
34	Children who have received Measles	21,257	87.0	19,837	81.2		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,946		2,024			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	48	58	Total unmet need	14.1
37	Number of Tubectomies performed	300	545	Spacing	5.8
38	Number of IUD insertion	3,690	3,287	Women using any method	51.1
39	Number of IUD removals	329	405	Women using modern method	36.7
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	362	353		
41	General OPD cases per 10,000 population ***	8,995	8,856		
42	Ayush OPD cases per 10,000 population ***	633	481		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	11	12		
44	Neonatal Deaths up to 4 weeks of birth	82	175		
45	<b>Total Neonatal Death</b>	<b>93</b>	<b>187</b>		
46	Deaths between (1 - 11) months	72	88		
47	<b>Total reported infant deaths</b>	<b>165</b>	<b>275</b>		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	2	0		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension / fits	3	0		
51	Due to Bleeding	3	6		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	12	6		
54	<b>Total reported maternal deaths</b>	<b>21</b>	<b>12</b>		

## Nagaon Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	2,826,006						
2	Sex Ratio	962						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	299						
4	Sub Centres (SC)- HWC	52						
5	Primary Health Centers (PHC)	58						
6	Primary Health Centres (PHC)-HWC	20						
7	Community Health Centers (CHC)	18						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2018-19	2019-20					
10	Expected number of PW	78,543	78,428					
11	Expected number of Delivery	73,187	73,081					
		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
		Number	PC	Number	PC			
12	PW register for ANC	67,767	86.3	69,047	88.0	ANC Check up in first trimester	55.1	
13	Mothers registered in the first trimester	51,464	75.9	56,756	82.2	At least 4ANC check up	46.2	
14	Mothers who had at least 3 Ante-Natal care check ups	56,037	82.7	57,141	82.8	Neonatal tetanus received	94.0	
15	PW who got TT 2 / Booster injection	57,402	84.7	61,735	89.4	100 IFA tablets consumed	31.2	
16	PW who consumed 100 IFA tablets	70,390	103.9	70,366	101.9	Full ANC	18.3	
17	Home Delivery against expected delivery *	4,539	6.2	4,439	6.1	Home Delivery	32.6	
18	Institutional Delivery against expected delivery *	55,156	75.4	58,407	79.9	Institutional Delivery	67.4	
19	Home Delivery against reported delivery **	4,539	7.6	4,439	7.1	Home Delivery by SBA(out of Total Deliveries)	1.4	
20	Institutional Delivery against reported delivery **	55,156	92.4	58,407	92.9	PNC within 2days of delivery	47.7	
21	Total reported Deliveries	59,695		62,846				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	970	21.4	575	13.0			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	40,167	67.3	50,911	81.0			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with reference to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
24	Expected number of Live Birth	71,402		71,298				
D) Child Immunization :		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
25	Total reported live births	58,668	82.2	61,959	86.9	Breastfed within 1 hour of birth	72.2	



26	Total Still Birth	1,394	2.0	1,267	1.8	BCG	80
27	PC of newborn weighted at birth to live birth	57,616	98.2	60,945	98.4	3 dose of DPT	55.1
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	5,654	9.8	7,734	12.7	Measles	68.1
29	PC of newborns breastfed within 1 hour to total reported live birth.	56,846	96.9	57,142	92.2	Full Immunization	43.1
30	Children fully immunized	58,012	81.2	58,870	82.6		
31	Children who have received BCG	55,915	78.3	65,737	92.2		
32	Children who have received DPT1	56,930	79.7	59,059	82.8		
33	Children who have received DPT3	55,675	78.0	57,594	80.8		
34	Children who have received Measles	59,375	83.2	58,332	81.8		
35	Diarrhoea and Dehydration reported in children below 5 years of age	5,152		8,629			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	64	33	Total unmet need	16
37	Number of Tubectomies performed	1,517	2,127	Spacing	6.2
38	Number of IUD insertion	5,234	4,178	Women using any method	53.7
39	Number of IUD removals	617	735	Women using modern method	42.6
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	278	395		
41	General OPD cases per 10,000 population ***	7,097	7,843		
42	Ayush OPD cases per 10,000 population ***	308	648		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	46	84		
44	Neonatal Deaths up to 4 weeks of birth	250	385		
45	<b>Total Neonatal Death</b>	<b>296</b>	<b>469</b>		
46	Deaths between (1 - 11) months	229	234		
47	<b>Total reported infant deaths</b>	<b>525</b>	<b>703</b>		
II)	Maternal Mortality				
Maternal Deaths (In Numbers)		HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	1	1		
49	Due to Obstructed/prolonged labour	3	2		
50	Due to Severe hypertension / fits	12	3		
51	Due to Bleeding	15	7		
52	Due to High fever	1	0		
53	Due to Other Causes (including causes not known)	37	53		
54	<b>Total reported maternal deaths</b>	<b>69</b>	<b>66</b>		

## Nalbari Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	769,919						
2	Sex Ratio	945						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	103						
4	Sub Centres (SC)- HWC	18						
5	Primary Health Centers (PHC)	33						
6	Primary Health Centres (PHC)-HWC	11						
7	Community Health Centers (CHC)	11						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2018-19	2019-20					
10	Expected number of PW	19,987	19,756					
11	Expected number of Delivery	18,624	18,409					
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)		
		Number	PC	Number	PC			
12	PW register for ANC	13,820	69.1	13,812	69.9	ANC Check up in first trimester	62.3	
13	Mothers registered in the first trimester	12,942	93.6	12,931	93.6	At least 4ANC check up	49.2	
14	Mothers who had at least 3 Ante-Natal care check ups	11,241	81.3	11,496	83.2	Neonatal tetanus received	94.6	
15	PW who got TT 2 / Booster injection	12,894	93.3	12,759	92.4	100 IFA tablets consumed	33.8	
16	PW who consumed 100 IFA tablets	13,693	99.1	13,776	99.7	Full ANC	17.1	
17	Home Delivery against expected delivery *	427	2.3	314	1.7	Home Delivery	17.2	
18	Institutional Delivery against expected delivery *	11,990	64.4	12,100	65.7	Institutional Delivery	82.8	
19	Home Delivery against reported delivery **	427	3.4	314	2.5	Home Delivery by SBA(out of Total Deliveries)	2.2	
20	Institutional Delivery against reported delivery **	11,990	96.6	12,100	97.5	PNC within 2days of delivery	50.5	
21	Total reported Deliveries	12,417		12,414				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	393	92.0	298	94.9			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	16,002	128.9	17,505	141.0			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with reference to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
24	Expected number of Live Birth	18,170		17,960				
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)		
25	Total reported live births	12,396	68.2	12,428	69.2	Breastfed within 1 hour of birth	71.9	

26	Total Still Birth	95	0.5	114	0.6	BCG	89.4
27	PC of newborn weighted at birth to live birth	12,393	100.0	11,804	95.0	3 dose of DPT	83
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,859	15.0	1,657	14.0	Measles	79.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	11,982	96.7	12,075	97.2	Full Immunization	48.8
30	Children fully immunized	13,145	72.3	13,380	74.5		
31	Children who have received BCG	12,588	69.3	13,197	73.5		
32	Children who have received DPT1	14,166	78.0	14,078	78.4		
33	Children who have received DPT3	13,389	73.7	13,339	74.3		
34	Children who have received Measles	13,465	74.1	13,372	74.5		
35	Diarrhoea and Dehydration reported in children below 5 years of age	4,006		5,398			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	56	34	Total unmet need	7
37	Number of Tubectomies performed	1,179	1,154	Spacing	1.8
38	Number of IUD insertion	1,983	1,997	Women using any method	63.2
39	Number of IUD removals	505	407	Women using modern method	44.5
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	307	360		
41	General OPD cases per 10,000 population ***	9,637	10,968		
42	Ayush OPD cases per 10,000 population ***	2,044	2512		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	50	50		
44	Neonatal Deaths up to 4 weeks of birth	106	102		
45	<b>Total Neonatal Death</b>	<b>156</b>	<b>152</b>		
46	Deaths between (1 - 11) months	76	71		
47	<b>Total reported infant deaths</b>	<b>232</b>	<b>223</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	1	0		
51	Due to Bleeding	1	3		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	9	6		
54	<b>Total reported maternal deaths</b>	<b>11</b>	<b>9</b>		

## North Cachar Hills (DimaHasao ) Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	213,529					
2	Sex Ratio	931					
<b>B) Infrastructure Details (RHS 2018-19)</b>		<b>Numbers</b>					
3	Sub Centers (SC)	62					
4	Sub Centres (SC)- HWC	10					
5	Primary Health Centers (PHC)	8					
6	Primary Health Centres (PHC)-HWC	4					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
<b>C) Maternal Health:</b>		<b>2018-19</b>		<b>2019-20</b>			
10	Expected number of PW	5,615		5,560			
11	Expected number of Delivery	5,232		5,181			
		<b>HMIS ( 2018-19)</b>		<b>HMIS ( 2019-20)</b>		<b>NFSH-4 ( 2015-16)</b>	
		<b>Number</b>	<b>PC</b>	<b>Number</b>	<b>PC</b>		
12	PW register for ANC	4,760	84.8	4,623	83.2	ANC Check up in first trimester	44.8
13	Mothers registered in the first trimester	3,225	67.8	3,341	72.3	At least 4ANC check up	35.1
14	Mothers who had at least 3 Ante-Natal care check ups	2,393	50.3	2,681	58.0	Neonatal tetanus received	85.9
15	PW who got TT 2 / Booster injection	3,716	78.1	3,718	80.4	100 IFA tablets consumed	34.8
16	PW who consumed 100 IFA tablets	3,897	81.9	4,089	88.4	Full ANC	17.5
17	Home Delivery against expected delivery *	1,166	22.3	1,287	24.8	Home Delivery	42.9
18	Institutional Delivery against expected delivery *	2,574	49.2	2,600	50.2	Institutional Delivery	57.1
19	Home Delivery against reported delivery **	1,166	31.2	1,287	33.1	Home Delivery by SBA(out of Total Deliveries)	3.4
20	Institutional Delivery against reported delivery **	2,574	68.8	2,600	66.9	PNC within 2days of delivery	48.5
21	Total reported Deliveries	3,740		3,887			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	502	43.1	513	39.9		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,243	33.2	1,456	37.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
24	Expected number of Live Birth	5,104		5,054			
<b>D) Child Immunization :</b>		<b>HMIS ( 2018-19)</b>		<b>HMIS ( 2019-20)</b>		<b>NFSH-4 ( 2015-16)</b>	

25	Total reported live births	3,716	72.8	3,843	76.0	Breastfed within 1 hour of birth	60.9
26	Total Still Birth	75	1.5	65	1.3	BCG	91.4
27	PC of newborn weighted at birth to live birth	3,715	100.0	3,825	99.5	3 dose of DPT	78
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	265	7.1	237	6.2	Measles	86.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,714	99.9	3,744	97.4	Full Immunization	59.8
30	Children fully immunized	3,266	64.0	3,539	70.0		
31	Children who have received BCG	3,760	73.7	3,909	77.3		
32	Children who have received DPT1	3,581	70.2	3,807	75.3		
33	Children who have received DPT3	3,282	64.3	3,627	71.8		
34	Children who have received Measles	3,300	64.7	3,526	69.8		
35	Diarrhoea and Dehydration reported in children below 5 years of age	1,815		1,691			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
<b>E) Family Planning</b>		<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>	<b>NFSH-4 (2015-16)</b>			
36	Number of Vasectomies performed	0	1	Total unmet need	18.4		
37	Number of Tubectomies performed	105	73	Spacing	5.8		
38	Number of IUD insertion	370	396	Women using any method	48.7		
39	Number of IUD removals	106	162	Women using modern method	29.7		
<b>F) Service delivery</b>		<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>				
40	IPD cases per 10,000 population ***	561	600				
41	General OPD cases per 10,000 population ***	8,105	7,909				
42	Ayush OPD cases per 10,000 population ***	818	814				
<b>G) Mortality Details</b>							
<b>I) Infant Deaths (In Numbers)</b>		<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>				
43	Neonatal death within 24 hours	9	12				
44	Neonatal Deaths up to 4 weeks of birth	26	26				
45	<b>Total Neonatal Death</b>	<b>35</b>	<b>38</b>				
46	Deaths between (1 - 11) months	26	27				
47	<b>Total reported infant deaths</b>	<b>61</b>	<b>65</b>				
<b>II) Maternal Mortality</b>		<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>				
<b>Maternal Deaths (In Numbers)</b>		<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	1				
50	Due to Severe hypertension / fits	1	0				
51	Due to Bleeding	1	0				
52	Due to High fever	0	0				
53	Due to Other Causes (including causes not known)	5	4				
54	<b>Total reported maternal deaths</b>	<b>7</b>	<b>5</b>				

## Sibsagar Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)									
1	Population 2011	1,150,253								
2	Sex Ratio	951								
B) Infrastructure Details (RHS 2018-19)		Numbers								
3	Sub Centers (SC)	202								
4	Sub Centres (SC)- HWC	18								
5	Primary Health Centers (PHC)	38								
6	Primary Health Centres (PHC)-HWC	7								
7	Community Health Centers (CHC)	4								
8	SDH	2								
9	DH	1								
C) Maternal Health:		2018-19	2019-20							
10	Expected number of PW	29,329	28,922							
11	Expected number of Delivery	27,329	26,950							
		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)					
		Number	PC	Number	PC					
12	PW register for ANC	20,723	70.7	20,010	69.2	ANC Check up in first trimester	66.9			
13	Mothers registered in the first trimester	18,756	90.5	18,136	90.6	At least 4ANC check up	70.8			
14	Mothers who had at least 3 Ante-Natal care check ups	16,651	80.4	16,015	80.0	Neonatal tetanus received	95.3			
15	PW who got TT 2 / Booster injection	17,496	84.4	16,850	84.2	100 IFA tablets consumed	42.6			
16	PW who consumed 100 IFA tablets	20,730	100.0	20,033	100.1	Full ANC	30.7			
17	Home Delivery against expected delivery *	150	0.5	84	0.3	Home Delivery	12.9			
18	Institutional Delivery against expected delivery *	13,757	50.3	13,562	50.3	Institutional Delivery	87.1			
19	Home Delivery against reported delivery **	150	1.1	84	0.6	Home Delivery by SBA(out of Total Deliveries)	1.4			
20	Institutional Delivery against reported delivery **	13,757	98.9	13,562	99.4	PNC within 2days of delivery	74.3			
21	Total reported Deliveries	13,907		13,646						
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	149	99.3	72	85.7					
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	16,753	120.5	19,058	139.7					
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>										
24	Expected number of Live Birth	26,663		26,293						
D) Child Immunization :		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)					
25	Total reported live births	13,770	51.6	13,467	51.2	Breastfed within 1 hour of birth	62.7			

26	Total Still Birth	203	0.8	223	0.8	BCG	100
27	PC of newborn weighted at birth to live birth	13,712	99.6	13,421	99.7	3 dose of DPT	84.4
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	2,271	16.6	2,539	18.9	Measles	88.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	13,459	97.7	13,180	97.9	Full Immunization	73
30	Children fully immunized	16,945	63.6	16,670	63.4		
31	Children who have received BCG	14,643	54.9	14,139	53.8		
32	Children who have received DPT1	16,933	63.5	17,292	65.8		
33	Children who have received DPT3	16,318	61.2	16,619	63.2		
34	Children who have received Measles	17,037	63.9	16,736	63.7		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,658		2,137			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	65	54	Total unmet need	16
37	Number of Tubectomies performed	1,429	763	Spacing	6
38	Number of IUD insertion	1,897	1,772	Women using any method	50
39	Number of IUD removals	502	447	Women using modern method	31.8
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	470	450		
41	General OPD cases per 10,000 population ***	14,051	13,728		
42	Ayush OPD cases per 10,000 population ***	148	373		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	58	38		
44	Neonatal Deaths up to 4 weeks of birth	79	65		
45	<b>Total Neonatal Death</b>	<b>137</b>	<b>103</b>		
46	Deaths between (1 - 11) months	30	20		
47	<b>Total reported infant deaths</b>	<b>167</b>	<b>123</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	2	1		
51	Due to Bleeding	4	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	9	5		
54	<b>Total reported maternal deaths</b>	<b>15</b>	<b>7</b>		



## Sonitpur Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,925,975					
2	Sex Ratio	946					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	263					
4	Sub Centres (SC)- HWC	18					
5	Primary Health Centers (PHC)	46					
6	Primary Health Centres (PHC)-HWC	10					
7	Community Health Centers (CHC)	9					
8	SDH	2					
9	DH	1					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW	51,210	50,814				
11	Expected number of Delivery	47,718	47,349				
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	35,513	69.3	36,153	71.1	ANC Check up in first trimester	54.6
13	Mothers registered in the first trimester	31,623	89.0	32,484	89.9	At least 4ANC check up	42.0
14	Mothers who had at least 3 Ante-Natal care check ups	29,683	83.6	32,484	89.9	Neonatal tetanus received	97.1
15	PW who got TT 2 / Booster injection	31,930	89.9	33,300	92.1	100 IFA tablets consumed	39.7
16	PW who consumed 100 IFA tablets	34,815	98.0	34,633	95.8	Full ANC	18.1
17	Home Delivery against expected delivery *	2,916	6.1	2,879	6.1	Home Delivery	11.6
18	Institutional Delivery against expected delivery *	31,951	67.0	32,780	69.2	Institutional Delivery	88.4
19	Home Delivery against reported delivery **	2,916	8.4	2,879	8.1	Home Delivery by SBA(out of Total Deliveries)	2.0
20	Institutional Delivery against reported delivery **	31,951	91.6	32,780	91.9	PNC within 2days of delivery	55.5
21	Total reported Deliveries	34,867		35,659			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	328	11.2	115	4.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	20,678	59.3	24,097	67.6		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with reference to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>							
24	Expected number of Live Birth	46,554		46,194			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
25	Total reported live births	34,633	74.4	35,613	77.1	Breastfed within 1 hour of birth	67.1

26	Total Still Birth	680	1.5	755	1.6	BCG	82.6
27	PC of newborn weighted at birth to live birth	31,679	91.5	33,404	93.8	3 dose of DPT	65.9
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	6,466	20.4	4,961	14.9	Measles	70.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	31,366	90.6	29,281	82.2	Full Immunization	45.3
30	Children fully immunized	31,472	67.6	32,255	69.8		
31	Children who have received BCG	37,580	80.7	40,596	87.9		
32	Children who have received DPT1	32,705	70.3	32,578	70.5		
33	Children who have received DPT3	31,760	68.2	31,979	69.2		
34	Children who have received Measles	31,647	68.0	32,271	69.9		
35	Diarrhoea and Dehydration reported in children below 5 years of age	1,331		2,348			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	87	124	Total unmet need	8.6
37	Number of Tubectomies performed	2,073	2,168	Spacing	3.9
38	Number of IUD insertion	1,796	1,389	Women using any method	64.1
39	Number of IUD removals	476	406	Women using modern method	45.8
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	628	622		
41	General OPD cases per 10,000 population ***	16,266	11,385		
42	Ayush OPD cases per 10,000 population ***	535	513		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	113	88		
44	Neonatal Deaths up to 4 weeks of birth	310	450		
45	<b>Total Neonatal Death</b>	<b>423</b>	<b>538</b>		
46	Deaths between (1 - 11) months	151	195		
47	<b>Total reported infant deaths</b>	<b>574</b>	<b>733</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	3		
49	Due to Obstructed/prolonged labour	3	1		
50	Due to Severe hypertension / fits	2	6		
51	Due to Bleeding	11	11		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	43	56		
54	<b>Total reported maternal deaths</b>	<b>59</b>	<b>77</b>		

## Tinsukia Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	1,316,948						
2	Sex Ratio	948						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	146						
4	Sub Centres (SC)- HWC	20						
5	Primary Health Centers (PHC)	15						
6	Primary Health Centres (PHC)-HWC	7						
7	Community Health Centers (CHC)	8						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2018-19	2019-20					
10	Expected number of PW	35,061	34,750					
11	Expected number of Delivery	32,670	32,381					
		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
		Number	PC	Number	PC			
12	PW register for ANC	25,409	72.5	23,947	68.9	ANC Check up in first trimester	64.1	
13	Mothers registered in the first trimester	21,337	84.0	20,400	85.2	At least 4ANC check up	56.1	
14	Mothers who had at least 3 Ante-Natal care check ups	20,887	82.2	20,704	86.5	Neonatal tetanus received	90.6	
15	PW who got TT 2 / Booster injection	21,704	85.4	22,101	92.3	100 IFA tablets consumed	39.8	
16	PW who consumed 100 IFA tablets	24,807	97.6	25,368	105.9	Full ANC	23.1	
17	Home Delivery against expected delivery *	677	2.1	644	2.0	Home Delivery	23.4	
18	Institutional Delivery against expected delivery *	21,786	66.7	22,819	70.5	Institutional Delivery	76.6	
19	Home Delivery against reported delivery **	677	3.0	644	2.7	Home Delivery by SBA(out of Total Deliveries)	0.5	
20	Institutional Delivery against reported delivery **	21,786	97.0	22,819	97.3	PNC within 2days of delivery	66.9	
21	Total reported Deliveries	22,463		23,463				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	159	23.5	231	35.9			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	23,895	106.4	26,427	112.6			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
24	Expected number of Live Birth	31,873		31,591				
D) Child Immunization :		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
25	Total reported live births	22,326	70.0	23,374	74.0	Breastfed within 1 hour of birth	65.4	

26	Total Still Birth	212	0.7	222	0.7	BCG	89.4
27	PC of newborn weighted at birth to live birth	22,146	99.2	23,343	99.9	3 dose of DPT	83.8
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	3,789	17.1	3,557	15.2	Measles	89.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	21,989	98.5	22,950	98.2	Full Immunization	64
30	Children fully immunized	20,052	62.9	21,428	67.8		
31	Children who have received BCG	20,980	65.8	23,416	74.1		
32	Children who have received DPT1	21,832	68.5	22,120	70.0		
33	Children who have received DPT3	20,730	65.0	21,592	68.3		
34	Children who have received Measles	20,179	63.3	21,736	68.8		
35	Diarrhoea and Dehydration reported in children below 5 years of age	2,432		4,120			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	383	342	Total unmet need	11.8
37	Number of Tubectomies performed	2,816	2,412	Spacing	4.9
38	Number of IUD insertion	1,912	2,048	Women using any method	56.1
39	Number of IUD removals	353	657	Women using modern method	44.4
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	731	809		
41	General OPD cases per 10,000 population ***	13,019	13,625		
42	Ayush OPD cases per 10,000 population ***	150	164		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	23	54		
44	Neonatal Deaths up to 4 weeks of birth	103	84		
45	<b>Total Neonatal Death</b>	<b>126</b>	<b>138</b>		
46	Deaths between (1 - 11) months	71	79		
47	<b>Total reported infant deaths</b>	<b>197</b>	<b>217</b>		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension / fits	1	0		
51	Due to Bleeding	3	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	13	12		
54	<b>Total reported maternal deaths</b>	<b>17</b>	<b>13</b>		

## Udalguri Factsheet

### Key Indicators

Sl No	A) Demographic Indicators (Census 2011)							
1	Population 2011	832,769						
2	Sex Ratio	966						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	129						
4	Sub Centres (SC)- HWC	17						
5	Primary Health Centers (PHC)	15						
6	Primary Health Centres (PHC)-HWC	7						
7	Community Health Centers (CHC)	6						
8	SDH	0						
9	DH	1						
C) Maternal Health:		2018-19	2019-20					
10	Expected number of PW	21,249	20,962					
11	Expected number of Delivery	19,800	19,532					
		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
		Number	PC	Number	PC			
12	PW register for ANC	15,306	72.0	14,462	69.0	ANC Check up in first trimester	45.2	
13	Mothers registered in the first trimester	12,992	84.9	12,872	89.0	At least 4ANC check up	37.0	
14	Mothers who had at least 3 Ante-Natal care check ups	11,110	72.6	11,354	78.5	Neonatal tetanus received	94.4	
15	PW who got TT 2 / Booster injection	13,387	87.5	13,018	90.0	100 IFA tablets consumed	29.9	
16	PW who consumed 100 IFA tablets	13,008	85.0	13,088	90.5	Full ANC	13.3	
17	Home Delivery against expected delivery *	597	3.0	428	2.2	Home Delivery	27.8	
18	Institutional Delivery against expected delivery *	7,764	39.2	7,647	39.2	Institutional Delivery	72.2	
19	Home Delivery against reported delivery **	597	7.1	428	5.3	Home Delivery by SBA(out of Total Deliveries)	3.2	
20	Institutional Delivery against reported delivery **	7,764	92.9	7,647	94.7	PNC within 2days of delivery	61.7	
21	Total reported Deliveries	8,361		8,075				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	322	53.9	185	43.2			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	6,911	82.7	9,662	119.7			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-3 is with ref. to Women who had live/still births since three years preceding the survey (1-1-2004/1-1-2006).</b>								
24	Expected number of Live Birth	19,317		19,056				
D) Child Immunization :		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)			
25	Total reported live births	8,385	43.4	7,960	41.8	Breastfed within 1 hour of birth	80.5	

26	Total Still Birth	133	0.7	133	0.7	BCG	90.6
27	PC of newborn weighted at birth to live birth	8,097	96.6	7,563	95.0	3 dose of DPT	79.6
28	PC of newborn having weighted less than 2.5 kg to newborn weighted at birth.	1,554	19.2	1,344	17.8	Measles	82
29	PC of newborns breastfed within 1 hour to total reported live birth.	8,191	97.7	7,680	96.5	Full Immunization	52.8
30	Children fully immunized	12,583	65.1	12,298	64.5		
31	Children who have received BCG	10,994	56.9	10,813	56.7		
32	Children who have received DPT1	13,006	67.3	12,827	67.3		
33	Children who have received DPT3	12,598	65.2	12,287	64.5		
34	Children who have received Measles	12,679	65.6	12,291	64.5		
35	Diarrhoea and Dehydration reported in children below 5 years of age	769		1,526			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-3, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey (1-1-2004/1-1-2006).</p>							
<b>E) Family Planning</b>		<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>	<b>NFSH-4 (2015-16)</b>			
36	Number of Vasectomies performed	34	0	Total unmet need	8.5		
37	Number of Tubectomies performed	83	20	Spacing	3.7		
38	Number of IUD insertion	1,201	1,251	Women using any method	63.9		
39	Number of IUD removals	660	758	Women using modern method	46.8		
<b>F) Service delivery</b>		<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>				
40	IPD cases per 10,000 population ***	222	222				
41	General OPD cases per 10,000 population ***	10,014	8,442				
42	Ayush OPD cases per 10,000 population ***	1,043	1458				
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>				
43	Neonatal death within 24 hours	24	34				
44	Neonatal Deaths up to 4 weeks of birth	49	58				
45	<b>Total Neonatal Death</b>	<b>73</b>	<b>92</b>				
46	Deaths between (1 - 11) months	111	92				
47	<b>Total reported infant deaths</b>	<b>184</b>	<b>184</b>				
<b>II)</b>	<b>Maternal Mortality</b>						
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2018-19)</b>	<b>HMIS (2019-20)</b>				
48	Due to Abortion	0	0				
49	Due to Obstructed/prolonged labour	0	0				
50	Due to Severe hypertension / fits	2	2				
51	Due to Bleeding	1	2				
52	Due to High fever	1	1				
53	Due to Other Causes (including causes not known)	11	6				
54	<b>Total reported maternal deaths</b>	<b>15</b>	<b>11</b>				

\* Against Expected Delivery for the 2018-19 & 2019-20

\*\* Against Reported Delivery for the 2018-19 & 2019-20

\*\*\* Against Estimated Population for 2018-19 & 2019-20