

Manipur Factsheet

Key Indicators							
Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,855,794					
2	Sex Ratio	987					
B) Infrastructure Details (RHS 2018-19)#		Numbers					
3	Sub Centers (SC)	490					
4	Primary Health Centers (PHC)	99					
5	Community Health Centers (CHC)	23					
6	SDH	1					
7	DH	9					
C) Maternal Health:		2018-19		2019-20			
8	Expected number of PW	46,119		53,171			
9	Expected number of Delivery	42,430		48,917			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
10	PW register for ANC	57,477	124.6	55,346	104.1	ANC Check up in first trimester	77.0
11	Mothers registered in the first trimester	34,337	59.7	32,468	58.7	At least 4ANC check up	69.0
12	Mothers who had at least 3 Ante-Natal care check ups	29,077	50.6	30,525	55.2	Neonatal tetanus received	88.8
13	PW who got TT 2 / Booster injection	34,137	59.4	32,899	59.4	100 IFA tablets consumed	39.2
14	PW who consumed 100 IFA tablets	22,150	38.5	27,286	49.3	Full ANC	33.9
15	Home Delivery against expected delivery *	6,527	15.4	6,122	12.5	Home Delivery	30.9
16	Institutional Delivery against expected delivery *	31,299	73.8	33,251	68.0	Institutional Delivery	69.1
17	Home Delivery against reported delivery **	6,527	17.3	6,122	15.5	Home Delivery by SBA(out of Total Deliveries)	8.0
18	Institutional Delivery against reported delivery **	31,299	82.7	33,251	84.5	PNC within 2days of delivery	64.6
19	Total reported Deliveries	37,826		39,373			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	4,075	62.4	3,500	57.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	18,273	48.3	17,063	43.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	41,927		48,337			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
23	Total reported live births	37,821	90.2	39,462	81.6	Breastfed within 1 hour of birth	65.4
24	Total Still Birth	192	0.5	159	0.3	BCG	91.2

25	PC of newborn weighted at birth to live birth	36,888	97.5	39,168	99.3	3 dose of DPT	77.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,567	4.2	1,566	4.0	Measles	74.2
27	PC of newborns breastfed within 1 hour to total reported live birth.	33,423	88.4	35,073	88.9	Full Immunization	65.9
28	Children fully immunized	34,831	83.1	37,816	78.2		
29	Children who have received BCG	41,785	99.7	38,560	79.8		
30	Children who have received DPT1	42,023	100.2	43,988	91.0		
31	Children who have received DPT3	37,839	90.3	39,512	81.7		
32	Children who have received Measles	36,055	86.0	38,821	80.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	13,523		11,107			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
34	Number of Vasectomies performed	80	16	Total unmet need	30.1
35	Number of Tubectomies performed	935	567	Spacing	12.7
36	Number of IUD insertion	3,272	3,378	Women using any method	23.6
37	Number of IUD removals	1,937	1,792	Women using modern method	12.7
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
38	IPD cases per 10,000 population ***	282	422		
39	General OPD cases per 10,000 population ***	3899	5714		
40	Ayush OPD cases per 10,000 population ***	322	340		
G) Mortality Details					
I) Infant Deaths (In Numbers)		HMIS (2018-19)	HMIS (2019-20)		
41	Neonatal death within 24 hours	26	27		
42	Neonatal Deaths up to 4 weeks of birth	33	64		
43	Total Neonatal Death	59	91		
44	Deaths between (1 - 11) months	28	24		
45	Total reported infant deaths	87	115		
II) Maternal Mortality					
Maternal Deaths (In Numbers)		HMIS (2018-19)	HMIS (2019-20)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	1	0		
48	Due to Severe hypertension/fits	1	1		
49	Due to Bleeding	1	6		
50	Due to High fever	0	1		
51	Due to Other Causes (including causes not known)	9	27		
52	Total reported maternal deaths	12	35		

Bishnupur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	237,399					
2	Sex Ratio	1,000					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	33					
4	Primary Health Centers (PHC)	7					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2018-19		2019-20			
8	Expected number of PW	3,748		4,307			
9	Expected number of Delivery	3,448		3,963			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
10	PW register for ANC	4,567	121.9	4,564	106.0	ANC Check up in first trimester	87.9
11	Mothers registered in the first trimester	3,377	73.9	3,484	76.3	At least 4ANC check up	87.0
12	Mothers who had at least 3 Ante-Natal care check ups	4,779	104.6	5,150	112.8	Neonatal tetanus received	94.3
13	PW who got TT 2 / Booster injection	3,440	75.3	3,082	67.5	100 IFA tablets consumed	43.6
14	PW who consumed 100 IFA tablets	1,629	35.7	2,012	44.1	Full ANC	41.3
15	Home Delivery against expected delivery *	37	1.1	40	1.0	Home Delivery	13.5
16	Institutional Delivery against expected delivery *	916	26.6	799	20.2	Institutional Delivery	86.5
17	Home Delivery against reported delivery **	37	3.9	40	4.8	Home Delivery by SBA(out of Total Deliveries)	6.0
18	Institutional Delivery against reported delivery **	916	96.1	799	95.2	PNC within 2days of delivery	83.8
19	Total reported Deliveries	953		839			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	26	70.3	15	37.5		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	257	27.0	18	2.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	3,407		3,916			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
23	Total reported live births	949	27.9	831	21.2	Breastfed within 1 hour of birth	71.4
24	Total Still Birth	7	0.2	9	0.2	BCG	96.1

25	PC of newborn weighted at birth to live birth	942	99.3	827	99.5	3 dose of DPT	87.3
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	14	1.5	16	1.9	Measles	82.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	946	99.7	784	94.3	Full Immunization	77.2
28	Children fully immunized	3,248	95.3	3,526	90.1		
29	Children who have received BCG	3,547	104.1	3,023	77.2		
30	Children who have received DPT1	3,798	111.5	4,062	103.7		
31	Children who have received DPT3	3,530	103.6	3,517	89.8		
32	Children who have received Measles	3,280	96.3	3,536	90.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,393		1,058			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
34	Number of Vasectomies performed	0	10	Total unmet need	27.5
35	Number of Tubectomies performed	1	0	Spacing	11.5
36	Number of IUD insertion	258	243	Women using any method	32.7
37	Number of IUD removals	179	188	Women using modern method	17.5
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
38	IPD cases per 10,000 population ***	241	237		
39	General OPD cases per 10,000 population ***	7445	9008		
40	Ayush OPD cases per 10,000 population ***	733	700		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
41	Neonatal death within 24 hours	0	0		
42	Neonatal Deaths up to 4 weeks of birth	0	0		
43	Total Neonatal Death	0	0		
44	Deaths between (1 - 11) months	2	1		
45	Total reported infant deaths	2	1		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Chandel Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	144,182					
2	Sex Ratio	932					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	28					
4	Primary Health Centers (PHC)	8					
5	Community Health Centers (CHC)	2					
6	SDH	1					
7	DH	1					
C) Maternal Health:		2018-19		2019-20			
8	Expected number of PW	2,378		2,750			
9	Expected number of Delivery	2,188		2,530			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
10	PW register for ANC	2,027	85.2	2,046	74.4	ANC Check up in first trimester	71.5
11	Mothers registered in the first trimester	1,101	54.3	1,149	56.2	At least 4ANC check up	42.9
12	Mothers who had at least 3 Ante-Natal care check ups	597	29.5	893	43.6	Neonatal tetanus received	88.1
13	PW who got TT 2 / Booster injection	1,249	61.6	1,370	67.0	100 IFA tablets consumed	25.7
14	PW who consumed 100 IFA tablets	1,039	51.3	1,095	53.5	Full ANC	16.1
15	Home Delivery against expected delivery *	572	26.1	350	13.8	Home Delivery	61.8
16	Institutional Delivery against expected delivery *	318	14.5	373	14.7	Institutional Delivery	38.2
17	Home Delivery against reported delivery **	572	64.3	350	48.4	Home Delivery by SBA(out of Total Deliveries)	23.5
18	Institutional Delivery against reported delivery **	318	35.7	373	51.6	PNC within 2days of delivery	39.3
19	Total reported Deliveries	890		723			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	374	65.4	312	89.1		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	394	44.3	196	27.1		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,162		2,500			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
23	Total reported live births	890	41.2	738	29.5	Breastfed within 1 hour of birth	63.6
24	Total Still Birth	2	0.1	1	0.0	BCG	86.2

25	PC of newborn weighted at birth to live birth	752	84.5	727	98.5	3 dose of DPT	68.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	13	1.7	12	1.7	Measles	58.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	844	94.8	719	97.4	Full Immunization	50.6
28	Children fully immunized	980	45.3	1,314	52.6		
29	Children who have received BCG	1,271	58.8	1,336	53.4		
30	Children who have received DPT1	1,303	60.3	1,475	59.0		
31	Children who have received DPT3	1,011	46.8	1,369	54.8		
32	Children who have received Measles	1,004	46.4	1,319	52.8		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,250		949			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
34	Number of Vasectomies performed	0	0	Total unmet need	29.7
35	Number of Tubectomies performed	0	8	Spacing	15.5
36	Number of IUD insertion	57	68	Women using any method	15.4
37	Number of IUD removals	30	24	Women using modern method	8.1
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
38	IPD cases per 10,000 population ***	155	196		
39	General OPD cases per 10,000 population ***	2247	3290		
40	Ayush OPD cases per 10,000 population ***	288	230		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths up to 4 weeks of birth	1	0		
43	Total Neonatal Death	2	0		
44	Deaths between (1 - 11) months	2	0		
45	Total reported infant deaths	4	0		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	0		
52	Total reported maternal deaths	1	0		

Churachandpur Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	274,143					
2	Sex Ratio	969					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	67					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2018-19		2019-20			
8	Expected number of PW	4,439		5,119			
9	Expected number of Delivery	4,084		4,710			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
10	PW register for ANC	5,511	124.2	5,279	103.1	ANC Check up in first trimester	68.4
11	Mothers registered in the first trimester	3,925	71.2	3,380	64.0	At least 4ANC check up	60.1
12	Mothers who had at least 3 Ante-Natal care check ups	1,576	28.6	1,524	28.9	Neonatal tetanus received	83.1
13	PW who got TT 2 / Booster injection	3,211	58.3	2,753	52.2	100 IFA tablets consumed	21.3
14	PW who consumed 100 IFA tablets	4,115	74.7	3,678	69.7	Full ANC	17.7
15	Home Delivery against expected delivery *	501	12.3	426	9.0	Home Delivery	36.8
16	Institutional Delivery against expected delivery *	3,656	89.5	3,737	79.3	Institutional Delivery	63.2
17	Home Delivery against reported delivery **	501	12.1	426	10.2	Home Delivery by SBA(out of Total Deliveries)	4.7
18	Institutional Delivery against reported delivery **	3,656	87.9	3,737	89.8	PNC within 2days of delivery	56.8
19	Total reported Deliveries	4,157		4,163			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	158	31.5	97	22.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,686	88.7	3,276	78.7		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	4,035		4,654			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
23	Total reported live births	4,126	102.2	4,165	89.5	Breastfed within 1 hour of birth	64.7
24	Total Still Birth	34	0.8	38	0.8	BCG	84.1

25	PC of newborn weighted at birth to live birth	4,093	99.2	4,162	99.9	3 dose of DPT	68.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	139	3.4	172	4.1	Measles	65.1
27	PC of newborns breastfed within 1 hour to total reported live birth.	3,651	88.5	3,768	90.5	Full Immunization	52.2
28	Children fully immunized	3,203	79.4	3,241	69.6		
29	Children who have received BCG	3,697	91.6	3,959	85.1		
30	Children who have received DPT1	4,012	99.4	3,984	85.6		
31	Children who have received DPT3	3,338	82.7	3,276	70.4		
32	Children who have received Measles	3,439	85.2	3,467	74.5		
33	Diarrhoea and Dehydration cases reported in children below 5 years	4,796		3,311			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
34	Number of Vasectomies performed	68	0	Total unmet need	23.4
35	Number of Tubectomies performed	134	12	Spacing	13.2
36	Number of IUD insertion	749	868	Women using any method	23.6
37	Number of IUD removals	369	480	Women using modern method	14.7
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
38	IPD cases per 10,000 population ***	461	520		
39	General OPD cases per 10,000 population ***	4486	6354		
40	Ayush OPD cases per 10,000 population ***	118	159		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
41	Neonatal death within 24 hours	18	20		
42	Neonatal Deaths up to 4 weeks of birth	20	47		
43	Total Neonatal Death	38	67		
44	Deaths between (1 - 11) months	14	12		
45	Total reported infant deaths	52	79		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	2	0		
52	Total reported maternal deaths	2	0		

Imphal East Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	456,113					
2	Sex Ratio	1,011					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	54					
4	Primary Health Centers (PHC)	11					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2018-19		2019-20			
8	Expected number of PW	7,165		8,228			
9	Expected number of Delivery	6,592		7,570			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
10	PW register for ANC	8,174	114.1	7,341	89.2	ANC Check up in first trimester	84.1
11	Mothers registered in the first trimester	6,192	75.8	4,529	61.7	At least 4ANC check up	82.1
12	Mothers who had at least 3 Ante-Natal care check ups	3,331	40.8	2,943	40.1	Neonatal tetanus received	93.1
13	PW who got TT 2 / Booster injection	6,422	78.6	4,818	65.6	100 IFA tablets consumed	45.1
14	PW who consumed 100 IFA tablets	3,042	37.2	3,099	42.2	Full ANC	43.7
15	Home Delivery against expected delivery *	61	0.9	80	1.1	Home Delivery	19.2
16	Institutional Delivery against expected delivery *	7,892	119.7	7,015	92.7	Institutional Delivery	80.8
17	Home Delivery against reported delivery **	61	0.8	80	1.1	Home Delivery by SBA(out of Total Deliveries)	5.3
18	Institutional Delivery against reported delivery **	7,892	99.2	7,015	98.9	PNC within 2days of delivery	72.8
19	Total reported Deliveries	7,953		7,095			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	37		34		42.5	
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,969	112.8	8,318	117.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	6,514		7,480			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
23	Total reported live births	7,922	121.6	7,092	94.8	Breastfed within 1 hour of birth	69.6
24	Total Still Birth	31	0.5	3	0.0	BCG	95.9

25	PC of newborn weighted at birth to live birth	7,893	99.6	7,080	99.8	3 dose of DPT	80.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	58	0.7	31	0.4	Measles	81
27	PC of newborns breastfed within 1 hour to total reported live birth.	7,795	98.4	7,063	99.6	Full Immunization	72.7
28	Children fully immunized	6,547	100.5	6,292	84.1		
29	Children who have received BCG	7,114	109.2	6,937	92.7		
30	Children who have received DPT1	7,131	109.5	7,547	100.9		
31	Children who have received DPT3	6,573	100.9	6,618	88.5		
32	Children who have received Measles	6,699	102.8	6,507	87.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	613		647			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
34	Number of Vasectomies performed	0	0	Total unmet need	27.3
35	Number of Tubectomies performed	302	120	Spacing	11.1
36	Number of IUD insertion	430	397	Women using any method	30.9
37	Number of IUD removals	395	295	Women using modern method	15.1
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
38	IPD cases per 10,000 population ***	99	89		
39	General OPD cases per 10,000 population ***	2087	2688		
40	Ayush OPD cases per 10,000 population ***	289	312		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
41	Neonatal death within 24 hours	1	3		
42	Neonatal Deaths up to 4 weeks of birth	0	6		
43	Total Neonatal Death	1	9		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	1	9		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	2		
50	Due to High fever	0	1		
51	Due to Other Causes (including causes not known)	0	1		
52	Total reported maternal deaths	0	4		

Imphal West Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	517,992					
2	Sex Ratio	1,029					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	51					
4	Primary Health Centers (PHC)	9					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	0					
C) Maternal Health:		2018-19		2019-20			
8	Expected number of PW	8,204		9,432			
9	Expected number of Delivery	7,548		8,677			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
10	PW register for ANC	9,945	121.2	10,189	108.0	ANC Check up in first trimester	78.0
11	Mothers registered in the first trimester	7,271	73.1	7,608	74.7	At least 4ANC check up	78.8
12	Mothers who had at least 3 Ante-Natal care check ups	11,827	118.9	12,720	124.8	Neonatal tetanus received	90.0
13	PW who got TT 2 / Booster injection	6,921	69.6	7,962	78.1	100 IFA tablets consumed	54.1
14	PW who consumed 100 IFA tablets	2,304	23.2	7,789	76.4	Full ANC	43.9
15	Home Delivery against expected delivery *	148	2.0	145	1.7	Home Delivery	8.6
16	Institutional Delivery against expected delivery *	12,662	167.8	14,502	167.1	Institutional Delivery	91.4
17	Home Delivery against reported delivery **	148	1.2	145	1.0	Home Delivery by SBA(out of Total Deliveries)	3.6
18	Institutional Delivery against reported delivery **	12,662	98.8	14,502	99.0	PNC within 2days of delivery	78.4
19	Total reported Deliveries	12,810		14,647			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	121	81.8	105	72.4		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	329	2.6	0	0.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	7,458		8,575			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
23	Total reported live births	12,882	172.7	14,738	171.9	Breastfed within 1 hour of birth	59.7
24	Total Still Birth	82	1.1	83	1.0	BCG	97.2

25	PC of newborn weighted at birth to live birth	12,861	99.8	14,731	100.0	3 dose of DPT	93.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,201	9.3	1,211	8.2	Measles	87.9
27	PC of newborns breastfed within 1 hour to total reported live birth.	10,068	78.2	12,069	81.9	Full Immunization	82.8
28	Children fully immunized	7,153	95.9	8,040	93.8		
29	Children who have received BCG	8,929	119.7	7,127	83.1		
30	Children who have received DPT1	8,093	108.5	8,524	99.4		
31	Children who have received DPT3	7,463	100.1	8,079	94.2		
32	Children who have received Measles	7,356	98.6	8,089	94.3		
33	Diarrhoea and Dehydration cases reported in children below 5 years	2,174		2,137			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
34	Number of Vasectomies performed	12	4	Total unmet need	33.1
35	Number of Tubectomies performed	472	382	Spacing	11.4
36	Number of IUD insertion	533	516	Women using any method	20.4
37	Number of IUD removals	376	331	Women using modern method	10.9
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
38	IPD cases per 10,000 population ***	770	1591		
39	General OPD cases per 10,000 population ***	6627	12655		
40	Ayush OPD cases per 10,000 population ***	479	602		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
41	Neonatal death within 24 hours	1	1		
42	Neonatal Deaths up to 4 weeks of birth	6	5		
43	Total Neonatal Death	7	6		
44	Deaths between (1 - 11) months	3	2		
45	Total reported infant deaths	10	8		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	1	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	3	21		
52	Total reported maternal deaths	4	22		

Senapati Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	479,148					
2	Sex Ratio	939					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	68					
4	Primary Health Centers (PHC)	15					
5	Community Health Centers (CHC)	3					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2018-19		2019-20			
8	Expected number of PW	8,091		9,387			
9	Expected number of Delivery	7,444		8,636			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
10	PW register for ANC	12,165	150.4	11,087	118.1	ANC Check up in first trimester	67.2
11	Mothers registered in the first trimester	3,867	31.8	4,156	37.5	At least 4ANC check up	39.5
12	Mothers who had at least 3 Ante-Natal care check ups	3,361	27.6	4,095	36.9	Neonatal tetanus received	88.0
13	PW who got TT 2 / Booster injection	6,261	51.5	6,092	54.9	100 IFA tablets consumed	13.9
14	PW who consumed 100 IFA tablets	4,038	33.2	3,951	35.6	Full ANC	10.1
15	Home Delivery against expected delivery *	3,919	52.6	3,635	42.1	Home Delivery	61.8
16	Institutional Delivery against expected delivery *	1,938	26.0	2,293	26.6	Institutional Delivery	38.2
17	Home Delivery against reported delivery **	3,919	66.9	3,635	61.3	Home Delivery by SBA(out of Total Deliveries)	14.6
18	Institutional Delivery against reported delivery **	1,938	33.1	2,293	38.7	PNC within 2days of delivery	37.4
19	Total reported Deliveries	5,857		5,928			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2,719	69.4	2,359	64.9		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,139	53.6	3,196	53.9		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	7,355		8,534			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
23	Total reported live births	5,845	79.5	5,928	69.5	Breastfed within 1 hour of birth	61.4
24	Total Still Birth	10	0.1	3	0.0	BCG	90.7

25	PC of newborn weighted at birth to live birth	5,345	91.4	5,822	98.2	3 dose of DPT	71.8
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	39	0.7	13	0.2	Measles	69.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	5,680	97.2	5,751	97.0	Full Immunization	58.7
28	Children fully immunized	5,682	77.3	6,179	72.4		
29	Children who have received BCG	7,038	95.7	6,950	81.4		
30	Children who have received DPT1	7,001	95.2	7,145	83.7		
31	Children who have received DPT3	6,574	89.4	6,664	78.1		
32	Children who have received Measles	5,952	80.9	6,543	76.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,354		1,464			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
34	Number of Vasectomies performed	0	2	Total unmet need	30.6
35	Number of Tubectomies performed	0	15	Spacing	13.7
36	Number of IUD insertion	349	319	Women using any method	17.5
37	Number of IUD removals	157	130	Women using modern method	11.5

F) Service delivery		HMIS (2018-19)	HMIS (2019-20)	
38	IPD cases per 10,000 population ***	73	86	
39	General OPD cases per 10,000 population ***	1868	2229	
40	Ayush OPD cases per 10,000 population ***	180	141	

G) Mortality Details

I) Infant Deaths (In Numbers)		HMIS (2018-19)	HMIS (2019-20)	
41	Neonatal death within 24 hours	2	1	
42	Neonatal Deaths up to 4 weeks of birth	1	2	
43	Total Neonatal Death	3	3	
44	Deaths between (1 - 11) months	1	3	
45	Total reported infant deaths	4	6	

II) Maternal Mortality

Maternal Deaths (In Numbers)		HMIS (2018-19)	HMIS (2019-20)	
46	Due to Abortion	0	0	
47	Due to Obstructed/prolonged labour	0	0	
48	Due to Severe hypertension/fits	1	1	
49	Due to Bleeding	0	1	
50	Due to High fever	0	0	
51	Due to Other Causes (including causes not known)	1	4	
52	Total reported maternal deaths	2	6	

Tamenglong Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	140,651					
2	Sex Ratio	953					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	30					
4	Primary Health Centers (PHC)	6					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2018-19		2019-20			
8	Expected number of PW	2,384		2,767			
9	Expected number of Delivery	2,193		2,546			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
10	PW register for ANC	2,824	118.5	2,298	83.0	ANC Check up in first trimester	52.5
11	Mothers registered in the first trimester	1,468	52.0	1,103	48.0	At least 4ANC check up	32.7
12	Mothers who had at least 3 Ante-Natal care check ups	645	22.8	1,072	46.6	Neonatal tetanus received	75.9
13	PW who got TT 2 / Booster injection	1,296	45.9	1,245	54.2	100 IFA tablets consumed	15.4
14	PW who consumed 100 IFA tablets	924	32.7	953	41.5	Full ANC	9.7
15	Home Delivery against expected delivery *	410	18.7	435	17.1	Home Delivery	66.7
16	Institutional Delivery against expected delivery *	717	32.7	781	30.7	Institutional Delivery	33.3
17	Home Delivery against reported delivery **	410	36.4	435	35.8	Home Delivery by SBA(out of Total Deliveries)	9.0
18	Institutional Delivery against reported delivery **	717	63.6	781	64.2	PNC within 2days of delivery	32.3
19	Total reported Deliveries	1,127		1,216			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	183	44.6	125	28.7		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	186	16.5	233	19.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,167		2,516			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
23	Total reported live births	1,117	51.5	1,213	48.2	Breastfed within 1 hour of birth	69.6
24	Total Still Birth	10	0.5	7	0.3	BCG	82

25	PC of newborn weighted at birth to live birth	1,049	93.9	1,138	93.8	3 dose of DPT	59.7
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	15	1.4	25	2.2	Measles	56.4
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,069	95.7	1,084	89.4	Full Immunization	44
28	Children fully immunized	1,286	59.3	1,510	60.0		
29	Children who have received BCG	1,760	81.2	1,543	61.3		
30	Children who have received DPT1	1,850	85.4	1,741	69.2		
31	Children who have received DPT3	1,611	74.3	1,671	66.4		
32	Children who have received Measles	1,370	63.2	1,526	60.7		
33	Diarrhoea and Dehydration cases reported in children below 5 years	521		457			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
34	Number of Vasectomies performed	0	0	Total unmet need	30.1
35	Number of Tubectomies performed	17	0	Spacing	15.4
36	Number of IUD insertion	462	499	Women using any method	16.2
37	Number of IUD removals	191	127	Women using modern method	9.6
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
38	IPD cases per 10,000 population ***	113	93		
39	General OPD cases per 10,000 population ***	2024	2488		
40	Ayush OPD cases per 10,000 population ***	69	81		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
41	Neonatal death within 24 hours	1	0		
42	Neonatal Deaths up to 4 weeks of birth	0	1		
43	Total Neonatal Death	1	1		
44	Deaths between (1 - 11) months	5	2		
45	Total reported infant deaths	6	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	1	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	1		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	1	1		
52	Total reported maternal deaths	2	2		

Thoubal Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	422,168					
2	Sex Ratio	1,006					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	57					
4	Primary Health Centers (PHC)	13					
5	Community Health Centers (CHC)	6					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2018-19		2019-20			
8	Expected number of PW	6,671		7,667			
9	Expected number of Delivery	6,137		7,053			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
10	PW register for ANC	8,645	129.6	9,053	118.1	ANC Check up in first trimester	88.2
11	Mothers registered in the first trimester	6,195	71.7	5,809	64.2	At least 4ANC check up	79.7
12	Mothers who had at least 3 Ante-Natal care check ups	1,986	23.0	1,330	14.7	Neonatal tetanus received	91.4
13	PW who got TT 2 / Booster injection	4,197	48.5	4,499	49.7	100 IFA tablets consumed	48.3
14	PW who consumed 100 IFA tablets	3,923	45.4	4,063	44.9	Full ANC	43.2
15	Home Delivery against expected delivery *	263	4.3	375	5.3	Home Delivery	26.6
16	Institutional Delivery against expected delivery *	2,060	33.6	2,460	34.9	Institutional Delivery	73.4
17	Home Delivery against reported delivery **	263	11.3	375	13.2	Home Delivery by SBA(out of Total Deliveries)	10.9
18	Institutional Delivery against reported delivery **	2,060	88.7	2,460	86.8	PNC within 2days of delivery	68.8
19	Total reported Deliveries	2,323		2,835			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	146	55.5	162	43.2		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	859	37.0	1,383	48.8		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	6,064		6,970			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
23	Total reported live births	2,329	38.4	2,842	40.8	Breastfed within 1 hour of birth	65.3
24	Total Still Birth	4	0.1	1	0.0	BCG	90.8

25	PC of newborn weighted at birth to live birth	2,293	98.5	2,815	99.0	3 dose of DPT	77.4
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	46	2.0	41	1.5	Measles	74.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,927	82.7	2,056	72.3	Full Immunization	65.4
28	Children fully immunized	5,302	87.4	6,042	86.7		
29	Children who have received BCG	6,333	104.4	5,577	80.0		
30	Children who have received DPT1	6,891	113.6	7,503	107.7		
31	Children who have received DPT3	5,940	98.0	6,590	94.6		
32	Children who have received Measles	5,534	91.3	6,131	88.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	1,338		899			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
34	Number of Vasectomies performed	0	0	Total unmet need	33.1
35	Number of Tubectomies performed	0	21	Spacing	15.3
36	Number of IUD insertion	341	353	Women using any method	24
37	Number of IUD removals	151	126	Women using modern method	13.1
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
38	IPD cases per 10,000 population ***	217	123		
39	General OPD cases per 10,000 population ***	4497	5870		
40	Ayush OPD cases per 10,000 population ***	419	412		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
41	Neonatal death within 24 hours	0	1		
42	Neonatal Deaths up to 4 weeks of birth	0	2		
43	Total Neonatal Death	0	3		
44	Deaths between (1 - 11) months	0	0		
45	Total reported infant deaths	0	3		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
46	Due to Abortion	0	0		
47	Due to Obstructed/prolonged labour	0	0		
48	Due to Severe hypertension/fits	0	0		
49	Due to Bleeding	0	0		
50	Due to High fever	0	0		
51	Due to Other Causes (including causes not known)	0	0		
52	Total reported maternal deaths	0	0		

Ukhrul Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	183,998					
2	Sex Ratio	948					
B) Infrastructure Details (RHS 2018)		Numbers					
3	Sub Centers (SC)	41					
4	Primary Health Centers (PHC)	9					
5	Community Health Centers (CHC)	2					
6	SDH	0					
7	DH	1					
C) Maternal Health:		2018-19		2019-20			
8	Expected number of PW	3,213		3,745			
9	Expected number of Delivery	2,956		3,446			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
10	PW register for ANC	3,619	112.6	3,489	93.2	ANC Check up in first trimester	48.5
11	Mothers registered in the first trimester	941	26.0	1,250	35.8	At least 4ANC check up	27.0
12	Mothers who had at least 3 Ante-Natal care check ups	975	26.9	798	22.9	Neonatal tetanus received	75.1
13	PW who got TT 2 / Booster injection	1,140	31.5	1,078	30.9	100 IFA tablets consumed	14.4
14	PW who consumed 100 IFA tablets	1,136	31.4	646	18.5	Full ANC	9.8
15	Home Delivery against expected delivery *	616	20.8	636	18.5	Home Delivery	66.3
16	Institutional Delivery against expected delivery *	1,140	38.6	1,291	37.5	Institutional Delivery	33.7
17	Home Delivery against reported delivery **	616	35.1	636	33.0	Home Delivery by SBA(out of Total Deliveries)	9.7
18	Institutional Delivery against reported delivery **	1,140	64.9	1,291	67.0	PNC within 2days of delivery	33.6
19	Total reported Deliveries	1,756		1,927			
20	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	311	50.5	291	45.8		
21	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	454	25.9	443	23.0		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
22	Expected number of Live Birth	2,921		3,405			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
23	Total reported live births	1,761	60.3	1,915	56.2	Breastfed within 1 hour of birth	70.7
24	Total Still Birth	12	0.4	14	0.4	BCG	78.6

25	PC of newborn weighted at birth to live birth	1,660	94.3	1,866	97.4	3 dose of DPT	54.2
26	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	42	2.5	45	2.4	Measles	50.3
27	PC of newborns breastfed within 1 hour to total reported live birth.	1,443	81.9	1,779	92.9	Full Immunization	42.4
28	Children fully immunized	1,430	49.0	1,672	49.1		
29	Children who have received BCG	2,096	71.8	2,108	61.9		
30	Children who have received DPT1	1,944	66.6	2,007	58.9		
31	Children who have received DPT3	1,799	61.6	1,728	50.8		
32	Children who have received Measles	1,421	48.7	1,703	50.0		
33	Diarrhoea and Dehydration cases reported in children below 5 years	84		185			
Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)			
34	Number of Vasectomies performed	0	0	Total unmet need		30.7	
35	Number of Tubectomies performed	9	9	Spacing		11.7	
36	Number of IUD insertion	93	115	Women using any method		12.7	
37	Number of IUD removals	89	91	Women using modern method		6.6	
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)				
38	IPD cases per 10,000 population ***	103	121				
39	General OPD cases per 10,000 population ***	2298	2439				
40	Ayush OPD cases per 10,000 population ***	145	180				
G) Mortality Details							
I) Infant Deaths (In Numbers)		HMIS (2018-19)	HMIS (2019-20)				
41	Neonatal death within 24 hours	2	1				
42	Neonatal Deaths up to 4 weeks of birth	5	1				
43	Total Neonatal Death	7	2				
44	Deaths between (1 - 11) months	1	4				
45	Total reported infant deaths	8	6				
II) Maternal Mortality							
Maternal Deaths (In Numbers)		HMIS (2018-19)	HMIS (2019-20)				
46	Due to Abortion	0	0				
47	Due to Obstructed/prolonged labour	0	0				
48	Due to Severe hypertension/fits	0	0				
49	Due to Bleeding	0	1				
50	Due to High fever	0	0				
51	Due to Other Causes (including causes not known)	1	0				
52	Total reported maternal deaths	1	1				

* Against Expected Delivery for the 2018-19 & 2019-20

** Against Reported Delivery for the 2018-19 & 2019-20

*** Against Estimated Population for 2018-19 & 2019-20

State infrastructure data is as per RHS 2018-19 and District infrastructure data is as per RHS 2018. In RHS 2018-19 Manipur has 16 districts and till date undivided 9 districts represent state in HMIS. So, it is not possible to segregate infrastructure data in district wise as per RHS 2018-19.