

Meghalaya Factsheet

Key Indicators							
Sl No	A) Demographic Indicators (Census 2011)						
1	Population 2011	2,966,889					
2	Sex Ratio	986					
	B) Infrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	445					
4	Sub Centers (SC)- HWC	32					
5	Primary Health Centers (PHC)	110					
6	Primary Health Centers (PHC)-HWC	8					
7	Community Health Centers (CHC)	28					
8	SDH	0					
9	DH	11					
	C) Maternal Health:	2018-19		2019-20			
10	Expected number of PW	93,899		92,846			
11	Expected number of Delivery	87,923		86,938			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	140,864	150.0	138,997	149.7	ANC Check up in first trimester	53.3
13	Mothers registered in the first trimester	43,477	30.9	48,374	34.8	At least 4ANC check up	50.0
14	Mothers who had at least 3 Ante-Natal care check ups	51,843	36.8	68,065	49.0	Neonatal tetanus received	79.3
15	PW who got TT 2 / Booster injection	72,476	51.5	71,848	51.7	100 IFA tablets consumed	36.2
16	PW who consumed 100 IFA tablets	47,048	33.4	59,213	42.6	Full ANC	23.5
17	Home Delivery against expected delivery *	35,333	40.2	36,483	42.0	Home Delivery	48.6
18	Institutional Delivery Against expected delivery *	48,588	55.3	54,008	62.1	Institutional Delivery	51.4
19	Home Delivery against reported delivery **	35,333	42.1	36,483	40.3	Home Delivery by SBA(out of Total Deliveries)	2.6
20	Institutional Delivery against reported delivery **	48,588	57.9	54,008	59.7	PNC within 2days of delivery	47.5
21	Total reported Deliveries	83,921		90,491			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	1,268	3.6	1,364	3.7		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	36,361	43.3	39,377	43.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	85,362		84,405			
	D) Child Immunization :	HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
25	Total reported live births	82,993	97.2	89,378	105.9	Breastfed within 1 hour of birth	60.6

26	Total Still Birth	1,748	2.0	1,995	2.4	BCG	86
27	PC of newborn weighted at birth to live birth	78,404	94.5	85,982	96.2	3 dose of DPT	74
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	5,970	7.6	6,815	7.9	Measles	71.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	74,558	89.8	80,633	90.2	Full Immunization	61.5
30	Children fully immunized	43,008	50.4	74,872	88.7		
31	Children who have received BCG	79,186	92.8	90,495	107.2		
32	Children who have received DPT1	78,392	91.8	85,934	101.8		
33	Children who have received DPT3	66,858	78.3	76,759	90.9		
34	Children who have received Measles	43,162	50.6	75,833	89.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	42,284		73,900			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
E) Family Planning		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
36	Number of Vasectomies performed	4		4		Total unmet need	21.2
37	Number of Tubectomies performed	2,370		2,620		Spacing	15.3
38	Number of IUD insertion	2,622		2,562		Women using any method	24.3
39	Number of IUD removals	2,356		2,483		Women using modern method	21.9
F) Service delivery		HMIS (2018-19)		HMIS (2019-20)			
40	IPD cases per 10,000 population ***	825		784			
41	General OPD cases per 10,000 population ***	10817		11001			
42	Ayush OPD cases per 10,000 population ***	786		826			
G) Mortality Details							
I) Infant Deaths (In Number)		HMIS (2018-19)		HMIS (2019-20)			
43	Neonatal death within 24 hours	380		404			
44	Neonatal Deaths up to 4 weeks of birth	716		881			
45	Total Neonatal Death	1,096		1,285			
46	Deaths between (1 - 11) months	973		1,239			
47	Total reported infant deaths	2,069		2,524			
II) Maternal Mortality							
Maternal Deaths (In Number)		HMIS (2018-19)		HMIS (2019-20)			
48	Due to Abortion	1		3			
49	Due to Obstructed/prolonged labour	11		13			
50	Due to Severe hypertension/fits	16		10			
51	Due to Bleeding	37		37			
52	Due to High fever	1		1			
53	Due to Other Causes (including causes not known)	94		110			
54	Total reported maternal deaths	160		174			

East Garo Hills Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	317,917					
2	Sex Ratio	968					
	B) Infrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	31					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	7					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
	C) Maternal Health:	2018-19		2019-20			
10	Expected number of PW	5,143		5,076			
11	Expected number of Delivery	4,816		4,753			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	5,507	107.1	5,632	111.0	ANC Check up in first trimester	32.6
13	Mothers registered in the first trimester	1,659	30.1	1,671	29.7	At least 4ANC check up	29.6
14	Mothers who had at least 3 Ante-Natal care check ups	2,778	50.4	2,877	51.1	Neonatal tetanus received	57.3
15	PW who got TT 2 / Booster injection	3,788	68.8	3,725	66.1	100 IFA tablets consumed	19.6
16	PW who consumed 100 IFA tablets	3,705	67.3	3,283	58.3	Full ANC	8.6
17	Home Delivery against expected delivery *	2,676	55.6	2,750	57.9	Home Delivery	55.8
18	Institutional Delivery Against expected delivery *	1,706	35.4	1,778	37.4	Institutional Delivery	44.2
19	Home Delivery against reported delivery **	2,676	61.1	2,750	60.7	Home Delivery by SBA(out of Total Deliveries)	6.6
20	Institutional Delivery against reported delivery **	1,706	38.9	1,778	39.3	PNC within 2days of delivery	28.2
21	Total reported Deliveries	4,382		4,528			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	170	6.4	146	5.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,272	74.7	3,013	66.5		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	4,676		4,614			
	D) Child Immunization :	HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
25	Total reported live births	4,318	92.4	4,426	95.9	Breastfed within 1 hour of birth	50.6

26	Total Still Birth	65	1.4	108	2.3	BCG	61.2
27	PC of newborn weighted at birth to live birth	4,273	99.0	4,346	98.2	3 dose of DPT	54
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	245	5.7	240	5.5	Measles	46.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	4,261	98.7	4,318	97.6	Full Immunization	41.2
30	Children fully immunized	3,862	82.6	4,391	95.2		
31	Children who have received BCG	3,949	84.5	4,093	88.7		
32	Children who have received DPT1	4,051	86.6	4,412	95.6		
33	Children who have received DPT3	3,463	74.1	3,888	84.3		
34	Children who have received Measles	4,255	91.0	4,398	95.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	2,691		3,011			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	25.8
37	Number of Tubectomies performed	93	77	Spacing	13
38	Number of IUD insertion	235	293	Women using any method	12.8
39	Number of IUD removals	96	76	Women using modern method	12.4
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	441	327		
41	General OPD cases per 10,000 population ***	5970	6000		
42	Ayush OPD cases per 10,000 population ***	393	493		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	3	11		
44	Neonatal Deaths up to 4 weeks of birth	11	29		
45	Total Neonatal Death	14	40		
46	Deaths between (1 - 11) months	43	32		
47	Total reported infant deaths	57	72		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	3	2		
50	Due to Severe hypertension/fits	1	0		
51	Due to Bleeding	3	4		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	3	4		
54	Total reported maternal deaths	10	10		

East Jaintia Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	395,124						
2	Sex Ratio	1,008						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	35						
4	Sub Centers (SC)- HWC	0						
5	Primary Health Centers (PHC)	6						
6	Primary Health Centers (PHC)-HWC	0						
7	Community Health Centers (CHC)	2						
8	SDH	0						
9	DH	0						
C) Maternal Health:		2018-19	2019-20					
10	Expected number of PW	4,376	4,341					
11	Expected number of Delivery	4,097	4,065					
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)		
		Number	PC	Number	PC			
12	PW register for ANC	4,504	102.9	4,624	106.5	ANC Check up in first trimester	NA	
13	Mothers registered in the first trimester	1,362	30.2	1,511	32.7	At least 4ANC check up	NA	
14	Mothers who had at least 3 Ante-Natal care check ups	1,063	23.6	1,259	27.2	Neonatal tetanus received	NA	
15	PW who got TT 2 / Booster injection	3,655	81.2	3,584	77.5	100 IFA tablets consumed	NA	
16	PW who consumed 100 IFA tablets	1,226	27.2	1,599	34.6	Full ANC	NA	
17	Home Delivery against expected delivery *	1,506	36.8	1,560	38.4	Home Delivery	NA	
18	Institutional Delivery Against expected delivery *	1,000	24.4	1,148	28.2	Institutional Delivery	NA	
19	Home Delivery against reported delivery **	1,506	60.1	1,560	57.6	Home Delivery by SBA(out of Total Deliveries)	NA	
20	Institutional Delivery against reported delivery **	1,000	39.9	1,148	42.4	PNC within 2days of delivery	NA	
21	Total reported Deliveries	2,506		2,708				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	106	7.0	130	8.3			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,439	57.4	1,665	61.5			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
24	Expected number of Live Birth	3,978		3,947				
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)		
25	Total reported live births	2,484	62.4	2,675	67.8	Breastfed within 1 hour of birth	NA	

26	Total Still Birth	51	1.3	58	1.5	BCG	NA
27	PC of newborn weighted at birth to live birth	2,165	87.2	2,456	91.8	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	127	5.9	131	5.3	Measles	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,185	88.0	2,440	91.2	Full Immunization	NA
30	Children fully immunized	2,454	61.7	4,163	105.5		
31	Children who have received BCG	2,763	69.5	3,144	79.7		
32	Children who have received DPT1	4,339	109.1	4,456	112.9		
33	Children who have received DPT3	3,888	97.7	4,069	103.1		
34	Children who have received Measles	2,534	63.7	4,286	108.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	2,833		4,780			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	NA
37	Number of Tubectomies performed	4	0	Spacing	NA
38	Number of IUD insertion	55	52	Women using any method	NA
39	Number of IUD removals	23	27	Women using modern method	NA
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	427	461		
41	General OPD cases per 10,000 population ***	7524	8594		
42	Ayush OPD cases per 10,000 population ***	1241	824		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	6	20		
44	Neonatal Deaths up to 4 weeks of birth	11	16		
45	Total Neonatal Death	17	36		
46	Deaths between (1 - 11) months	34	36		
47	Total reported infant deaths	51	72		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	1	4		
54	Total reported maternal deaths	1	4		

East Khasi Hills Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	825,922					
2	Sex Ratio	1,008					
	B) Infrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	72					
4	Sub Centers (SC)- HWC	12					
5	Primary Health Centers (PHC)	25					
6	Primary Health Centers (PHC)-HWC	2					
7	Community Health Centers (CHC)	7					
8	SDH	0					
9	DH	2					
	C) Maternal Health:	2018-19		2019-20			
10	Expected number of PW	25,719		25,353			
11	Expected number of Delivery	24,083		23,740			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	61,344	238.5	59,097	233.1	ANC Check up in first trimester	72.5
13	Mothers registered in the first trimester	16,815	27.4	19,530	33.0	At least 4ANC check up	72.8
14	Mothers who had at least 3 Ante-Natal care check ups	19,490	31.8	24,085	40.8	Neonatal tetanus received	84.3
15	PW who got TT 2 / Booster injection	15,833	25.8	15,247	25.8	100 IFA tablets consumed	56.4
16	PW who consumed 100 IFA tablets	15,020	24.5	17,426	29.5	Full ANC	41.5
17	Home Delivery against expected delivery *	5,274	21.9	6,031	25.4	Home Delivery	33.3
18	Institutional Delivery Against expected delivery *	19,501	81.0	21,329	89.8	Institutional Delivery	66.7
19	Home Delivery against reported delivery **	5,274	21.3	6,031	22.0	Home Delivery by SBA(out of Total Deliveries)	2.6
20	Institutional Delivery against reported delivery **	19,501	78.7	21,329	78.0	PNC within 2days of delivery	65.0
21	Total reported Deliveries	24,775		27,360			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	50	0.9	50	0.8		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,906	35.9	8,001	29.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	23,381		23,049			
	D) Child Immunization :	HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
25	Total reported live births	24,440	104.5	26,881	116.6	Breastfed within 1 hour of birth	52

26	Total Still Birth	638	2.7	669	2.9	BCG	92.2
27	PC of newborn weighted at birth to live birth	23,329	95.5	25,360	94.3	3 dose of DPT	76.4
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	2,421	10.4	2,665	10.5	Measles	78.8
29	PC of newborns breastfed within 1 hour to total reported live birth.	19,289	78.9	20,931	77.9	Full Immunization	68.7
30	Children fully immunized	8,427	36.0	16,951	73.5		
31	Children who have received BCG	22,785	97.4	26,188	113.6		
32	Children who have received DPT1	17,368	74.3	19,778	85.8		
33	Children who have received DPT3	14,293	61.1	16,974	73.6		
34	Children who have received Measles	7,221	30.9	17,009	73.8		
35	Diarrhoea and Dehydration cases reported in children below 5 years	9,544		17,709			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	3	4	Total unmet need	23.3
37	Number of Tubectomies performed	1,167	1,226	Spacing	17.1
38	Number of IUD insertion	808	720	Women using any method	24.9
39	Number of IUD removals	948	982	Women using modern method	20.4
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	1363	1410		
41	General OPD cases per 10,000 population ***	18316	16797		
42	Ayush OPD cases per 10,000 population ***	733	788		
G) Mortality Details					
I) Infant Deaths (In Number)		HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	142	121		
44	Neonatal Deaths up to 4 weeks of birth	332	384		
45	Total Neonatal Death	474	505		
46	Deaths between (1 - 11) months	371	368		
47	Total reported infant deaths	845	873		
II) Maternal Mortality					
Maternal Deaths (In Number)		HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	1		
49	Due to Obstructed/prolonged labour	0	2		
50	Due to Severe hypertension/fits	2	1		
51	Due to Bleeding	8	6		
52	Due to High fever	1	1		
53	Due to Other Causes (including causes not known)	22	37		
54	Total reported maternal deaths	33	48		

North Garo Hills Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	317,917					
2	Sex Ratio	968					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	52					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	9					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	0					
C) Maternal Health:		2018-19	2019-20				
10	Expected number of PW	4,755	4,693				
11	Expected number of Delivery	4,452	4,394				
		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)		
		Number	PC	Number	PC		
12	PW register for ANC	4,807	101.1	5,364	114.3	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	1,647	34.3	1,912	35.6	At least 4ANC check up	NA
14	Mothers who had at least 3 Ante-Natal care check ups	2,461	51.2	2,993	55.8	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	4,064	84.5	3,918	73.0	100 IFA tablets consumed	NA
16	PW who consumed 100 IFA tablets	2,312	48.1	2,470	46.0	Full ANC	NA
17	Home Delivery against expected delivery *	1,641	36.9	1,824	41.5	Home Delivery	NA
18	Institutional Delivery Against expected delivery *	1,526	34.3	1,736	39.5	Institutional Delivery	NA
19	Home Delivery against reported delivery **	1,641	51.8	1,824	51.2	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	1,526	48.2	1,736	48.8	PNC within 2days of delivery	NA
21	Total reported Deliveries	3,167		3,560			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	204	12.4	193	10.6		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,513	47.8	2,001	56.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	4,323		4,266			
D) Child Immunization :		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)		
25	Total reported live births	3,268	75.6	3,576	83.8	Breastfed within 1 hour of birth	NA

26	Total Still Birth	71	1.6	55	1.3	BCG	NA
27	PC of newborn weighted at birth to live birth	2,971	90.9	3,407	95.3	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	90	3.0	99	2.9	Measles	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,004	91.9	3,406	95.2	Full Immunization	NA
30	Children fully immunized	2,056	47.6	3,677	86.2		
31	Children who have received BCG	3,341	77.3	4,330	101.5		
32	Children who have received DPT1	3,912	90.5	4,548	106.6		
33	Children who have received DPT3	3,274	75.7	4,005	93.9		
34	Children who have received Measles	2,042	47.2	3,717	87.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,628		3,030			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	NA
37	Number of Tubectomies performed	5	1	Spacing	NA
38	Number of IUD insertion	58	48	Women using any method	NA
39	Number of IUD removals	58	58	Women using modern method	NA
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	512	394		
41	General OPD cases per 10,000 population ***	5621	6003		
42	Ayush OPD cases per 10,000 population ***	139	180		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	14	7		
44	Neonatal Deaths up to 4 weeks of birth	19	23		
45	Total Neonatal Death	33	30		
46	Deaths between (1 - 11) months	35	33		
47	Total reported infant deaths	68	63		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	1	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	3	2		
54	Total reported maternal deaths	5	3		

RiBhoi Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	258,840					
2	Sex Ratio	951					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	32					
4	Sub Centers (SC)- HWC	10					
5	Primary Health Centers (PHC)	8					
6	Primary Health Centers (PHC)-HWC	2					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW	8,513		8,468			
11	Expected number of Delivery	7,971		7,929			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	9,297	109.2	8,440	99.7	ANC Check up in first trimester	43.9
13	Mothers registered in the first trimester	3,580	38.5	4,031	47.8	At least 4ANC check up	40.6
14	Mothers who had at least 3 Ante-Natal care check ups	4,360	46.9	5,677	67.3	Neonatal tetanus received	76.0
15	PW who got TT 2 / Booster injection	6,261	67.3	5,996	71.0	100 IFA tablets consumed	33.5
16	PW who consumed 100 IFA tablets	1,869	20.1	3,945	46.7	Full ANC	18.6
17	Home Delivery against expected delivery *	3,103	38.9	3,172	40.0	Home Delivery	55.1
18	Institutional Delivery Against expected delivery *	2,735	34.3	3,105	39.2	Institutional Delivery	44.9
19	Home Delivery against reported delivery **	3,103	53.2	3,172	50.5	Home Delivery by SBA(out of Total Deliveries)	2.2
20	Institutional Delivery against reported delivery **	2,735	46.8	3,105	49.5	PNC within 2days of delivery	45.1
21	Total reported Deliveries	5,838		6,277			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	103		76		2.4	
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,172		2,507		39.9	
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	7,739		7,698			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
25	Total reported live births	5,824		6,235		Breastfed within 1 hour of birth 76.1	

26	Total Still Birth	70	0.9	92	1.2	BCG	84.4
27	PC of newborn weighted at birth to live birth	5,308	91.1	6,089	97.7	3 dose of DPT	71.5
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	344	6.5	275	4.5	Measles	73.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,518	94.7	5,981	95.9	Full Immunization	55.7
30	Children fully immunized	2,717	35.1	5,819	75.6		
31	Children who have received BCG	5,760	74.4	6,152	79.9		
32	Children who have received DPT1	7,099	91.7	7,159	93.0		
33	Children who have received DPT3	6,330	81.8	6,379	82.9		
34	Children who have received Measles	2,928	37.8	5,934	77.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	5,014		7,510			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	23.9
37	Number of Tubectomies performed	20	69	Spacing	18.2
38	Number of IUD insertion	404	288	Women using any method	23.7
39	Number of IUD removals	262	344	Women using modern method	22.8
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	607	577		
41	General OPD cases per 10,000 population ***	10512	11518		
42	Ayush OPD cases per 10,000 population ***	1162	1352		
G) Mortality Details					
I) Infant Deaths (In Number)		HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	17	27		
44	Neonatal Deaths up to 4 weeks of birth	13	36		
45	Total Neonatal Death	30	63		
46	Deaths between (1 - 11) months	60	73		
47	Total reported infant deaths	90	136		
II) Maternal Mortality					
Maternal Deaths (In Number)		HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	2		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	9	10		
54	Total reported maternal deaths	9	12		

South Garo Hills Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	142,334					
2	Sex Ratio	944					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	21					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	6					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2018-19	2019-20				
10	Expected number of PW	4,550	4,506				
11	Expected number of Delivery	4,261	4,219				
		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)		
		Number	PC	Number	PC		
12	PW register for ANC	4,342	95.4	4,242	94.1	ANC Check up in first trimester	56.6
13	Mothers registered in the first trimester	1,472	33.9	1,307	30.8	At least 4ANC check up	51.7
14	Mothers who had at least 3 Ante-Natal care check ups	1,811	41.7	1,968	46.4	Neonatal tetanus received	93.6
15	PW who got TT 2 / Booster injection	2,818	64.9	2,319	54.7	100 IFA tablets consumed	48.8
16	PW who consumed 100 IFA tablets	3,383	77.9	3,549	83.7	Full ANC	23.4
17	Home Delivery against expected delivery *	1,839	43.2	1,907	45.2	Home Delivery	11.6
18	Institutional Delivery Against expected delivery *	831	19.5	911	21.6	Institutional Delivery	88.4
19	Home Delivery against reported delivery **	1,839	68.9	1,907	67.7	Home Delivery by SBA(out of Total Deliveries)	0.5
20	Institutional Delivery against reported delivery **	831	31.1	911	32.3	PNC within 2days of delivery	85.1
21	Total reported Deliveries	2,670		2,818			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	59	3.2	67	3.5		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,381	51.7	1,388	49.3		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	4,136		4,096			
D) Child Immunization :		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)		
25	Total reported live births	2,615	63.2	2,778	67.8	Breastfed within 1 hour of birth	38.3

26	Total Still Birth	45	1.1	52	1.3	BCG	91
27	PC of newborn weighted at birth to live birth	2,560	97.9	2,744	98.8	3 dose of DPT	93.9
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	142	5.5	149	5.4	Measles	85.1
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,553	97.6	2,742	98.7	Full Immunization	83
30	Children fully immunized	1,555	37.6	2,650	64.7		
31	Children who have received BCG	2,574	62.2	3,285	80.2		
32	Children who have received DPT1	3,385	81.8	3,663	89.4		
33	Children who have received DPT3	2,639	63.8	3,019	73.7		
34	Children who have received Measles	1,619	39.1	2,680	65.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,488		2,774			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	16.2
37	Number of Tubectomies performed	0	0	Spacing	11.7
38	Number of IUD insertion	17	12	Women using any method	21.8
39	Number of IUD removals	15	29	Women using modern method	21.6
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	244	251		
41	General OPD cases per 10,000 population ***	4594	4937		
42	Ayush OPD cases per 10,000 population ***	575	373		
G) Mortality Details					
I) Infant Deaths (In Number)		HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	15	6		
44	Neonatal Deaths up to 4 weeks of birth	16	21		
45	Total Neonatal Death	31	27		
46	Deaths between (1 - 11) months	44	71		
47	Total reported infant deaths	75	98		
II) Maternal Mortality					
Maternal Deaths (In Number)		HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	2	1		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	3		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	5	8		
54	Total reported maternal deaths	7	12		

South West Garo Hills Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	642,923					
2	Sex Ratio	979					
	B) Infrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	27					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	9					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
	C) Maternal Health:	2018-19	2019-20				
10	Expected number of PW	4,590	4,534				
11	Expected number of Delivery	4,298	4,245				
		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)			
		Number	PC	Number	PC		
12	PW register for ANC	5,346	116.5	4,831	106.6	ANC Check up in first trimester	NA
13	Mothers registered in the first trimester	2,405	45.0	2,642	54.7	At least 4ANC check up	NA
14	Mothers who had at least 3 Ante-Natal care check ups	2,830	52.9	4,331	89.7	Neonatal tetanus received	NA
15	PW who got TT 2 / Booster injection	4,376	81.9	4,453	92.2	100 IFA tablets consumed	NA
16	PW who consumed 100 IFA tablets	2,855	53.4	3,191	66.1	Full ANC	NA
17	Home Delivery against expected delivery *	1,741	40.5	911	21.5	Home Delivery	NA
18	Institutional Delivery Against expected delivery *	2,237	52.0	3,117	73.4	Institutional Delivery	NA
19	Home Delivery against reported delivery **	1,741	43.8	911	22.6	Home Delivery by SBA(out of Total Deliveries)	NA
20	Institutional Delivery against reported delivery **	2,237	56.2	3,117	77.4	PNC within 2days of delivery	NA
21	Total reported Deliveries	3,978		4,028			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	73	4.2	39	4.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,157	54.2	2,160	53.6		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	4,173		4,122			
	D) Child Immunization :	HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)			
25	Total reported live births	3,939	94.4	3,979	96.5	Breastfed within 1 hour of birth	NA

26	Total Still Birth	40	1.0	57	1.4	BCG	NA
27	PC of newborn weighted at birth to live birth	3,935	99.9	3,965	99.6	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	242	6.1	402	10.1	Measles	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	3,935	99.9	3,964	99.6	Full Immunization	NA
30	Children fully immunized	3,346	80.2	4,609	111.8		
31	Children who have received BCG	3,908	93.7	4,233	102.7		
32	Children who have received DPT1	4,690	112.4	4,864	118.0		
33	Children who have received DPT3	4,172	100.0	4,764	115.6		
34	Children who have received Measles	3,358	80.5	4,710	114.3		
35	Diarrhoea and Dehydration cases reported in children below 5 years	71		4,409			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	NA
37	Number of Tubectomies performed	43	76	Spacing	NA
38	Number of IUD insertion	198	327	Women using any method	NA
39	Number of IUD removals	151	177	Women using modern method	NA
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	460	575		
41	General OPD cases per 10,000 population ***	8772	9894		
42	Ayush OPD cases per 10,000 population ***	615	508		
G) Mortality Details					
I) Infant Deaths (In Number)		HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	7	11		
44	Neonatal Deaths up to 4 weeks of birth	18	28		
45	Total Neonatal Death	25	39		
46	Deaths between (1 - 11) months	49	130		
47	Total reported infant deaths	74	169		
II) Maternal Mortality					
Maternal Deaths (In Number)		HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	1	1		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	1	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	4	2		
54	Total reported maternal deaths	6	4		

South West Khasi Hills Factsheet

Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	383,461						
2	Sex Ratio	981						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	19						
4	Sub Centers (SC)- HWC	0						
5	Primary Health Centers (PHC)	4						
6	Primary Health Centers (PHC)-HWC	0						
7	Community Health Centers (CHC)	2						
8	SDH	0						
9	DH	0						
C) Maternal Health:		2018-19	2019-20					
10	Expected number of PW	3,068	3,041					
11	Expected number of Delivery	2,873	2,847					
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)		
		Number	PC	Number	PC			
12	PW register for ANC	3,654	119.1	4,044	133.0	ANC Check up in first trimester	NA	
13	Mothers registered in the first trimester	832	22.8	1,002	24.8	At least 4ANC check up	NA	
14	Mothers who had at least 3 Ante-Natal care check ups	1,646	45.0	2,108	52.1	Neonatal tetanus received	NA	
15	PW who got TT 2 / Booster injection	2,557	70.0	2,616	64.7	100 IFA tablets consumed	NA	
16	PW who consumed 100 IFA tablets	2,245	61.4	2,816	69.6	Full ANC	NA	
17	Home Delivery against expected delivery *	2,043	71.1	2,118	74.4	Home Delivery	NA	
18	Institutional Delivery Against expected delivery *	647	22.5	819	28.8	Institutional Delivery	NA	
19	Home Delivery against reported delivery **	2,043	75.9	2,118	72.1	Home Delivery by SBA(out of Total Deliveries)	NA	
20	Institutional Delivery against reported delivery **	647	24.1	819	27.9	PNC within 2days of delivery	NA	
21	Total reported Deliveries	2,690		2,937				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	10	0.5	8	0.4			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,350	50.2	1,388	47.3			
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).								
24	Expected number of Live Birth	2,789		2,764				
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)		
25	Total reported live births	2,679	96.1	2,899	104.9	Breastfed within 1 hour of birth	NA	

26	Total Still Birth	59	2.1	82	3.0	BCG	NA
27	PC of newborn weighted at birth to live birth	2,523	94.2	2,765	95.4	3 dose of DPT	NA
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	148	5.9	129	4.7	Measles	NA
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,540	94.8	2,820	97.3	Full Immunization	NA
30	Children fully immunized	1,265	45.4	2,727	98.7		
31	Children who have received BCG	2,944	105.6	3,019	109.2		
32	Children who have received DPT1	3,329	119.4	3,375	122.1		
33	Children who have received DPT3	2,744	98.4	3,100	112.1		
34	Children who have received Measles	1,291	46.3	2,784	100.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	1,443		2,842			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	NA
37	Number of Tubectomies performed	0	0	Spacing	NA
38	Number of IUD insertion	28	16	Women using any method	NA
39	Number of IUD removals	9	13	Women using modern method	NA
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	406	412		
41	General OPD cases per 10,000 population ***	7057	6943		
42	Ayush OPD cases per 10,000 population ***	825	963		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	20	20		
44	Neonatal Deaths up to 4 weeks of birth	25	50		
45	Total Neonatal Death	45	70		
46	Deaths between (1 - 11) months	42	83		
47	Total reported infant deaths	87	153		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	1		
50	Due to Severe hypertension/fits	0	1		
51	Due to Bleeding	0	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	3	6		
54	Total reported maternal deaths	3	9		

West Garo Hills Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	642,923					
2	Sex Ratio	979					
	B) Infrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	64					
4	Sub Centers (SC)- HWC	10					
5	Primary Health Centers (PHC)	9					
6	Primary Health Centers (PHC)-HWC	4					
7	Community Health Centers (CHC)	5					
8	SDH	0					
9	DH	2					
	C) Maternal Health:	2018-19	2019-20				
10	Expected number of PW	15,571	15,380				
11	Expected number of Delivery	14,580	14,401				
		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)			
		Number	PC	Number	PC		
12	PW register for ANC	15,802	101.5	16,291	105.9	ANC Check up in first trimester	47.4
13	Mothers registered in the first trimester	5,263	33.3	5,783	35.5	At least 4ANC check up	37.2
14	Mothers who had at least 3 Ante-Natal care check ups	6,692	42.3	10,625	65.2	Neonatal tetanus received	86.8
15	PW who got TT 2 / Booster injection	11,531	73.0	11,644	71.5	100 IFA tablets consumed	13.9
16	PW who consumed 100 IFA tablets	7,951	50.3	13,026	80.0	Full ANC	5.4
17	Home Delivery against expected delivery *	6,503	44.6	6,235	43.3	Home Delivery	54.5
18	Institutional Delivery Against expected delivery *	7,645	52.4	8,552	59.4	Institutional Delivery	45.5
19	Home Delivery against reported delivery **	6,503	46.0	6,235	42.2	Home Delivery by SBA(out of Total Deliveries)	1.6
20	Institutional Delivery against reported delivery **	7,645	54.0	8,552	57.8	PNC within 2days of delivery	35.7
21	Total reported Deliveries	14,148		14,787			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	79	1.2	100	1.6		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	8,816	62.3	10,412	70.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	14,155		13,982			
	D) Child Immunization :	HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)			
25	Total reported live births	13,941	98.5	14,583	104.3	Breastfed within 1 hour of birth	67.4

26	Total Still Birth	267	1.9	342	2.4	BCG	87.4
27	PC of newborn weighted at birth to live birth	13,751	98.6	14,409	98.8	3 dose of DPT	70.9
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	1,159	8.4	1,462	10.1	Measles	61.7
29	PC of newborns breastfed within 1 hour to total reported live birth.	13,705	98.3	14,287	98.0	Full Immunization	48
30	Children fully immunized	8,359	59.1	11,781	84.3		
31	Children who have received BCG	12,383	87.5	14,853	106.2		
32	Children who have received DPT1	11,937	84.3	13,200	94.4		
33	Children who have received DPT3	9,677	68.4	11,746	84.0		
34	Children who have received Measles	8,485	59.9	11,948	85.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	7,067		10,324			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	14.2
37	Number of Tubectomies performed	534	558	Spacing	10.4
38	Number of IUD insertion	422	397	Women using any method	34
39	Number of IUD removals	603	537	Women using modern method	31.9
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	480	514		
41	General OPD cases per 10,000 population ***	6723	7212		
42	Ayush OPD cases per 10,000 population ***	474	458		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	45	48		
44	Neonatal Deaths up to 4 weeks of birth	119	120		
45	Total Neonatal Death	164	168		
46	Deaths between (1 - 11) months	129	182		
47	Total reported infant deaths	293	350		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	1	1		
49	Due to Obstructed/prolonged labour	2	6		
50	Due to Severe hypertension/fits	3	3		
51	Due to Bleeding	16	10		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	23	29		
54	Total reported maternal deaths	45	49		

West Jaintia Hills Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	395,124					
2	Sex Ratio	1,008					
	B) Infrastructure Details (RHS 2018-19)	Numbers					
3	Sub Centers (SC)	46					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	12					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	3					
8	SDH	0					
9	DH	1					
	C) Maternal Health:	2018-19		2019-20			
10	Expected number of PW	8,334		8,269			
11	Expected number of Delivery	7,804		7,743			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	14,316	171.8	12,971	156.9	ANC Check up in first trimester	63.3
13	Mothers registered in the first trimester	4,441	31.0	4,278	33.0	At least 4ANC check up	52.7
14	Mothers who had at least 3 Ante-Natal care check ups	2,654	18.5	3,196	24.6	Neonatal tetanus received	84.2
15	PW who got TT 2 / Booster injection	8,186	57.2	8,105	62.5	100 IFA tablets consumed	43.2
16	PW who consumed 100 IFA tablets	2,816	19.7	4,913	37.9	Full ANC	31.2
17	Home Delivery against expected delivery *	3,790	48.6	4,248	54.9	Home Delivery	55.7
18	Institutional Delivery Against expected delivery *	6,217	79.7	6,239	80.6	Institutional Delivery	44.3
19	Home Delivery against reported delivery **	3,790	37.9	4,248	40.5	Home Delivery by SBA(out of Total Deliveries)	1.8
20	Institutional Delivery against reported delivery **	6,217	62.1	6,239	59.5	PNC within 2days of delivery	46.7
21	Total reported Deliveries	10,007		10,487			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	56	1.5	99	2.3		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,659	26.6	3,085	29.4		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	7,576		7,517			
	D) Child Immunization :	HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
25	Total reported live births	9,900	130.7	10,429	138.7	Breastfed within 1 hour of birth	66

26	Total Still Birth	229	3.0	270	3.6	BCG	91
27	PC of newborn weighted at birth to live birth	8,652	87.4	10,035	96.2	3 dose of DPT	79.7
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	651	7.5	777	7.7	Measles	76.6
29	PC of newborns breastfed within 1 hour to total reported live birth.	8,449	85.3	9,362	89.8	Full Immunization	68.3
30	Children fully immunized	4,911	64.8	8,158	108.5		
31	Children who have received BCG	9,797	129.3	9,919	132.0		
32	Children who have received DPT1	8,759	115.6	9,236	122.9		
33	Children who have received DPT3	7,928	104.6	8,698	115.7		
34	Children who have received Measles	5,067	66.9	8,317	110.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	6,865		9,493			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	22.6
37	Number of Tubectomies performed	341	405	Spacing	18.1
38	Number of IUD insertion	177	188	Women using any method	20.9
39	Number of IUD removals	127	111	Women using modern method	19.4
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	1490	902		
41	General OPD cases per 10,000 population ***	9960	11623		
42	Ayush OPD cases per 10,000 population ***	678	1009		
G) Mortality Details					
I) Infant Deaths (In Number)		HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	63	67		
44	Neonatal Deaths up to 4 weeks of birth	105	97		
45	Total Neonatal Death	168	164		
46	Deaths between (1 - 11) months	92	124		
47	Total reported infant deaths	260	288		
II) Maternal Mortality					
Maternal Deaths (In Number)		HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	1		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	6	3		
51	Due to Bleeding	4	2		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	8	1		
54	Total reported maternal deaths	18	7		

West Khasi Hills Factsheet

Key Indicators							
SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	383,461					
2	Sex Ratio	981					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	46					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	15					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	2					
C) Maternal Health:		2018-19	2019-20				
10	Expected number of PW	9,318	9,236				
11	Expected number of Delivery	8,725	8,648				
		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)		
		Number	PC	Number	PC		
12	PW register for ANC	11,945	128.2	13,461	145.7	ANC Check up in first trimester	37.2
13	Mothers registered in the first trimester	4,001	33.5	4,707	35.0	At least 4ANC check up	44.3
14	Mothers who had at least 3 Ante-Natal care check ups	6,058	50.7	8,946	66.5	Neonatal tetanus received	73.6
15	PW who got TT 2 / Booster injection	9,407	78.8	10,241	76.1	100 IFA tablets consumed	32.2
16	PW who consumed 100 IFA tablets	3,666	30.7	2,995	22.2	Full ANC	20.6
17	Home Delivery against expected delivery *	5,217	59.8	5,727	66.2	Home Delivery	61.0
18	Institutional Delivery Against expected delivery *	4,543	52.1	5,274	61.0	Institutional Delivery	39.0
19	Home Delivery against reported delivery **	5,217	53.5	5,727	52.1	Home Delivery by SBA(out of Total Deliveries)	1.9
20	Institutional Delivery against reported delivery **	4,543	46.5	5,274	47.9	PNC within 2days of delivery	39.3
21	Total reported Deliveries	9,760		11,001			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	358	6.9	456	8.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,696	27.6	3,757	34.2		
Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).							
24	Expected number of Live Birth	8,471		8,396			
D) Child Immunization :		HMIS (2018-19)	HMIS (2019-20)		NFSH-4 (2015-16)		
25	Total reported live births	9,585	113.1	10,917	130.0	Breastfed within 1 hour of birth	67.3

26	Total Still Birth	213	2.5	210	2.5	BCG	91.2
27	PC of newborn weighted at birth to live birth	8,937	93.2	10,406	95.3	3 dose of DPT	83.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	401	4.5	486	4.7	Measles	85.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	9,119	95.1	10,382	95.1	Full Immunization	74.2
30	Children fully immunized	4,056	47.9	9,946	118.5		
31	Children who have received BCG	8,982	106.0	11,279	134.3		
32	Children who have received DPT1	9,523	112.4	11,243	133.9		
33	Children who have received DPT3	8,450	99.7	10,117	120.5		
34	Children who have received Measles	4,362	51.5	10,050	119.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	3,640		8,018			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	1	0	Total unmet need	24.7
37	Number of Tubectomies performed	163	208	Spacing	20.9
38	Number of IUD insertion	220	221	Women using any method	21.9
39	Number of IUD removals	64	129	Women using modern method	18.1
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	676	677		
41	General OPD cases per 10,000 population ***	10115	11566		
42	Ayush OPD cases per 10,000 population ***	1713	1738		
G) Mortality Details					
I)	Infant Deaths (In Number)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	48	66		
44	Neonatal Deaths up to 4 weeks of birth	47	77		
45	Total Neonatal Death	95	143		
46	Deaths between (1 - 11) months	74	107		
47	Total reported infant deaths	169	250		
II)	Maternal Mortality				
	Maternal Deaths (In Number)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	2	0		
50	Due to Severe hypertension/fits	4	2		
51	Due to Bleeding	4	7		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	13	7		
54	Total reported maternal deaths	23	16		

* Against Expected Delivery for the 2018-19 & 2019-20

** Against Reported Delivery for the 2018-19 & 2019-20

*** Against Estimated Population for 2018-19 & 2019-20