

## Mizoram Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	1,097,206					
2	Sex Ratio	975					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	370					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	65					
6	Primary Health Centers (PHC)-HWC	4					
7	Community Health Centers (CHC)	9					
8	SDH	2					
9	DH	9					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW	21,902		21,679			
11	Expected number of Delivery	20,150		19,944			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	23,047	105.2	23,614	108.9	ANC Check up in first trimester	65.7
13	Mothers registered in the first trimester	16,801	72.9	17,764	75.2	At least 4ANC check up	61.7
14	Mothers who had at least 3 Ante-Natal care check ups	14,767	64.1	13,490	57.1	Neonatal tetanus received	82.7
15	PW who got TT 2 / Booster injection	19,032	82.6	20,886	88.4	100 IFA tablets consumed	53.8
16	PW who consumed 100 IFA tablets	9,055	39.3	11,977	50.7	Full ANC	38.5
17	Home Delivery against expected delivery *	2,243	11.1	2,236	11.2	Home Delivery	19.9
18	Institutional Delivery Against expected delivery *	15,657	77.7	18,492	92.7	Institutional Delivery	80.1
19	Reported Home Delivery **	2,243	12.5	2,236	10.8	Home Delivery by SBA(out of Total Deliveries)	3.8
20	Reported institutional Delivery **	15,657	87.5	18,492	89.2	PNC within 2days of delivery	64.7
21	Total reported Deliveries	17,900		20,728			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	571	25.5	436	19.5		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	12,850	71.8	3,211	15.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
24	Expected number of Live Birth	19,911		19,708			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		

25	Total reported live births	17,764	89.2	20,577	104.4	Breastfed within 1 hour of birth	70.2
26	Total Still Birth	204	1.0	156	0.8	BCG	75.3
27	PC of newborn weighted at birth to live birth	17,066	96.1	19,821	96.3	3 dose of DPT	61.7
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	858	5.0	1,009	5.1	Measles	61.1
29	PC of newborns breastfed within 1 hour to total reported live birth.	18,754	105.6	19,687	95.7	Full Immunization	50.5
30	Children fully immunized	15,357	77.1	17,870	90.7		
31	Children who have received BCG	18,061	90.7	20,503	104.0		
32	Children who have received DPT1	18,914	95.0	20,678	104.9		
33	Children who have received DPT3	18,306	91.9	20,136	102.2		
34	Children who have received Measles	15,399	77.3	17,940	91.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	6,471		10,577			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	19.9
37	Number of Tubectomies performed	1,391	1,564	Spacing	12.4
38	Number of IUD insertion	1,407	1,554	Women using any method	35.3
39	Number of IUD removals	1,093	1,118	Women using modern method	35.3
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	633	689		
41	General OPD cases per 10,000 population ***	11004	12043		
42	Ayush OPD cases per 10,000 population ***	323	322		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	44	42		
44	Neonatal Deaths up to 4 weeks of birth	108	156		
45	<b>Total Neonatal Death</b>	152	198		
46	Deaths between (1 - 11) months	174	171		
47	<b>Total reported infant deaths</b>	326	369		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	1	0		
49	Due to Obstructed/prolonged labour	2	1		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	5	2		
52	Due to High fever	0	2		
53	Due to Other Causes (including causes not known)	17	9		
54	<b>Total reported maternal deaths</b>	25	14		

## Aizawl East Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	240,589					
2	Sex Ratio	1,009					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	57					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	9					
6	Primary Health Centers (PHC)-HWC	2					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW	4,845		4,802			
11	Expected number of Delivery	4,458		4,418			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	5,013	103.5	4,784	99.6	ANC Check up in first trimester	74.8
13	Mothers registered in the first trimester	3,618	72.2	3,899	81.5	At least 4ANC check up	76.6
14	Mothers who had at least 3 Ante-Natal care check ups	3,574	71.3	4,970	103.9	Neonatal tetanus received	89.1
15	PW who got TT 2 / Booster injection	3,708	74.0	4,474	93.5	100 IFA tablets consumed	59.8
16	PW who consumed 100 IFA tablets	2,924	58.3	3,196	66.8	Full ANC	47.8
17	Home Delivery against expected delivery *	19	0.4	16	0.4	Home Delivery	3.8
18	Institutional Delivery Against expected delivery *	2,295	51.5	2,903	65.7	Institutional Delivery	96.2
19	Reported Home Delivery **	19	0.8	16	0.5	Home Delivery by SBA(out of Total Deliveries)	1.4
20	Reported institutional Delivery **	2,295	99.2	2,903	99.5	PNC within 2days of delivery	75.5
21	Total reported Deliveries	2,314		2,919			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	17	89.5	11	68.8		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	3,677	158.9	1	0.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
24	Expected number of Live Birth	4,405		4,365			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		

25	Total reported live births	2,293	52.1	2,896	66.3	Breastfed within 1 hour of birth	68
26	Total Still Birth	22	0.5	23	0.5	BCG	82.8
27	PC of newborn weighted at birth to live birth	2,310	100.7	2,729	94.2	3 dose of DPT	65
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	122	5.3	164	6.0	Measles	60.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	4,099	178.8	2,696	93.1	Full Immunization	55.3
30	Children fully immunized	3,668	83.3	4,371	100.1		
31	Children who have received BCG	2,751	62.5	3,090	70.8		
32	Children who have received DPT1	4,162	94.5	4,797	109.9		
33	Children who have received DPT3	3,988	90.5	4,630	106.1		
34	Children who have received Measles	3,505	79.6	4,371	100.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	712		792			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	18.5
37	Number of Tubectomies performed	0	0	Spacing	10.1
38	Number of IUD insertion	207	159	Women using any method	40.9
39	Number of IUD removals	134	130	Women using modern method	40.9
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	372	360		
41	General OPD cases per 10,000 population ***	4906	4338		
42	Ayush OPD cases per 10,000 population ***	117	161		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	3	2		
44	Neonatal Deaths up to 4 weeks of birth	26	19		
45	<b>Total Neonatal Death</b>	29	21		
46	Deaths between (1 - 11) months	27	20		
47	<b>Total reported infant deaths</b>	56	41		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	1	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	2	0		
54	<b>Total reported maternal deaths</b>	3	0		

## Aizawl West Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	159,720					
2	Sex Ratio	1,009					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	37					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	9					
6	Primary Health Centers (PHC)-HWC	2					
7	Community Health Centers (CHC)	0					
8	SDH	1					
9	DH	1					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW	3,217		3,188			
11	Expected number of Delivery	2,959		2,933			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	3,376	105.0	3,690	115.8	ANC Check up in first trimester	74.8
13	Mothers registered in the first trimester	2,643	78.3	2,988	81.0	At least 4ANC check up	76.6
14	Mothers who had at least 3 Ante-Natal care check ups	5,177	153.3	2,046	55.4	Neonatal tetanus received	89.1
15	PW who got TT 2 / Booster injection	2,924	86.6	3,150	85.4	100 IFA tablets consumed	59.8
16	PW who consumed 100 IFA tablets	550	16.3	961	26.0	Full ANC	47.8
17	Home Delivery against expected delivery *	6	0.2	4	0.1	Home Delivery	3.8
18	Institutional Delivery Against expected delivery *	5,405	182.6	6,583	224.5	Institutional Delivery	96.2
19	Reported Home Delivery **	6	0.1	4	0.1	Home Delivery by SBA(out of Total Deliveries)	1.4
20	Reported institutional Delivery **	5,405	99.9	6,583	99.9	PNC within 2days of delivery	75.5
21	Total reported Deliveries	5,411		6,587			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	2	33.3	1	25.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,683	31.1	689	10.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
24	Expected number of Live Birth	2,924		2,898			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		

25	Total reported live births	5,357	183.2	6,547	225.9	Breastfed within 1 hour of birth	68
26	Total Still Birth	92	3.1	40	1.4	BCG	82.8
27	PC of newborn weighted at birth to live birth	5,345	99.8	6,547	100.0	3 dose of DPT	65
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	324	6.1	382	5.8	Measles	60.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	5,254	98.1	6,520	99.6	Full Immunization	55.3
30	Children fully immunized	2,286	78.2	2,623	90.5		
31	Children who have received BCG	4,439	151.8	4,945	170.6		
32	Children who have received DPT1	2,752	94.1	2,846	98.2		
33	Children who have received DPT3	2,749	94.0	3,122	107.7		
34	Children who have received Measles	2,286	78.2	2,622	90.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	938		2,013			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	18.5
37	Number of Tubectomies performed	892	968	Spacing	10.1
38	Number of IUD insertion	407	520	Women using any method	40.9
39	Number of IUD removals	441	396	Women using modern method	40.9
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	1403	1656		
41	General OPD cases per 10,000 population ***	28974	36417		
42	Ayush OPD cases per 10,000 population ***	275	453		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	3	11		
44	Neonatal Deaths up to 4 weeks of birth	17	56		
45	<b>Total Neonatal Death</b>	20	67		
46	Deaths between (1 - 11) months	22	34		
47	<b>Total reported infant deaths</b>	42	101		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	3	2		
54	<b>Total reported maternal deaths</b>	3	3		

## Champhai Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	125,745					
2	Sex Ratio	981					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	59					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	11					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	2					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW	2,401		2,361			
11	Expected number of Delivery	2,209		2,173			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	2,690	112.0	2,742	116.1	ANC Check up in first trimester	60.3
13	Mothers registered in the first trimester	2,274	84.5	2,357	86.0	At least 4ANC check up	55.2
14	Mothers who had at least 3 Ante-Natal care check ups	1,027	38.2	1,287	46.9	Neonatal tetanus received	86.0
15	PW who got TT 2 / Booster injection	2,437	90.6	2,408	87.8	100 IFA tablets consumed	52.6
16	PW who consumed 100 IFA tablets	561	20.9	1,327	48.4	Full ANC	32.2
17	Home Delivery against expected delivery *	78	3.5	64	2.9	Home Delivery	19.4
18	Institutional Delivery Against expected delivery *	1,718	77.8	1,848	85.1	Institutional Delivery	80.6
19	Reported Home Delivery **	78	4.3	64	3.3	Home Delivery by SBA(out of Total Deliveries)	5.5
20	Reported institutional Delivery **	1,718	95.7	1,848	96.7	PNC within 2days of delivery	65.4
21	Total reported Deliveries	1,796		1,912			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	20	25.6	16	25.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,600	89.1	0	0.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
24	Expected number of Live Birth	2,183		2,147			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		



25	Total reported live births	1,783	81.7	1,897	88.4	Breastfed within 1 hour of birth	60
26	Total Still Birth	15	0.7	16	0.7	BCG	72.3
27	PC of newborn weighted at birth to live birth	1,768	99.2	1,878	99.0	3 dose of DPT	59
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	104	5.9	119	6.3	Measles	64.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,738	97.5	1,749	92.2	Full Immunization	48.3
30	Children fully immunized	1,786	81.8	2,196	102.3		
31	Children who have received BCG	1,987	91.0	2,117	98.6		
32	Children who have received DPT1	2,196	100.6	2,338	108.9		
33	Children who have received DPT3	2,196	100.6	2,307	107.5		
34	Children who have received Measles	1,841	84.3	2,191	102.1		
35	Diarrhoea and Dehydration cases reported in children below 5 years	783		1,272			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	24.3
37	Number of Tubectomies performed	49	65	Spacing	15.7
38	Number of IUD insertion	191	259	Women using any method	32.5
39	Number of IUD removals	189	216	Women using modern method	32.4
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	579	576		
41	General OPD cases per 10,000 population ***	7385	7468		
42	Ayush OPD cases per 10,000 population ***	370	427		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	12	5		
44	Neonatal Deaths up to 4 weeks of birth	12	9		
45	<b>Total Neonatal Death</b>	24	14		
46	Deaths between (1 - 11) months	37	26		
47	<b>Total reported infant deaths</b>	61	40		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	1	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	4	3		
54	<b>Total reported maternal deaths</b>	5	3		



## Kolasib Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	83,955					
2	Sex Ratio	956					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	26					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	5					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW	1,712		1,700			
11	Expected number of Delivery	1,575		1,564			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,813	105.9	1,918	112.8	ANC Check up in first trimester	67.5
13	Mothers registered in the first trimester	1,340	73.9	1,511	78.8	At least 4ANC check up	68.7
14	Mothers who had at least 3 Ante-Natal care check ups	973	53.7	1,079	56.3	Neonatal tetanus received	85.6
15	PW who got TT 2 / Booster injection	1,530	84.4	1,701	88.7	100 IFA tablets consumed	60.5
16	PW who consumed 100 IFA tablets	570	31.4	1,019	53.1	Full ANC	46.3
17	Home Delivery against expected delivery *	81	5.1	71	4.5	Home Delivery	12.3
18	Institutional Delivery Against expected delivery *	959	60.9	1,141	73.0	Institutional Delivery	87.7
19	Reported Home Delivery **	81	7.8	71	5.9	Home Delivery by SBA(out of Total Deliveries)	1.8
20	Reported institutional Delivery **	959	92.2	1,141	94.1	PNC within 2days of delivery	68.0
21	Total reported Deliveries	1,040		1,212			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	45	55.6	29	40.8		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	1,815	174.5	856	70.6		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
24	Expected number of Live Birth	1,557		1,545			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		

25	Total reported live births	1,028	66.0	1,208	78.2	Breastfed within 1 hour of birth	80.3
26	Total Still Birth	12	0.8	10	0.6	BCG	64.6
27	PC of newborn weighted at birth to live birth	1,029	100.1	1,205	99.8	3 dose of DPT	60.7
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	79	7.7	86	7.1	Measles	56.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,028	100.0	1,202	99.5	Full Immunization	51.5
30	Children fully immunized	1,202	77.2	1,356	87.7		
31	Children who have received BCG	1,255	80.6	1,410	91.2		
32	Children who have received DPT1	1,506	96.8	1,536	99.4		
33	Children who have received DPT3	1,396	89.7	1,467	94.9		
34	Children who have received Measles	1,201	77.2	1,356	87.7		
35	Diarrhoea and Dehydration cases reported in children below 5 years	891		1,867			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	18.2
37	Number of Tubectomies performed	124	216	Spacing	12.5
38	Number of IUD insertion	43	50	Women using any method	33.8
39	Number of IUD removals	35	62	Women using modern method	33.8
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	648	619		
41	General OPD cases per 10,000 population ***	7872	9298		
42	Ayush OPD cases per 10,000 population ***	417	478		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	8	7		
44	Neonatal Deaths up to 4 weeks of birth	7	13		
45	<b>Total Neonatal Death</b>	15	20		
46	Deaths between (1 - 11) months	16	19		
47	<b>Total reported infant deaths</b>	31	39		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	1	0		
54	<b>Total reported maternal deaths</b>	1	0		

## Lawngtlai Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	117,894					
2	Sex Ratio	945					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	37					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	5					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW	2,542	2,543				
11	Expected number of Delivery	2,338	2,340				
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	2,716	106.9	2,926	115.0	ANC Check up in first trimester	50.5
13	Mothers registered in the first trimester	1,536	56.6	1,450	49.6	At least 4ANC check up	38.3
14	Mothers who had at least 3 Ante-Natal care check ups	1,111	40.9	661	22.6	Neonatal tetanus received	57.4
15	PW who got TT 2 / Booster injection	2,075	76.4	2,240	76.6	100 IFA tablets consumed	42.8
16	PW who consumed 100 IFA tablets	1,460	53.8	1,589	54.3	Full ANC	25.3
17	Home Delivery against expected delivery *	830	35.5	886	37.9	Home Delivery	54.0
18	Institutional Delivery Against expected delivery *	1,119	47.9	1,208	51.6	Institutional Delivery	46.0
19	Reported Home Delivery **	830	42.6	886	42.3	Home Delivery by SBA(out of Total Deliveries)	4.1
20	Reported institutional Delivery **	1,119	57.4	1,208	57.7	PNC within 2days of delivery	39.6
21	Total reported Deliveries	1,949		2,094			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	96	11.6	81	9.1		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	298	15.3	246	11.7		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
24	Expected number of Live Birth	2,310		2,312			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		

25	Total reported live births	1,938	83.9	2,067	89.4	Breastfed within 1 hour of birth	76.4
26	Total Still Birth	20	0.9	24	1.0	BCG	70.7
27	PC of newborn weighted at birth to live birth	1,477	76.2	1,710	82.7	3 dose of DPT	53.4
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	57	3.9	68	4.0	Measles	48.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,634	84.3	1,896	91.7	Full Immunization	42.2
30	Children fully immunized	1,512	65.4	1,698	73.4		
31	Children who have received BCG	2,044	88.5	2,525	109.2		
32	Children who have received DPT1	2,192	94.9	2,625	113.5		
33	Children who have received DPT3	2,007	86.9	2,358	102.0		
34	Children who have received Measles	1,591	68.9	1,767	76.4		
35	Diarrhoea and Dehydration cases reported in children below 5 years	933		1,384			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	18.1
37	Number of Tubectomies performed	46	53	Spacing	13.3
38	Number of IUD insertion	66	78	Women using any method	27.1
39	Number of IUD removals	54	60	Women using modern method	27.1
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	397	473		
41	General OPD cases per 10,000 population ***	5795	7001		
42	Ayush OPD cases per 10,000 population ***	17	46		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	2	3		
44	Neonatal Deaths up to 4 weeks of birth	6	16		
45	<b>Total Neonatal Death</b>	8	19		
46	Deaths between (1 - 11) months	16	23		
47	<b>Total reported infant deaths</b>	24	42		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	1	0		
49	Due to Obstructed/prolonged labour	1	1		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	2	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	2	1		
54	<b>Total reported maternal deaths</b>	6	2		

## Lunglei Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)							
1	Population 2011	161,428						
2	Sex Ratio	944						
B) Infrastructure Details (RHS 2018-19)		Numbers						
3	Sub Centers (SC)	70						
4	Sub Centers (SC)- HWC	0						
5	Primary Health Centers (PHC)	11						
6	Primary Health Centers (PHC)-HWC	0						
7	Community Health Centers (CHC)	1						
8	SDH	1						
9	DH	1						
C) Maternal Health:		2018-19		2019-20				
10	Expected number of PW	2,998	2,937					
11	Expected number of Delivery	2,758	2,702					
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)		
		Number	PC	Number	PC			
12	PW register for ANC	2,652	88.5	2,922	99.5	ANC Check up in first trimester	57.8	
13	Mothers registered in the first trimester	1,897	71.5	2,039	69.8	At least 4ANC check up	49.7	
14	Mothers who had at least 3 Ante-Natal care check ups	1,253	47.2	1,414	48.4	Neonatal tetanus received	79.5	
15	PW who got TT 2 / Booster injection	2,380	89.7	2,991	102.4	100 IFA tablets consumed	40.5	
16	PW who consumed 100 IFA tablets	1,036	39.1	1,451	49.7	Full ANC	26.3	
17	Home Delivery against expected delivery *	428	15.5	490	18.1	Home Delivery	25.4	
18	Institutional Delivery Against expected delivery *	1,941	70.4	2,150	79.6	Institutional Delivery	74.6	
19	Reported Home Delivery **	428	18.1	490	18.6	Home Delivery by SBA(out of Total Deliveries)	3.2	
20	Reported institutional Delivery **	1,941	81.9	2,150	81.4	PNC within 2days of delivery	62.3	
21	Total reported Deliveries	2,369		2,640				
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	145	33.9	110	22.4			
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	2,074	87.5	1,187	45.0			
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>								
24	Expected number of Live Birth	2,725		2,670				
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)		
		Number	PC	Number	PC			

25	Total reported live births	2,371	87.0	2,623	98.2	Breastfed within 1 hour of birth	60.5
26	Total Still Birth	22	0.8	13	0.5	BCG	69.2
27	PC of newborn weighted at birth to live birth	2,281	96.2	2,508	95.6	3 dose of DPT	60.9
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	77	3.4	82	3.3	Measles	66.4
29	PC of newborns breastfed within 1 hour to total reported live birth.	2,204	93.0	2,371	90.4	Full Immunization	46.4
30	Children fully immunized	1,715	62.9	2,253	84.4		
31	Children who have received BCG	2,279	83.6	2,631	98.5		
32	Children who have received DPT1	2,301	84.4	2,538	95.1		
33	Children who have received DPT3	2,290	84.0	2,486	93.1		
34	Children who have received Measles	1,754	64.4	2,255	84.5		
35	Diarrhoea and Dehydration cases reported in children below 5 years	539		729			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	19.3
37	Number of Tubectomies performed	169	120	Spacing	11.8
38	Number of IUD insertion	200	159	Women using any method	29
39	Number of IUD removals	84	85	Women using modern method	29
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	650	733		
41	General OPD cases per 10,000 population ***	15934	12984		
42	Ayush OPD cases per 10,000 population ***	785	443		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	10	7		
44	Neonatal Deaths up to 4 weeks of birth	23	21		
45	<b>Total Neonatal Death</b>	33	28		
46	Deaths between (1 - 11) months	28	15		
47	<b>Total reported infant deaths</b>	61	43		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	1	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	1	0		
52	Due to High fever	0	1		
53	Due to Other Causes (including causes not known)	1	2		
54	<b>Total reported maternal deaths</b>	3	3		

## Mamit Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	86,364					
2	Sex Ratio	924					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	33					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	6					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW	1,894	1,900				
11	Expected number of Delivery	1,742	1,748				
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,904	100.5	1,970	103.7	ANC Check up in first trimester	60.6
13	Mothers registered in the first trimester	1,260	66.2	1,338	67.9	At least 4ANC check up	45.3
14	Mothers who had at least 3 Ante-Natal care check ups	718	37.7	906	46.0	Neonatal tetanus received	78.8
15	PW who got TT 2 / Booster injection	1,581	83.0	1,645	83.5	100 IFA tablets consumed	51.3
16	PW who consumed 100 IFA tablets	966	50.7	1,163	59.0	Full ANC	32.8
17	Home Delivery against expected delivery *	456	26.2	445	25.5	Home Delivery	41.3
18	Institutional Delivery Against expected delivery *	581	33.3	848	48.5	Institutional Delivery	58.7
19	Reported Home Delivery **	456	44.0	445	34.4	Home Delivery by SBA(out of Total Deliveries)	10.1
20	Reported institutional Delivery **	581	56.0	848	65.6	PNC within 2days of delivery	49.3
21	Total reported Deliveries	1,037		1,293			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	95	20.8	100	22.5		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	988	95.3	188	14.5		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
24	Expected number of Live Birth	1,722		1,727			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		



25	Total reported live births	1,027	59.7	1,277	73.9	Breastfed within 1 hour of birth	85.7
26	Total Still Birth	8	0.5	16	0.9	BCG	64.2
27	PC of newborn weighted at birth to live birth	893	87.0	1,182	92.6	3 dose of DPT	54.4
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	29	3.2	45	3.8	Measles	57.2
29	PC of newborns breastfed within 1 hour to total reported live birth.	932	90.7	1,219	95.5	Full Immunization	40.4
30	Children fully immunized	1,230	71.4	1,359	78.7		
31	Children who have received BCG	1,398	81.2	1,602	92.8		
32	Children who have received DPT1	1,548	89.9	1,746	101.1		
33	Children who have received DPT3	1,466	85.2	1,570	90.9		
34	Children who have received Measles	1,251	72.7	1,364	79.0		
35	Diarrhoea and Dehydration cases reported in children below 5 years	751		1,322			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	23.6
37	Number of Tubectomies performed	12	20	Spacing	15.9
38	Number of IUD insertion	26	59	Women using any method	34.6
39	Number of IUD removals	34	41	Women using modern method	34.6
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	329	419		
41	General OPD cases per 10,000 population ***	6136	7226		
42	Ayush OPD cases per 10,000 population ***	55	162		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	3	4		
44	Neonatal Deaths up to 4 weeks of birth	0	3		
45	<b>Total Neonatal Death</b>	3	7		
46	Deaths between (1 - 11) months	10	9		
47	<b>Total reported infant deaths</b>	13	16		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	1		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	0	0		
54	<b>Total reported maternal deaths</b>	0	1		

## Saiha Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	56,574					
2	Sex Ratio	978					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	24					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	4					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	0					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW	1,106		1,091			
11	Expected number of Delivery	1,017		1,004			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,643	148.6	1,481	135.7	ANC Check up in first trimester	63.3
13	Mothers registered in the first trimester	1,195	72.7	1,209	81.6	At least 4ANC check up	48.6
14	Mothers who had at least 3 Ante-Natal care check ups	539	32.8	697	47.1	Neonatal tetanus received	87.3
15	PW who got TT 2 / Booster injection	1,290	78.5	1,265	85.4	100 IFA tablets consumed	54.7
16	PW who consumed 100 IFA tablets	763	46.4	1,009	68.1	Full ANC	28.9
17	Home Delivery against expected delivery *	324	31.8	245	24.4	Home Delivery	39.4
18	Institutional Delivery Against expected delivery *	950	93.4	1,148	114.4	Institutional Delivery	60.6
19	Reported Home Delivery **	324	25.4	245	17.6	Home Delivery by SBA(out of Total Deliveries)	11.1
20	Reported institutional Delivery **	950	74.6	1,148	82.4	PNC within 2days of delivery	53.5
21	Total reported Deliveries	1,274		1,393			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	136	42.0	73	29.8		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	470	36.9	44	3.2		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
24	Expected number of Live Birth	1,005		992			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		

25	Total reported live births	1,258	125.1	1,388	139.9	Breastfed within 1 hour of birth	86.6
26	Total Still Birth	12	1.2	10	1.0	BCG	78.6
27	PC of newborn weighted at birth to live birth	1,261	100.2	1,388	100.0	3 dose of DPT	68.2
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	51	4.0	43	3.1	Measles	74.3
29	PC of newborns breastfed within 1 hour to total reported live birth.	1,257	99.9	1,364	98.3	Full Immunization	55
30	Children fully immunized	1,041	103.6	1,097	110.6		
31	Children who have received BCG	1,074	106.8	1,294	130.4		
32	Children who have received DPT1	1,239	123.2	1,234	124.4		
33	Children who have received DPT3	1,164	115.8	1,188	119.8		
34	Children who have received Measles	1,015	101.0	1,097	110.6		
35	Diarrhoea and Dehydration cases reported in children below 5 years	324		511			

Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).

E) Family Planning		HMIS (2018-19)	HMIS (2019-20)	NFSH-4 (2015-16)	
36	Number of Vasectomies performed	0	0	Total unmet need	25.3
37	Number of Tubectomies performed	93	101	Spacing	18.1
38	Number of IUD insertion	193	217	Women using any method	33.9
39	Number of IUD removals	61	58	Women using modern method	33.9
F) Service delivery		HMIS (2018-19)	HMIS (2019-20)		
40	IPD cases per 10,000 population ***	607	550		
41	General OPD cases per 10,000 population ***	6287	8288		
42	Ayush OPD cases per 10,000 population ***	838	418		
G) Mortality Details					
I)	Infant Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
43	Neonatal death within 24 hours	2	0		
44	Neonatal Deaths up to 4 weeks of birth	14	16		
45	<b>Total Neonatal Death</b>	16	16		
46	Deaths between (1 - 11) months	16	25		
47	<b>Total reported infant deaths</b>	32	41		
II)	Maternal Mortality				
	Maternal Deaths (In Numbers)	HMIS (2018-19)	HMIS (2019-20)		
48	Due to Abortion	0	0		
49	Due to Obstructed/prolonged labour	0	0		
50	Due to Severe hypertension/fits	0	0		
51	Due to Bleeding	0	0		
52	Due to High fever	0	0		
53	Due to Other Causes (including causes not known)	4	1		
54	<b>Total reported maternal deaths</b>	4	1		

## Serchhip Factsheet

### Key Indicators

SL No	A) Demographic Indicators (Census 2011)						
1	Population 2011	64,937					
2	Sex Ratio	976					
B) Infrastructure Details (RHS 2018-19)		Numbers					
3	Sub Centers (SC)	27					
4	Sub Centers (SC)- HWC	0					
5	Primary Health Centers (PHC)	5					
6	Primary Health Centers (PHC)-HWC	0					
7	Community Health Centers (CHC)	1					
8	SDH	0					
9	DH	1					
C) Maternal Health:		2018-19		2019-20			
10	Expected number of PW	1,264		1,247			
11	Expected number of Delivery	1,163		1,147			
		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		
12	PW register for ANC	1,240	98.1	1,181	94.7	ANC Check up in first trimester	67.1
13	Mothers registered in the first trimester	1,038	83.7	973	82.4	At least 4ANC check up	69.3
14	Mothers who had at least 3 Ante-Natal care check ups	395	31.9	430	36.4	Neonatal tetanus received	88.1
15	PW who got TT 2 / Booster injection	1,107	89.3	1,012	85.7	100 IFA tablets consumed	63.3
16	PW who consumed 100 IFA tablets	225	18.1	262	22.2	Full ANC	46.8
17	Home Delivery against expected delivery *	21	1.8	15	1.3	Home Delivery	11.7
18	Institutional Delivery Against expected delivery *	689	59.2	663	57.8	Institutional Delivery	88.3
19	Reported Home Delivery **	21	3.0	15	2.2	Home Delivery by SBA(out of Total Deliveries)	6.1
20	Reported institutional Delivery **	689	97.0	663	97.8	PNC within 2days of delivery	68.9
21	Total reported Deliveries	710		678			
22	Reported Delivery at home assisted by a Doctor/Nurse /LHV/ANM(%)	15	71.4	15	100.0		
23	PC of woman getting post partum check up between 48 hours and 14 days to total reported deliveries	245	34.5	0	0.0		
<b>Note: In case of HMIS data, Percentage is with reference to total number of Pregnant Women registered for ANC during the period and in DLHS-4 is with ref. to Women who had live/still births since three years preceding the survey. ((DLHS-4 reference period is from 1-1-2008 to survey date)).</b>							
24	Expected number of Live Birth	1,149		1,133			
D) Child Immunization :		HMIS (2018-19)		HMIS (2019-20)		NFSH-4 (2015-16)	
		Number	PC	Number	PC		

25	Total reported live births	709	61.7	674	59.5	Breastfed within 1 hour of birth	72.4
26	Total Still Birth	1	0.1	4	0.4	BCG	81.4
27	PC of newborn weighted at birth to live birth	702	99.0	674	100.0	3 dose of DPT	71.3
28	PC of newborn having weight less than 2.5 kg to newborn weighted at birth.	15	2.1	20	3.0	Measles	73.9
29	PC of newborns breastfed within 1 hour to total reported live birth.	608	85.8	670	99.4	Full Immunization	60.9
30	Children fully immunized	917	79.8	917	80.9		
31	Children who have received BCG	834	72.6	889	78.4		
32	Children who have received DPT1	1,018	88.6	1,018	89.8		
33	Children who have received DPT3	1,050	91.4	1,008	88.9		
34	Children who have received Measles	955	83.1	917	80.9		
35	Diarrhoea and Dehydration cases reported in children below 5 years	600		687			
<p>Note: In case of HMIS data, Proportions are calculated for 0-11 months old infants to total number of reported live births and in DLHS-4, the percentage of children 12-23 months olds who received specific vaccination to mothers who had last and last but one living child born three years preceding the survey. (DLHS-4 reference period is from 1-1-2008 to survey date).</p>							
<b>E) Family Planning</b>		<b>HMIS (2018-19)</b>		<b>HMIS (2019-20)</b>		<b>NFSH-4 (2015-16)</b>	
36	Number of Vasectomies performed	0		0		Total unmet need	19.4
37	Number of Tubectomies performed	6		21		Spacing	12.7
38	Number of IUD insertion	74		53		Women using any method	40.9
39	Number of IUD removals	61		70		Women using modern method	40.8
<b>F) Service delivery</b>		<b>HMIS (2018-19)</b>		<b>HMIS (2019-20)</b>			
40	IPD cases per 10,000 population ***	624		620			
41	General OPD cases per 10,000 population ***	9307		9631			
42	Ayush OPD cases per 10,000 population ***	469		613			
<b>G) Mortality Details</b>							
<b>I)</b>	<b>Infant Deaths (In Numbers)</b>	<b>HMIS (2018-19)</b>		<b>HMIS (2019-20)</b>			
43	Neonatal death within 24 hours	1		3			
44	Neonatal Deaths up to 4 weeks of birth	3		3			
45	<b>Total Neonatal Death</b>	4		6			
46	Deaths between (1 - 11) months	2		0			
47	<b>Total reported infant deaths</b>	6		6			
<b>II)</b>	<b>Maternal Mortality</b>	<b>HMIS (2018-19)</b>		<b>HMIS (2019-20)</b>			
	<b>Maternal Deaths (In Numbers)</b>	<b>HMIS (2018-19)</b>		<b>HMIS (2019-20)</b>			
48	Due to Abortion	0		0			
49	Due to Obstructed/prolonged labour	0		0			
50	Due to Severe hypertension/fits	0		0			
51	Due to Bleeding	0		0			
52	Due to High fever	0		1			
53	Due to Other Causes (including causes not known)	0		0			
54	<b>Total reported maternal deaths</b>	0		1			

\* Against Expected Delivery for the 2018-19 & 2019-20

\*\* Against Reported Delivery for the 2018-19 & 2019-20

\*\*\* Against Estimated Population for 2018-19 & 2019-20